ICD-10-CM INDEX TO DISEASES and INJURIES

A

Aarskog's syndrome Q87.19
Abandonment -*see* Maltreatment
Abasia (-astasia) (hysterical) F44.4
Abderhalden-Kaufmann-Lignac syndrome (cystinosis) E72.04
Abdomen, abdominal -*see also* condition
- acute R10.0
- angina K55.1
- muscle deficiency syndrome Q79.4
Abdominalgia -*see* Pain, abdominal
Abduction contracture, hip or other joint -*see* Contraction, joint
Aberrant (congenital) -*see also* Malposition, congenital
- adrenal gland Q89.1
- artery (peripheral) Q27.8
- - basilar NEC Q28.1
- - cerebral Q28.3
- - coronary Q24.5
- - digestive system Q27.8
- - eye Q15.8
- - lower limb Q27.8
- - precerebral Q28.1
- - pulmonary Q25.79
- - renal Q27.2
- - retina Q14.1
- - specified site NEC Q27.8
- - subclavian Q27.8
- - upper limb Q27.8
- - vertebral Q28.1
- breast Q83.8
- endocrine gland NEC Q89.2
- hepatic duct Q44.5
- pancreas Q45.3
- parathyroid gland Q89.2
- pituitary gland Q89.2
- sebaceous glands, mucous membrane, mouth, congenital Q38.6
- spleen Q89.09
- subclavian artery Q27.8
- thymus (gland) Q89.2
- thyroid gland Q89.2
- vein (peripheral) NEC Q27.8
- - cerebral Q28.3
- - digestive system Q27.8
- - lower limb Q27.8
- - precerebral Q28.1
- - specified site NEC Q27.8
- - upper limb Q27.8
Aberration
- distantial -*see* Disturbance, visual
- mental F99
Abetalipoproteinemia E78.6
Abiotrophy R68.89
Ablatio, ablation
- retinae -*see* Detachment, retina
Ablepharia, ablepharon Q10.3
Abnormal, abnormality, abnormalities -*see also* Anomaly

- acid-base balance (mixed) E87.4
- albumin R77.0
- alphafetoprotein R77.2
- alveolar ridge K08.9
- anatomical relationship Q89.9
- apertures, congenital, diaphragm Q79.1
- atrial septal, specified NEC Q21.19
- auditory perception H93.29-
- - diplacusis -*see* Diplacusis
- - hyperacusis -*see* Hyperacusis
- - recruitment -*see* Recruitment, auditory
- - threshold shift -*see* Shift, auditory threshold
- autosomes Q99.9
- - fragile site Q95.5
- basal metabolic rate R94.8
- biosynthesis, testicular androgen E29.1
- bleeding time R79.1
- blood amino-acid level R79.83
- blood-gas level R79.81
- blood level (of)
- - cobalt R79.0
- - copper R79.0
- - iron R79.0
- - lithium R78.89
- - magnesium R79.0
- - mineral NEC R79.0
- - zinc R79.0
- blood pressure
- - elevated R03.0
- - low reading (nonspecific) R03.1
- blood sugar R73.09
- bowel sounds R19.15
- - absent R19.11
- - hyperactive R19.12
- brain scan R94.02
- breathing R06.9
- caloric test R94.138
- cerebrospinal fluid R83.9
- - cytology R83.6
- - drug level R83.2
- - enzyme level R83.0
- - hormones R83.1
- - immunology R83.4
- - microbiology R83.5
- - nonmedicinal level R83.3
- - specified type NEC R83.8
- chemistry, blood R79.9
- - C-reactive protein R79.82
- - drugs -*see* Findings, abnormal, in blood
- - gas level R79.81
- - minerals R79.0
- - pancytopenia D61.818
- - PTT R79.1
- - specified NEC R79.89
- - toxins -*see* Findings, abnormal, in blood
- chest sounds (friction) (rales) R09.89
- chromosome, chromosomal Q99.9
- - with more than three X chromosomes, female Q97.1
- - analysis result R89.8
- - - bronchial washings R84.8

- - - cerebrospinal fluid R83.8
- - - cervix uteri NEC R87.89
- - - nasal secretions R84.8
- - - nipple discharge R89.8
- - - peritoneal fluid R85.89
- - - pleural fluid R84.8
- - - prostatic secretions R86.8
- - - saliva R85.89
- - - seminal fluid R86.8
- - - sputum R84.8
- - - synovial fluid R89.8
- - - throat scrapings R84.8
- - - vagina R87.89
- - - vulva R87.89
- - - wound secretions R89.8
- - dicentric replacement Q93.2
- - ring replacement Q93.2
- - sex Q99.8
- - - female phenotype Q97.9
- - - - specified NEC Q97.8
- - - male phenotype Q98.9
- - - - specified NEC Q98.8
- - - structural male Q98.6
- - specified NEC Q99.8
- clinical findings NEC R68.89
- coagulation D68.9
- - newborn, transient P61.6
- - profile R79.1
- - time R79.1
- communication -*see* Fistula
- conjunctiva, vascular H11.41-
- coronary artery Q24.5
- cortisol-binding globulin E27.8
- course, eustachian tube Q17.8
- creatinine clearance R94.4
- cytology
- - anus R85.619
- - - atypical squamous cells cannot exclude high grade squamous intraepithelial lesion (ASC-H) R85.611
- - - atypical squamous cells of undetermined significance (ASC-US) R85.610
- - - cytologic evidence of malignancy R85.614
- - - high grade squamous intraepithelial lesion (HGSIL) R85.613
- - - human papillomavirus (HPV) DNA test
- - - - high risk positive R85.81
- - - - low risk postive R85.82
- - - inadequate smear R85.615
- - - low grade squamous intraepithelial lesion (LGSIL) R85.612
- - - satisfactory anal smear but lacking transformation zone R85.616
- - - specified NEC R85.618
- - - unsatisfactory smear R85.615
- - female genital organs -*see* Abnormal, Papanicolaou (smear)
- dark adaptation curve H53.61
- dentofacial NEC -*see* Anomaly, dentofacial
- development, developmental Q89.9
- - central nervous system Q07.9
- diagnostic imaging
- - abdomen, abdominal region NEC R93.5
- - biliary tract R93.2
- - bladder R93.41
- - breast R92.8
- - central nervous system NEC R90.89

- - cerebrovascular NEC R90.89
- - coronary circulation R93.1
- - digestive tract NEC R93.3
- - gastrointestinal (tract) R93.3
- - genitourinary organs R93.89
- - head R93.0
- - heart R93.1
- - intrathoracic organ NEC R93.89
- - kidney R93.42-
- - limbs R93.6
- - liver R93.2
- - lung (field) R91.8
- - musculoskeletal system NEC R93.7
- - renal pelvis R93.41
- - retroperitoneum R93.5
- - site specified NEC R93.89
- - skin and subcutaneous tissue R93.89
- - skull R93.0
- - testis R93.81-
- - urinary organs specified NEC R93.49
- - ureter R93.41
- direction, teeth, fully erupted M26.30
- ear ossicles, acquired NEC H74.39-
- - ankylosis -*see* Ankylosis, ear ossicles
- - discontinuity -*see* Discontinuity, ossicles, ear
- - partial loss -*see* Loss, ossicles, ear (partial)
- Ebstein Q22.5
- echocardiogram R93.1
- echoencephalogram R90.81
- echogram -*see* Abnormal, diagnostic imaging
- electrocardiogram [ECG] [EKG] R94.31
- electroencephalogram [EEG] R94.01
- electrolyte -*see* Imbalance, electrolyte
- electromyogram [EMG] R94.131
- electro-oculogram [EOG] R94.110
- electrophysiological intracardiac studies R94.39
- electroretinogram [ERG] R94.111
- erythrocytes
- - congenital, with perinatal jaundice D58.9
- feces (color) (contents) (mucus) R19.5
- finding -*see* Findings, abnormal, without diagnosis
- fluid
- - amniotic -*see* Abnormal, specimen, specified
- - cerebrospinal -*see* Abnormal, cerebrospinal fluid
- - peritoneal -*see* Abnormal, specimen, digestive organs
- - pleural -*see* Abnormal, specimen, respiratory organs
- - synovial -*see* Abnormal, specimen, specified
- - thorax (bronchial washings) (pleural fluid) -*see* Abnormal, specimen, respiratory organs
- - vaginal -*see* Abnormal, specimen, female genital organs
- form
- - teeth K00.2
- - uterus -*see* Anomaly, uterus
- function studies
- - auditory R94.120
- - bladder R94.8
- - brain R94.09
- - cardiovascular R94.30
- - ear R94.128
- - endocrine NEC R94.7
- - eye NEC R94.118

- - kidney R94.4
- - liver R94.5
- - nervous system
- - - central NEC R94.09
- - - peripheral NEC R94.138
- - pancreas R94.8
- - placenta R94.8
- - pulmonary R94.2
- - special senses NEC R94.128
- - spleen R94.8
- - thyroid R94.6
- - vestibular R94.121
- gait -*see* Gait
- - hysterical F44.4
- gastrin secretion E16.4
- globulin R77.1
- - cortisol-binding E27.8
- - thyroid-binding E07.89
- glomerular, minor -*see also* N00-N07 with fourth character .0 N05.0
- glucagon secretion E16.3
- glucose tolerance (test) (non-fasting) R73.09
- gravitational (G) forces or states (effect of) T75.81
- hair (color) (shaft) L67.9
- - specified NEC L67.8
- hard tissue formation in pulp (dental) K04.3
- head movement R25.0
- heart
- - rate R00.9
- - - specified NEC R00.8
- - shadow R93.1
- - sounds NEC R01.2
- hemoglobin (disease) -*see also* Disease, hemoglobin D58.2
- - trait -*see* Trait, hemoglobin, abnormal
- histology NEC R89.7
- immunological findings R89.4
- - in serum R76.9
- - - specified NEC R76.8
- increase in appetite R63.2
- involuntary movement -*see* Abnormal, movement, involuntary
- jaw closure M26.51
- karyotype R89.8
- kidney function test R94.4
- knee jerk R29.2
- leukocyte (cell) (differential) NEC D72.9
- liver function test -*see also* Elevated, liver function, test R79.89
- loss of
- - height R29.890
- - weight R63.4
- mammogram NEC R92.8
- - calcification (calculus) R92.1
- - microcalcification R92.0
- Mantoux test R76.11
- movement (disorder) -*see also* Disorder, movement
- - head R25.0
- - involuntary R25.9
- - - fasciculation R25.3
- - - of head R25.0
- - - spasm R25.2
- - - specified type NEC R25.8
- - - tremor R25.1

- myoglobin (Aberdeen) (Annapolis) R89.7
- neonatal screening P09.9
- - for
- - - congenital adrenal hyperplasia P09.2
- - - congenital endocrine disease P09.2
- - - congenital hematologic disorders P09.3
- - - critical congenital heart disease P09.5
- - - cystic fibrosis P09.4
- - - hemoglobinopathy P09.3
- - - hypothyroidism P09.2
- - - inborn errors of metabolism P09.1
- - - neonatal hearing loss P09.6
- - - red cell membrane defects P09.3
- - - sickle cell P09.3
- - - specified NEC P09.8
- oculomotor study R94.113
- palmar creases Q82.8
- Papanicolaou (smear)
- - anus R85.619
- - - atypical squamous cells cannot exclude high grade squamous intraepithelial lesion (ASC-H) R85.611
- - - atypical squamous cells of undetermined significance (ASC-US) R85.610
- - - cytologic evidence of malignancy R85.614
- - - high grade squamous intraepithelial lesion (HGSIL) R85.613
- - - human papillomavirus (HPV) DNA test
- - - - high risk positive R85.81
- - - - low risk postive R85.82
- - - inadequate smear R85.615
- - - low grade squamous intraepithelial lesion (LGSIL) R85.612
- - - satisfactory anal smear but lacking transformation zone R85.616
- - - specified NEC R85.618
- - - unsatisfactory smear R85.615
- - bronchial washings R84.6
- - cerebrospinal fluid R83.6
- - cervix R87.619
- - - atypical squamous cells cannot exclude high grade squamous intraepithelial lesion (ASC-H) R87.611
- - - atypical squamous cells of undetermined significance (ASC-US) R87.610
- - - cytologic evidence of malignancy R87.614
- - - high grade squamous intraepithelial lesion (HGSIL) R87.613
- - - inadequate smear R87.615
- - - low grade squamous intraepithelial lesion (LGSIL) R87.612
- - - non-atypical endometrial cells R87.618
- - - satisfactory cervical smear but lacking transformation zone R87.616
- - - specified NEC R87.618
- - - thin preparaton R87.619
- - - unsatisfactory smear R87.615
- - nasal secretions R84.6
- - nipple discharge R89.6
- - peritoneal fluid R85.69
- - pleural fluid R84.6
- - prostatic secretions R86.6
- - saliva R85.69
- - seminal fluid R86.6
- - sites NEC R89.6
- - sputum R84.6
- - synovial fluid R89.6
- - throat scrapings R84.6
- - vagina R87.629
- - - atypical squamous cells cannot exclude high grade squamous intraepithelial lesion (ASC-H) R87.621
- - - atypical squamous cells of undetermined significance (ASC-US) R87.620
- - - cytologic evidence of malignancy R87.624

- - - high grade squamous intraepithelial lesion (HGSIL) R87.623
- - - inadequate smear R87.625
- - - low grade squamous intraepithelial lesion (LGSIL) R87.622
- - - specified NEC R87.628
- - - thin preparation R87.629
- - - unsatisfactory smear R87.625
- - vulva R87.69
- - wound secretions R89.6
- partial thromboplastin time (PTT) R79.1
- pelvis (bony) -*see* Deformity, pelvis
- percussion, chest (tympany) R09.89
- periods (grossly) -*see* Menstruation
- phonocardiogram R94.39
- plantar reflex R29.2
- plasma
- - protein R77.9
- - - specified NEC R77.8
- - viscosity R70.1
- pleural (folds) Q34.0
- posture R29.3
- product of conception O02.9
- - specified type NEC O02.89
- prothrombin time (PT) R79.1
- pulmonary
- - artery, congenital Q25.79
- - function, newborn P28.89
- - test results R94.2
- pulsations in neck R00.2
- pupillary H21.56-
- - function (reaction) (reflex) -*see* Anomaly, pupil, function
- radiological examination -*see* Abnormal, diagnostic imaging
- red blood cell(s) (morphology) (volume) R71.8
- reflex -*see* Reflex
- renal function test R94.4
- response to nerve stimulation R94.130
- retinal correspondence H53.31
- retinal function study R94.111
- rhythm, heart -*see also* Arrhythmia
- saliva -*see* Abnormal, specimen, digestive organs
- scan
- - kidney R94.4
- - liver R93.2
- - thyroid R94.6
- secretion
- - gastrin E16.4
- - glucagon E16.3
- semen, seminal fluid -*see* Abnormal, specimen, male genital organs
- serum level (of)
- - acid phosphatase R74.8
- - alkaline phosphatase R74.8
- - amylase R74.8
- - enzymes R74.9
- - - specified NEC R74.8
- - lipase R74.8
- - triacylglycerol lipase R74.8
- shape
- - gravid uterus -*see* Anomaly, uterus
- sinus venosus Q21.16
- size, tooth, teeth K00.2
- spacing, tooth, teeth, fully erupted M26.30

- specimen
- - digestive organs (peritoneal fluid) (saliva) R85.9
- - - cytology R85.69
- - - drug level R85.2
- - - enzyme level R85.0
- - - histology R85.7
- - - hormones R85.1
- - - immunology R85.4
- - - microbiology R85.5
- - - nonmedicinal level R85.3
- - - specified type NEC R85.89
- - female genital organs (secretions) (smears) R87.9
- - - cytology R87.69
- - - - cervix R87.619
- - - - - human papillomavirus (HPV) DNA test
- - - - - - high risk positive R87.810
- - - - - - low risk positive R87.820
- - - - - inadequate (unsatisfactory) smear R87.615
- - - - - non-atypical endometrial cells R87.618
- - - - - specified NEC R87.618
- - - - vagina R87.629
- - - - - human papillomavirus (HPV) DNA test
- - - - - - high risk positive R87.811
- - - - - - low risk positive R87.821
- - - - - inadequate (unsatisfactory) smear R87.625
- - - - vulva R87.69
- - - drug level R87.2
- - - enzyme level R87.0
- - - histological R87.7
- - - hormones R87.1
- - - immunology R87.4
- - - microbiology R87.5
- - - nonmedicinal level R87.3
- - - specified type NEC R87.89
- - male genital organs (prostatic secretions) (semen) R86.9
- - - cytology R86.6
- - - drug level R86.2
- - - enzyme level R86.0
- - - histological R86.7
- - - hormones R86.1
- - - immunology R86.4
- - - microbiology R86.5
- - - nonmedicinal level R86.3
- - - specified type NEC R86.8
- - nipple discharge -*see* Abnormal, specimen, specified
- - respiratory organs (bronchial washings) (nasal secretions) (pleural fluid) (sputum) R84.9
- - - cytology R84.6
- - - drug level R84.2
- - - enzyme level R84.0
- - - histology R84.7
- - - hormones R84.1
- - - immunology R84.4
- - - microbiology R84.5
- - - nonmedicinal level R84.3
- - - specified type NEC R84.8
- - specified organ, system and tissue NOS R89.9
- - - cytology R89.6
- - - drug level R89.2
- - - enzyme level R89.0
- - - histology R89.7

- - - hormones R89.1
- - - immunology R89.4
- - - microbiology R89.5
- - - nonmedicinal level R89.3
- - - specified type NEC R89.8
- - synovial fluid -*see* Abnormal, specimen, specified
- - thorax (bronchial washings) (pleural fluids) -*see* Abnormal, specimen, respiratory organs
- - vagina (secretion) (smear) R87.629
- - vulva (secretion) (smear) R87.69
- - wound secretion -*see* Abnormal, specimen, specified
- spermatozoa -*see* Abnormal, specimen, male genital organs
- sputum (amount) (color) (odor) R09.3
- stool (color) (contents) (mucus) R19.5
- - bloody K92.1
- - guaiac positive R19.5
- synchondrosis Q78.8
- thermography -*see also* Abnormal, diagnostic imaging R93.89
- thyroid-binding globulin E07.89
- tooth, teeth (form) (size) K00.2
- toxicology (findings) R78.9
- transport protein E88.09
- tumor marker NEC R97.8
- ultrasound results -*see* Abnormal, diagnostic imaging
- umbilical cord complicating delivery O69.9
- urination NEC R39.198
- urine (constituents) R82.90
- - bile R82.2
- - cytological examination R82.89
- - drugs R82.5
- - fat R82.0
- - glucose R81
- - heavy metals R82.6
- - hemoglobin R82.3
- - histological examination R82.89
- - ketones R82.4
- - microbiological examination (culture) R82.79
- - myoglobin R82.1
- - positive culture R82.79
- - protein -*see* Proteinuria
- - specified substance NEC R82.998
- - - chromoabnormality NEC R82.91
- - substances nonmedical R82.6
- uterine hemorrhage -*see* Hemorrhage, uterus
- vectorcardiogram R94.39
- visually evoked potential (VEP) R94.112
- white blood cells D72.9
- - specified NEC D72.89
- X-ray examination -*see* Abnormal, diagnostic imaging

Abnormity (any organ or part) -*see* Anomaly

Abocclusion M26.29
- hemolytic disease (newborn) P55.1
- incompatibility reaction ABO -*see* Complication(s), transfusion, incompatibility reaction, ABO

Abolition, language R48.8

Aborter, habitual or recurrent -*see* Loss (of), pregnancy, recurrent

Abortion (complete) (spontaneous) O03.9
- with
- - retained products of conception -*see* Abortion, incomplete
- attempted (elective) (failed) O07.4
- - complicated by O07.30
- - - afibrinogenemia O07.1

- - - cardiac arrest O07.36
- - - chemical damage of pelvic organ(s) O07.34
- - - circulatory collapse O07.31
- - - cystitis O07.38
- - - defibrination syndrome O07.1
- - - electrolyte imbalance O07.33
- - - embolism (air) (amniotic fluid) (blood clot) (fat) (pulmonary) (septic) (soap) O07.2
- - - endometritis O07.0
- - - genital tract and pelvic infection O07.0
- - - hemolysis O07.1
- - - hemorrhage (delayed) (excessive) O07.1
- - - infection
- - - - genital tract or pelvic O07.0
- - - - urinary tract tract O07.38
- - - intravascular coagulation O07.1
- - - laceration of pelvic organ(s) O07.34
- - - metabolic disorder O07.33
- - - oliguria O07.32
- - - oophoritis O07.0
- - - parametritis O07.0
- - - pelvic peritonitis O07.0
- - - perforation of pelvic organ(s) O07.34
- - - renal failure or shutdown O07.32
- - - salpingitis or salpingo-oophoritis O07.0
- - - sepsis O07.37
- - - shock O07.31
- - - specified condition NEC O07.39
- - - tubular necrosis (renal) O07.32
- - - uremia O07.32
- - - urinary tract infection O07.38
- - - venous complication NEC O07.35
- - - - embolism (air) (amniotic fluid) (blood clot) (fat) (pulmonary) (septic) (soap) O07.2
- complicated (by) (following) O03.80
- - afibrinogenemia O03.6
- - cardiac arrest O03.86
- - chemical damage of pelvic organ(s) O03.84
- - circulatory collapse O03.81
- - cystitis O03.88
- - defibrination syndrome O03.6
- - electrolyte imbalance O03.83
- - embolism (air) (amniotic fluid) (blood clot) (fat) (pulmonary) (septic) (soap) O03.7
- - endometritis O03.5
- - genital tract and pelvic infection O03.5
- - hemolysis O03.6
- - hemorrhage (delayed) (excessive) O03.6
- - infection
- - - genital tract or pelvic O03.5
- - - urinary tract O03.88
- - intravascular coagulation O03.6
- - laceration of pelvic organ(s) O03.84
- - metabolic disorder O03.83
- - oliguria O03.82
- - oophoritis O03.5
- - parametritis O03.5
- - pelvic peritonitis O03.5
- - perforation of pelvic organ(s) O03.84
- - renal failure or shutdown O03.82
- - salpingitis or salpingo-oophoritis O03.5
- - sepsis O03.87
- - shock O03.81

- - specified condition NEC O03.89
- - tubular necrosis (renal) O03.82
- - uremia O03.82
- - urinary tract infection O03.88
- - venous complication NEC O03.85
- - - embolism (air) (amniotic fluid) (blood clot) (fat) (pulmonary) (septic) (soap) O03.7
- failed -*see* Abortion, attempted
- habitual or recurrent N96
- - with current abortion -*see* categories O03-O04
- - without current pregnancy N96
- - care in current pregnancy O26.2-
- incomplete (spontaneous) O03.4
- - complicated (by) (following) O03.30
- - - afibrinogenemia O03.1
- - - cardiac arrest O03.36
- - - chemical damage of pelvic organ(s) O03.34
- - - circulatory collapse O03.31
- - - cystitis O03.38
- - - defibrination syndrome O03.1
- - - electrolyte imbalance O03.33
- - - embolism (air) (amniotic fluid) (blood clot) (fat) (pulmonary) (septic) (soap) O03.2
- - - endometritis O03.0
- - - genital tract and pelvic infection O03.0
- - - hemolysis O03.1
- - - hemorrhage (delayed) (excessive) O03.1
- - - infection
- - - - genital tract or pelvic O03.0
- - - - urinary tract O03.38
- - - intravascular coagulation O03.1
- - - laceration of pelvic organ(s) O03.34
- - - metabolic disorder O03.33
- - - oliguria O03.32
- - - oophoritis O03.0
- - - parametritis O03.0
- - - pelvic peritonitis O03.0
- - - perforation of pelvic organ(s) O03.34
- - - renal failure or shutdown O03.32
- - - salpingitis or salpingo-oophoritis O03.0
- - - sepsis O03.37
- - - shock O03.31
- - - specified condition NEC O03.39
- - - tubular necrosis (renal) O03.32
- - - uremia O03.32
- - - urinary infection O03.38
- - - venous complication NEC O03.35
- - - - embolism (air) (amniotic fluid) (blood clot) (fat) (pulmonary) (septic) (soap) O03.2
- induced (encounter for) Z33.2
- - complicated by O04.80
- - - afibrinogenemia O04.6
- - - cardiac arrest O04.86
- - - chemical damage of pelvic organ(s) O04.84
- - - circulatory collapse O04.81
- - - cystitis O04.88
- - - defibrination syndrome O04.6
- - - electrolyte imbalance O04.83
- - - embolism (air) (amniotic fluid) (blood clot) (fat) (pulmonary) (septic) (soap) O04.7
- - - endometritis O04.5
- - - genital tract and pelvic infection O04.5
- - - hemolysis O04.6
- - - hemorrhage (delayed) (excessive) O04.6

- - - infection
- - - - genital tract or pelvic O04.5
- - - - urinary tract O04.88
- - - intravascular coagulation O04.6
- - - laceration of pelvic organ(s) O04.84
- - - metabolic disorder O04.83
- - - oliguria O04.82
- - - oophoritis O04.5
- - - parametritis O04.5
- - - pelvic peritonitis O04.5
- - - perforation of pelvic organ(s) O04.84
- - - renal failure or shutdown O04.82
- - - salpingitis or salpingo-oophoritis O04.5
- - - sepsis O04.87
- - - shock O04.81
- - - specified condition NEC O04.89
- - - tubular necrosis (renal) O04.82
- - - uremia O04.82
- - - urinary tract infection O04.88
- - - venous complication NEC O04.85
- - - - embolism (air) (amniotic fluid) (blood clot) (fat) (pulmonary) (septic) (soap) O04.7
- inevitable O03.4
- missed O02.1
- spontaneous -*see* Abortion (complete) (spontaneous)
- - threatened O20.0
- threatened (spontaneous) O20.0
- tubal O00.10-
- - with intrauterine pregnancy O00.11-
Abortus fever A23.1
Aboulomania F60.7
Abrami's disease D59.8
Abramov-Fiedler myocarditis (acute isolated myocarditis) I40.1
Abrasion T14.8
- abdomen, abdominal (wall) S30.811
- alveolar process S00.512
- ankle S90.51-
- antecubital space -*see* Abrasion, elbow
- anus S30.817
- arm (upper) S40.81-
- auditory canal -*see* Abrasion, ear
- auricle -*see* Abrasion, ear
- axilla -*see* Abrasion, arm
- back, lower S30.810
- breast S20.11-
- brow S00.81
- buttock S30.810
- calf -*see* Abrasion, leg
- canthus -*see* Abrasion, eyelid
- cheek S00.81
- - internal S00.512
- chest wall -*see* Abrasion, thorax
- chin S00.81
- clitoris S30.814
- cornea S05.0-
- costal region -*see* Abrasion, thorax
- dental K03.1
- digit(s)
- - foot -*see* Abrasion, toe
- - hand -*see* Abrasion, finger
- ear S00.41-

- elbow S50.31-
- epididymis S30.813
- epigastric region S30.811
- epiglottis S10.11
- esophagus (thoracic) S27.818
- - cervical S10.11
- eyebrow -*see* Abrasion, eyelid
- eyelid S00.21-
- face S00.81
- finger(s) S60.41-
- - index S60.41-
- - little S60.41-
- - middle S60.41-
- - ring S60.41-
- flank S30.811
- foot (except toe(s) alone) S90.81-
- - toe -*see* Abrasion, toe
- forearm S50.81-
- - elbow only -*see* Abrasion, elbow
- forehead S00.81
- genital organs, external
- - female S30.816
- - male S30.815
- groin S30.811
- gum S00.512
- hand S60.51-
- head S00.91
- - ear -*see* Abrasion, ear
- - eyelid -*see* Abrasion, eyelid
- - lip S00.511
- - nose S00.31
- - oral cavity S00.512
- - scalp S00.01
- - specified site NEC S00.81
- heel -*see* Abrasion, foot
- hip S70.21-
- inguinal region S30.811
- interscapular region S20.419
- jaw S00.81
- knee S80.21-
- labium (majus) (minus) S30.814
- larynx S10.11
- leg (lower) S80.81-
- - knee -*see* Abrasion, knee
- - upper -*see* Abrasion, thigh
- lip S00.511
- lower back S30.810
- lumbar region S30.810
- malar region S00.81
- mammary -*see* Abrasion, breast
- mastoid region S00.81
- mouth S00.512
- nail
- - finger -*see* Abrasion, finger
- - toe -*see* Abrasion, toe
- nape S10.81
- nasal S00.31
- neck S10.91
- - specified site NEC S10.81
- - throat S10.11

- nose S00.31
- occipital region S00.01
- oral cavity S00.512
- orbital region -*see* Abrasion, eyelid
- palate S00.512
- palm -*see* Abrasion, hand
- parietal region S00.01
- pelvis S30.810
- penis S30.812
- perineum
- - female S30.814
- - male S30.810
- periocular area -*see* Abrasion, eyelid
- phalanges
- - finger -*see* Abrasion, finger
- - toe -*see* Abrasion, toe
- pharynx S10.11
- pinna -*see* Abrasion, ear
- popliteal space -*see* Abrasion, knee
- prepuce S30.812
- pubic region S30.810
- pudendum
- - female S30.816
- - male S30.815
- sacral region S30.810
- scalp S00.01
- scapular region -*see* Abrasion, shoulder
- scrotum S30.813
- shin -*see* Abrasion, leg
- shoulder S40.21-
- skin NEC T14.8
- sternal region S20.319
- submaxillary region S00.81
- submental region S00.81
- subungual
- - finger(s) -*see* Abrasion, finger
- - toe(s) -*see* Abrasion, toe
- supraclavicular fossa S10.81
- supraorbital S00.81
- temple S00.81
- temporal region S00.81
- testis S30.813
- thigh S70.31-
- thorax, thoracic (wall) S20.91
- - back S20.41-
- - front S20.31-
- throat S10.11
- thumb S60.31-
- toe(s) (lesser) S90.416
- - great S90.41-
- tongue S00.512
- tooth, teeth (dentifrice) (habitual) (hard tissues) (occupational) (ritual) (traditional) K03.1
- trachea S10.11
- tunica vaginalis S30.813
- tympanum, tympanic membrane -*see* Abrasion, ear
- uvula S00.512
- vagina S30.814
- vocal cords S10.11
- vulva S30.814
- wrist S60.81-

Abrism -*see* Poisoning, food, noxious, plant
Abruptio placentae O45.9-
- with
- - afibrinogenemia O45.01-
- - coagulation defect O45.00-
- - - specified NEC O45.09-
- - disseminated intravascular coagulation O45.02-
- - hypofibrinogenemia O45.01-
- specified NEC O45.8-
Abruption, placenta -*see* Abruptio placentae
Abscess (connective tissue) (embolic) (fistulous) (infective) (metastatic) (multiple) (pernicious) (pyogenic) (septic) L02.91
- with
- - diverticular disease (intestine) K57.80
- - - with bleeding K57.81
- - - large intestine K57.20
- - - - with
- - - - - bleeding K57.21
- - - - - small intestine K57.40
- - - - - - with bleeding K57.41
- - - small intestine K57.00
- - - - with
- - - - - bleeding K57.01
- - - - - large intestine K57.40
- - - - - - with bleeding K57.41
- - lymphangitis - code by site under Abscess
- abdomen, abdominal
- - cavity K65.1
- - wall L02.211
- abdominopelvic K65.1
- accessory sinus -*see* Sinusitis
- adrenal (capsule) (gland) E27.8
- alveolar K04.7
- - with sinus K04.6
- amebic A06.4
- - brain (and liver or lung abscess) A06.6
- - genitourinary tract A06.82
- - liver (without mention of brain or lung abscess) A06.4
- - lung (and liver) (without mention of brain abscess) A06.5
- - specified site NEC A06.89
- - spleen A06.89
- anerobic A48.0
- ankle -*see* Abscess, lower limb
- anorectal K61.2
- antecubital space -*see* Abscess, upper limb
- antrum (chronic) (Highmore) -*see* Sinusitis, maxillary
- anus K61.0
- apical (tooth) K04.7
- - with sinus (alveolar) K04.6
- appendix K35.33
- areola (acute) (chronic) (nonpuerperal) N61.1
- - puerperal, postpartum or gestational -*see* Infection, nipple
- arm (any part) -*see* Abscess, upper limb
- artery (wall) I77.89
- atheromatous I77.2
- auricle, ear -*see* Abscess, ear, external
- axilla (region) L02.41-
- - lymph gland or node L04.2
- back (any part, except buttock) L02.212
- Bartholin's gland N75.1

- - with
- - - abortion -*see* Abortion, by type complicated by, sepsis
- - - ectopic or molar pregnancy O08.0
- - following ectopic or molar pregnancy O08.0
- Bezold's -*see* Mastoiditis, acute
- bilharziasis B65.1
- bladder (wall) -*see* Cystitis, specified type NEC
- bone (subperiosteal) -*see also* Osteomyelitis, specified type NEC
- - accessory sinus (chronic) -*see* Sinusitis
- - chronic or old -*see* Osteomyelitis, chronic
- - jaw (lower) (upper) M27.2
- - mastoid -*see* Mastoiditis, acute, subperiosteal
- - petrous -*see* Petrositis
- - spinal (tuberculous) A18.01
- - - nontuberculous -*see* Osteomyelitis, vertebra
- bowel K63.0
- brain (any part) (cystic) (otogenic) G06.0
- - amebic (with abscess of any other site) A06.6
- - gonococcal A54.82
- - pheomycotic (chromomycotic) B43.1
- - tuberculous A17.81
- breast (acute) (chronic) (nonpuerperal) N61.1
- - newborn P39.0
- - puerperal, postpartum, gestational -*see* Mastitis, obstetric, purulent
- broad ligament N73.2
- - acute N73.0
- - chronic N73.1
- Brodie's (localized) (chronic) M86.8X-
- bronchi J98.09
- buccal cavity K12.2
- bulbourethral gland N34.0
- bursa M71.00
- - ankle M71.07-
- - elbow M71.02-
- - foot M71.07-
- - hand M71.04-
- - hip M71.05-
- - knee M71.06-
- - multiple sites M71.09
- - pharyngeal J39.1
- - shoulder M71.01-
- - specified site NEC M71.08
- - wrist M71.03-
- buttock L02.31
- canthus -*see* Blepharoconjunctivitis
- cartilage -*see* Disorder, cartilage, specified type NEC
- cecum K35.33
- cerebellum, cerebellar G06.0
- - sequelae G09
- cerebral (embolic) G06.0
- - sequelae G09
- cervical (meaning neck) L02.11
- - lymph gland or node L04.0
- cervix (stump) (uteri) -*see* Cervicitis
- cheek (external) L02.01
- - inner K12.2
- chest J86.9
- - with fistula J86.0
- - wall L02.213
- chin L02.01

- choroid -*see* Inflammation, chorioretinal
- circumtonsillar J36
- cold (lung) (tuberculous) -*see also* Tuberculosis, abscess, lung
- - articular -*see* Tuberculosis, joint
- colon (wall) K63.0
- colostomy K94.02
- conjunctiva -*see* Conjunctivitis, acute
- cornea H16.31-
- corpus
- - cavernosum N48.21
- - luteum -*see* Oophoritis
- Cowper's gland N34.0
- cranium G06.0
- cul-de-sac (Douglas') (posterior) -*see* Peritonitis, pelvic, female
- cutaneous -*see* Abscess, by site
- dental K04.7
- - with sinus (alveolar) K04.6
- dentoalveolar K04.7
- - with sinus K04.6
- diaphragm, diaphragmatic K65.1
- Douglas' cul-de-sac or pouch -*see* Peritonitis, pelvic, female
- Dubois A50.59
- ear (middle) -*see also* Otitis, media, suppurative
- - acute -*see* Otitis, media, suppurative, acute
- - external H60.0-
- entamebic -*see* Abscess, amebic
- enterostomy K94.12
- epididymis N45.4
- epidural G06.2
- - brain G06.0
- - spinal cord G06.1
- epiglottis J38.7
- epiploon, epiploic K65.1
- erysipelatous -*see* Erysipelas
- esophagus K20.80
- ethmoid (bone) (chronic) (sinus) J32.2
- external auditory canal -*see* Abscess, ear, external
- extradural G06.2
- - brain G06.0
- - - sequelae G09
- - spinal cord G06.1
- extraperitoneal K68.19
- eye -*see* Endophthalmitis, purulent
- eyelid H00.03-
- face (any part, except ear, eye and nose) L02.01
- fallopian tube -*see* Salpingitis
- fascia M72.8
- fauces J39.1
- fecal K63.0
- femoral (region) -*see* Abscess, lower limb
- filaria, filarial -*see* Infestation, filarial
- finger (any) -*see also* Abscess, hand
- - nail -*see* Cellulitis, finger
- foot L02.61-
- forehead L02.01
- frontal sinus (chronic) J32.1
- gallbladder K81.0
- genital organ or tract
- - female (external) N76.4
- - male N49.9

- - - multiple sites N49.8
- - - specified NEC N49.8
- gestational mammary O91.11-
- gestational subareolar O91.11-
- gingival
- - aggressive K05.20
- - - generalized K05.229
- - - - moderate K05.222
- - - - severe K05.223
- - - - slight K05.221
- - - localized K05.219
- - - - moderate K05.212
- - - - severe K05.213
- - - - slight K05.211
- gland, glandular (lymph) (acute) -*see* Lymphadenitis, acute
- gluteal (region) L02.31
- gonorrheal -*see* Gonococcus
- groin L02.214
- gum
- - aggressive K05.20
- - - generalized K05.229
- - - - moderate K05.222
- - - - severe K05.223
- - - - slight K05.221
- - - localized K05.219
- - - - moderate K05.212
- - - - severe K05.213
- - - - slight K05.211
- hand L02.51-
- head NEC L02.811
- - face (any part, except ear, eye and nose) L02.01
- heart -*see* Carditis
- heel -*see* Abscess, foot
- helminthic -*see* Infestation, helminth
- hepatic (cholangitic) (hematogenic) (lymphogenic) (pylephlebitic) K75.0
- - amebic A06.4
- hip (region) -*see* Abscess, lower limb
- horseshoe K61.31
- ileocecal K35.33
- ileostomy (bud) K94.12
- iliac (region) L02.214
- - fossa K35.33
- infraclavicular (fossa) -*see* Abscess, upper limb
- inguinal (region) L02.214
- - lymph gland or node L04.1
- intersphincteric K61.4
- intestine, intestinal NEC K63.0
- - rectal K61.1
- intra-abdominal -*see also* Abscess, peritoneum K65.1
- - following procedure T81.43
- - - obstetrical O86.03
- - postprocedural T81.43
- - - retroperitoneal K68.11
- intracranial G06.0
- intramammary -*see* Abscess, breast
- intramuscular, following procedure T81.42
- - obstetrical O86.02
- intraorbital -*see* Abscess, orbit
- intraperitoneal K65.1
- intrasphincteric (anus) K61.4

- intraspinal G06.1
- intratonsillar J36
- ischiorectal (fossa) (specified NEC) K61.39
- jaw (bone) (lower) (upper) M27.2
- joint -*see* Arthritis, pyogenic or pyemic
- - spine (tuberculous) A18.01
- - - nontuberculous -*see* Spondylopathy, infective
- kidney N15.1
- - with calculus N20.0
- - - with hydronephrosis N13.6
- - puerperal (postpartum) O86.21
- knee -*see also* Abscess, lower limb
- - joint M00.9
- labium (majus) (minus) N76.4
- lacrimal
- - caruncle -*see* Inflammation, lacrimal, passages, acute
- - gland -*see* Dacryoadenitis
- - passages (duct) (sac) -*see* Inflammation, lacrimal, passages, acute
- lacunar N34.0
- larynx J38.7
- lateral (alveolar) K04.7
- - with sinus K04.6
- leg (any part) -*see* Abscess, lower limb
- lens H27.8
- lingual K14.0
- - tonsil J36
- lip K13.0
- Littre's gland N34.0
- liver (cholangitic) (hematogenic) (lymphogenic) (pylephlebitic) (pyogenic) K75.0
- - amebic (due to Entamoeba histolytica) (dysenteric) (tropical) A06.4
- - - with
- - - - brain abscess (and liver or lung abscess) A06.6
- - - - lung abscess A06.5
- loin (region) L02.211
- lower limb L02.41-
- lumbar (tuberculous) A18.01
- - nontuberculous L02.212
- lung (miliary) (putrid) J85.2
- - with pneumonia J85.1
- - - due to specified organism (see Pneumonia, in (due to))
- - amebic (with liver abscess) A06.5
- - - with
- - - - brain abscess A06.6
- - - - pneumonia A06.5
- lymph, lymphatic, gland or node (acute) -*see also* Lymphadenitis, acute
- - mesentery I88.0
- malar M27.2
- mammary gland -*see* Abscess, breast
- marginal, anus K61.0
- mastoid -*see* Mastoiditis, acute
- maxilla, maxillary M27.2
- - molar (tooth) K04.7
- - - with sinus K04.6
- - premolar K04.7
- - sinus (chronic) J32.0
- mediastinum J85.3
- meibomian gland -*see* Hordeolum
- meninges G06.2
- mesentery, mesenteric K65.1
- mesosalpinx -*see* Salpingitis

- mons pubis L02.215
- mouth (floor) K12.2
- muscle -*see* Myositis, infective
- myocardium I40.0
- nabothian (follicle) -*see* Cervicitis
- nasal J32.9
- nasopharyngeal J39.1
- navel L02.216
- - newborn P38.9
- - - with mild hemorrhage P38.1
- - - without hemorrhage P38.9
- neck (region) L02.11
- - lymph gland or node L04.0
- nephritic -*see* Abscess, kidney
- nipple N61.1
- - associated with
- - - lactation -*see* Pregnancy, complicated by
- - - pregnancy -*see* Pregnancy, complicated by
- nose (external) (fossa) (septum) J34.0
- - sinus (chronic) -*see* Sinusitis
- omentum K65.1
- operative wound T81.49
- orbit, orbital -*see* Cellulitis, orbit
- otogenic G06.0
- ovary, ovarian (corpus luteum) -*see* Oophoritis
- oviduct -*see* Oophoritis
- palate (soft) K12.2
- - hard M27.2
- palmar (space) -*see* Abscess, hand
- pancreas (duct) -*see* Pancreatitis, acute
- parafrenal N48.21
- parametric, parametrium N73.2
- - acute N73.0
- - chronic N73.1
- paranephric N15.1
- parapancreatic -*see* Pancreatitis, acute
- parapharyngeal J39.0
- pararectal K61.1
- parasinus -*see* Sinusitis
- parauterine -*see also* Disease, pelvis, inflammatory N73.2
- paravaginal -*see* Vaginitis
- parietal region (scalp) L02.811
- parodontal -*see* Periodontitis, aggressive, localized
- parotid (duct) (gland) K11.3
- - region K12.2
- pectoral (region) L02.213
- pelvis, pelvic
- - female -*see* Disease, pelvis, inflammatory
- - male, peritoneal K65.1
- penis N48.21
- - gonococcal (accessory gland) (periurethral) A54.1
- perianal K61.0
- periapical K04.7
- - with sinus (alveolar) K04.6
- periappendicular K35.33
- pericardial I30.1
- pericecal K35.33
- pericemental -*see* Periodontitis, aggressive, localized
- pericholecystic -*see* Cholecystitis, acute
- pericoronal -*see* Periodontitis, aggressive, localized

- peridental -*see* Periodontitis, aggressive, localized
- perimetric -*see also* Disease, pelvis, inflammatory N73.2
- perinephric, perinephritic -*see* Abscess, kidney
- perineum, perineal (superficial) L02.215
- - urethra N34.0
- periodontal (parietal) -*see* Periodontitis, aggressive, localized
- - apical K04.7
- periosteum, periosteal -*see also* Osteomyelitis, specified type NEC
- - with osteomyelitis -*see also* Osteomyelitis, specified type NEC
- - - acute -*see* Osteomyelitis, acute
- - - chronic -*see* Osteomyelitis, chronic
- peripharyngeal J39.0
- peripleuritic J86.9
- - with fistula J86.0
- periprostatic N41.2
- perirectal K61.1
- perirenal (tissue) -*see* Abscess, kidney
- perisinuous (nose) -*see* Sinusitis
- peritoneum, peritoneal (perforated) (ruptured) K65.1
- - with appendicitis -*see also* Appendicitis K35.33
- - pelvic
- - - female -*see* Peritonitis, pelvic, female
- - - male K65.1
- - postoperative T81.43
- - puerperal, postpartum, childbirth O85
- - tuberculous A18.31
- peritonsillar J36
- perityphlic K35.33
- periureteral N28.89
- periurethral N34.0
- - gonococcal (accessory gland) (periurethral) A54.1
- periuterine -*see also* Disease, pelvis, inflammatory N73.2
- perivesical -*see* Cystitis, specified type NEC
- petrous bone -*see* Petrositis
- phagedenic NOS L02.91
- - chancroid A57
- pharynx, pharyngeal (lateral) J39.1
- pilonidal L05.01
- pituitary (gland) E23.6
- pleura J86.9
- - with fistula J86.0
- popliteal -*see* Abscess, lower limb
- postcecal K35.33
- postlaryngeal J38.7
- postnasal J34.0
- postoperative (any site) -*see also* Infection, postoperative wound T81.49
- - retroperitoneal K68.11
- postpharyngeal J39.0
- posttonsillar J36
- post-typhoid A01.09
- pouch of Douglas -*see* Peritonitis, pelvic, female
- premammary -*see* Abscess, breast
- prepatellar -*see* Abscess, lower limb
- presacral K68.19
- prostate N41.2
- - gonococcal (acute) (chronic) A54.22
- psoas muscle K68.12
- puerperal - code by site under Puerperal, abscess
- pulmonary -*see* Abscess, lung
- pulp, pulpal (dental) K04.01

- - irreversible K04.02
- - reversible K04.01
- rectovaginal septum K63.0
- rectovesical -*see* Cystitis, specified type NEC
- rectum K61.1
- renal -*see* Abscess, kidney
- retina -*see* Inflammation, chorioretinal
- retrobulbar -*see* Abscess, orbit
- retrocecal K65.1
- retrolaryngeal J38.7
- retromammary -*see* Abscess, breast
- retroperitoneal NEC K68.19
- - postprocedural K68.11
- retropharyngeal J39.0
- retrouterine -*see* Peritonitis, pelvic, female
- retrovesical -*see* Cystitis, specified type NEC
- root, tooth K04.7
- - with sinus (alveolar) K04.6
- round ligament -*see also* Disease, pelvis, inflammatory N73.2
- rupture (spontaneous) NOS L02.91
- sacrum (tuberculous) A18.01
- - nontuberculous M46.28
- salivary (duct) (gland) K11.3
- scalp (any part) L02.811
- scapular -*see* Osteomyelitis, specified type NEC
- sclera -*see* Scleritis
- scrofulous (tuberculous) A18.2
- scrotum N49.2
- seminal vesicle N49.0
- septal, dental K04.7
- - with sinus (alveolar) K04.6
- serous -*see* Periostitis
- shoulder (region) -*see* Abscess, upper limb
- sigmoid K63.0
- sinus (accessory) (chronic) (nasal) -*see also* Sinusitis
- - intracranial venous (any) G06.0
- Skene's duct or gland N34.0
- skin -*see* Abscess, by site
- specified site NEC L02.818
- spermatic cord N49.1
- sphenoidal (sinus) (chronic) J32.3
- spinal cord (any part) (staphylococcal) G06.1
- - tuberculous A17.81
- spine (column) (tuberculous) A18.01
- - epidural G06.1
- - nontuberculous -*see* Osteomyelitis, vertebra
- spleen D73.3
- - amebic A06.89
- stitch T81.41
- - following an obstetrical procedure O86.01
- subarachnoid G06.2
- - brain G06.0
- - spinal cord G06.1
- subareolar -*see* Abscess, breast
- subcecal K35.33
- subcutaneous -*see also* Abscess, by site
- - following procedure T81.41
- - - obstetrical O86.01
- - pheomycotic (chromomycotic) B43.2
- subdiaphragmatic K65.1

- subdural G06.2
- - brain G06.0
- - - sequelae G09
- - spinal cord G06.1
- sub-fascial, following an obstetrical procedure O86.02
- subgaleal L02.811
- subhepatic K65.1
- sublingual K12.2
- - gland K11.3
- submammary *-see* Abscess, breast
- submandibular (region) (space) (triangle) K12.2
- - gland K11.3
- submaxillary (region) L02.01
- - gland K11.3
- submental L02.01
- - gland K11.3
- subperiosteal *-see* Osteomyelitis, specified type NEC
- subphrenic K65.1
- - following an obstetrical procedure O86.03
- - postoperative T81.43
- suburethral N34.0
- sudoriparous L75.8
- supraclavicular (fossa) *-see* Abscess, upper limb
- supralevator K61.5
- suprapelvic, acute N73.0
- suprarenal (capsule) (gland) E27.8
- sweat gland L74.8
- tear duct *-see* Inflammation, lacrimal, passages, acute
- temple L02.01
- temporal region L02.01
- temporosphenoidal G06.0
- tendon (sheath) M65.00
- - ankle M65.07-
- - foot M65.07-
- - forearm M65.03-
- - hand M65.04-
- - lower leg M65.06-
- - pelvic region M65.05-
- - shoulder region M65.01-
- - specified site NEC M65.08
- - thigh M65.05-
- - upper arm M65.02-
- testis N45.4
- thigh *-see* Abscess, lower limb
- thorax J86.9
- - with fistula J86.0
- throat J39.1
- thumb *-see also* Abscess, hand
- - nail *-see* Cellulitis, finger
- thymus (gland) E32.1
- thyroid (gland) E06.0
- toe (any) *-see also* Abscess, foot
- - nail *-see* Cellulitis, toe
- tongue (staphylococcal) K14.0
- tonsil(s) (lingual) J36
- tonsillopharyngeal J36
- tooth, teeth (root) K04.7
- - with sinus (alveolar) K04.6
- - supporting structures NEC *-see* Periodontitis, aggressive, localized
- trachea J39.8

- trunk L02.219
- - abdominal wall L02.211
- - back L02.212
- - chest wall L02.213
- - groin L02.214
- - perineum L02.215
- - umbilicus L02.216
- tubal -*see* Salpingitis
- tuberculous -*see* Tuberculosis, abscess
- tubo-ovarian -*see* Salpingo-oophoritis
- tunica vaginalis N49.1
- umbilicus L02.216
- upper
- - limb L02.41-
- - respiratory J39.8
- urethral (gland) N34.0
- urinary N34.0
- uterus, uterine (wall) -*see also* Endometritis
- - ligament -*see also* Disease, pelvis, inflammatory N73.2
- - neck -*see* Cervicitis
- uvula K12.2
- vagina (wall) -*see* Vaginitis
- vaginorectal -*see* Vaginitis
- vas deferens N49.1
- vermiform appendix K35.33
- vertebra (column) (tuberculous) A18.01
- - nontuberculous -*see* Osteomyelitis, vertebra
- vesical -*see* Cystitis, specified type NEC
- vesico-uterine pouch -*see* Peritonitis, pelvic, female
- vitreous (humor) -*see* Endophthalmitis, purulent
- vocal cord J38.3
- von Bezold's -*see* Mastoiditis, acute
- vulva N76.4
- vulvovaginal gland N75.1
- web space -*see* Abscess, hand
- wound T81.49
- wrist -*see* Abscess, upper limb

Absence (of) (organ or part) (complete or partial)
- adrenal (gland) (congenital) Q89.1
- - acquired E89.6
- albumin in blood E88.09
- alimentary tract (congenital) Q45.8
- - upper Q40.8
- alveolar process (acquired) -*see* Anomaly, alveolar
- ankle (acquired) Z89.44-
- anus (congenital) Q42.3
- - with fistula Q42.2
- aorta (congenital) Q25.41
- appendix, congenital Q42.8
- arm (acquired) Z89.20-
- - above elbow Z89.22-
- - - congenital (with hand present) -*see* Agenesis, arm, with hand present
- - - - and hand -*see* Agenesis, forearm, and hand
- - below elbow Z89.21-
- - - congenital (with hand present) -*see* Agenesis, arm, with hand present
- - - - and hand -*see* Agenesis, forearm, and hand
- - congenital -*see* Defect, reduction, upper limb
- - shoulder (following explantation of shoulder joint prosthesis) (joint) (with or without presence of antibiotic-impregnated cement spacer) Z89.23-
- - - congenital (with hand present) -*see* Agenesis, arm, with hand present

- artery (congenital) (peripheral) Q27.8
- - brain Q28.3
- - coronary Q24.5
- - pulmonary Q25.79
- - specified NEC Q27.8
- - umbilical Q27.0
- atrial septum (congenital) Q21.19
- auditory canal (congenital) (external) Q16.1
- auricle (ear), congenital Q16.0
- bile, biliary duct, congenital Q44.5
- bladder (acquired) Z90.6
- - congenital Q64.5
- bowel sounds R19.11
- brain Q00.0
- - part of Q04.3
- breast(s) (and nipple(s)) (acquired) Z90.1-
- - congenital Q83.8
- broad ligament Q50.6
- bronchus (congenital) Q32.4
- canaliculus lacrimalis, congenital Q10.4
- cerebellum (vermis) Q04.3
- cervix (acquired) (with uterus) Z90.710
- - with remaining uterus Z90.712
- - congenital Q51.5
- chin, congenital Q18.8
- cilia (congenital) Q10.3
- - acquired -*see* Madarosis
- clitoris (congenital) Q52.6
- coccyx, congenital Q76.49
- cold sense R20.8
- congenital
- - lumen -*see* Atresia
- - organ or site NEC -*see* Agenesis
- - septum -*see* Imperfect, closure
- corpus callosum Q04.0
- cricoid cartilage, congenital Q31.8
- diaphragm (with hernia), congenital Q79.1
- digestive organ(s) or tract, congenital Q45.8
- - acquired NEC Z90.49
- - upper Q40.8
- ductus arteriosus Q28.8
- duodenum (acquired) Z90.49
- - congenital Q41.0
- ear, congenital Q16.9
- - acquired H93.8-
- - auricle Q16.0
- - external Q16.0
- - inner Q16.5
- - lobe, lobule Q17.8
- - middle, except ossicles Q16.4
- - - ossicles Q16.3
- - ossicles Q16.3
- ejaculatory duct (congenital) Q55.4
- endocrine gland (congenital) NEC Q89.2
- - acquired E89.89
- epididymis (congenital) Q55.4
- - acquired Z90.79
- epiglottis, congenital Q31.8
- esophagus (congenital) Q39.8
- - acquired (partial) Z90.49

- eustachian tube (congenital) Q16.2
- extremity (acquired) Z89.9
- - congenital Q73.0
- - knee (following explantation of knee joint prosthesis) (joint) (with or without presence of antibiotic-impregnated cement spacer) Z89.52-
- - lower (above knee) Z89.619
- - - below knee Z89.51-
- - upper -*see* Absence, arm
- eye (acquired) Z90.01
- - congenital Q11.1
- - muscle (congenital) Q10.3
- eyeball (acquired) Z90.01
- eyelid (fold) (congenital) Q10.3
- - acquired Z90.01
- face, specified part NEC Q18.8
- fallopian tube(s) (acquired) Z90.79
- - congenital Q50.6
- family member (causing problem in home) NEC -*see also* Disruption, family Z63.32
- femur, congenital -*see* Defect, reduction, lower limb, longitudinal, femur
- fibrinogen (congenital) D68.2
- - acquired D65
- finger(s) (acquired) Z89.02-
- - congenital -*see* Agenesis, hand
- foot (acquired) Z89.43-
- - congenital -*see* Agenesis, foot
- forearm (acquired) -*see* Absence, arm, below elbow
- gallbladder (acquired) Z90.49
- - congenital Q44.0
- gamma globulin in blood D80.1
- - hereditary D80.0
- genital organs
- - acquired (female) (male) Z90.79
- - female, congenital Q52.8
- - - external Q52.71
- - - internal NEC Q52.8
- - male, congenital Q55.8
- genitourinary organs, congenital NEC
- - female Q52.8
- - male Q55.8
- globe (acquired) Z90.01
- - congenital Q11.1
- glottis, congenital Q31.8
- hand and wrist (acquired) Z89.11-
- - congenital -*see* Agenesis, hand
- head, part (acquired) NEC Z90.09
- heat sense R20.8
- hip (following explantation of hip joint prosthesis) (joint) (with or without presence of antibiotic-impregnated cement spacer) Z89.62-
- hymen (congenital) Q52.4
- ileum (acquired) Z90.49
- - congenital Q41.2
- immunoglobulin, isolated NEC D80.3
- - IgA D80.2
- - IgG D80.3
- - IgM D80.4
- incus (acquired) -*see* Loss, ossicles, ear
- - congenital Q16.3
- inner ear, congenital Q16.5
- intestine (acquired) (small) Z90.49
- - congenital Q41.9

- - - specified NEC Q41.8
- - large Z90.49
- - - congenital Q42.9
- - - - specified NEC Q42.8
- iris, congenital Q13.1
- jejunum (acquired) Z90.49
- - congenital Q41.1
- joint
- - acquired
- - - hip (following explantation of hip joint prosthesis) (with or without presence of antibiotic-impregnated cement spacer) Z89.62-
- - - knee (following explantation of knee joint prosthesis) (with or without presence of antibiotic-impregnated cement spacer) Z89.52-
- - - shoulder (following explantation of shoulder joint prosthesis) (with or without presence of antibiotic-impregnated cement spacer) Z89.23-
- - congenital NEC Q74.8
- kidney(s) (acquired) Z90.5
- - congenital Q60.2
- - - bilateral Q60.1
- - - unilateral Q60.0
- knee (following explantation of knee joint prosthesis) (joint) (with or without presence of antibiotic-impregnated cement spacer) Z89.52-
- labyrinth, membranous Q16.5
- larynx (congenital) Q31.8
- - acquired Z90.02
- leg (acquired) (above knee) Z89.61-
- - below knee (acquired) Z89.51-
- - congenital -*see* Defect, reduction, lower limb
- lens (acquired) -*see also* Aphakia
- - congenital Q12.3
- - post cataract extraction Z98.4-
- limb (acquired) -*see* Absence, extremity
- lip Q38.6
- liver (congenital) Q44.79
- lung (fissure) (lobe) (bilateral) (unilateral) (congenital) Q33.3
- - acquired (any part) Z90.2
- menstruation -*see* Amenorrhea
- muscle (congenital) (pectoral) Q79.8
- - ocular Q10.3
- neck, part Q18.8
- neutrophil -*see* Agranulocytosis
- nipple(s) (with breast(s)) (acquired) Z90.1-
- - congenital Q83.2
- nose (congenital) Q30.1
- - acquired Z90.09
- organ
- - of Corti, congenital Q16.5
- - or site, congenital NEC Q89.8
- - - acquired NEC Z90.89
- osseous meatus (ear) Q16.4
- ovary (acquired)
- - bilateral Z90.722
- - congenital
- - - bilateral Q50.02
- - - unilateral Q50.01
- - unilateral Z90.721
- oviduct (acquired)
- - bilateral Z90.722
- - congenital Q50.6
- - unilateral Z90.721

- pancreas (congenital) Q45.0
- - acquired Z90.410
- - - complete Z90.410
- - - partial Z90.411
- - - total Z90.410
- parathyroid gland (acquired) E89.2
- - congenital Q89.2
- patella, congenital Q74.1
- penis (congenital) Q55.5
- - acquired Z90.79
- pericardium (congenital) Q24.8
- pituitary gland (congenital) Q89.2
- - acquired E89.3
- prostate (acquired) Z90.79
- - congenital Q55.4
- pulmonary valve Q22.0
- punctum lacrimale (congenital) Q10.4
- radius, congenital -*see* Defect, reduction, upper limb, longitudinal, radius
- rectum (congenital) Q42.1
- - with fistula Q42.0
- - acquired Z90.49
- respiratory organ NOS Q34.9
- rib (acquired) Z90.89
- - congenital Q76.6
- sacrum, congenital Q76.49
- salivary gland(s), congenital Q38.4
- scrotum, congenital Q55.29
- seminal vesicles (congenital) Q55.4
- - acquired Z90.79
- septum
- - atrial (congenital) Q21.19
- - between aorta and pulmonary artery Q21.4
- - ventricular (congenital) Q20.4
- sex chromosome
- - female phenotype Q97.8
- - male phenotype Q98.8
- skull bone (congenital) Q75.8
- - with
- - - anencephaly Q00.0
- - - encephalocele -*see* Encephalocele
- - - hydrocephalus Q03.9
- - - - with spina bifida -*see* Spina bifida, by site, with hydrocephalus
- - - microcephaly Q02
- spermatic cord, congenital Q55.4
- spine, congenital Q76.49
- spleen (congenital) Q89.01
- - acquired Z90.81
- sternum, congenital Q76.7
- stomach (acquired) (partial) Z90.3
- - congenital Q40.2
- superior vena cava, congenital Q26.8
- teeth, tooth (congenital) K00.0
- - acquired (complete) K08.109
- - - class I K08.101
- - - class II K08.102
- - - class III K08.103
- - - class IV K08.104
- - - due to
- - - - caries K08.139
- - - - - class I K08.131

- - - - - class II K08.132
- - - - - class III K08.133
- - - - - class IV K08.134
- - - - periodontal disease K08.129
- - - - - class I K08.121
- - - - - class II K08.122
- - - - - class III K08.123
- - - - - class IV K08.124
- - - - specified NEC K08.199
- - - - - class I K08.191
- - - - - class II K08.192
- - - - - class III K08.193
- - - - - class IV K08.194
- - - - trauma K08.119
- - - - - class I K08.111
- - - - - class II K08.112
- - - - - class III K08.113
- - - - - class IV K08.114
- - - partial K08.409
- - - - class I K08.401
- - - - class II K08.402
- - - - class III K08.403
- - - - class IV K08.404
- - - - due to
- - - - - caries K08.439
- - - - - - class I K08.431
- - - - - - class II K08.432
- - - - - - class III K08.433
- - - - - - class IV K08.434
- - - - - periodontal disease K08.429
- - - - - - class I K08.421
- - - - - - class II K08.422
- - - - - - class III K08.423
- - - - - - class IV K08.424
- - - - - specified NEC K08.499
- - - - - - class I K08.491
- - - - - - class II K08.492
- - - - - - class III K08.493
- - - - - - class IV K08.494
- - - - - trauma K08.419
- - - - - - class I K08.411
- - - - - - class II K08.412
- - - - - - class III K08.413
- - - - - - class IV K08.414
- tendon (congenital) Q79.8
- testis (congenital) Q55.0
- - acquired Z90.79
- thumb (acquired) Z89.01-
- - congenital -*see* Agenesis, hand
- thymus gland Q89.2
- thyroid (gland) (acquired) E89.0
- - cartilage, congenital Q31.8
- - congenital E03.1
- toe(s) (acquired) Z89.42-
- - with foot -*see* Absence, foot and ankle
- - congenital -*see* Agenesis, foot
- - great Z89.41-
- tongue, congenital Q38.3
- trachea (cartilage), congenital Q32.1
- transverse aortic arch, congenital Q25.49

- tricuspid valve Q22.4
- umbilical artery, congenital Q27.0
- upper arm and forearm with hand present, congenital *-see* Agenesis, arm, with hand present
- ureter (congenital) Q62.4
- - acquired Z90.6
- urethra, congenital Q64.5
- uterus (acquired) Z90.710
- - with cervix Z90.710
- - with remaining cervical stump Z90.711
- - congenital Q51.0
- uvula, congenital Q38.5
- vagina, congenital Q52.0
- vas deferens (congenital) Q55.4
- - acquired Z90.79
- vein (peripheral) congenital NEC Q27.8
- - cerebral Q28.3
- - digestive system Q27.8
- - great Q26.8
- - lower limb Q27.8
- - portal Q26.5
- - precerebral Q28.1
- - specified site NEC Q27.8
- - upper limb Q27.8
- vena cava (inferior) (superior), congenital Q26.8
- ventricular septum Q20.4
- vertebra, congenital Q76.49
- von Willebrand factor, complete (near) *-see also* Disease, von Willebrand D68.03
- vulva, congenital Q52.71
- wrist (acquired) Z89.12-

Absorbent system disease I87.8

Absorption

- carbohydrate, disturbance K90.49
- chemical *-see* Table of Drugs and Chemicals
- - through placenta (newborn) P04.9
- - - environmental substance P04.6
- - - nutritional substance P04.5
- - - obstetric anesthetic or analgesic drug P04.0
- drug NEC *-see* Table of Drugs and Chemicals
- - addictive
- - - through placenta (newborn) *-see also* Newborn, affected by, maternal, use of P04.40
- - - - cocaine P04.41
- - - - hallucinogens P04.42
- - - - specified drug NEC P04.49
- - medicinal
- - - through placenta (newborn) P04.19
- - through placenta (newborn) P04.19
- - - obstetric anesthetic or analgesic drug P04.0
- fat, disturbance K90.49
- - pancreatic K90.3
- noxious substance *-see* Table of Drugs and Chemicals
- protein, disturbance K90.49
- starch, disturbance K90.49
- toxic substance *-see* Table of Drugs and Chemicals
- uremic *-see* Uremia

Abstinence symptoms, syndrome

- alcohol F10.239
- - with delirium F10.231
- cocaine F14.23
- neonatal P96.1
- nicotine *-see* Dependence, drug, nicotine, with, withdrawal

- opioid F11.93
- - with dependence F11.23
- psychoactive NEC F19.939
- - with
- - - delirium F19.931
- - - dependence F19.239
- - - - with
- - - - - delirium F19.231
- - - - - perceptual disturbance F19.232
- - - - uncomplicated F19.230
- - - perceptual disturbance F19.932
- - uncomplicated F19.930
- sedative F13.939
- - with
- - - delirium F13.931
- - - dependence F13.239
- - - - with
- - - - - delirium F13.231
- - - - - perceptual disturbance F13.232
- - - - uncomplicated F13.230
- - - perceptual disturbance F13.932
- - uncomplicated F13.930
- stimulant NEC F15.93
- - with dependence F15.23

Abulia R68.89

Abulomania F60.7

Abuse

- adult -*see* Maltreatment, adult
- - as reason for
- - - couple seeking advice (including offender) Z63.0
- alcohol (non-dependent) F10.10
- - with
- - - anxiety disorder F10.180
- - - intoxication F10.129
- - - - with delirium F10.121
- - - - uncomplicated F10.120
- - - mood disorder F10.14
- - - other specified disorder F10.188
- - - psychosis F10.159
- - - - delusions F10.150
- - - - hallucinations F10.151
- - - sexual dysfunction F10.181
- - - sleep disorder F10.182
- - - unspecified disorder F10.19
- - - withdrawal F10.139
- - - - with
- - - - - perceptual disturbance F10.132
- - - - delirium F10.131
- - - - uncomplicated F10.130
- - counseling and surveillance Z71.41
- - in remission (early) (sustained) F10.11
- amphetamine (or related substance) -*see also* Abuse, drug, stimulant NEC
- - stimulant NEC F15.10
- - - with
- - - - anxiety disorder F15.180
- - - - intoxication F15.129
- - - - - with
- - - - - - delirium F15.121
- - - - - - perceptual disturbance F15.122
- - - - withdrawal F15.13

- analgesics (non-prescribed) (over the counter) F55.8
- antacids F55.0
- antidepressants -*see* Abuse, drug, psychoactive NEC
- anxiolytic -*see* Abuse, drug, sedative
- barbiturates -*see* Abuse, drug, sedative
- caffeine -*see* Abuse, drug, stimulant NEC
- cannabis, cannabinoids -*see* Abuse, drug, cannabis
- child -*see* Maltreatment, child
- cocaine -*see* Abuse, drug, cocaine
- drug NEC (non-dependent) F19.10
- - with sleep disorder F19.182
- - amphetamine type -*see* Abuse, drug, stimulant NEC
- - analgesics (non-prescribed) (over the counter) F55.8
- - antacids F55.0
- - antidepressants -*see* Abuse, drug, psychoactive NEC
- - anxiolytics -*see* Abuse, drug, sedative
- - barbiturates -*see* Abuse, drug, sedative
- - caffeine -*see* Abuse, drug, stimulant NEC
- - cannabis F12.10
- - - with
- - - - anxiety disorder F12.180
- - - - intoxication F12.129
- - - - - with
- - - - - - delirium F12.121
- - - - - - perceptual disturbance F12.122
- - - - - uncomplicated F12.120
- - - - other specified disorder F12.188
- - - - psychosis F12.159
- - - - - delusions F12.150
- - - - - hallucinations F12.151
- - - - unspecified disorder F12.19
- - - - withdrawal F12.13
- - - in remission (early) (sustained) F12.11
- - cocaine F14.10
- - - with
- - - - anxiety disorder F14.180
- - - - intoxication F14.129
- - - - - with
- - - - - - delirium F14.121
- - - - - - perceptual disturbance F14.122
- - - - - uncomplicated F14.120
- - - - mood disorder F14.14
- - - - other specified disorder F14.188
- - - - psychosis F14.159
- - - - - delusions F14.150
- - - - - hallucinations F14.151
- - - - sexual dysfunction F14.181
- - - - sleep disorder F14.182
- - - - unspecified disorder F14.19
- - - - withdrawal F14.13
- - - in remission (early) (sustained) F14.11
- - counseling and surveillance Z71.51
- - hallucinogen F16.10
- - - with
- - - - anxiety disorder F16.180
- - - - flashbacks F16.183
- - - - intoxication F16.129
- - - - - with
- - - - - - delirium F16.121
- - - - - - perceptual disturbance F16.122

- - - - - uncomplicated F16.120
- - - - mood disorder F16.14
- - - - other specified disorder F16.188
- - - - perception disorder, persisting F16.183
- - - - psychosis F16.159
- - - - - delusions F16.150
- - - - - hallucinations F16.151
- - - - unspecified disorder F16.19
- - - in remission (early) (sustained) F16.11
- - hashish -*see* Abuse, drug, cannabis
- - herbal or folk remedies F55.1
- - hormones F55.3
- - hypnotics -*see* Abuse, drug, sedative
- - inhalant F18.10
- - - with
- - - - anxiety disorder F18.180
- - - - dementia, persisting F18.17
- - - - intoxication F18.129
- - - - - with delirium F18.121
- - - - - uncomplicated F18.120
- - - - mood disorder F18.14
- - - - other specified disorder F18.188
- - - - psychosis F18.159
- - - - - delusions F18.150
- - - - - hallucinations F18.151
- - - - unspecified disorder F18.19
- - - in remission (early) (sustained) F18.11
- - in remission (early) (sustained) F19.11
- - laxatives F55.2
- - LSD -*see* Abuse, drug, hallucinogen
- - marihuana -*see* Abuse, drug, cannabis
- - morphine type (opioids) -*see* Abuse, drug, opioid
- - opioid F11.10
- - - with
- - - - intoxication F11.129
- - - - - with
- - - - - - delirium F11.121
- - - - - - perceptual disturbance F11.122
- - - - - uncomplicated F11.120
- - - - mood disorder F11.14
- - - - opioid-associated amnestic syndrome F11.188
- - - - other specified disorder F11.188
- - - - psychosis F11.159
- - - - - delusions F11.150
- - - - - hallucinations F11.151
- - - - sexual dysfunction F11.181
- - - - sleep disorder F11.182
- - - - unspecified disorder F11.19
- - - - withdrawal F11.13
- - - in remission (early) (sustained) F11.11
- - PCP (phencyclidine) (or related substance) -*see* Abuse, drug, hallucinogen
- - psychoactive NEC F19.10
- - - with
- - - - amnestic disorder F19.16
- - - - anxiety disorder F19.180
- - - - dementia F19.17
- - - - intoxication F19.129
- - - - - with
- - - - - - delirium F19.121
- - - - - - perceptual disturbance F19.122

- - - - - uncomplicated F19.120
- - - - mood disorder F19.14
- - - - other specified disorder F19.188
- - - - psychosis F19.159
- - - - - delusions F19.150
- - - - - hallucinations F19.151
- - - - sexual dysfunction F19.181
- - - - sleep disorder F19.182
- - - - unspecified disorder F19.19
- - - - withdrawal F19.139
- - - - - with
- - - - - - perceptual disturbance F19.132
- - - - - delirium F19.131
- - - - - uncomplicated F19.130
- - sedative, hypnotic or anxiolytic F13.10
- - - with
- - - - anxiety disorder F13.180
- - - - intoxication F13.129
- - - - - with delirium F13.121
- - - - - uncomplicated F13.120
- - - - mood disorder F13.14
- - - - other specified disorder F13.188
- - - - psychosis F13.159
- - - - - delusions F13.150
- - - - - hallucinations F13.151
- - - - sexual dysfunction F13.181
- - - - sleep disorder F13.182
- - - - unspecified disorder F13.19
- - - - withdrawal F13.139
- - - - - with
- - - - - - perceptual disturbance F13.132
- - - - - delirium F13.131
- - - - - uncomplicated F13.130
- - - in remission (early) (sustained) F13.11
- - solvent -*see* Abuse, drug, inhalant
- - steroids F55.3
- - stimulant NEC F15.10
- - - with
- - - - anxiety disorder F15.180
- - - - intoxication F15.129
- - - - - with
- - - - - - delirium F15.121
- - - - - - perceptual disturbance F15.122
- - - - - uncomplicated F15.120
- - - - mood disorder F15.14
- - - - other specified disorder F15.188
- - - - psychosis F15.159
- - - - - delusions F15.150
- - - - - hallucinations F15.151
- - - - sexual dysfunction F15.181
- - - - sleep disorder F15.182
- - - - unspecified disorder F15.19
- - - - withdrawal F15.13
- - - in remission (early) (sustained) F15.11
- - tranquilizers -*see* Abuse, drug, sedative
- - vitamins F55.4
- hallucinogens -*see* Abuse, drug, hallucinogen
- hashish -*see* Abuse, drug, cannabis
- herbal or folk remedies F55.1
- hormones F55.3

- hypnotic -*see* Abuse, drug, sedative
- inhalant -*see* Abuse, drug, inhalant
- laxatives F55.2
- LSD -*see* Abuse, drug, hallucinogen
- marihuana -*see* Abuse, drug, cannabis
- morphine type (opioids) -*see* Abuse, drug, opioid
- non-psychoactive substance NEC F55.8
- - antacids F55.0
- - folk remedies F55.1
- - herbal remedies F55.1
- - hormones F55.3
- - laxatives F55.2
- - steroids F55.3
- - vitamins F55.4
- opioids -*see* Abuse, drug, opioid
- PCP (phencyclidine) (or related substance) -*see* Abuse, drug, hallucinogen
- physical (adult) (child) -*see* Maltreatment
- psychoactive substance -*see* Abuse, drug, psychoactive NEC
- psychological (adult) (child) -*see* Maltreatment
- sedative -*see* Abuse, drug, sedative
- sexual -*see* Maltreatment
- solvent -*see* Abuse, drug, inhalant
- steroids F55.3
- vitamins F55.4

Acalculia R48.8
- developmental F81.2

Acanthamebiasis (with) B60.10
- conjunctiva B60.12
- keratoconjunctivitis B60.13
- meningoencephalitis B60.11
- other specified B60.19

Acanthocephaliasis B83.8
Acanthocheilonemiasis B74.4
Acanthocytosis E78.6
Acantholysis L11.9
Acanthosis (acquired) (nigricans) L83
- benign Q82.8
- congenital Q82.8
- seborrheic L82.1
- - inflamed L82.0
- tongue K14.3

Acapnia E87.3
Acarbia E87.29
Acardia, acardius Q89.8
Acardiacus amorphus Q89.8
Acardiotrophia I51.4
Acariasis B88.0
- scabies B86

Acarodermatitis (urticarioides) B88.0
Acarophobia F40.218
Acatalasemia, acatalasia E80.3
Acathisia (drug induced) G25.71
Accelerated atrioventricular conduction I45.6
Accentuation of personality traits (type A) Z73.1
Accessory (congenital)
- adrenal gland Q89.1
- anus Q43.4
- appendix Q43.4
- atrioventricular conduction I45.6
- auditory ossicles Q16.3

- auricle (ear) Q17.0
- biliary duct or passage Q44.5
- bladder Q64.79
- blood vessels NEC Q27.9
- - coronary Q24.5
- bone NEC Q79.8
- breast tissue, axilla Q83.1
- carpal bones Q74.0
- cecum Q43.4
- chromosome(s) NEC (nonsex) Q92.9
- - with complex rearrangements NEC Q92.5
- - - seen only at prometaphase Q92.8
- - partial Q92.9
- - sex
- - - female phenotype Q97.8
- - 13 -*see* Trisomy, 13
- - 18 -*see* Trisomy, 18
- - 21 -*see* Trisomy, 21
- coronary artery Q24.5
- cusp(s), heart valve NEC Q24.8
- - pulmonary Q22.3
- cystic duct Q44.5
- digit(s) Q69.9
- ear (auricle) (lobe) Q17.0
- endocrine gland NEC Q89.2
- eye muscle Q10.3
- eyelid Q10.3
- face bone(s) Q75.8
- fallopian tube (fimbria) (ostium) Q50.6
- finger(s) Q69.0
- foreskin N47.8
- frontonasal process Q75.8
- gallbladder Q44.1
- genital organ(s)
- - female Q52.8
- - - external Q52.79
- - - internal NEC Q52.8
- - male Q55.8
- genitourinary organs NEC Q89.8
- - female Q52.8
- - male Q55.8
- hallux Q69.2
- heart Q24.8
- - valve NEC Q24.8
- - - pulmonary Q22.3
- hepatic ducts Q44.5
- hymen Q52.4
- intestine (large) (small) Q43.4
- kidney Q63.0
- lacrimal canal Q10.6
- leaflet, heart valve NEC Q24.8
- ligament, broad Q50.6
- liver Q44.79
- - duct Q44.5
- lobule (ear) Q17.0
- lung (lobe) Q33.1
- muscle Q79.8
- navicular of carpus Q74.0
- nervous system, part NEC Q07.8
- nipple Q83.3

- nose Q30.8
- organ or site not listed -*see* Anomaly, by site
- ovary Q50.31
- oviduct Q50.6
- pancreas Q45.3
- parathyroid gland Q89.2
- parotid gland (and duct) Q38.4
- pituitary gland Q89.2
- preauricular appendage Q17.0
- prepuce N47.8
- renal arteries (multiple) Q27.2
- rib Q76.6
- - cervical Q76.5
- roots (teeth) K00.2
- salivary gland Q38.4
- sesamoid bones Q74.8
- - foot Q74.2
- - hand Q74.0
- skin tags Q82.8
- spleen Q89.09
- sternum Q76.7
- submaxillary gland Q38.4
- tarsal bones Q74.2
- teeth, tooth K00.1
- tendon Q79.8
- thumb Q69.1
- thymus gland Q89.2
- thyroid gland Q89.2
- toes Q69.2
- tongue Q38.3
- tooth, teeth K00.1
- tragus Q17.0
- ureter Q62.5
- urethra Q64.79
- urinary organ or tract NEC Q64.8
- uterus Q51.28
- vagina Q52.10
- valve, heart NEC Q24.8
- - pulmonary Q22.3
- vertebra Q76.49
- vocal cords Q31.8
- vulva Q52.79

Accident
- birth -*see* Birth, injury
- cardiac -*see* Infarct, myocardium
- cerebrovascular (ischemic) I63.9
- - aborted I63.9
- - chronic (old) (remote) (imaging) (without sequelae) Z86.73
- - - with residual defects -*see* Sequelae, disease, cerebrovascular
- - embolic I63.-
- - hemorrhagic -*see* Hemorrhage, intracranial, intracerebral
- - old (without sequelae) Z86.73
- - - with sequelae (of) -*see* Sequelae, infarction, cerebral
- - thrombotic I63.-
- coronary -*see* Infarct, myocardium
- craniovascular I63.9
- vascular, brain I63.9

Accidental -*see* condition

Accommodation (disorder) -*see also* condition
- hysterical paralysis of F44.89

- insufficiency of H52.4
- paresis -*see* Paresis, of accommodation
- spasm -*see* Spasm, of accommodation
Accouchement -*see* Delivery
Accreta placenta O43.21-
Accretio cordis (nonrheumatic) I31.0
Accretions, tooth, teeth K03.6
Acculturation difficulty Z60.3
Accumulation secretion, prostate N42.89
Acephalia, acephalism, acephalus, acephaly Q00.0
Acephalobrachia monster Q89.8
Acephalochirus monster Q89.8
Acephalogaster Q89.8
Acephalostomus monster Q89.8
Acephalothorax Q89.8
Acerophobia F40.298
Acetonemia R79.89
- in Type 1 diabetes E10.10
- - with coma E10.11
Acetonuria R82.4
Achalasia (cardia) (esophagus) K22.0
- congenital Q39.5
- pylorus Q40.0
- sphincteral NEC K59.89
Ache(s) -*see* Pain
Acheilia Q38.6
Achillobursitis -*see* Tendinitis, Achilles
Achillodynia -*see* Tendinitis, Achilles
Achlorhydria, achlorhydric (neurogenic) K31.83
- anemia D50.8
- diarrhea K31.83
- psychogenic F45.8
- secondary to vagotomy K91.1
Achluophobia F40.228
Acholia K82.8
Acholuric jaundice (familial) (splenomegalic) -*see also* Spherocytosis
- acquired D59.8
Achondrogenesis Q77.0
Achondroplasia (osteosclerosis congenita) Q77.4
Achroma, cutis L80
Achromat (ism), achromatopsia (acquired) (congenital) H53.51
Achromia, congenital -*see* Albinism
Achromia parasitica B36.0
Achylia gastrica K31.89
- psychogenic F45.8
Acid
- burn -*see* Corrosion
- deficiency
- - amide nicotinic E52
- - ascorbic E54
- - folic E53.8
- - nicotinic E52
- - pantothenic E53.8
- intoxication -*see also* Acidosis E87.29
- peptic disease K30
- phosphatase deficiency E83.39
- stomach K30
- - psychogenic F45.8
Acidemia -*see also* Acidosis E87.20
- argininosuccinic E72.22

- isovaleric E71.110
- metabolic -*see also* Acidosis, metabolic
- - newborn P19.9
- - - first noted before onset of labor P19.0
- - - first noted during labor P19.1
- - - noted at birth P19.2
- methylmalonic E71.120
- pipecolic E72.3
- propionic E71.121

Acidity, gastric (high) K30
- psychogenic F45.8

Acidocytopenia -*see* Agranulocytosis

Acidocytosis D72.10

Acidopenia -*see* Agranulocytosis

Acidosis (lactic) E87.20
- in Type 1 diabetes E10.10
- - with coma E10.11
- kidney, tubular N25.89
- lactic E87.20
- - acute E87.21
- - chronic E87.22
- metabolic NEC E87.20
- - with respiratory acidosis E87.4
- - acute E87.21
- - chronic E87.22
- - hyperchloremic, of newborn P74.421
- - late, of newborn P74.0
- mixed metabolic and respiratory, newborn P84
- newborn P84
- renal (hyperchloremic) (tubular) N25.89
- respiratory E87.29
- - acute J96.02
- - chronic J96.12
- - complicated by
- - - metabolic
- - - - acidosis E87.4
- - - - alkalosis E87.4
- specified NEC E87.29

Aciduria
- 4-hydroxybutyric E72.81
- argininosuccinic E72.22
- gamma-hydroxybutyric E72.81
- glutaric (type I) E72.3
- - type II E71.313
- - type III E71.5-
- orotic (congenital) (hereditary) (pyrimidine deficiency) E79.89
- - anemia D53.0

Acladiosis (skin) B36.0

Aclasis, diaphyseal Q78.6

Acleistocardia Q21.19

Aclusion -*see* Anomaly, dentofacial, malocclusion

Acne L70.9
- artificialis L70.8
- atrophica L70.2
- cachecticorum (Hebra) L70.8
- conglobata L70.1
- cystic L70.0
- decalvans L66.2
- excoriée (des jeunes filles) L70.5
- frontalis L70.2

- indurata L70.0
- infantile L70.4
- keloid L73.0
- lupoid L70.2
- necrotic, necrotica (miliaris) L70.2
- neonatal L70.4
- nodular L70.0
- occupational L70.8
- picker's L70.5
- pustular L70.0
- rodens L70.2
- rosacea L71.9
- specified NEC L70.8
- tropica L70.3
- varioliformis L70.2
- vulgaris L70.0

Acnitis (primary) A18.4
Acosta's disease T70.29
Acoustic -*see* condition
Acousticophobia F40.298
ACPO (acute colonic pseudo-obstruction) K59.81
Acquired -*see also* condition
- immunodeficiency syndrome (AIDS) B20

Acrania Q00.0
Acroangiodermatitis I78.9
Acroasphyxia, chronic I73.89
Acrobystitis N47.7
Acrocephalopolysyndactyly Q87.0
Acrocephalosyndactyly Q87.0
Acrocephaly Q75.009
Acrochondrohyperplasia -*see* Syndrome, Marfan
Acrocyanosis I73.89
- newborn P28.2
- - meaning transient blue hands and feet - omit code

Acrodermatitis L30.8
- atrophicans (chronica) L90.4
- continua (Hallopeau) L40.2
- enteropathica (hereditary) E83.2
- Hallopeau's L40.2
- infantile papular L44.4
- perstans L40.2
- pustulosa continua L40.2
- recalcitrant pustular L40.2

Acrodynia -*see* Poisoning, mercury
Acromegaly, acromegalia E22.0
Acromelalgia I73.81
Acromicria, acromikria Q79.8
Acronyx L60.0
Acropachy, thyroid -*see* Thyrotoxicosis
Acroparesthesia (simple) (vasomotor) I73.89
Acropathy, thyroid -*see* Thyrotoxicosis
Acrophobia F40.241
Acroposthitis N47.7
Acroscleriasis, acroscleroderma, acrosclerosis -*see* Sclerosis, systemic
Acrosphacelus I96
Acrospiroma, eccrine -*see* Neoplasm, skin, benign
Acrostealgia -*see* Osteochondropathy
Acrotrophodynia -*see* Immersion
ACTH ectopic syndrome E24.3
Actinic -*see* condition

Actinobacillosis, actinobacillus A28.8
- mallei A24.0
- muris A25.1
Actinomyces israelii (infection) -*see* Actinomycosis
Actinomycetoma (foot) B47.1
Actinomycosis, actinomycotic A42.9
- with pneumonia A42.0
- abdominal A42.1
- cervicofacial A42.2
- cutaneous A42.89
- gastrointestinal A42.1
- pulmonary A42.0
- sepsis A42.7
- specified site NEC A42.89
Actinoneuritis G62.82
Action, heart
- disorder I49.9
- irregular I49.9
- - psychogenic F45.8
Activated protein C resistance D68.51
Activation
- mast cell (disorder) (syndrome) D89.40
- - idiopathic D89.42
- - monoclonal D89.41
- - secondary D89.43
- - specified type NEC D89.49
Active -*see* condition
Acute -*see also* condition
- abdomen R10.0
- gallbladder -*see* Cholecystitis, acute
Acyanotic heart disease (congenital) Q24.9
Acystia Q64.5
Adair-Dighton syndrome (brittle bones and blue sclera, deafness) Q78.0
Adamantinoblastoma -*see* Ameloblastoma
Adamantinoma -*see also* Cyst, calcifying odontogenic
- long bones C40.90
- - lower limb C40.2-
- - upper limb C40.0-
- malignant C41.1
- - jaw (bone) (lower) C41.1
- - - upper C41.0
- tibial C40.2-
Adamantoblastoma -*see* Ameloblastoma
Adams-Stokes (-Morgagni) disease or syndrome I45.9
Adaption reaction -*see* Disorder, adjustment
Addiction -*see also* Dependence F19.20
- alcohol, alcoholic (ethyl) (methyl) (wood) (without remission) F10.20
- - with remission F10.21
- drug -*see* Dependence, drug
- ethyl alcohol (without remission) F10.20
- - with remission F10.21
- heroin -*see* Dependence, drug, opioid
- methyl alcohol (without remission) F10.20
- - with remission F10.21
- methylated spirit (without remission) F10.20
- - with remission F10.21
- morphine (-like substances) -*see* Dependence, drug, opioid
- nicotine -*see* Dependence, drug, nicotine
- opium and opioids -*see* Dependence, drug, opioid
- tobacco -*see* Dependence, drug, nicotine

Addisonian crisis E27.2
Addison's
- anemia (pernicious) D51.0
- disease (bronze) or syndrome E27.1
- - tuberculous A18.7
- keloid L94.0
Addison-Biermer anemia (pernicious) D51.0
Addison-Schilder complex E71.528
Additional -*see also* Accessory
- chromosome(s) -*see also* Trisomy Q99.8
- - marker -*see* Extra, marker chromosomes
- - sex -*see* Abnormal, chromosome, sex
- - 21 -*see* Trisomy, 21
Adduction contracture, hip or other joint -*see* Contraction, joint
Adenitis -*see also* Lymphadenitis
- acute, unspecified site L04.9
- axillary I88.9
- - acute L04.2
- - chronic or subacute I88.1
- Bartholin's gland N75.8
- bulbourethral gland -*see* Urethritis
- cervical I88.9
- - acute L04.0
- - chronic or subacute I88.1
- chancroid (Hemophilus ducreyi) A57
- chronic, unspecified site I88.1
- Cowper's gland -*see* Urethritis
- due to Pasteurella multocida (P. septica) A28.0
- epidemic, acute B27.09
- gangrenous L04.9
- gonorrheal NEC A54.89
- groin I88.9
- - acute L04.1
- - chronic or subacute I88.1
- infectious (acute) (epidemic) B27.09
- inguinal I88.9
- - acute L04.1
- - chronic or subacute I88.1
- lymph gland or node, except mesenteric I88.9
- - acute -*see* Lymphadenitis, acute
- - chronic or subacute I88.1
- mesenteric (acute) (chronic) (nonspecific) (subacute) I88.0
- parotid gland (suppurative) -*see* Sialoadenitis
- salivary gland (any) (suppurative) -*see* Sialoadenitis
- scrofulous (tuberculous) A18.2
- Skene's duct or gland -*see* Urethritis
- strumous, tuberculous A18.2
- subacute, unspecified site I88.1
- sublingual gland (suppurative) -*see* Sialoadenitis
- submandibular gland (suppurative) -*see* Sialoadenitis
- submaxillary gland (suppurative) -*see* Sialoadenitis
- tuberculous -*see* Tuberculosis, lymph gland
- urethral gland -*see* Urethritis
- Wharton's duct (suppurative) -*see* Sialoadenitis
Adenoacanthoma -*see* Neoplasm, malignant, by site
Adenoameloblastoma -*see* Cyst, calcifying odontogenic
Adenocarcinoid (tumor) -*see* Neoplasm, malignant, by site
Adenocarcinoma -*see also* Neoplasm, malignant, by site
- acidophil
- - specified site -*see* Neoplasm, malignant, by site

- - unspecified site C75.1
- adrenal cortical C74.0-
- alveolar -*see* Neoplasm, lung, malignant
- apocrine
- - breast -*see* Neoplasm, breast, malignant
- - in situ
- - - breast D05.8-
- - - specified site NEC -*see* Neoplasm, skin, in situ
- - - unspecified site D04.9
- - specified site NEC -*see* Neoplasm, skin, malignant
- - unspecified site C44.99
- basal cell
- - specified site -*see* Neoplasm, skin, malignant
- - unspecified site C08.9
- basophil
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C75.1
- bile duct type C22.1
- - liver C22.1
- - specified site NEC -*see* Neoplasm, malignant, by site
- - unspecified site C22.1
- bronchiolar -*see* Neoplasm, lung, malignant
- bronchioloalveolar -*see* Neoplasm, lung, malignant
- ceruminous C44.29-
- cervix, in situ -*see also* Carcinoma, cervix uteri, in situ D06.9
- chromophobe
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C75.1
- diffuse type
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C16.9
- duct
- - infiltrating
- - - with Paget's disease -*see* Neoplasm, breast, malignant
- - - specified site -*see* Neoplasm, malignant, by site
- - - unspecified site (female) C50.91-
- - - - male C50.92-
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site
- - - female C56.9
- - - male C61
- eosinophil
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C75.1
- follicular
- - with papillary C73
- - moderately differentiated C73
- - specified site -*see* Neoplasm, malignant, by site
- - trabecular C73
- - unspecified site C73
- - well differentiated C73
- Hurthle cell C73
- in
- - adenomatous
- - - polyposis coli C18.9
- infiltrating duct
- - with Paget's disease -*see* Neoplasm, breast, malignant
- - specified site -*see* Neoplasm, by site, malignant
- - unspecified site (female) C50.91-
- - - male C50.92-

- inflammatory
- - specified site -*see* Neoplasm, by site, malignant
- - unspecified site (female) C50.91-
- - - male C50.92-
- intestinal type
- - specified site -*see* Neoplasm, by site, malignant
- - unspecified site C16.9
- intracystic papillary
- intraductal
- - breast D05.1-
- - noninfiltrating
- - - breast D05.1-
- - - papillary
- - - - with invasion
- - - - - specified site -*see* Neoplasm, by site, malignant
- - - - - unspecified site (female) C50.91-
- - - - - - male C50.92-
- - - - breast D05.1-
- - - - specified site NEC -*see* Neoplasm, in situ, by site
- - - - unspecified site D05.1-
- - - specified site NEC -*see* Neoplasm, in situ, by site
- - - unspecified site D05.1-
- - papillary
- - - with invasion
- - - - specified site -*see* Neoplasm, malignant, by site
- - - - unspecified site (female) C50.91-
- - - - - male C50.92-
- - - breast D05.1-
- - - specified site -*see* Neoplasm, in situ, by site
- - - unspecified site D05.1-
- - specified site NEC -*see* Neoplasm, in situ, by site
- - unspecified site D05.1-
- islet cell
- - with exocrine, mixed
- - - specified site -*see* Neoplasm, malignant, by site
- - - unspecified site C25.9
- - pancreas C25.4
- - specified site NEC -*see* Neoplasm, malignant, by site
- - unspecified site C25.4
- lobular
- - in situ
- - - breast D05.0-
- - - specified site NEC -*see* Neoplasm, in situ, by site
- - - unspecified site D05.0-
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site (female) C50.91-
- - - male C50.92-
- mucoid -*see also* Neoplasm, malignant, by site
- - cell
- - - specified site -*see* Neoplasm, malignant, by site
- - - unspecified site C75.1
- nonencapsulated sclerosing C73
- papillary
- - with follicular C73
- - follicular variant C73
- - intraductal (noninfiltrating)
- - - with invasion
- - - - specified site -*see* Neoplasm, malignant, by site
- - - - unspecified site (female) C50.91-
- - - - - male C50.92-

- - - breast D05.1-
- - - specified site NEC -*see* Neoplasm, in situ, by site
- - - unspecified site D05.1-
- - serous
- - - specified site -*see* Neoplasm, malignant, by site
- - - unspecified site C56.9
- papillocystic
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C56.9
- pseudomucinous
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C56.9
- renal cell C64-
- sebaceous -*see* Neoplasm, skin, malignant
- serous -*see also* Neoplasm, malignant, by site
- - papillary
- - - specified site -*see* Neoplasm, malignant, by site
- - - unspecified site C56.9
- sweat gland -*see* Neoplasm, skin, malignant
- water-clear cell C75.0

Adenocarcinoma-in-situ -*see also* Neoplasm, in situ, by site
- breast D05.9-

Adenofibroma
- clear cell -*see* Neoplasm, benign, by site
- endometrioid D27.9
- - borderline malignancy D39.10
- - malignant C56-
- mucinous
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D27.9
- papillary
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D27.9
- prostate -*see* Enlargement, enlarged, prostate
- serous
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D27.9
- specified site -*see* Neoplasm, benign, by site
- unspecified site D27.9

Adenofibrosis
- breast -*see* Fibroadenosis, breast
- endometrioid N80.00

Adenoiditis (chronic) J35.02
- with tonsillitis J35.03
- acute J03.90
- - recurrent J03.91
- - specified organism NEC J03.80
- - - recurrent J03.81
- - staphylococcal J03.80
- - - recurrent J03.81
- - streptococcal J03.00
- - - recurrent J03.01

Adenoids -*see* condition

Adenolipoma -*see* Neoplasm, benign, by site

Adenolipomatosis, Launois-Bensaude E88.89

Adenolymphoma
- specified site -*see* Neoplasm, benign, by site
- unspecified site D11.9

Adenoma -*see also* Neoplasm, benign, by site
- acidophil

- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D35.2
- acidophil-basophil, mixed
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D35.2
- adrenal (cortical) D35.00
- - clear cell D35.00
- - compact cell D35.00
- - glomerulosa cell D35.00
- - heavily pigmented variant D35.00
- - mixed cell D35.00
- alpha-cell
- - pancreas D13.7
- - specified site NEC -*see* Neoplasm, benign, by site
- - unspecified site D13.7
- alveolar D14.30
- apocrine
- - breast D24-
- - specified site NEC -*see* Neoplasm, skin, benign, by site
- - unspecified site D23.9
- basal cell D11.9
- basophil
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D35.2
- basophil-acidophil, mixed
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D35.2
- beta-cell
- - pancreas D13.7
- - specified site NEC -*see* Neoplasm, benign, by site
- - unspecified site D13.7
- bile duct D13.4
- - common D13.5
- - extrahepatic D13.5
- - intrahepatic D13.4
- - specified site NEC -*see* Neoplasm, benign, by site
- - unspecified site D13.4
- black D35.00
- bronchial D38.1
- - cylindroid type -*see* Neoplasm, lung, malignant
- ceruminous D23.2-
- chief cell D35.1
- chromophobe
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D35.2
- colloid
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D34
- eccrine, papillary -*see* Neoplasm, skin, benign
- endocrine, multiple
- - single specified site -*see* Neoplasm, uncertain behavior, by site
- - two or more specified sites D44-
- - unspecified site D44.9
- endometrioid -*see also* Neoplasm, benign
- - borderline malignancy -*see* Neoplasm, uncertain behavior, by site
- eosinophil
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D35.2
- fetal
- - specified site -*see* Neoplasm, benign, by site

- - unspecified site D34
- follicular
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D34
- hepatocellular D13.4
- Hurthle cell D34
- islet cell
- - pancreas D13.7
- - specified site NEC -*see* Neoplasm, benign, by site
- - unspecified site D13.7
- liver cell D13.4
- macrofollicular
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D34
- malignant, malignum -*see* Neoplasm, malignant, by site
- microcystic
- - pancreas D13.6
- - specified site NEC -*see* Neoplasm, benign, by site
- - unspecified site D13.6
- microfollicular
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D34
- mucoid cell
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D35.2
- multiple endocrine
- - single specified site -*see* Neoplasm, uncertain behavior, by site
- - two or more specified sites D44-
- - unspecified site D44.9
- nipple D24-
- papillary -*see also* Neoplasm, benign, by site
- - eccrine -*see* Neoplasm, skin, benign, by site
- Pick's tubular
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site
- - - female D27.9
- - - male D29.20
- pleomorphic
- - carcinoma in -*see* Neoplasm, salivary gland, malignant
- - - specified site -*see* Neoplasm, malignant, by site
- - - unspecified site C08.9
- polypoid -*see also* Neoplasm, benign
- - adenocarcinoma in -*see* Neoplasm, malignant, by site
- - adenocarcinoma in situ -*see* Neoplasm, in situ, by site
- prostate -*see* Neoplasm, prostate, benign
- rete cell D29.20
- sebaceous -*see* Neoplasm, skin, benign
- Sertoli cell
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site
- - - female D27.9
- - - male D29.20
- skin appendage -*see* Neoplasm, skin, benign
- sudoriferous gland -*see* Neoplasm, skin, benign
- sweat gland -*see* Neoplasm, skin, benign
- testicular
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site
- - - female D27.9
- - - male D29.20

- tubular -*see also* Neoplasm, benign, by site
- - adenocarcinoma in -*see* Neoplasm, malignant, by site
- - adenocarcinoma in situ -*see* Neoplasm, in situ, by site
- - Pick's
- - - specified site -*see* Neoplasm, benign, by site
- - - unspecified site
- - - - female D27.9
- - - - male D29.20
- tubulovillous -*see also* Neoplasm, benign, by site
- - adenocarcinoma in -*see* Neoplasm, malignant, by site
- - adenocarcinoma in situ -*see* Neoplasm, in situ, by site
- villous -*see* Neoplasm, uncertain behavior, by site
- - adenocarcinoma in -*see* Neoplasm, malignant, by site
- - adenocarcinoma in situ -*see* Neoplasm, in situ, by site
- water-clear cell D35.1

Adenomatosis
- endocrine (multiple) E31.20
- - single specified site -*see* Neoplasm, uncertain behavior, by site
- erosive of nipple D24-
- pluriendocrine -*see* Adenomatosis, endocrine
- pulmonary D38.1
- - malignant -*see* Neoplasm, lung, malignant
- specified site -*see* Neoplasm, benign, by site
- unspecified site D12.6

Adenomatous
- goiter (nontoxic) E04.9
- - with hyperthyroidism -*see* Hyperthyroidism, with, goiter, nodular
- - toxic -*see* Hyperthyroidism, with, goiter, nodular

Adenomyoma -*see also* Neoplasm, benign, by site
- prostate -*see* Enlarged, prostate

Adenomyometritis N80.00

Adenomyosis (uterus) N80.03

Adenopathy (lymph gland) R59.9
- generalized R59.1
- inguinal R59.0
- localized R59.0
- mediastinal R59.0
- mesentery R59.0
- syphilitic (secondary) A51.49
- tracheobronchial R59.0
- - tuberculous A15.4
- - - primary (progressive) A15.7
- tuberculous -*see also* Tuberculosis, lymph gland
- - tracheobronchial A15.4
- - - primary (progressive) A15.7

Adenosalpingitis -*see* Salpingitis

Adenosarcoma -*see* Neoplasm, malignant, by site

Adenosclerosis I88.8

Adenosis (sclerosing) breast -*see* Fibroadenosis, breast

Adenovirus, as cause of disease classified elsewhere B97.0

Adentia (complete) (partial) -*see* Absence, teeth

Adherent -*see also* Adhesions
- labia (minora) N90.89
- pericardium (nonrheumatic) I31.0
- - rheumatic I09.2
- placenta (with hemorrhage) O72.0
- - without hemorrhage O73.0
- prepuce, newborn N47.0
- scar (skin) L90.5
- tendon in scar L90.5

Adhesions, adhesive (postinfective) K66.0
- with intestinal obstruction K56.50
- - complete K56.52
- - incomplete K56.51
- - partial K56.51
- abdominal (wall) -*see* Adhesions, peritoneum
- appendix K38.8
- bile duct (common) (hepatic) K83.8
- bladder (sphincter) N32.89
- bowel -*see* Adhesions, peritoneum
- cardiac I31.0
- - rheumatic I09.2
- cecum -*see* Adhesions, peritoneum
- cervicovaginal N88.1
- - congenital Q52.8
- - postpartal O90.89
- - - old N88.1
- cervix N88.1
- ciliary body NEC -*see* Adhesions, iris
- clitoris N90.89
- colon -*see* Adhesions, peritoneum
- common duct K83.8
- congenital -*see also* Anomaly, by site
- - fingers -*see* Syndactylism, complex, fingers
- - omental, anomalous Q43.3
- - peritoneal Q43.3
- - tongue (to gum or roof of mouth) Q38.3
- conjunctiva (acquired) H11.21-
- - congenital Q15.8
- cystic duct K82.8
- diaphragm -*see* Adhesions, peritoneum
- due to foreign body -*see* Foreign body
- duodenum -*see* Adhesions, peritoneum
- ear
- - middle H74.1-
- epididymis N50.89
- epidural -*see* Adhesions, meninges
- epiglottis J38.7
- eyelid H02.59
- female pelvis N73.6
- gallbladder K82.8
- globe H44.89
- heart I31.0
- - rheumatic I09.2
- ileocecal (coil) -*see* Adhesions, peritoneum
- ileum -*see* Adhesions, peritoneum
- intestine -*see also* Adhesions, peritoneum
- - with obstruction K56.50
- - - complete K56.52
- - - incomplete K56.51
- - - partial K56.51
- intra-abdominal -*see* Adhesions, peritoneum
- iris H21.50-
- - anterior H21.51-
- - goniosynechiae H21.52-
- - posterior H21.54-
- - to corneal graft T85.898
- joint -*see* Ankylosis
- - knee M23.8X
- - temporomandibular M26.61-

- labium (majus) (minus), congenital Q52.5
- liver *-see* Adhesions, peritoneum
- lung J98.4
- mediastinum J98.59
- meninges (cerebral) (spinal) G96.12
- - congenital Q07.8
- - tuberculous (cerebral) (spinal) A17.0
- mesenteric *-see* Adhesions, peritoneum
- nasal (septum) (to turbinates) J34.89
- ocular muscle *-see* Strabismus, mechanical
- omentum *-see* Adhesions, peritoneum
- ovary N73.6
- - congenital (to cecum, kidney or omentum) Q50.39
- paraovarian N73.6
- pelvic (peritoneal)
- - female N73.6
- - - postprocedural N99.4
- - male *-see* Adhesions, peritoneum
- - postpartal (old) N73.6
- - tuberculous A18.17
- penis to scrotum (congenital) Q55.8
- periappendiceal *-see also* Adhesions, peritoneum
- pericardium (nonrheumatic) I31.0
- - focal I31.8
- - rheumatic I09.2
- - tuberculous A18.84
- pericholecystic K82.8
- perigastric *-see* Adhesions, peritoneum
- periovarian N73.6
- periprostatic N42.89
- perirectal *-see* Adhesions, peritoneum
- perirenal N28.89
- peritoneum, peritoneal (postinfective) K66.0
- - with obstruction (intestinal) K56.50
- - - complete K56.52
- - - incomplete K56.51
- - - partial K56.51
- - congenital Q43.3
- - pelvic, female N73.6
- - - postprocedural N99.4
- - postpartal, pelvic N73.6
- - postprocedural K66.0
- - to uterus N73.6
- peritubal N73.6
- periureteral N28.89
- periuterine N73.6
- perivesical N32.89
- perivesicular (seminal vesicle) N50.89
- pleura, pleuritic J94.8
- - tuberculous NEC A15.6
- pleuropericardial J94.8
- postoperative (gastrointestinal tract) K66.0
- - with obstruction *-see also* Obstruction, intestine, postoperative K91.30
- - due to foreign body accidentally left in wound *-see* Foreign body, accidentally left during a procedure
- - pelvic peritoneal N99.4
- - urethra *-see* Stricture, urethra, postprocedural
- - vagina N99.2
- postpartal, old (vulva or perineum) N90.89
- preputial, prepuce N47.5
- pulmonary J98.4

- pylorus -*see* Adhesions, peritoneum
- sciatic nerve -*see* Lesion, nerve, sciatic
- seminal vesicle N50.89
- shoulder (joint) -*see* Capsulitis, adhesive
- sigmoid flexure -*see* Adhesions, peritoneum
- spermatic cord (acquired) N50.89
- - congenital Q55.4
- spinal canal G96.12
- stomach -*see* Adhesions, peritoneum
- subscapular -*see* Capsulitis, adhesive
- temporomandibular M26.61-
- tendinitis -*see also* Tenosynovitis, specified type NEC
- - shoulder -*see* Capsulitis, adhesive
- testis N44.8
- tongue, congenital (to gum or roof of mouth) Q38.3
- - acquired K14.8
- trachea J39.8
- tubo-ovarian N73.6
- tunica vaginalis N44.8
- uterus N73.6
- - internal N85.6
- - to abdominal wall N73.6
- vagina (chronic) N89.5
- - postoperative N99.2
- vitreomacular H43.82-
- vitreous H43.89
- vulva N90.89

Adiaspiromycosis B48.8

Adie (-Holmes) pupil or syndrome -*see* Anomaly, pupil, function, tonic pupil

Adiponecrosis neonatorum P83.88

Adiposis -*see also* Obesity
- cerebralis E23.6
- dolorosa E88.2

Adiposity -*see also* Obesity
- heart -*see* Degeneration, myocardial
- localized E65

Adiposogenital dystrophy E23.6

Adjustment
- disorder -*see* Disorder, adjustment
- implanted device -*see* Encounter (for), adjustment (of)
- prosthesis, external -*see* Fitting
- reaction -*see* Disorder, adjustment

Administration of tPA (rtPA) in a different facility within the last 24 hours prior to admission to current facility Z92.82

Admission (for) -*see also* Encounter (for)
- adjustment (of)
- - artificial
- - - arm Z44.00-
- - - - complete Z44.01-
- - - - partial Z44.02-
- - - eye Z44.2
- - - leg Z44.10-
- - - - complete Z44.11-
- - - - partial Z44.12-
- - brain neuropacemaker Z46.2
- - - implanted Z45.42
- - breast
- - - implant Z45.81
- - - prosthesis (external) Z44.3
- - colostomy belt Z46.89

- - contact lenses Z46.0
- - cystostomy device Z46.6
- - dental prosthesis Z46.3
- - device NEC
- - - abdominal Z46.89
- - - implanted Z45.89
- - - - cardiac Z45.09
- - - - - defibrillator (with synchronous cardiac pacemaker) Z45.02
- - - - - pacemaker (cardiac resynchronization therapy (CRT-P)) Z45.018
- - - - - - pulse generator Z45.010
- - - - - resynchronization therapy defibrillator (CRT-D) Z45.02
- - - - hearing device Z45.328
- - - - - bone conduction Z45.320
- - - - - cochlear Z45.321
- - - - infusion pump Z45.1
- - - - nervous system Z45.49
- - - - - CSF drainage Z45.41
- - - - - hearing device -*see* Admission, adjustment, device, implanted, hearing device
- - - - - neuropacemaker Z45.42
- - - - - visual substitution Z45.31
- - - - specified NEC Z45.89
- - - - vascular access Z45.2
- - - - visual substitution Z45.31
- - - nervous system Z46.2
- - - - implanted -*see* Admission, adjustment, device, implanted, nervous system
- - - orthodontic Z46.4
- - - prosthetic Z44.9
- - - - arm -*see* Admission, adjustment, artificial, arm
- - - - breast Z44.3
- - - - dental Z46.3
- - - - eye Z44.2
- - - - leg -*see* Admission, adjustment, artificial, leg
- - - - specified type NEC Z44.8
- - - substitution
- - - - auditory Z46.2
- - - - - implanted -*see* Admission, adjustment, device, implanted, hearing device
- - - - nervous system Z46.2
- - - - - implanted -*see* Admission, adjustment, device, implanted, nervous system
- - - - visual Z46.2
- - - - - implanted Z45.31
- - - urinary Z46.6
- - hearing aid Z46.1
- - - implanted -*see* Admission, adjustment, device, implanted, hearing device
- - ileostomy device Z46.89
- - intestinal appliance or device NEC Z46.89
- - neuropacemaker (brain) (peripheral nerve) (spinal cord) Z46.2
- - - implanted Z45.42
- - orthodontic device Z46.4
- - orthopedic (brace) (cast) (device) (shoes) Z46.89
- - pacemaker (cardiac resynchronization therapy (CRT-P))
- - - cardiac Z45.018
- - - - pulse generator Z45.010
- - - nervous system Z46.2
- - - - implanted Z45.42
- - portacath (port-a-cath) Z45.2
- - prosthesis Z44.9
- - - arm -*see* Admission, adjustment, artificial, arm
- - - breast Z44.3
- - - dental Z46.3
- - - eye Z44.2

- - - leg -*see* Admission, adjustment, artificial, leg
- - - specified NEC Z44.8
- - spectacles Z46.0
- aftercare -*see also* Aftercare Z51.89
- - postpartum
- - - immediately after delivery Z39.0
- - - routine follow-up Z39.2
- - radiation therapy (antineoplastic) Z51.0
- - sepsis Z51.A
- attention to artificial opening (of) Z43.9
- - artificial vagina Z43.7
- - colostomy Z43.3
- - cystostomy Z43.5
- - enterostomy Z43.4
- - gastrostomy Z43.1
- - ileostomy Z43.2
- - jejunostomy Z43.4
- - nephrostomy Z43.6
- - specified site NEC Z43.8
- - - intestinal tract Z43.4
- - - urinary tract Z43.6
- - tracheostomy Z43.0
- - ureterostomy Z43.6
- - urethrostomy Z43.6
- breast augmentation or reduction Z41.1
- breast reconstruction following mastectomy Z42.1
- change of
- - dressing (nonsurgical) Z48.00
- - neuropacemaker device (brain) (peripheral nerve) (spinal cord) Z46.2
- - - implanted Z45.42
- - surgical dressing Z48.01
- circumcision, ritual or routine (in absence of diagnosis) Z41.2
- clinical research investigation (control) (normal comparison) (participant) Z00.6
- contraceptive management Z30.9
- cosmetic surgery NEC Z41.1
- counseling -*see also* Counseling
- - dietary Z71.3
- - gestational carrier Z31.7
- - HIV Z71.7
- - human immunodeficiency virus Z71.7
- - nonattending third party Z71.0
- - procreative management NEC Z31.69
- delivery, full-term, uncomplicated O80
- - cesarean, without indication O82
- desensitization to allergens Z51.6
- dietary surveillance and counseling Z71.3
- ear piercing Z41.3
- examination at health care facility (adult) -*see also* Examination Z00.00
- - with abnormal findings Z00.01
- - clinical research investigation (control) (normal comparison) (participant) Z00.6
- - dental Z01.20
- - - with abnormal findings Z01.21
- - donor (potential) Z00.5
- - ear Z01.10
- - - with abnormal findings NEC Z01.118
- - eye Z01.00
- - - with abnormal findings Z01.01
- - - following failed vision screening Z01.020
- - - - with abnormal findings Z01.021
- - general, specified reason NEC Z00.8

- - hearing Z01.10
- - - with abnormal findings NEC Z01.118
- - - infant or child (over 28 days old) Z00.129
- - - - with abnormal findings Z00.121
- - postpartum checkup Z39.2
- - psychiatric (general) Z00.8
- - - requested by authority Z04.6
- - vision Z01.00
- - - with abnormal findings Z01.01
- - - following failed vision screening Z01.020
- - - - with abnormal findings Z01.021
- - - infant or child (over 28 days old) Z00.129
- - - - with abnormal findings Z00.121
- fitting (of)
- - artificial
- - - arm *-see* Admission, adjustment, artificial, arm
- - - eye Z44.2
- - - leg *-see* Admission, adjustment, artificial, leg
- - brain neuropacemaker Z46.2
- - - implanted Z45.42
- - breast prosthesis (external) Z44.3
- - colostomy belt Z46.89
- - contact lenses Z46.0
- - cystostomy device Z46.6
- - dental prosthesis Z46.3
- - dentures Z46.3
- - device NEC
- - - abdominal Z46.89
- - - nervous system Z46.2
- - - - implanted *-see* Admission, adjustment, device, implanted, nervous system
- - - orthodontic Z46.4
- - - prosthetic Z44.9
- - - - breast Z44.3
- - - - dental Z46.3
- - - - eye Z44.2
- - - substitution
- - - - auditory Z46.2
- - - - - implanted *-see* Admission, adjustment, device, implanted, hearing device
- - - - nervous system Z46.2
- - - - - implanted *-see* Admission, adjustment, device, implanted, nervous system
- - - - visual Z46.2
- - - - - implanted Z45.31
- - hearing aid Z46.1
- - ileostomy device Z46.89
- - intestinal appliance or device NEC Z46.89
- - neuropacemaker (brain) (peripheral nerve) (spinal cord) Z46.2
- - - implanted Z45.42
- - orthodontic device Z46.4
- - orthopedic device (brace) (cast) (shoes) Z46.89
- - prosthesis Z44.9
- - - arm *-see* Admission, adjustment, artificial, arm
- - - breast Z44.3
- - - dental Z46.3
- - - eye Z44.2
- - - leg *-see* Admission, adjustment, artificial, leg
- - - specified type NEC Z44.8
- - spectacles Z46.0
- follow-up examination Z09
- intrauterine device management Z30.431
- - initial prescription Z30.014

- mental health evaluation Z00.8
- - requested by authority Z04.6
- observation -*see* Observation
- Papanicolaou smear, cervix Z12.4
- - for suspected malignant neoplasm Z12.4
- plastic and reconstructive surgery following medical procedure or healed injury NEC Z42.8
- plastic surgery, cosmetic NEC Z41.1
- postpartum observation
- - immediately after delivery Z39.0
- - routine follow-up Z39.2
- poststerilization (for restoration) Z31.0
- - aftercare Z31.42
- procreative management Z31.9
- prophylactic (measure) -*see also* Encounter, prophylactic measures
- - organ removal Z40.00
- - - breast Z40.01
- - - fallopian tube(s) Z40.03
- - - - with ovary(s) Z40.02
- - - ovary(s) Z40.02
- - - specified organ NEC Z40.09
- - - testes Z40.09
- - vaccination Z23
- psychiatric examination (general) Z00.8
- - requested by authority Z04.6
- radiation therapy (antineoplastic) Z51.0
- reconstructive surgery following medical procedure or healed injury NEC Z42.8
- removal of
- - cystostomy catheter Z43.5
- - drains Z48.03
- - dressing (nonsurgical) Z48.00
- - implantable subdermal contraceptive Z30.46
- - intrauterine contraceptive device Z30.432
- - neuropacemaker (brain) (peripheral nerve) (spinal cord) Z46.2
- - - implanted Z45.42
- - staples Z48.02
- - surgical dressing Z48.01
- - sutures Z48.02
- - ureteral stent Z46.6
- respirator [ventilator] use during power failure Z99.12
- restoration of organ continuity (poststerilization) Z31.0
- - aftercare Z31.42
- sensitivity test -*see also* Test, skin
- - allergy NEC Z01.82
- - Mantoux Z11.1
- tuboplasty following previous sterilization Z31.0
- - aftercare Z31.42
- vasoplasty following previous sterilization Z31.0
- - aftercare Z31.42
- vision examination Z01.00
- - with abnormal findings Z01.01
- - following failed vision screening Z01.020
- - - with abnormal findings Z01.021
- - infant or child (over 28 days old) Z00.129
- - - with abnormal findings Z00.121
- waiting period for admission to other facility Z75.1

Adnexitis (suppurative) -*see* Salpingo-oophoritis
Adolescent X-linked adrenoleukodystrophy E71.521
Adrenal (gland) -*see* condition
Adrenalism, tuberculous A18.7
Adrenalitis, adrenitis E27.8

- autoimmune E27.1
- meningococcal, hemorrhagic A39.1
Adrenarche, premature E27.0
Adrenocortical syndrome -*see* Cushing's, syndrome
Adrenogenital syndrome E25.9
- acquired E25.8
- congenital E25.0
- salt loss E25.0
Adrenogenitalism, congenital E25.0
Adrenoleukodystrophy E71.529
- neonatal E71.511
- X-linked E71.529
- - Addison only phenotype E71.528
- - Addison-Schilder E71.528
- - adolescent E71.521
- - adrenomyeloneuropathy E71.522
- - childhood cerebral E71.520
- - other specified E71.528
Adrenomyeloneuropathy E71.522
Adventitious bursa -*see* Bursopathy, specified type NEC
Adverse effect -*see* Table of Drugs and Chemicals, categories T36-T50, with 6th character 5
Advice -*see* Counseling
Adynamia (episodica) (hereditary) (periodic) G72.3
Aeration lung imperfect, newborn -*see* Atelectasis
Aerobullosis T70.3
Aerocele -*see* Embolism, air
Aerodermectasia
- subcutaneous (traumatic) T79.7
Aerodontalgia T70.29
Aeroembolism T70.3
Aerogenes capsulatus infection A48.0
Aero-otitis media T70.0
Aerophagy, aerophagia (psychogenic) F45.8
Aerophobia F40.228
Aerosinusitis T70.1
Aerotitis T70.0
Affection -*see* Disease
Afibrinogenemia -*see also* Defect, coagulation D68.8
- acquired D65
- congenital D68.2
- following ectopic or molar pregnancy O08.1
- in abortion -*see* Abortion, by type, complicated by, afibrinogenemia
- puerperal O72.3
African
- sleeping sickness B56.9
- tick fever A68.1
- trypanosomiasis B56.9
- - gambian B56.0
- - rhodesian B56.1
Aftercare -*see also* Care Z51.89
- following surgery (for) (on)
- - amputation Z47.81
- - attention to
- - - drains Z48.03
- - - dressings (nonsurgical) Z48.00
- - - - surgical Z48.01
- - - sutures Z48.02
- - circulatory system Z48.812
- - delayed (planned) wound closure Z48.1
- - digestive system Z48.815

- - explantation of joint prosthesis (staged procedure)
- - - hip Z47.32
- - - knee Z47.33
- - - shoulder Z47.31
- - genitourinary system Z48.816
- - joint replacement Z47.1
- - neoplasm Z48.3
- - nervous system Z48.811
- - oral cavity Z48.814
- - organ transplant
- - - bone marrow Z48.290
- - - heart Z48.21
- - - heart-lung Z48.280
- - - kidney Z48.22
- - - liver Z48.23
- - - lung Z48.24
- - - multiple organs NEC Z48.288
- - - specified NEC Z48.298
- - orthopedic NEC Z47.89
- - planned wound closure Z48.1
- - removal of internal fixation device Z47.2
- - respiratory system Z48.813
- - scoliosis Z47.82
- - sense organs Z48.810
- - skin and subcutaneous tissue Z48.817
- - specified body system
- - - circulatory Z48.812
- - - digestive Z48.815
- - - genitourinary Z48.816
- - - nervous Z48.811
- - - oral cavity Z48.814
- - - respiratory Z48.813
- - - sense organs Z48.810
- - - skin and subcutaneous tissue Z48.817
- - - teeth Z48.814
- - specified NEC Z48.89
- - spinal Z47.89
- - teeth Z48.814
- fracture - code to fracture with seventh character D
- involving
- - removal of
- - - drains Z48.03
- - - dressings (nonsurgical) Z48.00
- - - staples Z48.02
- - - surgical dressings Z48.01
- - - sutures Z48.02
- neuropacemaker (brain) (peripheral nerve) (spinal cord) Z46.2
- - implanted Z45.42
- orthopedic NEC Z47.89
- postprocedural -*see* Aftercare, following surgery

After-cataract -*see* Cataract, secondary

Agalactia (primary) O92.3
- elective, secondary or therapeutic O92.5

Agammaglobulinemia (acquired (secondary)) (nonfamilial) D80.1
- with
- - immunoglobulin-bearing B-lymphocytes D80.1
- - lymphopenia D81.9
- autosomal recessive (Swiss type) D80.0
- Bruton's X-linked D80.0
- common variable (CVAgamma) D80.1

- congenital sex-linked D80.0
- hereditary D80.0
- lymphopenic D81.9
- Swiss type (autosomal recessive) D80.0
- X-linked (with growth hormone deficiency) (Bruton) D80.0

Aganglionosis (bowel) (colon) Q43.1

Age (old) -*see* Senility

Agenesis

- adrenal (gland) Q89.1
- alimentary tract (complete) (partial) NEC Q45.8
- - upper Q40.8
- anus, anal (canal) Q42.3
- - with fistula Q42.2
- aorta Q25.41
- appendix Q42.8
- arm (complete) Q71.0-
- - with hand present Q71.1-
- artery (peripheral) Q27.9
- - brain Q28.3
- - coronary Q24.5
- - pulmonary Q25.79
- - specified NEC Q27.8
- - umbilical Q27.0
- auditory (canal) (external) Q16.1
- auricle (ear) Q16.0
- bile duct or passage Q44.5
- bladder Q64.5
- bone Q79.9
- brain Q00.0
- - part of Q04.3
- breast (with nipple present) Q83.8
- - with absent nipple Q83.0
- bronchus Q32.4
- canaliculus lacrimalis Q10.4
- carpus -*see* Agenesis, hand
- cartilage Q79.9
- cecum Q42.8
- cerebellum Q04.3
- cervix Q51.5
- chin Q18.8
- cilia Q10.3
- circulatory system, part NOS Q28.9
- clavicle Q74.0
- clitoris Q52.6
- coccyx Q76.49
- colon Q42.9
- - specified NEC Q42.8
- corpus callosum Q04.0
- cricoid cartilage Q31.8
- diaphragm (with hernia) Q79.1
- digestive organ(s) or tract (complete) (partial) NEC Q45.8
- - upper Q40.8
- ductus arteriosus Q28.8
- duodenum Q41.0
- ear Q16.9
- - auricle Q16.0
- - lobe Q17.8
- ejaculatory duct Q55.4
- endocrine (gland) NEC Q89.2
- epiglottis Q31.8

- esophagus Q39.8
- eustachian tube Q16.2
- eye Q11.1
- - adnexa Q15.8
- eyelid (fold) Q10.3
- face
- - bones NEC Q75.8
- - specified part NEC Q18.8
- fallopian tube Q50.6
- femur -*see* Defect, reduction, lower limb, longitudinal, femur
- fibula -*see* Defect, reduction, lower limb, longitudinal, fibula
- finger (complete) (partial) -*see* Agenesis, hand
- foot (and toes) (complete) (partial) Q72.3-
- forearm (with hand present) -*see* Agenesis, arm, with hand present
- - and hand Q71.2-
- gallbladder Q44.0
- gastric Q40.2
- genitalia, genital (organ(s))
- - female Q52.8
- - - external Q52.71
- - - internal NEC Q52.8
- - male Q55.8
- glottis Q31.8
- hair Q84.0
- hand (and fingers) (complete) (partial) Q71.3-
- heart Q24.8
- - valve NEC Q24.8
- - - pulmonary Q22.0
- hepatic Q44.79
- humerus -*see* Defect, reduction, upper limb
- hymen Q52.4
- ileum Q41.2
- incus Q16.3
- intestine (small) Q41.9
- - large Q42.9
- - - specified NEC Q42.8
- iris (dilator fibers) Q13.1
- jaw M26.09
- jejunum Q41.1
- kidney(s) (partial) Q60.2
- - bilateral Q60.1
- - unilateral Q60.0
- labium (majus) (minus) Q52.71
- labyrinth, membranous Q16.5
- lacrimal apparatus Q10.4
- larynx Q31.8
- leg (complete) Q72.0-
- - with foot present Q72.1-
- - lower leg (with foot present) -*see* Agenesis, leg, with foot present
- - - and foot Q72.2-
- lens Q12.3
- limb (complete) Q73.0
- - lower -*see* Agenesis, leg
- - upper -*see* Agenesis, arm
- lip Q38.0
- liver Q44.79
- lung (fissure) (lobe) (bilateral) (unilateral) Q33.3
- mandible, maxilla M26.09
- metacarpus -*see* Agenesis, hand
- metatarsus -*see* Agenesis, foot

- muscle Q79.8
- - eyelid Q10.3
- - ocular Q15.8
- musculoskeletal system NEC Q79.8
- nail(s) Q84.3
- neck, part Q18.8
- nerve Q07.8
- nervous system, part NEC Q07.8
- nipple Q83.2
- nose Q30.1
- nuclear Q07.8
- organ
- - of Corti Q16.5
- - or site not listed -*see* Anomaly, by site
- osseous meatus (ear) Q16.1
- ovary
- - bilateral Q50.02
- - unilateral Q50.01
- oviduct Q50.6
- pancreas Q45.0
- parathyroid (gland) Q89.2
- parotid gland(s) Q38.4
- patella Q74.1
- pelvic girdle (complete) (partial) Q74.2
- penis Q55.5
- pericardium Q24.8
- pituitary (gland) Q89.2
- prostate Q55.4
- punctum lacrimale Q10.4
- radioulnar -*see* Defect, reduction, upper limb
- radius -*see* Defect, reduction, upper limb, longitudinal, radius
- rectum Q42.1
- - with fistula Q42.0
- renal Q60.2
- - bilateral Q60.1
- - unilateral Q60.0
- respiratory organ NEC Q34.8
- rib Q76.6
- roof of orbit Q75.8
- round ligament Q52.8
- sacrum Q76.49
- salivary gland Q38.4
- scapula Q74.0
- scrotum Q55.29
- seminal vesicles Q55.4
- septum
- - atrial Q21.19
- - between aorta and pulmonary artery Q21.4
- - ventricular Q20.4
- shoulder girdle (complete) (partial) Q74.0
- skull (bone) Q75.8
- - with
- - - anencephaly Q00.0
- - - encephalocele -*see* Encephalocele
- - - hydrocephalus Q03.9
- - - - with spina bifida -*see* Spina bifida, by site, with hydrocephalus
- - - microcephaly Q02
- spermatic cord Q55.4
- spinal cord Q06.0
- spine Q76.49

- spleen Q89.01
- sternum Q76.7
- stomach Q40.2
- submaxillary gland(s) (congenital) Q38.4
- tarsus -*see* Agenesis, foot
- tendon Q79.8
- testicle Q55.0
- thymus (gland) Q89.2
- thyroid (gland) E03.1
- - cartilage Q31.8
- tibia -*see* Defect, reduction, lower limb, longitudinal, tibia
- tibiofibular -*see* Defect, reduction, lower limb, specified type NEC
- toe (and foot) (complete) (partial) -*see* Agenesis, foot
- tongue Q38.3
- trachea (cartilage) Q32.1
- ulna -*see* Defect, reduction, upper limb, longitudinal, ulna
- upper limb -*see* Agenesis, arm
- ureter Q62.4
- urethra Q64.5
- urinary tract NEC Q64.8
- uterus Q51.0
- uvula Q38.5
- vagina Q52.0
- vas deferens Q55.4
- vein(s) (peripheral) Q27.9
- - brain Q28.3
- - great NEC Q26.8
- - portal Q26.5
- vena cava (inferior) (superior) Q26.8
- vermis of cerebellum Q04.3
- vertebra Q76.49
- vulva Q52.71

Ageusia R43.2

Agitated -*see* condition

Agitation R45.1

Aglossia (congenital) Q38.3

Aglossia-adactylia syndrome Q87.0

Aglycogenosis E74.00

Agnosia (body image) (other senses) (tactile) R48.1
- developmental F88
- verbal R48.1
- - auditory R48.1
- - - developmental F80.2
- - developmental F80.2
- visual (object) R48.3

Agoraphobia F40.00
- with panic disorder F40.01
- without panic disorder F40.02

Agrammatism R48.8

Agranulocytopenia -*see* Agranulocytosis

Agranulocytosis (chronic) (cyclical) (genetic) (infantile) (periodic) (pernicious) -*see also* Neutropenia D70.9
- congenital D70.0
- cytoreductive cancer chemotherapy sequela D70.1
- drug-induced D70.2
- - due to cytoreductive cancer chemotherapy D70.1
- due to infection D70.3
- secondary D70.4
- - drug-induced D70.2
- - - due to cytoreductive cancer chemotherapy D70.1

Agraphia (absolute) R48.8

- with alexia R48.0
- developmental F81.81
Ague (dumb) -*see* Malaria
Agyria Q04.3
Ahumada-del Castillo syndrome E23.0
Aichomophobia F40.298
AIDS (related complex) B20
Ailment heart -*see* Disease, heart
Ailurophobia F40.218
Ainhum (disease) L94.6
AIN -*see* Neoplasia, intraepithelial, anal
AIPHI (acute idiopathic pulmonary hemorrhage in infants (over 28 days old)) R04.81
Air
- anterior mediastinum J98.2
- compressed, disease T70.3
- conditioner lung or pneumonitis J67.7
- embolism (artery) (cerebral) (any site) T79.0
- - with ectopic or molar pregnancy O08.2
- - due to implanted device NEC -*see* Complications, by site and type, specified NEC
- - following
- - - abortion -*see* Abortion by type, complicated by, embolism
- - - ectopic or molar pregnancy O08.2
- - - infusion, therapeutic injection or transfusion T80.0
- - in pregnancy, childbirth or puerperium -*see* Embolism, obstetric
- - traumatic T79.0
- hunger, psychogenic F45.8
- rarefied, effects of -*see* Effect, adverse, high altitude
- sickness T75.3
Airplane sickness T75.3
Akathisia (drug-induced) (treatment-induced) G25.71
- neuroleptic induced (acute) G25.71
- tardive G25.71
Akinesia R29.898
Akinetic mutism R41.89
Akureyri's disease G93.39
Alactasia, congenital E73.0
Alagille (-Watson) syndrome Q44.71
Alastrim B03
Albers-Schönberg syndrome Q78.2
Albert's syndrome -*see* Tendinitis, Achilles
Albinism, albino E70.30
- with hematologic abnormality E70.339
- - Chédiak-Higashi syndrome E70.330
- - Hermansky-Pudlak syndrome E70.331
- - other specified E70.338
- I E70.320
- II E70.321
- ocular E70.319
- - autosomal recessive E70.311
- - other specified E70.318
- - X-linked E70.310
- oculocutaneous E70.329
- - other specified E70.328
- - tyrosinase (ty) negative E70.320
- - tyrosinase (ty) positive E70.321
- other specified E70.39
Albinismus E70.30
Albright (-McCune)(-Sternberg) syndrome Q78.1
Albuminous -*see* condition
Albuminuria, albuminuric (acute) (chronic) (subacute) -*see also* Proteinuria R80.9

- complicating pregnancy -*see* Proteinuria, gestational
- - with
- - - gestational hypertension -*see* Pre-eclampsia
- - - pre-existing hypertension -*see* Hypertension, complicating pregnancy, pre-existing, with, pre-eclampsia
- gestational -*see* Proteinuria, gestational
- - with
- - - gestational hypertension -*see* Pre-eclampsia
- - - pre-existing hypertension -*see* Hypertension, complicating pregnancy, pre-existing, with, pre-eclampsia
- orthostatic R80.2
- postural R80.2
- pre-eclamptic -*see* Pre-eclampsia
- scarlatinal A38.8

Albuminurophobia F40.298

Alcaptonuria E70.29

Alcohol, alcoholic, alcohol-induced

- addiction (without remission) F10.20
- - with remission F10.21
- amnestic disorder, persisting F10.96
- - with dependence F10.26
- anxiety disorder F10.980
- bipolar and related disorder F10.94
- depressive disorder F10.94
- major neurocognitive disorder, amnestic-confabulatory type F10.96
- major neurocognitive disorder, nonamnestic-confabulatory type F10.97
- mild neurocognitive disorder F10.988
- psychotic disorder F10.959
- sexual dysfunction F10.981
- sleep disorder F10.982
- brain syndrome, chronic F10.97
- - with dependence F10.27
- cardiopathy I42.6
- counseling and surveillance Z71.41
- - family member Z71.42
- delirium (acute) (tremens) (withdrawal) F10.921
- - with intoxication F10.921
- - - in
- - - - abuse F10.121
- - - - dependence F10.221
- - abuse F10.131
- - - with intoxication F10.121
- - dependence (acute) (tremens) (withdrawal) F10.231
- - - with intoxication F10.221
- - use, unspecified F10.931
- - - with intoxication F10.921
- dementia F10.97
- - with dependence F10.27
- deterioration F10.97
- - with dependence F10.27
- hallucinosis (acute) F10.951
- - in
- - - abuse F10.151
- - - dependence F10.251
- insanity F10.959
- intoxication (acute) (without dependence) F10.129
- - with
- - - delirium F10.121
- - - dependence F10.229
- - - - with delirium F10.221
- - - - uncomplicated F10.220
- - uncomplicated F10.120

- jealousy F10.988
- Korsakoff's, Korsakov's, Korsakow's F10.26
- liver K70.9
- - acute *-see* Disease, liver, alcoholic, hepatitis
- mania (acute) (chronic) F10.959
- paranoia, paranoid (type) psychosis F10.950
- pellagra E52
- poisoning, accidental (acute) NEC *-see* Table of Drugs and Chemicals, alcohol, poisoning
- psychosis *-see* Psychosis, alcoholic
- withdrawal (without convulsions) F10.239
- - with delirium F10.231

Alcoholism (chronic) (without remission) F10.20
- with
- - psychosis *-see* Psychosis, alcoholic
- - remission F10.21
- Korsakov's F10.96
- - with dependence F10.26

Alder (-Reilly) anomaly or syndrome (leukocyte granulation) D72.0

Aldosteronism E26.9
- familial (type I) E26.02
- glucocorticoid-remediable E26.02
- primary (due to (bilateral) adrenal hyperplasia) E26.09
- primary NEC E26.09
- secondary E26.1
- specified NEC E26.89

Aldosteronoma D44.10

Aldrich (-Wiskott) syndrome (eczema-thrombocytopenia) D82.0

Alektorophobia F40.218

Aleppo boil B55.1

Aleukemic *-see* condition

Aleukia
- congenital D70.0
- hemorrhagica D61.9
- - congenital D61.09
- splenica D73.1

Alexia R48.0
- developmental F81.0
- secondary to organic lesion R48.0

Algoneurodystrophy M89.00
- ankle M89.07-
- foot M89.07-
- forearm M89.03-
- hand M89.04-
- lower leg M89.06-
- multiple sites M89.0-
- shoulder M89.01-
- specified site NEC M89.08
- thigh M89.05-
- upper arm M89.02-

Algophobia F40.298

Alienation, mental *-see* Psychosis

Alkalemia E87.3

Alkalosis E87.3
- metabolic E87.3
- - with respiratory acidosis E87.4
- - of newborn P74.41
- respiratory E87.3

Alkaptonuria E70.29

Allen-Masters syndrome N83.8

Allergy, allergic (reaction) (to) T78.40

- air-borne substance NEC (rhinitis) J30.89
- alveolitis (extrinsic) J67.9
- - due to
- - - Aspergillus clavatus J67.4
- - - Cryptostroma corticale J67.6
- - - organisms (fungal, thermophilic actinomycete) growing in ventilation (air conditioning) systems J67.7
- - specified type NEC J67.8
- anaphylactic reaction or shock T78.2
- angioneurotic edema T78.3
- animal (dander) (epidermal) (hair) (rhinitis) J30.81
- bee sting (anaphylactic shock) T63.44-
- biological -*see* Allergy, drug
- colitis -*see also* Colitis, allergic K52.29
- dander (animal) (rhinitis) J30.81
- dandruff (rhinitis) J30.81
- dental restorative material (existing) K08.55
- dermatitis -*see* Dermatitis, contact, allergic
- diathesis -*see* History, allergy
- drug, medicament & biological (any) (external) (internal) T78.40
- - correct substance properly administered -*see* Table of Drugs and Chemicals, by drug, adverse effect
- - wrong substance given or taken NEC (by accident) -*see* Table of Drugs and Chemicals, by drug, poisoning
- due to pollen J30.1
- dust (house) (stock) (rhinitis) J30.89
- - with asthma -*see* Asthma, allergic extrinsic
- eczema -*see* Dermatitis, contact, allergic
- epidermal (animal) (rhinitis) J30.81
- feathers (rhinitis) J30.89
- food (any) (ingested) NEC T78.1
- - anaphylactic shock -*see* Shock, anaphylactic, due to food
- - dermatitis -*see* Dermatitis, due to, food
- - dietary counseling and surveillance Z71.3
- - in contact with skin L23.6
- - rhinitis J30.5
- - status (without reaction) Z91.018
- - - beef Z91.014
- - - eggs Z91.012
- - - lamb Z91.014
- - - mammalian meats Z91.014
- - - milk products Z91.011
- - - peanuts Z91.010
- - - pork Z91.014
- - - red meats Z91.014
- - - seafood Z91.013
- - - specified NEC Z91.018
- gastrointestinal -*see also* specific type of allergic reaction
- - meaning colitis -*see also* Colitis, allergic K52.29
- - meaning gastroenteritis -*see also* Gastroenteritis, allergic K52.29
- - meaning other adverse food reaction not elsewhere classified T78.1
- grain J30.1
- grass (hay fever) (pollen) J30.1
- - asthma -*see* Asthma, allergic extrinsic
- hair (animal) (rhinitis) J30.81
- history (of) -*see* History, allergy
- horse serum -*see* Allergy, serum
- inhalant (rhinitis) J30.89
- - pollen J30.1
- kapok (rhinitis) J30.89
- medicine -*see* Allergy, drug
- milk protein -*see also* Allergy, food Z91.011
- - anaphylactic reaction T78.07

- - dermatitis L27.2
- - enterocolitis syndrome K52.21
- - enteropathy K52.22
- - gastroenteritis K52.29
- - gastroesophageal reflux *-see also* Reaction, adverse, food K21.9
- - - with esophagitis (without bleeding) K21.00
- - - - with bleeding K21.01
- - proctocolitis K52.29
- nasal, seasonal due to pollen J30.1
- pneumonia J82.89
- pollen (any) (hay fever) J30.1
- - asthma *-see* Asthma, allergic extrinsic
- primrose J30.1
- primula J30.1
- proctocolitis K52.29
- purpura D69.0
- ragweed (hay fever) (pollen) J30.1
- - asthma *-see* Asthma, allergic extrinsic
- rose (pollen) J30.1
- seasonal NEC J30.2
- Senecio jacobae (pollen) J30.1
- serum *-see also* Reaction, serum T80.69
- - anaphylactic shock T80.59
- shock (anaphylactic) T78.2
- - due to
- - - administration of blood and blood products T80.51
- - - adverse effect of correct medicinal substance properly administered T88.6
- - - immunization T80.52
- - - serum NEC T80.59
- - - vaccination T80.52
- specific NEC T78.49
- tree (any) (hay fever) (pollen) J30.1
- - asthma *-see* Asthma, allergic extrinsic
- upper respiratory J30.9
- urticaria L50.0
- vaccine *-see* Allergy, serum
- wheat *-see* Allergy, food

Allescheriasis B48.2

Alligator skin disease Q80.9

Allocheiria, allochiria R20.8

Almeida's disease *-see* Paracoccidioidomycosis

Alopecia (hereditaria) (seborrheica) L65.9
- androgenic L64.9
- - drug-induced L64.0
- - specified NEC L64.8
- areata L63.9
- - ophiasis L63.2
- - specified NEC L63.8
- - totalis L63.0
- - universalis L63.1
- cicatricial L66.9
- - central centrifugal L66.81
- - specified NEC L66.89
- circumscripta L63.9
- congenital, congenitalis Q84.0
- due to cytotoxic drugs NEC L65.8
- frontal fibrosing L66.12
- mucinosa L65.2
- postinfective NEC L65.8
- postpartum L65.0

- premature L64.8
- specific (syphilitic) A51.32
- specified NEC L65.8
- syphilitic (secondary) A51.32
- totalis (capitis) L63.0
- universalis (entire body) L63.1
- X-ray L58.1

Alpers' disease G31.81
Alpine sickness T70.29
Alport syndrome Q87.81
ALTE (apparent life threatening event) in newborn and infant R68.13
Alteration (of), Altered
- awareness
- - transient R40.4
- - unintended under general anesthesia, during procedureT88.53
- mental status R41.82
- pattern of family relationships affecting child Z62.898
- sensation
- - following
- - - cerebrovascular disease I69.998
- - - - cerebral infarction I69.398
- - - - intracerebral hemorrhage I69.198
- - - - nontraumatic intracranial hemorrhage NEC I69.298
- - - - specified disease NEC I69.898
- - - - subarachnoid hemorrhage I69.098

Alternating -*see* condition
Altitude, high (effects) -*see* Effect, adverse, high altitude
Aluminosis (of lung) J63.0
Alveolitis
- allergic (extrinsic) -*see* Pneumonitis, hypersensitivity
- due to
- - Aspergillus clavatus J67.4
- - Cryptostroma corticale J67.6
- fibrosing (cryptogenic) (idiopathic) J84.112
- jaw M27.3
- sicca dolorosa M27.3

Alveolus, alveolar -*see* condition
Alymphocytosis D72.810
- thymic (with immunodeficiency) D82.1

Alymphoplasia, thymic D82.1
Alzheimer's disease or sclerosis -*see* Disease, Alzheimer's
Amastia (with nipple present) Q83.8
- with absent nipple Q83.0

Amathophobia F40.228
Amaurosis (acquired) (congenital) -*see also* Blindness
- fugax G45.3
- hysterical F44.6
- Leber's congenital H35.50
- uremic -*see* Uremia

Amaurotic idiocy (infantile) (juvenile) (late) E75.4
Amaxophobia F40.248
Ambiguous genitalia Q56.4
Amblyopia (congenital) (ex anopsia) (partial) (suppression) H53.00-
- anisometropic -*see* Amblyopia, refractive
- deprivation H53.01-
- hysterical F44.6
- nocturnal -*see also* Blindness, night
- - vitamin A deficiency E50.5
- refractive H53.02-
- strabismic H53.03-

- suspect H53.04-
- tobacco H53.8
- toxic NEC H53.8
- uremic -*see* Uremia
Ameba, amebic (histolytica) -*see also* Amebiasis
- abscess (liver) A06.4
Amebiasis A06.9
- with abscess -*see* Abscess, amebic
- acute A06.0
- chronic (intestine) A06.1
- - with abscess -*see* Abscess, amebic
- cutaneous A06.7
- cutis A06.7
- cystitis A06.81
- genitourinary tract NEC A06.82
- hepatic -*see* Abscess, liver, amebic
- intestine A06.0
- nondysenteric colitis A06.2
- skin A06.7
- specified site NEC A06.89
Ameboma (of intestine) A06.3
Amelia Q73.0
- lower limb -*see* Agenesis, leg
- upper limb -*see* Agenesis, arm
Ameloblastoma -*see also* Cyst, calcifying odontogenic
- long bones C40.9-
- - lower limb C40.2-
- - upper limb C40.0-
- malignant C41.1
- - jaw (bone) (lower) C41.1
- - - upper C41.0
- tibial C40.2-
Amelogenesis imperfecta K00.5
- nonhereditaria (segmentalis) K00.4
Amenorrhea N91.2
- hyperhormonal E28.8
- primary N91.0
- secondary N91.1
Amentia -*see* Disability, intellectual
- Meynert's (nonalcoholic) F04
American
- leishmaniasis B55.2
- mountain tick fever A93.2
Ametropia -*see* Disorder, refraction
AMH (asymptomatic microscopic hematuria) R31.21
Amianthosis J61
Amimia R48.8
Amino-acid disorder E72.9
- anemia D53.0
Aminoacidopathy E72.9
Aminoaciduria E72.9
Amnes (t)ic syndrome (post-traumatic) F04
- induced by
- - alcohol F10.96
- - - with dependence F10.26
- - psychoactive NEC F19.96
- - - with
- - - - abuse F19.16
- - - - dependence F19.26
- - sedative F13.96

- - - with dependence F13.26
Amnesia R41.3
- anterograde R41.1
- auditory R48.8
- dissociative F44.0
- - with dissociative fugue F44.1
- hysterical F44.0
- postictal in epilepsy -*see* Epilepsy
- psychogenic F44.0
- retrograde R41.2
- transient global G45.4
Amnion, amniotic -*see* condition
Amnionitis -*see* Pregnancy, complicated by
Amok F68.8
Amoral traits F60.89
Amphetamine (or other stimulant) -induced
- anxiety disorder F15.980
- bipolar and related disorder F15.94
- delirium F15.921
- depressive disorder F15.94
- obsessive-compulsive and related disorder F15.988
- psychotic disorder F15.959
- sexual dysfunction F15.981
- sleep disorder F15.982
- stimulant withdrawal F15.23
Ampulla
- lower esophagus K22.89
- phrenic K22.89
Amputation -*see also* Absence, by site, acquired
- neuroma (postoperative) (traumatic) -*see* Complications, amputation stump, neuroma
- stump (surgical)
- - abnormal, painful, or with complication (late) -*see* Complications, amputation stump
- - healed or old NOS Z89.9
- traumatic (complete) (partial)
- - arm (upper) (complete) S48.91-
- - - at
- - - - elbow S58.01-
- - - - - partial S58.02-
- - - - shoulder joint (complete) S48.01-
- - - - - partial S48.02-
- - - between
- - - - elbow and wrist (complete) S58.11-
- - - - - partial S58.12-
- - - - shoulder and elbow (complete) S48.11-
- - - - - partial S48.12-
- - - partial S48.92-
- - breast (complete) S28.21-
- - - partial S28.22-
- - clitoris (complete) S38.211
- - - partial S38.212
- - ear (complete) S08.11-
- - - partial S08.12-
- - finger (complete) (metacarpophalangeal) S68.11-
- - - index S68.11-
- - - little S68.11-
- - - middle S68.11-
- - - partial S68.12-
- - - - index S68.12-
- - - - little S68.12-
- - - - middle S68.12-

- - - - ring S68.12-
- - - ring S68.11-
- - - thumb -*see* Amputation, traumatic, thumb
- - - transphalangeal (complete) S68.61-
- - - - index S68.61-
- - - - little S68.61-
- - - - middle S68.61-
- - - - partial S68.62-
- - - - - index S68.62-
- - - - - little S68.62-
- - - - - middle S68.62-
- - - - - ring S68.62-
- - - - ring S68.61-
- - foot (complete) S98.91-
- - - at ankle level S98.01-
- - - - partial S98.02-
- - - midfoot S98.31-
- - - - partial S98.32-
- - - partial S98.92-
- - forearm (complete) S58.91-
- - - at elbow level (complete) S58.01-
- - - - partial S58.02-
- - - between elbow and wrist (complete) S58.11-
- - - - partial S58.12-
- - - partial S58.92-
- - genital organ(s) (external)
- - - female (complete) S38.211
- - - - partial S38.212
- - - male
- - - - penis (complete) S38.221
- - - - - partial S38.222
- - - - scrotum (complete) S38.231
- - - - - partial S38.232
- - - - testes (complete) S38.231
- - - - - partial S38.232
- - hand (complete) (wrist level) S68.41-
- - - finger(s) alone -*see* Amputation, traumatic, finger
- - - partial S68.42-
- - - thumb alone -*see* Amputation, traumatic, thumb
- - - transmetacarpal (complete) S68.71-
- - - - partial S68.72-
- - head
- - - ear -*see* Amputation, traumatic, ear
- - - nose (partial) S08.812
- - - - complete S08.811
- - - part S08.89
- - - - scalp S08.0
- - hip (and thigh) (complete) S78.91-
- - - at hip joint (complete) S78.01-
- - - - partial S78.02-
- - - between hip and knee (complete) S78.11-
- - - - partial S78.12-
- - - partial S78.92-
- - labium (majus) (minus) (complete) S38.21-
- - - partial S38.21-
- - leg (lower) S88.91-
- - - at knee level S88.01-
- - - - partial S88.02-
- - - between knee and ankle S88.11-
- - - - partial S88.12-

- - - partial S88.92-
- - nose (partial) S08.812
- - - complete S08.811
- - penis (complete) S38.221
- - - partial S38.222
- - scrotum (complete) S38.231
- - - partial S38.232
- - shoulder -*see* Amputation, traumatic, arm
- - - at shoulder joint -*see* Amputation, traumatic, arm, at shoulder joint
- - testes (complete) S38.231
- - - partial S38.232
- - thigh -*see* Amputation, traumatic, hip
- - thorax, part of S28.1
- - - breast -*see* Amputation, traumatic, breast
- - thumb (complete) (metacarpophalangeal) S68.01-
- - - partial S68.02-
- - - transphalangeal (complete) S68.51-
- - - - partial S68.52-
- - toe (lesser) S98.13-
- - - great S98.11-
- - - - partial S98.12-
- - - more than one S98.21-
- - - - partial S98.22-
- - - partial S98.14-
- - vulva (complete) S38.211
- - - partial S38.212
Amputee (bilateral) (old) Z89.9
Amsterdam dwarfism Q87.19
Amusia R48.8
- developmental F80.89
Amyelencephalus, amyelencephaly Q00.0
Amyelia Q06.0
Amygdalitis -*see* Tonsillitis
Amygdalolith J35.8
Amyloid heart (disease) E85.4 *[I43]*
Amyloidosis (generalized) (primary) E85.9
- with lung involvement E85.4 *[J99]*
- familial E85.2
- genetic E85.2
- heart E85.4 *[I43]*
- hemodialysis-associated E85.3
- light chain (AL) E85.81
- liver E85.4 *[K77]*
- localized E85.4
- neuropathic heredofamilial E85.1
- non-neuropathic heredofamilial E85.0
- organ limited E85.4
- Portuguese E85.1
- pulmonary E85.4 *[J99]*
- secondary systemic E85.3
- senile systemic (SSA) E85.82
- skin (lichen) (macular) E85.4 *[L99]*
- specified NEC E85.89
- subglottic E85.4 *[J99]*
- wild-type transthyretin-related (ATTR) E85.82
Amylopectinosis (brancher enzyme deficiency) E74.03
Amylophagia -*see* Pica
Amyoplasia congenita Q79.8
Amyotonia M62.89
- congenita G70.2

Amyotrophia, amyotrophy, amyotrophic G71.8
- congenita Q79.8
- diabetic -*see* Diabetes, amyotrophy
- lateral sclerosis G12.21
- neuralgic G54.5
- spinal progressive G12.25
Anacidity, gastric K31.83
- psychogenic F45.8
Anaerosis of newborn P28.89
Analbuminemia E88.09
Analgesia -*see* Anesthesia
Analphalipoproteinemia E78.6
Anaphylactic
- purpura D69.0
- shock or reaction -*see* Shock, anaphylactic
Anaphylactoid shock or reaction -*see* Shock, anaphylactic
Anaphylactoid syndrome of pregnancy O88.01-
Anaphylaxis -*see* Shock, anaphylactic
Anaplasia cervix -*see also* Dysplasia, cervix N87.9
Anaplasmosis [A. phagocytophilum] (transfusion transmitted) A79.82
- human A77.49
Anarthria R47.1
Anasarca R60.1
- cardiac -*see* Failure, heart, congestive
- lung J18.2
- newborn P83.2
- nutritional E43
- pulmonary J18.2
- renal N04.9
Anastomosis
- aneurysmal -*see* Aneurysm
- arteriovenous ruptured brain I60.8
- - intracerebral I61.8
- - intraparenchymal I61.8
- - intraventricular I61.5
- - subarachnoid I60.8
- intestinal K63.89
- - complicated NEC K91.89
- - - involving urinary tract N99.89
- retinal and choroidal vessels (congenital) Q14.8
Anatomical narrow angle H40.03-
Ancylostoma, ancylostomiasis (braziliense) (caninum) (ceylanicum) (duodenale) B76.0
- Necator americanus B76.1
Andersen's disease (glycogen storage) E74.09
Anderson-Fabry disease E75.21
Andes disease T70.29
Andrews' disease (bacterid) L08.89
Androblastoma
- benign
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site
- - - female D27.9
- - - male D29.20
- malignant
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site
- - - female C56.9
- - - male C62.90
- specified site -*see* Neoplasm, uncertain behavior, by site
- tubular

- - with lipid storage
- - - specified site -*see* Neoplasm, benign, by site
- - - unspecified site
- - - - female D27.9
- - - - male D29.20
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site
- - - female D27.9
- - - male D29.20
- unspecified site
- - female D39.10
- - male D40.10

Androgen insensitivity syndrome -*see also* Syndrome, androgen insensitivity E34.50

Androgen resistance syndrome -*see also* Syndrome, androgen insensitivity E34.50

Android pelvis Q74.2
- with disproportion (fetopelvic) O33.3
- - causing obstructed labor O65.3

Androphobia F40.290

Anectasis, pulmonary (newborn) -*see* Atelectasis

Anemia (essential) (general) (hemoglobin deficiency) (infantile) (primary) (profound) D64.9
- with (due to) (in)
- - disorder of
- - - anaerobic glycolysis D55.29
- - - pentose phosphate pathway D55.1
- - koilonychia D50.9
- achlorhydric D50.8
- achrestic D53.1
- Addison (-Biermer) (pernicious) D51.0
- agranulocytic -*see* Agranulocytosis
- amino-acid-deficiency D53.0
- aplastic D61.9
- - congenital D61.09
- - drug-induced D61.1
- - due to
- - - drugs D61.1
- - - external agents NEC D61.2
- - - infection D61.2
- - - radiation D61.2
- - idiopathic D61.3
- - red cell (pure) D60.9
- - - chronic D60.0
- - - congenital D61.01
- - - specified type NEC D60.8
- - - transient D60.1
- - specified type NEC D61.89
- - toxic D61.2
- aregenerative
- - congenital D61.09
- asiderotic D50.9
- atypical (primary) D64.9
- Baghdad spring D55.0
- Balantidium coli A07.0
- Biermer's (pernicious) D51.0
- blood loss (chronic) D50.0
- - acute D62
- bothriocephalus B70.0 *[D63.8]*
- brickmaker's B76.9 *[D63.8]*
- cerebral I67.89
- childhood D58.9
- chlorotic D50.8

- chronic
- - blood loss D50.0
- - hemolytic D58.9
- - - idiopathic D59.9
- - simple D53.9
- chronica congenita aregenerativa D61.09
- combined system disease NEC D51.0 *[G32.0]*
- - due to dietary vitamin B12 deficiency D51.3 *[G32.0]*
- complicating pregnancy, childbirth or puerperium -*see* Pregnancy, complicated by (management affected by), anemia
- congenital P61.4
- - aplastic D61.09
- - due to isoimmunization NOS P55.9
- - dyserythropoietic, dyshematopoietic D64.4
- - following fetal blood loss P61.3
- - Heinz body D58.2
- - hereditary hemolytic NOS D58.9
- - pernicious D51.0
- - spherocytic D58.0
- Cooley's (erythroblastic) D56.1
- cytogenic D51.0
- deficiency D53.9
- - 2, 3 diphosphoglycurate mutase D55.29
- - 2, 3 PG D55.29
- - 6 phosphogluconate dehydrogenase D55.1
- - 6-PGD D55.1
- - amino-acid D53.0
- - combined B12 and folate D53.1
- - enzyme D55.9
- - - drug-induced (hemolytic) D59.2
- - - glucose-6-phosphate dehydrogenase (G6PD) D55.0
- - - glycolytic D55.29
- - - nucleotide metabolism D55.3
- - - related to hexose monophosphate (HMP) shunt pathway NEC D55.1
- - - specified type NEC D55.8
- - erythrocytic glutathione D55.1
- - folate D52.9
- - - dietary D52.0
- - - drug-induced D52.1
- - folic acid D52.9
- - - dietary D52.0
- - - drug-induced D52.1
- - G SH D55.1
- - GGS-R D55.1
- - glucose-6-phosphate dehydrogenase D55.0
- - glutathione reductase D55.1
- - glyceraldehyde phosphate dehydrogenase D55.29
- - G6PD D55.0
- - hexokinase D55.29
- - iron D50.9
- - - secondary to blood loss (chronic) D50.0
- - nutritional D53.9
- - - with
- - - - poor iron absorption D50.8
- - - - specified deficiency NEC D53.8
- - phosphofructo-aldolase D55.29
- - phosphoglycerate kinase D55.29
- - PK D55.21
- - protein D53.0
- - pyruvate kinase D55.21
- - transcobalamin II D51.2

- - triose-phosphate isomerase D55.29
- - vitamin B12 NOS D51.9
- - - dietary D51.3
- - - due to
- - - - intrinsic factor deficiency D51.0
- - - - selective vitamin B12 malabsorption with proteinuria D51.1
- - - pernicious D51.0
- - - specified type NEC D51.8
- Diamond-Blackfan (congenital hypoplastic) D61.01
- dibothriocephalus B70.0 *[D63.8]*
- dimorphic D53.1
- diphasic D53.1
- Diphyllobothrium (Dibothriocephalus) B70.0 *[D63.8]*
- due to (in) (with)
- - antineoplastic chemotherapy D64.81
- - blood loss (chronic) D50.0
- - - acute D62
- - chemotherapy, antineoplastic D64.81
- - chronic disease classified elsewhere NEC D63.8
- - chronic kidney disease D63.1
- - deficiency
- - - amino-acid D53.0
- - - copper D53.8
- - - folate (folic acid) D52.9
- - - - dietary D52.0
- - - - drug-induced D52.1
- - - molybdenum D53.8
- - - protein D53.0
- - - zinc D53.8
- - dietary vitamin B12 deficiency D51.3
- - disorder of
- - - glutathione metabolism D55.1
- - - nucleotide metabolism D55.3
- - drug *-see* Anemia, by type *-see also* Table of Drugs and Chemicals
- - end stage renal disease D63.1
- - enzyme disorder D55.9
- - fetal blood loss P61.3
- - fish tapeworm (D.latum) infestation B70.0 *[D63.8]*
- - hemorrhage (chronic) D50.0
- - - acute D62
- - impaired absorption D50.9
- - loss of blood (chronic) D50.0
- - - acute D62
- - myxedema E03.9 *[D63.8]*
- - Necator americanus B76.1 *[D63.8]*
- - prematurity P61.2
- - selective vitamin B12 malabsorption with proteinuria D51.1
- - transcobalamin II deficiency D51.2
- Dyke-Young type (secondary) (symptomatic) D59.19
- dyserythropoietic (congenital) D64.4
- dyshematopoietic (congenital) D64.4
- Egyptian B76.9 *[D63.8]*
- elliptocytosis *-see* Elliptocytosis
- enzyme-deficiency, drug-induced D59.2
- epidemic *-see also* Ancylostomiasis B76.9 *[D63.8]*
- erythroblastic
- - familial D56.1
- - newborn *-see also* Disease, hemolytic P55.9
- - of childhood D56.1
- erythrocytic glutathione deficiency D55.1

- erythropoietin-resistant anemia (EPO resistant anemia) D63.1
- Faber's (achlorhydric anemia) D50.9
- factitious (self-induced blood letting) D50.0
- familial erythroblastic D56.1
- Fanconi ('s) D61.03
- favism D55.0
- fish tapeworm (D. latum) infestation B70.0 *[D63.8]*
- folate (folic acid) deficiency D52.9
- glucose-6-phosphate dehydrogenase (G6PD) deficiency D55.0
- glutathione-reductase deficiency D55.1
- goat's milk D52.0
- granulocytic -*see* Agranulocytosis
- Heinz body, congenital D58.2
- hemolytic D58.9
- - acquired D59.9
- - - with hemoglobinuria NEC D59.6
- - - autoimmune NEC D59.19
- - - infectious D59.4
- - - specified type NEC D59.8
- - - toxic D59.4
- - acute D59.9
- - - due to enzyme deficiency specified type NEC D55.8
- - - Lederer's D59.19
- - autoimmune D59.10
- - - cold D59.12
- - - drug-induced D59.0
- - - mixed D59.13
- - - warm D59.11
- - chronic D58.9
- - - idiopathic D59.9
- - cold type (primary) (secondary) (symptomatic) D59.12
- - congenital (spherocytic) -*see* Spherocytosis
- - due to
- - - cardiac conditions D59.4
- - - drugs (nonautoimmune) D59.2
- - - - autoimmune D59.0
- - - enzyme disorder D55.9
- - - - drug-induced D59.2
- - - presence of shunt or other internal prosthetic device D59.4
- - familial D58.9
- - hereditary D58.9
- - - due to enzyme disorder D55.9
- - - - specified type NEC D55.8
- - - specified type NEC D58.8
- - idiopathic (chronic) D59.9
- - mechanical D59.4
- - microangiopathic D59.4
- - mixed type (primary) (secondary) (symptomatic) D59.13
- - nonautoimmune D59.4
- - - drug-induced D59.2
- - nonspherocytic
- - - congenital or hereditary NEC D55.8
- - - - glucose-6-phosphate dehydrogenase deficiency D55.0
- - - - pyruvate kinase deficiency D55.21
- - - - type
- - - - - I D55.1
- - - - - II D55.29
- - - type
- - - - I D55.1
- - - - II D55.29

- - primary
- - - autoimmune
- - - - cold type D59.12
- - - - mixed type D59.13
- - - - warm type D59.11
- - secondary D59.4
- - - autoimmune
- - - - cold type D59.12
- - - - mixed type D59.13
- - - - warm type D59.11
- - specified (hereditary) type NEC D58.8
- - Stransky-Regala type *-see also* Hemoglobinopathy D58.8
- - symptomatic D59.4
- - - autoimmune
- - - - cold type D59.12
- - - - mixed type D59.13
- - - - warm type D59.11
- - toxic D59.4
- - warm type (primary) (secondary) (symptomatic) D59.11
- hemorrhagic (chronic) D50.0
- - acute D62
- Herrick's D57.1
- hexokinase deficiency D55.29
- hookworm B76.9 *[D63.8]*
- hypochromic (idiopathic) (microcytic) (normoblastic) D50.9
- - due to blood loss (chronic) D50.0
- - - acute D62
- - familial sex-linked D64.0
- - pyridoxine-responsive D64.3
- - sideroblastic, sex-linked D64.0
- hypoplasia, red blood cells D61.9
- - congenital or familial D61.01
- hypoplastic (idiopathic) D61.9
- - congenital or familial (of childhood) D61.01
- hypoproliferative (refractive) D61.9
- idiopathic D64.9
- - aplastic D61.3
- - hemolytic, chronic D59.9
- in (due to) (with)
- - chronic kidney disease D63.1
- - end stage renal disease D63.1
- - failure, kidney (renal) D63.1
- - neoplastic disease *-see also* Neoplasm D63.0
- intertropical *-see also* Ancylostomiasis D63.8
- iron deficiency D50.9
- - secondary to blood loss (chronic) D50.0
- - - acute D62
- - specified type NEC D50.8
- Joseph-Diamond-Blackfan (congenital hypoplastic) D61.01
- Lederer's (hemolytic) D59.19
- leukoerythroblastic D61.82
- macrocytic D53.9
- - nutritional D52.0
- - tropical D52.8
- malarial *-see also* Malaria B54 *[D63.8]*
- malignant (progressive) D51.0
- malnutrition D53.9
- marsh *-see also* Malaria B54 *[D63.8]*
- Mediterranean (with other hemoglobinopathy) D56.9
- megaloblastic D53.1

- - combined B12 and folate deficiency D53.1
- - hereditary D51.1
- - nutritional D52.0
- - orotic aciduria D53.0
- - refractory D53.1
- - specified type NEC D53.1
- megalocytic D53.1
- microcytic (hypochromic) D50.9
- - due to blood loss (chronic) D50.0
- - - acute D62
- - familial D56.8
- microdrepanocytosis D57.40
- microelliptopoikilocytic (Rietti-Greppi- Micheli) D56.9
- miner's B76.9 *[D63.8]*
- myelodysplastic D46.9
- myelofibrosis D75.81
- myelogenous D64.89
- myelopathic D64.89
- myelophthisic D61.82
- myeloproliferative D47.Z9
- newborn P61.4
- - due to
- - - ABO (antibodies, isoimmunization, maternal/fetal incompatibility) P55.1
- - - Rh (antibodies, isoimmunization, maternal/fetal incompatibility) P55.0
- - following fetal blood loss P61.3
- - posthemorrhagic (fetal) P61.3
- nonspherocytic hemolytic -*see* Anemia, hemolytic, nonspherocytic
- normocytic (infectional) D64.9
- - due to blood loss (chronic) D50.0
- - - acute D62
- - myelophthisic D61.82
- nutritional (deficiency) D53.9
- - with
- - - poor iron absorption D50.8
- - - specified deficiency NEC D53.8
- - megaloblastic D52.0
- of prematurity P61.2
- orotaciduric (congenital) (hereditary) D53.0
- osteosclerotic D64.89
- ovalocytosis (hereditary) -*see* Elliptocytosis
- paludal -*see also* Malaria B54 *[D63.8]*
- pernicious (congenital) (malignant) (progressive) D51.0
- pleochromic D64.89
- - of sprue D52.8
- posthemorrhagic (chronic) D50.0
- - acute D62
- - newborn P61.3
- postoperative (postprocedural)
- - due to (acute) blood loss D62
- - - chronic blood loss D50.0
- - specified NEC D64.89
- postpartum O90.81
- pressure D64.89
- progressive D64.9
- - malignant D51.0
- - pernicious D51.0
- protein-deficiency D53.0
- pseudoleukemica infantum D64.89
- pure red cell D60.9
- - congenital D61.01

- pyridoxine-responsive D64.3
- pyruvate kinase deficiency D55.21
- refractory D46.4
- - with
- - - excess of blasts D46.20
- - - - 1 (RAEB 1) D46.21
- - - - 2 (RAEB 2) D46.22
- - - - in transformation (RAEB T) -*see* Leukemia, acute myeloblastic
- - - hemochromatosis D46.1
- - - sideroblasts (ring) (RARS) D46.1
- - megaloblastic D53.1
- - sideroblastic D46.1
- - sideropenic D50.9
- - without ring sideroblasts, so stated D46.0
- - without sideroblasts without excess of blasts D46.0
- Rietti-Greppi-Micheli D56.9
- scorbutic D53.2
- secondary to
- - blood loss (chronic) D50.0
- - - acute D62
- - hemorrhage (chronic) D50.0
- - - acute D62
- semiplastic D61.89
- sickle-cell -*see* Disease, sickle-cell
- sideroblastic D64.3
- - hereditary D64.0
- - hypochromic, sex-linked D64.0
- - pyridoxine-responsive NEC D64.3
- - refractory D46.1
- - secondary (due to)
- - - disease D64.1
- - - drugs and toxins D64.2
- - specified type NEC D64.3
- sideropenic (refractory) D50.9
- - due to blood loss (chronic) D50.0
- - - acute D62
- simple chronic D53.9
- specified type NEC D64.89
- spherocytic (hereditary) -*see* Spherocytosis
- splenic D64.89
- splenomegalic D64.89
- stomatocytosis D58.8
- syphilitic (acquired) (late) A52.79 *[D63.8]*
- target cell D64.89
- thalassemia D56.9
- thrombocytopenic -*see* Thrombocytopenia
- toxic D61.2
- tropical B76.9 *[D63.8]*
- - macrocytic D52.8
- tuberculous A18.89 *[D63.8]*
- vegan D51.3
- vitamin
- - B6-responsive D64.3
- - B12 deficiency (dietary) pernicious D51.0
- von Jaksch's D64.89
- Witts' (achlorhydric anemia) D50.8

Anemophobia F40.228

Anencephalus, anencephaly Q00.0

Anergasia -*see* Psychosis, organic

Anesthesia, anesthetic R20.0

- complication or reaction NEC *-see also* Complications, anesthesia T88.59
- - due to
- - - correct substance properly administered *-see* Table of Drugs and Chemicals, by drug, adverse effect
- - - overdose or wrong substance given *-see* Table of Drugs and Chemicals, by drug, poisoning
- - unintended awareness under general anesthesia during procedure T88.53
- - - personal history of Z92.84
- cornea H18.81-
- dissociative F44.6
- functional (hysterical) F44.6
- hyperesthetic, thalamic G89.0
- hysterical F44.6
- local skin lesion R20.0
- sexual (psychogenic) F52.1
- shock (due to) T88.2
- skin R20.0
- testicular N50.9

Anetoderma (maculosum) (of) L90.8
- Jadassohn-Pellizzari L90.2
- Schweninger-Buzzi L90.1

Aneurin deficiency E51.9

Aneurysm (anastomotic) (artery) (cirsoid) (diffuse) (false) (fusiform) (multiple) (saccular) I72.9
- abdominal (aorta) I71.40
- - infrarenal I71.43
- - - ruptured I71.33
- - juxtarenal I71.42
- - - ruptured I71.32
- - pararenal I71.41
- - - ruptured I71.31
- - ruptured I71.30
- - syphilitic A52.01
- aorta, aortic (nonsyphilitic) I71.9
- - abdominal I71.40
- - - dissecting *-see* Dissection, aorta, abdominal
- - - ruptured I71.30
- - arch I71.22
- - - ruptured I71.12
- - arteriosclerotic I71.9
- - - ruptured I71.8
- - ascending I71.21
- - - ruptured I71.11
- - congenital Q25.43
- - descending I71.9
- - - abdominal I71.40
- - - - ruptured I71.30
- - - ruptured I71.8
- - - thoracic I71.23
- - - - ruptured I71.13
- - dissecting *-see* Dissection, aorta
- - root Q25.43
- - ruptured I71.8
- - sinus, congenital Q25.43
- - syphilitic A52.01
- - thoracic I71.20
- - - ruptured I71.10
- - thoracoabdominal I71.60
- - - paravisceral I71.62
- - - - ruptured I71.52
- - - ruptured I71.50
- - - supraceliac I71.61
- - - - ruptured I71.51

- - thorax, thoracic I71.20
- - - arch I71.22
- - - - ruptured I71.12
- - - ascending I71.21
- - - - ruptured I71.11
- - - descending I71.23
- - - - ruptured I71.13
- - - ruptured I71.10
- - - - arch I71.12
- - - - ascending I71.11
- - - - descending I71.13
- - transverse I71.22
- - - ruptured I71.12
- - valve (heart) -*see also* Endocarditis, aortic I35.8
- arteriosclerotic I72.9
- - cerebral I67.1
- - - ruptured -*see* Hemorrhage, intracranial, subarachnoid
- arteriovenous (congenital) -*see also* Malformation, arteriovenous
- - acquired I77.0
- - - brain I67.1
- - - - ruptured -*see* Aneurysm, arteriovenous, brain, ruptured
- - - coronary I25.41
- - - pulmonary I28.0
- - brain Q28.2
- - - ruptured I60.8
- - - - intracerebral I61.8
- - - - intraparenchymal I61.8
- - - - intraventricular I61.5
- - - - subarachnoid I60.8
- - peripheral -*see* Malformation, arteriovenous, peripheral
- - precerebral vessels Q28.0
- - specified site NEC -*see also* Malformation, arteriovenous
- - - acquired I77.0
- basal -*see* Aneurysm, brain
- basilar (trunk) I72.5
- berry (congenital) (nonruptured) I67.1
- - ruptured I60.7
- brain I67.1
- - arteriosclerotic I67.1
- - - ruptured -*see* Hemorrhage, intracranial, subarachnoid
- - arteriovenous (congenital) (nonruptured) Q28.2
- - - acquired I67.1
- - - - ruptured -*see* Aneurysm, arteriovenous, brain, ruptured
- - - ruptured -*see* Aneurysm, arteriovenous, brain, ruptured
- - berry (congenital) (nonruptured) I67.1
- - - ruptured -*see also* Hemorrhage, intracranial, subarachnoid I60.7
- - congenital Q28.3
- - - ruptured I60.7
- - meninges I67.1
- - - ruptured I60.8
- - miliary (congenital) (nonruptured) I67.1
- - - ruptured -*see also* Hemorrhage, intracranial, subarachnoid I60.7
- - mycotic I67.1
- - - with endocarditis -*see also* Endocarditis
- - ruptured -*see* Hemorrhage, intracranial, subarachnoid
- - syphilitic (hemorrhage) A52.05
- cardiac (false) -*see also* Aneurysm, heart I25.3
- carotid artery (common) (external) I72.0
- - internal (intracranial) I67.1
- - - extracranial portion I72.0

- - ruptured into brain I60.0-
- - syphilitic A52.09
- - - intracranial A52.05
- cavernous sinus I67.1
- - arteriovenous (congenital) (nonruptured) Q28.3
- - - ruptured I60.8
- celiac I72.8
- central nervous system, syphilitic A52.05
- cerebral -*see* Aneurysm, brain
- chest -*see* Aneurysm, thorax
- circle of Willis I67.1
- - congenital Q28.3
- - - ruptured I60.6
- - ruptured I60.6
- common iliac artery I72.3
- congenital (peripheral) Q27.8
- - aorta (root) (sinus) Q25.43
- - brain Q28.3
- - - ruptured I60.7
- - coronary Q24.5
- - digestive system Q27.8
- - lower limb Q27.8
- - pulmonary Q25.79
- - retina Q14.1
- - specified site NEC Q27.8
- - upper limb Q27.8
- conjunctiva -*see* Abnormality, conjunctiva, vascular
- conus arteriosus -*see* Aneurysm, heart
- coronary (arteriosclerotic) (artery) I25.41
- - arteriovenous, congenital Q24.5
- - congenital Q24.5
- - ruptured -*see* Infarct, myocardium
- - syphilitic A52.06
- - vein I25.89
- cylindroid (aorta) I71.9
- - ruptured I71.8
- - syphilitic A52.01
- ductus arteriosus Q25.0
- endocardial, infective (any valve) I33.0
- femoral (artery) (ruptured) I72.4
- gastroduodenal I72.8
- gastroepiploic I72.8
- heart (wall) (chronic or with a stated duration of over 4 weeks) I25.3
- - valve -*see* Endocarditis
- hepatic I72.8
- iliac (common) (artery) (ruptured) I72.3
- infective I72.9
- - endocardial (any valve) I33.0
- innominate (nonsyphilitic) I72.8
- - syphilitic A52.09
- interauricular septum -*see* Aneurysm, heart
- interventricular septum -*see* Aneurysm, heart
- intrathoracic (nonsyphilitic) -*see also* Aneurysm, aorta, thorax I71.20
- - ruptured -*see also* Aneurysm, aorta, thorax, ruptured I71.10
- - syphilitic A52.01
- lower limb I72.4
- lung (pulmonary artery) I28.1
- mediastinal (nonsyphilitic) I72.8
- - syphilitic A52.09
- miliary (congenital) I67.1

- - ruptured *-see* Hemorrhage, intracerebral, subarachnoid, intracranial
- mitral (heart) (valve) I34.89
- mural *-see* Aneurysm, heart
- mycotic I72.9
- - endocardial (any valve) I33.0
- - ruptured, brain *-see* Hemorrhage, intracerebral, subarachnoid
- myocardium *-see* Aneurysm, heart
- neck I72.0
- pancreaticoduodenal I72.8
- patent ductus arteriosus Q25.0
- peripheral NEC I72.8
- - congenital Q27.8
- - - digestive system Q27.8
- - - lower limb Q27.8
- - - specified site NEC Q27.8
- - - upper limb Q27.8
- popliteal (artery) (ruptured) I72.4
- precerebral
- - congenital (nonruptured) Q28.1
- - specified site, NEC I72.5
- pulmonary I28.1
- - arteriovenous Q25.72
- - - acquired I28.0
- - syphilitic A52.09
- - valve (heart) *-see* Endocarditis, pulmonary
- racemose (peripheral) I72.9
- - congenital *-see* Aneurysm, congenital
- radial I72.1
- Rasmussen NEC A15.0
- renal (artery) I72.2
- retina *-see also* Disorder, retina, microaneurysms
- - congenital Q14.1
- - diabetic *-see* E08-E13 with .3-
- sinus of Valsalva Q25.43
- specified NEC I72.8
- spinal (cord) I72.8
- - syphilitic (hemorrhage) A52.09
- splenic I72.8
- subclavian (artery) (ruptured) I72.8
- - syphilitic A52.09
- superior mesenteric I72.8
- syphilitic (aorta) A52.01
- - central nervous system A52.05
- - congenital (late) A50.54 *[I79.0]*
- - spine, spinal A52.09
- thoracoabdominal (aorta) I71.60
- - ruptured I71.50
- - syphilitic A52.01
- thorax, thoracic (aorta) (arch) (nonsyphilitic) *-see* Aneurysm, aorta, thorax
- - ruptured *-see* Aneurysm, aorta, thorax, ruptured
- - syphilitic A52.01
- traumatic (complication) (early), specified site *-see* Injury, blood vessel
- tricuspid (heart) (valve) I07.8
- ulnar I72.1
- upper limb (ruptured) I72.1
- valve, valvular *-see* Endocarditis
- venous *-see also* Varix I86.8
- - congenital Q27.8
- - - digestive system Q27.8
- - - lower limb Q27.8

- - - specified site NEC Q27.8
- - - upper limb Q27.8
- ventricle -*see* Aneurysm, heart
- vertebral artery I72.6
- visceral NEC I72.8
Angelman syndrome Q93.51
Anger R45.4
Angiectasis, angiectopia I99.8
Angiitis I77.6
- allergic granulomatous M30.1
- hypersensitivity M31.0
- necrotizing M31.9
- - specified NEC M31.8
- nervous system, granulomatous I67.7
Angina (attack) (cardiac) (chest) (heart) (pectoris) (syndrome) (vasomotor) I20.9
- with
- - atherosclerotic heart disease -*see* Arteriosclerosis, coronary (artery),
- - coronary microvascular disease I20.81
- - coronary microvascular dysfunction I20.81
- - documented spasm I20.1
- abdominal K55.1
- accelerated -*see* Angina, unstable
- agranulocytic -*see* Agranulocytosis
- angiospastic -*see* Angina, with documented spasm
- aphthous B08.5
- crescendo -*see* Angina, unstable
- croupous J05.0
- cruris I73.9
- de novo effort -*see* Angina, unstable
- diphtheritic, membranous A36.0
- equivalent I20.89
- exudative, chronic J37.0
- following acute myocardial infarction I23.7
- gangrenous diphtheritic A36.0
- intestinal K55.1
- Ludovici K12.2
- Ludwig's K12.2
- malignant diphtheritic A36.0
- membranous J05.0
- - diphtheritic A36.0
- - Vincent's A69.1
- mesenteric K55.1
- monocytic -*see* Mononucleosis, infectious
- of effort -*see* Angina, specified NEC
- phlegmonous J36
- - diphtheritic A36.0
- post-infarctional I23.7
- pre-infarctional -*see* Angina, unstable
- Prinzmetal -*see* Angina, with documented spasm
- progressive -*see* Angina, unstable
- pseudomembranous A69.1
- pultaceous, diphtheritic A36.0
- refractory I20.2
- spasm-induced -*see* Angina, with documented spasm
- specified NEC I20.89
- stable I20.89
- stenocardia -*see* Angina, specified NEC
- stridulous, diphtheritic A36.2
- tonsil J36
- trachealis J05.0

- unstable I20.0
- variant -*see* Angina, with documented spasm
- Vincent's A69.1
- worsening effort -*see* Angina, unstable

Angioblastoma -*see* Neoplasm, connective tissue, uncertain behavior

Angiocholecystitis -*see* Cholecystitis, acute

Angiocholitis -*see also* Cholecystitis, acute K83.09

Angiodysgenesis spinalis G95.19

Angiodysplasia (cecum) (colon) K55.20
- with bleeding K55.21
- duodenum (and stomach) K31.819
- - with bleeding K31.811
- stomach (and duodenum) K31.819
- - with bleeding K31.811

Angioedema (allergic) (any site) (with urticaria) T78.3
- episodic, with eosinophilia D72.118
- hereditary D84.1

Angioendothelioma -*see* Neoplasm, uncertain behavior, by site
- benign D18.00
- - intra-abdominal D18.03
- - intracranial D18.02
- - skin D18.01
- - specified site NEC D18.09
- bone -*see* Neoplasm, bone, malignant
- Ewing's -*see* Neoplasm, bone, malignant

Angioendotheliomatosis C85.8-

Angiofibroma -*see also* Neoplasm, benign, by site
- juvenile
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D10.6

Angiohemophilia (A) (B) -*see* Disease, von Willebrand

Angioid streaks (choroid) (macula) (retina) H35.33

Angiokeratoma -*see* Neoplasm, skin, benign
- corporis diffusum E75.21

Angioleiomyoma -*see* Neoplasm, connective tissue, benign

Angiolipoma -*see also* Lipoma
- infiltrating -*see* Lipoma

Angioma -*see also* Hemangioma, by site
- capillary I78.1
- hemorrhagicum hereditaria I78.0
- intra-abdominal D18.03
- intracranial D18.02
- malignant -*see* Neoplasm, connective tissue, malignant
- plexiform D18.00
- - intra-abdominal D18.03
- - intracranial D18.02
- - skin D18.01
- - specified site NEC D18.09
- senile I78.1
- serpiginosum L81.7
- skin D18.01
- specified site NEC D18.09
- spider I78.1
- stellate I78.1
- venous Q28.3

Angiomatosis Q82.8
- bacillary A79.89
- encephalotrigeminal Q85.89
- hemorrhagic familial I78.0
- hereditary familial I78.0

- liver K76.4
Angiomyolipoma -*see* Lipoma
Angiomyoliposarcoma -*see* Neoplasm, connective tissue, malignant
Angiomyoma -*see* Neoplasm, connective tissue, benign
Angiomyosarcoma -*see* Neoplasm, connective tissue, malignant
Angiomyxoma -*see* Neoplasm, connective tissue, uncertain behavior
Angioneurosis F45.8
Angioneurotic edema (allergic) (any site) (with urticaria) T78.3
- hereditary D84.1
Angiopathia, angiopathy I99.9
- cerebral I67.9
- - amyloid E85.4 *[I68.0]*
- diabetic (peripheral) -*see* Diabetes, angiopathy
- peripheral I73.9
- - diabetic -*see* Diabetes, angiopathy
- - specified type NEC I73.89
- retinae syphilitica A52.05
- retinalis (juvenilis)
- - diabetic -*see* Diabetes, retinopathy
- - proliferative -*see* Retinopathy, proliferative
Angiosarcoma -*see also* Neoplasm, connective tissue, malignant
- liver C22.3
Angiosclerosis -*see* Arteriosclerosis
Angiospasm (peripheral) (traumatic) (vessel) -*see also* Vasospasm I73.9
- brachial plexus G54.0
- cerebral G45.9
- cervical plexus G54.2
- nerve
- - arm -*see* Mononeuropathy, upper limb
- - - axillary G54.0
- - - median -*see* Lesion, nerve, median
- - - ulnar -*see* Lesion, nerve, ulnar
- - axillary G54.0
- - leg -*see* Mononeuropathy, lower limb
- - median -*see* Lesion, nerve, median
- - plantar -*see* Lesion, nerve, plantar
- - ulnar -*see* Lesion, nerve, ulnar
Angiospastic disease or edema I73.9
Angiostrongyliasis
- due to
- - Parastrongylus
- - - cantonensis B83.2
- - - costaricensis B81.3
- intestinal B81.3
Anguillulosis -*see* Strongyloidiasis
Angulation
- cecum -*see* Obstruction, intestine
- coccyx (acquired) -*see also* subcategory M43.8
- - congenital NEC Q76.49
- femur (acquired) -*see also* Deformity, limb, specified type NEC, thigh
- - congenital Q74.2
- intestine (large) (small) -*see* Obstruction, intestine
- sacrum (acquired) -*see also* subcategory M43.8
- - congenital NEC Q76.49
- sigmoid (flexure) -*see* Obstruction, intestine
- spine -*see* Dorsopathy, deforming, specified NEC
- tibia (acquired) -*see also* Deformity, limb, specified type NEC, lower leg
- - congenital Q74.2
- ureter N13.5
- - with infection N13.6

- wrist (acquired) -*see also* Deformity, limb, specified type NEC, forearm
- - congenital Q74.0
Angulus infectiosus (lips) K13.0
Anhedonia R45.84
- sexual F52.0
Anhidrosis L74.4
Anhydration E86.0
Anhydremia E86.0
Anidrosis L74.4
Aniridia (congenital) Q13.1
Anisakiasis (infection) (infestation) B81.0
Anisakis larvae infestation B81.0
Aniseikonia H52.32
Anisocoria (pupil) H57.02
- congenital Q13.2
Anisocytosis R71.8
Anisometropia (congenital) H52.31
Ankle -*see* condition
Ankyloblepharon (eyelid) (acquired) -*see also* Blepharophimosis
- filiforme (adnatum) (congenital) Q10.3
- total Q10.3
Ankyloglossia Q38.1
Ankylosis (fibrous) (osseous) (joint) M24.60
- ankle M24.67-
- arthrodesis status Z98.1
- cricoarytenoid (cartilage) (joint) (larynx) J38.7
- dental K03.5
- ear ossicles H74.31-
- elbow M24.62-
- foot M24.67-
- hand M24.64-
- hip M24.65-
- incostapedial joint (infectional) -*see* Ankylosis, ear ossicles
- jaw (temporomandibular) M26.61-
- knee M24.66-
- lumbosacral (joint) M43.27
- postoperative (status) Z98.1
- produced by surgical fusion, status Z98.1
- sacro-iliac (joint) M43.28
- shoulder M24.61-
- specified site NEC M24.69
- spine (joint) -*see also* Fusion, spine
- - spondylitic -*see* Spondylitis, ankylosing
- surgical Z98.1
- temporomandibular M26.61-
- tooth, teeth (hard tissues) K03.5
- wrist M24.63-
Ankylostoma -*see* Ancylostoma
Ankylostomiasis -*see* Ancylostomiasis
Ankylurethria -*see* Stricture, urethra
Annular -*see also* condition
- detachment, cervix N88.8
- organ or site, congenital NEC -*see* Distortion
- pancreas (congenital) Q45.1
Anoctaminopathy G71.035
Anodontia (complete) (partial) (vera) K00.0
- acquired K08.10
Anomaly, anomalous (congenital) (unspecified type) Q89.9
- abdominal wall NEC Q79.59
- acoustic nerve Q07.8

- adrenal (gland) Q89.1
- Alder (-Reilly) (leukocyte granulation) D72.0
- alimentary tract Q45.9
- - upper Q40.9
- alveolar M26.70
- - hyperplasia M26.79
- - - mandibular M26.72
- - - maxillary M26.71
- - hypoplasia M26.79
- - - mandibular M26.74
- - - maxillary M26.73
- - ridge (process) M26.79
- - specified NEC M26.79
- ankle (joint) Q74.2
- anus Q43.9
- aorta (arch) NEC Q25.40
- - coarctation (preductal) (postductal) Q25.1
- aortic cusp or valve Q23.9
- appendix Q43.8
- apple peel syndrome Q41.1
- aqueduct of Sylvius Q03.0
- - with spina bifida *-see* Spina bifida, with hydrocephalus
- arm Q74.0
- arteriovenous NEC
- - coronary Q24.5
- - gastrointestinal Q27.33
- - - acquired *-see* Angiodysplasia
- artery (peripheral) Q27.9
- - basilar NEC Q28.1
- - cerebral Q28.3
- - coronary Q24.5
- - digestive system Q27.8
- - eye Q15.8
- - great Q25.9
- - - specified NEC Q25.8
- - lower limb Q27.8
- - peripheral Q27.9
- - - specified NEC Q27.8
- - pulmonary NEC Q25.79
- - renal Q27.2
- - retina Q14.1
- - specified site NEC Q27.8
- - subclavian Q27.8
- - - origin Q25.48
- - umbilical Q27.0
- - upper limb Q27.8
- - vertebral NEC Q28.1
- aryteno-epiglottic folds Q31.8
- atrial
- - bands or folds Q20.8
- - septa Q21.10
- atrioventricular
- - excitation I45.6
- - septum Q21.0
- auditory canal Q17.8
- auricle
- - ear Q17.8
- - - causing impairment of hearing Q16.9
- - heart Q20.8
- Axenfeld's Q15.0

- back Q89.9
- band
- - atrial Q20.8
- - heart Q24.8
- - ventricular Q24.8
- Bartholin's duct Q38.4
- biliary duct or passage Q44.5
- bladder Q64.70
- - absence Q64.5
- - diverticulum Q64.6
- - exstrophy Q64.10
- - - cloacal Q64.12
- - - extroversion Q64.19
- - - specified type NEC Q64.19
- - - supravesical fissure Q64.11
- - neck obstruction Q64.31
- - specified type NEC Q64.79
- bone Q79.9
- - arm Q74.0
- - face Q75.9
- - leg Q74.2
- - pelvic girdle Q74.2
- - shoulder girdle Q74.0
- - skull Q75.9
- - - with
- - - - anencephaly Q00.0
- - - - encephalocele -*see* Encephalocele
- - - - hydrocephalus Q03.9
- - - - - with spina bifida -*see* Spina bifida, by site, with hydrocephalus
- - - - microcephaly Q02
- brain (multiple) Q04.9
- - vessel Q28.3
- breast Q83.9
- broad ligament Q50.6
- bronchus Q32.4
- bulbus cordis Q21.9
- bursa Q79.9
- canal of Nuck Q52.4
- canthus Q10.3
- capillary Q27.9
- cardiac Q24.9
- - chambers Q20.9
- - - specified NEC Q20.8
- - septal closure Q21.9
- - - specified NEC Q21.8
- - valve NEC Q24.8
- - - pulmonary Q22.3
- cardiovascular system Q28.8
- carpus Q74.0
- caruncle, lacrimal Q10.6
- cascade stomach Q40.2
- cauda equina Q06.3
- cecum Q43.9
- cerebral Q04.9
- - vessels Q28.3
- cervix Q51.9
- Chédiak-Higashi (-Steinbrinck) (congenital gigantism of peroxidase granules) E70.330
- cheek Q18.9
- chest wall Q67.8
- - bones Q76.9

- chin Q18.9
- chordae tendineae Q24.8
- choroid Q14.3
- - plexus Q07.8
- chromosomes, chromosomal Q99.9
- - D (1) -*see* condition, chromosome 13
- - E (3) -*see* condition, chromosome 18
- - G -*see* condition, chromosome 21
- - sex
- - - female phenotype Q97.8
- - - gonadal dysgenesis (pure) Q99.1
- - - Klinefelter's Q98.4
- - - male phenotype Q98.9
- - - Turner's Q96.9
- - specified NEC Q99.8
- cilia Q10.3
- circulatory system Q28.9
- clavicle Q74.0
- clitoris Q52.6
- coccyx Q76.49
- colon Q43.9
- common duct Q44.5
- communication
- - coronary artery Q24.5
- - left ventricle with right atrium Q21.0
- concha (ear) Q17.3
- connection
- - portal vein Q26.5
- - pulmonary venous Q26.4
- - - partial Q26.3
- - - total Q26.2
- - renal artery with kidney Q27.2
- cornea (shape) Q13.4
- coronary artery or vein Q24.5
- cranium -*see* Anomaly, skull
- cricoid cartilage Q31.8
- cystic duct Q44.5
- dental
- - alveolar -*see* Anomaly, alveolar
- - arch relationship M26.20
- - - specified NEC M26.29
- dentofacial M26.9
- - alveolar -*see* Anomaly, alveolar
- - dental arch relationship M26.20
- - - specified NEC M26.29
- - functional M26.50
- - - specified NEC M26.59
- - jaw-cranial base relationship M26.10
- - - asymmetry M26.12
- - - - maxillary M26.11
- - - specified type NEC M26.19
- - jaw size M26.00
- - - macrogenia M26.05
- - - mandibular
- - - - hyperplasia M26.03
- - - - hypoplasia M26.04
- - - maxillary
- - - - hyperplasia M26.01
- - - - hypoplasia M26.02
- - - microgenia M26.06

- - - specified type NEC M26.09
- - malocclusion M26.4
- - - dental arch relationship NEC M26.29
- - - jaw-cranial base relationship -*see* Anomaly, dentofacial, jaw-cranial base relationship
- - - jaw size -*see* Anomaly, dentofacial, jaw size
- - specified type NEC M26.89
- - temporomandibular joint M26.60-
- - - adhesions M26.61-
- - - ankylosis M26.61-
- - - arthralgia M26.62-
- - - articular disc M26.63-
- - - specified type NEC M26.69
- - tooth position, fully erupted M26.30
- - - specified NEC M26.39
- dermatoglyphic Q82.8
- diaphragm (apertures) NEC Q79.1
- digestive organ(s) or tract Q45.9
- - lower Q43.9
- - upper Q40.9
- distance, interarch (excessive) (inadequate) M26.25
- distribution, coronary artery Q24.5
- ductus
- - arteriosus Q25.0
- - botalli Q25.0
- duodenum Q43.9
- dura (brain) Q04.9
- - spinal cord Q06.9
- ear (external) Q17.9
- - causing impairment of hearing Q16.9
- - inner Q16.5
- - middle (causing impairment of hearing) Q16.4
- - ossicles Q16.3
- Ebstein's (heart) (tricuspid valve) Q22.5
- ectodermal Q82.9
- Eisenmenger's (ventricular septal defect) Q21.8
- ejaculatory duct Q55.4
- elbow Q74.0
- endocrine gland NEC Q89.2
- epididymis Q55.4
- epiglottis Q31.8
- esophagus Q39.9
- eustachian tube Q17.8
- eye Q15.9
- - anterior segment Q13.9
- - - specified NEC Q13.89
- - posterior segment Q14.9
- - - specified NEC Q14.8
- - ptosis (eyelid) Q10.0
- - specified NEC Q15.8
- eyebrow Q18.8
- eyelid Q10.3
- - ptosis Q10.0
- face Q18.9
- - bone(s) Q75.9
- fallopian tube Q50.6
- fascia Q79.9
- femur NEC Q74.2
- fibula NEC Q74.2
- finger Q74.0
- fixation, intestine Q43.3

- flexion (joint) NOS Q74.9
- - hip or thigh Q65.89
- foot NEC Q74.2
- - varus (congenital) Q66.3-
- foramen
- - Botalli Q21.12
- - ovale Q21.12
- forearm Q74.0
- forehead Q75.8
- form, teeth K00.2
- fovea centralis Q14.1
- frontal bone -*see* Anomaly, skull
- gallbladder (position) (shape) (size) Q44.1
- Gartner's duct Q52.4
- gastrointestinal tract Q45.9
- genitalia, genital organ(s) or system
- - female Q52.9
- - - external Q52.70
- - - internal NOS Q52.9
- - male Q55.9
- - - hydrocele P83.5
- - - specified NEC Q55.8
- genitourinary NEC
- - female Q52.9
- - male Q55.9
- Gerbode Q21.0
- glottis Q31.8
- granulation or granulocyte, genetic (constitutional) (leukocyte) D72.0
- gum Q38.6
- gyri Q07.9
- hair Q84.2
- hand Q74.0
- hard tissue formation in pulp K04.3
- head -*see* Anomaly, skull
- heart Q24.9
- - auricle Q20.8
- - bands or folds Q24.8
- - fibroelastosis cordis I42.4
- - obstructive NEC Q22.6
- - patent ductus arteriosus (Botalli) Q25.0
- - septum Q21.9
- - - auricular Q21.19
- - - interatrial Q21.19
- - - interventricular Q21.0
- - - - with pulmonary stenosis or atresia, dextraposition of aorta and hypertrophy of right ventricle Q21.3
- - - specified NEC Q21.8
- - - ventricular Q21.0
- - - - with pulmonary stenosis or atresia, dextraposition of aorta and hypertrophy of right ventricle Q21.3
- - tetralogy of Fallot Q21.3
- - valve NEC Q24.8
- - - aortic
- - - - bicuspid valve Q23.81
- - - - - functional, with stenosis -*see* Stenosis, aortic (valve)
- - - - insufficiency Q23.1
- - - - stenosis Q23.0
- - - - - subaortic Q24.4
- - - mitral
- - - - insufficiency Q23.3
- - - - stenosis Q23.2
- - - pulmonary Q22.3

- - - - atresia Q22.0
- - - - insufficiency Q22.2
- - - - stenosis Q22.1
- - - - - infundibular Q24.3
- - - - - subvalvular Q24.3
- - - tricuspid
- - - - atresia Q22.4
- - - - stenosis Q22.4
- - ventricle Q20.8
- heel NEC Q74.2
- Hegglin's D72.0
- hemianencephaly Q00.0
- hemicephaly Q00.0
- hemicrania Q00.0
- hepatic duct Q44.5
- hip NEC Q74.2
- hourglass stomach Q40.2
- humerus Q74.0
- hydatid of Morgagni
- - female Q50.5
- - male (epididymal) Q55.4
- - - testicular Q55.29
- hymen Q52.4
- hypersegmentation of neutrophils, hereditary D72.0
- hypophyseal Q89.2
- ileocecal (coil) (valve) Q43.9
- ileum Q43.9
- ilium NEC Q74.2
- integument Q84.9
- - specified NEC Q84.8
- interarch distance (excessive) (inadequate) M26.25
- intervertebral cartilage or disc Q76.49
- intestine (large) (small) Q43.9
- - with anomalous adhesions, fixation or malrotation Q43.3
- iris Q13.2
- ischium NEC Q74.2
- jaw -*see* Anomaly, dentofacial
- - alveolar -*see* Anomaly, alveolar
- jaw-cranial base relationship -*see* Anomaly, dentofacial, jaw-cranial base relationship
- jejunum Q43.8
- joint Q74.9
- - specified NEC Q74.8
- Jordan's D72.0
- kidney(s) (calyx) (pelvis) Q63.9
- - artery Q27.2
- - specified NEC Q63.8
- Klippel-Feil (brevicollis) Q76.1
- knee Q74.1
- labium (majus) (minus) Q52.70
- labyrinth, membranous Q16.5
- lacrimal apparatus or duct Q10.6
- larynx, laryngeal (muscle) Q31.9
- - web (bed) Q31.0
- lens Q12.9
- leukocytes, genetic D72.0
- - granulation (constitutional) D72.0
- lid (fold) Q10.3
- ligament Q79.9
- - broad Q50.6
- - round Q52.8

- limb Q74.9
- - lower NEC Q74.2
- - - reduction deformity *-see* Defect, reduction, lower limb
- - upper Q74.0
- lip Q38.0
- liver Q44.70
- - duct Q44.5
- lower limb NEC Q74.2
- lumbosacral (joint) (region) Q76.49
- - kyphosis *-see* Kyphosis, congenital
- - lordosis *-see* Lordosis, congenital
- lung (fissure) (lobe) Q33.9
- mandible *-see* Anomaly, dentofacial
- maxilla *-see* Anomaly, dentofacial
- May (-Hegglin) D72.0
- meatus urinarius NEC Q64.79
- meningeal bands or folds Q07.9
- - constriction of Q07.8
- - spinal Q06.9
- meninges Q07.9
- - cerebral Q04.8
- - spinal Q06.9
- meningocele Q05.9
- mesentery Q45.9
- metacarpus Q74.0
- metatarsus NEC Q74.2
- middle ear Q16.4
- - ossicles Q16.3
- mitral (leaflets) (valve) Q23.9
- - cleft Q23.82
- - insufficiency Q23.3
- - specified NEC Q23.88
- - stenosis Q23.2
- mouth Q38.6
- Müllerian *-see also* Anomaly, by site
- - uterus NEC Q51.818
- multiple NEC Q89.7
- muscle Q79.9
- - eyelid Q10.3
- musculoskeletal system, except limbs Q79.9
- myocardium Q24.8
- nail Q84.6
- narrowness, eyelid Q10.3
- nasal sinus (wall) Q30.8
- neck (any part) Q18.9
- nerve Q07.9
- - acoustic Q07.8
- - optic Q07.8
- nervous system (central) Q07.9
- nipple Q83.9
- nose, nasal (bones) (cartilage) (septum) (sinus) Q30.9
- - specified NEC Q30.8
- ocular muscle Q15.8
- omphalomesenteric duct Q43.0
- opening, pulmonary veins Q26.4
- optic
- - disc Q14.2
- - nerve Q07.8
- opticociliary vessels Q13.2
- orbit (eye) Q10.7

- organ Q89.9
- - of Corti Q16.5
- origin
- - artery
- - - innominate Q25.8
- - - pulmonary Q25.79
- - - renal Q27.2
- - - subclavian Q25.48
- osseous meatus (ear) Q16.1
- ovary Q50.39
- oviduct Q50.6
- palate (hard) (soft) NEC Q38.5
- pancreas or pancreatic duct Q45.3
- papillary muscles Q24.8
- parathyroid gland Q89.2
- paraurethral ducts Q64.79
- parotid (gland) Q38.4
- patella Q74.1
- Pelger-Huët (hereditary hyposegmentation) D72.0
- pelvic girdle NEC Q74.2
- pelvis (bony) NEC Q74.2
- - rachitic E64.3
- penis (glans) Q55.69
- pericardium Q24.8
- peripheral vascular system Q27.9
- Peter's Q13.4
- pharynx Q38.8
- pigmentation L81.9
- - congenital Q82.8
- pituitary (gland) Q89.2
- pleural (folds) Q34.0
- portal vein Q26.5
- - connection Q26.5
- position, tooth, teeth, fully erupted M26.30
- - specified NEC M26.39
- precerebral vessel Q28.1
- prepuce Q55.69
- prostate Q55.4
- pulmonary Q33.9
- - artery NEC Q25.79
- - valve Q22.3
- - - atresia Q22.0
- - - insufficiency Q22.2
- - - specified type NEC Q22.3
- - - stenosis Q22.1
- - - - infundibular Q24.3
- - - - subvalvular Q24.3
- - venous connection Q26.4
- - - partial Q26.3
- - - total Q26.2
- pupil Q13.2
- - function H57.00
- - - anisocoria H57.02
- - - Argyll Robertson pupil H57.01
- - - miosis H57.03
- - - mydriasis H57.04
- - - specified type NEC H57.09
- - - tonic pupil H57.05-
- pylorus Q40.3
- radius Q74.0

- rectum Q43.9
- reduction (extremity) (limb)
- - femur (longitudinal) -*see* Defect, reduction, lower limb, longitudinal, femur
- - fibula (longitudinal) -*see* Defect, reduction, lower limb, longitudinal, fibula
- - lower limb -*see* Defect, reduction, lower limb
- - radius (longitudinal) -*see* Defect, reduction, upper limb, longitudinal, radius
- - tibia (longitudinal) -*see* Defect, reduction, lower limb, longitudinal, tibia
- - ulna (longitudinal) -*see* Defect, reduction, upper limb, longitudinal, ulna
- - upper limb -*see* Defect, reduction, upper limb
- refraction -*see* Disorder, refraction
- renal Q63.9
- - artery Q27.2
- - pelvis Q63.9
- - - specified NEC Q63.8
- respiratory system Q34.9
- - specified NEC Q34.8
- retina Q14.1
- rib Q76.6
- - cervical Q76.5
- Rieger Q13.81
- rotation -*see* Malrotation
- - hip or thigh Q65.89
- round ligament Q52.8
- sacroiliac (joint) NEC Q74.2
- sacrum NEC Q76.49
- - kyphosis -*see* Kyphosis, congenital
- - lordosis -*see* Lordosis, congenital
- saddle nose, syphilitic A50.57
- salivary duct or gland Q38.4
- scapula Q74.0
- scrotum -*see* Malformation, testis and scrotum
- sebaceous gland Q82.9
- seminal vesicles Q55.4
- sense organs NEC Q07.8
- sex chromosomes NEC -*see also* Anomaly, chromosomes
- - female phenotype Q97.8
- - male phenotype Q98.9
- shoulder (girdle) (joint) Q74.0
- sigmoid (flexure) Q43.9
- simian crease Q82.8
- sinus of Valsalva Q25.49
- skeleton generalized Q78.9
- skin (appendage) Q82.9
- skull Q75.9
- - with
- - - anencephaly Q00.0
- - - encephalocele -*see* Encephalocele
- - - hydrocephalus Q03.9
- - - - with spina bifida -*see* Spina bifida, by site, with hydrocephalus
- - - microcephaly Q02
- specified organ or site NEC Q89.8
- spermatic cord Q55.4
- spine, spinal NEC Q76.49
- - column NEC Q76.49
- - - kyphosis -*see* Kyphosis, congenital
- - - lordosis -*see* Lordosis, congenital
- - cord Q06.9
- - nerve root Q07.8
- spleen Q89.09
- - agenesis Q89.01

- stenonian duct Q38.4
- sternum NEC Q76.7
- stomach Q40.3
- submaxillary gland Q38.4
- tarsus NEC Q74.2
- tendon Q79.9
- testis -*see* Malformation, testis and scrotum
- thigh NEC Q74.2
- thorax (wall) Q67.8
- - bony Q76.9
- throat Q38.8
- thumb Q74.0
- thymus gland Q89.2
- thyroid (gland) Q89.2
- - cartilage Q31.8
- tibia NEC Q74.2
- - saber A50.56
- toe Q74.2
- tongue Q38.3
- tooth, teeth K00.9
- - eruption K00.6
- - position, fully erupted M26.30
- - spacing, fully erupted M26.30
- trachea (cartilage) Q32.1
- tragus Q17.9
- tricuspid (leaflet) (valve) Q22.9
- - atresia or stenosis Q22.4
- - Ebstein's Q22.5
- Uhl's (hypoplasia of myocardium, right ventricle) Q24.8
- ulna Q74.0
- umbilical artery Q27.0
- union
- - cricoid cartilage and thyroid cartilage Q31.8
- - thyroid cartilage and hyoid bone Q31.8
- - trachea with larynx Q31.8
- upper limb Q74.0
- urachus Q64.4
- ureter Q62.8
- - obstructive NEC Q62.39
- - - cecoureterocele Q62.32
- - - orthotopic ureterocele Q62.31
- urethra Q64.70
- - absence Q64.5
- - double Q64.74
- - fistula to rectum Q64.73
- - obstructive Q64.39
- - - stricture Q64.32
- - prolapse Q64.71
- - specified type NEC Q64.79
- urinary tract Q64.9
- uterus Q51.9
- - with only one functioning horn Q51.4
- uvula Q38.5
- vagina Q52.4
- valleculae Q31.8
- valve (heart) NEC Q24.8
- - coronary sinus Q24.5
- - inferior vena cava Q24.8
- - pulmonary Q22.3
- - sinus coronario Q24.5

- - venae cavae inferioris Q24.8
- vas deferens Q55.4
- vascular Q27.9
- - brain Q28.3
- - ring Q25.45
- vein(s) (peripheral) Q27.9
- - brain Q28.3
- - cerebral Q28.3
- - coronary Q24.5
- - developmental Q28.3
- - great Q26.9
- - - specified NEC Q26.8
- vena cava (inferior) (superior) Q26.9
- venous -*see* Anomaly, vein(s)
- venous return Q26.8
- ventricular
- - bands or folds Q24.8
- - septa Q21.0
- vertebra Q76.49
- - kyphosis -*see* Kyphosis, congenital
- - lordosis -*see* Lordosis, congenital
- vesicourethral orifice Q64.79
- vessel(s) Q27.9
- - optic papilla Q14.2
- - precerebral Q28.1
- vitelline duct Q43.0
- vitreous body or humor Q14.0
- vulva Q52.70
- wrist (joint) Q74.0

Anomia R48.8

Anonychia (congenital) Q84.3
- acquired L60.8

Anophthalmos, anophthalmus (congenital) (globe) Q11.1
- acquired Z90.01

Anopia, anopsia H53.46-
- quadrant H53.46-

Anorchia, anorchism, anorchidism Q55.0

Anorexia R63.0
- hysterical F44.89
- nervosa F50.00
- - atypical F50.9
- - binge-eating type F50.2-
- - - with purging F50.02-
- - restricting type F50.01-

Anorgasmy, psychogenic (female) F52.31
- male F52.32

Anosmia R43.0
- hysterical F44.6
- postinfectional J39.8

Anosognosia R41.85

Anosteoplasia Q78.9

Anovulatory cycle N97.0

Anoxemia R09.02
- newborn P84

Anoxia (pathological) R09.02
- altitude T70.29
- cerebral G93.1
- - complicating
- - - anesthesia (general) (local) or other sedation T88.59
- - - - in labor and delivery O74.3

- - - - in pregnancy O29.21-
- - - - postpartum, puerperal O89.2
- - - delivery (cesarean) (instrumental) O75.4
- - during a procedure G97.81
- - newborn P84
- - resulting from a procedure G97.82
- due to
- - drowning T75.1
- - high altitude T70.29
- heart -*see* Insufficiency, coronary
- intrauterine P84
- myocardial -*see* Insufficiency, coronary
- newborn P84
- spinal cord G95.11
- systemic (by suffocation) (low content in atmosphere) -*see* Asphyxia, traumatic

Anteflexion -*see* Anteversion

Antenatal
- care (normal pregnancy) Z34.90
- screening (encounter for) of mother -*see also* Encounter, antenatal screening Z36.9

Antepartum -*see* condition

Anterior -*see* condition

Antero-occlusion M26.220

Anteversion
- cervix -*see* Anteversion, uterus
- femur (neck), congenital Q65.89
- uterus, uterine (cervix) (postinfectional) (postpartal, old) N85.4
- - congenital Q51.818
- - in pregnancy or childbirth -*see* Pregnancy, complicated by

Anthophobia F40.228

Anthracosilicosis J60

Anthracosis (lung) (occupational) J60
- lingua K14.3

Anthrax A22.9
- with pneumonia A22.1
- cerebral A22.8
- colitis A22.2
- cutaneous A22.0
- gastrointestinal A22.2
- inhalation A22.1
- intestinal A22.2
- meningitis A22.8
- pulmonary A22.1
- respiratory A22.1
- sepsis A22.7
- specified manifestation NEC A22.8

Anthropoid pelvis Q74.2
- with disproportion (fetopelvic) O33.0

Anthropophobia F40.10
- generalized F40.11

Antibodies, maternal (blood group) -*see* Isoimmunization, affecting management of pregnancy
- anti-D -*see* Isoimmunization, affecting management of pregnancy, Rh
- - newborn P55.0

Antibody
- anticardiolipin R76.0
- - with
- - - hemorrhagic disorder D68.312
- - - hypercoagulable state D68.61
- antiphosphatidylglycerol R76.0
- - with
- - - hemorrhagic disorder D68.312

- - - hypercoagulable state D68.61
- antiphosphatidylinositol R76.0
- - with
- - - hemorrhagic disorder D68.312
- - - hypercoagulable state D68.61
- antiphosphatidylserine R76.0
- - with
- - - hemorrhagic disorder D68.312
- - - hypercoagulable state D68.61
- antiphospholipid R76.0
- - with
- - - hemorrhagic disorder D68.312
- - - hypercoagulable state D68.61
Anticardiolipin syndrome D68.61
Anticoagulant, circulating (intrinsic) -*see also* - Disorder, hemorrhagic D68.318
- drug-induced (extrinsic) -*see also* - Disorder, hemorrhagic D68.32
- iatrogenic D68.32
Antidiuretic hormone syndrome E22.2
Antimonial cholera -*see* Poisoning, antimony
Antiphospholipid
- antibody
- - with hemorrhagic disorder D68.312
- - syndrome D68.61
Antisocial personality F60.2
Antithrombinemia -*see* Circulating anticoagulants
Antithromboplastinemia D68.318
Antithromboplastinogenemia D68.318
Antitoxin complication or reaction -*see* Complications, vaccination
Antlophobia F40.228
Antritis J32.0
- maxilla J32.0
- - acute J01.00
- - - recurrent J01.01
- stomach K29.50
- - with bleeding K29.51
Antrum, antral -*see* condition
Anuria R34
- calculous (impacted) (recurrent) -*see also* Calculus, urinary N20.9
- following
- - abortion -*see* Abortion by type complicated by, renal failure
- - ectopic or molar pregnancy O08.4
- newborn P96.0
- postprocedural N99.0
- postrenal N13.8
- puerperal O90.49
- traumatic (following crushing) T79.5
Anus, anal -*see* condition
Anusitis K62.89
Anxiety F41.9
- depression F41.8
- episodic paroxysmal F41.0
- generalized F41.1
- hysteria F41.8
- neurosis F41.1
- panic type F41.0
- reaction F41.1
- separation, abnormal (of childhood) F93.0
- specified NEC F41.8
- state F41.1
Aorta, aortic -*see* condition

Aortectasia *-see* Ectasia, aorta
- with aneurysm *-see* Aneurysm, aorta
Aortitis (nonsyphilitic) (calcific) I77.6
- arteriosclerotic I70.0
- Doehle-Heller A52.02
- luetic A52.02
- rheumatic *-see* Endocarditis, acute, rheumatic
- specific (syphilitic) A52.02
- syphilitic A52.02
- - congenital A50.54 *[I79.1]*
Apathetic thyroid storm *-see* Thyrotoxicosis
Apathy R45.3
Apeirophobia F40.228
Apepsia K30
- psychogenic F45.8
Aperistalsis, esophagus K22.0
Apertognathia M26.29
Apert's syndrome Q87.0
Aphagia R13.0
- psychogenic F50.9
Aphakia (acquired) (postoperative) H27.0-
- congenital Q12.3
Aphasia (amnestic) (global) (nominal) (semantic) (syntactic) R47.01
- acquired, with epilepsy (Landau-Kleffner syndrome) *-see* Epilepsy, specified NEC
- auditory (developmental) F80.2
- developmental (receptive type) F80.2
- - expressive type F80.1
- - Wernicke's F80.2
- following
- - cerebrovascular disease I69.920
- - - cerebral infarction I69.320
- - - intracerebral hemorrhage I69.120
- - - nontraumatic intracranial hemorrhage NEC I69.220
- - - specified disease NEC I69.820
- - - subarachnoid hemorrhage I69.020
- primary progressive *-see also* Dementia, in, diseases specified elsewhere G31.01 *[F02.80]*
- - with behavioral disturbance *-see also* Dementia, in, diseases specified elsewhere G31.01 *[F02.81-]*
- progressive isolated *-see also* Dementia, in, diseases specified elsewhere G31.01 *[F02.80]*
- - with behavioral disturbance *-see also* Dementia, in, diseases specified elsewhere G31.01 *[F02.81-]*
- sensory F80.2
- syphilis, tertiary A52.19
- Wernicke's (developmental) F80.2
Aphonia (organic) R49.1
- hysterical F44.4
- psychogenic F44.4
Aphthae, aphthous *-see also* condition
- Bednar's K12.0
- cachectic K14.0
- epizootic B08.8
- fever B08.8
- oral (recurrent) K12.0
- stomatitis (major) (minor) K12.0
- thrush B37.0
- ulcer (oral) (recurrent) K12.0
- - genital organ(s) NEC
- - - female N76.6
- - - male N50.89
- - larynx J38.7
Apical *-see* condition
Apiphobia F40.218

Aplasia -*see also* Agenesis
- abdominal muscle syndrome Q79.4
- alveolar process (acquired) -*see* Anomaly, alveolar
- - congenital Q38.6
- aorta (congenital) Q25.41
- axialis extracorticalis (congenita) E75.29
- bone marrow (myeloid) D61.9
- - congenital D61.01
- brain Q00.0
- - part of Q04.3
- bronchus Q32.4
- cementum K00.4
- cerebellum Q04.3
- cervix (congenital) Q51.5
- congenital pure red cell D61.01
- corpus callosum Q04.0
- cutis congenita Q84.8
- erythrocyte congenital D61.01
- extracortical axial E75.29
- eye Q11.1
- fovea centralis (congenital) Q14.1
- gallbladder, congenital Q44.0
- iris Q13.1
- labyrinth, membranous Q16.5
- limb (congenital) Q73.8
- - lower -*see* Defect, reduction, lower limb
- - upper -*see* Agenesis, arm
- lung, congenital (bilateral) (unilateral) Q33.3
- pancreas Q45.0
- parathyroid-thymic D82.1
- Pelizaeus-Merzbacher E75.27
- penis Q55.5
- prostate Q55.4
- red cell (with thymoma) D60.9
- - acquired D60.9
- - - due to drugs D60.9
- - adult D60.9
- - chronic D60.0
- - congenital D61.01
- - constitutional D61.01
- - due to drugs D60.9
- - hereditary D61.01
- - of infants D61.01
- - primary D61.01
- - pure D61.01
- - - due to drugs D60.9
- - specified type NEC D60.8
- - transient D60.1
- round ligament Q52.8
- skin Q84.8
- spermatic cord Q55.4
- spleen Q89.01
- testicle Q55.0
- thymic, with immunodeficiency D82.1
- thyroid (congenital) (with myxedema) E03.1
- uterus Q51.0
- ventral horn cell Q06.1

Apnea, apneic (of) (spells) R06.81
- newborn P28.40
- - central P28.41

- - mixed P28.43
- - obstructive P28.42
- - sleep
- - - primary P28.30
- - - - central P28.31
- - - - mixed P28.33
- - - - obstructive P28.32
- - - - specified NEC P28.39
- - specified NEC P28.49
- prematurity P28.49
- sleep G47.30
- - central (primary) G47.31
- - - idiopathic G47.31
- - - in conditions classified elsewhere G47.37
- - obstructive (adult) (pediatric) G47.33
- - - hypopnea G47.33
- - primary central G47.31
- - specified NEC G47.39

Apneumatosis, newborn P28.0

Apocrine metaplasia (breast) -*see* Dysplasia, mammary, specified type NEC

Apophysitis (bone) -*see also* Osteochondropathy
- calcaneus M92.6
- juvenile M92.9

Apoplectiform convulsions (cerebral ischemia) I67.82

Apoplexia, apoplexy, apoplectic
- adrenal A39.1
- heart (auricle) (ventricle) -*see* Infarct, myocardium
- heat T67.01
- hemorrhagic (stroke) -*see* Hemorrhage, intracranial
- meninges, hemorrhagic -*see* Hemorrhage, intracranial, subarachnoid
- uremic N18.9 *[I68.8]*

Appearance
- bizarre R46.1
- specified NEC R46.89
- very low level of personal hygiene R46.0

Appendage
- epididymal (organ of Morgagni) Q55.4
- intestine (epiploic) Q43.8
- preauricular Q17.0
- testicular (organ of Morgagni) Q55.29

Appendicitis (pneumococcal) (retrocecal) K37
- with
- - gangrene K35.891
- - - with localized peritonitis K35.31
- - perforation NOS K35.32
- - peritoneal abscess K35.33
- - peritonitis NEC K35.33
- - - generalized K35.209
- - - - with
- - - - - abscess K35.219
- - - - - - with perforation or rupture K35.211
- - - - - - following rupture or perforation of appendix NOS K35.211
- - - - - - without perforation or rupture K35.210
- - - - - perforation or rupture K35.201
- - - - following rupture or perforation of appendix NOS K35.201
- - - - without rupture or perforation of appendix K35.200
- - - localized K35.30
- - - - with
- - - - - gangrene K35.31
- - - - - perforation K35.32

- - - - - - and abscess K35.33
- - - rupture (with localized peritonitis) K35.32
- acute (catarrhal) (fulminating) (obstructive) (retrocecal) (suppurative) K35.80
- - with
- - - gangrene K35.891
- - - peritoneal abscess K35.33
- - - peritonitis NEC K35.33
- - - - generalized K35.209
- - - - - with
- - - - - - abscess K35.219
- - - - - - - with perforation or rupture K35.211
- - - - - - - following rupture or perforation of appendix NOS K35.211
- - - - - - - without perforation or rupture K35.210
- - - - - - perforation or rupture K35.201
- - - - - following rupture or perforation of appendix NOS K35.201
- - - - - without rupture or perforation of appendix K35.200
- - - - localized K35.30
- - - - - with
- - - - - - gangrene K35.31
- - - - - - perforation K35.32
- - - - - - - and abscess K35.33
- - specified NEC K35.890
- - - with gangrene K35.891
- - - - with localized peritonitis K35.31
- amebic A06.89
- chronic (recurrent) K36
- exacerbation -*see* Appendicitis, with, gangrene
- gangrenous -*see* Appendicitis, acute
- healed (obliterative) K36
- interval K36
- neurogenic K36
- obstructive K36
- recurrent K36
- relapsing K36
- ruptured NOS (with localized peritonitis) K35.32
- subacute (adhesive) K36
- subsiding K36
- suppurative -*see* Appendicitis, acute
- tuberculous A18.32

Appendicopathia oxyurica B80

Appendix, appendicular -*see also* condition
- epididymis Q55.4
- Morgagni
- - female Q50.5
- - male (epididymal) Q55.4
- - - testicular Q55.29
- testis Q55.29

Appetite
- depraved -*see* Pica
- excessive R63.2
- lack or loss -*see also* Anorexia R63.0
- - nonorganic origin F50.89
- - psychogenic F50.89
- perverted (hysterical) -*see* Pica

Apple peel syndrome Q41.1

Apprehension state F41.1

Apprehensiveness, abnormal F41.9

Approximal wear K03.0

Apraxia (classic) (ideational) (ideokinetic) (ideomotor) (motor) (verbal) R48.2
- following

- - cerebrovascular disease I69.990
- - - cerebral infarction I69.390
- - - intracerebral hemorrhage I69.190
- - - nontraumatic intracranial hemorrhage NEC I69.290
- - - specified disease NEC I69.890
- - - subarachnoid hemorrhage I69.090
- oculomotor, congenital H51.8
Aptyalism K11.7
Apudoma -*see* Neoplasm, uncertain behavior, by site
Aqueous misdirection H40.83-
Arabicum elephantiasis -*see* Infestation, filarial
Arachnitis -*see* Meningitis
Arachnodactyly -*see* Syndrome, Marfan
Arachnoiditis (acute) (adhesive) (basal) (brain) (cerebrospinal) -*see* Meningitis
Arachnophobia F40.210
Arboencephalitis, Australian A83.4
Arborization block (heart) I45.5
ARC (AIDS-related complex) B20
Arch
- aortic Q25.49
- bovine Q25.49
Arches -*see* condition
Arcuate uterus Q51.810
Arcuatus uterus Q51.810
Arcus (cornea) senilis -*see* Degeneration, cornea, senile
Arc-welder's lung J63.4
Areflexia R29.2
Areola -*see* condition
Argentaffinoma -*see also* Neoplasm, uncertain behavior, by site
- malignant -*see* Neoplasm, malignant, by site
- syndrome E34.09
Argininemia E72.21
Arginosuccinic aciduria E72.22
Argyll Robertson phenomenon, pupil or syndrome (syphilitic) A52.19
- atypical H57.09
- nonsyphilitic H57.09
Argyria, argyriasis
- conjunctival H11.13-
- from drug or medicament -*see* Table of Drugs and Chemicals, by substance
Argyrosis, conjunctival H11.13-
Arhinencephaly Q04.1
Ariboflavinosis E53.0
Arm -*see* condition
Arnold-Chiari disease, obstruction or syndrome (type II) Q07.00
- with
- - hydrocephalus Q07.02
- - - with spina bifida Q07.03
- - spina bifida Q07.01
- - - with hydrocephalus Q07.03
- type III -*see* Encephalocele
- type IV Q04.8
Aromatic amino-acid metabolism disorder E70.9
- specified NEC E70.89
Arousals, confusional G47.51
Arrest, arrested
- cardiac I46.9
- - complicating
- - - abortion -*see* Abortion, by type, complicated by, cardiac arrest
- - - anesthesia (general) (local) or other sedation -*see* Table of Drugs and Chemicals, by drug,
- - - - in labor and delivery O74.2

- - - - in pregnancy O29.11-
- - - - postpartum, puerperal O89.1
- - - delivery (cesarean) (instrumental) O75.4
- - due to
- - - cardiac condition I46.2
- - - specified condition NEC I46.8
- - intraoperative I97.71-
- - newborn P29.81
- - personal history, successfully resuscitated Z86.74
- - postprocedural I97.12-
- - - obstetric procedure O75.4
- cardiorespiratory -*see* Arrest, cardiac
- circulatory -*see* Arrest, cardiac
- deep transverse O64.0
- development or growth
- - bone -*see* Disorder, bone, development or growth
- - child R62.50
- - tracheal rings Q32.1
- epiphyseal
- - complete
- - - femur M89.15-
- - - humerus M89.12-
- - - tibia M89.16-
- - - ulna M89.13-
- - forearm M89.13-
- - - specified NEC M89.13-
- - - ulna -*see* Arrest, epiphyseal, by type, ulna
- - lower leg M89.16-
- - - specified NEC M89.168
- - - tibia -*see* Arrest, epiphyseal, by type, tibia
- - partial
- - - femur M89.15-
- - - humerus M89.12-
- - - tibia M89.16-
- - - ulna M89.13-
- - specified NEC M89.18
- granulopoiesis -*see* Agranulocytosis
- growth plate -*see* Arrest, epiphyseal
- heart -*see* Arrest, cardiac
- legal, anxiety concerning Z65.3
- physeal -*see* Arrest, epiphyseal
- respiratory R09.2
- - newborn P28.81
- sinus I45.5
- spermatogenesis (complete) -*see* Azoospermia
- - incomplete -*see* Oligospermia
- transverse (deep) O64.0

Arrhenoblastoma

- benign
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site
- - - female D27.9
- - - male D29.20
- malignant
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site
- - - female C56.9
- - - male C62.90
- specified site -*see* Neoplasm, uncertain behavior, by site
- unspecified site

- - female D39.10
- - male D40.10
Arrhythmia (auricle)(cardiac)(juvenile)(nodal)(reflex)(supraventricular)(transitory)(ventricle) I49.9
- block I45.9
- extrasystolic I49.49
- newborn
- - bradycardia P29.12
- - occurring before birth P03.819
- - - before onset of labor P03.810
- - - during labor P03.811
- - tachycardia P29.11
- psychogenic F45.8
- sinus I49.8
- specified NEC I49.8
- vagal R55
- ventricular re-entry I47.0
Arrillaga-Ayerza syndrome (pulmonary sclerosis with pulmonary hypertension) I27.0
Arsenical pigmentation L81.8
- from drug or medicament -*see* Table of Drugs and Chemicals
Arsenism -*see* Poisoning, arsenic
Arterial -*see* condition
Arteriofibrosis -*see* Arteriosclerosis
Arteriolar sclerosis -*see* Arteriosclerosis
Arteriolith -*see* Arteriosclerosis
Arteriolitis I77.6
- necrotizing, kidney I77.5
- renal -*see* Hypertension, kidney
Arteriolosclerosis -*see* Arteriosclerosis
Arterionephrosclerosis -*see* Hypertension, kidney
Arteriopathy I77.9
- cerebral autosomal dominant, with subcortical infarcts and leukoencephalopathy (CADASIL) I67.850
Arteriosclerosis, arteriosclerotic (diffuse) (obliterans) (of) (senile) (with calcification) I70.90
- with
- - chronic limb-threatening ischemia -*see* Arteriosclerosis, with critical limb ischemia
- - critical limb ischemia
- - - bypass graft I70.329
- - - - autologous vein graft I70.429
- - - - - leg I70.429
- - - - - - with
- - - - - - - gangrene (and intermittent claudication, rest pain, and ulcer) I70.469
- - - - - - - rest pain (and intermittent claudication) I70.429
- - - - - - bilateral I70.423
- - - - - - - with
- - - - - - - - gangrene (and intermittent claudication, rest pain, and ulcer) I70.463
- - - - - - - - rest pain (and intermittent claudication) I70.423
- - - - - - left I70.422
- - - - - - - with
- - - - - - - - gangrene (and intermittent claudication, rest pain, and ulcer) I70.462
- - - - - - - - rest pain (and intermittent claudication) I70.422
- - - - - - - - ulceration (and intermittent claudication and rest pain) I70.449
- - - - - - - - - ankle I70.443
- - - - - - - - - calf I70.442
- - - - - - - - - foot site NEC I70.445
- - - - - - - - - heel I70.444
- - - - - - - - - lower leg NEC I70.448
- - - - - - - - - mid foot I70.444
- - - - - - - - - thigh I70.441
- - - - - - right I70.421
- - - - - - - with
- - - - - - - - gangrene (and intermittent claudication, rest pain, and ulcer) I70.461

- - - - - - - - rest pain (and intermittent claudication) I70.421
- - - - - - - - ulceration (and intermittent claudication and rest pain) I70.439
- - - - - - - - - ankle I70.433
- - - - - - - - - calf I70.432
- - - - - - - - - foot site NEC I70.435
- - - - - - - - - heel I70.434
- - - - - - - - - lower leg NEC I70.438
- - - - - - - - - midfoot I70.434
- - - - - - - - - thigh I70.431
- - - - leg I70.329
- - - - - with
- - - - - - gangrene (and intermittent claudication, rest pain, and ulcer) I70.369
- - - - - - rest pain (and intermittent claudication) I70.329
- - - - - bilateral I70.323
- - - - - - with
- - - - - - - gangrene (and intermittent claudication, rest pain, and ulcer) I70.363
- - - - - - - rest pain (and intermittent claudication) I70.323
- - - - - left I70.322
- - - - - - with
- - - - - - - gangrene (and intermittent claudication, rest pain, and ulcer) I70.362
- - - - - - - rest pain (and intermittent claudication) I70.322
- - - - - - - ulceration (and intermittent claudication and rest pain) I70.349
- - - - - - - - ankle I70.343
- - - - - - - - calf I70.342
- - - - - - - - foot site NEC I70.345
- - - - - - - - heel I70.344
- - - - - - - - lower leg NEC I70.348
- - - - - - - - midfoot I70.344
- - - - - - - - thigh I70.341
- - - - - right I70.321
- - - - - - with
- - - - - - - gangrene (and intermittent claudication, rest pain, and ulcer) I70.361
- - - - - - - rest pain (and intermittent claudication) I70.321
- - - - - - - ulceration (and intermittent claudication and rest pain) I70.339
- - - - - - - - ankle I70.333
- - - - - - - - calf I70.332
- - - - - - - - foot site NEC I70.335
- - - - - - - - heel I70.334
- - - - - - - - lower leg NEC I70.338
- - - - - - - - midfoot I70.334
- - - - - - - - thigh I70.331
- - - - nonautologous biological graft I70.529
- - - - - leg I70.529
- - - - - - with
- - - - - - - gangrene (and intermittent claudication, rest pain, and ulcer) I70.569
- - - - - - - rest pain (and intermittent claudication) I70.529
- - - - - - bilateral I70.523
- - - - - - - with
- - - - - - - - gangrene (and intermittent claudication, rest pain, and ulcer) I70.563
- - - - - - - - rest pain (and intermittent claudication) I70.523
- - - - - - left I70.522
- - - - - - - with
- - - - - - - - gangrene (and intermittent claudication, rest pain, and ulcer) I70.562
- - - - - - - - rest pain (and intermittent claudication) I70.522
- - - - - - - - ulceration (and intermittent claudication and rest pain) I70.549
- - - - - - - - - ankle I70.543
- - - - - - - - - calf I70.542
- - - - - - - - - foot site NEC I70.545
- - - - - - - - - heel I70.544
- - - - - - - - - lower leg NEC I70.548

- - - - - - - - - midfoot I70.544
- - - - - - - - - thigh I70.541
- - - - - - right I70.521
- - - - - - - with
- - - - - - - - gangrene (and intermittent claudication, rest pain, and ulcer) I70.561
- - - - - - - - rest pain (and intermittent claudication) I70.521
- - - - - - - - ulceration (and intermittent claudication and rest pain) I70.539
- - - - - - - - - ankle I70.533
- - - - - - - - - calf I70.532
- - - - - - - - - foot site NEC I70.535
- - - - - - - - - heel I70.534
- - - - - - - - - lower leg NEC I70.538
- - - - - - - - - midfoot I70.534
- - - - - - - - - thigh I70.531
- - - - nonbiological graft I70.629
- - - - - leg I70.629
- - - - - - with
- - - - - - - gangrene (and intermittent claudication, rest pain, and ulcer) I70.669
- - - - - - - rest pain (and intermittent claudication) I70.629
- - - - - - bilateral I70.623
- - - - - - - with
- - - - - - - - gangrene (and intermittent claudication, rest pain, and ulcer) I70.663
- - - - - - - - rest pain (and intermittent claudication) I70.623
- - - - - - left I70.622
- - - - - - - with
- - - - - - - - gangrene (and intermittent claudication, rest pain, and ulcer) I70.662
- - - - - - - - rest pain (and intermittent claudication) I70.622
- - - - - - - - ulceration (and intermittent claudication and rest pain) I70.649
- - - - - - - - - ankle I70.643
- - - - - - - - - calf I70.642
- - - - - - - - - foot site NEC I70.645
- - - - - - - - - heel I70.644
- - - - - - - - - lower leg NEC I70.648
- - - - - - - - - midfoot I70.644
- - - - - - - - - thigh I70.641
- - - - - - right I70.621
- - - - - - - with
- - - - - - - - gangrene (and intermittent claudication, rest pain, and ulcer) I70.661
- - - - - - - - rest pain (and intermittent claudication) I70.621
- - - - - - - - ulceration (and intermittent claudication and rest pain) I70.639
- - - - - - - - - ankle I70.633
- - - - - - - - - calf I70.632
- - - - - - - - - foot site NEC I70.635
- - - - - - - - - heel I70.634
- - - - - - - - - lower leg NEC I70.638
- - - - - - - - - midfoot I70.634
- - - - - - - - - thigh I70.631
- - - - specified graft NEC I70.729
- - - - - leg I70.729
- - - - - - with
- - - - - - - gangrene (and intermittent claudication, rest pain, and ulcer) I70.769
- - - - - - - rest pain (and intermittent claudication) I70.729
- - - - - - bilateral I70.723
- - - - - - - with
- - - - - - - - gangrene (and intermittent claudication, rest pain, and ulcer) I70.763
- - - - - - - - rest pain (and intermittent claudication) I70.723
- - - - - - left I70.722
- - - - - - - with
- - - - - - - - gangrene (and intermittent claudication, rest pain, and ulcer) I70.762
- - - - - - - - rest pain (and intermittent claudication) I70.722

- - - - - - - - ulceration (and intermittent claudication and rest pain) I70.749
- - - - - - - - - ankle I70.743
- - - - - - - - - calf I70.742
- - - - - - - - - foot site NEC I70.745
- - - - - - - - - heel I70.744
- - - - - - - - - lower leg NEC I70.748
- - - - - - - - - midfoot I70.744
- - - - - - - - - thigh I70.741
- - - - - - right I70.721
- - - - - - - with
- - - - - - - - gangrene (and intermittent claudication, rest pain, and ulcer) I70.761
- - - - - - - - rest pain (and intermittent claudication) I70.721
- - - - - - - - ulceration (and intermittent claudication and rest pain) I70.739
- - - - - - - - - ankle I70.733
- - - - - - - - - calf I70.732
- - - - - - - - - foot site NEC I70.735
- - - - - - - - - heel I70.734
- - - - - - - - - lower leg NEC I70.738
- - - - - - - - - midfoot I70.734
- - - - - - - - - thigh I70.731
- - - leg I70.229
- - - - with
- - - - - gangrene (and intermittent claudication, rest pain, and ulcer) I70.269
- - - - - rest pain (and intermittent claudication) I70.229
- - - - bilateral I70.223
- - - - - with
- - - - - - gangrene (and intermittent claudication, rest pain, and ulcer) I70.263
- - - - - - rest pain (and intermittent claudication) I70.223
- - - - left I70.222
- - - - - with
- - - - - - gangrene (and intermittent claudication, rest pain, and ulcer) I70.262
- - - - - - rest pain (and intermittent claudication) I70.222
- - - - - - ulceration (and intermittent claudication and rest pain) I70.249
- - - - - - - ankle I70.243
- - - - - - - calf I70.242
- - - - - - - foot site NEC I70.245
- - - - - - - heel I70.244
- - - - - - - lower leg NEC I70.248
- - - - - - - midfoot I70.244
- - - - - - - thigh I70.241
- - - - right I70.221
- - - - - with
- - - - - - gangrene (and intermittent claudication, rest pain, and ulcer) I70.261
- - - - - - rest pain (and intermittent claudication) I70.221
- - - - - - ulceration (and intermittent claudication and rest pain) I70.239
- - - - - - - ankle I70.233
- - - - - - - calf I70.232
- - - - - - - foot site NEC I70.235
- - - - - - - heel I70.234
- - - - - - - lower leg NEC I70.238
- - - - - - - midfoot I70.234
- - - - - - - thigh I70.231
- aorta I70.0
- arteries of extremities -*see* Arteriosclerosis, extremities
- - with
- - - chronic limb-threatening ischemia -*see* Arteriosclerosis, with critical limb ischemia
- - - critical limb ischemia -*see* Arteriosclerosis, with critical limb ischemia
- brain I67.2
- - with infarction -*see* Occlusion, artery, brain or cerebral, with infarction
- bypass graft

- - with
- - - chronic limb-threatening ischemia -*see* Arteriosclerosis, with critical limb ischemia
- - - critical limb ischemia -*see* Arteriosclerosis, with critical limb ischemia
- - coronary -*see* Arteriosclerosis, coronary, bypass graft
- - extremities -*see* Arteriosclerosis, extremities, bypass graft
- cardiac -*see* Disease, heart, ischemic, atherosclerotic
- cardiopathy -*see* Disease, heart, ischemic, atherosclerotic
- cardiorenal -*see* Hypertension, cardiorenal
- cardiovascular -*see* Disease, heart, ischemic, atherosclerotic
- carotid -*see also* Occlusion, artery, carotid I65.2-
- central nervous system I67.2
- - with infarction -*see* Occlusion, artery, cerebral or precerebral, with infarction
- cerebral I67.2
- - with infarction -*see* Occlusion, artery, brain or cerebral, with infarction
- cerebrovascular I67.2
- - with infarction -*see* Occlusion, artery, brain or cerebral, with infarction
- coronary (artery) I25.10
- - due to
- - - calcified coronary lesion (severely) I25.84
- - - lipid rich plaque I25.83
- - bypass graft I25.810
- - - with
- - - - angina pectoris I25.709
- - - - - with documented spasm I25.701
- - - - - refractory I25.702
- - - - - specified type NEC I25.708
- - - - - unstable I25.700
- - - - ischemic chest pain I25.709
- - - autologous artery I25.810
- - - - with
- - - - - angina pectoris I25.729
- - - - - - with documented spasm I25.721
- - - - - - refractory I25.722
- - - - - - specified type I25.728
- - - - - - unstable I25.720
- - - - - ischemic chest pain I25.729
- - - autologous vein I25.810
- - - - with
- - - - - angina pectoris I25.719
- - - - - - with documented spasm I25.711
- - - - - - refractory I25.712
- - - - - - specified type I25.718
- - - - - - unstable I25.710
- - - - - ischemic chest pain I25.719
- - - nonautologous biological I25.810
- - - - with
- - - - - angina pectoris I25.739
- - - - - - with documented spasm I25.731
- - - - - - refractory I25.732
- - - - - - specified type I25.738
- - - - - - unstable I25.730
- - - - - ischemic chest pain I25.739
- - - specified type NEC I25.810
- - - - with
- - - - - angina pectoris I25.799
- - - - - - with documented spasm I25.791
- - - - - - refractory I25.792
- - - - - - specified type I25.798
- - - - - - unstable I25.790
- - - - - ischemic chest pain I25.799

- - native vessel
- - - with
- - - - angina pectoris I25.119
- - - - - with documented spasm I25.111
- - - - - refractory I25.112
- - - - - specified type NEC I25.118
- - - - - unstable I25.110
- - - - ischemic chest pain I25.119
- - transplanted heart I25.811
- - - bypass graft I25.812
- - - - with
- - - - - angina pectoris I25.769
- - - - - - with documented spasm I25.761
- - - - - - refractory I25.762
- - - - - - specified type I25.768
- - - - - - unstable I25.760
- - - - - ischemic chest pain I25.769
- - - native coronary artery I25.811
- - - - with
- - - - - angina pectoris I25.759
- - - - - - with documented spasm I25.751
- - - - - - refractory I25.752
- - - - - - specified type I25.758
- - - - - - unstable I25.750
- - - - - ischemic chest pain I25.759
- extremities (native arteries) I70.209
- - with
- - - chronic limb-threatening ischemia *-see* Arteriosclerosis, with critical limb ischemia
- - - critical limb ischemia *-see* Arteriosclerosis, with critical limb ischemia
- - bypass graft I70.309
- - - with
- - - - chronic limb-threatening ischemia *-see* Arteriosclerosis, with critical limb ischemia
- - - - critical limb ischemia *-see* Arteriosclerosis, with critical limb ischemia
- - - autologous vein graft I70.409
- - - - leg I70.409
- - - - - with
- - - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.469
- - - - - - intermittent claudication I70.419
- - - - - - rest pain (and intermittent claudication) I70.429
- - - - - bilateral I70.403
- - - - - - with
- - - - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.463
- - - - - - - intermittent claudication I70.413
- - - - - - - rest pain (and intermittent claudication) I70.423
- - - - - - specified type NEC I70.493
- - - - - left I70.402
- - - - - - with
- - - - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.462
- - - - - - - intermittent claudication I70.412
- - - - - - - rest pain (and intermittent claudication) I70.422
- - - - - - - ulceration (and intermittent claudication and rest pain) I70.449
- - - - - - - - ankle I70.443
- - - - - - - - calf I70.442
- - - - - - - - foot site NEC I70.445
- - - - - - - - heel I70.444
- - - - - - - - lower leg NEC I70.448
- - - - - - - - midfoot I70.444
- - - - - - - - thigh I70.441
- - - - - - specified type NEC I70.492
- - - - - right I70.401

- - - - - - with
- - - - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.461
- - - - - - - intermittent claudication I70.411
- - - - - - - rest pain (and intermittent claudication) I70.421
- - - - - - - ulceration (and intermittent claudication and rest pain) I70.439
- - - - - - - - ankle I70.433
- - - - - - - - calf I70.432
- - - - - - - - foot site NEC I70.435
- - - - - - - - heel I70.434
- - - - - - - - lower leg NEC I70.438
- - - - - - - - midfoot I70.434
- - - - - - - - thigh I70.431
- - - - - - specified type NEC I70.491
- - - - - specified type NEC I70.499
- - - - specified NEC I70.408
- - - - - with
- - - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.468
- - - - - - intermittent claudication I70.418
- - - - - - rest pain (and intermittent claudication) I70.428
- - - - - - ulceration (and intermittent claudication and rest pain) I70.45
- - - - - specified type NEC I70.498
- - - leg I70.309
- - - - with
- - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.369
- - - - - intermittent claudication I70.319
- - - - - rest pain (and intermittent claudication) I70.329
- - - - bilateral I70.303
- - - - - with
- - - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.363
- - - - - - intermittent claudication I70.313
- - - - - - rest pain (and intermittent claudication) I70.323
- - - - - specified type NEC I70.393
- - - - left I70.302
- - - - - with
- - - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.362
- - - - - - intermittent claudication I70.312
- - - - - - rest pain (and intermittent claudication) I70.322
- - - - - - ulceration (and intermittent claudication and rest pain) I70.349
- - - - - - - ankle I70.343
- - - - - - - calf I70.342
- - - - - - - foot site NEC I70.345
- - - - - - - heel I70.344
- - - - - - - lower leg NEC I70.348
- - - - - - - midfoot I70.344
- - - - - - - thigh I70.341
- - - - - specified type NEC I70.392
- - - - right I70.301
- - - - - with
- - - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.361
- - - - - - intermittent claudication I70.311
- - - - - - rest pain (and intermittent claudication) I70.321
- - - - - - ulceration (and intermittent claudication and rest pain) I70.339
- - - - - - - ankle I70.333
- - - - - - - calf I70.332
- - - - - - - foot site NEC I70.335
- - - - - - - heel I70.334
- - - - - - - lower leg NEC I70.338
- - - - - - - midfoot I70.334
- - - - - - - thigh I70.331
- - - - - specified type NEC I70.391

- - - - specified type NEC I70.399
- - - nonautologous biological graft I70.509
- - - - leg I70.509
- - - - - with
- - - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.569
- - - - - - intermittent claudication I70.519
- - - - - - rest pain (and intermittent claudication) I70.529
- - - - - bilateral I70.503
- - - - - - with
- - - - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.563
- - - - - - - intermittent claudication I70.513
- - - - - - - rest pain (and intermittent claudication) I70.523
- - - - - - specified type NEC I70.593
- - - - - left I70.502
- - - - - - with
- - - - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.562
- - - - - - - intermittent claudication I70.512
- - - - - - - rest pain (and intermittent claudication) I70.522
- - - - - - - ulceration (and intermittent claudication and rest pain) I70.549
- - - - - - - - ankle I70.543
- - - - - - - - calf I70.542
- - - - - - - - foot site NEC I70.545
- - - - - - - - heel I70.544
- - - - - - - - lower leg NEC I70.548
- - - - - - - - midfoot I70.544
- - - - - - - - thigh I70.541
- - - - - - specified type NEC I70.592
- - - - - right I70.501
- - - - - - with
- - - - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.561
- - - - - - - intermittent claudication I70.511
- - - - - - - rest pain (and intermittent claudication) I70.521
- - - - - - - ulceration (and intermittent claudication and rest pain) I70.539
- - - - - - - - ankle I70.533
- - - - - - - - calf I70.532
- - - - - - - - foot site NEC I70.535
- - - - - - - - heel I70.534
- - - - - - - - lower leg NEC I70.538
- - - - - - - - midfoot I70.534
- - - - - - - - thigh I70.531
- - - - - - specified type NEC I70.591
- - - - - specified type NEC I70.599
- - - - specified NEC I70.508
- - - - - with
- - - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.568
- - - - - - intermittent claudication I70.518
- - - - - - rest pain (and intermittent claudication) I70.528
- - - - - - ulceration (and intermittent claudication and rest pain) I70.55
- - - - - specified type NEC I70.598
- - - nonbiological graft I70.609
- - - - leg I70.609
- - - - - with
- - - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.669
- - - - - - intermittent claudication I70.619
- - - - - - rest pain (and intermittent claudication) I70.629
- - - - - bilateral I70.603
- - - - - - with
- - - - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.663
- - - - - - - intermittent claudication I70.613
- - - - - - - rest pain (and intermittent claudication) I70.623

- - - - - - specified type NEC I70.693
- - - - - left I70.602
- - - - - - with
- - - - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.662
- - - - - - - intermittent claudication I70.612
- - - - - - - rest pain (and intermittent claudication) I70.622
- - - - - - - ulceration (and intermittent claudication and rest pain) I70.649
- - - - - - - - ankle I70.643
- - - - - - - - calf I70.642
- - - - - - - - foot site NEC I70.645
- - - - - - - - heel I70.644
- - - - - - - - lower leg NEC I70.648
- - - - - - - - midfoot I70.644
- - - - - - - - thigh I70.641
- - - - - - specified type NEC I70.692
- - - - - right I70.601
- - - - - - with
- - - - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.661
- - - - - - - intermittent claudication I70.611
- - - - - - - rest pain (and intermittent claudication) I70.621
- - - - - - - ulceration (and intermittent claudication and rest pain) I70.639
- - - - - - - - ankle I70.633
- - - - - - - - calf I70.632
- - - - - - - - foot site NEC I70.635
- - - - - - - - heel I70.634
- - - - - - - - lower leg NEC I70.638
- - - - - - - - midfoot I70.634
- - - - - - - - thigh I70.631
- - - - - - specified type NEC I70.691
- - - - - specified type NEC I70.699
- - - - specified NEC I70.608
- - - - - with
- - - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.668
- - - - - - intermittent claudication I70.618
- - - - - - rest pain (and intermittent claudication) I70.628
- - - - - - ulceration (and intermittent claudication and rest pain) I70.65
- - - - - specified type NEC I70.698
- - - specified graft NEC I70.709
- - - - leg I70.709
- - - - - with
- - - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.769
- - - - - - intermittent claudication I70.719
- - - - - - rest pain (and intermittent claudication) I70.729
- - - - - bilateral I70.703
- - - - - - with
- - - - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.763
- - - - - - - intermittent claudication I70.713
- - - - - - - rest pain (and intermittent claudication) I70.723
- - - - - - specified type NEC I70.793
- - - - - left I70.702
- - - - - - with
- - - - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.762
- - - - - - - intermittent claudication I70.712
- - - - - - - rest pain (and intermittent claudication) I70.722
- - - - - - - ulceration (and intermittent claudication and rest pain) I70.749
- - - - - - - - ankle I70.743
- - - - - - - - calf I70.742
- - - - - - - - foot site NEC I70.745
- - - - - - - - heel I70.744
- - - - - - - - lower leg NEC I70.748

- - - - - - - - midfoot I70.744
- - - - - - - - thigh I70.741
- - - - - - specified type NEC I70.792
- - - - - right I70.701
- - - - - - with
- - - - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.761
- - - - - - - intermittent claudication I70.711
- - - - - - - rest pain (and intermittent claudication) I70.721
- - - - - - - ulceration (and intermittent claudication and rest pain) I70.739
- - - - - - - - ankle I70.733
- - - - - - - - calf I70.732
- - - - - - - - foot site NEC I70.735
- - - - - - - - heel I70.734
- - - - - - - - lower leg NEC I70.738
- - - - - - - - midfoot I70.734
- - - - - - - - thigh I70.731
- - - - - - specified type NEC I70.791
- - - - - specified type NEC I70.799
- - - - specified NEC I70.708
- - - - - with
- - - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.768
- - - - - - intermittent claudication I70.718
- - - - - - rest pain (and intermittent claudication) I70.728
- - - - - - ulceration (and intermittent claudication and rest pain) I70.75
- - - - - specified type NEC I70.798
- - - specified NEC I70.308
- - - - with
- - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.368
- - - - - intermittent claudication I70.318
- - - - - rest pain (and intermittent claudication) I70.328
- - - - - ulceration (and intermittent claudication and rest pain) I70.35
- - - - specified type NEC I70.398
- - leg I70.209
- - - with
- - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.269
- - - - intermittent claudication I70.219
- - - - rest pain (and intermittent claudication) I70.229
- - - bilateral I70.203
- - - - with
- - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.263
- - - - - intermittent claudication I70.213
- - - - - rest pain (and intermittent claudication) I70.223
- - - - specified type NEC I70.293
- - - left I70.202
- - - - with
- - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.262
- - - - - intermittent claudication I70.212
- - - - - rest pain (and intermittent claudication) I70.222
- - - - - ulceration (and intermittent claudication and rest pain) I70.249
- - - - - - ankle I70.243
- - - - - - calf I70.242
- - - - - - foot site NEC I70.245
- - - - - - heel I70.244
- - - - - - lower leg NEC I70.248
- - - - - - midfoot I70.244
- - - - - - thigh I70.241
- - - - specified type NEC I70.292
- - - right I70.201
- - - - with
- - - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.261

- - - - - intermittent claudication I70.211
- - - - - rest pain (and intermittent claudication) I70.221
- - - - - ulceration (and intermittent claudication and rest pain) I70.239
- - - - - - ankle I70.233
- - - - - - calf I70.232
- - - - - - foot site NEC I70.235
- - - - - - heel I70.234
- - - - - - lower leg NEC I70.238
- - - - - - midfoot I70.234
- - - - - - thigh I70.231
- - - - specified type NEC I70.291
- - - specified type NEC I70.299
- - specified site NEC I70.208
- - - with
- - - - gangrene (and intermittent claudication, rest pain and ulcer) I70.268
- - - - intermittent claudication I70.218
- - - - rest pain (and intermittent claudication) I70.228
- - - - ulceration (and intermittent claudication and rest pain) I70.25
- - - specified type NEC I70.298
- generalized I70.91
- heart (disease) *-see* Arteriosclerosis, coronary (artery)
- kidney *-see* Hypertension, kidney
- medial *-see* Arteriosclerosis, extremities
- mesenteric (artery) K55.1
- Mönckeberg's *-see* Arteriosclerosis, extremities
- myocarditis I51.4
- peripheral (of extremities) *-see* Arteriosclerosis, extremities
- pulmonary (idiopathic) I27.0
- renal (arterioles) *-see also* Hypertension, kidney
- - artery I70.1
- retina (vascular) I70.8 *[H35.0-]*
- specified artery NEC I70.8
- spinal (cord) G95.19
- vertebral (artery) I67.2
- - with infarction *-see* Occlusion, artery, vertebral, with infarction

Arteriospasm I73.9

Arteriovenous *-see* condition

Arteritis I77.6
- allergic M31.0
- aorta (nonsyphilitic) I77.6
- - syphilitic A52.02
- aortic arch M31.4
- brachiocephalic M31.4
- brain I67.7
- - syphilitic A52.04
- cerebral I67.7
- - in
- - - diseases classified elsewhere I68.2
- - - systemic lupus erythematosus M32.19
- - listerial A32.89
- - syphilitic A52.04
- - tuberculous A18.89
- coronary (artery) I25.89
- - rheumatic I01.8
- - - chronic I09.89
- - syphilitic A52.06
- cranial (left) (right), giant cell M31.6
- deformans *-see* Arteriosclerosis
- giant cell NEC M31.6
- - with polymyalgia rheumatica M31.5

- necrosing or necrotizing M31.9
- - specified NEC M31.8
- nodosa M30.0
- obliterans -*see* Arteriosclerosis
- pulmonary I28.8
- rheumatic -*see* Fever, rheumatic
- senile -*see* Arteriosclerosis
- suppurative I77.2
- syphilitic (general) A52.09
- - brain A52.04
- - coronary A52.06
- - spinal A52.09
- temporal, giant cell M31.6
- young female aortic arch syndrome M31.4

Artery, arterial -*see also* condition
- abscess I77.89
- single umbilical Q27.0

Arthralgia (allergic) -*see also* Pain, joint
- in caisson disease T70.3
- temporomandibular M26.62-

Arthritis, arthritic (acute) (chronic) (nonpyogenic) (subacute) M19.90
- allergic -*see* Arthritis, specified form NEC
- ankylosing (crippling) (spine) -*see also* Spondylitis, ankylosing
- - sites other than spine -*see* Arthritis, specified form NEC
- atrophic -*see* Osteoarthritis
- - spine -*see* Spondylitis, ankylosing
- back -*see* Spondylopathy, inflammatory
- blennorrhagic (gonococcal) A54.42
- Charcot's -*see* Arthropathy, neuropathic
- - diabetic -*see* Diabetes, arthropathy, neuropathic
- - syringomyelic G95.0
- chylous (filarial) -*see also* category M01 B74.9
- climacteric (any site) NEC -*see* Arthritis, specified form NEC
- crystal (-induced) -*see* Arthritis, in, crystals
- deformans -*see* Osteoarthritis
- degenerative -*see* Osteoarthritis
- due to or associated with
- - acromegaly E22.0
- - brucellosis -*see* Brucellosis
- - caisson disease T70.3
- - diabetes -*see* Diabetes, arthropathy
- - dracontiasis -*see also* category M01 B72
- - enteritis NEC
- - - regional -*see* Enteritis, regional
- - erysipelas -*see also* category M01 A46
- - erythema
- - - epidemic A25.1
- - - nodosum L52
- - filariasis NOS B74.9
- - glanders A24.0
- - helminthiasis -*see also* category M01 B83.9
- - hemophilia D66 *[M36.2]*
- - Henoch- (Schönlein) purpura D69.0 *[M36.4]*
- - human parvovirus -*see also* category M01 B97.6
- - infectious disease NEC -see category M01
- - leprosy (see also category M01) -*see also* Leprosy A30.9
- - Lyme disease A69.23
- - mycobacteria -*see also* category M01 A31.8
- - parasitic disease NEC -*see also* category M01 B89
- - paratyphoid fever (see also category M01) -*see also* Fever, paratyphoid A01.4

- - rat bite fever -*see also* category M01 A25.1
- - regional enteritis -*see* Enteritis, regional
- - respiratory disorder NOS J98.9
- - serum sickness -*see also* Reaction, serum T80.69
- - syringomyelia G95.0
- - typhoid fever A01.04
- epidemic erythema A25.1
- facet joint -*see also* Spondylosis M47.819
- febrile -*see* Fever, rheumatic
- gonococcal A54.42
- gouty (acute) -*see* Gout
- in (due to)
- - acromegaly -*see also* subcategory M14.8- E22.0
- - amyloidosis -*see also* subcategory M14.8- E85.4
- - bacterial disease -*see also* subcategory M01 A49.9
- - Behçet's syndrome M35.2
- - caisson disease -*see also* subcategory M14.8- T70.3
- - coliform bacilli (Escherichia coli) -*see* Arthritis, in, pyogenic organism NEC
- - crystals M11.9
- - - dicalcium phosphate -*see* Arthritis, in, crystals, specified type NEC
- - - hydroxyapatite M11.0-
- - - pyrophosphate -*see* Arthritis, in, crystals, specified type NEC
- - - specified type NEC M11.80
- - - - ankle M11.87-
- - - - elbow M11.82-
- - - - foot joint M11.87-
- - - - hand joint M11.84-
- - - - hip M11.85-
- - - - knee M11.86-
- - - - multiple sites M11.8-
- - - - shoulder M11.81-
- - - - vertebrae M11.88
- - - - wrist M11.83-
- - dermatoarthritis, lipoid E78.81
- - dracontiasis (dracunculiasis) -*see also* category M01 B72
- - endocrine disorder NEC -*see also* subcategory M14.8- E34.9
- - enteritis, infectious NEC -*see also* category M01 A09
- - - specified organism NEC -*see also* category M01 A08.8
- - erythema
- - - multiforme -*see also* subcategory M14.8- L51.9
- - - nodosum -*see also* subcategory M14.8- L52
- - gout -*see* Gout
- - helminthiasis NEC -*see also* category M01 B83.9
- - hemochromatosis -*see also* subcategory M14.8- E83.118
- - hemoglobinopathy NEC D58.2 *[M36.3]*
- - hemophilia NEC D66 *[M36.2]*
- - Hemophilus influenzae M00.8- *[B96.3]*
- - Henoch (-Schönlein) purpura D69.0 *[M36.4]*
- - hyperparathyroidism NEC -*see also* subcategory M14.8- E21.3
- - hypersensitivity reaction NEC T78.49 *[M36.4]*
- - hypogammaglobulinemia -*see also* subcategory M14.8- D80.1
- - hypothyroidism NEC -*see also* subcategory M14.8- E03.9
- - infection -*see* Arthritis, pyogenic or pyemic
- - - spine -*see* Spondylopathy, infective
- - infectious disease NEC -see category M01
- - leprosy -*see also* category M01 A30.9
- - leukemia NEC C95.9- *[M36.1]*
- - lipoid dermatoarthritis E78.81
- - Lyme disease A69.23
- - Mediterranean fever, familial -*see also* subcategory M14.8- M04.1

- - Meningococcus A39.83
- - metabolic disorder NEC *-see also* subcategory M14.8- E88.9
- - multiple myelomatosis C90.0- *[M36.1]*
- - mumps B26.85
- - mycosis NEC *-see also* category M01 B49
- - myelomatosis (multiple) C90.0- *[M36.1]*
- - neurological disorder NEC G98.0
- - ochronosis *-see also* subcategory M14.8- E70.29
- - O'nyong-nyong *-see also* category M01 A92.1
- - parasitic disease NEC *-see also* category M01 B89
- - paratyphoid fever *-see also* category M01 A01.4
- - Pseudomonas *-see* Arthritis, pyogenic, bacterial NEC
- - psoriasis L40.50
- - pyogenic organism NEC *-see* Arthritis, pyogenic, bacterial NEC
- - Reiter's disease *-see* Reiter's disease
- - respiratory disorder NEC *-see also* subcategory M14.8- J98.9
- - reticulosis, malignant *-see also* subcategory M14.8- C86.0-
- - rubella B06.82
- - Salmonella (arizonae) (cholerae-suis) (enteritidis) (typhimurium) A02.23
- - sarcoidosis D86.86
- - specified bacteria NEC *-see* Arthritis, pyogenic, bacterial NEC
- - sporotrichosis B42.82
- - syringomyelia G95.0
- - thalassemia NEC D56.9 *[M36.3]*
- - tuberculosis *-see* Tuberculosis, arthritis
- - typhoid fever A01.04
- - urethritis, Reiter's *-see* Reiter's disease
- - viral disease NEC *-see also* category M01 B34.9
- infectious or infective *-see also* Arthritis, pyogenic or pyemic
- - spine *-see* Spondylopathy, infective
- juvenile M08.90
- - with systemic onset *-see* Still's disease
- - ankle M08.97-
- - elbow M08.92-
- - foot joint M08.97-
- - hand joint M08.94-
- - hip M08.95-
- - knee M08.96-
- - multiple site M08.99
- - pauciarticular M08.40
- - - ankle M08.47-
- - - elbow M08.42-
- - - foot joint M08.47-
- - - hand joint M08.44-
- - - hip M08.45-
- - - knee M08.46-
- - - shoulder M08.41-
- - - specified site NEC M08.4A
- - - vertebrae M08.48
- - - wrist M08.43-
- - psoriatic L40.54
- - rheumatoid *-see* Arthritis, rheumatoid, juvenile
- - shoulder M08.91-
- - specified site NEC M08.9A
- - vertebra M08.98
- - specified type NEC M08.80
- - - ankle M08.87-
- - - elbow M08.82-
- - - foot joint M08.87-
- - - hand joint M08.84-

- - - hip M08.85-
- - - knee M08.86-
- - - multiple site M08.89
- - - shoulder M08.81-
- - - specified joint NEC M08.88
- - - vertebrae M08.88
- - - wrist M08.83-
- - wrist M08.93-
- meaning osteoarthritis -*see* Osteoarthritis
- meningococcal A39.83
- menopausal (any site) NEC -*see* Arthritis, specified form NEC
- mutilans (psoriatic) L40.52
- mycotic NEC -*see also* category M01 B49
- neuropathic (Charcot) -*see* Arthropathy, neuropathic
- - diabetic -*see* Diabetes, arthropathy, neuropathic
- - nonsyphilitic NEC G98.0
- - syringomyelic G95.0
- ochronotic -*see also* subcategory M14.8- E70.29
- palindromic (any site) -*see* Rheumatism, palindromic
- pneumococcal M00.10
- - ankle M00.17-
- - elbow M00.12-
- - foot joint -*see* Arthritis, pneumococcal, ankle
- - hand joint M00.14-
- - hip M00.15-
- - knee M00.16-
- - multiple site M00.19
- - shoulder M00.11-
- - vertebra M00.18
- - wrist M00.13-
- postdysenteric -*see* Arthropathy, postdysenteric
- postmeningococcal A39.84
- postrheumatic, chronic -*see* Arthropathy, postrheumatic, chronic
- primary progressive -*see also* Arthritis, specified form NEC
- - spine -*see* Spondylitis, ankylosing
- psoriatic L40.50
- purulent (any site except spine) -*see* Arthritis, pyogenic or pyemic
- - spine -*see* Spondylopathy, infective
- pyogenic or pyemic (any site except spine) M00.9
- - bacterial NEC M00.80
- - - ankle M00.87-
- - - elbow M00.82-
- - - foot joint -*see* Arthritis, pyogenic, bacterial NEC, ankle
- - - hand joint M00.84-
- - - hip M00.85-
- - - knee M00.86-
- - - multiple site M00.89
- - - shoulder M00.81-
- - - vertebra M00.88
- - - wrist M00.83-
- - pneumococcal -*see* Arthritis, pneumococcal
- - spine -*see* Spondylopathy, infective
- - staphylococcal -*see* Arthritis, staphylococcal
- - streptococcal -*see* Arthritis, streptococcal NEC
- - - pneumococcal -*see* Arthritis, pneumococcal
- reactive -*see* Reiter's disease
- rheumatic -*see also* Arthritis, rheumatoid
- - acute or subacute -*see* Fever, rheumatic
- rheumatoid M06.9
- - with

- - - carditis -*see* Rheumatoid, carditis
- - - endocarditis -*see* Rheumatoid, carditis
- - - heart involvement NEC -*see* Rheumatoid, carditis
- - - lung involvement -*see* Rheumatoid, lung
- - - myocarditis -*see* Rheumatoid, carditis
- - - myopathy -*see* Rheumatoid, myopathy
- - - pericarditis -*see* Rheumatoid, carditis
- - - polyneuropathy -*see* Rheumatoid, polyneuropathy
- - - rheumatoid factor -*see* Arthritis, rheumatoid, seropositive
- - - splenoadenomegaly and leukopenia -*see* Felty's syndrome
- - - vasculitis -*see* Rheumatoid, vasculitis
- - - visceral involvement NEC -*see* Rheumatoid, arthritis, with involvement of organs NEC
- - juvenile (with or without rheumatoid factor) M08.00
- - - with systemic onset -*see* Still's disease
- - - ankle M08.07-
- - - elbow M08.02-
- - - foot joint M08.07-
- - - hand joint M08.04-
- - - hip M08.05-
- - - knee M08.06-
- - - multiple site M08.09
- - - shoulder M08.01-
- - - specified site NEC M08.0A
- - - vertebra M08.08
- - - wrist M08.03-
- - seronegative M06.00
- - - ankle M06.07-
- - - elbow M06.02-
- - - foot joint M06.07-
- - - hand joint M06.04-
- - - hip M06.05-
- - - knee M06.06-
- - - multiple site M06.09
- - - shoulder M06.01-
- - - specified site NEC M06.0A
- - - vertebra M06.08
- - - wrist M06.03-
- - seropositive M05.9
- - - specified NEC M05.80
- - - - ankle M05.87-
- - - - elbow M05.82-
- - - - foot joint M05.87-
- - - - hand joint M05.84-
- - - - hip M05.85-
- - - - knee M05.86-
- - - - multiple sites M05.89
- - - - shoulder M05.81-
- - - - specified site NEC M05.8A
- - - - vertebra -*see* Spondylitis, ankylosing
- - - - wrist M05.83-
- - - without organ involvement M05.70
- - - - ankle M05.77-
- - - - elbow M05.72-
- - - - foot joint M05.77-
- - - - hand joint M05.74-
- - - - hip M05.75-
- - - - knee M05.76-
- - - - multiple sites M05.79
- - - - shoulder M05.71-
- - - - specified site NEC M05.7A

- - - - vertebra -*see* Spondylitis, ankylosing
- - - - wrist M05.73-
- - specified type NEC M06.80
- - - ankle M06.87-
- - - elbow M06.82-
- - - foot joint M06.87-
- - - hand joint M06.84-
- - - hip M06.85-
- - - knee M06.86-
- - - multiple site M06.89
- - - shoulder M06.81-
- - - specified site NEC M06.8A
- - - vertebra M06.88
- - - wrist M06.83-
- - spine -*see* Spondylitis, ankylosing
- rubella B06.82
- scorbutic -*see also* subcategory M14.8- E54
- senile or senescent -*see* Osteoarthritis
- septic (any site except spine) -*see* Arthritis, pyogenic or pyemic
- - spine -*see* Spondylopathy, infective
- serum (nontherapeutic) (therapeutic) -*see* Arthropathy, postimmunization
- specified form NEC M13.80
- - ankle M13.87-
- - elbow M13.82-
- - foot joint M13.87-
- - hand joint M13.84-
- - hip M13.85-
- - knee M13.86-
- - multiple site M13.89
- - shoulder M13.81-
- - specified joint NEC M13.88
- - wrist M13.83-
- spine -*see also* Spondylosis
- - infectious or infective NEC -*see* Spondylopathy, infective
- - Marie-Strümpell -*see* Spondylitis, ankylosing
- - pyogenic -*see* Spondylopathy, infective
- - rheumatoid -*see* Spondylitis, ankylosing
- - traumatic (old) -*see* Spondylopathy, traumatic
- - tuberculous A18.01
- staphylococcal M00.00
- - ankle M00.07-
- - elbow M00.02-
- - foot joint -*see* Arthritis, staphylococcal, ankle
- - hand joint M00.04-
- - hip M00.05-
- - knee M00.06-
- - multiple site M00.09
- - shoulder M00.01-
- - vertebra M00.08
- - wrist M00.03-
- streptococcal NEC M00.20
- - ankle M00.27-
- - elbow M00.22-
- - foot joint -*see* Arthritis, streptococcal, ankle
- - hand joint M00.24-
- - hip M00.25-
- - knee M00.26-
- - multiple site M00.29
- - shoulder M00.21-
- - vertebra M00.28

- - wrist M00.23-
- suppurative *-see* Arthritis, pyogenic or pyemic
- syphilitic (late) A52.16
- - congenital A50.55 *[M12.80]*
- syphilitica deformans (Charcot) A52.16
- temporomandibular joint M26.64-
- toxic of menopause (any site) *-see* Arthritis, specified form NEC
- transient *-see* Arthropathy, specified form NEC
- traumatic (chronic) *-see* Arthropathy, traumatic
- tuberculous A18.02
- - spine A18.01
- uratic *-see* Gout
- urethritica (Reiter's) *-see* Reiter's disease
- vertebral *-see* Spondylopathy, inflammatory
- villous (any site) *-see* Arthropathy, specified form NEC

Arthrocele *-see* Effusion, joint

Arthrodesis status Z98.1

Arthrodynia *-see also* Pain, joint

Arthrodysplasia Q74.9

Arthrofibrosis, joint *-see* Ankylosis

Arthrogryposis (congenital) Q68.8
- multiplex congenita Q74.3

Arthrokatadysis M24.7

Arthropathy *-see also* Arthritis M12.9
- Charcot's *-see* Arthropathy, neuropathic
- - diabetic *-see* Diabetes, arthropathy, neuropathic
- - syringomyelic G95.0
- cricoarytenoid J38.7
- crystal (-induced) *-see* Arthritis, in, crystals
- diabetic NEC *-see* Diabetes, arthropathy
- distal interphalangeal, psoriatic L40.51
- enteropathic M07.60
- - ankle M07.67-
- - elbow M07.62-
- - foot joint M07.67-
- - hand joint M07.64-
- - hip M07.65-
- - knee M07.66-
- - multiple site M07.69
- - shoulder M07.61-
- - vertebra M07.68
- - wrist M07.63-
- facet joint *-see also* Spondylosis M47.819
- following intestinal bypass M02.00
- - ankle M02.07-
- - elbow M02.02-
- - foot joint M02.07-
- - hand joint M02.04-
- - hip M02.05-
- - knee M02.06-
- - multiple site M02.09
- - shoulder M02.01-
- - vertebra M02.08
- - wrist M02.03-
- gouty *-see also* Gout
- - in (due to)
- - - Lesch-Nyhan syndrome E79.1 *[M14.8-]*
- - - sickle-cell disorders D57- *[M14.8-]*
- hemophilic NEC D66 *[M36.2]*
- - in (due to)

- - - hyperparathyroidism NEC E21.3 *[M14.8-]*
- - - metabolic disease NOS E88.9 *[M14.8-]*
- in (due to)
- - acromegaly E22.0 *[M14.8-]*
- - amyloidosis E85.4 *[M14.8-]*
- - blood disorder NOS D75.9 *[M36.3]*
- - diabetes -*see* Diabetes, arthropathy
- - endocrine disease NOS E34.9 *[M14.8-]*
- - erythema
- - - multiforme L51.9 *[M14.8-]*
- - - nodosum L52 *[M14.8-]*
- - hemochromatosis E83.118 *[M14.8-]*
- - hemoglobinopathy NEC D58.2 *[M36.3]*
- - hemophilia NEC D66 *[M36.2]*
- - Henoch-Schönlein purpura D69.0 *[M36.4]*
- - hyperthyroidism E05.90 *[M14.8-]*
- - hypothyroidism E03.9 *[M14.8-]*
- - infective endocarditis I33.0 *[M12.80]*
- - leukemia NEC C95.9- *[M36.1]*
- - malignant histiocytosis C96.A *[M36.1]*
- - metabolic disease NOS E88.9 *[M14.8-]*
- - multiple myeloma C90.0- *[M36.1]*
- - neoplastic disease NOS (see also Neoplasm) D49.9 *[M36.1]*
- - nutritional deficiency -*see also* subcategory M14.8- E63.9
- - psoriasis NOS L40.50
- - sarcoidosis D86.86
- - syphilis (late) A52.77
- - - congenital A50.55 *[M12.80]*
- - thyrotoxicosis -*see also* subcategory M14.8- E05.90
- - ulcerative colitis K51.90 *[M07.60]*
- - viral hepatitis (postinfectious) NEC B19.9 *[M12.80]*
- - Whipple's disease -*see also* subcategory M14.8- K90.81
- Jaccoud -*see* Arthropathy, postrheumatic, chronic
- juvenile -*see* Arthritis, juvenile
- - psoriatic L40.54
- mutilans (psoriatic) L40.52
- neuropathic (Charcot) M14.60
- - ankle M14.67-
- - diabetic -*see* Diabetes, arthropathy, neuropathic
- - elbow M14.62-
- - foot joint M14.67-
- - hand joint M14.64-
- - hip M14.65-
- - knee M14.66-
- - multiple site M14.69
- - nonsyphilitic NEC G98.0
- - shoulder M14.61-
- - syringomyelic G95.0
- - vertebra M14.68
- - wrist M14.63-
- osteopulmonary -*see* Osteoarthropathy, hypertrophic, specified NEC
- postdysenteric M02.10
- - ankle M02.17-
- - elbow M02.12-
- - foot joint M02.17-
- - hand joint M02.14-
- - hip M02.15-
- - knee M02.16-
- - multiple site M02.19
- - shoulder M02.11-

- - vertebra M02.18
- - wrist M02.13-
- postimmunization M02.20
- - ankle M02.27-
- - elbow M02.22-
- - foot joint M02.27-
- - hand joint M02.24-
- - hip M02.25-
- - knee M02.26-
- - multiple site M02.29
- - shoulder M02.21-
- - vertebra M02.28
- - wrist M02.23-
- postinfectious NEC B99 *[M12.80]*
- - in (due to)
- - - enteritis due to Yersinia enterocolitica A04.6 *[M12.80]*
- - - syphilis A52.77
- - - viral hepatitis NEC B19.9 *[M12.80]*
- postrheumatic, chronic (Jaccoud) M12.00
- - ankle M12.07-
- - elbow M12.02-
- - foot joint M12.07-
- - hand joint M12.04-
- - hip M12.05-
- - knee M12.06-
- - multiple site M12.09
- - shoulder M12.01-
- - specified joint NEC M12.08
- - vertebrae M12.08
- - wrist M12.03-
- psoriatic NEC L40.59
- - interphalangeal, distal L40.51
- reactive M02.9
- - in (due to)
- - - infective endocarditis I33.0 *[M02.9]*
- - specified type NEC M02.80
- - - ankle M02.87-
- - - elbow M02.82-
- - - foot joint M02.87-
- - - hand joint M02.84-
- - - hip M02.85-
- - - knee M02.86-
- - - multiple site M02.89
- - - shoulder M02.81-
- - - vertebra M02.88
- - - wrist M02.83-
- specified form NEC M12.80
- - ankle M12.87-
- - elbow M12.82-
- - foot joint M12.87-
- - hand joint M12.84-
- - hip M12.85-
- - knee M12.86-
- - multiple site M12.89
- - shoulder M12.81-
- - specified joint NEC M12.88
- - vertebrae M12.88
- - wrist M12.83-
- syringomyelic G95.0
- tabes dorsalis A52.16

- tabetic A52.16
- temporomandibular joint M26.65-
- transient -*see* Arthropathy, specified form NEC
- traumatic M12.50
- - ankle M12.57-
- - elbow M12.52-
- - foot joint M12.57-
- - hand joint M12.54-
- - hip M12.55-
- - knee M12.56-
- - multiple site M12.59
- - shoulder M12.51-
- - specified joint NEC M12.58
- - vertebrae M12.58
- - wrist M12.53-

Arthropyosis -*see* Arthritis, pyogenic or pyemic

Arthrosis (deformans) (degenerative) (localized) -*see also* Osteoarthritis M19.90
- spine -*see* Spondylosis

Arthus' phenomenon or reaction T78.41
- due to
- - drug -*see* Table of Drugs and Chemicals, by drug

Articular -*see* condition

Articulation, reverse (teeth) M26.24

Artificial
- insemination complication -*see* Complications, artificial, fertilization
- opening status (functioning) (without complication) Z93.9
- - anus (colostomy) Z93.3
- - colostomy Z93.3
- - cystostomy Z93.50
- - - appendico-vesicostomy Z93.52
- - - cutaneous Z93.51
- - - specified NEC Z93.59
- - enterostomy Z93.4
- - gastrostomy Z93.1
- - ileostomy (ileal pouch) (Kock pouch) Z93.2
- - intestinal tract NEC Z93.4
- - jejunostomy Z93.4
- - nephrostomy Z93.6
- - specified site NEC Z93.8
- - tracheostomy Z93.0
- - ureterostomy Z93.6
- - urethrostomy Z93.6
- - urinary tract NEC Z93.6
- - vagina Z93.8
- vagina status Z93.8

Arytenoid -*see* condition

Asadollahi-Rauch syndrome Q87.85

Asbestosis (occupational) J61

ASC-H (atypical squamous cells cannot exclude high grade squamous intraepithelial lesion on cytologic smear)
- anus R85.611
- cervix R87.611
- vagina R87.621

ASC-US (atypical squamous cells of undetermined significance on cytologic smear)
- anus R85.610
- cervix R87.610
- vagina R87.620

Ascariasis B77.9
- with
- - complications NEC B77.89
- - intestinal complications B77.0

- - pneumonia, pneumonitis B77.81
Ascaridosis, ascaridiasis -*see* Ascariasis
Ascaris (infection) (infestation) (lumbricoides) -*see* Ascariasis
Ascending -*see* condition
Aschoff's bodies -*see* Myocarditis, rheumatic
Ascites (abdominal) R18.8
- cardiac -*see also* Failure, heart, right I50.810
- chylous (nonfilarial) I89.8
- - filarial -*see* Infestation, filarial
- due to
- - cirrhosis, alcoholic K70.31
- - hepatitis
- - - alcoholic K70.11
- - - chronic active K71.51
- - S. japonicum B65.2
- heart -*see also* Failure, heart, right I50.810
- malignant R18.0
- pseudochylous R18.8
- syphilitic A52.74
- tuberculous A18.31
Aseptic -*see* condition
Asherman's syndrome N85.6
Asialia K11.7
Asiatic cholera -*see* Cholera
Asimultagnosia (simultanagnosia) R48.3
Askin's tumor -*see* Neoplasm, connective tissue, malignant
Asocial personality F60.2
Asomatognosia R41.4
Aspartylglucosaminuria E77.1
Asperger's disease or syndrome F84.5
Aspergilloma -*see* Aspergillosis
Aspergillosis (with pneumonia) B44.9
- bronchopulmonary, allergic B44.81
- disseminated B44.7
- generalized B44.7
- pulmonary NEC B44.1
- - allergic B44.81
- - invasive B44.0
- specified NEC B44.89
- tonsillar B44.2
Aspergillus (flavus) (fumigatus) (infection) (terreus) -*see* Aspergillosis
Aspermatogenesis -*see* Azoospermia
Aspermia (testis) -*see* Azoospermia
Asphyxia, asphyxiation (by) R09.01
- antenatal P84
- birth P84
- bunny bag -*see* Asphyxia, due to, mechanical threat to breathing, trapped in bed clothes
- crushing S28.0
- drowning T75.1
- gas, fumes, or vapor -*see* Table of Drugs and Chemicals
- inhalation -*see* Inhalation
- intrauterine P84
- local I73.00
- - with gangrene I73.01
- mucus -*see also* Foreign body, respiratory tract, causing, asphyxiation
- newborn P84
- pathological R09.01
- postnatal P84
- - mechanical -*see* Asphyxia, due to, mechanical threat to breathing
- prenatal P84

- reticularis R23.1
- strangulation -*see* Asphyxia, due to, mechanical threat to breathing
- submersion T75.1
- traumatic T71.9
- - due to
- - - crushed chest S28.0
- - - foreign body (in) -*see* Foreign body, respiratory tract, causing asphyxia
- - - low oxygen content of ambient air T71.20
- - - - due to
- - - - - being trapped in
- - - - - - low oxygen environment T71.29
- - - - - - - in car trunk T71.221
- - - - - - - - circumstances undetermined T71.224
- - - - - - - - done with intent to harm by
- - - - - - - - - another person T71.223
- - - - - - - - - self T71.222
- - - - - - - in refrigerator T71.231
- - - - - - - - circumstances undetermined T71.234
- - - - - - - - done with intent to harm by
- - - - - - - - - another person T71.233
- - - - - - - - - self T71.232
- - - - - cave-in T71.21
- - - mechanical threat to breathing (accidental) T71.191
- - - - circumstances undetermined T71.194
- - - - done with intent to harm by
- - - - - another person T71.193
- - - - - self T71.192
- - - - hanging T71.161
- - - - - circumstances undetermined T71.164
- - - - - done with intent to harm by
- - - - - - another person T71.163
- - - - - - self T71.162
- - - - plastic bag T71.121
- - - - - circumstances undetermined T71.124
- - - - - done with intent to harm by
- - - - - - another person T71.123
- - - - - - self T71.122
- - - - smothering
- - - - - in furniture T71.151
- - - - - - circumstances undetermined T71.154
- - - - - - done with intent to harm by
- - - - - - - another person T71.153
- - - - - - - self T71.152
- - - - - under
- - - - - - another person's body T71.141
- - - - - - - circumstances undetermined T71.144
- - - - - - - done with intent to harm T71.143
- - - - - - pillow T71.111
- - - - - - - circumstances undetermined T71.114
- - - - - - - done with intent to harm by
- - - - - - - - another person T71.113
- - - - - - - - self T71.112
- - - - trapped in bed clothes T71.131
- - - - - circumstances undetermined T71.134
- - - - - done with intent to harm by
- - - - - - another person T71.133
- - - - - - self T71.132
- vomiting, vomitus -*see* Foreign body, respiratory tract, causing asphyxia

Aspiration

- amniotic (clear) fluid (newborn) P24.10

- - with
- - - pneumonia (pneumonitis) P24.11
- - - respiratory symptoms P24.11
- blood
- - newborn (without respiratory symptoms) P24.20
- - - with
- - - - pneumonia (pneumonitis) P24.21
- - - - respiratory symptoms P24.21
- - specified age NEC -*see* Foreign body, respiratory tract
- bronchitis J69.0
- food or foreign body -*see* Foreign body, by site
- liquor (amnii) (newborn) P24.10
- - with
- - - pneumonia (pneumonitis) P24.11
- - - respiratory symptoms P24.11
- meconium (newborn) (without respiratory symptoms) P24.00
- - with
- - - pneumonitis (pneumonitis) P24.01
- - - respiratory symptoms P24.01
- milk (newborn) (without respiratory symptoms) P24.30
- - with
- - - pneumonia (pneumonitis) P24.31
- - - respiratory symptoms P24.31
- - specified age NEC -*see* Foreign body, respiratory tract
- mucus -*see also* Foreign body, by site, causing asphyxia
- - newborn P24.10
- - - with
- - - - pneumonia (pneumonitis) P24.11
- - - - respiratory symptoms P24.11
- neonatal P24.9
- - specific NEC (without respiratory symptoms) P24.80
- - - with
- - - - pneumonia (pneumonitis) P24.81
- - - - respiratory symptoms P24.81
- newborn P24.9
- - specific NEC (without respiratory symptoms) P24.80
- - - with
- - - - pneumonia (pneumonitis) P24.81
- - - - respiratory symptoms P24.81
- pneumonia J69.0
- pneumonitis J69.0
- syndrome of newborn -*see* Aspiration, by substance, with pneumonia
- vernix caseosa (newborn) P24.80
- - with
- - - pneumonia (pneumonitis) P24.81
- - - respiratory symptoms P24.81
- vomitus -*see also* Foreign body, respiratory tract
- - newborn (without respiratory symptoms) P24.30
- - - with
- - - - pneumonia (pneumonitis) P24.31
- - - - respiratory symptoms P24.31

Asplenia (congenital) Q89.01
- functional D73.0
- postsurgical Z90.81

Assam fever B55.0

Assault, sexual -*see* Maltreatment

Assmann's focus NEC A15.0

Astasia (-abasia) (hysterical) F44.4

Asteatosis cutis L85.3

Astereognosia, astereognosis R48.1

Asterixis R27.8
- in liver disease K71.3
Asteroid hyalitis -*see* Deposit, crystalline
Asthenia, asthenic R53.1
- cardiac -*see also* Failure, heart I50.9
- - psychogenic F45.8
- cardiovascular -*see also* Failure, heart I50.9
- - psychogenic F45.8
- heart -*see also* Failure, heart I50.9
- - psychogenic F45.8
- hysterical F44.4
- myocardial -*see also* Failure, heart I50.9
- - psychogenic F45.8
- nervous F48.8
- neurocirculatory F45.8
- neurotic F48.8
- psychogenic F48.8
- psychoneurotic F48.8
- psychophysiologic F48.8
- reaction (psychophysiologic) F48.8
- senile R54
Asthenopia -*see also* Discomfort, visual
- hysterical F44.6
- psychogenic F44.6
Asthenospermia -*see* Abnormal, specimen, male genital organs
Asthma, asthmatic (bronchial) (catarrh) (spasmodic) J45.909
- with
- - chronic obstructive bronchitis J44.89
- - - with
- - - - acute lower respiratory infection J44.0
- - - - exacerbation (acute) J44.1
- - chronic obstructive pulmonary disease J44.89
- - - with
- - - - acute lower respiratory infection J44.0
- - - - exacerbation (acute) J44.1
- - exacerbation (acute) J45.901
- - hay fever -*see* Asthma, allergic extrinsic
- - rhinitis, allergic -*see* Asthma, allergic extrinsic
- - status asthmaticus J45.902
- allergic extrinsic J45.909
- - with
- - - exacerbation (acute) J45.901
- - - status asthmaticus J45.902
- atopic -*see* Asthma, allergic extrinsic
- cardiac -*see* Failure, ventricular, left
- cardiobronchial I50.1
- childhood J45.909
- - with
- - - exacerbation (acute) J45.901
- - - status asthmaticus J45.902
- chronic obstructive J44.89
- - with
- - - acute lower respiratory infection J44.0
- - - exacerbation (acute) J44.1
- collier's J60
- cough variant J45.991
- detergent J69.8
- due to
- - detergent J69.8
- - inhalation of fumes J68.3

- eosinophilic J82.83
- extrinsic, allergic -*see* Asthma, allergic extrinsic
- grinder's J62.8
- hay -*see* Asthma, allergic extrinsic
- heart I50.1
- idiosyncratic -*see* Asthma, nonallergic
- intermittent (mild) J45.20
- - with
- - - exacerbation (acute) J45.21
- - - status asthmaticus J45.22
- intrinsic, nonallergic -*see* Asthma, nonallergic
- Kopp's E32.8
- late-onset J45.909
- - with
- - - exacerbation (acute) J45.901
- - - status asthmaticus J45.902
- mild intermittent J45.20
- - with
- - - exacerbation (acute) J45.21
- - - status asthmaticus J45.22
- mild persistent J45.30
- - with
- - - exacerbation (acute) J45.31
- - - status asthmaticus J45.32
- Millar's (laryngismus stridulus) J38.5
- miner's J60
- mixed J45.909
- - with
- - - exacerbation (acute) J45.901
- - - status asthmaticus J45.902
- moderate persistent J45.40
- - with
- - - exacerbation (acute) J45.41
- - - status asthmaticus J45.42
- nervous -*see* Asthma, nonallergic
- nonallergic (intrinsic) J45.909
- - with
- - - exacerbation (acute) J45.901
- - - status asthmaticus J45.902
- persistent
- - mild J45.30
- - - with
- - - - exacerbation (acute) J45.31
- - - - status asthmaticus J45.32
- - moderate J45.40
- - - with
- - - - exacerbation (acute) J45.41
- - - - status asthmaticus J45.42
- - severe J45.50
- - - with
- - - - exacerbation (acute) J45.51
- - - - status asthmaticus J45.52
- platinum J45.998
- pneumoconiotic NEC J64
- potter's J62.8
- predominantly allergic J45.909
- psychogenic F54
- pulmonary eosinophilic J82.83
- red cedar J67.8
- Rostan's I50.1

- sandblaster's J62.8
- sequoiosis J67.8
- severe persistent J45.50
- - with
- - - exacerbation (acute) J45.51
- - - status asthmaticus J45.52
- specified NEC J45.998
- stonemason's J62.8
- thymic E32.8
- tuberculous *-see* Tuberculosis, pulmonary
- Wichmann's (laryngismus stridulus) J38.5
- wood J67.8

Astigmatism (compound) (congenital) H52.20-
- irregular H52.21-
- regular H52.22-

Astraphobia F40.220

Astroblastoma
- specified site *-see* Neoplasm, malignant, by site
- unspecified site C71.9

Astrocytoma (cystic)
- anaplastic
- - specified site *-see* Neoplasm, malignant, by site
- - unspecified site C71.9
- fibrillary
- - specified site *-see* Neoplasm, malignant, by site
- - unspecified site C71.9
- fibrous
- - specified site *-see* Neoplasm, malignant, by site
- - unspecified site C71.9
- gemistocytic
- - specified site *-see* Neoplasm, malignant, by site
- - unspecified site C71.9
- juvenile
- - specified site *-see* Neoplasm, malignant, by site
- - unspecified site C71.9
- pilocytic
- - specified site *-see* Neoplasm, malignant, by site
- - unspecified site C71.9
- piloid
- - specified site *-see* Neoplasm, malignant, by site
- - unspecified site C71.9
- protoplasmic
- - specified site *-see* Neoplasm, malignant, by site
- - unspecified site C71.9
- specified site NEC *-see* Neoplasm, malignant, by site
- subependymal D43.2
- - giant cell
- - - specified site *-see* Neoplasm, uncertain behavior, by site
- - - unspecified site D43.2
- - specified site *-see* Neoplasm, uncertain behavior, by site
- - unspecified site D43.2
- unspecified site C71.9

Astroglioma
- specified site *-see* Neoplasm, malignant, by site
- unspecified site C71.9

Asymbolia R48.8

Asymmetry *-see also* Distortion
- between native and reconstructed breast N65.1
- face Q67.0
- jaw (lower) *-see* Anomaly, dentofacial, jaw-cranial base relationship, asymmetry

Asynergia, asynergy R27.8
- ventricular I51.89
Asystole (heart) -*see* Arrest, cardiac
At risk
- for
- - dental caries Z91.849
- - - high Z91.843
- - - low Z91.841
- - - moderate Z91.842
- - falling Z91.81
- - feeling loneliness Z65.8
- - social isolation Z91.89
Ataxia, ataxy, ataxic R27.0
- acute R27.8
- autosomal recessive Friedreich G11.11
- brain (hereditary) G11.9
- cerebellar (hereditary) G11.9
- - with defective DNA repair G11.3
- - alcoholic G31.2
- - early-onset G11.10
- - with
- - - essential tremor G11.19
- - - myoclonus [Hunt's ataxia] G11.19
- - - retained tendon reflexes G11.19
- - in
- - - alcoholism G31.2
- - - myxedema E03.9 *[G13.2]*
- - - neoplastic disease -*see also* Neoplasm D49.9 *[G32.81]*
- - - specified disease NEC G32.81
- - late-onset (Marie's) G11.2
- cerebral (hereditary) G11.9
- congenital nonprogressive G11.0
- family, familial -*see* Ataxia, hereditary
- following
- - cerebrovascular disease I69.993
- - - cerebral infarction I69.393
- - - intracerebral hemorrhage I69.193
- - - nontraumatic intracranial hemorrhage NEC I69.293
- - - specified disease NEC I69.893
- - - subarachnoid hemorrhage I69.093
- Friedreich's (heredofamilial) (cerebellar) (spinal) (with retained reflexes) G11.11
- gait R26.0
- - hysterical F44.4
- general R27.8
- gluten M35.9 *[G32.81]*
- - with celiac disease K90.0 *[G32.81]*
- hereditary G11.9
- - with neuropathy G60.2
- - cerebellar -*see* Ataxia, cerebellar
- - spastic G11.4
- - specified NEC G11.8
- - spinal (Friedreich's) G11.11
- heredofamilial -*see* Ataxia, hereditary
- Hunt's G11.19
- hysterical F44.4
- locomotor (progressive) (syphilitic) (partial) (spastic) A52.11
- - diabetic -*see* Diabetes, ataxia
- Marie's (cerebellar) (heredofamilial) (late- onset) G11.2
- nonorganic origin F44.4
- nonprogressive, congenital G11.0

- psychogenic F44.4
- Roussy-Lévy G60.0
- Sanger-Brown's (hereditary) G11.2
- spastic hereditary G11.4
- spinal
- - hereditary (Friedreich's) G11.11
- - progressive (syphilitic) A52.11
- spinocerebellar, X-linked recessive G11.19
- telangiectasia (Louis-Bar) G11.3

Ataxia-telangiectasia (Louis-Bar) G11.3

Atelectasis (massive) (partial) (pressure) (pulmonary) J98.11
- newborn P28.10
- - due to resorption P28.11
- - partial P28.19
- - primary P28.0
- - secondary P28.19
- primary (newborn) P28.0
- tuberculous -*see* Tuberculosis, pulmonary

Atelocardia Q24.9

Atelomyelia Q06.1

Atheroembolism
- of
- - extremities
- - - lower I75.02-
- - - upper I75.01-
- - kidney I75.81
- - specified NEC I75.89

Atheroma, atheromatous -*see also* Arteriosclerosis I70.90
- aorta, aortic I70.0
- - valve -*see also* Endocarditis, aortic I35.8
- aorto-iliac I70.0
- artery -*see* Arteriosclerosis
- basilar (artery) I67.2
- carotid (artery) (common) (internal) I67.2
- cerebral (arteries) I67.2
- coronary (artery) I25.10
- - with angina pectoris -*see* Arteriosclerosis, coronary (artery),
- degeneration -*see* Arteriosclerosis
- heart, cardiac -*see* Disease, heart, ischemic, atherosclerotic
- mitral (valve) I34.89
- myocardium, myocardial -*see* Disease, heart, ischemic, atherosclerotic
- pulmonary valve (heart) -*see also* Endocarditis, pulmonary I37.8
- tricuspid (heart) (valve) I36.8
- valve, valvular -*see* Endocarditis
- vertebral (artery) I67.2

Atheromatosis -*see* Arteriosclerosis

Atherosclerosis -*see also* Arteriosclerosis
- coronary
- - artery I25.10
- - - with angina pectoris -*see* Arteriosclerosis, coronary (artery),
- - - due to
- - - - calcified coronary lesion (severely) I25.84
- - - - lipid rich plaque I25.83
- transplanted heart I25.811
- - bypass graft I25.812
- - - with angina pectoris -*see* Arteriosclerosis, coronary (artery),
- - native coronary artery I25.811
- - - with angina pectoris -*see* Arteriosclerosis, coronary (artery),

Athetosis (acquired) R25.8
- bilateral (congenital) G80.3

- congenital (bilateral) (double) G80.3
- double (congenital) G80.3
- unilateral R25.8

Athlete's
- foot B35.3
- heart I51.7

Athrepsia E41

Athyrea (acquired) *-see also* Hypothyroidism
- congenital E03.1

Atonia, atony, atonic
- bladder (sphincter) (neurogenic) N31.2
- capillary I78.8
- cecum K59.89
- - psychogenic F45.8
- colon *-see* Atony, intestine
- congenital P94.2
- esophagus K22.89
- intestine K59.89
- - psychogenic F45.8
- stomach K31.89
- - neurotic or psychogenic F45.8
- uterus (during labor) O62.2
- - with hemorrhage (postpartum) O72.1
- - postpartum (with hemorrhage) O72.1
- - - without hemorrhage O75.89

Atopy *-see* History, allergy

Atransferrinemia, congenital E88.09

Atresia, atretic
- alimentary organ or tract NEC Q45.8
- - upper Q40.8
- ani, anus, anal (canal) Q42.3
- - with fistula Q42.2
- aorta (ring) Q25.29
- aortic (orifice) (valve) Q23.0
- - arch Q25.21
- - congenital with hypoplasia of ascending aorta and defective development of left ventricle (with mitral stenosis) Q23.4
- - in hypoplastic left heart syndrome Q23.4
- aqueduct of Sylvius Q03.0
- - with spina bifida *-see* Spina bifida, with hydrocephalus
- artery NEC Q27.8
- - cerebral Q28.3
- - coronary Q24.5
- - digestive system Q27.8
- - eye Q15.8
- - lower limb Q27.8
- - pulmonary Q25.5
- - specified site NEC Q27.8
- - umbilical Q27.0
- - upper limb Q27.8
- auditory canal (external) Q16.1
- bile duct (common) (congenital) (hepatic) Q44.2
- - acquired *-see* Obstruction, bile duct
- bladder (neck) Q64.39
- - obstruction Q64.31
- bronchus Q32.4
- cecum Q42.8
- cervix (acquired) N88.2
- - congenital Q51.828
- - in pregnancy or childbirth *-see* Anomaly, cervix, in pregnancy or childbirth
- - - causing obstructed labor O65.5

- choana Q30.0
- colon Q42.9
- - specified NEC Q42.8
- common duct Q44.2
- cricoid cartilage Q31.8
- cystic duct Q44.2
- - acquired K82.8
- - - with obstruction K82.0
- digestive organs NEC Q45.8
- duodenum Q41.0
- ear canal Q16.1
- ejaculatory duct Q55.4
- epiglottis Q31.8
- esophagus Q39.0
- - with tracheoesophageal fistula Q39.1
- eustachian tube Q17.8
- fallopian tube (congenital) Q50.6
- - acquired N97.1
- follicular cyst N83.0-
- foramen of
- - Luschka Q03.1
- - - with spina bifida -*see* Spina bifida, with hydrocephalus
- - Magendie Q03.1
- - - with spina bifida -*see* Spina bifida, with hydrocephalus
- gallbladder Q44.1
- genital organ
- - external
- - - female Q52.79
- - - male Q55.8
- - internal
- - - female Q52.8
- - - male Q55.8
- glottis Q31.8
- gullet Q39.0
- - with tracheoesophageal fistula Q39.1
- heart valve NEC Q24.8
- - pulmonary Q22.0
- - tricuspid Q22.4
- hymen Q52.3
- - acquired (postinfective) N89.6
- ileum Q41.2
- intestine (small) Q41.9
- - large Q42.9
- - - specified NEC Q42.8
- iris, filtration angle Q15.0
- jejunum Q41.1
- lacrimal apparatus Q10.4
- larynx Q31.8
- meatus urinarius Q64.33
- mitral valve Q23.2
- - in hypoplastic left heart syndrome Q23.4
- nares (anterior) (posterior) Q30.0
- nasopharynx Q34.8
- nose, nostril Q30.0
- - acquired J34.89
- organ or site NEC Q89.8
- osseous meatus (ear) Q16.1
- oviduct (congenital) Q50.6
- - acquired N97.1
- parotid duct Q38.4

- - acquired K11.8
- pulmonary (artery) Q25.5
- - valve Q22.0
- pulmonic Q22.0
- pupil Q13.2
- rectum Q42.1
- - with fistula Q42.0
- salivary duct Q38.4
- - acquired K11.8
- sublingual duct Q38.4
- - acquired K11.8
- submandibular duct Q38.4
- - acquired K11.8
- submaxillary duct Q38.4
- - acquired K11.8
- thyroid cartilage Q31.8
- trachea Q32.1
- tricuspid valve Q22.4
- ureter Q62.10
- - pelvic junction Q62.11
- - vesical orifice Q62.12
- ureteropelvic junction Q62.11
- ureterovesical orifice Q62.12
- urethra (valvular) Q64.39
- - stricture Q64.32
- urinary tract NEC Q64.8
- uterus Q51.818
- - acquired N85.8
- vagina (congenital) Q52.4
- - acquired (postinfectional) (senile) N89.5
- vas deferens Q55.3
- vascular NEC Q27.8
- - cerebral Q28.3
- - digestive system Q27.8
- - lower limb Q27.8
- - specified site NEC Q27.8
- - upper limb Q27.8
- vein NEC Q27.8
- - digestive system Q27.8
- - great Q26.8
- - lower limb Q27.8
- - portal Q26.5
- - pulmonary Q26.4
- - - partial Q26.3
- - - total Q26.2
- - specified site NEC Q27.8
- - upper limb Q27.8
- vena cava (inferior) (superior) Q26.8
- vesicourethral orifice Q64.31
- vulva Q52.79
- - acquired N90.5

Atrichia, atrichosis -*see* Alopecia

Atrophia -*see also* Atrophy
- cutis senilis L90.8
- - due to radiation L57.8
- gyrata of choroid and retina H31.23
- senilis R54
- - dermatological L90.8
- - - due to radiation (nonionizing) (solar) L57.8
- unguium L60.3

- - congenita Q84.6
Atrophie blanche (en plaque) (de Milian) L95.0
Atrophoderma, atrophodermia (of) L90.9
- diffusum (idiopathic) L90.4
- maculatum L90.8
- - et striatum L90.8
- - - due to syphilis A52.79
- - syphilitic A51.39
- neuriticum L90.8
- Pasini and Pierini L90.3
- pigmentosum Q82.1
- reticulatum symmetricum faciei L66.4
- senile L90.8
- - due to radiation (nonionizing) (solar) L57.8
- vermiculata (cheeks) L66.4
Atrophy, atrophic (of)
- adrenal (capsule) (gland) E27.49
- - primary (autoimmune) E27.1
- alveolar process or ridge (edentulous) K08.20
- anal sphincter (disuse) N81.84
- appendix K38.8
- arteriosclerotic -*see* Arteriosclerosis
- bile duct (common) (hepatic) K83.8
- bladder N32.89
- - neurogenic N31.8
- blanche (en plaque) (of Milian) L95.0
- bone (senile) NEC -*see also* Disorder, bone, specified type NEC
- - due to
- - - tabes dorsalis (neurogenic) A52.11
- brain (cortex) (progressive) G31.9
- - frontotemporal circumscribed -*see also* Dementia, in, diseases specified elsewhere G31.01 *[F02.80]*
- - - with behavioral disturbance -*see also* Dementia, in, diseases specified elsewhere G31.01 *[F02.81-]*
- - senile NEC G31.1
- breast N64.2
- - obstetric -*see* Disorder, breast, specified type NEC
- buccal cavity K13.79
- cardiac -*see* Degeneration, myocardial
- cartilage (infectional) (joint) -*see* Disorder, cartilage, specified NEC
- cerebellar -*see* Atrophy, brain
- cerebral -*see* Atrophy, brain
- cervix (mucosa) (senile) (uteri) N88.8
- - menopausal N95.8
- Charcot-Marie-Tooth G60.0
- choroid (central) (macular) (myopic) (retina) H31.10-
- - diffuse secondary H31.12-
- - gyrate H31.23
- - senile H31.11-
- ciliary body -*see* Atrophy, iris
- conjunctiva (senile) H11.89
- corpus cavernosum N48.89
- cortical -*see* Atrophy, brain
- cystic duct K82.8
- Déjérine-Thomas G23.8
- disuse NEC -*see* Atrophy, muscle
- Duchenne-Aran G12.21
- ear H93.8-
- edentulous alveolar ridge K08.20
- endometrium (senile) N85.8
- - cervix N88.8
- enteric K63.89

- epididymis N50.89
- eyeball -*see* Disorder, globe, degenerated condition, atrophy
- eyelid (senile) -*see* Disorder, eyelid, degenerative
- facial (skin) L90.9
- fallopian tube (senile) N83.32-
- - with ovary N83.33-
- fascioscapulohumeral (Landouzy- Déjérine) G71.02
- fatty, thymus (gland) E32.8
- gallbladder K82.8
- gastric K29.40
- - with bleeding K29.41
- gastrointestinal K63.89
- glandular I89.8
- globe H44.52-
- gum -*see* Recession, gingival
- hair L67.8
- heart (brown) -*see* Degeneration, myocardial
- hemifacial Q67.4
- - Romberg G51.8
- infantile E41
- - paralysis, acute -*see* Poliomyelitis, paralytic
- intestine K63.89
- iris (essential) (progressive) H21.26-
- - specified NEC H21.29
- kidney (senile) (terminal) -*see also* Sclerosis, renal N26.1
- - congenital or infantile Q60.5
- - - bilateral Q60.4
- - - unilateral Q60.3
- - hydronephrotic -*see* Hydronephrosis
- lacrimal gland (primary) H04.14-
- - secondary H04.15-
- Landouzy-Déjérine G71.02
- laryngitis, infective J37.0
- larynx J38.7
- Leber's optic (hereditary) H47.22
- lip K13.0
- liver (yellow) K72.90
- - with coma K72.91
- - acute, subacute K72.00
- - - with coma K72.01
- - chronic K72.10
- - - with coma K72.11
- lung (senile) J98.4
- macular (dermatological) L90.8
- - syphilitic, skin A51.39
- - - striated A52.79
- mandible (edentulous) K08.20
- - minimal K08.21
- - moderate K08.22
- - severe K08.23
- maxilla K08.20
- - minimal K08.24
- - moderate K08.25
- - severe K08.26
- muscle, muscular (diffuse) (general) (idiopathic) (primary) M62.50
- - ankle M62.57-
- - back M62.5A9
- - - cervical M62.5A0
- - - lumbosacral M62.5A2
- - - thoracic M62.5A1

- - Duchenne-Aran G12.21
- - foot M62.57-
- - forearm M62.53-
- - hand M62.54-
- - infantile spinal G12.0
- - lower leg M62.56-
- - multiple sites M62.59
- - myelopathic -*see* Atrophy, muscle, spinal
- - myotonic G71.11
- - neuritic G58.9
- - neuropathic (peroneal) (progressive) G60.0
- - pelvic (disuse) N81.84
- - peroneal G60.0
- - progressive (bulbar) G12.21
- - - adult G12.1
- - - infantile (spinal) G12.0
- - - spinal G12.25
- - - - adult G12.1
- - - - infantile G12.0
- - pseudohypertrophic G71.02
- - shoulder region M62.51-
- - specified site NEC M62.58
- - spinal G12.9
- - - adult form G12.1
- - - Aran-Duchenne G12.21
- - - childhood form, type II G12.1
- - - distal G12.1
- - - hereditary NEC G12.1
- - - infantile, type I (Werdnig-Hoffmann) G12.0
- - - juvenile form, type III (Kugelberg- Welander) G12.1
- - - progressive G12.25
- - - scapuloperoneal form G12.1
- - - specified NEC G12.8
- - syphilitic A52.78
- - thigh M62.55-
- - upper arm M62.52-
- myocardium -*see* Degeneration, myocardial
- myometrium (senile) N85.8
- - cervix N88.8
- myopathic NEC -*see* Atrophy, muscle
- myotonia G71.11
- nail L60.3
- nasopharynx J31.1
- nerve -*see also* Disorder, nerve
- - abducens -*see* Strabismus, paralytic, sixth nerve
- - accessory G52.8
- - acoustic or auditory -see subcategory H93.3
- - cranial G52.9
- - - eighth (auditory) -see subcategory H93.3
- - - eleventh (accessory) G52.8
- - - fifth (trigeminal) G50.8
- - - first (olfactory) G52.0
- - - fourth (trochlear) -*see* Strabismus, paralytic, fourth nerve
- - - second (optic) H47.20
- - - sixth (abducens) -*see* Strabismus, paralytic, sixth nerve
- - - tenth (pneumogastric) (vagus) G52.2
- - - third (oculomotor) -*see* Strabismus, paralytic, third nerve
- - - twelfth (hypoglossal) G52.3
- - hypoglossal G52.3
- - oculomotor -*see* Strabismus, paralytic, third nerve

- - olfactory G52.0
- - optic (papillomacular bundle)
- - - syphilitic (late) A52.15
- - - - congenital A50.44
- - pneumogastric G52.2
- - trigeminal G50.8
- - trochlear -*see* Strabismus, paralytic, fourth nerve
- - vagus (pneumogastric) G52.2
- neurogenic, bone, tabetic A52.11
- nutritional E43
- - with marasmus E41
- old age R54
- olivopontocerebellar G23.8
- optic (nerve) H47.20
- - glaucomatous H47.23-
- - hereditary H47.22
- - primary H47.21-
- - specified type NEC H47.29-
- - syphilitic (late) A52.15
- - - congenital A50.44
- orbit H05.31-
- ovary (senile) N83.31-
- - with fallopian tube N83.33-
- oviduct (senile) -*see* Atrophy, fallopian tube
- palsy, diffuse (progressive) G12.22
- pancreas (duct) (senile) K86.89
- parotid gland K11.0
- pelvic muscle N81.84
- penis N48.89
- pharynx J39.2
- pluriglandular E31.8
- - autoimmune E31.0
- polyarthritis M15.9
- prostate N42.89
- pseudohypertrophic (muscle) G71.02
- renal -*see also* Sclerosis, renal N26.1
- retina, retinal (postinfectional) H35.89
- rhinitis J31.0
- salivary gland K11.0
- scar L90.5
- sclerosis, lobar (of brain) -*see also* Dementia, in, diseases specified elsewhere G31.09 *[F02.80]*
- - with behavioral disturbance -*see also* Dementia, in, diseases specified elsewhere G31.09 *[F02.81-]*
- scrotum N50.89
- seminal vesicle N50.89
- senile R54
- - due to radiation (nonionizing) (solar) L57.8
- skin (patches) (spots) L90.9
- - degenerative (senile) L90.8
- - due to radiation (nonionizing) (solar) L57.8
- - senile L90.8
- spermatic cord N50.89
- spinal (acute) (cord) G95.89
- - muscular -*see* Atrophy, muscle, spinal
- - paralysis G12.20
- - - acute -*see* Poliomyelitis, paralytic
- - - meaning progressive muscular atrophy G12.25
- spine (column) -*see* Spondylopathy, specified NEC
- spleen (senile) D73.0
- stomach K29.40
- - with bleeding K29.41

- striate (skin) L90.6
- - syphilitic A52.79
- subcutaneous L90.9
- sublingual gland K11.0
- submandibular gland K11.0
- submaxillary gland K11.0
- Sudeck's -*see* Algoneurodystrophy
- suprarenal (capsule) (gland) E27.49
- - primary E27.1
- systemic affecting central nervous system
- - in
- - - myxedema E03.9 *[G13.2]*
- - - neoplastic disease -*see also* Neoplasm D49.9 *[G13.1]*
- - - specified disease NEC G13.8
- tarso-orbital fascia, congenital Q10.3
- testis N50.0
- thenar, partial -*see* Syndrome, carpal tunnel
- thymus (fatty) E32.8
- thyroid (gland) (acquired) E03.4
- - with cretinism E03.1
- - congenital (with myxedema) E03.1
- tongue (senile) K14.8
- - papillae K14.4
- trachea J39.8
- tunica vaginalis N50.89
- turbinate J34.89
- tympanic membrane (nonflaccid) H73.82-
- - flaccid H73.81-
- upper respiratory tract J39.8
- uterus, uterine (senile) N85.8
- - cervix N88.8
- - due to radiation (intended effect) N85.8
- - - adverse effect or misadventure N99.89
- vagina (senile) N95.2
- vas deferens N50.89
- vascular I99.8
- vertebra (senile) -*see* Spondylopathy, specified NEC
- vulva (senile) N90.5
- Werdnig-Hoffmann G12.0
- yellow -*see* Failure, hepatic

Attack, attacks
- with alteration of consciousness (with automatisms) -*see* Epilepsy, localization-related, symptomatic, with complex partial seizures
- Adams-Stokes I45.9
- akinetic -*see* Epilepsy, generalized, specified NEC
- angina -*see* Angina
- atonic -*see* Epilepsy, generalized, specified NEC
- benign shuddering G25.83
- cataleptic -*see* Catalepsy
- coronary -*see* Infarct, myocardium
- cyanotic, newborn P28.2
- drop NEC R55
- epileptic -*see* Epilepsy
- heart -*see* infarct, myocardium
- hysterical F44.9
- jacksonian -*see* Epilepsy, localization-related, symptomatic, with simple partial seizures
- myocardium, myocardial -*see* Infarct, myocardium
- myoclonic -*see* Epilepsy, generalized, specified NEC
- panic F41.0
- psychomotor -*see* Epilepsy, localization-related, symptomatic, with complex partial seizures

- salaam -*see* Epilepsy, spasms
- schizophreniform, brief F23
- shuddering, benign G25.83
- Stokes-Adams I45.9
- syncope R55
- transient ischemic (TIA) G45.9
- - specified NEC G45.8
- unconsciousness R55
- - hysterical F44.89
- vasomotor R55
- vasovagal (paroxysmal) (idiopathic) R55
- without alteration of consciousness -*see* Epilepsy, localization-related, symptomatic, with simple partial seizures

Attention (to)
- artificial
- - opening (of) Z43.9
- - - digestive tract NEC Z43.4
- - - - colon Z43.3
- - - - ilium Z43.2
- - - - stomach Z43.1
- - - specified NEC Z43.8
- - - trachea Z43.0
- - - urinary tract NEC Z43.6
- - - - cystostomy Z43.5
- - - - nephrostomy Z43.6
- - - - ureterostomy Z43.6
- - - - urethrostomy Z43.6
- - vagina Z43.7
- colostomy Z43.3
- cystostomy Z43.5
- deficit disorder or syndrome F98.8
- - with hyperactivity -*see* Disorder, attention-deficit hyperactivity
- gastrostomy Z43.1
- ileostomy Z43.2
- jejunostomy Z43.4
- nephrostomy Z43.6
- surgical dressings Z48.01
- sutures Z48.02
- tracheostomy Z43.0
- ureterostomy Z43.6
- urethrostomy Z43.6

Attrition
- gum -*see* Recession, gingival
- tooth, teeth (excessive) (hard tissues) K03.0

Atypical, atypism -*see also* condition
- cells (on cytolgocial smear) (endocervical) (endometrial) (glandular)
- - cervix R87.619
- - vagina R87.629
- cervical N87.9
- endometrium N85.9
- - hyperplasia N85.00
- parenting situation Z62.9

Auditory -*see* condition

Aujeszky's disease B33.8

Aurantiasis, cutis E67.1

Auricle, auricular -*see also* condition
- cervical Q18.2

Auriculotemporal syndrome G50.8

Austin Flint murmur (aortic insufficiency) I35.1

Australian
- Q fever A78

- X disease A83.4
Autism, autistic (childhood) (infantile) F84.0
- atypical F84.9
- spectrum disorder F84.0
Autoantibodies, multiple confirmed islet, with normoglycemia E10.A1
Autodigestion R68.89
Autoerythrocyte sensitization (syndrome) D69.2
Autographism L50.3
Autoimmune
- disease (systemic) M35.9
- inhibitors to clotting factors D68.311
- lymphoproliferative syndrome [ALPS] D89.82
- thyroiditis E06.3
Autoimmunity, confirmed islet, with dysglycemia E10.A2
Autointoxication R68.89
Automatism G93.89
- with temporal sclerosis G93.81
- epileptic -*see* Epilepsy, localization-related, symptomatic, with complex partial seizures
- paroxysmal, idiopathic -*see* Epilepsy, localization-related, symptomatic, with complex partial seizures
Autonomic, autonomous
- bladder (neurogenic) N31.2
- hysteria seizure F44.5
Autosensitivity, erythrocyte D69.2
Autosensitization, cutaneous L30.2
Autosome -*see* condition by chromosome involved
Autotopagnosia R48.1
Autotoxemia R68.89
Autumn -*see* condition
Avellis' syndrome G46.8
Aversion
- oral R63.39
- - newborn P92.-
- - nonorganic origin F98.2
- sexual F52.1
Aviator's
- disease or sickness -*see* Effect, adverse, high altitude
- ear T70.0
Avitaminosis (multiple) -*see also* Deficiency, vitamin E56.9
- B E53.9
- - with
- - - beriberi E51.11
- - - pellagra E52
- B2 E53.0
- B6 E53.1
- B12 E53.8
- D E55.9
- - with rickets E55.0
- G E53.0
- K E56.1
- nicotinic acid E52
AVNRT (atrioventricular nodal re-entrant tachycardia) I47.19
AVRT (atrioventricular nodal re-entrant tachycardia) I47.19
Avulsion (traumatic)
- blood vessel -*see* Injury, blood vessel
- bone -*see* Fracture, by site
- cartilage -*see also* Dislocation, by site
- - symphyseal (inner), complicating delivery O71.6
- external site other than limb -*see* Wound, open, by site
- eye S05.7-
- head (intracranial)

- - external site NEC S08.89
- - scalp S08.0
- internal organ or site -*see* Injury, by site
- joint -*see also* Dislocation, by site
- - capsule -*see* Sprain, by site
- kidney S37.06-
- ligament -*see* Sprain, by site
- limb -*see also* Amputation, traumatic, by site
- - skin and subcutaneous tissue -*see* Wound, open, by site
- muscle -*see* Injury, muscle
- nerve (root) -*see* Injury, nerve
- scalp S08.0
- skin and subcutaneous tissue -*see* Wound, open, by site
- spleen S36.032
- symphyseal cartilage (inner), complicating delivery O71.6
- tendon -*see* Injury, muscle
- tooth S03.2

Awareness of heart beat R00.2

Axenfeld's
- anomaly or syndrome Q15.0
- degeneration (calcareous) Q13.4

Axilla, axillary -*see also* condition
- breast Q83.1

Axonotmesis -*see* Injury, nerve

Ayerza's disease or syndrome (pulmonary artery sclerosis with pulmonary hypertension) I27.0

Azoospermia (organic) N46.01
- due to
- - drug therapy N46.021
- - efferent duct obstruction N46.023
- - infection N46.022
- - radiation N46.024
- - specified cause NEC N46.029
- - systemic disease N46.025

Azotemia R79.89
- meaning uremia N19

Aztec ear Q17.3

Azygos
- continuation inferior vena cava Q26.8
- lobe (lung) Q33.1

B

Baastrup's disease -*see* Kissing spine

Babesiosis B60.00
- due to
- - Babesia
- - - divergens B60.03
- - - duncani B60.02
- - - KO-1 B60.09
- - - microti B60.01
- - - MO-1 B60.03
- - - species
- - - - unspecified B60.00
- - - venatorum B60.09
- - specified NEC B60.09

Babington's disease (familial hemorrhagic telangiectasia) I78.0

Babinski's syndrome A52.79

Baby
- crying constantly R68.11
- floppy (syndrome) P94.2

Bacillary -*see* condition
Bacilluria R82.71
Bacillus -*see also* Infection, bacillus
- abortus infection A23.1
- anthracis infection A22.9
- coli infection -*see also* Escherichia coli B96.20
- Flexner's A03.1
- mallei infection A24.0
- Shiga's A03.0
- suipestifer infection -*see* Infection, salmonella
Back -*see* condition
Backache (postural) M54.9
- sacroiliac M53.3
- specified NEC M54.89
Backflow -*see* Reflux
Backward reading (dyslexia) F81.0
Bacteremia R78.81
- with sepsis -*see* Sepsis
Bactericholia -*see* Cholecystitis, acute
Bacterid, bacteride (pustular) L40.3
Bacterium, bacteria, bacterial
- agent NEC, as cause of disease classified elsewhere B96.89
- in blood -*see* Bacteremia
- in urine -*see* Bacteriuria
Bacteriuria, bacteruria (asymptomatic) R82.71
Bacteroides
- fragilis, as cause of disease classified elsewhere B96.6
Bad
- heart -*see* Disease, heart
- trip
- - due to drug abuse -*see* Abuse, drug, hallucinogen
- - due to drug dependence -*see* Dependence, drug, hallucinogen
Baelz's disease (cheilitis glandularis apostematosa) K13.0
Baerensprung's disease (eczema marginatum) B35.6
Bagasse disease or pneumonitis J67.1
Bagassosis J67.1
Baker's cyst -*see* Cyst, Baker's
Bakwin-Krida syndrome (metaphyseal dysplasia) Q78.5
Balancing side interference M26.56
Balanitis (circinata) (erosiva) (gangrenosa) (phagedenic) (vulgaris) N48.1
- amebic A06.82
- candidal B37.42
- due to Haemophilus ducreyi A57
- gonococcal (acute) (chronic) A54.23
- xerotica obliterans N48.0
Balanoposthitis N47.6
- gonococcal (acute) (chronic) A54.23
- ulcerative (specific) A63.8
Balanorrhagia -*see* Balanitis
Balantidiasis, balantidiosis A07.0
Bald tongue K14.4
Baldness -*see also* Alopecia
- male-pattern -*see* Alopecia, androgenic
Balkan grippe A78
Balloon disease -*see* Effect, adverse, high altitude
Balo's disease (concentric sclerosis) G37.5
Bamberger-Marie disease -*see* Osteoarthropathy, hypertrophic, specified type NEC
Bancroft's filariasis B74.0
Band(s)
- adhesive -*see* Adhesions, peritoneum

- anomalous or congenital *-see also* Anomaly, by site
- - heart (atrial) (ventricular) Q24.8
- - intestine Q43.3
- - omentum Q43.3
- cervix N88.1
- constricting, congenital Q79.8
- gallbladder (congenital) Q44.1
- intestinal (adhesive) *-see* Adhesions, peritoneum
- obstructive
- - intestine K56.50
- - - complete K56.52
- - - incomplete K56.51
- - - partial K56.51
- - peritoneum K56.50
- - - complete K56.52
- - - incomplete K56.51
- - - partial K56.51
- periappendiceal, congenital Q43.3
- peritoneal (adhesive) *-see* Adhesions, peritoneum
- uterus N73.6
- - internal N85.6
- vagina N89.5

Bandemia D72.825
Bandl's ring (contraction), complicating delivery O62.4
Bangkok hemorrhagic fever A91
Bang's disease (brucella abortus) A23.1
Bankruptcy (anxiety concerning) Z59.86
Bannister's disease T78.3
- hereditary D84.1

Banti's disease or syndrome (with cirrhosis) (with portal hypertension) K76.6
Bar, median, prostate *-see* Enlargement, enlarged, prostate
Barcoo disease or rot *-see* Ulcer, skin
Barlow's disease E54
Barodontalgia T70.29
Baron Münchausen syndrome *-see* Disorder, factitious
Barosinusitis T70.1
Barotitis T70.0
Barotrauma T70.29
- odontalgia T70.29
- otitic T70.0
- sinus T70.1

Barraquer (-Simons) disease or syndrome (progressive lipodystrophy) E88.1
Barré-Guillain disease or syndrome G61.0
Barré-Liéou syndrome (posterior cervical sympathetic) M53.0
Barrel chest M95.4
Barrett's
- disease *-see* Barrett's, esophagus
- esophagus K22.70
- - with dysplasia K22.719
- - - high grade K22.711
- - - low grade K22.710
- - without dysplasia K22.70
- syndrome *-see* Barrett's, esophagus
- ulcer K22.10
- - with bleeding K22.11
- - without bleeding K22.10

Bársony (-Polgár) (-Teschendorf) syndrome (corkscrew esophagus) K22.4
Bartholinitis (suppurating) N75.8
- gonococcal (acute) (chronic) (with abscess) A54.1

Barth syndrome E78.71

Bartonellosis A44.9
- cutaneous A44.1
- mucocutaneous A44.1
- specified NEC A44.8
- systemic A44.0
Barton's fracture S52.56-
Bartter's syndrome E26.81
Basal -*see* condition
Basan's (hidrotic) ectodermal dysplasia Q82.4
Baseball finger -*see* Dislocation, finger
Basedow's disease (exophthalmic goiter) -*see* Hyperthyroidism, with, goiter
Basic -*see* condition
Basilar -*see* condition
Bason's (hidrotic) ectodermal dysplasia Q82.4
Basopenia -*see* Agranulocytosis
Basophilia D72.824
Basophilism (cortico-adrenal) (Cushing's) (pituitary) E24.0
Bassen-Kornzweig disease or syndrome E78.6
Bat ear Q17.5
Bateman's
- disease B08.1
- purpura (senile) D69.2
Bathing cramp T75.1
Bathophobia F40.248
Batten (-Mayou) disease E75.4
- retina E75.4 *[H36.89]*
Batten-Steinert syndrome G71.11
Battered -*see* Maltreatment
Battey Mycobacterium infection A31.0
Battle exhaustion F43.0
Battledore placenta O43.19-
Baumgarten-Cruveilhier cirrhosis, disease or syndrome K74.69
Bauxite fibrosis (of lung) J63.1
Bayle's disease (general paresis) A52.17
Bazin's disease (primary) (tuberculous) A18.4
Beach ear -*see* Swimmer's, ear
Beaded hair (congenital) Q84.1
Béal conjunctivitis or syndrome B30.2
Beard's disease (neurasthenia) F48.8
Beat(s)
- atrial, premature I49.1
- ectopic I49.49
- elbow -*see* Bursitis, elbow
- escaped, heart I49.49
- hand -*see* Bursitis, hand
- knee -*see* Bursitis, knee
- premature I49.40
- - atrial I49.1
- - auricular I49.1
- - supraventricular I49.1
Beau's
- disease or syndrome -*see* Degeneration, myocardial
- lines (transverse furrows on fingernails) L60.4
Bechterev's syndrome -*see* Spondylitis, ankylosing
Beck's syndrome (anterior spinal artery occlusion) I65.8
Becker's
- cardiomyopathy I42.8
- disease
- - idiopathic mural endomyocardial disease I42.3
- - myotonia congenita, recessive form G71.12

- dystrophy G71.01
- pigmented hairy nevus D22.5
Beckwith-Wiedemann syndrome Q87.3
Bed confinement status Z74.01
Bed-sharing, infant Z72.823
Bed sore -*see* Ulcer, pressure, by site
Bedbug bite(s) -*see* Bite(s), by site, superficial, insect
Bedclothes, asphyxiation or suffocation by -*see* Asphyxia, traumatic, due to, mechanical, trapped
Bednar's
- aphthae K12.0
- tumor -*see* Neoplasm, malignant, by site
Bedridden Z74.01
Bedsore -*see* Ulcer, pressure, by site
Bedwetting -*see* Enuresis
Bee sting (with allergic or anaphylactic shock) T63.44-
Beer drinker's heart (disease) I42.6
Begbie's disease (exophthalmic goiter) -*see* Hyperthyroidism, with, goiter
Behavior
- antisocial
- - adult Z72.811
- - child or adolescent Z72.810
- disorder, disturbance -*see* Disorder, conduct
- disruptive -*see* Disorder, conduct
- drug seeking Z76.5
- inexplicable R46.2
- marked evasiveness R46.5
- obsessive-compulsive R46.81
- overactivity R46.3
- poor responsiveness R46.4
- self-damaging (life-style) Z72.89
- sleep-incompatible Z72.821
- slowness R46.4
- specified NEC R46.89
- strange (and inexplicable) R46.2
- suspiciousness R46.5
- type A pattern Z73.1
- undue concern or preoccupation with stressful events R46.6
- verbosity and circumstantial detail obscuring reason for contact R46.7
Behçet's disease or syndrome M35.2
Behr's disease -*see* Degeneration, macula
Beigel's disease or morbus (white piedra) B36.2
Bejel A65
Bekhterev's syndrome -*see* Spondylitis, ankylosing
Belching -*see* Eructation
Bell's
- mania F30.8
- palsy, paralysis G51.0
- - infant or newborn P11.3
- spasm G51.3-
Bence Jones albuminuria or proteinuria NEC R80.3
Bends T70.3
Benedikt's paralysis or syndrome G46.3
Benign -*see also* condition
- prostatic hyperplasia -*see* Hyperplasia, prostate
Bennett's fracture (displaced) S62.21-
Benson's disease -*see* Deposit, crystalline
Bent
- back (hysterical) F44.4
- nose M95.0
- - congenital Q67.4

Bereavement (uncomplicated) Z63.4
Bergeron's disease (hysterical chorea) F44.4
Berger's disease -*see* Nephropathy, IgA
Beriberi (dry) E51.11
- heart (disease) E51.12
- polyneuropathy E51.11
- wet E51.12
- - involving circulatory system E51.11
Berlin's disease or edema (traumatic) S05.8X-
Berlock (berloque) dermatitis L56.2
Bernard-Horner syndrome G90.2
Bernard-Soulier disease or thrombopathia D69.1
Bernhardt (-Roth) disease -*see* Mononeuropathy, lower limb, meralgia paresthetica
Bernheim's syndrome -*see* Failure, heart, right
Bertiellíasis B71.8
Berylliosis (lung) J63.2
Besnier-Boeck (-Schaumann) disease -*see* Sarcoidosis
Besnier's
- lupus pernio D86.3
- prurigo L20.0
Bestiality F65.89
Best's disease H35.50
Beta-mercaptolactate-cysteine disulfiduria E72.09
Betalipoproteinemia, broad or floating E78.2
Betting and gambling Z72.6
- pathological (compulsive) F63.0
Bezoar T18.9
- intestine T18.3
- stomach T18.2
Bezold's abscess -*see* Mastoiditis, acute
Bianchi's syndrome R48.8
Bicornate or bicornis uterus Q51.3
- in pregnancy or childbirth O34.00
- - causing obstructed labor O65.5
Bicuspid aortic valve (at birth) (congenital) Q23.81
- functional, with stenosis -*see* Stenosis, aortic (valve)
Biedl-Bardet syndrome Q87.83
Bielschowsky (-Jansky) disease E75.4
Biermer's (pernicious) anemia or disease D51.0
Biett's disease L93.0
Bifid (congenital)
- apex, heart Q24.8
- clitoris Q52.6
- kidney Q63.8
- nose Q30.2
- patella Q74.1
- scrotum Q55.29
- toe NEC Q74.2
- tongue Q38.3
- ureter Q62.8
- uterus Q51.3
- uvula Q35.7
Biforis uterus (suprasimplex) Q51.3
Bifurcation (congenital)
- gallbladder Q44.1
- kidney pelvis Q63.8
- renal pelvis Q63.8
- rib Q76.6
- tongue, congenital Q38.3
- trachea Q32.1

- ureter Q62.8
- urethra Q64.74
- vertebra Q76.49
Big spleen syndrome D73.1
Bigeminal pulse R00.8
Bigorexia F45.22
Bilateral -*see* condition
Bile
- duct -*see* condition
- pigments in urine R82.2
Bilharziasis -*see also* Schistosomiasis
- chyluria B65.0
- cutaneous B65.3
- galacturia B65.0
- hematochyluria B65.0
- intestinal B65.1
- lipemia B65.9
- lipuria B65.0
- oriental B65.2
- piarhemia B65.9
- pulmonary NOS B65.9 *[J99]*
- - pneumonia B65.9 *[J17]*
- tropical hematuria B65.0
- vesical B65.0
Biliary -*see* condition
Bilirubin metabolism disorder E80.7
- specified NEC E80.6
Bilirubinemia, familial nonhemolytic E80.4
Bilirubinuria R82.2
Biliuria R82.2
Bilocular stomach K31.2
Binswanger's disease I67.3
Biparta, bipartite
- carpal scaphoid Q74.0
- patella Q74.1
- vagina Q52.10
BI-RADS -*see* Breast, Imaging Reporting and Data System
Bird
- face Q75.8
- fancier's disease or lung J67.2
Birt-Hogg-Dube syndrome Q87.89
Birth
- complications in mother -*see* Delivery, complicated
- compression during NOS P15.9
- defect -*see* Anomaly
- immature (less than 37 completed weeks) -*see* Preterm, newborn
- - extremely (less than 28 completed weeks) -*see* Immaturity, extreme
- inattention, at or after -*see* Maltreatment, child, neglect
- injury NOS P15.9
- - basal ganglia P11.1
- - brachial plexus NEC P14.3
- - brain (compression) (pressure) P11.2
- - central nervous system NOS P11.9
- - cerebellum P11.1
- - cerebral hemorrhage P10.1
- - external genitalia P15.5
- - eye P15.3
- - face P15.4
- - fracture
- - - bone P13.9

- - - - specified NEC P13.8
- - - clavicle P13.4
- - - femur P13.2
- - - humerus P13.3
- - - long bone, except femur P13.3
- - - radius and ulna P13.3
- - - skull P13.0
- - - spine P11.5
- - - tibia and fibula P13.3
- - intracranial P11.2
- - - laceration or hemorrhage P10.9
- - - - specified NEC P10.8
- - intraventricular hemorrhage P10.2
- - laceration
- - - brain P10.1
- - - by scalpel P15.8
- - - peripheral nerve P14.9
- - liver P15.0
- - meninges
- - - brain P11.1
- - - spinal cord P11.5
- - nerve
- - - brachial plexus P14.3
- - - cranial NEC (except facial) P11.4
- - - facial P11.3
- - - peripheral P14.9
- - - phrenic (paralysis) P14.2
- - paralysis
- - - facial nerve P11.3
- - - spinal P11.5
- - penis P15.5
- - rupture
- - - spinal cord P11.5
- - scalp P12.9
- - scalpel wound P15.8
- - scrotum P15.5
- - skull NEC P13.1
- - - fracture P13.0
- - specified type NEC P15.8
- - spinal cord P11.5
- - spine P11.5
- - spleen P15.1
- - sternomastoid (hematoma) P15.2
- - subarachnoid hemorrhage P10.3
- - subcutaneous fat necrosis P15.6
- - subdural hemorrhage P10.0
- - tentorial tear P10.4
- - testes P15.5
- - vulva P15.5
- lack of care, at or after -*see* Maltreatment, child, neglect
- neglect, at or after -*see* Maltreatment, child, neglect
- palsy or paralysis, newborn, NOS (birth injury) P14.9
- premature (infant) -*see* Preterm, newborn
- shock, newborn P96.89
- trauma -*see* Birth, injury
- weight
- - low (2499 grams or less) -*see* Low, birthweight
- - - extremely (999 grams or less) -*see* Low, birthweight, extreme
- - 4000 grams to 4499 grams P08.1
- - 4500 grams or more P08.0

Birthmark Q82.5
Bisalbuminemia E88.09
Biskra's button B55.1
Bite(s) (animal) (human)
- abdomen, abdominal
- - wall S31.159
- - - with penetration into peritoneal cavity S31.659
- - - epigastric region S31.152
- - - - with penetration into peritoneal cavity S31.652
- - - left
- - - - lower quadrant S31.154
- - - - - with penetration into peritoneal cavity S31.654
- - - - upper quadrant S31.151
- - - - - with penetration into peritoneal cavity S31.651
- - - periumbilic region S31.155
- - - - with penetration into peritoneal cavity S31.655
- - - right
- - - - lower quadrant S31.153
- - - - - with penetration into peritoneal cavity S31.653
- - - - upper quadrant S31.150
- - - - - with penetration into peritoneal cavity S31.650
- - - superficial NEC S30.871
- - - - insect S30.861
- alveolar (process) -*see* Bite, oral cavity
- amphibian (venomous) -*see* Venom, bite, amphibian
- animal -*see also* Bite, by site
- - venomous -*see* Venom
- ankle S91.05-
- - superficial NEC S90.57-
- - - insect S90.56-
- antecubital space -*see* Bite, elbow
- anus S31.835
- - superficial NEC S30.877
- - - insect S30.867
- arm (upper) S41.15-
- - lower -*see* Bite, forearm
- - superficial NEC S40.87-
- - - insect S40.86-
- arthropod NEC -*see* Venom, bite, arthropod
- auditory canal (external) (meatus) -*see* Bite, ear
- auricle, ear -*see* Bite, ear
- axilla -*see* Bite, arm
- back -*see also* Bite, thorax, back
- - lower S31.050
- - - with penetration into retroperitoneal space S31.051
- - - superficial NEC S30.870
- - - - insect S30.860
- bedbug -*see* Bite(s), by site, superficial, insect
- breast S21.05-
- - superficial NEC S20.17-
- - - insect S20.16-
- brow -*see* Bite, head, specified site NEC
- buttock S31.805
- - left S31.825
- - right S31.815
- - superficial NEC S30.870
- - - insect S30.860
- calf -*see* Bite, leg
- canaliculus lacrimalis -*see* Bite, eyelid
- canthus, eye -*see* Bite, eyelid

- centipede -*see* Toxicity, venom, arthropod, centipede
- cheek (external) S01.45-
- - superficial NEC S00.87
- - - insect S00.86
- - internal -*see* Bite, oral cavity
- chest wall -*see* Bite, thorax
- chigger B88.0
- chin -*see* Bite, head, specified site NEC
- clitoris -*see* Bite, vulva
- costal region -*see* Bite, thorax
- digit(s)
- - hand -*see* Bite, finger
- - toe -*see* Bite, toe
- ear (canal) (external) S01.35-
- - superficial NEC S00.47-
- - - insect S00.46-
- elbow S51.05-
- - superficial NEC S50.37-
- - - insect S50.36-
- epididymis -*see* Bite, testis
- epigastric region -*see* Bite, abdomen
- epiglottis -*see* Bite, neck, specified site NEC
- esophagus, cervical S11.25
- - superficial NEC S10.17
- - - insect S10.16
- eyebrow -*see* Bite, eyelid
- eyelid S01.15-
- - superficial NEC S00.27-
- - - insect S00.26-
- face NEC -*see* Bite, head, specified site NEC
- finger(s) S61.259
- - with
- - - damage to nail S61.359
- - index S61.258
- - - with
- - - - damage to nail S61.358
- - - left S61.251
- - - - with
- - - - - damage to nail S61.351
- - - right S61.250
- - - - with
- - - - - damage to nail S61.350
- - - superficial NEC S60.478
- - - - insect S60.46-
- - little S61.25-
- - - with
- - - - damage to nail S61.35-
- - - superficial NEC S60.47-
- - - - insect S60.46-
- - middle S61.25-
- - - with
- - - - damage to nail S61.35-
- - - superficial NEC S60.47-
- - - - insect S60.46-
- - ring S61.25-
- - - with
- - - - damage to nail S61.35-
- - - superficial NEC S60.47-
- - - - insect S60.46-
- - superficial NEC S60.479

- - - insect S60.469
- - thumb -*see* Bite, thumb
- flank -*see* Bite, abdomen, wall
- flea -*see* Bite, by site, superficial, insect
- foot (except toe(s) alone) S91.35-
- - superficial NEC S90.87-
- - - insect S90.86-
- - toe -*see* Bite, toe
- forearm S51.85-
- - elbow only -*see* Bite, elbow
- - superficial NEC S50.87-
- - - insect S50.86-
- forehead -*see* Bite, head, specified site NEC
- genital organs, external
- - female S31.552
- - - superficial NEC S30.876
- - - - insect S30.866
- - - vagina and vulva -*see* Bite, vulva
- - male S31.551
- - - penis -*see* Bite, penis
- - - scrotum -*see* Bite, scrotum
- - - superficial NEC S30.875
- - - - insect S30.865
- - - testes -*see* Bite, testis
- groin -*see* Bite, abdomen, wall
- gum -*see* Bite, oral cavity
- hand S61.45-
- - finger -*see* Bite, finger
- - superficial NEC S60.57-
- - - insect S60.56-
- - thumb -*see* Bite, thumb
- head S01.95
- - cheek -*see* Bite, cheek
- - ear -*see* Bite, ear
- - eyelid -*see* Bite, eyelid
- - lip -*see* Bite, lip
- - nose -*see* Bite, nose
- - oral cavity -*see* Bite, oral cavity
- - scalp -*see* Bite, scalp
- - specified site NEC S01.85
- - - superficial NEC S00.87
- - - - insect S00.86
- - superficial NEC S00.97
- - - insect S00.96
- - temporomandibular area -*see* Bite, cheek
- heel -*see* Bite, foot
- hip S71.05-
- - superficial NEC S70.27-
- - - insect S70.26-
- hymen S31.45
- hypochondrium -*see* Bite, abdomen, wall
- hypogastric region -*see* Bite, abdomen, wall
- inguinal region -*see* Bite, abdomen, wall
- insect -*see* Bite, by site, superficial, insect
- instep -*see* Bite, foot
- interscapular region -*see* Bite, thorax, back
- jaw -*see* Bite, head, specified site NEC
- knee S81.05-
- - superficial NEC S80.27-
- - - insect S80.26-

- labium (majus) (minus) -*see* Bite, vulva
- lacrimal duct -*see* Bite, eyelid
- larynx S11.015
- - superficial NEC S10.17
- - - insect S10.16
- leg (lower) S81.85-
- - ankle -*see* Bite, ankle
- - foot -*see* Bite, foot
- - knee -*see* Bite, knee
- - superficial NEC S80.87-
- - - insect S80.86-
- - toe -*see* Bite, toe
- - upper -*see* Bite, thigh
- lip S01.551
- - superficial NEC S00.571
- - - insect S00.561
- lizard (venomous) -*see* Venom, bite, reptile
- loin -*see* Bite, abdomen, wall
- lower back -*see* Bite, back, lower
- lumbar region -*see* Bite, back, lower
- malar region -*see* Bite, head, specified site NEC
- mammary -*see* Bite, breast
- marine animals (venomous) -*see* Toxicity, venom, marine animal
- mastoid region -*see* Bite, head, specified site NEC
- mouth -*see* Bite, oral cavity
- nail
- - finger -*see* Bite, finger
- - toe -*see* Bite, toe
- nape -*see* Bite, neck, specified site NEC
- nasal (septum) (sinus) -*see* Bite, nose
- nasopharynx -*see* Bite, head, specified site NEC
- neck S11.95
- - involving
- - - cervical esophagus -*see* Bite, esophagus, cervical
- - - larynx -*see* Bite, larynx
- - - pharynx -*see* Bite, pharynx
- - - thyroid gland S11.15
- - - trachea -*see* Bite, trachea
- - specified site NEC S11.85
- - - superficial NEC S10.87
- - - - insect S10.86
- - superficial NEC S10.97
- - - insect S10.96
- - throat S11.85
- - - superficial NEC S10.17
- - - - insect S10.16
- nose (septum) (sinus) S01.25
- - superficial NEC S00.37
- - - insect S00.36
- occipital region -*see* Bite, scalp
- oral cavity S01.552
- - superficial NEC S00.572
- - - insect S00.562
- orbital region -*see* Bite, eyelid
- palate -*see* Bite, oral cavity
- palm -*see* Bite, hand
- parietal region -*see* Bite, scalp
- pelvis S31.050
- - with penetration into retroperitoneal space S31.051
- - superficial NEC S30.870

- - - insect S30.860
- penis S31.25
- - superficial NEC S30.872
- - - insect S30.862
- perineum
- - female *-see* Bite, vulva
- - male *-see* Bite, pelvis
- periocular area (with or without lacrimal passages) *-see* Bite, eyelid
- phalanges
- - finger *-see* Bite, finger
- - toe *-see* Bite, toe
- pharynx S11.25
- - superficial NEC S10.17
- - - insect S10.16
- pinna *-see* Bite, ear
- poisonous *-see* Venom
- popliteal space *-see* Bite, knee
- prepuce *-see* Bite, penis
- pubic region *-see* Bite, abdomen, wall
- rectovaginal septum *-see* Bite, vulva
- red bug B88.0
- reptile NEC *-see also* Venom, bite, reptile
- - nonvenomous *-see* Bite, by site
- - snake *-see* Venom, bite, snake
- sacral region *-see* Bite, back, lower
- sacroiliac region *-see* Bite, back, lower
- salivary gland *-see* Bite, oral cavity
- scalp S01.05
- - superficial NEC S00.07
- - - insect S00.06
- scapular region *-see* Bite, shoulder
- scrotum S31.35
- - superficial NEC S30.873
- - - insect S30.863
- sea-snake (venomous) *-see* Toxicity, venom, snake, sea snake
- shin *-see* Bite, leg
- shoulder S41.05-
- - superficial NEC S40.27-
- - - insect S40.26-
- snake *-see also* Venom, bite, snake
- - nonvenomous *-see* Bite, by site
- spermatic cord *-see* Bite, testis
- spider (venomous) *-see* Toxicity, venom, spider
- - nonvenomous *-see* Bite, by site, superficial, insect
- sternal region *-see* Bite, thorax, front
- submaxillary region *-see* Bite, head, specified site NEC
- submental region *-see* Bite, head, specified site NEC
- subungual
- - finger(s) *-see* Bite, finger
- - toe *-see* Bite, toe
- superficial *-see* Bite, by site, superficial
- supraclavicular fossa S11.85
- supraorbital *-see* Bite, head, specified site NEC
- temple, temporal region *-see* Bite, head, specified site NEC
- temporomandibular area *-see* Bite, cheek
- testis S31.35
- - superficial NEC S30.873
- - - insect S30.863
- thigh S71.15-
- - superficial NEC S70.37-

- - - insect S70.36-
- thorax, thoracic (wall) S21.95
- - back S21.25-
- - - with penetration into thoracic cavity S21.45-
- - breast *-see* Bite, breast
- - front S21.15-
- - - with penetration into thoracic cavity S21.35-
- - superficial NEC S20.97
- - - back S20.47-
- - - front S20.37-
- - - insect S20.96
- - - - back S20.46-
- - - - front S20.36-
- throat *-see* Bite, neck, throat
- thumb S61.05-
- - with
- - - damage to nail S61.15-
- - superficial NEC S60.37-
- - - insect S60.36-
- thyroid S11.15
- - superficial NEC S10.87
- - - insect S10.86
- toe(s) S91.15-
- - with
- - - damage to nail S91.25-
- - great S91.15-
- - - with
- - - - damage to nail S91.25-
- - lesser S91.15-
- - - with
- - - - damage to nail S91.25-
- - superficial NEC S90.47-
- - - great S90.47-
- - - insect S90.46-
- - - - great S90.46-
- tongue S01.552
- trachea S11.025
- - superficial NEC S10.17
- - - insect S10.16
- tunica vaginalis *-see* Bite, testis
- tympanum, tympanic membrane *-see* Bite, ear
- umbilical region S31.155
- uvula *-see* Bite, oral cavity
- vagina *-see* Bite, vulva
- venomous *-see* Venom
- vocal cords S11.035
- - superficial NEC S10.17
- - - insect S10.16
- vulva S31.45
- - superficial NEC S30.874
- - - insect S30.864
- wrist S61.55-
- - superficial NEC S60.87-
- - - insect S60.86-

Biting, cheek or lip K13.1
Biventricular failure (heart) I50.82
Björck (-Thorson) syndrome (malignant carcinoid) E34.09
Black
- death A20.9
- eye S00.1-

- hairy tongue K14.3
- heel (foot) S90.3-
- lung (disease) J60
- palm (hand) S60.22-

Blackfan-Diamond anemia or syndrome (congenital hypoplastic anemia) D61.01
Blackhead L70.0
Blackout R55
Bladder -*see* condition
Blast (air) (hydraulic) (immersion) (underwater)
- blindness S05.8X-
- injury
- - abdomen or thorax -*see* Injury, by site
- - ear (acoustic nerve trauma) -*see* Injury, nerve, acoustic, specified type NEC
- - syndrome NEC T70.8

Blastoma -*see* Neoplasm, malignant, by site
- pulmonary -*see* Neoplasm, lung, malignant

Blastomycosis, blastomycotic B40.9
- Brazilian -*see* Paracoccidioidomycosis
- cutaneous B40.3
- disseminated B40.7
- European -*see* Cryptococcosis
- generalized B40.7
- keloidal B48.0
- North American B40.9
- primary pulmonary B40.0
- pulmonary B40.2
- - acute B40.0
- - chronic B40.1
- skin B40.3
- South American -*see* Paracoccidioidomycosis
- specified NEC B40.89

Bleb(s) R23.8
- emphysematous (lung) (solitary) J43.9
- endophthalmitis H59.43
- filtering (vitreous), after glaucoma surgery Z98.83
- inflammed (infected), postprocedural H59.40
- - stage 1 H59.41
- - stage 2 H59.42
- - stage 3 H59.43
- lung (ruptured) J43.9
- - congenital -*see* Atelectasis
- - newborn P25.8
- subpleural (emphysematous) J43.9

Blebitis, postprocedural H59.40
- stage 1 H59.41
- stage 2 H59.42
- stage 3 H59.43

Bleeder (familial) (hereditary) -*see* Hemophilia
Bleeding -*see also* Hemorrhage
- anal K62.5
- anovulatory N97.0
- atonic, following delivery O72.1
- capillary I78.8
- - puerperal O72.2
- contact (postcoital) N93.0
- due to uterine subinvolution N85.3
- ear -*see* Otorrhagia
- excessive, associated with menopausal onset N92.4
- familial -*see* Defect, coagulation
- following intercourse N93.0

- gastrointestinal K92.2
- hemorrhoids -*see* Hemorrhoids
- intermenstrual (regular) N92.3
- - irregular N92.1
- intraoperative -*see* Complication, intraoperative, hemorrhage
- irregular N92.6
- menopausal N92.4
- newborn, intraventricular -*see* Newborn, affected by, hemorrhage, intraventricular
- nipple N64.59
- nose R04.0
- ovulation N92.3
- perimenopausal N92.4
- postclimacteric N95.0
- postcoital N93.0
- postmenopausal N95.0
- postoperative -*see* Complication, postprocedural, hemorrhage
- preclimacteric N92.4
- pre-pubertal vaginal N93.1
- puberty (excessive, with onset of menstrual periods) N92.2
- rectum, rectal K62.5
- - newborn P54.2
- tendencies -*see* Defect, coagulation
- throat R04.1
- tooth socket (post-extraction) K91.840
- umbilical stump P51.9
- uterus, uterine NEC N93.9
- - climacteric N92.4
- - dysfunctional or functional N93.8
- - menopausal N92.4
- - preclimacteric or premenopausal N92.4
- - unrelated to menstrual cycle N93.9
- vagina, vaginal (abnormal) N93.9
- - dysfunctional or functional N93.8
- - newborn P54.6
- - pre-pubertal N93.1
- vicarious N94.89

Blennorrhagia, blennorrhagic -*see* Gonorrhea

Blennorrhea (acute) (chronic) -*see also* Gonorrhea
- inclusion (neonatal) (newborn) P39.1
- lower genitourinary tract (gonococcal) A54.00
- neonatorum (gonococcal ophthalmia) A54.31

Blepharelosis -*see* Entropion

Blepharitis (angularis) (ciliaris) (eyelid) (marginal) (nonulcerative) H01.009
- herpes zoster B02.39
- left H01.006
- - lower H01.005
- - upper H01.004
- - upper and lower H01.00B
- right H01.003
- - lower H01.002
- - upper H01.001
- - upper and lower H01.00A
- squamous H01.029
- - left H01.026
- - - lower H01.025
- - - upper H01.024
- - - upper and lower H01.02B
- - right H01.023
- - - lower H01.022
- - - upper H01.021

- - - upper and lower H01.02A
- ulcerative H01.019
- - left H01.016
- - - lower H01.015
- - - upper H01.014
- - - upper and lower H01.01B
- - right H01.013
- - - lower H01.012
- - - upper H01.011
- - - upper and lower H01.01A
Blepharochalasis H02.30
- congenital Q10.0
- left H02.36
- - lower H02.35
- - upper H02.34
- right H02.33
- - lower H02.32
- - upper H02.31
Blepharoclonus H02.59
Blepharoconjunctivitis H10.50-
- angular H10.52-
- contact H10.53-
- ligneous H10.51-
Blepharophimosis (eyelid) H02.529
- congenital Q10.3
- left H02.526
- - lower H02.525
- - upper H02.524
- right H02.523
- - lower H02.522
- - upper H02.521
Blepharoptosis H02.40-
- congenital Q10.0
- mechanical H02.41-
- myogenic H02.42-
- neurogenic H02.43-
- paralytic H02.43-
Blepharopyorrhea, gonococcal A54.39
Blepharospasm G24.5
- drug induced G24.01
Blighted ovum O02.0
Blind -*see also* Blindness
- bronchus (congenital) Q32.4
- loop syndrome K90.2
- - congenital Q43.8
- sac, fallopian tube (congenital) Q50.6
- spot, enlarged -*see* Defect, visual field, localized, scotoma, blind spot area
- tract or tube, congenital NEC -*see* Atresia, by site
Blindness (acquired) (congenital) (both eyes) H54.0X-
- blast S05.8X-
- color -*see* Deficiency, color vision
- concussion S05.8X-
- cortical H47.619
- - left brain H47.612
- - right brain H47.611
- day H53.11
- due to injury (current episode) S05.9-
- - sequelae -- code to injury with seventh character S
- eclipse (total) -*see* Retinopathy, solar
- emotional (hysterical) F44.6

- face H53.16
- hysterical F44.6
- legal (both eyes) (USA definition) H54.8
- mind R48.8
- night H53.60
- - abnormal dark adaptation curve H53.61
- - acquired H53.62
- - congenital H53.63
- - specified type NEC H53.69
- - vitamin A deficiency E50.5
- one eye (other eye normal) H54.40
- - left (normal vision on right) H54.42-
- - - low vision on right H54.12-
- - low vision, other eye H54.10
- - right (normal vision on left) H54.41-
- - - low vision on left H54.11-
- psychic R48.8
- river B73.01
- snow -*see* Photokeratitis
- sun, solar -*see* Retinopathy, solar
- transient -*see* Disturbance, vision, subjective, loss, transient
- traumatic (current episode) S05.9-
- word (developmental) F81.0
- - acquired R48.0
- - secondary to organic lesion R48.0

Blister (nonthermal)
- abdominal wall S30.821
- alveolar process S00.522
- ankle S90.52-
- antecubital space -*see* Blister, elbow
- anus S30.827
- arm (upper) S40.82-
- auditory canal -*see* Blister, ear
- auricle -*see* Blister, ear
- axilla -*see* Blister, arm
- back, lower S30.820
- beetle dermatitis L24.89
- breast S20.12-
- brow S00.82
- calf -*see* Blister, leg
- canthus -*see* Blister, eyelid
- cheek S00.82
- - internal S00.522
- chest wall -*see* Blister, thorax
- chin S00.82
- costal region -*see* Blister, thorax
- digit(s)
- - foot -*see* Blister, toe
- - hand -*see* Blister, finger
- due to burn -*see* Burn, by site, second degree
- ear S00.42-
- elbow S50.32-
- epiglottis S10.12
- esophagus, cervical S10.12
- eyebrow -*see* Blister, eyelid
- eyelid S00.22-
- face S00.82
- fever B00.1
- finger(s) S60.429
- - index S60.42-

- - little S60.42-
- - middle S60.42-
- - ring S60.42-
- foot (except toe(s) alone) S90.82-
- - toe -*see* Blister, toe
- forearm S50.82-
- - elbow only -*see* Blister, elbow
- forehead S00.82
- fracture - omit code
- genital organ
- - female S30.826
- - male S30.825
- gum S00.522
- hand S60.52-
- head S00.92
- - ear -*see* Blister, ear
- - eyelid -*see* Blister, eyelid
- - lip S00.521
- - nose S00.32
- - oral cavity S00.522
- - scalp S00.02
- - specified site NEC S00.82
- heel -*see* Blister, foot
- hip S70.22-
- interscapular region S20.429
- jaw S00.82
- knee S80.22-
- larynx S10.12
- leg (lower) S80.82-
- - knee -*see* Blister, knee
- - upper -*see* Blister, thigh
- lip S00.521
- malar region S00.82
- mammary -*see* Blister, breast
- mastoid region S00.82
- mouth S00.522
- multiple, skin, nontraumatic R23.8
- nail
- - finger -*see* Blister, finger
- - toe -*see* Blister, toe
- nasal S00.32
- neck S10.92
- - specified site NEC S10.82
- - throat S10.12
- nose S00.32
- occipital region S00.02
- oral cavity S00.522
- orbital region -*see* Blister, eyelid
- palate S00.522
- palm -*see* Blister, hand
- parietal region S00.02
- pelvis S30.820
- penis S30.822
- periocular area -*see* Blister, eyelid
- phalanges
- - finger -*see* Blister, finger
- - toe -*see* Blister, toe
- pharynx S10.12
- pinna -*see* Blister, ear
- popliteal space -*see* Blister, knee

- scalp S00.02
- scapular region -*see* Blister, shoulder
- scrotum S30.823
- shin -*see* Blister, leg
- shoulder S40.22-
- sternal region S20.329
- submaxillary region S00.82
- submental region S00.82
- subungual
- - finger(s) -*see* Blister, finger
- - toe(s) -*see* Blister, toe
- supraclavicular fossa S10.82
- supraorbital S00.82
- temple S00.82
- temporal region S00.82
- testis S30.823
- thermal -*see* Burn, by site, second degree
- thigh S70.32-
- thorax, thoracic (wall) S20.92
- - back S20.42-
- - front S20.32-
- throat S10.12
- thumb S60.32-
- toe(s) S90.42-
- - great S90.42-
- tongue S00.522
- trachea S10.12
- tympanum, tympanic membrane -*see* Blister, ear
- upper arm -*see* Blister, arm (upper)
- uvula S00.522
- vagina S30.824
- vocal cords S10.12
- vulva S30.824
- wrist S60.82-

Bloating R14.0

Bloch-Sulzberger disease or syndrome Q82.3

Block, blocked

- alveolocapillary J84.10
- arborization (heart) I45.5
- arrhythmic I45.9
- atrioventricular (incomplete) (partial) I44.30
- - with atrioventricular dissociation I44.2
- - complete I44.2
- - - congenital Q24.6
- - congenital Q24.6
- - first degree I44.0
- - second degree (types I and II) I44.1
- - specified NEC I44.39
- - third degree I44.2
- - types I and II I44.1
- auriculoventricular -*see* Block, atrioventricular
- bifascicular (cardiac) I45.2
- bundle-branch (complete) (false) (incomplete) I45.4
- - bilateral I45.2
- - left I44.7
- - - with right bundle branch block I45.2
- - - hemiblock I44.60
- - - - anterior I44.4
- - - - posterior I44.5
- - - incomplete I44.7

- - - - with right bundle branch block I45.2
- - right I45.10
- - - with
- - - - left bundle branch block I45.2
- - - - left fascicular block I45.2
- - - specified NEC I45.19
- - Wilson's type I45.19
- cardiac I45.9
- conduction I45.9
- - complete I44.2
- fascicular (left) I44.60
- - anterior I44.4
- - posterior I44.5
- - right I45.0
- - specified NEC I44.69
- foramen Magendie (acquired) G91.1
- - congenital Q03.1
- - - with spina bifida *-see* Spina bifida, by site, with hydrocephalus
- heart I45.9
- - bundle branch I45.4
- - - bilateral I45.2
- - complete (atrioventricular) I44.2
- - congenital Q24.6
- - first degree (atrioventricular) I44.0
- - second degree (atrioventricular) I44.1
- - specified type NEC I45.5
- - third degree (atrioventricular) I44.2
- hepatic vein I82.0
- intraventricular (nonspecific) I45.4
- - bundle branch
- - - bilateral I45.2
- kidney N28.9
- - postcystoscopic or postprocedural N99.0
- Mobitz (types I and II) I44.1
- myocardial *-see* Block, heart
- nodal I45.5
- organ or site, congenital NEC *-see* Atresia, by site
- portal (vein) I81
- second degree (types I and II) I44.1
- sinoatrial I45.5
- sinoauricular I45.5
- third degree I44.2
- trifascicular I45.3
- tubal N97.1
- vein NOS I82.90
- Wenckebach (types I and II) I44.1

Blockage *-see* Obstruction

Blocq's disease F44.4

Blood

- constituents, abnormal R78.9
- disease D75.9
- donor *-see* Donor, blood
- dyscrasia D75.9
- - with
- - - abortion *-see* Abortion, by type, complicated by, hemorrhage
- - - ectopic pregnancy O08.1
- - - molar pregnancy O08.1
- - following ectopic or molar pregnancy O08.1
- - newborn P61.9
- - puerperal, postpartum O72.3

- flukes NEC -*see* Schistosomiasis
- in
- - feces K92.1
- - - occult R19.5
- - urine -*see* Hematuria
- mole O02.0
- occult in feces R19.5
- pressure
- - decreased, due to shock following injury T79.4
- - examination only Z01.30
- - fluctuating I99.8
- - high -*see* Hypertension
- - - borderline R03.0
- - - incidental reading, without diagnosis of hypertension R03.0
- - low -*see also* Hypotension
- - - incidental reading, without diagnosis of hypotension R03.1
- spitting -*see* Hemoptysis
- staining cornea -*see* Pigmentation, cornea, stromal
- transfusion
- - reaction or complication -*see* Complications, transfusion
- type
- - A (Rh positive) Z67.10
- - - Rh negative Z67.11
- - AB (Rh positive) Z67.30
- - - Rh negative Z67.31
- - B (Rh positive) Z67.20
- - - Rh negative Z67.21
- - O (Rh positive) Z67.40
- - - Rh negative Z67.41
- - Rh (positive) Z67.90
- - - negative Z67.91
- vessel rupture -*see* Hemorrhage
- vomiting -*see* Hematemesis

Blood-forming organs, disease D75.9
Bloodgood's disease -*see* Mastopathy, cystic
Bloom (-Machacek)(-Torre) syndrome Q82.8
Blount disease or osteochondrosis M92.51-
Blue
- baby Q24.9
- diaper syndrome E72.09
- dome cyst (breast) -*see* Cyst, breast
- dot cataract Q12.0
- nevus D22.9
- sclera Q13.5
- - with fragility of bone and deafness Q78.0
- toe syndrome I75.02-

Blueness -*see* Cyanosis
Blues, postpartal O90.6
- baby O90.6

Blurring, visual H53.8
Blushing (abnormal) (excessive) R23.2
BMI -*see* Body, mass index
Boarder, hospital NEC Z76.4
- accompanying sick person Z76.3
- healthy infant or child Z76.2
- - foundling Z76.1

Bockhart's impetigo L01.02
Bodechtel-Guttman disease (subacute sclerosing panencephalitis) A81.1
Boder-Sedgwick syndrome (ataxia-telangiectasia) G11.3
Body, bodies

- Aschoff's -*see* Myocarditis, rheumatic
- asteroid, vitreous -*see* Deposit, crystalline
- cytoid (retina) -*see* Occlusion, artery, retina
- drusen (degenerative) (macula) (retinal) -*see also* Degeneration, macula, drusen
- - optic disc -*see* Drusen, optic disc
- foreign -*see* Foreign body
- loose
- - joint, except knee -*see* Loose, body, joint
- - - knee M23.4-
- - sheath, tendon -*see* Disorder, tendon, specified type NEC
- mass index (BMI)
- - adult
- - - 19.9 or less Z68.1
- - - 20.0-20.9 Z68.20
- - - 21.0-21.9 Z68.21
- - - 22.0-22.9 Z68.22
- - - 23.0-23.9 Z68.23
- - - 24.0-24.9 Z68.24
- - - 25.0-25.9 Z68.25
- - - 26.0-26.9 Z68.26
- - - 27.0-27.9 Z68.27
- - - 28.0-28.9 Z68.28
- - - 29.0-29.9 Z68.29
- - - 30.0-30.9 Z68.30
- - - 31.0-31.9 Z68.31
- - - 32.0-32.9 Z68.32
- - - 33.0-33.9 Z68.33
- - - 34.0-34.9 Z68.34
- - - 35.0-35.9 Z68.35
- - - 36.0-36.9 Z68.36
- - - 37.0-37.9 Z68.37
- - - 38.0-38.9 Z68.38
- - - 39.0-39.9 Z68.39
- - - 40.0-44.9 Z68.41
- - - 45.0-49.9 Z68.42
- - - 50.0-59.9 Z68.43
- - - 60.0-69.9 Z68.44
- - - 70 and over Z68.45
- - pediatric
- - - 5th percentile to less than 85th percentile for age Z68.52
- - - 85th percentile to less than 95th percentile for age Z68.53
- - - 95th percentile for age to less than 120% of the 95th percentile for age Z68.54
- - - 120% of the 95th percentile for age to less than 140% of the 95th percentile for age Z68.55
- - - greater than or equal to 140% of the 95th percentile for age Z68.56
- - - less than fifth percentile for age Z68.51
- Mooser's A75.2
- rice -*see also* Loose, body, joint
- - knee M23.4-
- rocking F98.4

Boeck's
- disease or sarcoid -*see* Sarcoidosis
- lupoid (miliary) D86.3

Boerhaave's syndrome (spontaneous esophageal rupture) K22.3

Boggy
- cervix N88.8
- uterus N85.8

Boil -*see also* Furuncle, by site
- Aleppo B55.1
- Baghdad B55.1
- Delhi B55.1

- lacrimal
- - gland -*see* Dacryoadenitis
- - passages (duct) (sac) -*see* Inflammation, lacrimal, passages, acute
- Natal B55.1
- orbit, orbital -*see* Abscess, orbit
- tropical B55.1
Bold hives -*see* Urticaria
Bombé, iris -*see* Membrane, pupillary
Bone -*see* condition
Bonnevie-Ullrich syndrome -*see also* Turner's syndrome Q87.19
Bonnier's syndrome -see subcategory H81.8
Bonvale dam fever T73.3
Bony block of joint -*see* Ankylosis
BOOP (bronchiolitis obliterans organized pneumonia) J84.89
Borderline
- diabetes mellitus R73.03
- hypertension R03.0
- osteopenia M85.8-
- pelvis, with obstruction during labor O65.1
- personality F60.3
Borna disease A83.9
Bornholm disease B33.0
Boston exanthem A88.0
Botalli, ductus (patent) (persistent) Q25.0
Bothriocephalus latus infestation B70.0
Botulism (foodborne intoxication) A05.1
- infant A48.51
- non-foodborne A48.52
- wound A48.52
Bouba -*see* Yaws
Bouchard's nodes (with arthropathy) M15.2
Bouffée délirante F23
Bouillaud's disease or syndrome (rheumatic heart disease) I01.9
Bourneville's disease Q85.1
Boutonniere deformity (finger) -*see* Deformity, finger, boutonniere
Bouveret (-Hoffmann) syndrome (paroxysmal tachycardia) I47.9
Bovine heart -*see* Hypertrophy, cardiac
Bowel -*see* condition
Bowen's
- dermatosis (precancerous) -*see* Neoplasm, skin, in situ
- disease -*see* Neoplasm, skin, in situ
- epithelioma -*see* Neoplasm, skin, in situ
- type
- - epidermoid carcinoma-in-situ -*see* Neoplasm, skin, in situ
- - intraepidermal squamous cell carcinoma -*see* Neoplasm, skin, in situ
Bowing
- femur -*see also* Deformity, limb, specified type NEC, thigh
- - congenital Q68.3
- fibula -*see also* Deformity, limb, specified type NEC, lower leg
- - congenital Q68.4
- forearm -*see* Deformity, limb, specified type NEC, forearm
- leg(s), long bones, congenital Q68.5
- radius -*see* Deformity, limb, specified type NEC, forearm
- tibia -*see also* Deformity, limb, specified type NEC, lower leg
- - congenital Q68.4
Bowleg(s) (acquired) M21.16-
- congenital Q68.5
- rachitic E64.3
Boyd's dysentery A03.2
Brachial -*see* condition

Brachycardia R00.1
Brachycephaly, non-deformational Q75.022
Bradley's disease A08.19
Bradyarrhythmia, cardiac I49.8
Bradycardia (sinoatrial) (sinus) (vagal) R00.1
- neonatal P29.12
- reflex G90.09
- tachycardia syndrome I49.5
Bradykinesia R25.8
Bradypnea R06.89
Bradytachycardia I49.5
Brailsford's disease or osteochondrosis -*see* Osteochondrosis, juvenile, radius
Brain -*see also* condition
- death G93.82
- syndrome -*see* Syndrome, brain
Branched-chain amino-acid disorder E71.2
Branchial -*see* condition
- cartilage, congenital Q18.2
Branchiogenic remnant (in neck) Q18.0
Brandt's syndrome (acrodermatitis enteropathica) E83.2
Brash (water) R12
Bravais-jacksonian epilepsy -*see* Epilepsy, localization-related, symptomatic, with simple partial seizures
Braxton Hicks contractions -*see* False, labor
Brazilian leishmaniasis B55.2
BRBPR K62.5
Break, retina (without detachment) H33.30-
- with retinal detachment -*see* Detachment, retina
- horseshoe tear H33.31-
- multiple H33.33-
- round hole H33.32-
Breakdown
- device, graft or implant -*see also* Complications, by site and type, mechanical T85.618
- - arterial graft NEC -*see* Complication, cardiovascular device, mechanical, vascular
- - breast (implant) T85.41
- - catheter NEC T85.618
- - - cystostomy T83.010
- - - Hopkins T83.018
- - - ileostomy T83.018
- - - dialysis (renal) T82.41
- - - - intraperitoneal T85.611
- - - infusion NEC T82.514
- - - - cranial T85.610
- - - - epidural T85.610
- - - - intrathecal T85.610
- - - - spinal T85.610
- - - - subarachnoid T85.610
- - - - subdural T85.610
- - - nephrostomy T83.012
- - - urethral indwelling T83.011
- - - urinary NEC T83.018
- - - urostomy T83.018
- - electronic (electrode) (pulse generator) (stimulator)
- - - bone T84.310
- - - cardiac T82.119
- - - - electrode T82.110
- - - - pulse generator T82.111
- - - - specified type NEC T82.118
- - - nervous system -*see* Complication, prosthetic device, mechanical, electronic nervous system stimulator
- - - urinary -*see* Complication, genitourinary, device, urinary, mechanical
- - fixation, internal (orthopedic) NEC -*see* Complication, fixation device, mechanical

- - gastrointestinal -*see* Complications, prosthetic device, mechanical, gastrointestinal device
- - genital NEC T83.418
- - - intrauterine contraceptive device T83.31
- - - penile prosthesis (cylinder) (implanted) (pump) (reservoir) T83.410
- - - testicular prosthesis T83.411
- - heart NEC -*see* Complication, cardiovascular device, mechanical
- - intrathecal infusion pump T85.615
- - joint prosthesis -*see* Complications, joint prosthesis, internal, mechanical, by site
- - nervous system, specified device NEC T85.615
- - ocular NEC -*see* Complications, prosthetic device, mechanical, ocular device
- - orthopedic NEC -*see* Complication, orthopedic, device, mechanical
- - specified NEC T85.618
- - subcutaneous device pocket
- - - nervous system prosthetic device, implant, or graft T85.890
- - - other internal prosthetic device, implant, or graft T85.898
- - sutures, permanent T85.612
- - - used in bone repair -*see* Complications, fixation device, internal (orthopedic), mechanical
- - urinary NEC T83.118
- - - graft T83.21
- - - sphincter, implanted T83.111
- - - stent (ileal conduit) (nephroureteral) T83.113
- - - - ureteral indwelling T83.112
- - vascular NEC -*see* Complication, cardiovascular device, mechanical
- - ventricular intracranial shunt T85.01
- nervous F48.8
- perineum O90.1
- respirator J95.850
- - specified NEC J95.859
- ventilator J95.850
- - specified NEC J95.859

Breast -*see also* condition
- buds E30.1
- - in newborn P96.89
- dense R92.3-
- Imaging Reporting and Data System (BI-RADS) : A R92.31-
- Imaging Reporting and Data System (BI-RADS) : B R92.32-
- Imaging Reporting and Data System (BI-RADS) : C R92.33-
- Imaging Reporting and Data System (BI-RADS) : D R92.34-
- Imaging Reporting and Data System (BI-RADS) : 1 R92.31-
- Imaging Reporting and Data System (BI-RADS) : 2 R92.32-
- Imaging Reporting and Data System (BI-RADS) : 3 R92.33-
- Imaging Reporting and Data System (BI-RADS) : 4 R92.34-
- nodule -*see also* Lump, breast N63.0

Breath
- foul R19.6
- holder, child R06.89
- holding spell R06.89
- shortness R06.02

Breathing
- labored -*see* Hyperventilation
- mouth R06.5
- - causing malocclusion M26.5
- periodic R06.3
- - high altitude G47.32

Breathlessness R06.81

Breda's disease -*see* Yaws

Breech presentation (mother) O32.1
- causing obstructed labor O64.1
- footling O32.8
- - causing obstructed labor O64.8

- incomplete O32.8
- - causing obstructed labor O64.8
Breisky's disease N90.4
Brennemann's syndrome I88.0
Brenner
- tumor (benign) D27.9
- - borderline malignancy D39.1-
- - malignant C56
- - proliferating D39.1-
Bretonneau's disease or angina A36.0
Breus' mole O02.0
Brevicollis Q76.49
Brickmakers' anemia B76.9 *[D63.8]*
Bridge, myocardial Q24.5
Bright red blood per rectum (BRBPR) K62.5
Bright's disease *-see also* Nephritis
- arteriosclerotic *-see* Hypertension, kidney
Brill (-Zinsser) disease (recrudescent typhus) A75.1
Brill-Symmers' disease C82.90
Brion-Kayser disease *-see* Fever, paratyphoid
Briquet's disorder or syndrome F45.0
Brissaud's
- infantilism or dwarfism E23.0
- motor-verbal tic F95.2
Brittle
- bones disease Q78.0
- nails L60.3
- - congenital Q84.6
Broad *-see also* condition
- beta disease E78.2
- ligament laceration syndrome N83.8
Broad- or floating-betalipoproteinemia E78.2
Brock's syndrome (atelectasis due to enlarged lymph nodes) J98.19
Brocq-Duhring disease (dermatitis herpetiformis) L13.0
Brodie's abscess or disease M86.8X-
Broken
- arches *-see also* Deformity, limb, flat foot
- arm (meaning upper limb) *-see* Fracture, arm
- back *-see* Fracture, vertebra
- bone *-see* Fracture
- implant or internal device *-see* Complications, by site and type, mechanical
- leg (meaning lower limb) *-see* Fracture, leg
- nose S02.2
- tooth, teeth *-see* Fracture, tooth
Bromhidrosis, bromidrosis L75.0
Bromidism, bromism G92.8
- due to
- - correct substance properly administered *-see* Table of Drugs and Chemicals, by drug, adverse effect
- - overdose or wrong substance given or taken *-see* Table of Drugs and Chemicals, by drug, poisoning
- chronic (dependence) F13.20
Bromidrosiphobia F40.298
Bronchi, bronchial *-see* condition
Bronchiectasis (cylindrical) (diffuse) (fusiform) (localized) (saccular) J47.9
- with
- - acute
- - - bronchitis J47.0
- - - lower respiratory infection J47.0
- - exacerbation (acute) J47.1
- congenital Q33.4
- tuberculous NEC *-see* Tuberculosis, pulmonary

Bronchiolectasis -*see* Bronchiectasis
Bronchiolitis (acute) (infective) (subacute) J21.9
- with
- - bronchospasm or obstruction J21.9
- - influenza, flu or grippe -*see* Influenza, with, respiratory manifestations NEC
- chemical (chronic) J68.4
- - acute J68.0
- chronic (fibrosing) J44.89
- - obliterative J44.81
- due to
- - external agent -*see* Bronchitis, acute, due to
- - human metapneumovirus J21.1
- - respiratory syncytial virus (RSV) J21.0
- - specified organism NEC J21.8
- fibrosa obliterans J44.81
- influenzal -*see* Influenza, with, respiratory manifestations NEC
- obliterans -*see also* Bronchiolitis, obliterative J44.81
- - with organizing pneumonia (BOOP) J84.89
- - syndrome J44.81
- obliterative (chronic) (subacute) -*see also* Bronchiolitis, obliterans J44.81
- - due to chemicals, gases, fumes or vapors (inhalation) -*see also* Disease, respiratory, chronic, due to chemicals, gases, fumes or vapors J44.81
- - due to fumes or vapors -*see also* Disease, respiratory, chronic, due to chemicals, gases, fumes or vapors J44.81
- respiratory, interstitial lung disease J84.115
Bronchitis (diffuse) (fibrinous) (hypostatic) (infective) (membranous) J40
- with
- - influenza, flu or grippe -*see* Influenza, with, respiratory manifestations NEC
- - obstruction (airway) (lung) J44.89
- - tracheitis (l5 years of age and above) J40
- - - acute or subacute J20.9
- - - chronic J42
- - - under l5 years of age J20.9
- acute or subacute (with bronchospasm or obstruction) J20.9
- - with
- - - bronchiectasis J47.0
- - - chronic obstructive pulmonary disease J44.0
- - chemical (due to gases, fumes or vapors) J68.0
- - due to
- - - fumes or vapors J68.0
- - - Haemophilus influenzae J20.1
- - - Mycoplasma pneumoniae J20.0
- - - radiation J70.0
- - - specified organism NEC J20.8
- - - Streptococcus J20.2
- - - virus
- - - - coxsackie J20.3
- - - - echovirus J20.7
- - - - parainfluenzae J20.4
- - - - respiratory syncytial (RSV) J20.5
- - - - rhinovirus J20.6
- - viral NEC J20.8
- allergic (acute) J45.909
- - with
- - - exacerbation (acute) J45.901
- - - status asthmaticus J45.902
- arachidic T17.528
- aspiration (due to food and vomit) J69.0
- asthmatic J45.9
- - chronic J44.89
- - - with

- - - - acute lower respiratory infection J44.0
- - - - exacerbation (acute) J44.1
- capillary -*see* Pneumonia, broncho
- caseous (tuberculous) A15.5
- Castellani's A69.8
- catarrhal (l5 years of age and above) J40
- - acute -*see* Bronchitis, acute
- - chronic J41.0
- - under l5 years of age J20.9
- chemical (acute) (subacute) J68.0
- - chronic -*see also* Disease, respiratory, chronic, due to chemicals, gases, fumes or vapors J42
- - due to fumes or vapors -*see also* Disease, respiratory, chronic, due to chemicals, gases, fumes or vapors J42
- - - chronic J68.4
- chronic J42
- - with
- - - airways obstruction J44.89
- - - tracheitis (chronic) J42
- - asthmatic (obstructive) J44.89
- - catarrhal J41.0
- - chemical (due to fumes or vapors) -*see also* Disease, respiratory, chronic, due to chemicals, gases, fumes or vapors J42
- - due to
- - - chemicals, gases, fumes or vapors (inhalation) -*see also* Disease, respiratory, chronic, due to chemicals, gases, fumes or vapors J42
- - - radiation J70.1
- - - tobacco smoking J41.0
- - emphysematous J44.89
- - mucopurulent J41.1
- - non-obstructive J41.0
- - obliterans -*see* Bronchiolitis, obliterans
- - obstructive J44.89
- - purulent J41.1
- - simple J41.0
- croupous -*see* Bronchitis, acute
- due to gases, fumes or vapors (chemical) J68.0
- emphysematous (obstructive) J44.89
- exudative -*see* Bronchitis, acute
- fetid J41.1
- grippal -*see* Influenza, with, respiratory manifestations NEC
- in those under l5 years age -*see* Bronchitis, acute
- - chronic -*see* Bronchitis, chronic
- influenzal -*see* Influenza, with, respiratory manifestations NEC
- mixed simple and mucopurulent J41.8
- moulder's J62.8
- mucopurulent (chronic) (recurrent) J41.1
- - acute or subacute J20.9
- - simple (mixed) J41.8
- obliterans (chronic) -*see* Bronchiolitis, obliterans
- obstructive (chronic) (diffuse) J44.89
- pituitous J41.1
- pneumococcal, acute or subacute J20.2
- pseudomembranous, acute or subacute -*see* Bronchitis, acute
- purulent (chronic) (recurrent) J41.1
- - acute or subacute -*see* Bronchitis, acute
- putrid J41.1
- senile (chronic) J42
- simple and mucopurulent (mixed) J41.8
- smokers' J41.0
- spirochetal NEC A69.8
- subacute -*see* Bronchitis, acute

- suppurative (chronic) J41.1
- - acute or subacute -*see* Bronchitis, acute
- tuberculous A15.5
- under l5 years of age -*see* Bronchitis, acute
- - chronic -*see* Bronchitis, chronic
- viral NEC, acute or subacute -*see also* Bronchitis, acute J20.8
Bronchoalveolitis J18.0
Bronchoaspergillosis B44.1
Bronchocele meaning goiter E04.0
Broncholithiasis J98.09
- tuberculous NEC A15.5
Bronchomalacia J98.09
- congenital Q32.2
Bronchomycosis NOS B49 *[J99]*
- candidal B37.1
Bronchopleuropneumonia -*see* Pneumonia, broncho
Bronchopneumonia -*see* Pneumonia, broncho
Bronchopneumonitis -*see* Pneumonia, broncho
Bronchopulmonary -*see* condition
Bronchopulmonitis -*see* Pneumonia, broncho
Bronchorrhagia (see Hemoptysis)
Bronchorrhea J98.09
- acute J20.9
- chronic (infective) (purulent) J42
Bronchospasm (acute) J98.01
- with
- - bronchiolitis, acute J21.9
- - bronchitis, acute (conditions in J20) -*see* Bronchitis, acute
- due to external agent -*see* condition, respiratory, acute, due to
- exercise induced J45.990
Bronchospirochetosis A69.8
- Castellani A69.8
Bronchostenosis J98.09
Bronchus -*see* condition
Brontophobia F40.220
Bronze baby syndrome P83.88
Brooke's tumor -*see* Neoplasm, skin, benign
Brown enamel of teeth (hereditary) K00.5
Brown's sheath syndrome H50.61-
Brown-Séquard disease, paralysis or syndrome G83.81
Bruce sepsis A23.0
Brucellosis (infection) A23.9
- abortus A23.1
- canis A23.3
- dermatitis A23.9
- melitensis A23.0
- mixed A23.8
- sepsis A23.9
- - melitensis A23.0
- - specified NEC A23.8
- suis A23.2
Bruck-de Lange disease Q87.19
Bruck's disease -*see* Deformity, limb
BRUE (brief resolved unexplained event) R68.13
Brugsch's syndrome Q82.8
Bruise (skin surface intact) -*see also* Contusion
- with
- - open wound -*see* Wound, open
- internal organ -*see* Injury, by site
- newborn P54.5

- scalp, due to birth injury, newborn P12.3
- umbilical cord O69.5
Bruit (arterial) R09.89
- cardiac R01.1
Brush burn -*see* Abrasion, by site
Bruton's X-linked agammaglobulinemia D80.0
Bruxism
- psychogenic F45.8
- sleep related G47.63
Bubbly lung syndrome P27.0
Bubo I88.8
- blennorrhagic (gonococcal) A54.89
- chancroidal A57
- climatic A55
- due to Haemophilus ducreyi A57
- gonococcal A54.89
- indolent (nonspecific) I88.8
- inguinal (nonspecific) I88.8
- - chancroidal A57
- - climatic A55
- - due to H. ducreyi A57
- - infective I88.8
- scrofulous (tuberculous) A18.2
- soft chancre A57
- suppurating -*see* Lymphadenitis, acute
- syphilitic (primary) A51.0
- - congenital A50.07
- tropical A55
- virulent (chancroidal) A57
Bubonic plague A20.0
Bubonocele -*see* Hernia, inguinal
Buccal -*see* condition
Buchanan's disease or osteochondrosis M91.0
Buchem's syndrome (hyperostosis corticalis) M85.2
Bucket-handle fracture or tear (semilunar cartilage) -*see* Tear, meniscus
Budd-Chiari syndrome (hepatic vein thrombosis) I82.0
Budgerigar fancier's disease or lung J67.2
Buds
- breast E30.1
- - in newborn P96.89
Buerger's disease (thromboangiitis obliterans) I73.1
Bulbar -*see* condition
Bulbus cordis (left ventricle) (persistent) Q21.8
Bulimia (nervosa) F50.2-
- atypical F50.9
- normal weight F50.9
Bulky
- stools R19.5
- uterus N85.2
Bulla (e) R23.8
- lung (emphysematous) (solitary) J43.9
- - newborn P25.8
Bullet wound -*see also* Puncture
- fracture - code as Fracture, by site
- internal organ -*see* Injury, by site
Bundle
- branch block (complete) (false) (incomplete) -*see* Block, bundle-branch
- of His -*see* condition
Bunion M21.61-
- tailor's M21.62-

Bunionette M21.62-
Buphthalmia, buphthalmos (congenital) Q15.0
Burdwan fever B55.0
Bürger-Grütz disease or syndrome E78.3
Buried
- penis (congenital) Q55.64
- - acquired N48.83
- roots K08.3
Burke's syndrome K86.89
Burkholderia
- cepacia A49.8
- mallei A24.0
- pseudomallei -*see* Melioidosis
Burkitt
- cell leukemia C91.0-
- lymphoma (malignant) C83.7-
- - small noncleaved, diffuse C83.7-
- - spleen C83.77
- - undifferentiated C83.7-
- tumor C83.7-
- type
- - acute lymphoblastic leukemia C91.0-
- - undifferentiated C83.7-
Burn (electricity) (flame) (hot gas, liquid or hot object) (radiation) (steam) (thermal) T30.0
- abdomen, abdominal (muscle) (wall) T21.02
- - first degree T21.12
- - second degree T21.22
- - third degree T21.32
- above elbow T22.039
- - first degree T22.139
- - left T22.032
- - - first degree T22.132
- - - second degree T22.232
- - - third degree T22.332
- - right T22.031
- - - first degree T22.131
- - - second degree T22.231
- - - third degree T22.331
- - second degree T22.239
- - third degree T22.339
- acid (caustic) (external) (internal) -*see* Corrosion, by site
- alimentary tract NEC T28.2
- - esophagus T28.1
- - mouth T28.0
- - pharynx T28.0
- alkaline (caustic) (external) (internal) -*see* Corrosion, by site
- ankle T25.019
- - first degree T25.119
- - left T25.012
- - - first degree T25.112
- - - second degree T25.212
- - - third degree T25.312
- - multiple with foot -*see* Burn, lower, limb, multiple, ankle and foot
- - right T25.011
- - - first degree T25.111
- - - second degree T25.211
- - - third degree T25.311
- - second degree T25.219
- - third degree T25.319
- anus -*see* Burn, buttock

- arm (lower) (upper) -*see* Burn, upper, limb
- axilla T22.049
- - first degree T22.149
- - left T22.042
- - - first degree T22.142
- - - second degree T22.242
- - - third degree T22.342
- - right T22.041
- - - first degree T22.141
- - - second degree T22.241
- - - third degree T22.341
- - second degree T22.249
- - third degree T22.349
- back (lower) T21.04
- - first degree T21.14
- - second degree T21.24
- - third degree T21.34
- - upper T21.03
- - - first degree T21.13
- - - second degree T21.23
- - - third degree T21.33
- blisters - code as Burn, second degree, by site
- breast(s) -*see* Burn, chest wall
- buttock(s) T21.05
- - first degree T21.15
- - second degree T21.25
- - third degree T21.35
- calf T24.039
- - first degree T24.139
- - left T24.032
- - - first degree T24.132
- - - second degree T24.232
- - - third degree T24.332
- - right T24.031
- - - first degree T24.131
- - - second degree T24.231
- - - third degree T24.331
- - second degree T24.239
- - third degree T24.339
- canthus (eye) -*see* Burn, eyelid
- caustic acid or alkaline -*see* Corrosion, by site
- cervix T28.3
- cheek T20.06
- - first degree T20.16
- - second degree T20.26
- - third degree T20.36
- chemical (acids) (alkalines) (caustics) (external) (internal) -*see* Corrosion, by site
- chest wall T21.01
- - first degree T21.11
- - second degree T21.21
- - third degree T21.31
- chin T20.03
- - first degree T20.13
- - second degree T20.23
- - third degree T20.33
- colon T28.2
- conjunctiva (and cornea) -*see* Burn, cornea
- cornea (and conjunctiva) T26.1-
- - chemical -*see* Corrosion, cornea
- corrosion (external) (internal) -*see* Corrosion, by site

- deep necrosis of underlying tissue - code as Burn, third degree, by site
- dorsum of hand T23.069
- - first degree T23.169
- - left T23.062
- - - first degree T23.162
- - - second degree T23.262
- - - third degree T23.362
- - right T23.061
- - - first degree T23.161
- - - second degree T23.261
- - - third degree T23.361
- - second degree T23.269
- - third degree T23.369
- due to ingested chemical agent -*see* Corrosion, by site
- ear (auricle) (external) (canal) T20.01
- - first degree T20.11
- - second degree T20.21
- - third degree T20.31
- elbow T22.029
- - first degree T22.129
- - left T22.022
- - - first degree T22.122
- - - second degree T22.222
- - - third degree T22.322
- - right T22.021
- - - first degree T22.121
- - - second degree T22.221
- - - third degree T22.321
- - second degree T22.229
- - third degree T22.329
- epidermal loss - code as Burn, second degree, by site
- erythema, erythematous - code as Burn, first degree, by site
- esophagus T28.1
- extent (percentage of body surface)
- - less than 10 percent T31.0
- - 10-19 percent T31.10
- - - with 0-9 percent third degree burns T31.10
- - - with 10-19 percent third degree burns T31.11
- - 20-29 percent T31.20
- - - with 0-9 percent third degree burns T31.20
- - - with 10-19 percent third degree burns T31.21
- - - with 20-29 percent third degree burns T31.22
- - 30-39 percent T31.30
- - - with 0-9 percent third degree burns T31.30
- - - with 10-19 percent third degree burns T31.31
- - - with 20-29 percent third degree burns T31.32
- - - with 30-39 percent third degree burns T31.33
- - 40-49 percent T31.40
- - - with 0-9 percent third degree burns T31.40
- - - with 10-19 percent third degree burns T31.41
- - - with 20-29 percent third degree burns T31.42
- - - with 30-39 percent third degree burns T31.43
- - - with 40-49 percent third degree burns T31.44
- - 50-59 percent T31.50
- - - with 0-9 percent third degree burns T31.50
- - - with 10-19 percent third degree burns T31.51
- - - with 20-29 percent third degree burns T31.52
- - - with 30-39 percent third degree burns T31.53
- - - with 40-49 percent third degree burns T31.54
- - - with 50-59 percent third degree burns T31.55

- - 60-69 percent T31.60
- - - with 0-9 percent third degree burns T31.60
- - - with 10-19 percent third degree burns T31.61
- - - with 20-29 percent third degree burns T31.62
- - - with 30-39 percent third degree burns T31.63
- - - with 40-49 percent third degree burns T31.64
- - - with 50-59 percent third degree burns T31.65
- - - with 60-69 percent third degree burns T31.66
- - 70-79 percent T31.70
- - - with 0-9 percent third degree burns T31.70
- - - with 10-19 percent third degree burns T31.71
- - - with 20-29 percent third degree burns T31.72
- - - with 30-39 percent third degree burns T31.73
- - - with 40-49 percent third degree burns T31.74
- - - with 50-59 percent third degree burns T31.75
- - - with 60-69 percent third degree burns T31.76
- - - with 70-79 percent third degree burns T31.77
- - 80-89 percent T31.80
- - - with 0-9 percent third degree burns T31.80
- - - with 10-19 percent third degree burns T31.81
- - - with 20-29 percent third degree burns T31.82
- - - with 30-39 percent third degree burns T31.83
- - - with 40-49 percent third degree burns T31.84
- - - with 50-59 percent third degree burns T31.85
- - - with 60-69 percent third degree burns T31.86
- - - with 70-79 percent third degree burns T31.87
- - - with 80-89 percent third degree burns T31.88
- - 90 percent or more T31.90
- - - with 0-9 percent third degree burns T31.90
- - - with 10-19 percent third degree burns T31.91
- - - with 20-29 percent third degree burns T31.92
- - - with 30-39 percent third degree burns T31.93
- - - with 40-49 percent third degree burns T31.94
- - - with 50-59 percent third degree burns T31.95
- - - with 60-69 percent third degree burns T31.96
- - - with 70-79 percent third degree burns T31.97
- - - with 80-89 percent third degree burns T31.98
- - - with 90 percent or more third degree burns T31.99
- extremity -*see* Burn, limb
- eye(s) and adnexa T26.4-
- - with resulting rupture and destruction of eyeball T26.2-
- - conjunctival sac -*see* Burn, cornea
- - cornea -*see* Burn, cornea
- - lid -*see* Burn, eyelid
- - periocular area -*see* Burn, eyelid
- - specified site NEC T26.3-
- eyeball -*see* Burn, eye
- eyelid(s) T26.0-
- - chemical -*see* Corrosion, eyelid
- face -*see* Burn, head
- finger T23.029
- - first degree T23.129
- - left T23.022
- - - first degree T23.122
- - - second degree T23.222
- - - third degree T23.322
- - multiple sites (without thumb) T23.039
- - - with thumb T23.049
- - - - first degree T23.149
- - - - left T23.042

- - - - - first degree T23.142
- - - - - second degree T23.242
- - - - - third degree T23.342
- - - - right T23.041
- - - - - first degree T23.141
- - - - - second degree T23.241
- - - - - third degree T23.341
- - - - second degree T23.249
- - - - third degree T23.349
- - - first degree T23.139
- - - left T23.032
- - - - first degree T23.132
- - - - second degree T23.232
- - - - third degree T23.332
- - - right T23.031
- - - - first degree T23.131
- - - - second degree T23.231
- - - - third degree T23.331
- - - second degree T23.239
- - - third degree T23.339
- - right T23.021
- - - first degree T23.121
- - - second degree T23.221
- - - third degree T23.321
- - second degree T23.229
- - third degree T23.329
- flank -*see* Burn, abdominal wall
- foot T25.029
- - first degree T25.129
- - left T25.022
- - - first degree T25.122
- - - second degree T25.222
- - - third degree T25.322
- - multiple with ankle -*see* Burn, lower, limb, multiple, ankle and foot
- - right T25.021
- - - first degree T25.121
- - - second degree T25.221
- - - third degree T25.321
- - second degree T25.229
- - third degree T25.329
- forearm T22.019
- - first degree T22.119
- - left T22.012
- - - first degree T22.112
- - - second degree T22.212
- - - third degree T22.312
- - right T22.011
- - - first degree T22.111
- - - second degree T22.211
- - - third degree T22.311
- - second degree T22.219
- - third degree T22.319
- forehead T20.06
- - first degree T20.16
- - second degree T20.26
- - third degree T20.36
- fourth degree - code as Burn, third degree, by site
- friction -*see* Burn, by site
- from swallowing caustic or corrosive substance NEC -*see* Corrosion, by site
- full thickness skin loss - code as Burn, third degree, by site

- gastrointestinal tract NEC T28.2
- - from swallowing caustic or corrosive substance T28.7
- genital organs
- - external
- - - female T21.07
- - - - first degree T21.17
- - - - second degree T21.27
- - - - third degree T21.37
- - - male T21.06
- - - - first degree T21.16
- - - - second degree T21.26
- - - - third degree T21.36
- - internal T28.3
- - - from caustic or corrosive substance T28.8
- groin -*see* Burn, abdominal wall
- hand(s) T23.009
- - back -*see* Burn, dorsum of hand
- - finger -*see* Burn, finger
- - first degree T23.109
- - left T23.002
- - - first degree T23.102
- - - second degree T23.202
- - - third degree T23.302
- - multiple sites with wrist T23.099
- - - first degree T23.199
- - - left T23.092
- - - - first degree T23.192
- - - - second degree T23.292
- - - - third degree T23.392
- - - right T23.091
- - - - first degree T23.191
- - - - second degree T23.291
- - - - third degree T23.391
- - - second degree T23.299
- - - third degree T23.399
- - palm -*see* Burn, palm
- - right T23.001
- - - first degree T23.101
- - - second degree T23.201
- - - third degree T23.301
- - second degree T23.209
- - third degree T23.309
- - thumb -*see* Burn, thumb
- head (and face) (and neck) T20.00
- - cheek -*see* Burn, cheek
- - chin -*see* Burn, chin
- - ear -*see* Burn, ear
- - eye(s) only -*see* Burn, eye
- - first degree T20.10
- - forehead -*see* Burn, forehead
- - lip -*see* Burn, lip
- - multiple sites T20.09
- - - first degree T20.19
- - - second degree T20.29
- - - third degree T20.39
- - neck -*see* Burn, neck
- - nose -*see* Burn, nose
- - scalp -*see* Burn, scalp
- - second degree T20.20
- - third degree T20.30

- hip(s) -*see* Burn, thigh
- inhalation -*see* Burn, respiratory tract
- - caustic or corrosive substance (fumes) -*see* Corrosion, respiratory tract
- internal organ(s) T28.40
- - alimentary tract T28.2
- - - esophagus T28.1
- - eardrum T28.41
- - esophagus T28.1
- - from caustic or corrosive substance (swallowing) NEC -*see* Corrosion, by site
- - genitourinary T28.3
- - mouth T28.0
- - pharynx T28.0
- - respiratory tract -*see* Burn, respiratory tract
- - specified organ NEC T28.49
- interscapular region -*see* Burn, back, upper
- intestine (large) (small) T28.2
- knee T24.029
- - first degree T24.129
- - left T24.022
- - - first degree T24.122
- - - second degree T24.222
- - - third degree T24.322
- - right T24.021
- - - first degree T24.121
- - - second degree T24.221
- - - third degree T24.321
- - second degree T24.229
- - third degree T24.329
- labium (majus) (minus) -*see* Burn, genital organs, external, female
- lacrimal apparatus, duct, gland or sac -*see* Burn, eye, specified site NEC
- larynx T27.0
- - with lung T27.1
- leg(s) (lower) (upper) -*see* Burn, lower, limb
- lightning -*see* Burn, by site
- limb(s)
- - lower (except ankle or foot alone) -*see* Burn, lower, limb
- - upper -*see* Burn, upper limb
- lip(s) T20.02
- - first degree T20.12
- - second degree T20.22
- - third degree T20.32
- lower
- - back -*see* Burn, back
- - limb T24.009
- - - ankle -*see* Burn, ankle
- - - calf -*see* Burn, calf
- - - first degree T24.109
- - - foot -*see* Burn, foot
- - - hip -*see* Burn, thigh
- - - knee -*see* Burn, knee
- - - left T24.002
- - - - first degree T24.102
- - - - second degree T24.202
- - - - third degree T24.302
- - - multiple sites, except ankle and foot T24.099
- - - - ankle and foot T25.099
- - - - - first degree T25.199
- - - - - left T25.092
- - - - - - first degree T25.192
- - - - - - second degree T25.292

- - - - - - third degree T25.392
- - - - - right T25.091
- - - - - - first degree T25.191
- - - - - - second degree T25.291
- - - - - - third degree T25.391
- - - - - second degree T25.299
- - - - - third degree T25.399
- - - - first degree T24.199
- - - - left T24.092
- - - - - first degree T24.192
- - - - - second degree T24.292
- - - - - third degree T24.392
- - - - right T24.091
- - - - - first degree T24.191
- - - - - second degree T24.291
- - - - - third degree T24.391
- - - - second degree T24.299
- - - - third degree T24.399
- - - right T24.001
- - - - first degree T24.101
- - - - second degree T24.201
- - - - third degree T24.301
- - - second degree T24.209
- - - thigh *-see* Burn, thigh
- - - third degree T24.309
- - - toe *-see* Burn, toe
- lung (with larynx and trachea) T27.1
- mouth T28.0
- neck T20.07
- - first degree T20.17
- - second degree T20.27
- - third degree T20.37
- nose (septum) T20.04
- - first degree T20.14
- - second degree T20.24
- - third degree T20.34
- ocular adnexa *-see* Burn, eye
- orbit region *-see* Burn, eyelid
- palm T23.059
- - first degree T23.159
- - left T23.052
- - - first degree T23.152
- - - second degree T23.252
- - - third degree T23.352
- - right T23.051
- - - first degree T23.151
- - - second degree T23.251
- - - third degree T23.351
- - second degree T23.259
- - third degree T23.359
- partial thickness - code as Burn, by site, second degree
- pelvis *-see* Burn, trunk
- penis *-see* Burn, genital organs, external, male
- perineum
- - female *-see* Burn, genital organs, external, female
- - male *-see* Burn, genital organs, external, male
- periocular area *-see* Burn, eyelid
- pharynx T28.0
- rectum T28.2
- respiratory tract T27.3

- - larynx -*see* Burn, larynx
- - specified part NEC T27.2
- - trachea -*see* Burn, trachea
- sac, lacrimal -*see* Burn, eye, specified site NEC
- scalp T20.05
- - first degree T20.15
- - second degree T20.25
- - third degree T20.35
- scapular region T22.069
- - first degree T22.169
- - left T22.062
- - - first degree T22.162
- - - second degree T22.262
- - - third degree T22.362
- - right T22.061
- - - first degree T22.161
- - - second degree T22.261
- - - third degree T22.361
- - second degree T22.269
- - third degree T22.369
- sclera -*see* Burn, eye, specified site NEC
- scrotum -*see* Burn, genital organs, external, male
- shoulder T22.059
- - first degree T22.159
- - left T22.052
- - - first degree T22.152
- - - second degree T22.252
- - - third degree T22.352
- - right T22.051
- - - first degree T22.151
- - - second degree T22.251
- - - third degree T22.351
- - second degree T22.259
- - third degree T22.359
- stomach T28.2
- temple -*see* Burn, head
- testis -*see* Burn, genital organs, external, male
- thigh T24.019
- - first degree T24.119
- - left T24.012
- - - first degree T24.112
- - - second degree T24.212
- - - third degree T24.312
- - right T24.011
- - - first degree T24.111
- - - second degree T24.211
- - - third degree T24.311
- - second degree T24.219
- - third degree T24.319
- thorax (external) -*see* Burn, trunk
- throat (meaning pharynx) T28.0
- thumb(s) T23.019
- - first degree T23.119
- - left T23.012
- - - first degree T23.112
- - - second degree T23.212
- - - third degree T23.312
- - multiple sites with fingers T23.049
- - - first degree T23.149
- - - left T23.042

- - - - first degree T23.142
- - - - second degree T23.242
- - - - third degree T23.342
- - - right T23.041
- - - - first degree T23.141
- - - - second degree T23.241
- - - - third degree T23.341
- - - second degree T23.249
- - - third degree T23.349
- - right T23.011
- - - first degree T23.111
- - - second degree T23.211
- - - third degree T23.311
- - second degree T23.219
- - third degree T23.319
- toe T25.039
- - first degree T25.139
- - left T25.032
- - - first degree T25.132
- - - second degree T25.232
- - - third degree T25.332
- - right T25.031
- - - first degree T25.131
- - - second degree T25.231
- - - third degree T25.331
- - second degree T25.239
- - third degree T25.339
- tongue T28.0
- tonsil(s) T28.0
- trachea T27.0
- - with lung T27.1
- trunk T21.00
- - abdominal wall *-see* Burn, abdominal wall
- - anus *-see* Burn, buttock
- - axilla *-see* Burn, upper limb
- - back *-see* Burn, back
- - breast *-see* Burn, chest wall
- - buttock *-see* Burn, buttock
- - chest wall *-see* Burn, chest wall
- - first degree T21.10
- - flank *-see* Burn, abdominal wall
- - genital
- - - female *-see* Burn, genital organs, external, female
- - - male *-see* Burn, genital organs, external, male
- - groin *-see* Burn, abdominal wall
- - interscapular region *-see* Burn, back, upper
- - labia *-see* Burn, genital organs, external, female
- - lower back *-see* Burn, back
- - penis *-see* Burn, genital organs, external, male
- - perineum
- - - female *-see* Burn, genital organs, external, female
- - - male *-see* Burn, genital organs, external, male
- - scapula region *-see* Burn, scapular region
- - scrotum *-see* Burn, genital organs, external, male
- - second degree T21.20
- - specified site NEC T21.09
- - - first degree T21.19
- - - second degree T21.29
- - - third degree T21.39
- - testes *-see* Burn, genital organs, external, male

- - third degree T21.30
- - upper back *-see* Burn, back, upper
- - vulva *-see* Burn, genital organs, external, female
- unspecified site with extent of body surface involved specified
- - less than 10 percent T31.0
- - 10-19 percent (0-9 percent third degree) T31.10
- - - with 10-19 percent third degree T31.11
- - 20-29 percent (0-9 percent third degree) T31.20
- - - with
- - - - 10-19 percent third degree T31.21
- - - - 20-29 percent third degree T31.22
- - 30-39 percent (0-9 percent third degree) T31.30
- - - with
- - - - 10-19 percent third degree T31.31
- - - - 20-29 percent third degree T31.32
- - - - 30-39 percent third degree T31.33
- - 40-49 percent (0-9 percent third degree) T31.40
- - - with
- - - - 10-19 percent third degree T31.41
- - - - 20-29 percent third degree T31.42
- - - - 30-39 percent third degree T31.43
- - - - 40-49 percent third degree T31.44
- - 50-59 percent (0-9 percent third degree) T31.50
- - - with
- - - - 10-19 percent third degree T31.51
- - - - 20-29 percent third degree T31.52
- - - - 30-39 percent third degree T31.53
- - - - 40-49 percent third degree T31.54
- - - - 50-59 percent third degree T31.55
- - 60-69 percent (0-9 percent third degree) T31.60
- - - with
- - - - 10-19 percent third degree T31.61
- - - - 20-29 percent third degree T31.62
- - - - 30-39 percent third degree T31.63
- - - - 40-49 percent third degree T31.64
- - - - 50-59 percent third degree T31.65
- - - - 60-69 percent third degree T31.66
- - 70-79 percent (0-9 percent third degree) T31.70
- - - with
- - - - 10-19 percent third degree T31.71
- - - - 20-29 percent third degree T31.72
- - - - 30-39 percent third degree T31.73
- - - - 40-49 percent third degree T31.74
- - - - 50-59 percent third degree T31.75
- - - - 60-69 percent third degree T31.76
- - - - 70-79 percent third degree T31.77
- - 80-89 percent (0-9 percent third degree) T31.80
- - - with
- - - - 10-19 percent third degree T31.81
- - - - 20-29 percent third degree T31.82
- - - - 30-39 percent third degree T31.83
- - - - 40-49 percent third degree T31.84
- - - - 50-59 percent third degree T31.85
- - - - 60-69 percent third degree T31.86
- - - - 70-79 percent third degree T31.87
- - - - 80-89 percent third degree T31.88
- - 90 percent or more (0-9 percent third degree) T31.90
- - - with
- - - - 10-19 percent third degree T31.91
- - - - 20-29 percent third degree T31.92

- - - - 30-39 percent third degree T31.93
- - - - 40-49 percent third degree T31.94
- - - - 50-59 percent third degree T31.95
- - - - 60-69 percent third degree T31.96
- - - - 70-79 percent third degree T31.97
- - - - 80-89 percent third degree T31.98
- - - - 90-99 percent third degree T31.99
- upper limb T22.00
- - above elbow -*see* Burn, above elbow
- - axilla -*see* Burn, axilla
- - elbow -*see* Burn, elbow
- - first degree T22.10
- - forearm -*see* Burn, forearm
- - hand -*see* Burn, hand
- - interscapular region -*see* Burn, back, upper
- - multiple sites T22.099
- - - first degree T22.199
- - - left T22.092
- - - - first degree T22.192
- - - - second degree T22.292
- - - - third degree T22.392
- - - right T22.091
- - - - first degree T22.191
- - - - second degree T22.291
- - - - third degree T22.391
- - - second degree T22.299
- - - third degree T22.399
- - scapular region -*see* Burn, scapular region
- - second degree T22.20
- - shoulder -*see* Burn, shoulder
- - third degree T22.30
- - wrist -*see* Burn, wrist
- uterus T28.3
- vagina T28.3
- vulva -*see* Burn, genital organs, external, female
- wrist T23.079
- - first degree T23.179
- - left T23.072
- - - first degree T23.172
- - - second degree T23.272
- - - third degree T23.372
- - multiple sites with hand T23.099
- - - first degree T23.199
- - - left T23.092
- - - - first degree T23.192
- - - - second degree T23.292
- - - - third degree T23.392
- - - right T23.091
- - - - first degree T23.191
- - - - second degree T23.291
- - - - third degree T23.391
- - - second degree T23.299
- - - third degree T23.399
- - right T23.071
- - - first degree T23.171
- - - second degree T23.271
- - - third degree T23.371
- - second degree T23.279
- - third degree T23.379

Burnett's syndrome E83.52

Burning
- feet syndrome E53.9
- sensation R20.8
- tongue K14.6
Burn-out (state) Z73.0
Burns' disease or osteochondrosis -*see* Osteochondrosis, juvenile, ulna
Bursa -*see* condition
Bursitis M71.9
- Achilles -*see* Tendinitis, Achilles
- adhesive -*see* Bursitis, specified NEC
- ankle -*see* Enthesopathy, ankle and tarsus
- calcaneal -*see* Enthesopathy, foot, specified type NEC
- collateral ligament, tibial -*see* Bursitis, tibial collateral
- due to use, overuse, pressure -*see also* Disorder, soft tissue, due to use, specified type NEC
- - specified NEC -*see* Disorder, soft tissue, due to use, specified NEC
- Duplay's M75.0
- elbow NEC M70.3-
- - olecranon M70.2-
- finger -*see* Disorder, soft tissue, due to use, specified type NEC, hand
- foot -*see* Enthesopathy, foot, specified type NEC
- gonococcal A54.49
- gouty -*see* Gout
- hand M70.1-
- hip NEC M70.7-
- - trochanteric M70.6-
- infective NEC M71.10
- - abscess -*see* Abscess, bursa
- - ankle M71.17-
- - elbow M71.12-
- - foot M71.17-
- - hand M71.14-
- - hip M71.15-
- - knee M71.16-
- - multiple sites M71.19
- - shoulder M71.11-
- - specified site NEC M71.18
- - wrist M71.13-
- ischial -*see* Bursitis, hip
- knee NEC M70.5-
- - prepatellar M70.4-
- occupational NEC -*see also* Disorder, soft tissue, due to, use
- olecranon -*see* Bursitis, elbow, olecranon
- pharyngeal J39.1
- popliteal -*see* Bursitis, knee
- prepatellar M70.4-
- radiohumeral M70.3-
- rheumatoid M06.20
- - ankle M06.27-
- - elbow M06.22-
- - foot joint M06.27-
- - hand joint M06.24-
- - hip M06.25-
- - knee M06.26-
- - multiple site M06.29
- - shoulder M06.21-
- - vertebra M06.28
- - wrist M06.23-
- scapulohumeral -*see* Bursitis, shoulder
- semimembranous muscle (knee) -*see* Bursitis, knee
- shoulder M75.5-

- - adhesive -*see* Capsulitis, adhesive
- specified NEC M71.50
- - ankle M71.57-
- - due to use, overuse or pressure -*see* Disorder, soft tissue, due to, use
- - elbow M71.52-
- - foot M71.57-
- - hand M71.54-
- - hip M71.55-
- - knee M71.56-
- - shoulder -*see* Bursitis, shoulder
- - specified site NEC M71.58
- - tibial collateral M76.4-
- - wrist M71.53-
- subacromial -*see* Bursitis, shoulder
- subcoracoid -*see* Bursitis, shoulder
- subdeltoid -*see* Bursitis, shoulder
- syphilitic A52.78
- Thornwaldt, Tornwaldt J39.2
- tibial collateral M76.4-
- toe -*see* Enthesopathy, foot, specified type NEC
- trochanteric (area) -*see* Bursitis, hip, trochanteric
- wrist -*see* Bursitis, hand

Bursopathy M71.9
- specified type NEC M71.80
- - ankle M71.87-
- - elbow M71.82-
- - foot M71.87-
- - hand M71.84-
- - hip M71.85-
- - knee M71.86-
- - multiple sites M71.89
- - shoulder M71.81-
- - specified site NEC M71.88
- - wrist M71.83-

Burst stitches or sutures (complication of surgery) T81.31
- external operation wound T81.31
- internal operation wound -*see also* Dehiscence, closure T81.328
- - abdominal wall muscle or fascia T81.321
- - specified NEC T81.328

Buruli ulcer A31.1

Bury's disease L95.1

Buschke's
- disease -*see* Cryptococcosis by site
- scleredema -*see* Sclerosis, systemic

Busse-Buschke disease -*see* Cryptococcosis by site

Buttock -*see* condition

Button
- Biskra B55.1
- Delhi B55.1
- oriental B55.1

Buttonhole deformity (finger) -*see* Deformity, finger, boutonniere

Bwamba fever A92.8

Byssinosis J66.0

Bywaters' syndrome T79.5

C

Cachexia R64
- cancerous R64
- cardiac -*see* Disease, heart

- dehydration E86.0
- due to
- - malnutrition -*see also* Malnutrition, severe E88.A
- - underlying condition E88.A
- exophthalmic -*see* Hyperthyroidism
- heart -*see* Disease, heart
- hypophyseal E23.0
- hypopituitary E23.0
- lead -*see* Poisoning, lead
- malignant R64
- marsh -*see* Malaria
- nervous F48.8
- old age R54
- paludal -*see* Malaria
- pituitary E23.0
- pulmonary R64
- renal N28.9
- saturnine -*see* Poisoning, lead
- senile R54
- Simmonds' E23.0
- splenica D73.0
- strumipriva E03.4
- tuberculous NEC -*see* Tuberculosis

CADASIL (cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy) I67.850

Café, au lait spots L81.3

Caffeine-induced
- anxiety disorder F15.980
- sleep disorder F15.982

Caffey's syndrome Q78.8

Caisson disease T70.3

Cake kidney Q63.1

Caked breast (puerperal, postpartum) O92.79

Calabar swelling B74.3

Calcaneal spur -*see* Spur, bone, calcaneal

Calcaneo-apophysitis M92.6

Calcareous -*see* condition

Calcicosis J62.8

Calciferol (vitamin D) deficiency E55.9
- with rickets E55.0

Calcification
- adrenal (capsule) (gland) E27.49
- - tuberculous B90.8 *[E35]*
- aorta I70.0
- artery (annular) -*see* Arteriosclerosis
- auricle (ear) -*see* Disorder, pinna, specified type NEC
- basal ganglia G23.8
- bladder N32.89
- - due to Schistosoma hematobium B65.0
- brain (cortex) -*see* Calcification, cerebral
- bronchus J98.09
- bursa M71.40
- - ankle M71.47-
- - elbow M71.42-
- - foot M71.47-
- - hand M71.44-
- - hip M71.45-
- - knee M71.46-
- - multiple sites M71.49
- - shoulder M75.3-
- - specified site NEC M71.48

- - wrist M71.43-
- cardiac -*see* Degeneration, myocardial
- cerebral (cortex) G93.89
- - artery I67.2
- cervix (uteri) N88.8
- choroid plexus G93.89
- conjunctiva -*see* Concretion, conjunctiva
- corpora cavernosa (penis) N48.89
- cortex (brain) -*see* Calcification, cerebral
- dental pulp (nodular) K04.2
- dentinal papilla K00.4
- fallopian tube N83.8
- falx cerebri G96.198
- gallbladder K82.8
- general E83.59
- heart -*see also* Degeneration, myocardial
- - valve -*see also* Endocarditis
- - - mitral -*see* Calcification, mitral
- idiopathic infantile arterial (IIAC) Q28.8
- intervertebral cartilage or disc (postinfective) -*see* Disorder, disc, specified NEC
- intracranial -*see* Calcification, cerebral
- joint -*see* Disorder, joint, specified type NEC
- kidney N28.89
- - tuberculous N29 *[B90.1]*
- larynx (senile) J38.7
- lens -*see* Cataract, specified NEC
- lung (active) (postinfectional) J98.4
- - tuberculous B90.9
- lymph gland or node (postinfectional) I89.8
- - tuberculous -*see also* Tuberculosis, lymph gland B90.8
- mammographic R92.1
- massive (paraplegic) -*see* Myositis, ossificans, in, quadriplegia
- medial -*see* Arteriosclerosis, extremities
- meninges (cerebral) (spinal) G96.198
- metastatic E83.59
- mitral (valve)
- - annular I34.81
- - - nonrheumatic I34.81
- - - rheumatic I05.8
- - annulus I34.81
- - - nonrheumatic I34.81
- - - rheumatic I05.8
- Mönckeberg's -*see* Arteriosclerosis, extremities
- muscle M61.9
- - due to burns -*see* Myositis, ossificans, in, burns
- - paralytic -*see* Myositis, ossificans, in, quadriplegia
- - specified type NEC M61.40
- - - ankle M61.47-
- - - foot M61.47-
- - - forearm M61.43-
- - - hand M61.44-
- - - lower leg M61.46-
- - - multiple sites M61.49
- - - pelvic region M61.45-
- - - shoulder region M61.41-
- - - specified site NEC M61.48
- - - thigh M61.45-
- - - upper arm M61.42-
- myocardium, myocardial -*see* Degeneration, myocardial
- ovary N83.8

- pancreas K86.89
- penis N48.89
- periarticular -*see* Disorder, joint, specified type NEC
- pericardium -*see also* Pericarditis I31.1
- pineal gland E34.8
- pleura J94.8
- - postinfectional J94.8
- - tuberculous NEC B90.9
- pulpal (dental) (nodular) K04.2
- sclera H15.89
- spleen D73.89
- subcutaneous L94.2
- suprarenal (capsule) (gland) E27.49
- tendon (sheath) -*see also* Tenosynovitis, specified type NEC
- - with bursitis, synovitis or tenosynovitis -*see* Tendinitis, calcific
- trachea J39.8
- ureter N28.89
- uterus N85.8
- vitreous -*see* Deposit, crystalline

Calcified -*see* Calcification

Calcinosis (interstitial) (tumoral) (universalis) E83.59
- with Raynaud's phenomenon, esophageal dysfunction, sclerodactyly, telangiectasia (CREST syndrome) M34.1
- circumscripta (skin) L94.2
- cutis L94.2

Calciphylaxis -*see also* Calcification, by site E83.59

Calcium
- deposits -*see* Calcification, by site
- metabolism disorder E83.50
- salts or soaps in vitreous -*see* Deposit, crystalline

Calciuria R82.994

Calculi -*see* Calculus

Calculosis, intrahepatic -*see* Calculus, bile duct

Calculus, calculi, calculous
- ampulla of Vater -*see* Calculus, bile duct
- anuria (impacted) (recurrent) -*see also* Calculus, urinary N20.9
- appendix K38.1
- bile duct (common) (hepatic) K80.50
- - with
- - - calculus of gallbladder -*see* Calculus, gallbladder and bile duct
- - - cholangitis K80.30
- - - - with
- - - - - cholecystitis -*see* Calculus, bile duct, with cholecystitis
- - - - - obstruction K80.31
- - - - acute K80.32
- - - - - with
- - - - - - chronic cholangitis K80.36
- - - - - - - with obstruction K80.37
- - - - - - obstruction K80.33
- - - - chronic K80.34
- - - - - with
- - - - - - acute cholangitis K80.36
- - - - - - - with obstruction K80.37
- - - - - - obstruction K80.35
- - - cholecystitis (with cholangitis) K80.40
- - - - with obstruction K80.41
- - - - acute K80.42
- - - - - with
- - - - - - chronic cholecystitis K80.46
- - - - - - - with obstruction K80.47
- - - - - - obstruction K80.43

- - - - chronic K80.44
- - - - - with
- - - - - - acute cholecystitis K80.46
- - - - - - - with obstruction K80.47
- - - - - - obstruction K80.45
- - - obstruction K80.51
- biliary -*see also* Calculus, gallbladder
- - with bile duct involvement -*see also* Calculus, bile duct
- - specified NEC K80.80
- - - with obstruction K80.81
- bilirubin, multiple -*see* Calculus, gallbladder
- bladder (encysted) (impacted) (urinary) (diverticulum) N21.0
- bronchus J98.09
- calyx (kidney) (renal) -*see* Calculus, kidney
- cholesterol (pure) (solitary) -*see* Calculus, gallbladder
- common duct (bile) -*see* Calculus, bile duct
- conjunctiva -*see* Concretion, conjunctiva
- cystic N21.0
- - duct -*see* Calculus, gallbladder
- dental (subgingival) (supragingival) K03.6
- diverticulum
- - bladder N21.0
- - kidney N20.0
- epididymis N50.89
- gallbladder K80.20
- - with
- - - bile duct calculus -*see* Calculus, gallbladder and bile duct
- - - cholecystitis K80.10
- - - - with obstruction K80.11
- - - - acute K80.00
- - - - - with
- - - - - - chronic cholecystitis K80.12
- - - - - - - with obstruction K80.13
- - - - - - obstruction K80.01
- - - - chronic K80.10
- - - - - with
- - - - - - acute cholecystitis K80.12
- - - - - - - with obstruction K80.13
- - - - - - obstruction K80.11
- - - - specified NEC K80.18
- - - - - with obstruction K80.19
- - - obstruction K80.21
- gallbladder and bile duct K80.70
- - with
- - - cholecystitis K80.60
- - - - with obstruction K80.61
- - - - acute K80.62
- - - - - with
- - - - - - chronic cholecystitis K80.66
- - - - - - - with obstruction K80.67
- - - - - - obstruction K80.63
- - - - chronic K80.64
- - - - - with
- - - - - - acute cholecystitis K80.66
- - - - - - - with obstruction K80.67
- - - - - - obstruction K80.65
- - - obstruction K80.71
- hepatic (duct) -*see* Calculus, bile duct
- hepatobiliary K80.80
- - with obstruction K80.81

- ileal conduit N21.8
- intestinal (impaction) (obstruction) K56.49
- kidney (impacted) (multiple) (pelvis) (recurrent) (staghorn) N20.0
- - with calculus, ureter N20.2
- - - with hydronephrosis N13.2
- - - - with infection N13.6
- - congenital Q63.8
- - - with hydronephrosis N13.2
- - - - with infection N13.6
- lacrimal passages -*see* Dacryolith
- liver (impacted) -*see* Calculus, bile duct
- lung J98.4
- mammographic R92.1
- nephritic (impacted) (recurrent) -*see* Calculus, kidney
- nose J34.89
- pancreas (duct) K86.89
- parotid duct or gland K11.5
- pelvis, encysted -*see* Calculus, kidney
- prostate N42.0
- pulmonary J98.4
- pyelitis (impacted) (recurrent) N20.0
- - with hydronephrosis N13.6
- pyelonephritis (impacted) (recurrent) -see category N20
- - with hydronephrosis N13.6
- renal (impacted) (recurrent) -*see* Calculus, kidney
- salivary (duct) (gland) K11.5
- seminal vesicle N50.89
- staghorn -*see* Calculus, kidney
- Stensen's duct K11.5
- stomach K31.89
- sublingual duct or gland K11.5
- - congenital Q38.4
- submandibular duct, gland or region K11.5
- submaxillary duct, gland or region K11.5
- suburethral N21.8
- tonsil J35.8
- tooth, teeth (subgingival) (supragingival) K03.6
- tunica vaginalis N50.89
- ureter (impacted) (recurrent) N20.1
- - with calculus, kidney N20.2
- - - with hydronephrosis N13.2
- - - - with infection N13.6
- - with hydronephrosis N13.2
- - - with infection N13.6
- ureteropelvic junction N20.1
- urethra (impacted) N21.1
- urinary (duct) (impacted) (passage) (tract) N20.9
- - with hydronephrosis N13.2
- - - with infection N13.6
- - in (due to)
- - lower N21.9
- - - specified NEC N21.8
- vagina N89.8
- vesical (impacted) N21.0
- Wharton's duct K11.5
- xanthine E79.82 *[N22]*

Calicectasis N28.89

Caliectasis N28.89

California

- disease B38.9

- encephalitis A83.5
Caligo cornea -*see* Opacity, cornea, central
Callositas, callosity (infected) L84
Callus (infected) L84
- bone -*see* Osteophyte
- - excessive, following fracture - code as Sequelae of fracture
CALME (childhood asymmetric labium majus enlargement) N90.61
Calorie deficiency or malnutrition -*see also* Malnutrition E46
Calpainopathy (primary) G71.032
- autosomal dominant G71.031
- autosomal recessive G71.032
Calvé-Perthes disease -*see* Legg-Calvé-Perthes disease
Calvé's disease -*see* Osteochondrosis, juvenile, spine
Calvities -*see* Alopecia, androgenic
Cameroon fever -*see* Malaria
Camptocormia (hysterical) F44.4
Camurati-Engelmann syndrome Q78.3
Canal -*see also* condition
- atrioventricular Q21.20
- - common Q21.23
- - incomplete Q21.21
- - intermediate Q21.22
- - partial Q21.21
- - transitional Q21.22
Canaliculitis (lacrimal) (acute) (subacute) H04.33-
- Actinomyces A42.89
- chronic H04.42-
Canavan disease E75.28
Canceled procedure (surgical) Z53.9
- because of
- - contraindication Z53.09
- - - smoking Z53.01
- - left against medical advice (AMA) Z53.29
- - patient's decision Z53.20
- - - for reasons of belief or group pressure Z53.1
- - - specified reason NEC Z53.29
- - specified reason NEC Z53.8
Cancer -*see also* Neoplasm, by site, malignant
- bile duct type liver C22.1
- blood -*see* Leukemia
- breast -*see also* Neoplasm, breast, malignant C50.91-
- hepatocellular C22.0
- lung -*see also* Neoplasm, lung, malignant C34.90-
- ovarian -*see also* Neoplasm ovary, malignant C56.9-
- unspecified site (primary) C80.1
Cancer (o) phobia F45.29
Cancerous -*see* Neoplasm, malignant, by site
Cancrum oris A69.0
Candidiasis, candidal B37.9
- balanitis B37.42
- bronchitis B37.1
- cheilitis B37.83
- congenital P37.5
- cystitis B37.41
- disseminated B37.7
- endocarditis B37.6
- enteritis B37.82
- esophagitis B37.81
- intertrigo B37.2
- lung B37.1

- meningitis B37.5
- mouth B37.0
- nails B37.2
- neonatal P37.5
- onychia B37.2
- oral B37.0
- osteomyelitis B37.89
- otitis externa B37.84
- paronychia B37.2
- perionyxis B37.2
- pneumonia B37.1
- proctitis B37.82
- pulmonary B37.1
- pyelonephritis B37.49
- sepsis B37.7
- skin B37.2
- specified site NEC B37.89
- stomatitis B37.0
- systemic B37.7
- urethritis B37.41
- urogenital site NEC B37.49
- vagina (acute) B37.31
- - chronic (recurrent) B37.32
- vulva (acute) B37.31
- - chronic (recurrent) B37.32
- vulvovaginitis (acute) B37.31
- - chronic (recurrent) B37.32

Candidid L30.2
Candidosis -*see* Candidiasis
Candiru infection or infestation B88.8
Canities (premature) L67.1
- congenital Q84.2

Canker (mouth) (sore) K12.0
- rash A38.9

Cannabinosis J66.2
Cannabis induced
- anxiety disorder F12.980
- psychotic disorder F12.959
- sleep disorder F12.988

Canton fever A75.9
Cantrell's syndrome Q87.89
Capillariasis (intestinal) B81.1
- hepatic B83.8

Capillary -*see* condition
Caplan's syndrome -*see* Rheumatoid, lung
Capsule -*see* condition
Capsulitis (joint) -*see also* Enthesopathy
- adhesive (shoulder) M75.0-
- hepatic K65.8
- labyrinthine -*see* Otosclerosis, specified NEC
- thyroid E06.9

Caput
- crepitus Q75.8
- medusae I86.8
- succedaneum P12.81

Car sickness T75.3
Carapata (disease) A68.0
Carate -*see* Pinta
Carbon lung J60
Carbuncle L02.93

- abdominal wall L02.231
- anus K61.0
- auditory canal, external -*see* Abscess, ear, external
- auricle ear -*see* Abscess, ear, external
- axilla L02.43-
- back (any part) L02.232
- breast N61.1
- buttock L02.33
- cheek (external) L02.03
- chest wall L02.233
- chin L02.03
- corpus cavernosum N48.21
- ear (any part) (external) (middle) -*see* Abscess, ear, external
- external auditory canal -*see* Abscess, ear, external
- eyelid -*see* Abscess, eyelid
- face NEC L02.03
- femoral (region) -*see* Carbuncle, lower limb
- finger -*see* Carbuncle, hand
- flank L02.231
- foot L02.63-
- forehead L02.03
- genital -*see* Abscess, genital
- gluteal (region) L02.33
- groin L02.234
- hand L02.53-
- head NEC L02.831
- heel -*see* Carbuncle, foot
- hip -*see* Carbuncle, lower limb
- kidney -*see* Abscess, kidney
- knee -*see* Carbuncle, lower limb
- labium (majus) (minus) N76.4
- lacrimal
- - gland -*see* Dacryoadenitis
- - passages (duct) (sac) -*see* Inflammation, lacrimal, passages, acute
- leg -*see* Carbuncle, lower limb
- lower limb L02.43-
- malignant A22.0
- navel L02.236
- neck L02.13
- nose (external) (septum) J34.0
- orbit, orbital -*see* Abscess, orbit
- palmar (space) -*see* Carbuncle, hand
- partes posteriores L02.33
- pectoral region L02.233
- penis N48.21
- perineum L02.235
- pinna -*see* Abscess, ear, external
- popliteal -*see* Carbuncle, lower limb
- scalp L02.831
- seminal vesicle N49.0
- shoulder -*see* Carbuncle, upper limb
- specified site NEC L02.838
- temple (region) L02.03
- thumb -*see* Carbuncle, hand
- toe -*see* Carbuncle, foot
- trunk L02.239
- - abdominal wall L02.231
- - back L02.232
- - chest wall L02.233
- - groin L02.234

- - perineum L02.235
- - umbilicus L02.236
- umbilicus L02.236
- upper limb L02.43-
- urethra N34.0
- vulva N76.4

Carbunculus -*see* Carbuncle

Carcinoid (tumor) -*see* Tumor, carcinoid

Carcinoidosis E34.00
- heart E34.01

Carcinoma (malignant) -*see also* Neoplasm, by site, malignant
- acidophil
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C75.1
- acidophil-basophil, mixed
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C75.1
- adnexal (skin) -*see* Neoplasm, skin, malignant
- adrenal cortical C74.0-
- alveolar -*see* Neoplasm, lung, malignant
- - cell -*see* Neoplasm, lung, malignant
- ameloblastic C41.1
- - upper jaw (bone) C41.0
- apocrine
- - breast -*see* Neoplasm, breast, malignant
- - specified site NEC -*see* Neoplasm, skin, malignant
- - unspecified site C44.99
- basal cell (pigmented) (see also Neoplasm, skin, malignant) C44.91
- - fibro-epithelial -*see* Neoplasm, skin, malignant
- - morphea -*see* Neoplasm, skin, malignant
- - multicentric -*see* Neoplasm, skin, malignant
- basaloid
- basal-squamous cell, mixed -*see* Neoplasm, skin, malignant
- basophil
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C75.1
- basophil-acidophil, mixed
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C75.1
- basosquamous -*see* Neoplasm, skin, malignant
- bile duct
- - with hepatocellular, mixed C22.0
- - liver C22.1
- - specified site NEC -*see* Neoplasm, malignant, by site
- - unspecified site C22.1
- branchial or branchiogenic C10.4
- bronchial or bronchogenic -*see* Neoplasm, lung, malignant
- bronchiolar -*see* Neoplasm, lung, malignant
- bronchioloalveolar -*see* Neoplasm, lung, malignant
- C cell
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C73
- ceruminous C44.29-
- cervix uteri
- - in situ D06.9
- - - endocervix D06.0
- - - exocervix D06.1
- - - specified site NEC D06.7
- chorionic
- - specified site -*see* Neoplasm, malignant, by site

- - unspecified site
- - - female C58
- - - male C62.90
- chromophobe
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C75.1
- cloacogenic
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C21.2
- diffuse type
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C16.9
- duct (cell)
- - with Paget's disease -*see* Neoplasm, breast, malignant
- - infiltrating
- - - with lobular carcinoma (in situ)
- - - - specified site -*see* Neoplasm, malignant, by site
- - - - unspecified site (female) C50.91-
- - - - - male C50.92-
- - - specified site -*see* Neoplasm, malignant, by site
- - - - unspecified site (female) C50.91-
- - - - - male C50.92-
- ductal
- - with lobular
- - - specified site -*see* Neoplasm, malignant, by site
- - - unspecified site (female) C50.91-
- - - - male C50.92-
- ductular, infiltrating
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site (female) C50.91-
- - - male C50.92-
- embryonal
- - liver C22.7
- endometrioid
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site
- - - female C56.9
- - - male C61
- eosinophil
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C75.1
- epidermoid -*see also* Neoplasm, skin malignant
- - in situ, Bowen's type -*see* Neoplasm, skin, in situ
- fibroepithelial, basal cell -*see* Neoplasm, skin, malignant
- follicular
- - with papillary (mixed) C73
- - moderately differentiated C73
- - pure follicle C73
- - specified site -*see* Neoplasm, malignant, by site
- - trabecular C73
- - unspecified site C73
- - well differentiated C73
- generalized, with unspecified primary site C80.0
- glycogen-rich -*see* Neoplasm, breast, malignant
- granulosa cell C56-
- hepatic cell C22.0
- hepatocellular C22.0
- - with bile duct, mixed C22.0
- - fibrolamellar C22.0
- hepatocholangiolitic C22.0

- Hurthle cell C73
- in
- - adenomatous
- - - polyposis coli C18.9
- - pleomorphic adenoma -*see* Neoplasm, salivary gland or duct, malignant
- - situ -*see* Carcinoma-in-situ
- infiltrating
- - duct
- - - with lobular
- - - - specified site -*see* Neoplasm, malignant, by site
- - - - unspecified site (female) C50.91-
- - - - - male C50.92-
- - - with Paget's disease -*see* Neoplasm, breast, malignant
- - - specified site -*see* Neoplasm, malignant
- - - unspecified site (female) C50.91-
- - - - male C50.92-
- - ductular
- - - specified site -*see* Neoplasm, malignant
- - - unspecified site (female) C50.91-
- - - - male C50.92-
- - lobular
- - - specified site -*see* Neoplasm, malignant
- - - unspecified site (female) C50.91-
- - - - male C50.92-
- inflammatory
- - specified site -*see* Neoplasm, malignant
- - unspecified site (female) C50.91-
- - - male C50.92-
- intestinal type
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C16.9
- intracystic
- - noninfiltrating -*see* Neoplasm, in situ, by site
- intraductal (noninfiltrating)
- - with Paget's disease -*see* Neoplasm, breast, malignant
- - breast D05.1-
- - papillary
- - - with invasion
- - - - specified site -*see* Neoplasm, malignant, by site
- - - - unspecified site (female) C50.91-
- - - - - male C50.92-
- - - breast D05.1-
- - - specified site NEC -*see* Neoplasm, in situ, by site
- - - unspecified site (female) D05.1-
- - specified site NEC -*see* Neoplasm, in situ, by site
- - unspecified site (female) D05.1-
- intraepidermal -*see* Neoplasm, in situ
- - squamous cell, Bowen's type -*see* Neoplasm, skin, in situ
- intraepithelial -*see* Neoplasm, in situ, by site
- - squamous cell -*see* Neoplasm, in situ, by site
- intraosseous C41.1
- - upper jaw (bone) C41.0
- islet cell
- - with exocrine, mixed
- - - specified site -*see* Neoplasm, malignant, by site
- - - unspecified site C25.9
- - pancreas C25.4
- - specified site NEC -*see* Neoplasm, malignant, by site
- - unspecified site C25.4
- juvenile, breast -*see* Neoplasm, breast, malignant

- large cell
- - small cell
- - - specified site -*see* Neoplasm, malignant, by site
- - - unspecified site C34.90
- Leydig cell (testis)
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site
- - - female C56.9
- - - male C62.90
- lipid-rich (female) C50.91-
- - male C50.92-
- liver cell C22.0
- liver NEC C22.7
- lobular (infiltrating)
- - with intraductal
- - - specified site -*see* Neoplasm, malignant, by site
- - - unspecified site (female) C50.91-
- - - - male C50.92-
- - noninfiltrating
- - - breast D05.0-
- - - specified site NEC -*see* Neoplasm, in situ, by site
- - - unspecified site D05.0-
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site (female) C50.91-
- - - male C50.92-
- medullary
- - with
- - - amyloid stroma
- - - - specified site -*see* Neoplasm, malignant, by site
- - - - unspecified site C73
- - - lymphoid stroma
- - - - specified site -*see* Neoplasm, malignant, by site
- - - - unspecified site (female) C50.91-
- - - - - male C50.92-
- Merkel cell C4A.9
- - anal margin C4A.51
- - anal skin C4A.51
- - canthus C4A.1-
- - ear and external auricular canal C4A.2-
- - external auricular canal C4A.2-
- - eyelid, including canthus C4A.1-
- - face C4A.30
- - - specified NEC C4A.39
- - hip C4A.7-
- - lip C4A.0
- - lower limb, including hip C4A.7-
- - neck C4A.4
- - nodal presentation C7B.1
- - nose C4A.31
- - overlapping sites C4A.8
- - perianal skin C4A.51
- - scalp C4A.4
- - secondary C7B.1
- - shoulder C4A.6-
- - skin of breast C4A.52
- - trunk NEC C4A.59
- - upper limb, including shoulder C4A.6-
- - visceral metastatic C7B.1
- metastatic -*see* Neoplasm, secondary, by site
- metatypical -*see* Neoplasm, skin, malignant

- morphea, basal cell -*see* Neoplasm, skin, malignant
- mucoid
- - cell
- - - specified site -*see* Neoplasm, malignant, by site
- - - unspecified site C75.1
- neuroendocrine -*see also* Tumor, neuroendocrine
- - high grade, any site C7A.1
- - poorly differentiated, any site C7A.1
- nonencapsulated sclerosing C73
- noninfiltrating
- - intracystic -*see* Neoplasm, in situ, by site
- - intraductal
- - - breast D05.1-
- - - papillary
- - - - breast D05.1-
- - - - specified site NEC -*see* Neoplasm, in situ, by site
- - - - unspecified site D05.1-
- - - specified site -*see* Neoplasm, in situ, by site
- - - unspecified site D05.1-
- - lobular
- - - breast D05.0-
- - - specified site NEC -*see* Neoplasm, in situ, by site
- - - unspecified site (female) D05.0-
- oat cell
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C34.90
- odontogenic C41.1
- - upper jaw (bone) C41.0
- papillary
- - with follicular (mixed) C73
- - follicular variant C73
- - intraductal (noninfiltrating)
- - - with invasion
- - - - specified site -*see* Neoplasm, malignant, by site
- - - - unspecified site (female) C50.91-
- - - - - male C50.92-
- - - breast D05.1-
- - - specified site NEC -*see* Neoplasm, in situ, by site
- - - unspecified site D05.1-
- - serous
- - - specified site -*see* Neoplasm, malignant, by site
- - - surface
- - - - specified site -*see* Neoplasm, malignant, by site
- - - - unspecified site C56.9
- - - unspecified site C56.9
- papillocystic
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C56.9
- parafollicular cell
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C73
- pilomatrix -*see* Neoplasm, skin, malignant
- pseudomucinous
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C56.9
- renal cell C64-
- Schmincke -*see* Neoplasm, nasopharynx, malignant
- Schneiderian
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C30.0

- sebaceous -*see* Neoplasm, skin, malignant
- secondary -*see also* Neoplasm, secondary, by site
- - Merkel cell C7B.1
- secretory, breast -*see* Neoplasm, breast, malignant
- serous
- - papillary
- - - specified site -*see* Neoplasm, malignant, by site
- - - unspecified site C56.9
- - surface, papillary
- - - specified site -*see* Neoplasm, malignant, by site
- - - unspecified site C56.9
- Sertoli cell
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C62.90
- - - female C56.9
- - - male C62.90
- skin appendage -*see* Neoplasm, skin, malignant
- small cell
- - fusiform cell
- - - specified site -*see* Neoplasm, malignant, by site
- - - unspecified site C34.90
- - intermediate cell
- - - specified site -*see* Neoplasm, malignant, by site
- - - unspecified site C34.90
- - large cell
- - - specified site -*see* Neoplasm, malignant, by site
- - - unspecified site C34.90
- solid
- - with amyloid stroma
- - - specified site -*see* Neoplasm, malignant, by site
- - - unspecified site C73
- - microinvasive
- - - specified site -*see* Neoplasm, malignant, by site
- - - unspecified site C53.9
- sweat gland -*see* Neoplasm, skin, malignant
- theca cell C56.-
- thymic C37
- unspecified site (primary) C80.1
- water-clear cell C75.0

Carcinoma-in-situ -*see also* Neoplasm, in situ, by site
- breast NOS D05.9-
- - specified type NEC D05.8-
- epidermoid -*see also* Neoplasm, in situ, by site
- - with questionable stromal invasion
- - - cervix D06.9
- - - specified site NEC -*see* Neoplasm, in situ, by site
- - - unspecified site D06.9
- - Bowen's type -*see* Neoplasm, skin, in situ
- intraductal
- - breast D05.1-
- - specified site NEC -*see* Neoplasm, in situ, by site
- - unspecified site D05.1-
- lobular
- - with
- - - infiltrating duct
- - - - breast (female) C50.91-
- - - - - male C50.92-
- - - - specified site NEC -*see* Neoplasm, malignant
- - - - unspecified site (female) C50.91-
- - - - - male C50.92-

- - - intraductal
- - - - breast D05.8-
- - - - specified site NEC -*see* Neoplasm, in situ, by site
- - - - unspecified site (female) D05.8-
- - breast D05.0-
- - specified site NEC -*see* Neoplasm, in situ, by site
- - unspecified site D05.0-
- squamous cell -*see also* Neoplasm, in situ, by site
- - with questionable stromal invasion
- - - cervix D06.9
- - - specified site NEC -*see* Neoplasm, in situ, by site
- - - unspecified site D06.9
Carcinomaphobia F45.29
Carcinomatosis C80.0
- peritonei C78.6
- unspecified site (primary) (secondary) C80.0
Carcinosarcoma -*see* Neoplasm, malignant, by site
- embryonal -*see* Neoplasm, malignant, by site
Cardia, cardial -*see* condition
Cardiac -*see also* condition
- death, sudden -*see* Arrest, cardiac
- pacemaker
- - in situ Z95.0
- - management or adjustment Z45.018
- tamponade I31.4
Cardialgia -*see* Pain, precordial
Cardiectasis -*see* Hypertrophy, cardiac
Cardiochalasia K21.9
Cardiomalacia I51.5
Cardiomegalia glycogenica diffusa E74.02 *[I43]*
Cardiomegaly -*see also* Hypertrophy, cardiac
- congenital Q24.8
- glycogen E74.02 *[I43]*
- idiopathic I51.7
Cardiomyoliposis I51.5
Cardiomyopathy (familial) (idiopathic) I42.9
- alcoholic I42.6
- amyloid E85.4 *[I43]*
- - transthyretin-related (ATTR) familial E85.4 *[I43]*
- arteriosclerotic -*see* Disease, heart, ischemic, atherosclerotic
- beriberi E51.12
- cobalt-beer I42.6
- congenital I42.4
- congestive I42.0
- constrictive NOS I42.5
- dilated I42.0
- due to
- - alcohol I42.6
- - beriberi E51.12
- - cardiac glycogenosis E74.02 *[I43]*
- - drugs I42.7
- - external agents NEC I42.7
- - Friedreich's ataxia G11.11
- - myotonia atrophica G71.11 *[I43]*
- - progressive muscular dystrophy -*see also* Dystrophy, muscular, by type G71.09 *[I43]*
- glycogen storage E74.02 *[I43]*
- hypertensive -*see* Hypertension, heart
- hypertrophic (nonobstructive) I42.2
- - obstructive I42.1
- - - congenital Q24.8

- in
- - Chagas' disease (chronic) B57.2
- - - acute B57.0
- - sarcoidosis D86.85
- ischemic I25.5
- metabolic E88.9 *[I43]*
- - thyrotoxic E05.90 *[I43]*
- - - with thyroid storm E05.91 *[I43]*
- newborn I42.8
- - congenital I42.4
- non-ischemic -*see also* by cause I42.8
- nutritional E63.9 *[I43]*
- - beriberi E51.12
- obscure of Africa I42.8
- peripartum O90.3
- postpartum O90.3
- restrictive NEC I42.5
- rheumatic I09.0
- secondary I42.9
- specified NEC I42.8
- stress induced I51.81
- takotsubo I51.81
- thyrotoxic E05.90 *[I43]*
- - with thyroid storm E05.91 *[I43]*
- toxic NEC I42.7
- transthyretin-related (ATTR) familial amyloid E85.4
- tuberculous A18.84
- viral B33.24

Cardionephritis -*see* Hypertension, cardiorenal

Cardionephropathy -*see* Hypertension, cardiorenal

Cardionephrosis -*see* Hypertension, cardiorenal

Cardiopathia nigra I27.0

Cardiopathy -*see also* Disease, heart I51.9
- idiopathic I42.9
- mucopolysaccharidosis E76.3 *[I52]*

Cardiopericarditis -*see* Pericarditis

Cardiophobia F45.29

Cardiorenal -*see* condition

Cardiorrhexis -*see* Infarct, myocardium

Cardiosclerosis -*see* Disease, heart, ischemic, atherosclerotic

Cardiosis -*see* Disease, heart

Cardiospasm (esophagus) (reflex) (stomach) K22.0
- congenital Q39.5
- - with megaesophagus Q39.5

Cardiostenosis -*see* Disease, heart

Cardiosymphysis I31.0

Cardiovascular -*see* condition

Carditis (acute) (bacterial) (chronic) (subacute) I51.89
- meningococcal A39.50
- rheumatic -*see* Disease, heart, rheumatic
- rheumatoid -*see* Rheumatoid, carditis
- viral B33.20

Care (of) (for) (following)
- child (routine) Z76.2
- family member (handicapped) (sick)
- - creating problem for family Z63.6
- - provided away from home for holiday relief Z75.5
- - unavailable, due to
- - - absence (person rendering care) (sufferer) Z74.2
- - - inability (any reason) of person rendering care Z74.2

- foundling Z76.1
- holiday relief Z75.5
- improper -*see* Maltreatment
- lack of (at or after birth) (infant) -*see* Maltreatment, child, neglect
- lactating mother Z39.1
- palliative Z51.5
- postpartum
- - immediately after delivery Z39.0
- - routine follow-up Z39.2
- respite Z75.5
- unavailable, due to
- - absence of person rendering care Z74.2
- - inability (any reason) of person rendering care Z74.2
- well-baby Z76.2

Caries
- bone NEC A18.03
- dental (dentino enamel junction) (early childhood) (of dentine) (pre-eruptive) (recurrent) (to the pulp) K02.9
- - arrested (coronal) (root) K02.3
- - chewing surface
- - - limited to enamel K02.51
- - - penetrating into dentin K02.52
- - - penetrating into pulp K02.53
- - coronal surface
- - - chewing surface
- - - - limited to enamel K02.51
- - - - penetrating into dentin K02.52
- - - - penetrating into pulp K02.53
- - - pit and fissure surface
- - - - limited to enamel K02.51
- - - - penetrating into dentin K02.52
- - - - penetrating into pulp K02.53
- - - smooth surface
- - - - limited to enamel K02.61
- - - - penetrating into dentin K02.62
- - - - penetrating into pulp K02.63
- - pit and fissure surface
- - - limited to enamel K02.51
- - - penetrating into dentin K02.52
- - - penetrating into pulp K02.53
- - primary, cervical origin K02.52
- - root K02.7
- - smooth surface
- - - limited to enamel K02.61
- - - penetrating into dentin K02.62
- - - penetrating into pulp K02.63
- external meatus -*see* Disorder, ear, external, specified type NEC
- hip (tuberculous) A18.02
- initial (tooth)
- - chewing surface K02.51
- - pit and fissure surface K02.51
- - smooth surface K02.61
- knee (tuberculous) A18.02
- labyrinth -see subcategory H83.8
- limb NEC (tuberculous) A18.03
- mastoid process (chronic) -*see* Mastoiditis, chronic
- - tuberculous A18.03
- middle ear -see subcategory H74.8
- nose (tuberculous) A18.03
- orbit (tuberculous) A18.03
- ossicles, ear -*see* Abnormal, ear ossicles

- petrous bone -*see* Petrositis
- root (dental) (tooth) K02.7
- sacrum (tuberculous) A18.01
- spine, spinal (column) (tuberculous) A18.01
- syphilitic A52.77
- - congenital (early) A50.02 *[M90.80]*
- tooth, teeth -*see* Caries, dental
- tuberculous A18.03
- vertebra (column) (tuberculous) A18.01

Carious teeth -*see* Caries, dental

Carneous mole O02.0

Carnitine insufficiency E71.40

Carotid body or sinus syndrome G90.01

Carotidynia G90.01

Carotenemia (dietary) E67.1

Carotenosis (cutis) (skin) E67.1

Carpal tunnel syndrome -*see* Syndrome, carpal tunnel

Carpenter's syndrome Q87.0

Carpopedal spasm -*see* Tetany

Carr-Barr-Plunkett syndrome Q97.1

Carrier (suspected) of

- Acinetobacter baumannii Z22.349
- - carbapenem-resistant Z22.340
- - carbapenem-sensitive Z22.341
- amebiasis Z22.1
- bacterial disease NEC Z22.39
- - diphtheria Z22.2
- - intestinal infectious NEC Z22.1
- - - typhoid Z22.0
- - meningococcal Z22.31
- - sexually transmitted Z22.4
- - specified NEC Z22.39
- - staphylococcal (Methicillin susceptible) Z22.321
- - - Methicillin resistant Z22.322
- - streptococcal Z22.338
- - - group B Z22.330
- - - - complicating pregnancy or delivery O99.82-
- - typhoid Z22.0
- cholera Z22.1
- diphtheria Z22.2
- E. coli (Escherichia coli) Z22.35-
- Enterobacterales Z22.359
- - carbapenem-resistant Z22.350
- - carbapenem-sensitive Z22.358
- - Enterobacterales, specified type NEC Z22.358
- - ESBL-producing Z22.358
- - extended-spectrum beta-lactamase producing Z22.358
- gastrointestinal pathogens NEC Z22.1
- genetic Z14.8
- - cystic fibrosis Z14.1
- - hemophilia A (asymptomatic) Z14.01
- - - symptomatic Z14.02
- gestational, pregnant Z33.1
- gonorrhea Z22.4
- HAA (hepatitis Australian-antigen) B18.8
- HB (c)(s) -AG B18.1
- hepatitis (viral) B18.9
- - Australia-antigen (HAA) B18.8
- - B surface antigen (HBsAg) B18.1
- - - with acute delta- (super) infection B17.0

- - C B18.2
- - specified NEC B18.8
- human T-cell lymphotropic virus type-1 (HTLV-1) infection Z22.6
- infectious organism Z22.9
- - specified NEC Z22.8
- K. pneumoniae (Klebsiella pneumoniae) Z22.35-
- meningococci Z22.31
- Salmonella typhosa Z22.0
- serum hepatitis -*see* Carrier, hepatitis
- staphylococci (Methicillin susceptible) Z22.321
- - Methicillin resistant Z22.322
- streptococci Z22.338
- - group B Z22.330
- - - complicating pregnancy or delivery O99.82-
- syphilis Z22.4
- typhoid Z22.0
- venereal disease NEC Z22.4

Carrion's disease A44.0

Carter's relapsing fever (Asiatic) A68.1

Cartilage -*see* condition

Caruncle (inflamed)
- conjunctiva (acute) -*see* Conjunctivitis, acute
- labium (majus) (minus) N90.89
- lacrimal -*see* Inflammation, lacrimal, passages
- myrtiform N89.8
- urethral (benign) N36.2

Cascade stomach K31.2

Caseation lymphatic gland (tuberculous) A18.2

Cassidy (-Scholte) syndrome (malignant carcinoid) E34.09

Castellani's disease A69.8

Castration, traumatic, male S38.231

Casts in urine R82.998

Cat
- cry syndrome Q93.4
- ear Q17.3
- eye syndrome Q92.8

Catabolism, senile R54

Catalepsy (hysterical) F44.2
- schizophrenic F20.2

Cataplexy (idiopathic) -*see* - Narcolepsy

Cataract (cortical) (immature) (incipient) H26.9
- with
- - neovascularization -*see* Cataract, complicated
- age-related -*see* Cataract, senile
- anterior
- - and posterior axial embryonal Q12.0
- - pyramidal Q12.0
- associated with
- - galactosemia E74.21 *[H28]*
- - myotonic disorders G71.19 *[H28]*
- blue Q12.0
- central Q12.0
- cerulean Q12.0
- complicated H26.20
- - with
- - - neovascularization H26.21-
- - - ocular disorder H26.22-
- - glaucomatous flecks H26.23-
- congenital Q12.0
- coraliform Q12.0

- coronary Q12.0
- crystalline Q12.0
- diabetic -*see* Diabetes, cataract
- drug-induced H26.3-
- due to
- - ocular disorder -*see* Cataract, complicated
- - radiation H26.8
- electric H26.8
- extraction status Z98.4-
- glass-blower's H26.8
- heat ray H26.8
- heterochromic -*see* Cataract, complicated
- hypermature -*see* Cataract, senile, morgagnian type
- in (due to)
- - chronic iridocyclitis -*see* Cataract, complicated
- - diabetes -*see* Diabetes, cataract
- - endocrine disease E34.9 *[H28]*
- - eye disease -*see* Cataract, complicated
- - hypoparathyroidism E20.9 *[H28]*
- - malnutrition-dehydration E46 *[H28]*
- - metabolic disease E88.9 *[H28]*
- - myotonic disorders G71.19 *[H28]*
- - nutritional disease E63.9 *[H28]*
- infantile -*see* Cataract, presenile
- irradiational -*see* Cataract, specified NEC
- juvenile -*see* Cataract, presenile
- malnutrition-dehydration E46 *[H28]*
- morgagnian -*see* Cataract, senile, morgagnian type
- myotonic G71.19 *[H28]*
- myxedema E03.9 *[H28]*
- nuclear
- - embryonal Q12.0
- - sclerosis -*see* Cataract, senile, nuclear
- presenile H26.00-
- - combined forms H26.06-
- - cortical H26.01-
- - lamellar -*see* Cataract, presenile, cortical
- - nuclear H26.03-
- - specified NEC H26.09
- - subcapsular polar (anterior) H26.04-
- - - posterior H26.05-
- - zonular -*see* Cataract, presenile, cortical
- secondary H26.40
- - Soemmering's ring H26.41-
- - specified NEC H26.49-
- - to eye disease -*see* Cataract, complicated
- senile H25.9
- - brunescens -*see* Cataract, senile, nuclear
- - combined forms H25.81-
- - coronary -*see* Cataract, senile, incipient
- - cortical H25.01-
- - hypermature -*see* Cataract, senile, morgagnian type
- - incipient (mature) (total) H25.09-
- - - cortical -*see* Cataract, senile, cortical
- - - subcapsular -*see* Cataract, senile, subcapsular
- - morgagnian type (hypermature) H25.2-
- - nuclear (sclerosis) H25.1-
- - polar subcapsular (anterior) (posterior) -*see* Cataract, senile, incipient
- - punctate -*see* Cataract, senile, incipient
- - specified NEC H25.89

- - subcapsular polar (anterior) H25.03-
- - - posterior H25.04-
- snowflake -*see* Diabetes, cataract
- specified NEC H26.8
- toxic -*see* Cataract, drug-induced
- traumatic H26.10-
- - localized H26.11-
- - partially resolved H26.12-
- - total H26.13-
- zonular (perinuclear) Q12.0

Cataracta -*see also* Cataract
- brunescens -*see* Cataract, senile, nuclear
- centralis pulverulenta Q12.0
- cerulea Q12.0
- complicata -*see* Cataract, complicated
- congenita Q12.0
- coralliformis Q12.0
- coronaria Q12.0
- diabetic -*see* Diabetes, cataract
- membranacea
- - accreta -*see* Cataract, secondary
- - congenita Q12.0
- nigra -*see* Cataract, senile, nuclear
- sunflower -*see* Cataract, complicated

Catarrh, catarrhal (acute) (febrile) (infectious) (inflammation) -*see also* condition J00
- bronchial -*see* Bronchitis
- chest -*see* Bronchitis
- chronic J31.0
- due to congenital syphilis A50.03
- enteric -*see* Enteritis
- eustachian H68.009
- fauces -*see* Pharyngitis
- gastrointestinal -*see* Enteritis
- gingivitis K05.00
- - nonplaque induced K05.01
- - plaque induced K05.00
- hay -*see* Fever, hay
- intestinal -*see* Enteritis
- larynx, chronic J37.0
- liver B15.9
- - with hepatic coma B15.0
- lung -*see* Bronchitis
- middle ear, chronic -*see* Otitis, media, nonsuppurative, chronic, serous
- mouth K12.1
- nasal (chronic) -*see* Rhinitis
- nasobronchial J31.1
- nasopharyngeal (chronic) J31.1
- - acute J00
- pulmonary -*see* Bronchitis
- spring (eye) (vernal) -*see* Conjunctivitis, acute, atopic
- summer (hay) -*see* Fever, hay
- throat J31.2
- tubotympanal -*see also* Otitis, media, nonsuppurative
- - chronic -*see* Otitis, media, nonsuppurative, chronic, serous

Catatonia (schizophrenic) F20.2

Catatonic
- disorder due to known physiologic condition F06.1
- schizophrenia F20.2
- stupor R40.1

Cat-scratch -*see also* Abrasion

- disease or fever A28.1
Cauda equina -*see* condition
Cauliflower ear M95.1-
Causalgia (upper limb) G56.4-
- lower limb G57.7-
Cause
- external, general effects T75.89
Caustic burn -*see* Corrosion, by site
Cavare's disease (familial periodic paralysis) G72.3
Cave-in, injury
- crushing (severe) -*see* Crush
- suffocation -*see* Asphyxia, traumatic, due to low oxygen, due to cave-in
Cavernitis (penis) N48.29
Cavernositis N48.29
Cavernous -*see* condition
Cavitation of lung -*see also* Tuberculosis, pulmonary
- nontuberculous J98.4
Cavities, dental -*see* Caries, dental
Cavity
- lung -*see* Cavitation of lung
- optic papilla Q14.2
- pulmonary -*see* Cavitation of lung
Cavovarus foot, congenital Q66.1-
Cavus foot (congenital) Q66.7-
- acquired -*see* Deformity, limb, foot, specified NEC
Cazenave's disease L10.2
CCCA (central centrifugal cicatricial alopecia) L66.81
CDKL5 (Cyclin-Dependent Kinase-Like 5 Deficiency Disorder) G40.42
Cecitis K52.9
- with perforation, peritonitis, or rupture K65.8
Cecoureterocele Q62.32
Cecum -*see* condition
Celiac
- artery compression syndrome I77.4
- disease (with steatorrhea) K90.0
- infantilism K90.0
Cell(s), cellular -*see also* condition
- in urine R82.998
Cellulitis (diffuse) (phlegmonous) (septic) (suppurative) L03.90
- abdominal wall L03.311
- anaerobic A48.0
- ankle -*see* Cellulitis, lower limb
- anus K61.0
- arm -*see* Cellulitis, upper limb
- auricle (ear) -*see* Cellulitis, ear
- axilla L03.11-
- back (any part) L03.312
- breast (acute) (nonpuerperal) (subacute) N61.0
- - nipple N61.0
- broad ligament
- - acute N73.0
- buttock L03.317
- cervical (meaning neck) L03.221
- cervix (uteri) -*see* Cervicitis
- cheek (external) L03.211
- - internal K12.2
- chest wall L03.313
- chronic L03.90
- clostridial A48.0
- corpus cavernosum N48.22

- digit
- - finger -*see* Cellulitis, finger
- - toe -*see* Cellulitis, toe
- Douglas' cul-de-sac or pouch
- - acute N73.0
- drainage site (following operation) T81.49
- ear (external) H60.1-
- eosinophilic (granulomatous) L98.3
- erysipelatous -*see* Erysipelas
- external auditory canal -*see* Cellulitis, ear
- eyelid -*see* Abscess, eyelid
- face NEC L03.211
- finger (intrathecal) (periosteal) (subcutaneous) (subcuticular) L03.01-
- foot -*see* Cellulitis, lower limb
- gangrenous -*see* Gangrene
- genital organ NEC
- - female (external) N76.4
- - male N49.9
- - - multiple sites N49.8
- - - specified NEC N49.8
- gluteal (region) L03.317
- gonococcal A54.89
- groin L03.314
- hand -*see* Cellulitis, upper limb
- head NEC L03.811
- - face (any part, except ear, eye and nose) L03.211
- heel -*see* Cellulitis, lower limb
- hip -*see* Cellulitis, lower limb
- jaw (region) L03.211
- knee -*see* Cellulitis, lower limb
- labium (majus) (minus) -*see* Vulvitis
- lacrimal passages -*see* Inflammation, lacrimal, passages
- larynx J38.7
- leg -*see* Cellulitis, lower limb
- lip K13.0
- lower limb L03.11-
- - toe -*see* Cellulitis, toe
- mouth (floor) K12.2
- multiple sites, so stated L03.90
- nasopharynx J39.1
- navel L03.316
- - newborn P38.9
- - - with mild hemorrhage P38.1
- - - without hemorrhage P38.9
- neck (region) L03.221
- nipple (acute) (nonpuerperal) (subacute) N61.0
- nose (septum) (external) J34.0
- orbit, orbital H05.01-
- palate (soft) K12.2
- pectoral (region) L03.313
- pelvis, pelvic (chronic)
- - female -*see also* Disease, pelvis, inflammatory N73.2
- - - acute N73.0
- - following ectopic or molar pregnancy O08.0
- - male K65.0
- penis N48.22
- perineal, perineum L03.315
- periorbital L03.213
- perirectal K61.1
- peritonsillar J36

- periurethral N34.0
- periuterine -*see also* Disease, pelvis, inflammatory N73.2
- - acute N73.0
- pharynx J39.1
- preseptal L03.213
- rectum K61.1
- retroperitoneal K68.9
- round ligament
- - acute N73.0
- scalp (any part) L03.811
- scrotum N49.2
- seminal vesicle N49.0
- shoulder -*see* Cellulitis, upper limb
- specified site NEC L03.818
- submandibular (region) (space) (triangle) K12.2
- - gland K11.3
- submaxillary (region) K12.2
- - gland K11.3
- thigh -*see* Cellulitis, lower limb
- thumb (intrathecal) (periosteal) (subcutaneous) (subcuticular) -*see* Cellulitis, finger
- toe (intrathecal) (periosteal) (subcutaneous) (subcuticular) L03.03-
- tonsil J36
- trunk L03.319
- - abdominal wall L03.311
- - back (any part) L03.312
- - buttock L03.317
- - chest wall L03.313
- - groin L03.314
- - perineal, perineum L03.315
- - umbilicus L03.316
- tuberculous (primary) A18.4
- umbilicus L03.316
- upper limb L03.11-
- - axilla -*see* Cellulitis, axilla
- - finger -*see* Cellulitis, finger
- - thumb -*see* Cellulitis, finger
- vaccinal T88.0
- vocal cord J38.3
- vulva -*see* Vulvitis
- wrist -*see* Cellulitis, upper limb

Cementoblastoma, benign -*see* Cyst, calcifying odontogenic

Cementoma -*see* Cyst, calcifying odontogenic

Cementoperiostitis -*see* Periodontitis

Cementosis K03.4

Central auditory processing disorder H93.25

Central pain syndrome G89.0

Cephalematocele, cephal (o) hematocele
- newborn P52.8
- - birth injury P10.8
- traumatic -*see* Hematoma, brain

Cephalematoma, cephalhematoma (calcified)
- newborn (birth injury) P12.0
- traumatic -*see* Hematoma, brain

Cephalgia, cephalalgia -*see also* Headache
- histamine G44.009
- - intractable G44.001
- - not intractable G44.009
- trigeminal autonomic (TAC) NEC G44.099
- - intractable G44.091
- - not intractable G44.099

Cephalic -*see* condition
Cephalitis -*see* Encephalitis
Cephalocele -*see* Encephalocele
Cephalomenia N94.89
Cephalopelvic -*see* condition
Cerclage (with cervical incompetence) in pregnancy -*see* Incompetence, cervix, in pregnancy
Cerebellitis -*see* Encephalitis
Cerebellum, cerebellar -*see* condition
Cerebral -*see* condition
Cerebritis -*see* Encephalitis
Cerebro-hepato-renal syndrome Q87.89
Cerebromalacia -*see* Softening, brain
- sequelae of cerebrovascular disease I69.398
Cerebroside lipidosis E75.22
Cerebrospasticity (congenital) G80.1
Cerebrospinal -*see* condition
Cerebrum -*see* condition
Ceroid-lipofuscinosis, neuronal E75.4
Cerumen (accumulation) (impacted) H61.2-
Cervical -*see also* condition
- auricle Q18.2
- dysplasia in pregnancy -*see* Abnormal, cervix, in pregnancy or childbirth
- erosion in pregnancy -*see* Abnormal, cervix, in pregnancy or childbirth
- fibrosis in pregnancy -*see* Abnormal, cervix, in pregnancy or childbirth
- fusion syndrome Q76.1
- rib Q76.5
- shortening (complicating pregnancy) O26.87-
Cervicalgia M54.2
Cervicitis (acute) (atrophic) (chronic) (nonvenereal) (senile) (subacute) (with ulceration) N72
- with
- - abortion -*see* Abortion, by type complicated by genital tract and pelvic infection
- - ectopic pregnancy O08.0
- - molar pregnancy O08.0
- chlamydial A56.09
- gonococcal A54.03
- herpesviral A60.03
- puerperal (postpartum) O86.11
- syphilitic A52.76
- trichomonal A59.09
- tuberculous A18.16
Cervicocolpitis (emphysematosa) (see also Cervicitis) N72
Cervix -*see* condition
Cesarean delivery, previous, affecting management of pregnancy O34.219
- classical (vertical) scar O34.212
- isthmocele (non-pregnant state) N85.A
- - maternal care for O34.22
- low transverse scar O34.211
- mid-transverse T incision O34.218
- scar
- - defect (non-pregnant state) N85.A
- - - maternal care for O34.22
- - specified type NEC O34.218
Céstan (-Chenais) paralysis or syndrome G46.3
Céstan-Raymond syndrome I65.8
Cestode infestation B71.9
- specified type NEC B71.8
Cestodiasis B71.9
Chabert's disease A22.9
Chacaleh E53.8
Chafing L30.4

Chagas' (-Mazza) disease (chronic) B57.2
- with
- - cardiovascular involvement NEC B57.2
- - digestive system involvement B57.30
- - - megacolon B57.32
- - - megaesophagus B57.31
- - - other specified B57.39
- - megacolon B57.32
- - megaesophagus B57.31
- - myocarditis B57.2
- - nervous system involvement B57.40
- - - meningitis B57.41
- - - meningoencephalitis B57.42
- - - other specified B57.49
- - specified organ involvement NEC B57.5
- acute (with) B57.1
- - cardiovascular NEC B57.0
- - myocarditis B57.0
Chagres fever B50.9
Chairridden Z74.09
Chalasia (cardiac sphincter) K21.9
Chalazion H00.19
- left H00.16
- - lower H00.15
- - upper H00.14
- right H00.13
- - lower H00.12
- - upper H00.11
Chalcosis -*see also* Disorder, globe, degenerative, chalcosis
- cornea -*see* Deposit, cornea
- crystalline lens -*see* Cataract, complicated
- retina H35.89
Chalicosis (pulmonum) J62.8
Chancre (any genital site) (hard) (hunterian) (mixed) (primary) (seronegative) (seropositive) (syphilitic) A51.0
- congenital A50.07
- conjunctiva NEC A51.2
- ducreyi A57
- Ducrey's A57
- extragenital A51.2
- eyelid A51.2
- lip A51.2
- nipple A51.2
- Nisbet's A57
- of
- - carate A67.0
- - pinta A67.0
- - yaws A66.0
- palate, soft A51.2
- phagedenic A57
- simple A57
- soft A57
- - bubo A57
- - palate A51.2
- urethra A51.0
- yaws A66.0
Chancroid (anus) (genital) (penis) (perineum) (rectum) (urethra) (vulva) A57
Chandler's disease (osteochondritis dissecans, hip) -*see* Osteochondritis, dissecans, hip
Change(s) (in) (of) -*see also* Removal
- arteriosclerotic -*see* Arteriosclerosis
- bone -*see also* Disorder, bone

- - diabetic -*see* Diabetes, bone change
- bowel habit R19.4
- cardiorenal (vascular) -*see* Hypertension, cardiorenal
- cardiovascular -*see* Disease, cardiovascular
- circulatory I99.9
- cognitive (mild) (organic) R41.89
- color, tooth, teeth
- - during formation K00.8
- - posteruptive K03.7
- contraceptive device Z30.433
- corneal membrane H18.30
- - Bowman's membrane fold or rupture H18.31-
- - Descemet's membrane
- - - fold H18.32-
- - - rupture H18.33-
- coronary -*see* Disease, heart, ischemic
- degenerative, spine or vertebra -*see* Spondylosis
- dental pulp, regressive K04.2
- dressing (nonsurgical) Z48.00
- - surgical Z48.01
- heart -*see* Disease, heart
- hip joint -*see* Derangement, joint, hip
- hyperplastic larynx J38.7
- hypertrophic
- - nasal sinus J34.89
- - turbinate, nasal J34.3
- - upper respiratory tract J39.8
- indwelling catheter Z46.6
- inflammatory -*see also* Inflammation
- - sacroiliac M46.1
- job, anxiety concerning Z56.1
- joint -*see* Derangement, joint
- life -*see* Menopause
- mental status R41.82
- minimal (glomerular) -*see also* N00-N07 with fourth character .0 N05.0
- myocardium, myocardial -*see* Degeneration, myocardial
- of life -*see* Menopause
- pacemaker Z45.018
- - pulse generator Z45.010
- personality (enduring) F68.8
- - due to (secondary to)
- - - general medical condition F07.0
- - secondary (nonspecific) F60.89
- regressive, dental pulp K04.2
- renal -*see* Disease, renal
- retina H35.9
- - myopic -*see also* Myopia, degenerative H44.2-
- sacroiliac joint M53.3
- senile -*see also* condition R54
- sensory R20.8
- skin R23.9
- - acute, due to ultraviolet radiation L56.9
- - - specified NEC L56.8
- - chronic, due to nonionizing radiation L57.9
- - - specified NEC L57.8
- - cyanosis R23.0
- - flushing R23.2
- - pallor R23.1
- - petechiae R23.3
- - specified change NEC R23.8

- - swelling -*see* Mass, localized
- - texture R23.4
- trophic
- - arm -*see* Mononeuropathy, upper limb
- - leg -*see* Mononeuropathy, lower limb
- vascular I99.9
- vasomotor I73.9
- voice R49.9
- - psychogenic F44.4
- - specified NEC R49.8
Changing sleep-work schedule, affecting sleep G47.26
Changuinola fever A93.1
Chapping skin T69.8
Charcot-Marie-Tooth disease, paralysis or syndrome G60.0
Charcot's
- arthropathy -*see* Arthropathy, neuropathic
- cirrhosis K74.3
- disease (tabetic arthropathy) A52.16
- joint (disease) (tabetic) A52.16
- - diabetic -*see* Diabetes, with, arthropathy
- - syringomyelic G95.0
- syndrome (intermittent claudication) I73.9
CHARGE association Q89.8
Charley-horse (quadriceps) M62.831
- traumatic (quadriceps) S76.11-
Charlouis' disease -*see* Yaws
Cheadle's disease E54
Checking (of)
- cardiac pacemaker (battery) (electrode(s)) Z45.018
- - pulse generator Z45.010
- implantable subdermal contraceptive Z30.46
- intrauterine contraceptive device Z30.431
- wound Z48.0-
- - due to injury - code to Injury, by site, using appropriate seventh character for subsequent encounter
- - postoperative -*see* Aftercare
Check-up -*see* Examination
Chédiak-Higashi (-Steinbrinck) syndrome (congenital gigantism of peroxidase granules) E70.330
Cheek -*see* condition
Cheese itch B88.0
Cheese-washer's lung J67.8
Cheese-worker's lung J67.8
Cheilitis (acute) (angular) (catarrhal) (chronic) (exfoliative) (gangrenous) (glandular) (infectional) (suppurative) (ulcerative) (vesicular) K13.0
- actinic (due to sun) L56.8
- - other than from sun L59.8
- candidal B37.83
Cheilodynia K13.0
Cheiloschisis -*see* Cleft, lip
Cheilosis (angular) K13.0
- with pellagra E52
- due to
- - vitamin B2 (riboflavin) deficiency E53.0
Cheiromegaly M79.89
Cheiropompholyx L30.1
Cheloid -*see* Keloid
Chemical burn -*see* Corrosion, by site
Chemodectoma -*see* Paraganglioma, nonchromaffin
Chemosis, conjunctiva -*see* Edema, conjunctiva
Chemotherapy (session) (for)
- cancer Z51.11

- neoplasm Z51.11
Cherubism M27.8
Chest -*see* condition
Cheyne-Stokes breathing (respiration) R06.3
Chiari's
- disease or syndrome (hepatic vein thrombosis) I82.0
- malformation
- - type I G93.5
- - type II -*see* Spina bifida
- net Q24.8
Chicago disease B40.9
Chickenpox -*see* Varicella
Chiclero ulcer or sore B55.1
Chigger (infestation) B88.0
Chignon (disease) B36.8
- newborn (from vacuum extraction) (birth injury) P12.1
Chilaiditi's syndrome (subphrenic displacement, colon) Q43.3
Chilblain(s) (lupus) T69.1
Child -*see also* Problem, child
- custody dispute Z65.3
Childbirth -*see* Delivery
Childhood
- cerebral X-linked adrenoleukodystrophy E71.520
- period of rapid growth Z00.2
Chill(s) R68.83
- with fever R50.9
- congestive in malarial regions B54
- without fever R68.83
Chilomastigiasis A07.8
Chimera 46,XX/46,XY Q99.0
Chin -*see* condition
Chinese dysentery A03.9
Chionophobia F40.228
Chitral fever A93.1
Chlamydia, chlamydial A74.9
- cervicitis A56.09
- conjunctivitis A74.0
- cystitis A56.01
- endometritis A56.11
- epididymitis A56.19
- female
- - pelvic inflammatory disease A56.11
- - pelviperitonitis A56.11
- orchitis A56.19
- peritonitis A74.81
- pharyngitis A56.4
- proctitis A56.3
- psittaci (infection) A70
- salpingitis A56.11
- sexually-transmitted infection NEC A56.8
- specified NEC A74.89
- urethritis A56.01
- vulvovaginitis A56.02
Chlamydiosis -*see* Chlamydia
Chloasma (skin) (idiopathic) (symptomatic) L81.1
- eyelid H02.719
- - hyperthyroid E05.90 *[H02.719]*
- - - with thyroid storm E05.91 *[H02.719]*
- - left H02.716
- - - lower H02.715

- - - upper H02.714
- - right H02.713
- - - lower H02.712
- - - upper H02.711
Chloroma C92.3-
Chlorosis D50.9
- Egyptian B76.9 *[D63.8]*
- miner's B76.9 *[D63.8]*
Chlorotic anemia D50.8
Chocolate cyst (ovary) N80.10-
Choked
- disc or disk -*see* Papilledema
- on food, phlegm, or vomitus NOS -*see* Foreign body, by site
- while vomiting NOS -*see* Foreign body, by site
Chokes (resulting from bends) T70.3
Choking sensation R09.89
Cholangiectasis K83.8
Cholangiocarcinoma
- with hepatocellular carcinoma, combined C22.0
- liver C22.1
- specified site NEC -*see* Neoplasm, malignant, by site
- unspecified site C22.1
Cholangiohepatitis K83.8
- due to fluke infestation B66.1
Cholangiohepatoma C22.0
Cholangiolitis (acute) (chronic) (extrahepatic) (gangrenous) (intrahepatic) K83.09
- paratyphoidal -*see* Fever, paratyphoid
- typhoidal A01.09
Cholangioma D13.4
- malignant -*see* Cholangiocarcinoma
Cholangitis (ascending) (recurrent) (secondary) (stenosing) (suppurative) K83.09
- with calculus, bile duct -*see* Calculus, bile duct, with cholangitis
- chronic nonsuppurative destructive K74.3
- primary K83.09
- - sclerosing K83.01
- sclerosing K83.09
Cholecystectasia K82.8
Cholecystitis K81.9
- with
- - calculus, stones in
- - - bile duct (common) (hepatic) -*see* Calculus, bile duct, with cholecystitis
- - - cystic duct -*see* Calculus, gallbladder, with cholecystitis
- - - gallbladder -*see* Calculus, gallbladder, with cholecystitis
- - choledocholithiasis -*see* Calculus, bile duct, with cholecystitis
- - cholelithiasis -*see* Calculus, gallbladder, with cholecystitis
- - gangrene of gallbladder K82.A1
- - perforation of gallbladder K82.A2
- acute (emphysematous) (gangrenous) (suppurative) K81.0
- - with
- - - calculus, stones in
- - - - cystic duct -*see* Calculus, gallbladder, with cholecystitis, acute
- - - - gallbladder -*see* Calculus, gallbladder, with cholecystitis, acute
- - - choledocholithiasis -*see* Calculus, bile duct, with cholecystitis, acute
- - - cholelithiasis -*see* Calculus, gallbladder, with cholecystitis, acute
- - - chronic cholecystitis K81.2
- - - - with gallbladder calculus K80.12
- - - - - with obstruction K80.13
- chronic K81.1
- - with acute cholecystitis K81.2
- - - with gallbladder calculus K80.12

- - - - with obstruction K80.13
- emphysematous (acute) -*see* Cholecystitis, acute
- gangrenous -*see* Cholecystitis, acute
- paratyphoidal, current A01.4
- suppurative -*see* Cholecystitis, acute
- typhoidal A01.09
Cholecystolithiasis -*see* Calculus, gallbladder
Choledochitis (suppurative) K83.09
Choledocholith -*see* Calculus, bile duct
Choledocholithiasis (common duct) (hepatic duct) -*see* Calculus, bile duct
- cystic -*see* Calculus, gallbladder
- typhoidal A01.09
Cholelithiasis (cystic duct) (gallbladder) (impacted) (multiple) -*see* Calculus, gallbladder
- bile duct (common) (hepatic) -*see* Calculus, bile duct
- hepatic duct -*see* Calculus, bile duct
- specified NEC K80.80
- - with obstruction K80.81
Cholemia -*see also* Jaundice
- familial (simple) (congenital) E80.4
- Gilbert's E80.4
Choleperitoneum, choleperitonitis K65.3
Cholera (Asiatic) (epidemic) (malignant) A00.9
- antimonial -*see* Poisoning, antimony
- classical A00.0
- due to Vibrio cholerae 01 A00.9
- - biovar cholerae A00.0
- - biovar eltor A00.1
- - el tor A00.1
- el tor A00.1
Cholerine -*see* Cholera
Cholestasis NEC K83.1
- with hepatocyte injury K71.0
- due to total parenteral nutrition (TPN) K76.89
- pure K71.0
Cholesteatoma (ear) (middle) (with reaction) H71.9-
- attic H71.0-
- external ear (canal) H60.4-
- mastoid H71.2-
- postmastoidectomy cavity (recurrent) -*see* Complications, postmastoidectomy, recurrent cholesteatoma
- recurrent (postmastoidectomy) -*see* Complications, postmastoidectomy, recurrent cholesteatoma
- tympanum H71.1-
Cholesteatosis, diffuse H71.3-
Cholesteremia E78.00
Cholesterin in vitreous -*see* Deposit, crystalline
Cholesterol
- deposit
- - retina H35.89
- - vitreous -*see* Deposit, crystalline
- elevated (high) E78.00
- - with elevated (high) triglycerides E78.2
- - screening for Z13.220
- imbibition of gallbladder K82.4
Cholesterolemia (essential) (pure) E78.00
- familial E78.01
- hereditary E78.01
Cholesterolosis, cholesterosis (gallbladder) K82.4
- cerebrotendinous E75.5
Cholocolic fistula K82.3
Choluria R82.2
Chondritis M94.8X9

- aurical H61.03-
- costal (Tietze's) M94.0
- external ear H61.03-
- patella, posttraumatic -*see* Chondromalacia, patella
- pinna H61.03-
- purulent M94.8X-
- tuberculous NEC A18.02
- - intervertebral A18.01

Chondroblastoma -*see also* Neoplasm, bone, benign
- malignant -*see* Neoplasm, bone, malignant

Chondrocalcinosis M11.20
- ankle M11.27-
- elbow M11.22-
- familial M11.10
- - ankle M11.17-
- - elbow M11.12-
- - foot joint M11.17-
- - hand joint M11.14-
- - hip M11.15-
- - knee M11.16-
- - multiple site M11.19
- - shoulder M11.11-
- - vertebrae M11.18
- - wrist M11.13-
- foot joint M11.27-
- hand joint M11.24-
- hip M11.25-
- knee M11.26-
- multiple site M11.29
- shoulder M11.21-
- vertebrae M11.28
- specified type NEC M11.20
- - ankle M11.27-
- - elbow M11.22-
- - foot joint M11.27-
- - hand joint M11.24-
- - hip M11.25-
- - knee M11.26-
- - multiple site M11.29
- - shoulder M11.21-
- - vertebrae M11.28
- - wrist M11.23-
- wrist M11.23-

Chondrodermatitis nodularis helicis or anthelicis -*see* Perichondritis, ear

Chondrodysplasia Q78.9
- with hemangioma Q78.4
- calcificans congenita Q77.3
- fetalis Q77.4
- metaphyseal (Jansen's) (McKusick's) (Schmid's) Q78.8
- punctata Q77.3

Chondrodystrophy, chondrodystrophia (familial) (fetalis) (hypoplastic) Q78.9
- calcificans congenita Q77.3
- myotonic (congenital) G71.13
- punctata Q77.3

Chondroectodermal dysplasia Q77.6

Chondrogenesis imperfecta Q77.4

Chondrolysis M94.35-

Chondroma -*see also* Neoplasm, cartilage, benign
- juxtacortical -*see* Neoplasm, bone, benign
- periosteal -*see* Neoplasm, bone, benign

Chondromalacia (systemic) M94.20
- acromioclavicular joint M94.21-
- ankle M94.27-
- elbow M94.22-
- foot joint M94.27-
- glenohumeral joint M94.21-
- hand joint M94.24-
- hip M94.25-
- knee M94.26-
- - patella M22.4-
- multiple sites M94.29
- patella M22.4-
- rib M94.28
- sacroiliac joint M94.259
- shoulder M94.21-
- sternoclavicular joint M94.21-
- vertebral joint M94.28
- wrist M94.23-

Chondromatosis -*see also* Neoplasm, cartilage, uncertain behavior
- internal Q78.4

Chondromyxosarcoma -*see* Neoplasm, cartilage, malignant
Chondro-osteodysplasia (Morquio-Brailsford type) E76.219
Chondro-osteodystrophy E76.29
Chondro-osteoma -*see* Neoplasm, bone, benign
Chondropathia tuberosa M94.0
Chondrosarcoma -*see* Neoplasm, cartilage, malignant
- juxtacortical -*see* Neoplasm, bone, malignant
- mesenchymal -*see* Neoplasm, connective tissue, malignant
- myxoid -*see* Neoplasm, cartilage, malignant

Chordee (nonvenereal) N48.89
- congenital Q54.4
- gonococcal A54.09

Chorditis (fibrinous) (nodosa) (tuberosa) J38.2
Chordoma -*see* Neoplasm, vertebral (column), malignant
Chorea (chronic) (gravis) (posthemiplegic) (senile) (spasmodic) G25.5
- with
- - heart involvement I02.0
- - - active or acute (conditions in I01-) I02.0
- - - rheumatic I02.9
- - - - with valvular disorder I02.0
- - rheumatic heart disease (chronic) (inactive)(quiescent) - code to rheumatic heart condition involved
- drug-induced G25.4
- habit F95.8
- hereditary G10
- Huntington's G10
- hysterical F44.4
- minor I02.9
- - with heart involvement I02.0
- progressive G25.5
- - hereditary G10
- rheumatic (chronic) I02.9
- - with heart involvement I02.0
- Sydenham's I02.9
- - with heart involvement -*see* Chorea, with rheumatic heart disease
- - nonrheumatic G25.5

Choreoathetosis (paroxysmal) G25.5
Chorioadenoma (destruens) D39.2
Chorioamnionitis O41.12-
Chorioangioma D26.7
Choriocarcinoma -*see* Neoplasm, malignant, by site

- combined with
- - embryonal carcinoma *-see* Neoplasm, malignant, by site
- - other germ cell elements *-see* Neoplasm, malignant, by site
- - teratoma *-see* Neoplasm, malignant, by site
- specified site *-see* Neoplasm, malignant, by site
- unspecified site
- - female C58
- - male C62.90
Chorioencephalitis (acute) (lymphocytic) (serous) A87.2
Chorioepithelioma *-see* Choriocarcinoma
Choriomeningitis (acute) (lymphocytic) (serous) A87.2
Chorionepithelioma *-see* Choriocarcinoma
Chorioretinitis *-see also* Inflammation, chorioretinal
- disseminated *-see also* Inflammation, chorioretinal, disseminated
- - in neurosyphilis A52.19
- Egyptian B76.9 *[D63.8]*
- focal *-see also* Inflammation, chorioretinal, focal
- histoplasmic B39.9 *[H32]*
- in (due to)
- - histoplasmosis B39.9 *[H32]*
- - syphilis (secondary) A51.43
- - - late A52.71
- - toxoplasmosis (acquired) B58.01
- - - congenital (active) P37.1 *[H32]*
- - tuberculosis A18.53
- juxtapapillary, juxtapapillaris *-see* Inflammation, chorioretinal, focal, juxtapapillary
- leprous A30.9 *[H32]*
- miner's B76.9 *[D63.8]*
- progressive myopia (degeneration) *-see also* Myopia, degenerative H44.2-
- syphilitic (secondary) A51.43
- - congenital (early) A50.01 *[H32]*
- - - late A50.32
- - late A52.71
- tuberculous A18.53
Chorioretinopathy, central serous H35.71-
Choroid *-see* condition
Choroideremia H31.21
Choroiditis *-see* Chorioretinitis
Choroidopathy *-see* Disorder, choroid
Choroidoretinitis *-see* Chorioretinitis
Choroidoretinopathy, central serous *-see* Chorioretinopathy, central serous
Christian-Weber disease M35.6
Christmas disease D67
Chromaffinoma *-see also* Neoplasm, benign, by site
- malignant *-see* Neoplasm, malignant, by site
Chromatopsia *-see* Deficiency, color vision
Chromhidrosis, chromidrosis L75.1
Chromoblastomycosis *-see* Chromomycosis
Chromoconversion R82.91
Chromomycosis B43.9
- brain abscess B43.1
- cerebral B43.1
- cutaneous B43.0
- skin B43.0
- specified NEC B43.8
- subcutaneous abscess or cyst B43.2
Chromophytosis B36.0
Chromosome *-see* condition by chromosome involved
- D (1) *-see* condition, chromosome 13
- E (3) *-see* condition, chromosome 18

- G -*see* condition, chromosome 21
Chromotrichomycosis B36.8
Chronic -*see* condition
- fracture -*see* Fracture, pathological
Churg-Strauss syndrome M30.1
Chyle cyst, mesentery I89.8
Chylocele (nonfilarial) I89.8
- filarial -*see also* Infestation, filarial B74.9 *[N51]*
- tunica vaginalis N50.89
- - filarial -*see also* Infestation, filarial B74.9 *[N51]*
Chylomicronemia (fasting) (with hyperprebetalipoproteinemia) E78.3
Chylopericardium I31.39
- acute I30.9
Chylothorax (nonfilarial) J94.0
- filarial -*see also* Infestation, filarial B74.9 *[J91.8]*
Chylous -*see* condition
Chyluria (nonfilarial) R82.0
- due to
- - bilharziasis B65.0
- - Brugia (malayi) B74.1
- - - timori B74.2
- - schistosomiasis (bilharziasis) B65.0
- - Wuchereria (bancrofti) B74.0
- filarial -*see* Infestation, filarial
Cicatricial (deformity) -*see* Cicatrix
Cicatrix (adherent) (contracted) (painful) (vicious) -*see also* Scar L90.5
- adenoid (and tonsil) J35.8
- alveolar process M26.79
- anus K62.89
- auricle -*see* Disorder, pinna, specified type NEC
- bile duct (common) (hepatic) K83.8
- bladder N32.89
- bone -*see* Disorder, bone, specified type NEC
- brain G93.89
- cervix (postoperative) (postpartal) N88.1
- common duct K83.8
- cornea H17.9
- - tuberculous A18.59
- duodenum (bulb), obstructive K31.5
- esophagus K22.2
- eyelid -*see* Disorder, eyelid function
- hypopharynx J39.2
- lacrimal passages -*see* Obstruction, lacrimal
- larynx J38.7
- lung J98.4
- middle ear -see subcategory H74.8
- mouth K13.79
- muscle M62.89
- - with contracture -*see* Contraction, muscle NEC
- nasopharynx J39.2
- palate (soft) K13.79
- penis N48.89
- pharynx J39.2
- prostate N42.89
- rectum K62.89
- retina -*see* Scar, chorioretinal
- semilunar cartilage -*see* Derangement, meniscus
- seminal vesicle N50.89
- skin L90.5
- - infected L08.89

- - postinfective L90.5
- - tuberculous B90.8
- specified site NEC L90.5
- throat J39.2
- tongue K14.8
- tonsil (and adenoid) J35.8
- trachea J39.8
- tuberculous NEC B90.9
- urethra N36.8
- uterus N85.8
- vagina N89.8
- - postoperative N99.2
- vocal cord J38.3
- wrist, constricting (annular) L90.5

CIDP (chronic inflammatory demyelinating polyneuropathy) G61.81
CIN -*see* Neoplasia, intraepithelial, cervix
CINCA (chronic infantile neurological, cutaneous and articular syndrome) M04.2
Cinchonism -*see* Deafness, ototoxic
- correct substance properly administered -*see* Table of Drugs and Chemicals, by drug, adverse effect
- overdose or wrong substance given or taken -*see* Table of Drugs and Chemicals, by drug, poisoning

Circle of Willis -*see* condition
Circular -*see* condition
Circulating anticoagulants -*see also* - Disorder, hemorrhagic D68.318
- due to drugs -*see also* - Disorder, hemorrhagic D68.32
- following childbirth O72.3

Circulation
- collateral, any site I99.8
- defective (lower extremity) I99.9
- - congenital Q28.9
- embryonic Q28.9
- failure (peripheral) R57.9
- - newborn P29.89
- fetal, persistent P29.38
- heart, incomplete Q28.9

Circulatory system -*see* condition
Circulus senilis (cornea) -*see* Degeneration, cornea, senile
Circumcision (in absence of medical indication) (ritual) (routine) Z41.2
Circumscribed -*see* condition
Circumvallate placenta O43.11-
Cirrhosis, cirrhotic (hepatic) (liver) K74.60
- alcoholic K70.30
- - with ascites K70.31
- atrophic -*see* Cirrhosis, liver
- Baumgarten-Cruveilhier K74.69
- biliary (cholangiolitic) (cholangitic) (hypertrophic) (obstructive) (pericholangiolitic) K74.5
- - due to
- - - Clonorchiasis B66.1
- - - flukes B66.3
- - primary K74.3
- - secondary K74.4
- cardiac (of liver) K76.1
- Charcot's K74.3
- cholangiolitic, cholangitic, cholostatic (primary) K74.3
- congestive K76.1
- Cruveilhier-Baumgarten K74.69
- cryptogenic (liver) K74.69
- due to
- - hepatolenticular degeneration E83.01
- - Wilson's disease E83.01
- - xanthomatosis E78.2

- fatty K76.0
- - alcoholic K70.0
- Hanot's (hypertrophic) K74.3
- hepatic -*see* Cirrhosis, liver
- hypertrophic K74.3
- Indian childhood K74.69
- kidney -*see* Sclerosis, renal
- Laennec's K70.30
- - with ascites K70.31
- - alcoholic K70.30
- - - with ascites K70.31
- - nonalcoholic K74.69
- liver K74.60
- - alcoholic K70.30
- - - with ascites K70.31
- - - fatty K70.0
- - congenital P78.81
- - syphilitic A52.74
- lung (chronic) J84.10
- macronodular K74.69
- - alcoholic K70.30
- - - with ascites K70.31
- micronodular K74.69
- - alcoholic K70.30
- - - with ascites K70.31
- mixed type K74.69
- monolobular K74.3
- nephritis -*see* Sclerosis, renal
- nutritional K74.69
- - alcoholic K70.30
- - - with ascites K70.31
- obstructive -*see* Cirrhosis, biliary
- ovarian N83.8
- pancreas (duct) K86.89
- pigmentary E83.110
- portal K74.69
- - alcoholic K70.30
- - - with ascites K70.31
- postnecrotic K74.69
- - alcoholic K70.30
- - - with ascites K70.31
- pulmonary J84.10
- renal -*see* Sclerosis, renal
- spleen D73.2
- stasis K76.1
- Todd's K74.3
- unilobar K74.3
- xanthomatous (biliary) K74.5
- - due to xanthomatosis (familial) (metabolic) (primary) E78.2

Cistern, subarachnoid R93.0

Citrullinemia E72.23

Citrullinuria E72.23

Civatte's disease or poikiloderma L57.3

CLAD -*see* Dysfunction, chronic, lung allograft

Clam digger's itch B65.3

Clammy skin R23.1

Clap -*see* Gonorrhea

Clarke-Hadfield syndrome (pancreatic infantilism) K86.89

Clark's paralysis G80.9

Clastothrix L67.8

Claude Bernard-Horner syndrome G90.2
- traumatic -*see* Injury, nerve, cervical sympathetic
Claude's disease or syndrome G46.3
Claudication (intermittent) I73.9
- cerebral (artery) G45.9
- spinal cord (arteriosclerotic) G95.19
- - syphilitic A52.09
- venous (axillary) I87.8
Claudicatio venosa intermittens I87.8
Claustrophobia F40.240
Clavus (infected) L84
Clawfoot (congenital) Q66.89
- acquired -*see* Deformity, limb, clawfoot
Clawhand (acquired) -*see also* Deformity, limb, clawhand
- congenital Q68.1
Clawtoe (congenital) Q66.89
- acquired -*see* Deformity, toe, specified NEC
Clay eating -*see* Pica
Cleansing of artificial opening -*see* Attention to, artificial, opening
Cleft (congenital) -*see also* Imperfect, closure
- alveolar process M26.79
- branchial (persistent) Q18.2
- - cyst Q18.0
- - - fistula Q18.0
- - - sinus Q18.0
- cricoid cartilage, posterior Q31.8
- foot Q72.7
- hand Q71.6
- lip (unilateral) Q36.9
- - with cleft palate Q37.9
- - - hard Q37.1
- - - - with soft Q37.5
- - - soft Q37.3
- - - - with hard Q37.5
- - bilateral Q36.0
- - - with cleft palate Q37.8
- - - - hard Q37.0
- - - - - with soft Q37.4
- - - - soft Q37.2
- - - - - with hard Q37.4
- - median Q36.1
- mitral valve leaflet (at birth) (congenital) Q23.82
- nose Q30.2
- palate Q35.9
- - with cleft lip (unilateral) Q37.9
- - - bilateral Q37.8
- - hard Q35.1
- - - with
- - - - cleft lip (unilateral) Q37.1
- - - - - bilateral Q37.0
- - - - soft Q35.5
- - - - - with cleft lip (unilateral) Q37.5
- - - - - - bilateral Q37.4
- - medial Q35.5
- - soft Q35.3
- - - with
- - - - cleft lip (unilateral) Q37.3
- - - - - bilateral Q37.2
- - - - hard Q35.5
- - - - - with cleft lip (unilateral) Q37.5

- - - - - - bilateral Q37.4
- penis Q55.69
- scrotum Q55.29
- thyroid cartilage Q31.8
- uvula Q35.7
Cleidocranial dysostosis Q74.0
Cleptomania F63.2
Clicking hip (newborn) R29.4
Climacteric (female) *-see also* Menopause
- arthritis (any site) NEC *-see* Arthritis, specified form NEC
- depression (single episode) F32.89
- - recurrent episode F33.8
- melancholia (single episode) F32.89
- - recurrent episode F33.8
- male (symptoms) (syndrome) NEC N50.89
- paranoid state F22
- polyarthritis NEC *-see* Arthritis, specified form NEC
- symptoms (female) N95.1
Clinical research investigation (clinical trial) (control subject) (normal comparison) (participant) Z00.6
Clitoris *-see* condition
Cloaca (persistent) Q43.7
Clonorchiasis, clonorchis infection (liver) B66.1
Clonus R25.8
Closed bite M26.29
Clostridium (C.) perfringens, as cause of disease classified elsewhere B96.7
Closure
- congenital, nose Q30.0
- cranial sutures, premature Q75.009
- defective or imperfect NEC *-see* Imperfect, closure
- fistula, delayed *-see* Fistula
- foramen ovale, imperfect Q21.12
- hymen N89.6
- interauricular septum, defective Q21.19
- interventricular septum, defective Q21.0
- lacrimal duct *-see also* Stenosis, lacrimal, duct
- - congenital Q10.5
- nose (congenital) Q30.0
- - acquired M95.0
- of artificial opening *-see* Attention to, artificial, opening
- primary angle, without glaucoma damage H40.06-
- vagina N89.5
- valve *-see* Endocarditis
- vulva N90.5
Clot (blood) *-see also* Embolism
- artery (obstruction) (occlusion) *-see* Embolism
- bladder N32.89
- brain (intradural or extradural) *-see* Occlusion, artery, cerebral
- circulation I74.9
- heart *-see also* Infarct, myocardium
- - not resulting in infarction I51.3
- vein *-see* Thrombosis
Clouded state R40.1
- epileptic *-see* Epilepsy, specified NEC
- paroxysmal *-see* Epilepsy, specified NEC
Cloudy antrum, antra J32.0
Clouston's (hidrotic) ectodermal dysplasia Q82.4
Cloverleaf skull Q75.051
Clubbed nail pachydermoperiostosis M89.40 *[L62]*
Clubbing of finger(s) (nails) R68.3
Clubfinger R68.3

- congenital Q68.1
Clubfoot (congenital) Q66.89
- acquired -*see* Deformity, limb, clubfoot
- equinovarus Q66.0-
- paralytic -*see* Deformity, limb, clubfoot
Clubhand (congenital) (radial) Q71.4-
- acquired -*see* Deformity, limb, clubhand
Clubnail R68.3
- congenital Q84.6
Clump, kidney Q63.1
Clumsiness, clumsy child syndrome F82
Cluttering F80.81
Clutton's joints A50.51 *[M12.80]*
Coagulation, intravascular (diffuse) (disseminated) -*see also* Defibrination syndrome
- complicating abortion -*see* Abortion, by type, complicated by, intravascular coagulation
- COVID-19 associated -*see also* COVID-19 D65
- following ectopic or molar pregnancy O08.1
Coagulopathy -*see also* Defect, coagulation
- consumption D65
- intravascular D65
- - newborn P60
Coalition
- calcaneo-scaphoid Q66.89
- tarsal Q66.89
Coalminer's
- elbow -*see* Bursitis, elbow, olecranon
- lung or pneumoconiosis J60
Coalworker's lung or pneumoconiosis J60
Coarctation
- aorta (preductal) (postductal) Q25.1
- pulmonary artery Q25.71
Coated tongue K14.3
Coats' disease (exudative retinopathy) -*see* Retinopathy, exudative
Cocaine-induced
- anxiety disorder F14.980
- bipolar and related disorder F14.94
- depressive disorder F14.94
- obsessive-compulsive and related disorder F14.988
- psychotic disorder F14.959
- sleep disorder F14.982
- sexual dysfunction F14.981
Cocainism -*see* Disorder, cocaine use
Coccidioidomycosis B38.9
- cutaneous B38.3
- disseminated B38.7
- generalized B38.7
- meninges B38.4
- prostate B38.81
- pulmonary B38.2
- - acute B38.0
- - chronic B38.1
- skin B38.3
- specified NEC B38.89
Coccidioidosis -*see* Coccidioidomycosis
Coccidiosis (intestinal) A07.3
Coccydynia, coccygodynia M53.3
Coccyx -*see* condition
Cochin-China diarrhea K90.1
Cockayne's syndrome Q87.19
Cocked up toe -*see* Deformity, toe, specified NEC

Cock's peculiar tumor L72.3
Codman's tumor -*see* Neoplasm, bone, benign
Coenurosis B71.8
Coffee-worker's lung J67.8
Cogan's syndrome H16.32-
- oculomotor apraxia H51.8
Coitus, painful (female) N94.10
- male N53.12
- psychogenic F52.6
Cold J00
- with influenza, flu, or grippe -*see* Influenza, with, respiratory manifestations NEC
- agglutinin disease or hemoglobinuria (chronic) D59.12
- bronchial -*see* Bronchitis
- chest -*see* Bronchitis
- common (head) J00
- effects of T69.9
- - specified effect NEC T69.8
- excessive, effects of T69.9
- - specified effect NEC T69.8
- exhaustion from T69.8
- exposure to T69.9
- - specified effect NEC T69.8
- head J00
- injury syndrome (newborn) P80.0
- on lung -*see* Bronchitis
- rose J30.1
- sensitivity, auto-immune D59.12
- symptoms J00
- virus J00
Coldsore B00.1
Colibacillosis A49.8
- as the cause of other disease -*see also* Escherichia coli B96.20
- generalized -*see also* Sepsis, Escherichia coli A41.51
Colic (bilious) (infantile) (intestinal) (recurrent) (spasmodic) R10.83
- abdomen R10.83
- - psychogenic F45.8
- appendix, appendicular K38.8
- bile duct -*see* Calculus, bile duct
- biliary -*see* Calculus, bile duct
- common duct -*see* Calculus, bile duct
- cystic duct -*see* Calculus, gallbladder
- Devonshire NEC -*see* Poisoning, lead
- gallbladder -*see* Calculus, gallbladder
- gallstone -*see* Calculus, gallbladder
- - gallbladder or cystic duct -*see* Calculus, gallbladder
- hepatic (duct) -*see* Calculus, bile duct
- hysterical F45.8
- kidney N23
- lead NEC -*see* Poisoning, lead
- mucous K58.9
- - with diarrhea K58.0
- - psychogenic F54
- nephritic N23
- painter's NEC -*see* Poisoning, lead
- pancreas K86.89
- psychogenic F45.8
- renal N23
- saturnine NEC -*see* Poisoning, lead
- ureter N23
- urethral N36.8

- - due to calculus N21.1
- uterus NEC N94.89
- - menstrual -*see* Dysmenorrhea
- worm NOS B83.9
Colicystitis -*see* Cystitis
Colitis (acute) (catarrhal) (chronic) (noninfective) (hemorrhagic) -*see also* Enteritis K52.9
- allergic K52.29
- - with
- - - food protein-induced enterocolitis syndrome K52.21
- - - proctocolitis K52.29
- amebic (acute) -*see also* Amebiasis A06.0
- - nondysenteric A06.2
- anthrax A22.2
- bacillary -*see* Infection, Shigella
- balantidial A07.0
- Clostridioides difficile
- - not specified as recurrent A04.72
- - recurrent A04.71
- Clostridium difficile
- - not specified as recurrent A04.72
- - recurrent A04.71
- coccidial A07.3
- collagenous K52.831
- cystica superficialis K52.89
- dietary counseling and surveillance (for) Z71.3
- dietetic -*see also* Colitis, allergic K52.29
- drug-induced K52.1
- due to radiation K52.0
- eosinophilic K52.82
- food hypersensitivity -*see also* Colitis, allergic K52.29
- giardial A07.1
- granulomatous -*see* Enteritis, regional, large intestine
- indeterminate, so stated K52.3
- infectious -*see* Enteritis, infectious
- ischemic K55.9
- - acute (subacute) -*see also* Ischemia, intestine, acute K55.039
- - chronic K55.1
- - due to mesenteric artery insufficiency K55.1
- - fulminant (acute) -*see also* Ischemia, intestine, acute K55.039
- left sided K51.50
- - with
- - - abscess K51.514
- - - complication K51.519
- - - - specified NEC K51.518
- - - fistula K51.513
- - - obstruction K51.512
- - - rectal bleeding K51.511
- lymphocytic K52.832
- membranous
- - psychogenic F54
- microscopic K52.839
- - specified NEC K52.838
- mucous -*see* Syndrome, irritable, bowel
- - psychogenic F54
- noninfective K52.9
- - specified NEC K52.89
- polyposa -*see* Polyp, colon, inflammatory
- protozoal A07.9
- pseudomembranous
- - not specified as recurrent A04.72

- - recurrent A04.71
- pseudomucinous -*see* Syndrome, irritable, bowel
- regional -*see* Enteritis, regional, large intestine
- - infectious A09
- segmental -*see* Enteritis, regional, large intestine
- septic -*see* Enteritis, infectious
- spastic K58.9
- - with diarrhea K58.0
- - psychogenic F54
- staphylococcal A04.8
- - foodborne A05.0
- subacute ischemic -*see also* Ischemia, intestine, acute K55.039
- thromboulcerative -*see also* Ischemia, intestine, acute K55.039
- toxic NEC K52.1
- - due to
- - - Clostridioides difficile
- - - - not specified as recurrent A04.72
- - - - recurrent A04.71
- - - Clostridium difficile
- - - - not specified as recurrent A04.72
- - - - recurrent A04.71
- transmural -*see* Enteritis, regional, large intestine
- trichomonal A07.8
- tuberculous (ulcerative) A18.32
- ulcerative (chronic) K51.90
- - with
- - - complication K51.919
- - - - abscess K51.914
- - - - fistula K51.913
- - - - obstruction K51.912
- - - - rectal bleeding K51.911
- - - - specified complication NEC K51.918
- - enterocolitis -*see* Enterocolitis, ulcerative
- - ileocolitis -*see* Ileocolitis, ulcerative
- - mucosal proctocolitis -*see* Proctocolitis, mucosal
- - proctitis -*see* Proctitis, ulcerative
- - pseudopolyposis -*see* Polyp, colon, inflammatory
- - psychogenic F54
- - rectosigmoiditis -*see* Rectosigmoiditis, ulcerative
- - specified type NEC K51.80
- - - with
- - - - complication K51.819
- - - - - abscess K51.814
- - - - - fistula K51.813
- - - - - obstruction K51.812
- - - - - rectal bleeding K51.811
- - - - - specified complication NEC K51.818

Collagenosis, collagen disease (nonvascular) (vascular) M35.9
- cardiovascular I42.8
- reactive perforating L87.1
- specified NEC M35.89

Collapse R55
- adrenal E27.2
- cardiorespiratory R57.0
- cardiovascular R57.0
- - newborn P29.89
- circulatory (peripheral) R57.9
- - during or after labor and delivery O75.1
- - following ectopic or molar pregnancy O08.3
- - newborn P29.89

- during or
- - after labor and delivery O75.1
- - resulting from a procedure, not elsewhere classified T81.10
- external ear canal -*see* Stenosis, external ear canal
- general R55
- heart -*see* Disease, heart
- heat T67.1
- hysterical F44.89
- labyrinth, membranous (congenital) Q16.5
- lung (massive) -*see also* Atelectasis J98.19
- - pressure due to anesthesia (general) (local) or other sedation T88.2
- - - during labor and delivery O74.1
- - - in pregnancy O29.02-
- - - postpartum, puerperal O89.09
- myocardial -*see* Disease, heart
- nasal valve J34.829
- - external J34.8210
- - - dynamic J34.8212
- - - static J34.8211
- - internal J34.8200
- - - dynamic J34.8202
- - - static J34.8201
- nervous F48.8
- neurocirculatory F45.8
- nose M95.0
- - lower sidewall or nostril, on inspiration J34.8212
- - upper, middle sidewall, on inspiration J34.8202
- postoperative T81.10
- pulmonary -*see also* Atelectasis J98.19
- - newborn -*see* Atelectasis
- trachea J39.8
- tracheobronchial J98.09
- valvular -*see* Endocarditis
- vascular (peripheral) R57.9
- - during or after labor and delivery O75.1
- - following ectopic or molar pregnancy O08.3
- - newborn P29.89
- vertebra M48.50-
- - cervical region M48.52-
- - cervicothoracic region M48.53-
- - in (due to)
- - - neoplasm (metastasis) M84.58-
- - - osteoporosis -*see also* Osteoporosis M80.88
- - - - cervical region M80.88
- - - - cervicothoracic region M80.88
- - - - lumbar region M80.88
- - - - lumbosacral region M80.88
- - - - multiple sites M80.88
- - - - occipito-atlanto-axial region M80.88
- - - - sacrococcygeal region M80.88
- - - - thoracic region M80.88
- - - - thoracolumbar region M80.88
- - - specified disease NEC M48.50-
- - - - cervical region M48.52-
- - - - cervicothoracic region M48.53-
- - - - lumbar region M48.56-
- - - - lumbosacral region M48.57-
- - - - occipito-atlanto-axial region M48.51-
- - - - sacrococcygeal region M48.58-
- - - - thoracic region M48.54-

- - - - thoracolumbar region M48.55-
- - lumbar region M48.56-
- - lumbosacral region M48.57-
- - occipito-atlanto-axial region M48.51-
- - sacrococcygeal region M48.58-
- - thoracic region M48.54-
- - thoracolumbar region M48.55-
Collateral -*see also* condition
- circulation (venous) I87.8
- dilation, veins I87.8
Colles' fracture S52.53-
Collet (-Sicard) syndrome G52.7
Collier's asthma or lung J60
Collodion baby Q80.2
Colloid nodule (of thyroid) (cystic) E04.1
Coloboma (iris) Q13.0
- eyelid Q10.3
- fundus Q14.8
- lens Q12.2
- optic disc (congenital) Q14.2
- - acquired H47.31-
Coloenteritis -*see* Enteritis
Colon -*see* condition
Colonization
- MRSA (Methicillin resistant Staphylococcus aureus) Z22.322
- MSSA (Methicillin susceptible Staphylococcus aureus) Z22.321
- status -*see* Carrier (suspected) of
Coloptosis K63.4
Color blindness -*see* Deficiency, color vision
Colostomy
- attention to Z43.3
- fitting or adjustment Z46.89
- malfunctioning K94.03
- status Z93.3
Colpitis (acute) -*see* Vaginitis
Colpocele N81.5
Colpocystitis -*see* Vaginitis
Colpospasm N94.2
Column, spinal, vertebral -*see* condition
Coma R40.20
- with
- - motor response (none) R40.231
- - - abnormal R40.233
- - - abnormal extensor posturing to pain or noxious stimuli (< 2 years of age) R40.232
- - - abnormal flexure posturing to pain or noxious stimuli (0-5 years of age) R40.233
- - - extension R40.232
- - - extensor posturing to pain or noxious stimuli (2-5 years of age) R40.232
- - - flexion/decorticate posturing (< 2 years of age) R40.233
- - - flexion withdrawal R40.234
- - - localizes pain (2-5 years of age) R40.235
- - - normal or spontaneous movement (< 2 years of age) R40.236
- - - obeys commands (2-5 years of age) R40.236
- - - score of
- - - - 1 R40.231
- - - - 2 R40.232
- - - - 3 R40.233
- - - - 4 R40.234
- - - - 5 R40.235
- - - - 6 R40.236
- - - withdraws from pain or noxious stimuli (0-5 years of age) R40.234

- - - withdraws to touch (< 2 years of age) R40.235
- - opening of eyes (never) R40.211
- - - in response to
- - - - pain R40.212
- - - - sound R40.213
- - - score of
- - - - 1 R40.211
- - - - 2 R40.212
- - - - 3 R40.213
- - - - 4 R40.214
- - - spontaneous R40.214
- - verbal response (none) R40.221
- - - confused conversation R40.224
- - - cooing or babbling or crying appropriately (< 2 years of age) R40.225
- - - inappropriate crying or screaming (< 2 years of age) R40.223
- - - inappropriate words R40.223
- - - inappropriate words (2-5 years of age) R40.224
- - - incomprehensible sounds (2-5 years of age) R40.222
- - - incomprehensible words R40.222
- - - irritable cries (< 2 years of age) R40.224
- - - moans/grunts to pain; restless (<2 years old) R40.222
- - - oriented R40.225
- - - score of
- - - - 1 R40.221
- - - - 2 R40.222
- - - - 3 R40.223
- - - - 4 R40.224
- - - - 5 R40.225
- - - screaming (2-5 years of age) R40.223
- - - uses appropriate words (2- 5 years of age) R40.225
- eclamptic -*see* Eclampsia
- epileptic -*see* Epilepsy
- Glasgow, scale score -*see* Glasgow coma scale
- hepatic -*see* Failure, hepatic, by type, with coma
- hyperglycemic (diabetic) -*see* Diabetes, by type, with hyperosmolarity, with coma
- hyperosmolar (diabetic) -*see* Diabetes, by type, with hyperosmolarity, with coma
- hypoglycemic (diabetic) -*see* Diabetes, by type, with hypoglycemia, with coma
- - nondiabetic E15
- in diabetes -*see* Diabetes, coma
- insulin-induced -*see* Coma, hypoglycemic
- ketoacidotic (diabetic) -*see* Diabetes, by type, with ketoacidosis, with coma
- myxedematous E03.5
- newborn P91.5
- nontraumatic, due to underlying condition R40.2A
- persistent vegetative state R40.3
- secondary R40.2A
- specified NEC, without documented Glasgow coma scale score, or with partial Glasgow coma scale score reported R40.244

Comatose -*see* Coma
Combat fatigue F43.0
Combined -*see* condition
Comedo, comedones (giant) L70.0
Comedocarcinoma -*see also* Neoplasm, breast, malignant
- noninfiltrating
- - breast D05.8-
- - specified site -*see* Neoplasm, in situ, by site
- - unspecified site D05.8-

Comedomastitis -*see* Ectasia, mammary duct
Comminuted fracture - code as Fracture, closed
Common

- arterial trunk Q20.0
- atrioventricular canal Q21.23
- atrium Q21.19
- cold (head) J00
- truncus (arteriosus) Q20.0
- variable immunodeficiency -*see* Immunodeficiency, common variable
- ventricle Q20.4

Commotio, commotion (current)
- brain -*see* Injury, intracranial, concussion
- cerebri -*see* Injury, intracranial, concussion
- retinae S05.8X-
- spinal cord -*see* Injury, spinal cord, by region
- spinalis -*see* Injury, spinal cord, by region

Communication
- between
- - base of aorta and pulmonary artery Q21.4
- - left ventricle and right atrium Q20.5
- - pericardial sac and pleural sac Q34.8
- - pulmonary artery and pulmonary vein, congenital Q25.72
- congenital between uterus and digestive or urinary tract Q51.7

Compartment syndrome (deep) (posterior) (traumatic) T79.A0
- abdomen T79.A3
- lower extremity (hip, buttock, thigh, leg, foot, toes) T79.A2
- nontraumatic
- - abdomen M79.A3
- - lower extremity (hip, buttock, thigh, leg, foot, toes) M79.A2-
- - specified site NEC M79.A9
- - upper extremity (shoulder, arm, forearm, wrist, hand, fingers) M79.A1-
- specified site NEC T79.A9
- upper extremity (shoulder, arm, forearm, wrist, hand, fingers) T79.A1

Compensation
- failure -*see* Disease, heart
- neurosis, psychoneurosis -*see* Disorder, factitious

Complaint -*see also* Disease
- bowel, functional K59.9
- - psychogenic F45.8
- intestine, functional K59.9
- - psychogenic F45.8
- kidney -*see* Disease, renal
- miners' J60

Complete -*see* condition

Complex
- Addison-Schilder E71.528
- cardiorenal -*see* Hypertension, cardiorenal
- Costen's M26.69
- disseminated mycobacterium avium- intracellulare (DMAC) A31.2
- Eisenmenger's (ventricular septal defect) I27.83
- hypersexual F52.8
- jumped process, spine -*see* Dislocation, vertebra
- primary, tuberculous A15.7
- Schilder-Addison E71.528
- subluxation (vertebral) M99.19
- - abdomen M99.19
- - acromioclavicular M99.17
- - cervical region M99.11
- - cervicothoracic M99.11
- - costochondral M99.18
- - costovertebral M99.18
- - head region M99.10
- - hip M99.15

- - lower extremity M99.16
- - lumbar region M99.13
- - lumbosacral M99.13
- - occipitocervical M99.10
- - pelvic region M99.15
- - pubic M99.15
- - rib cage M99.18
- - sacral region M99.14
- - sacrococcygeal M99.14
- - sacroiliac M99.14
- - specified NEC M99.19
- - sternochondral M99.18
- - sternoclavicular M99.17
- - thoracic region M99.12
- - thoracolumbar M99.12
- - upper extremity M99.17
- Taussig-Bing (transposition, aorta and overriding pulmonary artery) Q20.1

Complication(s) (from) (of)

- accidental puncture or laceration during a procedure (of) -*see* Complications, intraoperative (intraprocedural), puncture or laceration
- amputation stump (surgical) (late) NEC T87.9
- - dehiscence T87.81
- - infection or inflammation T87.40
- - - lower limb T87.4-
- - - upper limb T87.4-
- - necrosis T87.50
- - - lower limb T87.5-
- - - upper limb T87.5-
- - neuroma T87.30
- - - lower limb T87.3-
- - - upper limb T87.3-
- - specified type NEC T87.89
- anastomosis (and bypass) -*see also* Complications, prosthetic device or implant
- - intestinal (internal) NEC K91.89
- - - involving urinary tract N99.89
- - urinary tract (involving intestinal tract) N99.89
- - vascular -*see* Complications, cardiovascular device or implant
- anesthesia, anesthetic -*see also* Anesthesia, complication T88.59
- - brain, postpartum, puerperal O89.2
- - cardiac
- - - in
- - - - labor and delivery O74.2
- - - - pregnancy O29.19-
- - - postpartum, puerperal O89.1
- - central nervous system
- - - in
- - - - labor and delivery O74.3
- - - - pregnancy O29.29-
- - - postpartum, puerperal O89.2
- - difficult or failed intubation T88.4
- - - in pregnancy O29.6-
- - failed sedation (conscious) (moderate) during procedure T88.52
- - general, unintended awareness during procedure T88.53
- - hyperthermia, malignant T88.3
- - hypothermia T88.51
- - intubation failure T88.4
- - malignant hyperthermia T88.3
- - pulmonary
- - - in
- - - - labor and delivery O74.1

- - - - pregnancy NEC O29.09-
- - - postpartum, puerperal O89.09
- - shock T88.2
- - spinal and epidural
- - - in
- - - - labor and delivery NEC O74.6
- - - - - headache O74.5
- - - - pregnancy NEC O29.5X-
- - - postpartum, puerperal NEC O89.5
- - - - headache O89.4
- - unintended awareness under general anesthesia during procedure T88.53
- anti-reflux device -*see* Complications, esophageal anti-reflux device
- aortic (bifurcation) graft -*see* Complications, graft, vascular
- aortocoronary (bypass) graft -*see* Complications, coronary artery (bypass) graft
- aortofemoral (bypass) graft -*see* Complications, extremity artery (bypass) graft
- arteriovenous
- - fistula, surgically created T82.9
- - - embolism T82.818
- - - fibrosis T82.828
- - - hemorrhage T82.838
- - - infection or inflammation T82.7
- - - mechanical
- - - - breakdown T82.510
- - - - displacement T82.520
- - - - leakage T82.530
- - - - malposition T82.520
- - - - obstruction T82.590
- - - - perforation T82.590
- - - - protrusion T82.590
- - - pain T82.848
- - - specified type NEC T82.898
- - - stenosis T82.858
- - - thrombosis T82.868
- - shunt, surgically created T82.9
- - - embolism T82.818
- - - fibrosis T82.828
- - - hemorrhage T82.838
- - - infection or inflammation T82.7
- - - mechanical
- - - - breakdown T82.511
- - - - displacement T82.521
- - - - leakage T82.531
- - - - malposition T82.521
- - - - obstruction T82.591
- - - - perforation T82.591
- - - - protrusion T82.591
- - - pain T82.848
- - - specified type NEC T82.898
- - - stenosis T82.858
- - - thrombosis T82.868
- arthroplasty -*see* Complications, joint prosthesis
- artificial
- - fertilization or insemination N98.9
- - - attempted introduction (of)
- - - - embryo in embryo transfer N98.3
- - - - ovum following in vitro fertilization N98.2
- - - hyperstimulation of ovaries N98.1
- - - infection N98.0
- - - specified NEC N98.8
- - heart T82.9

- - - embolism T82.817
- - - fibrosis T82.827
- - - hemorrhage T82.837
- - - infection or inflammation T82.7
- - - mechanical
- - - - breakdown T82.512
- - - - displacement T82.522
- - - - leakage T82.532
- - - - malposition T82.522
- - - - obstruction T82.592
- - - - perforation T82.592
- - - - protrusion T82.592
- - - pain T82.847
- - - specified type NEC T82.897
- - - stenosis T82.857
- - - thrombosis T82.867
- - opening
- - - cecostomy -*see* Complications, colostomy
- - - colostomy -*see* Complications, colostomy
- - - cystostomy -*see* Complications, cystostomy
- - - enterostomy -*see* Complications, enterostomy
- - - gastrostomy -*see* Complications, gastrostomy
- - - ileostomy -*see* Complications, enterostomy
- - - jejunostomy -*see* Complications, enterostomy
- - - nephrostomy -*see* Complications, stoma, urinary tract
- - - tracheostomy -*see* Complications, tracheostomy
- - - ureterostomy -*see* Complications, stoma, urinary tract
- - - urethrostomy -*see* Complications, stoma, urinary tract
- balloon implant or device
- - gastrointestinal T85.9
- - - embolism T85.818
- - - fibrosis T85.828
- - - hemorrhage T85.838
- - - infection and inflammation T85.79
- - - pain T85.848
- - - specified type NEC T85.898
- - - stenosis T85.858
- - - thrombosis T85.868
- - vascular (counterpulsation) T82.9
- - - embolism T82.818
- - - fibrosis T82.828
- - - hemorrhage T82.838
- - - infection or inflammation T82.7
- - - mechanical
- - - - breakdown T82.513
- - - - displacement T82.523
- - - - leakage T82.533
- - - - malposition T82.523
- - - - obstruction T82.593
- - - - perforation T82.593
- - - - protrusion T82.593
- - - pain T82.848
- - - specified type NEC T82.898
- - - stenosis T82.858
- - - thrombosis T82.868
- bariatric procedure
- - gastric band procedure K95.09
- - - infection K95.01
- - specified procedure NEC K95.89
- - - infection K95.81

- bile duct implant (prosthetic) T85.9
- - embolism T85.818
- - fibrosis T85.828
- - hemorrhage T85.838
- - infection and inflammation T85.79
- - mechanical
- - - breakdown T85.510
- - - displacement T85.520
- - - malfunction T85.510
- - - malposition T85.520
- - - obstruction T85.590
- - - perforation T85.590
- - - protrusion T85.590
- - - specified NEC T85.590
- - pain T85.848
- - specified type NEC T85.898
- - stenosis T85.858
- - thrombosis T85.868
- bladder device (auxiliary) -*see* Complications, genitourinary, device or implant, urinary system
- bleeding (postoperative) -*see* Complication, postoperative, hemorrhage
- - intraoperative -*see* Complication, intraoperative, hemorrhage
- blood vessel graft -*see* Complications, graft, vascular
- bone
- - device NEC T84.9
- - - embolism T84.81
- - - fibrosis T84.82
- - - hemorrhage T84.83
- - - infection or inflammation T84.7
- - - mechanical
- - - - breakdown T84.318
- - - - displacement T84.328
- - - - malposition T84.328
- - - - obstruction T84.398
- - - - perforation T84.398
- - - - protrusion T84.398
- - - pain T84.84
- - - specified type NEC T84.89
- - - stenosis T84.85
- - - thrombosis T84.86
- - graft -*see* Complications, graft, bone
- - growth stimulator (electrode) -*see* Complications, electronic stimulator device, bone
- - marrow transplant -*see* Complications, transplant, bone, marrow
- brain neurostimulator (electrode) -*see* Complications, electronic stimulator device, brain
- breast implant (prosthetic) T85.9
- - capsular contracture T85.44
- - embolism T85.818
- - fibrosis T85.828
- - hemorrhage T85.838
- - infection and inflammation T85.79
- - mechanical
- - - breakdown T85.41
- - - displacement T85.42
- - - leakage T85.43
- - - malposition T85.42
- - - obstruction T85.49
- - - perforation T85.49
- - - protrusion T85.49
- - - specified NEC T85.49
- - pain T85.848
- - specified type NEC T85.898

- - stenosis T85.858
- - thrombosis T85.868
- bypass -*see also* Complications, prosthetic device or implant
- - aortocoronary -*see* Complications, coronary artery (bypass) graft
- - arterial -*see also* Complications, graft, vascular
- - - extremity -*see* Complications, extremity artery (bypass) graft
- cardiac -*see also* Disease, heart
- - device, implant or graft T82.9
- - - embolism T82.817
- - - fibrosis T82.827
- - - hemorrhage T82.837
- - - infection or inflammation T82.7
- - - - valve prosthesis T82.6
- - - mechanical
- - - - breakdown T82.519
- - - - - specified device NEC T82.518
- - - - displacement T82.529
- - - - - specified device NEC T82.528
- - - - leakage T82.539
- - - - - specified device NEC T82.538
- - - - malposition T82.529
- - - - - specified device NEC T82.528
- - - - obstruction T82.599
- - - - - specified device NEC T82.598
- - - - perforation T82.599
- - - - - specified device NEC T82.598
- - - - protrusion T82.599
- - - - - specified device NEC T82.598
- - - pain T82.847
- - - specified type NEC T82.897
- - - stenosis T82.857
- - - thrombosis T82.867
- cardiovascular device, graft or implant T82.9
- - aortic graft -*see* Complications, graft, vascular
- - arteriovenous
- - - fistula, artificial -*see* Complication, arteriovenous, fistula, surgically created
- - - shunt -*see* Complication, arteriovenous, shunt, surgically created
- - artificial heart -*see* Complication, artificial, heart
- - balloon (counterpulsation) device -*see* Complication, balloon implant, vascular
- - carotid artery graft -*see* Complications, graft, vascular
- - coronary bypass graft -*see* Complication, coronary artery (bypass) graft
- - dialysis catheter (vascular) -*see* Complication, catheter, dialysis
- - electronic T82.9
- - - electrode T82.9
- - - - embolism T82.817
- - - - fibrosis T82.827
- - - - hemorrhage T82.837
- - - - infection T82.7
- - - - mechanical
- - - - - breakdown T82.110
- - - - - displacement T82.120
- - - - - leakage T82.190
- - - - - obstruction T82.190
- - - - - perforation T82.190
- - - - - protrusion T82.190
- - - - - specified type NEC T82.190
- - - - pain T82.847
- - - - specified NEC T82.897
- - - - stenosis T82.857
- - - - thrombosis T82.867

- - - embolism T82.817
- - - fibrosis T82.827
- - - hemorrhage T82.837
- - - infection T82.7
- - - mechanical
- - - - breakdown T82.119
- - - - displacement T82.129
- - - - leakage T82.199
- - - - obstruction T82.199
- - - - perforation T82.199
- - - - protrusion T82.199
- - - - specified type NEC T82.199
- - - pain T82.847
- - - pulse generator T82.9
- - - - embolism T82.817
- - - - fibrosis T82.827
- - - - hemorrhage T82.837
- - - - infection T82.7
- - - - mechanical
- - - - - breakdown T82.111
- - - - - displacement T82.121
- - - - - leakage T82.191
- - - - - obstruction T82.191
- - - - - perforation T82.191
- - - - - protrusion T82.191
- - - - - specified type NEC T82.191
- - - - pain T82.847
- - - - specified NEC T82.897
- - - - stenosis T82.857
- - - - thrombosis T82.867
- - - specified condition NEC T82.897
- - - specified device NEC T82.9
- - - - embolism T82.817
- - - - fibrosis T82.827
- - - - hemorrhage T82.837
- - - - infection T82.7
- - - - mechanical
- - - - - breakdown T82.118
- - - - - displacement T82.128
- - - - - leakage T82.198
- - - - - obstruction T82.198
- - - - - perforation T82.198
- - - - - protrusion T82.198
- - - - - specified type NEC T82.198
- - - - pain T82.847
- - - - specified NEC T82.897
- - - - stenosis T82.857
- - - - thrombosis T82.867
- - - stenosis T82.857
- - - thrombosis T82.867
- - extremity artery graft -*see* Complication, extremity artery (bypass) graft
- - femoral artery graft -*see* Complication, extremity artery (bypass) graft
- - heart-lung transplant -*see* Complication, transplant, heart, with lung
- - heart
- - - transplant -*see* Complication, transplant, heart
- - - valve -*see* Complication, prosthetic device, heart valve
- - - - graft -*see* Complication, heart, valve, graft
- - infection or inflammation T82.7
- - umbrella device -*see* Complication, umbrella device, vascular
- - vascular graft (or anastomosis) -*see* Complication, graft, vascular

- carotid artery (bypass) graft *-see* Complications, graft, vascular
- catheter (device) NEC *-see also* Complications, prosthetic device or implant
- - cranial infusion
- - - infection and inflammation T85.735
- - - mechanical
- - - - breakdown T85.610
- - - - displacement T85.620
- - - - leakage T85.630
- - - - malfunction T85.690
- - - - malposition T85.620
- - - - obstruction T85.690
- - - - perforation T85.690
- - - - protrusion T85.690
- - - - specified NEC T85.690
- - cystostomy T83.9
- - - embolism T83.81
- - - fibrosis T83.82
- - - hemorrhage T83.83
- - - infection and inflammation T83.510
- - - mechanical
- - - - breakdown T83.010
- - - - displacement T83.020
- - - - leakage T83.030
- - - - malposition T83.020
- - - - obstruction T83.090
- - - - perforation T83.090
- - - - protrusion T83.090
- - - - specified NEC T83.090
- - - pain T83.84
- - - specified type NEC T83.89
- - - stenosis T83.85
- - - thrombosis T83.86
- - dialysis (vascular) T82.9
- - - embolism T82.818
- - - fibrosis T82.828
- - - hemorrhage T82.838
- - - infection and inflammation T82.7
- - - intraperitoneal *-see* Complications, catheter, intraperitoneal dialysis
- - - mechanical
- - - - breakdown T82.41
- - - - displacement T82.42
- - - - leakage T82.43
- - - - malposition T82.42
- - - - obstruction T82.49
- - - - perforation T82.49
- - - - protrusion T82.49
- - - pain T82.848
- - - specified type NEC T82.898
- - - stenosis T82.858
- - - thrombosis T82.868
- - epidural infusion T85.9
- - - embolism T85.810
- - - fibrosis T85.820
- - - hemorrhage T85.830
- - - infection and inflammation T85.735
- - - mechanical
- - - - breakdown T85.610
- - - - displacement T85.620
- - - - leakage T85.630
- - - - malfunction T85.690

- - - - malposition T85.620
- - - - obstruction T85.690
- - - - perforation T85.690
- - - - protrusion T85.690
- - - - specified NEC T85.690
- - - pain T85.840
- - - specified type NEC T85.890
- - - stenosis T85.850
- - - thrombosis T85.860
- - intraperitoneal dialysis T85.9
- - - embolism T85.818
- - - fibrosis T85.828
- - - hemorrhage T85.838
- - - infection and inflammation T85.71
- - - mechanical
- - - - breakdown T85.611
- - - - displacement T85.621
- - - - leakage T85.631
- - - - malfunction T85.611
- - - - malposition T85.621
- - - - obstruction T85.691
- - - - perforation T85.691
- - - - protrusion T85.691
- - - - specified NEC T85.691
- - - pain T85.848
- - - specified type NEC T85.898
- - - stenosis T85.858
- - - thrombosis T85.868
- - intrathecal infusion
- - - infection and inflammation T85.735
- - - mechanical
- - - - breakdown T85.610
- - - - displacement T85.620
- - - - leakage T85.630
- - - - malfunction T85.690
- - - - malposition T85.620
- - - - obstruction T85.690
- - - - perforation T85.690
- - - - protrusion T85.690
- - - - specified NEC T85.690
- - intravenous infusion T82.9
- - - embolism T82.818
- - - fibrosis T82.828
- - - hemorrhage T82.838
- - - infection or inflammation T82.7
- - - mechanical
- - - - breakdown T82.514
- - - - displacement T82.524
- - - - leakage T82.534
- - - - malposition T82.524
- - - - obstruction T82.594
- - - - perforation T82.594
- - - - protrusion T82.594
- - - pain T82.848
- - - specified type NEC T82.898
- - - stenosis T82.858
- - - thrombosis T82.868
- - spinal infusion
- - - infection and inflammation T85.735
- - - mechanical

- - - - breakdown T85.610
- - - - displacement T85.620
- - - - leakage T85.630
- - - - malfunction T85.690
- - - - malposition T85.620
- - - - obstruction T85.690
- - - - perforation T85.690
- - - - protrusion T85.690
- - - - specified NEC T85.690
- - subarachnoid infusion
- - - infection and inflammation T85.735
- - - mechanical
- - - - breakdown T85.610
- - - - displacement T85.620
- - - - leakage T85.630
- - - - malfunction T85.690
- - - - malposition T85.620
- - - - obstruction T85.690
- - - - perforation T85.690
- - - - protrusion T85.690
- - - - specified NEC T85.690
- - subdural infusion T85.9
- - - embolism T85.810
- - - fibrosis T85.820
- - - hemorrhage T85.830
- - - infection and inflammation T85.735
- - - mechanical
- - - - breakdown T85.610
- - - - displacement T85.620
- - - - leakage T85.630
- - - - malfunction T85.690
- - - - malposition T85.620
- - - - obstruction T85.690
- - - - perforation T85.690
- - - - protrusion T85.690
- - - - specified NEC T85.690
- - - pain T85.840
- - - specified type NEC T85.890
- - - stenosis T85.850
- - - thrombosis T85.860
- - urethral T83.9
- - - displacement T83.028
- - - embolism T83.81
- - - fibrosis T83.82
- - - hemorrhage T83.83
- - - indwelling
- - - - breakdown T83.011
- - - - displacement T83.021
- - - - infection and inflammation T83.511
- - - - leakage T83.031
- - - - specified complication NEC T83.091
- - - infection and inflammation T83.511
- - - leakage T83.038
- - - malposition T83.028
- - - mechanical
- - - - breakdown T83.011
- - - obstruction (mechanical) T83.091
- - - pain T83.84
- - - perforation T83.091
- - - protrusion T83.091

- - - specified type NEC T83.091
- - - stenosis T83.85
- - - thrombosis T83.86
- - urinary NEC
- - - breakdown T83.018
- - - displacement T83.028
- - - infection and inflammation T83.518
- - - leakage T83.038
- - - specified complication NEC T83.098
- cecostomy (stoma) -*see* Complications, colostomy
- cesarean delivery wound NEC O90.89
- - disruption O90.0
- - hematoma O90.2
- - infection (following delivery) O86.00
- chemotherapy (antineoplastic) NEC T88.7
- chimeric antigen receptor (CAR-T) cell therapy T80.82
- chin implant (prosthetic) -*see* Complication, prosthetic device or implant, specified NEC
- circulatory system I99.8
- - intraoperative I97.88
- - postprocedural I97.89
- - - following cardiac surgery -*see also* Infarct, myocardium, associated with revascularization procedure I97.19-
- - - - postcardiotomy syndrome I97.0
- - - hypertension I97.3
- - - lymphedema after mastectomy I97.2
- - - postcardiotomy syndrome I97.0
- - - specified NEC I97.89
- colostomy (stoma) K94.00
- - hemorrhage K94.01
- - infection K94.02
- - malfunction K94.03
- - mechanical K94.03
- - specified complication NEC K94.09
- contraceptive device, intrauterine -*see* Complications, intrauterine, contraceptive device
- cord (umbilical) -*see* Complications, umbilical cord
- corneal graft -*see* Complications, graft, cornea
- coronary artery (bypass) graft T82.9
- - atherosclerosis -*see* Arteriosclerosis, coronary (artery)
- - embolism T82.817
- - fibrosis T82.827
- - hemorrhage T82.837
- - infection and inflammation T82.7
- - mechanical
- - - breakdown T82.211
- - - displacement T82.212
- - - leakage T82.213
- - - malposition T82.212
- - - obstruction T82.218
- - - perforation T82.218
- - - protrusion T82.218
- - - specified NEC T82.218
- - pain T82.847
- - specified type NEC T82.898
- - stenosis T82.857
- - thrombosis T82.867
- counterpulsation device (balloon), intra- aortic -*see* Complications, balloon implant, vascular
- cystostomy (stoma) N99.518
- - catheter -*see* Complications, catheter, cystostomy
- - hemorrhage N99.510
- - infection N99.511
- - malfunction N99.512

- - specified type NEC N99.518
- delivery -*see also* Complications, obstetric O75.9
- - procedure (instrumental) (manual) (surgical) O75.4
- - specified NEC O75.89
- dialysis (peritoneal) (renal) -*see also* Complications, infusion
- - catheter (vascular) -*see* Complication, catheter, dialysis
- - - peritoneal, intraperitoneal -*see* Complications, catheter, intraperitoneal
- dorsal column (spinal) neurostimulator -*see* Complications, electronic stimulator device, spinal cord
- drug NEC T88.7
- ear procedure -*see also* Disorder, ear
- - intraoperative H95.88
- - - hematoma -*see* Complications, intraoperative, hemorrhage (hematoma) (of), ear
- - - hemorrhage -*see* Complications, intraoperative, hemorrhage (hematoma) (of), ear
- - - laceration -*see* Complications, intraoperative, puncture or laceration, ear
- - - specified NEC H95.88
- - postoperative H95.89
- - - external ear canal stenosis H95.81-
- - - hematoma -*see* Complications, postprocedural, hematoma (of), ear
- - - hemorrhage -*see* Complications, postprocedural, hemorrhage (of), ear
- - - postmastoidectomy -*see* Complications, postmastoidectomy
- - - seroma -*see* Complications, postprocedural, seroma (of), mastoid process
- - - specified NEC H95.89
- ectopic pregnancy O08.9
- - damage to pelvic organs O08.6
- - embolism O08.2
- - genital infection O08.0
- - hemorrhage (delayed) (excessive) O08.1
- - metabolic disorder O08.5
- - renal failure O08.4
- - shock O08.3
- - specified type NEC O08.0
- - venous complication NEC O08.7
- electronic stimulator device
- - bladder (urinary) -*see* Complications, electronic stimulator device, urinary
- - bone T84.9
- - - breakdown T84.310
- - - displacement T84.320
- - - embolism T84.81
- - - fibrosis T84.82
- - - hemorrhage T84.83
- - - infection or inflammation T84.7
- - - malfunction T84.310
- - - malposition T84.320
- - - mechanical NEC T84.390
- - - obstruction T84.390
- - - pain T84.84
- - - perforation T84.390
- - - protrusion T84.390
- - - specified type NEC T84.89
- - - stenosis T84.85
- - - thrombosis T84.86
- - brain T85.9
- - - embolism T85.810
- - - fibrosis T85.820
- - - hemorrhage T85.830
- - - infection and inflammation T85.731
- - - mechanical
- - - - breakdown T85.110
- - - - displacement T85.120
- - - - leakage T85.190

- - - - malposition T85.120
- - - - obstruction T85.190
- - - - perforation T85.190
- - - - protrusion T85.190
- - - - specified NEC T85.190
- - - pain T85.840
- - - specified type NEC T85.890
- - - stenosis T85.850
- - - thrombosis T85.860
- - cardiac (defibrillator) (pacemaker) *-see* Complications, cardiovascular device or implant, electronic
- - generator (brain) (gastric) (peripheral) (sacral) (spinal)
- - - breakdown T85.113
- - - displacement T85.123
- - - leakage T85.193
- - - malposition T85.123
- - - obstruction T85.193
- - - perforation T85.193
- - - protrusion T85.193
- - - specified type NEC T85.193
- - muscle T84.9
- - - breakdown T84.418
- - - displacement T84.428
- - - embolism T84.81
- - - fibrosis T84.82
- - - hemorrhage T84.83
- - - infection or inflammation T84.7
- - - mechanical NEC T84.498
- - - pain T84.84
- - - specified type NEC T84.89
- - - stenosis T84.85
- - - thrombosis T84.86
- - nervous system T85.9
- - - brain *-see* Complications, electronic stimulator device, brain
- - - cranial nerve *-see* Complications, electronic stimulator device, peripheral nerve
- - - embolism T85.810
- - - fibrosis T85.820
- - - gastric nerve *-see* Complications, electronic stimulator device, peripheral nerve
- - - hemorrhage T85.830
- - - infection and inflammation T85.738
- - - mechanical
- - - - breakdown T85.118
- - - - displacement T85.128
- - - - leakage T85.199
- - - - malposition T85.128
- - - - obstruction T85.199
- - - - perforation T85.199
- - - - protrusion T85.199
- - - - specified NEC T85.199
- - - pain T85.840
- - - peripheral nerve *-see* Complications, electronic stimulator device, peripheral nerve
- - - sacral nerve *-see* Complications, electronic stimulator device, peripheral nerve
- - - specified type NEC T85.890
- - - spinal cord *-see* Complications, electronic stimulator device, spinal cord
- - - stenosis T85.850
- - - thrombosis T85.860
- - - vagal nerve *-see* Complications, electronic stimulator device, peripheral nerve
- - peripheral nerve T85.9
- - - embolism T85.810
- - - fibrosis T85.820
- - - hemorrhage T85.830

- - - infection and inflammation T85.732
- - - mechanical
- - - - breakdown T85.111
- - - - displacement T85.121
- - - - leakage T85.191
- - - - malposition T85.121
- - - - obstruction T85.191
- - - - perforation T85.191
- - - - protrusion T85.191
- - - - specified NEC T85.191
- - - pain T85.840
- - - specified type NEC T85.890
- - - stenosis T85.850
- - - thrombosis T85.860
- - spinal cord T85.9
- - - embolism T85.810
- - - fibrosis T85.820
- - - hemorrhage T85.830
- - - infection and inflammation T85.733
- - - mechanical
- - - - breakdown T85.112
- - - - displacement T85.122
- - - - leakage T85.192
- - - - malposition T85.122
- - - - obstruction T85.192
- - - - perforation T85.192
- - - - protrusion T85.192
- - - - specified NEC T85.192
- - - pain T85.840
- - - specified type NEC T85.890
- - - stenosis T85.850
- - - thrombosis T85.860
- - urinary T83.9
- - - embolism T83.81
- - - fibrosis T83.82
- - - hemorrhage T83.83
- - - infection and inflammation T83.598
- - - mechanical
- - - - breakdown T83.110
- - - - displacement T83.120
- - - - malposition T83.120
- - - - perforation T83.190
- - - - protrusion T83.190
- - - - specified NEC T83.190
- - - pain T83.84
- - - specified type NEC T83.89
- - - stenosis T83.85
- - - thrombosis T83.86
- electroshock therapy T88.9
- - specified NEC T88.8
- endocrine E34.9
- - postprocedural
- - - adrenal hypofunction E89.6
- - - hypoinsulinemia E89.1
- - - hypoparathyroidism E89.2
- - - hypopituitarism E89.3
- - - hypothyroidism E89.0
- - - ovarian failure E89.40
- - - - asymptomatic E89.40
- - - - symptomatic E89.41

- - - specified NEC E89.89
- - - testicular hypofunction E89.5
- endodontic treatment NEC M27.59
- enterostomy (stoma) K94.10
- - hemorrhage K94.11
- - infection K94.12
- - malfunction K94.13
- - mechanical K94.13
- - specified complication NEC K94.19
- episiotomy, disruption O90.1
- esophageal anti-reflux device T85.9
- - embolism T85.818
- - fibrosis T85.828
- - hemorrhage T85.838
- - infection and inflammation T85.79
- - mechanical
- - - breakdown T85.511
- - - displacement T85.521
- - - malfunction T85.511
- - - malposition T85.521
- - - obstruction T85.591
- - - perforation T85.591
- - - protrusion T85.591
- - - specified NEC T85.591
- - pain T85.848
- - specified type NEC T85.898
- - stenosis T85.858
- - thrombosis T85.868
- esophagostomy K94.30
- - hemorrhage K94.31
- - infection K94.32
- - malfunction K94.33
- - mechanical K94.33
- - specified complication NEC K94.39
- extracorporeal circulation T80.90
- extremity artery (bypass) graft T82.9
- - arteriosclerosis -*see* Arteriosclerosis, extremities, bypass graft
- - embolism T82.818
- - fibrosis T82.828
- - hemorrhage T82.838
- - infection and inflammation T82.7
- - mechanical
- - - breakdown T82.318
- - - - femoral artery T82.312
- - - displacement T82.328
- - - - femoral artery T82.322
- - - leakage T82.338
- - - - femoral artery T82.332
- - - malposition T82.328
- - - - femoral artery T82.322
- - - obstruction T82.398
- - - - femoral artery T82.392
- - - perforation T82.398
- - - - femoral artery T82.392
- - - protrusion T82.398
- - - - femoral artery T82.392
- - pain T82.848
- - specified type NEC T82.898
- - stenosis T82.858
- - thrombosis T82.868

- eye H57.9
- - corneal graft -*see* Complications, graft, cornea
- - implant (prosthetic) T85.9
- - - embolism T85.818
- - - fibrosis T85.828
- - - hemorrhage T85.838
- - - infection and inflammation T85.79
- - - mechanical
- - - - breakdown T85.318
- - - - displacement T85.328
- - - - leakage T85.398
- - - - malposition T85.328
- - - - obstruction T85.398
- - - - perforation T85.398
- - - - protrusion T85.398
- - - - specified NEC T85.398
- - - pain T85.848
- - - specified type NEC T85.898
- - - stenosis T85.858
- - - thrombosis T85.868
- - intraocular lens -*see* Complications, intraocular lens
- - orbital prosthesis -*see* Complications, orbital prosthesis
- female genital N94.9
- - device, implant or graft NEC -*see* Complications, genitourinary, device or implant, genital tract
- femoral artery (bypass) graft -*see* Complication, extremity artery (bypass) graft
- fixation device, internal (orthopedic) T84.9
- - infection and inflammation T84.60
- - - arm T84.61-
- - - - humerus T84.61-
- - - - radius T84.61-
- - - - ulna T84.61-
- - - leg T84.629
- - - - femur T84.62-
- - - - fibula T84.62-
- - - - tibia T84.62-
- - - specified site NEC T84.69
- - - spine T84.63
- - mechanical
- - - breakdown
- - - - limb T84.119
- - - - - carpal T84.210
- - - - - femur T84.11-
- - - - - fibula T84.11-
- - - - - humerus T84.11-
- - - - - metacarpal T84.210
- - - - - metatarsal T84.213
- - - - - phalanx
- - - - - - foot T84.213
- - - - - - hand T84.210
- - - - - radius T84.11-
- - - - - tarsal T84.213
- - - - - tibia T84.11-
- - - - - ulna T84.11-
- - - - specified bone NEC T84.218
- - - - spine T84.216
- - - displacement
- - - - limb T84.129
- - - - - carpal T84.220
- - - - - femur T84.12-
- - - - - fibula T84.12-

- - - - - humerus T84.12-
- - - - - metacarpal T84.220
- - - - - metatarsal T84.223
- - - - - phalanx
- - - - - - foot T84.223
- - - - - - hand T84.220
- - - - - radius T84.12-
- - - - - tarsal T84.223
- - - - - tibia T84.12-
- - - - - ulna T84.12-
- - - - specified bone NEC T84.228
- - - - spine T84.226
- - - malposition *-see* Complications, fixation device, internal, mechanical, displacement
- - - obstruction *-see* Complications, fixation device, internal, mechanical, specified type NEC
- - - perforation *-see* Complications, fixation device, internal, mechanical, specified type NEC
- - - protrusion *-see* Complications, fixation device, internal, mechanical, specified type NEC
- - - specified type NEC
- - - - limb T84.199
- - - - - carpal T84.290
- - - - - femur T84.19-
- - - - - fibula T84.19-
- - - - - humerus T84.19-
- - - - - metacarpal T84.290
- - - - - metatarsal T84.293
- - - - - phalanx
- - - - - - foot T84.293
- - - - - - hand T84.290
- - - - - radius T84.19-
- - - - - tarsal T84.293
- - - - - tibia T84.19-
- - - - - ulna T84.19-
- - - - specified bone NEC T84.298
- - - - vertebra T84.296
- - specified type NEC T84.89
- - - embolism T84.81
- - - fibrosis T84.82
- - - hemorrhage T84.83
- - - pain T84.84
- - - specified complication NEC T84.89
- - - stenosis T84.85
- - - thrombosis T84.86
- following
- - acute myocardial infarction NEC I23.8
- - - aneurysm (false) (of cardiac wall) (of heart wall) (ruptured) I23.3
- - - angina I23.7
- - - atrial
- - - - septal defect I23.1
- - - - thrombosis I23.6
- - - cardiac wall rupture I23.3
- - - chordae tendinae rupture I23.4
- - - defect
- - - - septal
- - - - - atrial (heart) I23.1
- - - - - ventricular (heart) I23.2
- - - hemopericardium I23.0
- - - papillary muscle rupture I23.5
- - - rupture
- - - - cardiac wall I23.3
- - - - - with hemopericardium I23.0
- - - - chordae tendineae I23.4

- - - - papillary muscle I23.5
- - - specified NEC I23.8
- - - thrombosis
- - - - atrium I23.6
- - - - auricular appendage I23.6
- - - - ventricle (heart) I23.6
- - - ventricular
- - - - septal defect I23.2
- - - - thrombosis I23.6
- - ectopic or molar pregnancy O08.9
- - - cardiac arrest O08.81
- - - sepsis O08.82
- - - specified type NEC O08.89
- - - urinary tract infection O08.83
- - termination of pregnancy *-see* Abortion
- gastrointestinal K92.9
- - bile duct prosthesis *-see* Complications, bile duct implant
- - esophageal anti-reflux device *-see* Complications, esophageal anti-reflux device
- - postoperative
- - - colostomy *-see* Complications, colostomy
- - - dumping syndrome K91.1
- - - enterostomy *-see* Complications, enterostomy
- - - gastrostomy *-see* Complications, gastrostomy
- - - malabsorption NEC K91.2
- - - obstruction *-see also* Obstruction, intestine, postoperative K91.30
- - - postcholecystectomy syndrome K91.5
- - - specified NEC K91.89
- - - vomiting after GI surgery K91.0
- - prosthetic device or implant
- - - bile duct prosthesis *-see* Complications, bile duct implant
- - - esophageal anti-reflux device *-see* Complications, esophageal anti-reflux device
- - - specified type NEC
- - - - embolism T85.818
- - - - fibrosis T85.828
- - - - hemorrhage T85.838
- - - - mechanical
- - - - - breakdown T85.518
- - - - - displacement T85.528
- - - - - malfunction T85.518
- - - - - malposition T85.528
- - - - - obstruction T85.598
- - - - - perforation T85.598
- - - - - protrusion T85.598
- - - - - specified NEC T85.598
- - - - pain T85.848
- - - - specified complication NEC T85.898
- - - - stenosis T85.858
- - - - thrombosis T85.868
- gastrostomy (stoma) K94.20
- - hemorrhage K94.21
- - infection K94.22
- - malfunction K94.23
- - mechanical K94.23
- - specified complication NEC K94.29
- genitourinary
- - device or implant T83.9
- - - genital tract T83.9
- - - - infection or inflammation T83.69
- - - - intrauterine contraceptive device *-see* Complications, intrauterine, contraceptive device
- - - - mechanical *-see* Complications, by device, mechanical

- - - - mesh -*see* Complications, prosthetic device or implant, mesh
- - - - penile prosthesis -*see* Complications, prosthetic device, penile
- - - - specified type NEC T83.89
- - - - - embolism T83.81
- - - - - fibrosis T83.82
- - - - - hemorrhage T83.83
- - - - - pain T83.84
- - - - - specified complication NEC T83.89
- - - - - stenosis T83.85
- - - - - thrombosis T83.86
- - - - vaginal mesh -*see* Complications, prosthetic device or implant, mesh
- - - urinary system T83.9
- - - - cystostomy catheter -*see* Complication, catheter, cystostomy
- - - - electronic stimulator -*see* Complications, electronic stimulator device, urinary
- - - - indwelling urethral catheter -*see* Complications, catheter, urethral, indwelling
- - - - infection or inflammation T83.598
- - - - - indwelling urethral catheter T83.511
- - - - kidney transplant -*see* Complication, transplant, kidney
- - - - organ graft -*see* Complication, graft, urinary organ
- - - - specified type NEC T83.89
- - - - - embolism T83.81
- - - - - fibrosis T83.82
- - - - - hemorrhage T83.83
- - - - - mechanical T83.198
- - - - - - breakdown T83.118
- - - - - - displacement T83.128
- - - - - - malfunction T83.118
- - - - - - malposition T83.128
- - - - - - obstruction T83.198
- - - - - - perforation T83.198
- - - - - - protrusion T83.198
- - - - - - specified NEC T83.198
- - - - sphincter, implanted T83.191
- - - - stent (ileal conduit) (nephroureteral) T83.193
- - - - - ureteral indwelling T83.192
- - - - - pain T83.84
- - - - - specified complication NEC T83.89
- - - - - stenosis T83.85
- - - - - thrombosis T83.86
- - - - sphincter implant -*see* Complications, implant, urinary sphincter
- - postprocedural
- - - pelvic peritoneal adhesions N99.4
- - - renal failure N99.0
- - - specified NEC N99.89
- - - stoma -*see* Complications, stoma, urinary tract
- - - urethral stricture -*see* Stricture, urethra, postprocedural
- - - vaginal
- - - - adhesions N99.2
- - - - vault prolapse N99.3
- graft (bypass) (patch) -*see also* Complications, prosthetic device or implant
- - aorta -*see* Complications, graft, vascular
- - arterial -*see* Complication, graft, vascular
- - bone T86.839
- - - failure T86.831
- - - infection T86.832
- - - mechanical T84.318
- - - - breakdown T84.318
- - - - displacement T84.328
- - - - protrusion T84.398
- - - - specified type NEC T84.398

- - - rejection T86.830
- - - specified type NEC T86.838
- - carotid artery *-see* Complications, graft, vascular
- - cornea T86.849-
- - - failure T86.841-
- - - infection T86.842-
- - - mechanical T85.398
- - - - breakdown T85.318
- - - - displacement T85.328
- - - - protrusion T85.398
- - - - specified type NEC T85.398
- - - rejection T86.840-
- - - retroprosthetic membrane T85.398
- - - specified type NEC T86.848-
- - femoral artery (bypass) *-see* Complication, extremity artery (bypass) graft
- - genital organ or tract *-see* Complications, genitourinary, device or implant, genital tract
- - muscle T84.9
- - - breakdown T84.410
- - - displacement T84.420
- - - embolism T84.81
- - - fibrosis T84.82
- - - hemorrhage T84.83
- - - infection and inflammation T84.7
- - - mechanical NEC T84.490
- - - pain T84.84
- - - specified type NEC T84.89
- - - stenosis T84.85
- - - thrombosis T84.86
- - nerve *-see* Complication, prosthetic device or implant, specified NEC
- - skin *-see* Complications, prosthetic device or implant, skin graft
- - tendon T84.9
- - - breakdown T84.410
- - - displacement T84.420
- - - embolism T84.81
- - - fibrosis T84.82
- - - hemorrhage T84.83
- - - infection and inflammation T84.7
- - - mechanical NEC T84.490
- - - pain T84.84
- - - specified type NEC T84.89
- - - stenosis T84.85
- - - thrombosis T84.86
- - urinary organ T83.9
- - - embolism T83.81
- - - fibrosis T83.82
- - - hemorrhage T83.83
- - - infection and inflammation T83.598
- - - - indwelling urethral catheter T83.511
- - - mechanical
- - - - breakdown T83.21
- - - - displacement T83.22
- - - - erosion T83.24
- - - - exposure T83.25
- - - - leakage T83.23
- - - - malposition T83.22
- - - - obstruction T83.29
- - - - perforation T83.29
- - - - protrusion T83.29
- - - - specified NEC T83.29
- - - pain T83.84

- - - specified type NEC T83.89
- - - stenosis T83.85
- - - thrombosis T83.86
- - vascular T82.9
- - - embolism T82.818
- - - femoral artery -*see* Complication, extremity artery (bypass) graft
- - - fibrosis T82.828
- - - hemorrhage T82.838
- - - mechanical
- - - - breakdown T82.319
- - - - - aorta (bifurcation) T82.310
- - - - - carotid artery T82.311
- - - - - specified vessel NEC T82.318
- - - - displacement T82.329
- - - - - aorta (bifurcation) T82.320
- - - - - carotid artery T82.321
- - - - - specified vessel NEC T82.328
- - - - leakage T82.339
- - - - - aorta (bifurcation) T82.330
- - - - - carotid artery T82.331
- - - - - specified vessel NEC T82.338
- - - - malposition T82.329
- - - - - aorta (bifurcation) T82.320
- - - - - carotid artery T82.321
- - - - - specified vessel NEC T82.328
- - - - obstruction T82.399
- - - - - aorta (bifurcation) T82.390
- - - - - carotid artery T82.391
- - - - - specified vessel NEC T82.398
- - - - perforation T82.399
- - - - - aorta (bifurcation) T82.390
- - - - - carotid artery T82.391
- - - - - specified vessel NEC T82.398
- - - - protrusion T82.399
- - - - - aorta (bifurcation) T82.390
- - - - - carotid artery T82.391
- - - - - specified vessel NEC T82.398
- - - pain T82.848
- - - specified complication NEC T82.898
- - - stenosis T82.858
- - - thrombosis T82.868
- heart I51.9
- - assist device
- - - infection and inflammation T82.7
- - following acute myocardial infarction -*see* Complications, following, acute myocardial infarction
- - postoperative -*see* Complications, circulatory system
- - transplant -*see* Complication, transplant, heart
- - - and lung(s) -*see* Complications, transplant, heart, with lung
- - valve
- - - graft (biological) T82.9
- - - - embolism T82.817
- - - - fibrosis T82.827
- - - - hemorrhage T82.837
- - - - infection and inflammation T82.7
- - - - mechanical T82.228
- - - - - breakdown T82.221
- - - - - displacement T82.222
- - - - - leakage T82.223
- - - - - malposition T82.222
- - - - - obstruction T82.228

- - - - - perforation T82.228
- - - - - protrusion T82.228
- - - - pain T82.847
- - - - specified type NEC T82.897
- - - - stenosis T82.857
- - - - thrombosis T82.867
- - - prosthesis T82.9
- - - - embolism T82.817
- - - - fibrosis T82.827
- - - - hemorrhage T82.837
- - - - infection or inflammation T82.6
- - - - mechanical T82.09
- - - - - breakdown T82.01
- - - - - displacement T82.02
- - - - - leakage T82.03
- - - - - malposition T82.02
- - - - - obstruction T82.09
- - - - - perforation T82.09
- - - - - protrusion T82.09
- - - - pain T82.847
- - - - specified type NEC T82.897
- - - - - mechanical T82.09
- - - - stenosis T82.857
- - - - thrombosis T82.867
- hematoma
- - intraoperative -*see* Complication, intraoperative, hemorrhage
- - postprocedural -*see* Complication, postprocedural, hematoma
- hemodialysis -*see* Complications, dialysis
- hemorrhage
- - intraoperative -*see* Complication, intraoperative, hemorrhage
- - postprocedural -*see* Complication, postprocedural, hemorrhage
- IEC (immune effector cellular) therapy T80.82
- ileostomy (stoma) -*see* Complications, enterostomy
- immune effector cellular (IEC) therapy T80.82
- immunization (procedure) -*see* Complications, vaccination
- implant -*see also* Complications, by site and type
- - urinary sphincter T83.9
- - - embolism T83.81
- - - fibrosis T83.82
- - - hemorrhage T83.83
- - - infection and inflammation T83.591
- - - mechanical
- - - - breakdown T83.111
- - - - displacement T83.121
- - - - leakage T83.191
- - - - malposition T83.121
- - - - obstruction T83.191
- - - - perforation T83.191
- - - - protrusion T83.191
- - - - specified NEC T83.191
- - - pain T83.84
- - - specified type NEC T83.89
- - - stenosis T83.85
- - - thrombosis T83.86
- infusion (procedure) T80.90
- - air embolism T80.0
- - blood -*see* Complications, transfusion
- - catheter -*see* Complications, catheter
- - infection T80.29
- - pump -*see* Complications, cardiovascular, device or implant

- - sepsis T80.29
- - serum reaction *-see also* Reaction, serum T80.69
- - - anaphylactic shock *-see also* Shock, anaphylactic T80.59
- - specified type NEC T80.89
- inhalation therapy NEC T81.81
- injection (procedure) T80.90
- - drug reaction *-see* Reaction, drug
- - infection T80.29
- - sepsis T80.29
- - serum (prophylactic) (therapeutic) *-see* Complications, vaccination
- - specified type NEC T80.89
- - vaccine (any) *-see* Complications, vaccination
- inoculation (any) *-see* Complications, vaccination
- insulin pump
- - infection and inflammation T85.72
- - mechanical
- - - breakdown T85.614
- - - displacement T85.624
- - - leakage T85.633
- - - malposition T85.624
- - - obstruction T85.694
- - - perforation T85.694
- - - protrusion T85.694
- - - specified NEC T85.694
- intestinal pouch NEC K91.858
- intraocular lens (prosthetic) T85.9
- - embolism T85.818
- - fibrosis T85.828
- - hemorrhage T85.838
- - infection and inflammation T85.79
- - mechanical
- - - breakdown T85.21
- - - displacement T85.22
- - - malposition T85.22
- - - obstruction T85.29
- - - perforation T85.29
- - - protrusion T85.29
- - - specified NEC T85.29
- - pain T85.848
- - specified type NEC T85.898
- - stenosis T85.858
- - thrombosis T85.868
- intraoperative (intraprocedural)
- - cardiac arrest *-see also* Infarct, myocardium, associated with revascularization procedure
- - - during cardiac surgery I97.710
- - - during other surgery I97.711
- - cardiac functional disturbance NEC *-see also* Infarct, myocardium, associated with revascularization procedure
- - - during cardiac surgery I97.790
- - - during other surgery I97.791
- - hemorrhage (hematoma) (of)
- - - circulatory system organ or structure
- - - - during cardiac bypass I97.411
- - - - during cardiac catheterization I97.410
- - - - during other circulatory system procedure I97.418
- - - - during other procedure I97.42
- - - digestive system organ
- - - - during procedure on digestive system K91.61
- - - - during procedure on other organ K91.62
- - - ear
- - - - during procedure on ear and mastoid process H95.21

- - - - during procedure on other organ H95.22
- - - endocrine system organ or structure
- - - - during procedure on endocrine system organ or structure E36.01
- - - - during procedure on other organ E36.02
- - - eye and adnexa
- - - - during ophthalmic procedure H59.11-
- - - - during other procedure H59.12-
- - - genitourinary organ or structure
- - - - during procedure on genitourinary organ or structure N99.61
- - - - during procedure on other organ N99.62
- - - mastoid process
- - - - during procedure on ear and mastoid process H95.21
- - - - during procedure on other organ H95.22
- - - musculoskeletal structure
- - - - during musculoskeletal surgery M96.810
- - - - during non-orthopedic surgery M96.811
- - - - during orthopedic surgery M96.810
- - - nervous system
- - - - during a nervous system procedure G97.31
- - - - during other procedure G97.32
- - - respiratory system
- - - - during other procedure J95.62
- - - - during procedure on respiratory system organ or structure J95.61
- - - skin and subcutaneous tissue
- - - - during a dermatologic procedure L76.01
- - - - during a procedure on other organ L76.02
- - - spleen
- - - - during a procedure on other organ D78.02
- - - - during a procedure on the spleen D78.01
- - puncture or laceration (accidental) (unintentional) (of)
- - - brain
- - - - during a nervous system procedure G97.48
- - - - during other procedure G97.49
- - - circulatory system organ or structure
- - - - during circulatory system procedure I97.51
- - - - during other procedure I97.52
- - - digestive system
- - - - during procedure on digestive system K91.71
- - - - during procedure on other organ K91.72
- - - ear
- - - - during procedure on ear and mastoid process H95.31
- - - - during procedure on other organ H95.32
- - - endocrine system organ or structure
- - - - during procedure on endocrine system organ or structure E36.11
- - - - during procedure on other organ E36.12
- - - eye and adnexa
- - - - during ophthalmic procedure H59.21-
- - - - during other procedure H59.22-
- - - genitourinary organ or structure
- - - - during procedure on genitourinary organ or structure N99.71
- - - - during procedure on other organ N99.72
- - - mastoid process
- - - - during procedure on ear and mastoid process H95.31
- - - - during procedure on other organ H95.32
- - - musculoskeletal structure
- - - - during musculoskeletal surgery M96.820
- - - - during non-orthopedic surgery M96.821
- - - - during orthopedic surgery M96.820
- - - nervous system
- - - - during a nervous system procedure G97.48

- - - - during other procedure G97.49
- - - respiratory system
- - - - during other procedure J95.72
- - - - during procedure on respiratory system organ or structure J95.71
- - - skin and subcutaneous tissue
- - - - during a dermatologic procedure L76.11
- - - - during a procedure on other organ L76.12
- - - spleen
- - - - during a procedure on other organ D78.12
- - - - during a procedure on the spleen D78.11
- - specified NEC
- - - circulatory system I97.88
- - - digestive system K91.81
- - - ear H95.88
- - - endocrine system E36.8
- - - eye and adnexa H59.88
- - - genitourinary system N99.81
- - - mastoid process H95.88
- - - musculoskeletal structure M96.89
- - - nervous system G97.81
- - - respiratory system J95.88
- - - skin and subcutaneous tissue L76.81
- - - spleen D78.81
- intraperitoneal catheter (dialysis) (infusion) -*see* Complication(s), catheter, intraperitoneal dialysis
- intrathecal infusion pump
- - infection and inflammation T85.738
- - mechanical
- - - breakdown T85.615
- - - displacement T85.625
- - - leakage T85.635
- - - malfunction T85.695
- - - malposition T85.625
- - - obstruction T85.695
- - - perforation T85.695
- - - protrusion T85.695
- - - specified NEC T85.695
- intrauterine
- - contraceptive device
- - - embolism T83.81
- - - fibrosis T83.82
- - - hemorrhage T83.83
- - - infection and inflammation T83.69
- - - mechanical
- - - - breakdown T83.31
- - - - displacement T83.32
- - - - malposition T83.32
- - - - obstruction T83.39
- - - - perforation T83.39
- - - - protrusion T83.39
- - - - specified NEC T83.39
- - - pain T83.84
- - - specified type NEC T83.89
- - - stenosis T83.85
- - - thrombosis T83.86
- - procedure (fetal), to newborn P96.5
- jejunostomy (stoma) -*see* Complications, enterostomy
- joint prosthesis, internal T84.9
- - breakage (fracture) T84.01-
- - dislocation T84.02-
- - fracture T84.01-

- - infection or inflammation T84.50
- - - hip T84.5-
- - - knee T84.5-
- - - specified joint NEC T84.59
- - instability T84.02-
- - malposition *-see* Complications, joint prosthesis, mechanical, displacement
- - mechanical
- - - breakage, broken T84.01-
- - - dislocation T84.02-
- - - displacement T84.02-
- - - fracture T84.01-
- - - instability T84.02-
- - - leakage *-see* Complications, joint prosthesis, mechanical, specified NEC
- - - loosening T84.039
- - - - hip T84.03-
- - - - knee T84.03-
- - - - specified joint NEC T84.038
- - - obstruction *-see* Complications, joint prosthesis, mechanical, specified NEC
- - - osteolysis T84.059
- - - - hip T84.05-
- - - - knee T84.05-
- - - perforation *-see* Complications, joint prosthesis, mechanical, specified NEC
- - - - osteolysis T84.059
- - - - - other specified joint T84.058
- - - periprosthetic osteolysis, by site T84.05-
- - - protrusion *-see* Complications, joint prosthesis, mechanical, specified NEC
- - - specified complication NEC T84.099
- - - - hip T84.09-
- - - - knee T84.09-
- - - - other specified joint T84.098
- - - subluxation T84.02-
- - - wear of articular bearing surface T84.069
- - - - hip T84.06-
- - - - knee T84.06-
- - - - other specified joint T84.068
- - specified joint NEC T84.89
- - - embolism T84.81
- - - fibrosis T84.82
- - - hemorrhage T84.83
- - - pain T84.84
- - - specified complication NEC T84.89
- - - stenosis T84.85
- - - thrombosis T84.86
- - subluxation T84.02-
- kidney transplant *-see* Complications, transplant, kidney
- labor O75.9
- - specified NEC O75.89
- liver transplant (immune or nonimmune) *-see* Complications, transplant, liver
- lumbar puncture G97.1
- - cerebrospinal fluid leak G97.0
- - headache or reaction G97.1
- lung transplant *-see* Complications, transplant, lung
- - and heart *-see* Complications, transplant, lung, with heart
- male genital N50.9
- - device, implant or graft *-see* Complications, genitourinary, device or implant, genital tract
- - postprocedural or postoperative *-see* Complications, genitourinary, postprocedural
- - - specified NEC N99.89
- mastoid (process) procedure
- - intraoperative H95.88
- - - hematoma *-see* Complications, intraoperative, hemorrhage (hematoma) (of), mastoid process

- - - hemorrhage -*see* Complications, intraoperative, hemorrhage (hematoma) (of), mastoid process
- - - laceration -*see* Complications, intraoperative, puncture or laceration, mastoid process
- - - specified NEC H95.88
- - postmastoidectomy -*see* Complications, postmastoidectomy
- - postoperative H95.89
- - - external ear canal stenosis H95.81-
- - - hematoma -*see* Complications, postprocedural, hematoma (of), mastoid process
- - - hemorrhage -*see* Complications, postprocedural, hemorrhage (of), mastoid process
- - - postmastoidectomy -*see* Complications, postmastoidectomy
- - - seroma -*see* Complications, postprocedural, seroma (of), mastoid process
- - - specified NEC H95.89
- mastoidectomy cavity -*see* Complications, postmastoidectomy
- mechanical -*see* Complications, by site and type, mechanical
- medical procedures -*see also* Complication(s), intraoperative T88.9
- metabolic E88.9
- - postoperative E89.89
- - - specified NEC E89.89
- molar pregnancy NOS O08.9
- - damage to pelvic organs O08.6
- - embolism O08.2
- - genital infection O08.0
- - hemorrhage (delayed) (excessive) O08.1
- - metabolic disorder O08.5
- - renal failure O08.4
- - shock O08.3
- - specified type NEC O08.0
- - venous complication NEC O08.7
- musculoskeletal system -*see also* Complication, intraoperative (intraprocedural), by site
- - device, implant or graft NEC -*see* Complications, orthopedic, device or implant
- - internal fixation (nail) (plate) (rod) -*see* Complications, fixation device, internal
- - joint prosthesis -*see* Complications, joint prosthesis
- - postoperative (postprocedural) M96.89
- - - with osteoporosis -*see* Osteoporosis
- - - fracture following insertion of device -*see* Fracture, following insertion of orthopedic implant, joint prosthesis or bone plate
- - - joint instability after prosthesis removal M96.89
- - - lordosis M96.4
- - - postlaminectomy syndrome NEC M96.1
- - - - kyphosis M96.3
- - - pseudarthrosis M96.0
- - - specified complication NEC M96.89
- - post radiation M96.89
- - - kyphosis M96.2
- - - scoliosis M96.5
- - - specified complication NEC M96.89
- nephrostomy (stoma) -*see* Complications, stoma, urinary tract, external NEC
- nervous system G98.8
- - central G96.9
- - device, implant or graft -*see also* Complication, prosthetic device or implant, specified NEC
- - - electronic stimulator (electrode(s)) -*see* Complications, electronic stimulator device
- - - specified NEC
- - - - infection and inflammation T85.738
- - - - mechanical T85.695
- - - - - breakdown T85.615
- - - - - displacement T85.625
- - - - - leakage T85.635
- - - - - malfunction T85.695
- - - - - malposition T85.625
- - - - - obstruction T85.695
- - - - - perforation T85.695

- - - - - protrusion T85.695
- - - - - specified NEC T85.695
- - - ventricular shunt -*see* Complications, ventricular shunt
- - electronic stimulator (electrode(s)) -*see* Complications, electronic stimulator device
- - postprocedural G97.82
- - - intracranial hypotension G97.2
- - - specified NEC G97.82
- - - spinal fluid leak G97.0
- newborn, due to intrauterine (fetal) procedure P96.5
- nonabsorbable (permanent) sutures -*see* Complication, sutures, permanent
- obstetric O75.9
- - procedure (instrumental) (manual) (surgical) specified NEC O75.4
- - specified NEC O75.89
- - surgical wound NEC O90.89
- - - hematoma O90.2
- - - infection O86.00
- ocular lens implant -*see* Complications, intraocular lens
- ophthalmologic
- - postprocedural bleb -*see* Blebitis
- orbital prosthesis T85.9
- - embolism T85.818
- - fibrosis T85.828
- - hemorrhage T85.838
- - infection and inflammation T85.79
- - mechanical
- - - breakdown T85.31-
- - - displacement T85.32-
- - - malposition T85.32-
- - - obstruction T85.39-
- - - perforation T85.39-
- - - protrusion T85.39-
- - - specified NEC T85.39-
- - pain T85.848
- - specified type NEC T85.898
- - stenosis T85.858
- - thrombosis T85.868
- organ or tissue transplant (partial) (total) -*see* Complications, transplant
- orthopedic -*see also* Disorder, soft tissue
- - device or implant T84.9
- - - bone
- - - - device or implant -*see* Complication, bone, device NEC
- - - - graft -*see* Complication, graft, bone
- - - breakdown T84.418
- - - displacement T84.428
- - - electronic bone stimulator -*see* Complications, electronic stimulator device, bone
- - - embolism T84.81
- - - fibrosis T84.82
- - - fixation device -*see* Complication, fixation device, internal
- - - hemorrhage T84.83
- - - infection or inflammation T84.7
- - - joint prosthesis -*see* Complication, joint prosthesis, internal
- - - malfunction T84.418
- - - malposition T84.428
- - - mechanical NEC T84.498
- - - muscle graft -*see* Complications, graft, muscle
- - - obstruction T84.498
- - - pain T84.84
- - - perforation T84.498
- - - protrusion T84.498
- - - specified complication NEC T84.89

- - - stenosis T84.85
- - - tendon graft -*see* Complications, graft, tendon
- - - thrombosis T84.86
- - fracture (following insertion of device) -*see* Fracture, following insertion of orthopedic implant, joint prosthesis or bone plate
- - postprocedural M96.89
- - - fracture -*see* Fracture, following insertion of orthopedic implant, joint prosthesis or bone plate
- - - postlaminectomy syndrome NEC M96.1
- - - - kyphosis M96.3
- - - - lordosis M96.4
- - - postradiation
- - - - kyphosis M96.2
- - - - scoliosis M96.5
- - - pseudarthrosis post-fusion M96.0
- - - specified type NEC M96.89
- pacemaker (cardiac) -*see* Complications, cardiovascular device or implant, electronic
- pancreas transplant -*see* Complications, transplant, pancreas
- penile prosthesis (implant) -*see* Complications, prosthetic device, penile
- perfusion NEC T80.90
- perineal repair (obstetrical) NEC O90.89
- - disruption O90.1
- - hematoma O90.2
- - infection (following delivery) O86.09
- phototherapy T88.9
- - specified NEC T88.8
- postmastoidectomy NEC H95.19-
- - cyst, mucosal H95.13-
- - granulation H95.12-
- - inflammation, chronic H95.11-
- - recurrent cholesteatoma H95.0-
- postoperative -*see* Complications, postprocedural
- - circulatory -*see* Complications, circulatory system
- - ear -*see* Complications, ear
- - endocrine -*see* Complications, endocrine
- - eye -*see* Complications, eye
- - lumbar puncture G97.1
- - - cerebrospinal fluid leak G97.0
- - nervous system (central) (peripheral) -*see* Complications, nervous system
- - respiratory system -*see* Complications, respiratory system
- postprocedural -*see also* Complications, surgical procedure
- - cardiac arrest -*see also* Infarct, myocardium, associated with revascularization procedure
- - - following cardiac surgery I97.120
- - - following other surgery I97.121
- - cardiac functional disturbance NEC -*see also* Infarct, myocardium, associated with revascularization procedure
- - - following cardiac surgery I97.190
- - - following other surgery I97.191
- - cardiac insufficiency
- - - following cardiac surgery I97.110
- - - following other surgery I97.111
- - chorioretinal scars following retinal surgery H59.81-
- - following cataract surgery
- - - cataract (lens) fragments H59.02-
- - - cystoid macular edema H59.03-
- - - specified NEC H59.09-
- - - vitreous (touch) syndrome H59.01-
- - heart failure
- - - following cardiac surgery I97.130
- - - following other surgery I97.131
- - hematoma (of)
- - - circulatory system organ or structure

- - - - following cardiac bypass I97.631
- - - - following cardiac catheterization I97.630
- - - - following other circulatory system procedure I97.638
- - - - following other procedure I97.621
- - - digestive system
- - - - following procedure on digestive system K91.870
- - - - following procedure on other organ K91.871
- - - ear
- - - - following other procedure H95.52
- - - - following procedure on ear and mastoid process H95.51
- - - endocrine system
- - - - following endocrine system procedure E89.820
- - - - following other procedure E89.821
- - - eye and adnexa
- - - - following ophthalmic procedure H59.33-
- - - - following other procedure H59.34-
- - - genitourinary organ or structure
- - - - following procedure on genitourinary organ or structure N99.840
- - - - following procedure on other organ N99.841
- - - mastoid process
- - - - following other procedure H95.52
- - - - following procedure on ear and mastoid process H95.51
- - - musculoskeletal structure
- - - - following musculoskeletal surgery M96.840
- - - - following non-orthopedic surgery M96.841
- - - - following orthopedic surgery M96.840
- - - nervous system
- - - - following nervous system procedure G97.61
- - - - following other procedure G97.62
- - - respiratory system
- - - - following other procedure J95.861
- - - - following procedure on respiratory system organ or structure J95.860
- - - skin and subcutaneous tissue
- - - - following dermatologic procedure L76.31
- - - - following procedure on other organ L76.32
- - - spleen
- - - - following procedure on other organ D78.32
- - - - following procedure on the spleen D78.31
- - hemorrhage (of)
- - - circulatory system organ or structure
- - - - following cardiac bypass I97.611
- - - - following cardiac catheterization I97.610
- - - - following other circulatory system procedure I97.618
- - - - following other procedure I97.620
- - - digestive system
- - - - following procedure on digestive system K91.840
- - - - following procedure on other organ K91.841
- - - ear
- - - - following other procedure H95.42
- - - - following procedure on ear and mastoid process H95.41
- - - endocrine system
- - - - following endocrine system procedure E89.810
- - - - following other procedure E89.811
- - - eye and adnexa
- - - - following ophthalmic procedure H59.31-
- - - - following other procedure H59.32-
- - - genitourinary organ or structure
- - - - following procedure on genitourinary organ or structure N99.820
- - - - following procedure on other organ N99.821
- - - mastoid process

- - - - following other procedure H95.42
- - - - following procedure on ear and mastoid process H95.41
- - - musculoskeletal structure
- - - - following musculoskeletal surgery M96.830
- - - - following non-orthopedic surgery M96.831
- - - - following orthopedic surgery M96.830
- - - nervous system
- - - - following nervous system procedure G97.51
- - - - following other procedure G97.52
- - - respiratory system
- - - - following other procedure J95.831
- - - - following procedure on respiratory system organ or structure J95.830
- - - skin and subcutaneous tissue
- - - - following dermatologic procedure L76.21
- - - - following a procedure on other organ L76.22
- - - spleen
- - - - following procedure on other organ D78.22
- - - - following procedure on the spleen D78.21
- - seroma (of)
- - - circulatory system organ or structure
- - - - following cardiac bypass I97.641
- - - - following cardiac catheterization I97.640
- - - - following other circulatory system procedure I97.648
- - - - following other procedure I97.622
- - - digestive system
- - - - following procedure on digestive system K91.872
- - - - following procedure on other organ K91.873
- - - ear
- - - - following other procedure H95.54
- - - - following procedure on ear and mastoid process H95.53
- - - endocrine system
- - - - following endocrine system procedure E89.822
- - - - following other procedure E89.823
- - - eye and adnexa
- - - - following ophthalmic procedure H59.35-
- - - - following other procedure H59.36-
- - - genitourinary organ or structure
- - - - following procedure on genitourinary organ or structure N99.842
- - - - following procedure on other organ N99.843
- - - mastoid process
- - - - following other procedure H95.54
- - - - following procedure on ear and mastoid process H95.53
- - - musculoskeletal structure
- - - - following musculoskeletal surgery M96.842
- - - - following non-orthopedic surgery M96.843
- - - - following orthopedic surgery M96.842
- - - nervous system
- - - - following nervous system procedure G97.63
- - - - following other procedure G97.64
- - - respiratory system
- - - - following other procedure J95.863
- - - - following procedure on respiratory system organ or structure J95.862
- - - skin and subcutaneous tissue
- - - - following dermatologic procedure L76.33
- - - - following procedure on other organ L76.34
- - - spleen
- - - - following procedure on other organ D78.34
- - - - following procedure on the spleen D78.33
- - specified NEC
- - - circulatory system I97.89

- - - digestive K91.89
- - - ear H95.89
- - - endocrine E89.89
- - - eye and adnexa H59.89
- - - genitourinary N99.89
- - - mastoid process H95.89
- - - metabolic E89.89
- - - musculoskeletal structure M96.89
- - - nervous system G97.82
- - - respiratory system J95.89
- - - skin and subcutaneous tissue L76.82
- - - spleen D78.89
- pregnancy NEC -*see* Pregnancy, complicated by
- prosthetic device or implant T85.9
- - bile duct -*see* Complications, bile duct implant
- - breast -*see* Complications, breast implant
- - bulking agent
- - - ureteral
- - - - erosion T83.714
- - - - exposure T83.724
- - - urethral
- - - - erosion T83.713
- - - - exposure T83.723
- - cardiac and vascular NEC -*see* Complications, cardiovascular device or implant
- - corneal transplant -*see* Complications, graft, cornea
- - electronic nervous system stimulator -*see* Complications, electronic stimulator device
- - epidural infusion catheter -*see* Complications, catheter, epidural
- - esophageal anti-reflux device -*see* Complications, esophageal anti-reflux device
- - genital organ or tract -*see* Complications, genitourinary, device or implant, genital tract
- - - specified NEC T83.79
- - heart valve -*see* Complications, heart, valve, prosthesis
- - infection or inflammation T85.79
- - - intestine transplant T86.852
- - - liver transplant T86.43
- - - lung transplant T86.812
- - - pancreas transplant T86.892
- - - skin graft T86.822
- - intraocular lens -*see* Complications, intraocular lens
- - intraperitoneal (dialysis) catheter -*see* Complication(s), catheter, intraperitoneal dialysis
- - joint -*see* Complications, joint prosthesis, internal
- - mechanical NEC T85.698
- - - dialysis catheter (vascular) -*see also* Complication, catheter, dialysis, mechanical
- - - - peritoneal -*see* Complication(s), catheter, intraperitoneal dialysis
- - - gastrointestinal device T85.598
- - - ocular device T85.398
- - - subdural (infusion) catheter T85.690
- - - suture, permanent T85.692
- - - - that for bone repair -*see* Complications, fixation device, internal (orthopedic), mechanical
- - - ventricular shunt
- - - - breakdown T85.01
- - - - displacement T85.02
- - - - leakage T85.03
- - - - malposition T85.02
- - - - obstruction T85.09
- - - - perforation T85.09
- - - - protrusion T85.09
- - - - specified NEC T85.09
- - mesh
- - - erosion (to surrounding organ or tissue) T83.718
- - - - urethral (into pelvic floor muscles) T83.712

- - - - vaginal (into pelvic floor muscles) T83.711
- - - exposure (into surrounding organ or tissue) T83.728
- - - - urethral (through urethral wall) T83.722
- - - - vaginal (into vagina) (through vaginal wall) T83.721
- - orbital -*see* Complications, orbital prosthesis
- - penile T83.9
- - - embolism T83.81
- - - fibrosis T83.82
- - - hemorrhage T83.83
- - - infection and inflammation T83.61
- - - mechanical
- - - - breakdown T83.410
- - - - displacement T83.420
- - - - leakage T83.490
- - - - malposition T83.420
- - - - obstruction T83.490
- - - - perforation T83.490
- - - - protrusion T83.490
- - - - specified NEC T83.490
- - - pain T83.84
- - - specified type NEC T83.89
- - - stenosis T83.85
- - - thrombosis T83.86
- - prosthetic materials NEC
- - - erosion (to surrounding organ or tissue) T83.718
- - - exposure (into surrounding organ or tissue) T83.728
- - skin graft T86.829
- - - artificial skin or decellularized allodermis
- - - - embolism T85.818
- - - - fibrosis T85.828
- - - - hemorrhage T85.838
- - - - infection and inflammation T85.79
- - - - mechanical
- - - - - breakdown T85.613
- - - - - displacement T85.623
- - - - - malfunction T85.613
- - - - - malposition T85.623
- - - - - obstruction T85.693
- - - - - perforation T85.693
- - - - - protrusion T85.693
- - - - - specified NEC T85.693
- - - - pain T85.848
- - - - specified type NEC T85.898
- - - - stenosis T85.858
- - - - thrombosis T85.868
- - - failure T86.821
- - - infection T86.822
- - - rejection T86.820
- - - specified NEC T86.828
- - sling
- - - urethral (female) (male)
- - - - erosion T83.712
- - - - exposure T83.722
- - specified NEC T85.9
- - - embolism T85.818
- - - fibrosis T85.828
- - - hemorrhage T85.838
- - - infection and inflammation T85.79
- - - mechanical
- - - - breakdown T85.618

- - - - displacement T85.628
- - - - leakage T85.638
- - - - malfunction T85.618
- - - - malposition T85.628
- - - - obstruction T85.698
- - - - perforation T85.698
- - - - protrusion T85.698
- - - - specified NEC T85.698
- - - pain T85.848
- - - specified type NEC T85.898
- - - stenosis T85.858
- - - thrombosis T85.868
- - subdural infusion catheter -*see* Complications, catheter, subdural
- - sutures -*see* Complications, sutures
- - urinary organ or tract NEC -*see* Complications, genitourinary, device or implant, urinary system
- - vascular -*see* Complications, cardiovascular device, graft or implant
- - ventricular shunt -*see* Complications, ventricular shunt (device)
- puerperium -*see* Puerperal
- puncture, spinal G97.1
- - cerebrospinal fluid leak G97.0
- - headache or reaction G97.1
- pyelogram N99.89
- radiation
- - kyphosis M96.2
- - scoliosis M96.5
- reattached
- - extremity (infection) (rejection)
- - - lower T87.1X-
- - - upper T87.0X-
- - specified body part NEC T87.2
- reconstructed breast
- - asymmetry between native and reconstructed breast N65.1
- - deformity N65.0
- - disproportion between native and reconstructed breast N65.1
- - excess tissue N65.0
- - misshappen N65.0
- reimplant NEC -*see also* Complications, prosthetic device or implant
- - limb (infection) (rejection) -*see* Complications, reattached, extremity
- - organ (partial) (total) -*see* Complications, transplant
- - prosthetic device NEC -*see* Complications, prosthetic device
- renal N28.9
- - allograft -*see* Complications, transplant, kidney
- - dialysis -*see* Complications, dialysis
- respirator
- - mechancial J95.850
- - - specified NEC J95.859
- respiratory system J98.9
- - device, implant or graft -*see* Complication, prosthetic device or implant, specified NEC
- - lung transplant -*see* Complications, prosthetic device or implant, lung transplant
- - postoperative J95.89
- - - air leak J95.812
- - - Mendelson's syndrome (chemical pneumonitis) J95.4
- - - pneumothorax J95.811
- - - pulmonary insufficiency (acute) (after nonthoracic surgery) J95.2
- - - - chronic J95.3
- - - - following thoracic surgery J95.1
- - - respiratory failure (acute) J95.821
- - - - acute and chronic J95.822
- - - specified NEC J95.89
- - - subglottic stenosis J95.5

- - - tracheostomy complication -*see* Complications, tracheostomy
- - therapy T81.89
- sedation during labor and delivery O74.9
- - cardiac O74.2
- - central nervous system O74.3
- - pulmonary NEC O74.1
- shunt -*see also* Complications, prosthetic device or implant
- - arteriovenous -*see* Complications, arteriovenous, shunt
- - ventricular (communicating) -*see* Complications, ventricular shunt
- skin
- - graft T86.829
- - - failure T86.821
- - - infection T86.822
- - - rejection T86.820
- - - specified type NEC T86.828
- spinal
- - anesthesia -*see* Complications, anesthesia, spinal
- - catheter (epidural) (subdural) -*see* Complications, catheter
- - puncture or tap G97.1
- - - cerebrospinal fluid leak G97.0
- - - headache or reaction G97.1
- stent
- - bile duct -*see* Complications, bile duct prosthesis
- - ureteral indwelling
- - - breakdown T83.112
- - - displacement T83.122
- - - leakage T83.192
- - - malposition T83.122
- - - obstruction T83.192
- - - perforation T83.192
- - - protrusion T83.192
- - - specified NEC T83.192
- - urinary NEC (ileal conduit) (nephroureteral) T83.193
- - - embolism T83.81
- - - fibrosis T83.82
- - - hemorrhage T83.83
- - - infection and inflammation T83.593
- - - mechanical
- - - - breakdown T83.113
- - - - displacement T83.123
- - - - leakage T83.193
- - - - malposition T83.123
- - - - obstruction T83.193
- - - - perforation T83.193
- - - - protrusion T83.193
- - - - specified NEC T83.193
- - - pain T83.84
- - - specified type NEC T83.89
- - - stenosis T83.85
- - - thrombosis T83.86
- - vascular
- - - end stent stenosis -*see* Restenosis, stent
- - - in stent stenosis -*see* Restenosis, stent
- stoma
- - digestive tract
- - - colostomy -*see* Complications, colostomy
- - - enterostomy -*see* Complications, enterostomy
- - - esophagostomy -*see* Complications, esophagostomy
- - - gastrostomy -*see* Complications, gastrostomy
- - urinary tract N99.528

- - - continent N99.538
- - - - hemorrhage N99.530
- - - - herniation N99.533
- - - - infection N99.531
- - - - malfunction N99.532
- - - - specified type NEC N99.538
- - - - stenosis N99.534
- - - cystostomy -*see* Complications, cystostomy
- - - external NOS N99.528
- - - hemorrhage N99.520
- - - herniation N99.523
- - - incontinent N99.528
- - - - hemorrhage N99.520
- - - - herniation N99.523
- - - - infection N99.521
- - - - malfunction N99.522
- - - - specified type NEC N99.528
- - - - stenosis N99.524
- - - infection N99.521
- - - malfunction N99.522
- - - specified type NEC N99.528
- - - stenosis N99.524
- stomach banding -*see* Complication(s), bariatric procedure
- stomach stapling -*see* Complication(s), bariatric procedure
- surgical material, nonabsorbable -*see* Complication, suture, permanent
- surgical procedure (on) T81.9
- - amputation stump (late) -*see* Complications, amputation stump
- - cardiac -*see* Complications, circulatory system
- - cholesteatoma, recurrent -*see* Complications, postmastoidectomy, recurrent cholesteatoma
- - circulatory (early) -*see* Complications, circulatory system
- - digestive system -*see* Complications, gastrointestinal
- - dumping syndrome (postgastrectomy) K91.1
- - ear -*see* Complications, ear
- - elephantiasis or lymphedema I97.89
- - - postmastectomy I97.2
- - emphysema (surgical) T81.82
- - endocrine -*see* Complications, endocrine
- - eye -*see* Complications, eye
- - fistula (persistent postoperative) T81.83
- - foreign body inadvertently left in wound (sponge) (suture) (swab) -*see* Foreign body, accidentally left during a procedure
- - gastrointestinal -*see* Complications, gastrointestinal
- - genitourinary NEC N99.89
- - hematoma
- - - intraoperative -*see* Complication, intraoperative, hemorrhage
- - - postprocedural -*see* Complication, postprocedural, hematoma
- - hemorrhage
- - - intraoperative -*see* Complication, intraoperative, hemorrhage
- - - postprocedural -*see* Complication, postprocedural, hemorrhage
- - hepatic failure K91.82
- - hyperglycemia (postpancreatectomy) E89.1
- - hypoinsulinemia (postpancreatectomy) E89.1
- - hypoparathyroidism (postparathyroidectomy) E89.2
- - hypopituitarism (posthypophysectomy) E89.3
- - hypothyroidism (post-thyroidectomy) E89.0
- - intestinal obstruction -*see also* Obstruction, intestine, postoperative K91.30
- - intracranial hypotension following ventricular shunting (ventriculostomy) G97.2
- - lymphedema I97.89
- - - postmastectomy I97.2
- - malabsorption (postsurgical) NEC K91.2

- - - osteoporosis *-see* Osteoporosis, postsurgical malabsorption
- - mastoidectomy cavity NEC *-see* Complications, postmastoidectomy
- - metabolic E89.89
- - - specified NEC E89.89
- - musculoskeletal *-see* Complications, musculoskeletal system
- - nervous system (central) (peripheral) *-see* Complications, nervous system
- - ovarian failure E89.40
- - - asymptomatic E89.40
- - - symptomatic E89.41
- - peripheral vascular *-see* Complications, surgical procedure, vascular
- - postcardiotomy syndrome I97.0
- - postcholecystectomy syndrome K91.5
- - postcommissurotomy syndrome I97.0
- - postgastrectomy dumping syndrome K91.1
- - postlaminectomy syndrome NEC M96.1
- - - kyphosis M96.3
- - postmastectomy lymphedema syndrome I97.2
- - postmastoidectomy cholesteatoma *-see* Complications, postmastoidectomy, recurrent cholesteatoma
- - postvagotomy syndrome K91.1
- - postvalvulotomy syndrome I97.0
- - pulmonary insufficiency (acute) J95.2
- - - chronic J95.3
- - - following thoracic surgery J95.1
- - reattached body part *-see* Complications, reattached
- - respiratory *-see* Complications, respiratory system
- - shock (hypovolemic) T81.19
- - spleen (postoperative) D78.89
- - - intraoperative D78.81
- - stitch abscess T81.41
- - subglottic stenosis (postsurgical) J95.5
- - testicular hypofunction E89.5
- - transplant *-see* Complications, organ or tissue transplant
- - urinary NEC N99.89
- - vaginal vault prolapse (posthysterectomy) N99.3
- - vascular (peripheral)
- - - artery T81.719
- - - - mesenteric T81.710
- - - - renal T81.711
- - - - specified NEC T81.718
- - - vein T81.72
- - wound infection T81.49
- suture, permanent (wire) NEC T85.9
- - with repair of bone *-see* Complications, fixation device, internal
- - embolism T85.818
- - fibrosis T85.828
- - hemorrhage T85.838
- - infection and inflammation T85.79
- - mechanical
- - - breakdown T85.612
- - - displacement T85.622
- - - malfunction T85.612
- - - malposition T85.622
- - - obstruction T85.692
- - - perforation T85.692
- - - protrusion T85.692
- - - specified NEC T85.692
- - pain T85.848
- - specified type NEC T85.898
- - stenosis T85.858
- - thrombosis T85.868

- tracheostomy J95.00
- - granuloma J95.09
- - hemorrhage J95.01
- - infection J95.02
- - malfunction J95.03
- - mechanical J95.03
- - obstruction J95.03
- - specified type NEC J95.09
- - tracheo-esophageal fistula J95.04
- transfusion (blood) (lymphocytes) (plasma) T80.92
- - air emblism T80.0
- - circulatory overload E87.71
- - febrile nonhemolytic transfusion reaction R50.84
- - hemolysis T80.89
- - hemochromatosis E83.111
- - hemolytic reaction (antigen unspecified) T80.919
- - incompatibility reaction (antigen unspecified) T80.919
- - - ABO T80.30
- - - - delayed serologic (DSTR) T80.39
- - - - hemolytic transfusion reaction (HTR) (unspecified time after transfusion) T80.319
- - - - - acute (AHTR) (less than 24 hours after transfusion) T80.310
- - - - - delayed (DHTR) (24 hours or more after transfusion) T80.311
- - - - specified NEC T80.39
- - - acute (antigen unspecified) T80.910
- - - delayed (antigen unspecified) T80.911
- - - delayed serologic (DSTR) T80.89
- - - Non-ABO (minor antigens (Duffy) (K) (Kell) (Kidd) (Lewis) (M) (N) (P) (S)) T80.A0
- - - - delayed serologic (DSTR) T80.A9
- - - - hemolytic transfusion reaction (HTR) (unspecified time after transfusion) T80.A19
- - - - - acute (AHTR) (less than 24 hours after transfusion) T80.A10
- - - - - delayed (DHTR) (24 hours or more after transfusion) T80.A11
- - - - specified NEC T80.A9
- - - Rh (antigens (C) (c) (D) (E) (e)) (factor) T80.40
- - - - delayed serologic (DSTR) T80.49
- - - - hemolytic transfusion reaction (HTR) (unspecified time after transfusion) T80.419
- - - - - acute (AHTR) (less than 24 hours after transfusion) T80.410
- - - - - delayed (DHTR) (24 hours or more after transfusion) T80.411
- - - - specified NEC T80.49
- - infection T80.29
- - - acute T80.22
- - reaction NEC T80.89
- - sepsis T80.29
- - shock T80.89
- transplant T86.90
- - bone T86.839
- - - failure T86.831
- - - infection T86.832
- - - rejection T86.830
- - - specified type NEC T86.838
- - bone marrow T86.00
- - - failure T86.02
- - - infection T86.03
- - - rejection T86.01
- - - specified type NEC T86.09
- - cornea T86.849-
- - - failure T86.841-
- - - infection T86.842-
- - - rejection T86.840-
- - - specified type NEC T86.848-
- - failure T86.92

- - heart T86.20
- - - with lung T86.30
- - - cardiac allograft vasculopathy T86.290
- - - - failure T86.32
- - - - infection T86.33
- - - - rejection T86.31
- - - - specified type NEC T86.39
- - - failure T86.22
- - - infection T86.23
- - - rejection T86.21
- - - specified type NEC T86.298
- - infection T86.93
- - intestine T86.859
- - - failure T86.851
- - - infection T86.852
- - - rejection T86.850
- - - specified type NEC T86.858
- - kidney T86.10
- - - failure T86.12
- - - infection T86.13
- - - rejection T86.11
- - - specified type NEC T86.19
- - liver T86.40
- - - failure T86.42
- - - infection T86.43
- - - rejection T86.41
- - - specified type NEC T86.49
- - lung T86.819
- - - with heart T86.30
- - - - failure T86.32
- - - - infection T86.33
- - - - rejection T86.31
- - - - specified type NEC T86.39
- - - failure T86.811
- - - infection T86.812
- - - rejection T86.810
- - - specified type NEC T86.818
- - malignant neoplasm C80.2
- - pancreas T86.899
- - - failure T86.891
- - - infection T86.892
- - - rejection T86.890
- - - specified type NEC T86.898
- - peripheral blood stem cells T86.5
- - post-transplant lymphoproliferative disorder (PTLD) D47.Z1
- - rejection T86.91
- - skin T86.829
- - - failure T86.821
- - - infection T86.822
- - - rejection T86.820
- - - specified type NEC T86.828
- - specified
- - - tissue T86.899
- - - - failure T86.891
- - - - infection T86.892
- - - - rejection T86.890
- - - - specified type NEC T86.898
- - - type NEC T86.99
- - stem cell (from peripheral blood) (from umbilical cord) T86.5
- - umbilical cord stem cells T86.5

- trauma (early) T79.9
- - specified NEC T79.8
- ultrasound therapy NEC T88.9
- umbilical cord NEC
- - complicating delivery O69.9
- - - specified NEC O69.89
- umbrella device, vascular T82.9
- - embolism T82.818
- - fibrosis T82.828
- - hemorrhage T82.838
- - infection or inflammation T82.7
- - mechanical
- - - breakdown T82.515
- - - displacement T82.525
- - - leakage T82.535
- - - malposition T82.525
- - - obstruction T82.595
- - - perforation T82.595
- - - protrusion T82.595
- - pain T82.848
- - specified type NEC T82.898
- - stenosis T82.858
- - thrombosis T82.868
- urethral catheter *-see* Complications, catheter, urethral, indwelling
- vaccination T88.1
- - anaphylaxis NEC T80.52
- - arthropathy *-see* Arthropathy, postimmunization
- - cellulitis T88.0
- - encephalitis or encephalomyelitis G04.02
- - infection (general) (local) NEC T88.0
- - meningitis G03.8
- - myelitis G04.02
- - protein sickness T80.62
- - rash T88.1
- - reaction (allergic) T88.1
- - - serum T80.62
- - sepsis T88.0
- - serum intoxication, sickness, rash, or other serum reaction NEC T80.62
- - - anaphylactic shock T80.52
- - shock (allergic) (anaphylactic) T80.52
- - vaccinia (generalized) (localized) T88.1
- vas deferens device or implant *-see* Complications, genitourinary, device or implant, genital tract
- vascular I99.9
- - device or implant T82.9
- - - embolism T82.818
- - - fibrosis T82.828
- - - hemorrhage T82.838
- - - infection or inflammation T82.7
- - - mechanical
- - - - breakdown T82.519
- - - - - specified device NEC T82.518
- - - - displacement T82.529
- - - - - specified device NEC T82.528
- - - - leakage T82.539
- - - - - specified device NEC T82.538
- - - - malposition T82.529
- - - - - specified device NEC T82.528
- - - - obstruction T82.599
- - - - - specified device NEC T82.598
- - - - perforation T82.599

- - - - - specified device NEC T82.598
- - - - protrusion T82.599
- - - - - specified device NEC T82.598
- - - pain T82.848
- - - specified type NEC T82.898
- - - stenosis T82.858
- - - thrombosis T82.868
- - dialysis catheter -*see* Complication, catheter, dialysis
- - following infusion, therapeutic injection or transfusion T80.1
- - graft T82.9
- - - embolism T82.818
- - - fibrosis T82.828
- - - hemorrhage T82.838
- - - mechanical
- - - - breakdown T82.319
- - - - - aorta (bifurcation) T82.310
- - - - - carotid artery T82.311
- - - - - specified vessel NEC T82.318
- - - - displacement T82.329
- - - - - aorta (bifurcation) T82.320
- - - - - carotid artery T82.321
- - - - - specified vessel NEC T82.328
- - - - leakage T82.339
- - - - - aorta (bifurcation) T82.330
- - - - - carotid artery T82.331
- - - - - femoral artery T82.332
- - - - - specified vessel NEC T82.338
- - - - malposition T82.329
- - - - - aorta (bifurcation) T82.320
- - - - - carotid artery T82.321
- - - - - specified vessel NEC T82.328
- - - - obstruction T82.399
- - - - - aorta (bifurcation) T82.390
- - - - - carotid artery T82.391
- - - - - specified vessel NEC T82.398
- - - - perforation T82.399
- - - - - aorta (bifurcation) T82.390
- - - - - carotid artery T82.391
- - - - - specified vessel NEC T82.398
- - - - protrusion T82.399
- - - - - aorta (bifurcation) T82.390
- - - - - carotid artery T82.391
- - - - - specified vessel NEC T82.398
- - - pain T82.848
- - - specified complication NEC T82.898
- - - stenosis T82.858
- - - thrombosis T82.868
- - postoperative -*see* Complications, postoperative, circulatory
- vena cava device (filter) (sieve) (umbrella) -*see* Complications, umbrella device, vascular
- ventilation therapy NEC T81.81
- ventilator
- - mechanical J95.850
- - - specified NEC J95.859
- ventricular (communicating) shunt (device) T85.9
- - embolism T85.810
- - fibrosis T85.820
- - hemorrhage T85.830
- - infection and inflammation T85.730
- - mechanical
- - - breakdown T85.01

- - - displacement T85.02
- - - leakage T85.03
- - - malposition T85.02
- - - obstruction T85.09
- - - perforation T85.09
- - - protrusion T85.09
- - - specified NEC T85.09
- - pain T85.840
- - specified type NEC T85.890
- - stenosis T85.850
- - thrombosis T85.860
- wire suture, permanent (implanted) -*see* Complications, suture, permanent

Compressed air disease T70.3

Compression
- with injury - code by Nature of injury
- artery I77.1
- - celiac, syndrome I77.4
- brachial plexus G54.0
- brain (stem) G93.5
- - due to
- - - contusion (diffuse) -*see also* Injury, intracranial, diffuse S06.A0
- - - - with herniation S06.A1
- - - - focal -*see also* Injury, intracranial, focal S06.A0
- - - - - with herniation S06.A1
- - - injury NEC -*see also* Injury, intracranial, diffuse S06.A0
- - nontraumatic G93.5
- - traumatic -*see also* Injury, intracranial, diffuse S06.A0
- - - with herniation S06.A1
- bronchus J98.09
- cauda equina G83.4
- celiac (artery) (axis) I77.4
- cerebral -*see* Compression, brain
- cervical plexus G54.2
- cord
- - spinal -*see* Compression, spinal
- - umbilical -*see* Compression, umbilical cord
- cranial nerve G52.9
- - eighth -see subcategory H93.3
- - eleventh G52.8
- - fifth G50.8
- - first G52.0
- - fourth -*see* Strabismus, paralytic, fourth nerve
- - ninth G52.1
- - second -*see* Disorder, nerve, optic
- - seventh G51.8
- - sixth -*see* Strabismus, paralytic, sixth nerve
- - tenth G52.2
- - third -*see* Strabismus, paralytic, third nerve
- - twelfth G52.3
- diver's squeeze T70.3
- during birth (newborn) P15.9
- esophagus K22.2
- eustachian tube -*see* Obstruction, eustachian tube, cartilagenous
- facies Q67.1
- fracture
- - nontraumatic NOS -*see* Collapse, vertebra
- - pathological -*see* Fracture, pathological
- - traumatic -*see* Fracture, traumatic
- heart -*see* Disease, heart
- intestine -*see* Obstruction, intestine

- laryngeal nerve, recurrent G52.2
- - with paralysis of vocal cords and larynx J38.00
- - - bilateral J38.02
- - - unilateral J38.01
- lumbosacral plexus G54.1
- lung J98.4
- lymphatic vessel I89.0
- medulla *-see* Compression, brain
- nerve *-see also* Disorder, nerve G58.9
- - arm NEC *-see* Mononeuropathy, upper limb
- - axillary G54.0
- - cranial *-see* Compression, cranial nerve
- - leg NEC *-see* Mononeuropathy, lower limb
- - median (in carpal tunnel) *-see* Syndrome, carpal tunnel
- - optic *-see* Disorder, nerve, optic
- - plantar *-see* Lesion, nerve, plantar
- - posterior tibial (in tarsal tunnel) *-see* Syndrome, tarsal tunnel
- - root or plexus NOS (in) G54.9
- - - intervertebral disc disorder NEC *-see* Disorder, disc, with, radiculopathy
- - - - with myelopathy *-see* Disorder, disc, with, myelopathy
- - - neoplastic disease *-see also* Neoplasm D49.9 *[G55]*
- - - spondylosis *-see* Spondylosis, with radiculopathy
- - sciatic (acute) *-see* Lesion, nerve, sciatic
- - sympathetic G90.89
- - traumatic *-see* Injury, nerve
- - ulnar *-see* Lesion, nerve, ulnar
- - upper extremity NEC *-see* Mononeuropathy, upper limb
- spinal (cord) G95.20
- - by displacement of intervertebral disc NEC *-see also* Disorder, disc, with, myelopathy
- - nerve root NOS G54.9
- - - due to displacement of intervertebral disc NEC *-see* Disorder, disc, with, radiculopathy
- - - - with myelopathy *-see* Disorder, disc, with, myelopathy
- - specified NEC G95.29
- - spondylogenic (cervical) (lumbar, lumbosacral) (thoracic) *-see* Spondylosis, with myelopathy NEC
- - - anterior *-see* Syndrome, anterior, spinal artery, compression
- - traumatic *-see* Injury, spinal cord, by region
- subcostal nerve (syndrome) *-see* Mononeuropathy, upper limb, specified NEC
- sympathetic nerve NEC G90.89
- syndrome T79.5
- trachea J39.8
- ulnar nerve (by scar tissue) *-see* Lesion, nerve, ulnar
- umbilical cord
- - complicating delivery O69.2
- - - cord around neck O69.1
- - - prolapse O69.0
- - - specified NEC O69.2
- ureter N13.5
- vein I87.1
- vena cava (inferior) (superior) I87.1

Compulsion, compulsive
- gambling F63.0
- neurosis F42.8
- personality F60.5
- states F42.8
- swearing F42.8
- - in Gilles de la Tourette's syndrome F95.2
- tics and spasms F95.9

Concato's disease (pericardial polyserositis) A19.9
- nontubercular I31.1
- pleural *-see* Pleurisy, with effusion

Concavity chest wall M95.4
Concealed penis Q55.64
Concern (normal) about sick person in family Z63.6
Concrescence (teeth) K00.2
Concretio cordis I31.1
- rheumatic I09.2
Concretion -*see also* Calculus
- appendicular K38.1
- canaliculus -*see* Dacryolith
- clitoris N90.89
- conjunctiva H11.12-
- eyelid -*see* Disorder, eyelid, specified type NEC
- lacrimal passages -*see* Dacryolith
- prepuce (male) N47.8
- salivary gland (any) K11.5
- seminal vesicle N50.89
- tonsil J35.8
Concussion (brain) (cerebral) (current) S06.0X9
- with
- - loss of consciousness
- - - 30 minutes or less S06.0X1
- - - brief S06.0X1
- - - status unknown S06.0XA
- - - unspecified duration S06.0X9
- - no loss of consciousness S06.0X0
- blast (air) (hydraulic) (immersion) (underwater)
- - abdomen or thorax -*see* Injury, blast, by site
- - ear with acoustic nerve injury -*see* Injury, nerve, acoustic, specified type NEC
- cauda equina S34.3
- conus medullaris S34.02
- ocular S05.8X-
- spinal (cord)
- - cervical S14.0
- - lumbar S34.01
- - sacral S34.02
- - thoracic S24.0
- syndrome F07.81
- without loss of consciousness S06.0X0
Condition -*see also* Disease
- post COVID-19 U09.9
Conditions arising in the perinatal period -*see* Newborn, affected by
Conduct disorder -*see* Disorder, conduct
Condyloma A63.0
- acuminatum A63.0
- gonorrheal A54.09
- latum A51.31
- syphilitic A51.31
- - congenital A50.07
- venereal, syphilitic A51.31
Conflagration -*see also* Burn
- asphyxia (by inhalation of gases, fumes or vapors) -*see also* Table of Drugs and Chemicals T59.9-
Conflict (with) -*see also* Discord
- family Z73.9
- grandparent-child Z62.831
- group home staff-child Z62.833
- kinship-care child Z62.831
- marital Z63.0
- - involving divorce or estrangement Z63.5
- non-parental relative legal guardian-child Z62.831
- non-parental relative-child Z62.831

- non-relative guardian-child Z62.832
- other relative-child Z62.831
- parent-child Z62.820
- - parent-adopted child Z62.821
- - parent-biological child Z62.820
- - parent-foster child Z62.822
- - parent-step child Z62.823
- social role NEC Z73.5

Confluent *-see* condition

Confusion, confused R41.0
- epileptic F05
- mental state (psychogenic) F44.89
- psychogenic F44.89
- reactive (from emotional stress, psychological trauma) F44.89

Confusional arousals G47.51

Congelation T69.9

Congenital *-see also* condition
- aortic septum Q25.49
- intrinsic factor deficiency D51.0
- malformation *-see* Anomaly

Congestion, congestive
- bladder N32.89
- bowel K63.89
- brain G93.89
- breast N64.59
- bronchial J98.09
- catarrhal J31.0
- chest R09.89
- chill, malarial *-see* Malaria
- circulatory NEC I99.8
- duodenum K31.89
- eye *-see* Hyperemia, conjunctiva
- facial, due to birth injury P15.4
- general R68.89
- glottis J37.0
- heart *-see* Failure, heart, congestive
- hepatic K76.1
- hypostatic (lung) *-see* Edema, lung
- intestine K63.89
- kidney N28.89
- labyrinth -see subcategory H83.8
- larynx J37.0
- liver K76.1
- lung R09.89
- - active or acute *-see* Pneumonia
- malaria, malarial *-see* Malaria
- nasal R09.81
- nose R09.81
- orbit, orbital *-see also* Exophthalmos
- - inflammatory (chronic) *-see* Inflammation, orbit
- ovary N83.8
- pancreas K86.89
- pelvic, female N94.89
- pleural J94.8
- prostate (active) N42.1
- pulmonary *-see* Congestion, lung
- renal N28.89
- retina H35.81
- seminal vesicle N50.1
- spinal cord G95.19

- spleen (chronic) D73.2
- stomach K31.89
- trachea -*see* Tracheitis
- urethra N36.8
- uterus N85.8
- - with subinvolution N85.3
- venous (passive) I87.8
- viscera R68.89

Congestive -*see* Congestion

Conical
- cervix (hypertrophic elongation) N88.4
- cornea -*see* Keratoconus
- teeth K00.2

Conjoined twins Q89.4

Conjugal maladjustment Z63.0
- involving divorce or estrangement Z63.5

Conjunctiva -*see* condition

Conjunctivitis (staphylococcal) (streptococcal) NOS H10.9
- Acanthamoeba B60.12
- acute H10.3-
- - atopic H10.1-
- - mucopurulent H10.02-
- - - follicular H10.01-
- - chemical -*see also* Corrosion, cornea H10.21-
- - pseudomembranous H10.22-
- - serous except viral H10.23-
- - - viral -*see* Conjunctivitis, viral
- - toxic H10.21-
- adenoviral (acute) (follicular) B30.1
- allergic (acute) -*see* Conjunctivitis, acute, atopic
- - chronic H10.45
- - - vernal H10.44
- anaphylactic -*see* Conjunctivitis, acute, atopic
- Apollo B30.3
- atopic (acute) -*see* Conjunctivitis, acute, atopic
- Béal's B30.2
- blennorrhagic (gonococcal) (neonatorum) A54.31
- chemical (acute) -*see also* Corrosion, cornea H10.21-
- chlamydial A74.0
- - due to trachoma A71.1
- - neonatal P39.1
- chronic (nodosa) (petrificans) (phlyctenular) H10.40-
- - allergic H10.45
- - - vernal H10.44
- - follicular H10.43-
- - giant papillary H10.41-
- - simple H10.42-
- - vernal H10.44
- coxsackievirus 24 B30.3
- diphtheritic A36.86
- due to
- - dust -*see* Conjunctivitis, acute, atopic
- - filariasis B74.9
- - mucocutaneous leishmaniasis B55.2
- enterovirus type 70 (hemorrhagic) B30.3
- epidemic (viral) B30.9
- - hemorrhagic B30.3
- gonococcal (neonatorum) A54.31
- granular (trachomatous) A71.1
- - sequelae (late effect) B94.0

- hemorrhagic (acute) (epidemic) B30.3
- herpes zoster B02.31
- in (due to)
- - Acanthamoeba B60.12
- - adenovirus (acute) (follicular) B30.1
- - Chlamydia A74.0
- - coxsackievirus 24 B30.3
- - diphtheria A36.86
- - enterovirus type 70 (hemorrhagic) B30.3
- - filariasis B74.9
- - gonococci A54.31
- - herpes (simplex) virus B00.53
- - - zoster B02.31
- - infectious disease NEC B99
- - meningococci A39.89
- - mucocutaneous leishmaniasis B55.2
- - rosacea H10.82-
- - syphilis (late) A52.71
- - zoster B02.31
- inclusion A74.0
- infantile P39.1
- - gonococcal A54.31
- Koch-Weeks' -*see* Conjunctivitis, acute, mucopurulent
- light -*see* Conjunctivitis, acute, atopic
- ligneous -*see* Blepharoconjunctivitis, ligneous
- meningococcal A39.89
- mucopurulent -*see* Conjunctivitis, acute, mucopurulent
- neonatal P39.1
- - gonococcal A54.31
- Newcastle B30.8
- of Béal B30.2
- parasitic
- - filariasis B74.9
- - mucocutaneous leishmaniasis B55.2
- Parinaud's H10.89
- petrificans H10.89
- rosacea H10.82-
- specified NEC H10.89
- swimming-pool B30.1
- trachomatous A71.1
- - acute A71.0
- - sequelae (late effect) B94.0
- traumatic NEC H10.89
- tuberculous A18.59
- tularemic A21.1
- tularensis A21.1
- viral B30.9
- - due to
- - - adenovirus B30.1
- - - enterovirus B30.3
- - specified NEC B30.8

Conjunctivochalasis H11.82-

Connective tissue -*see* condition

Conn's syndrome E26.01

Conradi (-Hunermann) disease Q77.3

Consanguinity Z84.3

- counseling Z71.89

Conscious simulation (of illness) Z76.5

Consecutive -*see* condition

Consolidation lung (base) -*see* Pneumonia, lobar

Constipation (atonic) (neurogenic) (simple) (spastic) K59.00
- chronic K59.09
- - idiopathic K59.04
- drug-induced K59.03
- functional K59.04
- outlet dysfunction K59.02
- psychogenic F45.8
- slow transit K59.01
- specified NEC K59.09
Constitutional *-see also* condition
- substandard F60.7
Constitutionally substandard F60.7
Constriction *-see also* Stricture
- auditory canal *-see* Stenosis, external ear canal
- bronchial J98.09
- duodenum K31.5
- esophagus K22.2
- external
- - abdomen, abdominal (wall) S30.841
- - alveolar process S00.542
- - ankle S90.54-
- - antecubital space *-see* Constriction, external, forearm
- - arm (upper) S40.84-
- - auricle *-see* Constriction, external, ear
- - axilla *-see* Constriction, external, arm
- - back, lower S30.840
- - breast S20.14-
- - brow S00.84
- - buttock S30.840
- - calf *-see* Constriction, external, leg
- - canthus *-see* Constriction, external, eyelid
- - cheek S00.84
- - - internal S00.542
- - chest wall *-see* Constriction, external, thorax
- - chin S00.84
- - clitoris S30.844
- - costal region *-see* Constriction, external, thorax
- - digit(s)
- - - foot *-see* Constriction, external, toe
- - - hand *-see* Constriction, external, finger
- - ear S00.44-
- - elbow S50.34-
- - epididymis S30.843
- - epigastric region S30.841
- - esophagus, cervical S10.14
- - eyebrow *-see* Constriction, external, eyelid
- - eyelid S00.24-
- - face S00.84
- - finger(s) S60.44-
- - - index S60.44-
- - - little S60.44-
- - - middle S60.44-
- - - ring S60.44-
- - flank S30.841
- - foot (except toe(s) alone) S90.84-
- - - toe *-see* Constriction, external, toe
- - forearm S50.84-
- - - elbow only *-see* Constriction, external, elbow
- - forehead S00.84
- - genital organs, external

- - - female S30.846
- - - male S30.845
- - groin S30.841
- - gum S00.542
- - hand S60.54-
- - head S00.94
- - - ear *-see* Constriction, external, ear
- - - eyelid *-see* Constriction, external, eyelid
- - - lip S00.541
- - - nose S00.34
- - - oral cavity S00.542
- - - scalp S00.04
- - - specified site NEC S00.84
- - heel *-see* Constriction, external, foot
- - hip S70.24-
- - inguinal region S30.841
- - interscapular region S20.449
- - jaw S00.84
- - knee S80.24-
- - labium (majus) (minus) S30.844
- - larynx S10.14
- - leg (lower) S80.84-
- - - knee *-see* Constriction, external, knee
- - - upper *-see* Constriction, external, thigh
- - lip S00.541
- - lower back S30.840
- - lumbar region S30.840
- - malar region S00.84
- - mammary *-see* Constriction, external, breast
- - mastoid region S00.84
- - mouth S00.542
- - nail
- - - finger *-see* Constriction, external, finger
- - - toe *-see* Constriction, external, toe
- - nasal S00.34
- - neck S10.94
- - - specified site NEC S10.84
- - - throat S10.14
- - nose S00.34
- - occipital region S00.04
- - oral cavity S00.542
- - orbital region *-see* Constriction, external, eyelid
- - palate S00.542
- - palm *-see* Constriction, external, hand
- - parietal region S00.04
- - pelvis S30.840
- - penis S30.842
- - perineum
- - - female S30.844
- - - male S30.840
- - periocular area *-see* Constriction, external, eyelid
- - phalanges
- - - finger *-see* Constriction, external, finger
- - - toe *-see* Constriction, external, toe
- - pharynx S10.14
- - pinna *-see* Constriction, external, ear
- - popliteal space *-see* Constriction, external, knee
- - prepuce S30.842
- - pubic region S30.840
- - pudendum

- - - female S30.846
- - - male S30.845
- - sacral region S30.840
- - scalp S00.04
- - scapular region -*see* Constriction, external, shoulder
- - scrotum S30.843
- - shin -*see* Constriction, external, leg
- - shoulder S40.24-
- - sternal region S20.349
- - submaxillary region S00.84
- - submental region S00.84
- - subungual
- - - finger(s) -*see* Constriction, external, finger
- - - toe(s) -*see* Constriction, external, toe
- - supraclavicular fossa S10.84
- - supraorbital S00.84
- - temple S00.84
- - temporal region S00.84
- - testis S30.843
- - thigh S70.34-
- - thorax, thoracic (wall) S20.94
- - - back S20.44-
- - - front S20.34-
- - throat S10.14
- - thumb S60.34-
- - toe(s) (lesser) S90.44-
- - - great S90.44-
- - tongue S00.542
- - trachea S10.14
- - tunica vaginalis S30.843
- - uvula S00.542
- - vagina S30.844
- - vulva S30.844
- - wrist S60.84-
- gallbladder -*see* Obstruction, gallbladder
- intestine -*see* Obstruction, intestine
- larynx J38.6
- - congenital Q31.8
- - - specified NEC Q31.8
- - - subglottic Q31.1
- organ or site, congenital NEC -*see* Atresia, by site
- prepuce (acquired) (congenital) N47.1
- pylorus (adult hypertrophic) K31.1
- - congenital or infantile Q40.0
- - newborn Q40.0
- ring dystocia (uterus) O62.4
- spastic -*see also* Spasm
- - ureter N13.5
- ureter N13.5
- - with infection N13.6
- urethra -*see* Stricture, urethra
- visual field (peripheral) (functional) -*see* Defect, visual field

Constrictive -*see* condition

Consultation

- medical -*see* Counseling, medical
- religious Z71.81
- specified reason NEC Z71.89
- spiritual Z71.81
- without complaint or sickness Z71.9
- - feared complaint unfounded Z71.1

- - specified reason NEC Z71.89
Consumption -*see* Tuberculosis
Contact (with) -*see also* Exposure (to)
- acariasis Z20.7
- AIDS virus Z20.6
- air pollution Z77.110
- algae and algae toxins Z77.121
- algae bloom Z77.121
- anthrax Z20.810
- aromatic amines Z77.020
- aromatic (hazardous) compounds NEC Z77.028
- aromatic dyes NOS Z77.028
- arsenic Z77.010
- asbestos Z77.090
- bacterial disease NEC Z20.818
- benzene Z77.021
- blue-green algae bloom Z77.121
- body fluids (potentially hazardous) Z77.21
- brown tide Z77.121
- chemicals (chiefly nonmedicinal) (hazardous) NEC Z77.098
- cholera Z20.09
- chromium compounds Z77.018
- communicable disease Z20.9
- - bacterial NEC Z20.818
- - specified NEC Z20.89
- - viral NEC Z20.828
- - Zika virus Z20.821
- coronavirus (disease) (novel) 2019 Z20.822
- COVID-19 Z20.822
- cyanobacteria bloom Z77.121
- dyes Z77.098
- Escherichia coli (E. coli) Z20.01
- fiberglass -*see* Table of Drugs and Chemicals, fiberglass
- German measles Z20.4
- gonorrhea Z20.2
- hazardous metals NEC Z77.018
- hazardous substances NEC Z77.29
- hazards in the physical environment NEC Z77.128
- hazards to health NEC Z77.9
- HIV Z20.6
- HTLV-III/LAV Z20.6
- human immunodeficiency virus (HIV) Z20.6
- infection Z20.9
- - specified NEC Z20.89
- infestation (parasitic) NEC Z20.7
- intestinal infectious disease NEC Z20.09
- - Escherichia coli (E. coli) Z20.01
- lead Z77.011
- positive maternal group B streptococcus P00.82
- meningococcus Z20.811
- mold (toxic) Z77.120
- nickel dust Z77.018
- noise Z77.122
- parasitic disease Z20.7
- pediculosis Z20.7
- pfiesteria piscicida Z77.121
- poliomyelitis Z20.89
- pollution
- - air Z77.110
- - environmental NEC Z77.118

- - soil Z77.112
- - water Z77.111
- polycyclic aromatic hydrocarbons Z77.028
- rabies Z20.3
- radiation, naturally occurring NEC Z77.123
- radon Z77.123
- red tide (Florida) Z77.121
- rubella Z20.4
- SARS-CoV-2 Z20.822
- sexually-transmitted disease Z20.2
- smallpox (laboratory) Z20.89
- syphilis Z20.2
- tuberculosis Z20.1
- uranium Z77.012
- varicella Z20.820
- venereal disease Z20.2
- viral disease NEC Z20.828
- viral hepatitis Z20.5
- water pollution Z77.111
- Zika virus Z20.821

Contamination, food -*see* Intoxication, foodborne

Contraception, contraceptive
- advice Z30.09
- counseling Z30.09
- device (intrauterine) (in situ) Z97.5
- - causing menorrhagia T83.83
- - checking Z30.431
- - complications -*see* Complications, intrauterine, contraceptive device
- - in place Z97.5
- - initial prescription Z30.014
- - reinsertion Z30.433
- - removal Z30.432
- - replacement Z30.433
- emergency (postcoital) Z30.012
- initial prescription Z30.019
- - barrier Z30.018
- - diaphragm Z30.018
- - injectable Z30.013
- - intrauterine device Z30.014
- - pills Z30.011
- - postcoital (emergency) Z30.012
- - specified type NEC Z30.018
- - subdermal implantable Z30.017
- - transdermal patch hormonal Z30.016
- - vaginal ring hormonal Z30.015
- maintenance Z30.40
- - barrier Z30.49
- - diaphragm Z30.49
- - examination Z30.8
- - injectable Z30.42
- - intrauterine device Z30.431
- - pills Z30.41
- - specified type NEC Z30.49
- - subdermal implantable Z30.46
- - transdermal patch hormonal Z30.45
- - vaginal ring hormonal Z30.44
- management Z30.9
- - specified NEC Z30.8
- postcoital (emergency) Z30.012
- prescription Z30.019

- - repeat Z30.40
- sterilization Z30.2
- surveillance (drug) -*see* Contraception, maintenance

Contraction(s), contracture, contracted

- Achilles tendon -*see also* Short, tendon, Achilles
- - congenital Q66.89
- amputation stump (surgical) (flexion) (late) (next proximal joint) T87.89
- anus K59.89
- bile duct (common) (hepatic) K83.8
- bladder N32.89
- - neck or sphincter N32.0
- bowel, cecum, colon or intestine, any part -*see* Obstruction, intestine
- Braxton Hicks -*see* False, labor
- breast implant, capsular T85.44
- bronchial J98.09
- burn (old) -*see* Cicatrix
- cervix -*see* Stricture, cervix
- cicatricial -*see* Cicatrix
- conjunctiva, trachomatous, active A71.1
- - sequelae (late effect) B94.0
- Dupuytren's M72.0
- eyelid -*see* Disorder, eyelid function
- fascia (lata) (postural) M72.8
- - Dupuytren's M72.0
- - palmar M72.0
- - plantar M72.2
- finger NEC -*see also* Deformity, finger
- - congenital Q68.1
- - joint -*see* Contraction, joint, hand
- flaccid -*see* Contraction, paralytic
- gallbladder K82.0
- heart valve -*see* Endocarditis
- hip -*see* Contraction, joint, hip
- hourglass
- - bladder N32.89
- - - congenital Q64.79
- - gallbladder K82.0
- - - congenital Q44.1
- - stomach K31.89
- - - congenital Q40.2
- - - psychogenic F45.8
- - uterus (complicating delivery) O62.4
- hysterical F44.4
- internal os -*see* Stricture, cervix
- joint (abduction) (acquired) (adduction) (flexion) (rotation) M24.50
- - ankle M24.57-
- - congenital NEC Q68.8
- - - hip Q65.89
- - elbow M24.52-
- - foot joint M24.57-
- - hand joint M24.54-
- - hip M24.55-
- - - congenital Q65.89
- - hysterical F44.4
- - knee M24.56-
- - shoulder M24.51-
- - specified site NEC M24.59
- - wrist M24.53-
- kidney (granular) (secondary) N26.9
- - congenital Q63.8

- - hydronephritic -*see* Hydronephrosis
- - Page N26.2
- - pyelonephritic -*see* Pyelitis, chronic
- - tuberculous A18.11
- ligament -*see also* Disorder, ligament
- - congenital Q79.8
- muscle (postinfective) (postural) NEC M62.40
- - with contracture of joint -*see* Contraction, joint
- - ankle M62.47-
- - congenital Q79.8
- - - sternocleidomastoid Q68.0
- - extraocular -*see* Strabismus
- - eye (extrinsic) -*see* Strabismus
- - foot M62.47-
- - forearm M62.43-
- - hand M62.44-
- - hysterical F44.4
- - ischemic (Volkmann's) T79.6
- - lower leg M62.46-
- - multiple sites M62.49
- - pelvic region M62.45-
- - posttraumatic -*see* Strabismus, paralytic
- - psychogenic F45.8
- - - conversion reaction F44.4
- - shoulder region M62.41-
- - specified site NEC M62.48
- - thigh M62.45-
- - upper arm M62.42-
- neck -*see* Torticollis
- ocular muscle -*see* Strabismus
- organ or site, congenital NEC -*see* Atresia, by site
- outlet (pelvis) -*see* Contraction, pelvis
- palmar fascia M72.0
- paralytic
- - joint -*see* Contraction, joint
- - muscle -*see also* Contraction, muscle NEC
- - - ocular -*see* Strabismus, paralytic
- pelvis (acquired) (general) M95.5
- - with disproportion (fetopelvic) O33.1
- - - causing obstructed labor O65.1
- - - inlet O33.2
- - - mid-cavity O33.3
- - - outlet O33.3
- plantar fascia M72.2
- premature
- - atrium I49.1
- - auriculoventricular I49.49
- - heart I49.49
- - junctional I49.2
- - supraventricular I49.1
- - ventricular I49.3
- prostate N42.89
- pylorus NEC -*see also* Pylorospasm
- - psychogenic F45.8
- rectum, rectal (sphincter) K59.89
- ring (Bandl's) (complicating delivery) O62.4
- scar -*see* Cicatrix
- spine -*see* Dorsopathy, deforming
- sternocleidomastoid (muscle), congenital Q68.0
- stomach K31.89

- - hourglass K31.89
- - - congenital Q40.2
- - - psychogenic F45.8
- - psychogenic F45.8
- tendon (sheath) M62.40
- - with contracture of joint -*see* Contraction, joint
- - Achilles -*see* Short, tendon, Achilles
- - ankle M62.47-
- - - Achilles -*see* Short, tendon, Achilles
- - foot M62.47-
- - forearm M62.43-
- - hand M62.44-
- - lower leg M62.46-
- - multiple sites M62.49
- - neck M62.48
- - pelvic region M62.45-
- - shoulder region M62.41-
- - specified site NEC M62.48
- - thigh M62.45-
- - thorax M62.48
- - trunk M62.48
- - upper arm M62.42-
- toe -*see* Deformity, toe, specified NEC
- ureterovesical orifice (postinfectional) N13.5
- - with infection N13.6
- urethra -*see also* Stricture, urethra
- - orifice N32.0
- uterus N85.8
- - abnormal NEC O62.9
- - clonic (complicating delivery) O62.4
- - dyscoordinate (complicating delivery) O62.4
- - hourglass (complicating delivery) O62.4
- - hypertonic O62.4
- - hypotonic NEC O62.2
- - inadequate
- - - primary O62.0
- - - secondary O62.1
- - incoordinate (complicating delivery) O62.4
- - poor O62.2
- - tetanic (complicating delivery) O62.4
- vagina (outlet) N89.5
- vesical N32.89
- - neck or urethral orifice N32.0
- visual field -*see* Defect, visual field, generalized
- Volkmann's (ischemic) T79.6

Contusion (skin surface intact) T14.8
- abdomen, abdominal (muscle) (wall) S30.1
- adnexa, eye NEC S05.8X-
- adrenal gland S37.812
- alveolar process S00.532
- ankle S90.0-
- antecubital space -*see* Contusion, forearm
- anus S30.3
- arm (upper) S40.02-
- - lower (with elbow) -*see* Contusion, forearm
- auditory canal -*see* Contusion, ear
- auricle -*see* Contusion, ear
- axilla -*see* Contusion, arm, upper
- back -*see also* Contusion, thorax, back
- - lower S30.0

- bile duct S36.13
- bladder S37.22
- bone NEC T14.8
- brain (diffuse) -*see* Injury, intracranial, diffuse
- - focal -*see* Injury, intracranial, focal
- brainstem S06.38-
- breast S20.0-
- broad ligament S37.892
- brow S00.83
- buttock S30.0
- canthus, eye S00.1-
- cauda equina S34.3
- cerebellar, traumatic S06.37-
- cerebral S06.33-
- - left side S06.32-
- - right side S06.31-
- cheek S00.83
- - internal S00.532
- chest (wall) -*see* Contusion, thorax
- chin S00.83
- clitoris S30.23
- colon -*see* Injury, intestine, large, contusion
- common bile duct S36.13
- conjunctiva S05.1-
- - with foreign body (in conjunctival sac) -*see* Foreign body, conjunctival sac
- conus medullaris (spine) S34.139
- cornea -*see* Contusion, eyeball
- - with foreign body -*see* Foreign body, cornea
- corpus cavernosum S30.21
- cortex (brain) (cerebral) -*see* Injury, intracranial, diffuse
- - focal -*see* Injury, intracranial, focal
- costal region -*see* Contusion, thorax
- cystic duct S36.13
- diaphragm S27.802
- duodenum S36.420
- ear S00.43-
- elbow S50.0-
- - with forearm -*see* Contusion, forearm
- epididymis S30.22
- epigastric region S30.1
- epiglottis S10.0
- esophagus (thoracic) S27.812
- - cervical S10.0
- eyeball S05.1-
- eyebrow S00.1-
- eyelid (and periocular area) S00.1-
- face NEC S00.83
- fallopian tube S37.529
- - bilateral S37.522
- - unilateral S37.521
- femoral triangle S30.1
- finger(s) S60.00
- - with damage to nail (matrix) S60.10
- - index S60.02-
- - - with damage to nail S60.12-
- - little S60.05-
- - - with damage to nail S60.15-
- - middle S60.03-
- - - with damage to nail S60.13-
- - ring S60.04-

- - - with damage to nail S60.14-
- - thumb -*see* Contusion, thumb
- flank S30.1
- foot (except toe(s) alone) S90.3-
- - toe -*see* Contusion, toe
- forearm S50.1-
- - elbow only -*see* Contusion, elbow
- forehead S00.83
- gallbladder S36.122
- genital organs, external
- - female S30.202
- - male S30.201
- globe (eye) -*see* Contusion, eyeball
- groin S30.1
- gum S00.532
- hand S60.22-
- - finger(s) -*see* Contusion, finger
- - wrist -*see* Contusion, wrist
- head S00.93
- - ear -*see* Contusion, ear
- - eyelid -*see* Contusion, eyelid
- - lip S00.531
- - nose S00.33
- - oral cavity S00.532
- - scalp S00.03
- - specified part NEC S00.83
- heart -*see also* Injury, heart S26.91
- heel -*see* Contusion, foot
- hepatic duct S36.13
- hip S70.0-
- ileum S36.428
- iliac region S30.1
- inguinal region S30.1
- interscapular region S20.229
- intra-abdominal organ S36.92
- - colon -*see* Injury, intestine, large, contusion
- - liver S36.112
- - pancreas -*see* Contusion, pancreas
- - rectum S36.62
- - small intestine -*see* Injury, intestine, small, contusion
- - specified organ NEC S36.892
- - spleen -*see* Contusion, spleen
- - stomach S36.32
- iris (eye) -*see* Contusion, eyeball
- jaw S00.83
- jejunum S36.428
- kidney S37.01-
- - major (greater than 2 cm) S37.02-
- - minor (less than 2 cm) S37.01-
- knee S80.0-
- labium (majus) (minus) S30.23
- lacrimal apparatus, gland or sac S05.8X-
- larynx S10.0
- leg (lower) S80.1-
- - knee -*see* Contusion, knee
- lens -*see* Contusion, eyeball
- lip S00.531
- liver S36.112
- lower back S30.0
- lumbar region S30.0

- lung S27.329
- - bilateral S27.322
- - unilateral S27.321
- malar region S00.83
- mastoid region S00.83
- membrane, brain -*see* Injury, intracranial, diffuse
- - focal -*see* Injury, intracranial, focal
- mesentery S36.892
- mesosalpinx S37.892
- mouth S00.532
- muscle -*see* Contusion, by site
- nail
- - finger -*see* Contusion, finger, with damage to nail
- - toe -*see* Contusion, toe, with damage to nail
- nasal S00.33
- neck S10.93
- - specified site NEC S10.83
- - throat S10.0
- nerve -*see* Injury, nerve
- newborn P54.5
- nose S00.33
- occipital
- - lobe (brain) -*see* Injury, intracranial, diffuse
- - - focal -*see* Injury, intracranial, focal
- - region (scalp) S00.03
- orbit (region) (tissues) S05.1-
- ovary S37.429
- - bilateral S37.422
- - unilateral S37.421
- palate S00.532
- pancreas S36.229
- - body S36.221
- - head S36.220
- - tail S36.222
- parietal
- - lobe (brain) -*see* Injury, intracranial, diffuse
- - - focal -*see* Injury, intracranial, focal
- - region (scalp) S00.03
- pelvic organ S37.92
- - adrenal gland S37.812
- - bladder S37.22
- - fallopian tube -*see* Contusion, fallopian tube
- - kidney -*see* Contusion, kidney
- - ovary -*see* Contusion, ovary
- - prostate S37.822
- - specified organ NEC S37.892
- - ureter S37.12
- - urethra S37.32
- - uterus S37.62
- pelvis S30.0
- penis S30.21
- perineum
- - female S30.23
- - male S30.0
- periocular area S00.1-
- peritoneum S36.81
- periurethral tissue -*see* Contusion, urethra
- pharynx S10.0
- pinna -*see* Contusion, ear
- popliteal space -*see* Contusion, knee

- prepuce S30.21
- prostate S37.822
- pubic region S30.1
- pudendum
- - female S30.202
- - male S30.201
- quadriceps femoris -*see* Contusion, thigh
- rectum S36.62
- retroperitoneum S36.892
- round ligament S37.892
- sacral region S30.0
- scalp S00.03
- - due to birth injury P12.3
- scapular region -*see* Contusion, shoulder
- sclera -*see* Contusion, eyeball
- scrotum S30.22
- seminal vesicle S37.892
- shoulder S40.01-
- skin NEC T14.8
- small intestine -*see* Injury, intestine, small, contusion
- spermatic cord S30.22
- spinal cord -*see* Injury, spinal cord, by region
- - cauda equina S34.3
- - conus medullaris S34.139
- spleen S36.029
- - major S36.021
- - minor S36.020
- sternal region S20.219
- stomach S36.32
- subconjunctival S05.1-
- subcutaneous NEC T14.8
- submaxillary region S00.83
- submental region S00.83
- subperiosteal NEC T14.8
- subungual
- - finger -*see* Contusion, finger, with damage to nail
- - toe -*see* Contusion, toe, with damage to nail
- supraclavicular fossa S10.83
- supraorbital S00.83
- suprarenal gland S37.812
- temple (region) S00.83
- temporal
- - lobe (brain) -*see* Injury, intracranial, diffuse
- - - focal -*see* Injury, intracranial, focal
- - region S00.83
- testis S30.22
- thigh S70.1-
- thorax (wall) S20.20
- - back S20.22-
- - front S20.21-
- throat S10.0
- thumb S60.01-
- - with damage to nail S60.11-
- toe(s) (lesser) S90.12-
- - with damage to nail S90.22-
- - great S90.11-
- - - with damage to nail S90.21-
- tongue S00.532
- trachea (cervical) S10.0
- - thoracic S27.52

- tunica vaginalis S30.22
- tympanum, tympanic membrane -*see* Contusion, ear
- ureter S37.12
- urethra S37.32
- urinary organ NEC S37.892
- uterus S37.62
- uvula S00.532
- vagina S30.23
- vas deferens S37.892
- vesical S37.22
- vocal cord(s) S10.0
- vulva S30.23
- wrist S60.21-

Conus (congenital) (any type) Q14.8
- cornea -*see* Keratoconus
- medullaris syndrome G95.81

Conversion hysteria, neurosis or reaction F44.9
Converter, tuberculosis (test reaction) R76.11
Conviction (legal), anxiety concerning Z65.0
- with imprisonment Z65.1

Convulsions (idiopathic) -*see also* Seizure(s) R56.9
- apoplectiform (cerebral ischemia) I67.82
- dissociative F44.5
- epileptic -*see* Epilepsy
- epileptiform, epileptoid -*see* Epilepsy
- ether (anesthetic) -*see* Table of Drugs and Chemicals, by drug
- febrile R56.00
- - with status epilepticus G40.901
- - complex R56.01
- - - with status epilepticus G40.901
- - simple R56.00
- hysterical F44.5
- infantile P90
- - epilepsy -*see* Epilepsy
- jacksonian -*see* Epilepsy, localization-related, symptomatic, with simple partial seizures
- myoclonic G25.3
- newborn P90
- obstetrical (nephritic) (uremic) -*see* Eclampsia
- paretic A52.17
- post traumatic R56.1
- psychomotor -*see* Epilepsy, localization-related, symptomatic, with complex partial seizures
- recurrent R56.9
- reflex R25.8
- scarlatinal A38.8
- tetanus, tetanic -*see* Tetanus
- thymic E32.8

Convulsive -*see also* Convulsions
Cooley's anemia D56.1
Coolie itch B76.9
Cooper's
- disease -*see* Mastopathy, cystic
- hernia -*see* Hernia, abdomen, specified site NEC

Copra itch B88.0
Coprophagy F50.89
Coprophobia F40.298
Coproporphyria, hereditary E80.29
Cor
- biloculare Q20.8
- bovis, bovinum -*see* Hypertrophy, cardiac
- pulmonale I27.81

- - acute I26.09
- - - without pulmonary embolism I27.81
- - chronic I27.81
- - - with chronic pulmonary embolism I27.82
- triatriatum, triatrium Q24.2
- triloculare Q20.8
- - biatrium Q20.4
- - biventriculare Q21.19
Corbus' disease (gangrenous balanitis) N48.1
Cord -*see also* condition
- around neck
- - complicating delivery O69.81
- - - with compression O69.1
- bladder G95.89
- - tabetic A52.19
Cordis ectopia Q24.8
Corditis (spermatic) N49.1
Corectopia Q13.2
Cori's disease (glycogen storage) E74.03
Corkhandler's disease or lung J67.3
Corkscrew esophagus K22.4
Corkworker's disease or lung J67.3
Corn (infected) L84
Cornea -*see also* condition
- donor Z52.5
- plana Q13.4
Cornelia de Lange syndrome Q87.19
Cornu cutaneum L85.8
Cornual gestation or pregnancy O00.80
- with intrauterine pregnancy O00.81
Coronary (artery) -*see* condition
Coronavirus (infection)
- 2019 -*see also* COVID-19 U07.1
- as cause of disease classified elsewhere B97.29
- coronavirus-19 -*see also* COVID-19 U07.1
- COVID-19 -*see also* COVID-19 U07.1
- SARS-associated B97.21
Corpora -*see also* condition
- amylacea, prostate N42.89
- cavernosa -*see* condition
Corpulence -*see* Obesity
Corpus -*see* condition
Corrected transposition Q20.5
Corrosion (injury) (acid) (caustic) (chemical) (lime) (external) (internal) T30.4
- abdomen, abdominal (muscle) (wall) T21.42
- - first degree T21.52
- - second degree T21.62
- - third degree T21.72
- above elbow T22.439
- - first degree T22.539
- - left T22.432
- - - first degree T22.532
- - - second degree T22.632
- - - third degree T22.732
- - right T22.431
- - - first degree T22.531
- - - second degree T22.631
- - - third degree T22.731
- - second degree T22.639
- - third degree T22.739

- alimentary tract NEC T28.7
- ankle T25.419
- - first degree T25.519
- - left T25.412
- - - first degree T25.512
- - - second degree T25.612
- - - third degree T25.712
- - multiple with foot *-see* Corrosion, lower, limb, multiple, ankle and foot
- - right T25.411
- - - first degree T25.511
- - - second degree T25.611
- - - third degree T25.711
- - second degree T25.619
- - third degree T25.719
- anus *-see* Corrosion, buttock
- arm(s) (meaning upper limb(s)) *-see* Corrosion, upper limb
- axilla T22.449
- - first degree T22.549
- - left T22.442
- - - first degree T22.542
- - - second degree T22.642
- - - third degree T22.742
- - right T22.441
- - - first degree T22.541
- - - second degree T22.641
- - - third degree T22.741
- - second degree T22.649
- - third degree T22.749
- back (lower) T21.44
- - first degree T21.54
- - second degree T21.64
- - third degree T21.74
- - upper T21.43
- - - first degree T21.53
- - - second degree T21.63
- - - third degree T21.73
- blisters - code as Corrosion, second degree, by site
- breast(s) *-see* Corrosion, chest wall
- buttock(s) T21.45
- - first degree T21.55
- - second degree T21.65
- - third degree T21.75
- calf T24.439
- - first degree T24.539
- - left T24.432
- - - first degree T24.532
- - - second degree T24.632
- - - third degree T24.732
- - right T24.431
- - - first degree T24.531
- - - second degree T24.631
- - - third degree T24.731
- - second degree T24.639
- - third degree T24.739
- canthus (eye) *-see* Corrosion, eyelid
- cervix T28.8
- cheek T20.46
- - first degree T20.56
- - second degree T20.66
- - third degree T20.76

- chest wall T21.41
- - first degree T21.51
- - second degree T21.61
- - third degree T21.71
- chin T20.43
- - first degree T20.53
- - second degree T20.63
- - third degree T20.73
- colon T28.7
- conjunctiva (and cornea) -*see* Corrosion, cornea
- cornea (and conjunctiva) T26.6-
- deep necrosis of underlying tissue - code as Corrosion, third degree, by site
- dorsum of hand T23.469
- - first degree T23.569
- - left T23.462
- - - first degree T23.562
- - - second degree T23.662
- - - third degree T23.762
- - right T23.461
- - - first degree T23.561
- - - second degree T23.661
- - - third degree T23.761
- - second degree T23.669
- - third degree T23.769
- ear (auricle) (external) (canal) T20.41
- - drum T28.91
- - first degree T20.51
- - second degree T20.61
- - third degree T20.71
- elbow T22.429
- - first degree T22.529
- - left T22.422
- - - first degree T22.522
- - - second degree T22.622
- - - third degree T22.722
- - right T22.421
- - - first degree T22.521
- - - second degree T22.621
- - - third degree T22.721
- - second degree T22.629
- - third degree T22.729
- entire body -*see* Corrosion, multiple body regions
- epidermal loss - code as Corrosion, second degree, by site
- epiglottis T27.4
- erythema, erythematous - code as Corrosion, first degree, by site
- esophagus T28.6
- extent (percentage of body surface)
- - less than 10 percent T32.0
- - 10-19 percent (0-9 percent third degree) T32.10
- - - with 10-19 percent third degree T32.11
- - 20-29 percent (0-9 percent third degree) T32.20
- - - with
- - - - 10-19 percent third degree T32.21
- - - - 20-29 percent third degree T32.22
- - 30-39 percent (0-9 percent third degree) T32.30
- - - with
- - - - 10-19 percent third degree T32.31
- - - - 20-29 percent third degree T32.32
- - - - 30-39 percent third degree T32.33
- - 40-49 percent (0-9 percent third degree) T32.40

- - - with
- - - - 10-19 percent third degree T32.41
- - - - 20-29 percent third degree T32.42
- - - - 30-39 percent third degree T32.43
- - - - 40-49 percent third degree T32.44
- - 50-59 percent (0-9 percent third degree) T32.50
- - - with
- - - - 10-19 percent third degree T32.51
- - - - 20-29 percent third degree T32.52
- - - - 30-39 percent third degree T32.53
- - - - 40-49 percent third degree T32.54
- - - - 50-59 percent third degree T32.55
- - 60-69 percent (0-9 percent third degree) T32.60
- - - with
- - - - 10-19 percent third degree T32.61
- - - - 20-29 percent third degree T32.62
- - - - 30-39 percent third degree T32.63
- - - - 40-49 percent third degree T32.64
- - - - 50-59 percent third degree T32.65
- - - - 60-69 percent third degree T32.66
- - 70-79 percent (0-9 percent third degree) T32.70
- - - with
- - - - 10-19 percent third degree T32.71
- - - - 20-29 percent third degree T32.72
- - - - 30-39 percent third degree T32.73
- - - - 40-49 percent third degree T32.74
- - - - 50-59 percent third degree T32.75
- - - - 60-69 percent third degree T32.76
- - - - 70-79 percent third degree T32.77
- - 80-89 percent (0-9 percent third degree) T32.80
- - - with
- - - - 10-19 percent third degree T32.81
- - - - 20-29 percent third degree T32.82
- - - - 30-39 percent third degree T32.83
- - - - 40-49 percent third degree T32.84
- - - - 50-59 percent third degree T32.85
- - - - 60-69 percent third degree T32.86
- - - - 70-79 percent third degree T32.87
- - - - 80-89 percent third degree T32.88
- - 90 percent or more (0-9 percent third degree) T32.90
- - - with
- - - - 10-19 percent third degree T32.91
- - - - 20-29 percent third degree T32.92
- - - - 30-39 percent third degree T32.93
- - - - 40-49 percent third degree T32.94
- - - - 50-59 percent third degree T32.95
- - - - 60-69 percent third degree T32.96
- - - - 70-79 percent third degree T32.97
- - - - 80-89 percent third degree T32.98
- - - - 90-99 percent third degree T32.99
- extremity -*see* Corrosion, limb
- eye(s) and adnexa T26.9-
- - with resulting rupture and destruction of eyeball T26.7-
- - conjunctival sac -*see* Corrosion, cornea
- - cornea -*see* Corrosion, cornea
- - lid -*see* Corrosion, eyelid
- - periocular area -*see* Corrosion eyelid
- - specified site NEC T26.8-
- eyeball -*see* Corrosion, eye
- eyelid(s) T26.5-

- face -*see* Corrosion, head
- finger T23.429
- - first degree T23.529
- - left T23.422
- - - first degree T23.522
- - - second degree T23.622
- - - third degree T23.722
- - multiple sites (without thumb) T23.439
- - - with thumb T23.449
- - - - first degree T23.549
- - - - left T23.442
- - - - - first degree T23.542
- - - - - second degree T23.642
- - - - - third degree T23.742
- - - - right T23.441
- - - - - first degree T23.541
- - - - - second degree T23.641
- - - - - third degree T23.741
- - - - second degree T23.649
- - - - third degree T23.749
- - - first degree T23.539
- - - left T23.432
- - - - first degree T23.532
- - - - second degree T23.632
- - - - third degree T23.732
- - - right T23.431
- - - - first degree T23.531
- - - - second degree T23.631
- - - - third degree T23.731
- - - second degree T23.639
- - - third degree T23.739
- - right T23.421
- - - first degree T23.521
- - - second degree T23.621
- - - third degree T23.721
- - second degree T23.629
- - third degree T23.729
- flank -*see* Corrosion, abdomen
- foot T25.429
- - first degree T25.529
- - left T25.422
- - - first degree T25.522
- - - second degree T25.622
- - - third degree T25.722
- - multiple with ankle -*see* Corrosion, lower, limb, multiple, ankle and foot
- - right T25.421
- - - first degree T25.521
- - - second degree T25.621
- - - third degree T25.721
- - second degree T25.629
- - third degree T25.729
- forearm T22.419
- - first degree T22.519
- - left T22.412
- - - first degree T22.512
- - - second degree T22.612
- - - third degree T22.712
- - right T22.411
- - - first degree T22.511
- - - second degree T22.611

- - - third degree T22.711
- - second degree T22.619
- - third degree T22.719
- forehead T20.46
- - first degree T20.56
- - second degree T20.66
- - third degree T20.76
- fourth degree - code as Corrosion, third degree, by site
- full thickness skin loss - code as Corrosion, third degree, by site
- gastrointestinal tract NEC T28.7
- genital organs
- - external
- - - female T21.47
- - - - first degree T21.57
- - - - second degree T21.67
- - - - third degree T21.77
- - - male T21.46
- - - - first degree T21.56
- - - - second degree T21.66
- - - - third degree T21.76
- - internal T28.8
- groin -*see* Corrosion, abdominal wall
- hand(s) T23.409
- - back -*see* Corrosion, dorsum of hand
- - finger -*see* Corrosion, finger
- - first degree T23.509
- - left T23.402
- - - first degree T23.502
- - - second degree T23.602
- - - third degree T23.702
- - multiple sites with wrist T23.499
- - - first degree T23.599
- - - left T23.492
- - - - first degree T23.592
- - - - second degree T23.692
- - - - third degree T23.792
- - - right T23.491
- - - - first degree T23.591
- - - - second degree T23.691
- - - - third degree T23.791
- - - second degree T23.699
- - - third degree T23.799
- - palm -*see* Corrosion, palm
- - right T23.401
- - - first degree T23.501
- - - second degree T23.601
- - - third degree T23.701
- - second degree T23.609
- - third degree T23.709
- - thumb -*see* Corrosion, thumb
- head (and face) (and neck) T20.40
- - cheek -*see* Corrosion, cheek
- - chin -*see* Corrosion, chin
- - ear -*see* Corrosion, ear
- - eye(s) only -*see* Corrosion, eye
- - first degree T20.50
- - forehead -*see* Corrosion, forehead
- - lip -*see* Corrosion, lip
- - multiple sites T20.49
- - - first degree T20.59

- - - second degree T20.69
- - - third degree T20.79
- - neck -*see* Corrosion, neck
- - nose -*see* Corrosion, nose
- - scalp -*see* Corrosion, scalp
- - second degree T20.60
- - third degree T20.70
- hip(s) -*see* Corrosion, lower, limb
- inhalation -*see* Corrosion, respiratory tract
- internal organ(s) -*see also* Corrosion, by site T28.90
- - alimentary tract T28.7
- - - esophagus T28.6
- - esophagus T28.6
- - genitourinary T28.8
- - mouth T28.5
- - pharynx T28.5
- - specified organ NEC T28.99
- interscapular region -*see* Corrosion, back, upper
- intestine (large) (small) T28.7
- knee T24.429
- - first degree T24.529
- - left T24.422
- - - first degree T24.522
- - - second degree T24.622
- - - third degree T24.722
- - right T24.421
- - - first degree T24.521
- - - second degree T24.621
- - - third degree T24.721
- - second degree T24.629
- - third degree T24.729
- labium (majus) (minus) -*see* Corrosion, genital organs, external, female
- lacrimal apparatus, duct, gland or sac -*see* Corrosion, eye, specified site NEC
- larynx T27.4
- - with lung T27.5
- leg(s) (meaning lower limb(s)) -*see* Corrosion, lower limb
- limb(s)
- - lower -*see* Corrosion, lower, limb
- - upper -*see* Corrosion, upper limb
- lip(s) T20.42
- - first degree T20.52
- - second degree T20.62
- - third degree T20.72
- lower
- - back -*see* Corrosion, back
- - limb T24.409
- - - ankle -*see* Corrosion, ankle
- - - calf -*see* Corrosion, calf
- - - first degree T24.509
- - - foot -*see* Corrosion, foot
- - - knee -*see* Corrosion, knee
- - - left T24.402
- - - - first degree T24.502
- - - - second degree T24.602
- - - - third degree T24.702
- - - multiple sites, except ankle and foot T24.499
- - - - ankle and foot T25.499
- - - - - first degree T25.599
- - - - - left T25.492
- - - - - - first degree T25.592

- - - - - - second degree T25.692
- - - - - - third degree T25.792
- - - - - right T25.491
- - - - - - first degree T25.591
- - - - - - second degree T25.691
- - - - - - third degree T25.791
- - - - - second degree T25.699
- - - - - third degree T25.799
- - - - first degree T24.599
- - - - left T24.492
- - - - - first degree T24.592
- - - - - second degree T24.692
- - - - - third degree T24.792
- - - - right T24.491
- - - - - first degree T24.591
- - - - - second degree T24.691
- - - - - third degree T24.791
- - - - second degree T24.699
- - - - third degree T24.799
- - - right T24.401
- - - - first degree T24.501
- - - - second degree T24.601
- - - - third degree T24.701
- - - second degree T24.609
- - - hip -*see* Corrosion, thigh
- - - thigh -*see* Corrosion, thigh
- - - third degree T24.709
- lung (with larynx and trachea) T27.5
- mouth T28.5
- neck T20.47
- - first degree T20.57
- - second degree T20.67
- - third degree T20.77
- nose (septum) T20.44
- - first degree T20.54
- - second degree T20.64
- - third degree T20.74
- ocular adnexa -*see* Corrosion, eye
- orbit region -*see* Corrosion, eyelid
- palm T23.459
- - first degree T23.559
- - left T23.452
- - - first degree T23.552
- - - second degree T23.652
- - - third degree T23.752
- - right T23.451
- - - first degree T23.551
- - - second degree T23.651
- - - third degree T23.751
- - second degree T23.659
- - third degree T23.759
- partial thickness - code as Corrosion, unspecified degree, by site
- pelvis -*see* Corrosion, trunk
- penis -*see* Corrosion, genital organs, external, male
- perineum
- - female -*see* Corrosion, genital organs, external, female
- - male -*see* Corrosion, genital organs, external, male
- periocular area -*see* Corrosion, eyelid
- pharynx T28.5
- rectum T28.7

- respiratory tract T27.7
- - larynx -*see* Corrosion, larynx
- - specified part NEC T27.6
- - trachea -*see* Corrosion, larynx
- sac, lacrimal -*see* Corrosion, eye, specified site NEC
- scalp T20.45
- - first degree T20.55
- - second degree T20.65
- - third degree T20.75
- scapular region T22.469
- - first degree T22.569
- - left T22.462
- - - first degree T22.562
- - - second degree T22.662
- - - third degree T22.762
- - right T22.461
- - - first degree T22.561
- - - second degree T22.661
- - - third degree T22.761
- - second degree T22.669
- - third degree T22.769
- sclera -*see* Corrosion, eye, specified site NEC
- scrotum -*see* Corrosion, genital organs, external, male
- shoulder T22.459
- - first degree T22.559
- - left T22.452
- - - first degree T22.552
- - - second degree T22.652
- - - third degree T22.752
- - right T22.451
- - - first degree T22.551
- - - second degree T22.651
- - - third degree T22.751
- - second degree T22.659
- - third degree T22.759
- stomach T28.7
- temple -*see* Corrosion, head
- testis -*see* Corrosion, genital organs, external, male
- thigh T24.419
- - first degree T24.519
- - left T24.412
- - - first degree T24.512
- - - second degree T24.612
- - - third degree T24.712
- - right T24.411
- - - first degree T24.511
- - - second degree T24.611
- - - third degree T24.711
- - second degree T24.619
- - third degree T24.719
- thorax (external) -*see* Corrosion, trunk
- throat (meaning pharynx) T28.5
- thumb(s) T23.419
- - first degree T23.519
- - left T23.412
- - - first degree T23.512
- - - second degree T23.612
- - - third degree T23.712
- - multiple sites with fingers T23.449
- - - first degree T23.549

- - - left T23.442
- - - - first degree T23.542
- - - - second degree T23.642
- - - - third degree T23.742
- - - right T23.441
- - - - first degree T23.541
- - - - second degree T23.641
- - - - third degree T23.741
- - - second degree T23.649
- - - third degree T23.749
- - right T23.411
- - - first degree T23.511
- - - second degree T23.611
- - - third degree T23.711
- - second degree T23.619
- - third degree T23.719
- toe T25.439
- - first degree T25.539
- - left T25.432
- - - first degree T25.532
- - - second degree T25.632
- - - third degree T25.732
- - right T25.431
- - - first degree T25.531
- - - second degree T25.631
- - - third degree T25.731
- - second degree T25.639
- - third degree T25.739
- tongue T28.5
- tonsil(s) T28.5
- total body *-see* Corrosion, multiple body regions
- trachea T27.4
- - with lung T27.5
- trunk T21.40
- - abdominal wall *-see* Corrosion, abdominal wall
- - anus *-see* Corrosion, buttock
- - axilla *-see* Corrosion, upper limb
- - back *-see* Corrosion, back
- - breast *-see* Corrosion, chest wall
- - buttock *-see* Corrosion, buttock
- - chest wall *-see* Corrosion, chest wall
- - first degree T21.50
- - flank *-see* Corrosion, abdominal wall
- - genital
- - - female *-see* Corrosion, genital organs, external, female
- - - male *-see* Corrosion, genital organs, external, male
- - groin *-see* Corrosion, abdominal wall
- - interscapular region *-see* Corrosion, back, upper
- - labia *-see* Corrosion, genital organs, external, female
- - lower back *-see* Corrosion, back
- - penis *-see* Corrosion, genital organs, external, male
- - perineum
- - - female *-see* Corrosion, genital organs, external, female
- - - male *-see* Corrosion, genital organs, external, male
- - scapular region *-see* Corrosion, upper limb
- - scrotum *-see* Corrosion, genital organs, external, male
- - second degree T21.60
- - shoulder *-see* Corrosion, upper limb
- - specified site NEC T21.49
- - - first degree T21.59

- - - second degree T21.69
- - - third degree T21.79
- - testes -*see* Corrosion, genital organs, external, male
- - third degree T21.70
- - upper back -*see* Corrosion, back, upper
- - vagina T28.8
- - vulva -*see* Corrosion, genital organs, external, female
- unspecified site with extent of body surface involved specified
- - less than 10 percent T32.0
- - 10-19 percent (0-9 percent third degree) T32.10
- - - with 10-19 percent third degree T32.11
- - 20-29 percent (0-9 percent third degree) T32.20
- - - with
- - - - 10-19 percent third degree T32.21
- - - - 20-29 percent third degree T32.22
- - 30-39 percent (0-9 percent third degree) T32.30
- - - with
- - - - 10-19 percent third degree T32.31
- - - - 20-29 percent third degree T32.32
- - - - 30-39 percent third degree T32.33
- - 40-49 percent (0-9 percent third degree) T32.40
- - - with
- - - - 10-19 percent third degree T32.41
- - - - 20-29 percent third degree T32.42
- - - - 30-39 percent third degree T32.43
- - - - 40-49 percent third degree T32.44
- - 50-59 percent (0-9 percent third degree) T32.50
- - - with
- - - - 10-19 percent third degree T32.51
- - - - 20-29 percent third degree T32.52
- - - - 30-39 percent third degree T32.53
- - - - 40-49 percent third degree T32.54
- - - - 50-59 percent third degree T32.55
- - 60-69 percent (0-9 percent third degree) T32.60
- - - with
- - - - 10-19 percent third degree T32.61
- - - - 20-29 percent third degree T32.62
- - - - 30-39 percent third degree T32.63
- - - - 40-49 percent third degree T32.64
- - - - 50-59 percent third degree T32.65
- - - - 60-69 percent third degree T32.66
- - 70-79 percent (0-9 percent third degree) T32.70
- - - with
- - - - 10-19 percent third degree T32.71
- - - - 20-29 percent third degree T32.72
- - - - 30-39 percent third degree T32.73
- - - - 40-49 percent third degree T32.74
- - - - 50-59 percent third degree T32.75
- - - - 60-69 percent third degree T32.76
- - - - 70-79 percent third degree T32.77
- - 80-89 percent (0-9 percent third degree) T32.80
- - - with
- - - - 10-19 percent third degree T32.81
- - - - 20-29 percent third degree T32.82
- - - - 30-39 percent third degree T32.83
- - - - 40-49 percent third degree T32.84
- - - - 50-59 percent third degree T32.85
- - - - 60-69 percent third degree T32.86
- - - - 70-79 percent third degree T32.87
- - - - 80-89 percent third degree T32.88

- - 90 percent or more (0-9 percent third degree) T32.90
- - - with
- - - - 10-19 percent third degree T32.91
- - - - 20-29 percent third degree T32.92
- - - - 30-39 percent third degree T32.93
- - - - 40-49 percent third degree T32.94
- - - - 50-59 percent third degree T32.95
- - - - 60-69 percent third degree T32.96
- - - - 70-79 percent third degree T32.97
- - - - 80-89 percent third degree T32.98
- - - - 90-99 percent third degree T32.99
- upper limb (axilla) (scapular region) T22.40
- - above elbow -*see* Corrosion, above elbow
- - axilla -*see* Corrosion, axilla
- - elbow -*see* Corrosion, elbow
- - first degree T22.50
- - forearm -*see* Corrosion, forearm
- - hand -*see* Corrosion, hand
- - interscapular region -*see* Corrosion, back, upper
- - multiple sites T22.499
- - - first degree T22.599
- - - left T22.492
- - - - first degree T22.592
- - - - second degree T22.692
- - - - third degree T22.792
- - - right T22.491
- - - - first degree T22.591
- - - - second degree T22.691
- - - - third degree T22.791
- - - second degree T22.699
- - - third degree T22.799
- - scapular region -*see* Corrosion, scapular region
- - second degree T22.60
- - shoulder -*see* Corrosion, shoulder
- - third degree T22.70
- - wrist -*see* Corrosion, hand
- uterus T28.8
- vagina T28.8
- vulva -*see* Corrosion, genital organs, external, female
- wrist T23.479
- - first degree T23.579
- - left T23.472
- - - first degree T23.572
- - - second degree T23.672
- - - third degree T23.772
- - multiple sites with hand T23.499
- - - first degree T23.599
- - - left T23.492
- - - - first degree T23.592
- - - - second degree T23.692
- - - - third degree T23.792
- - - right T23.491
- - - - first degree T23.591
- - - - second degree T23.691
- - - - third degree T23.791
- - - second degree T23.699
- - - third degree T23.799
- - right T23.471
- - - first degree T23.571
- - - second degree T23.671

- - - third degree T23.771
- - second degree T23.679
- - third degree T23.779
Corrosive burn -*see* Corrosion
Corsican fever -*see* Malaria
Cortical -*see* condition
Cortico-adrenal -*see* condition
Coryza (acute) J00
- with grippe or influenza -*see* Influenza, with, respiratory manifestations NEC
- syphilitic
- - congenital (chronic) A50.05
Co-sleeping, child-caregiver Z72.823
Costen's syndrome or complex M26.69
Costiveness -*see* Constipation
Costochondritis M94.0
Cotard's syndrome F22
Cot death R99
Cotia virus B08.8
Cotton wool spots (retinal) H35.81
Cotugno disease -*see* Sciatica
Cough (affected) (epidemic) (nervous) R05.9
- with hemorrhage -*see* Hemoptysis
- acute R05.1
- bronchial R05.8
- - with grippe or influenza -*see* Influenza, with, respiratory manifestations NEC
- chronic R05.3
- functional F45.8
- hysterical F45.8
- laryngeal, spasmodic R05.8
- paroxysmal, due to Bordetella pertussis (without pneumonia) A37.00
- - with pneumonia A37.01
- persistent R05.3
- psychogenic F45.8
- refractory R05.3
- smokers' J41.0
- specified NEC R05.8
- subacute R05.2
- syncope R05.4
- tea taster's B49
- unexplained R05.3
Counseling (for) Z71.9
- abuse NEC
- - perpetrator Z69.82
- - victim Z69.81
- alcohol abuser Z71.41
- - family Z71.42
- child abuse
- - nonparental
- - - perpetrator Z69.021
- - - victim Z69.020
- - parental
- - - perpetrator Z69.011
- - - victim Z69.010
- consanguinity Z71.89
- contraceptive Z30.09
- dietary Z71.3
- drug abuser Z71.51
- - family member Z71.52
- exercise Z71.82
- family Z71.89

- fertility preservation (prior to cancer therapy) (prior to removal of gonads) Z31.62
- for non-attending third party Z71.0
- - related to sexual behavior or orientation Z70.2
- genetic
- - nonprocreative Z71.83
- - procreative NEC Z31.5
- gestational carrier Z31.7
- health (advice) (education) (instruction) *-see* Counseling, medical
- - risk for travel (international) Z71.84
- human immunodeficiency virus (HIV) Z71.7
- immunization safety Z71.85
- impotence Z70.1
- insulin pump use Z46.81
- medical (for) Z71.9
- - boarding school resident Z59.3
- - consanguinity Z71.89
- - feared complaint and no disease found Z71.1
- - human immunodeficiency virus (HIV) Z71.7
- - institutional resident Z59.3
- - on behalf of another Z71.0
- - - related to sexual behavior or orientation Z70.2
- - person living alone *-see also* Consultation, specified reason NEC Z60.2
- - specified reason NEC Z71.89
- natural family planning
- - procreative Z31.61
- - to avoid pregnancy Z30.02
- pediatric-to-adult transition Z71.87
- perpetrator (of)
- - abuse NEC Z69.82
- - child abuse
- - - non-parental Z69.021
- - - parental Z69.011
- - rape NEC Z69.82
- - spousal abuse Z69.12
- procreative NEC Z31.69
- - fertility preservation (prior to cancer therapy) (prior to removal of gonads) Z31.62
- - using natural family planning Z31.61
- promiscuity Z70.1
- rape victim Z69.81
- religious Z71.81
- safety for travel (international) Z71.84
- sex, sexual (related to) Z70.9
- - attitude(s) Z70.0
- - behavior or orientation Z70.1
- - combined concerns Z70.3
- - non-responsiveness Z70.1
- - on behalf of third party Z70.2
- - specified reason NEC Z70.8
- socioeconomic factors Z71.88
- specified reason NEC Z71.89
- spiritual Z71.81
- spousal abuse (perpetrator) Z69.12
- - victim Z69.11
- substance abuse Z71.89
- - alcohol Z71.41
- - drug Z71.51
- - tobacco Z71.6
- tobacco use Z71.6
- travel (international) Z71.84
- use (of)

- - insulin pump Z46.81
- vaccine product safety Z71.85
- victim (of)
- - abuse Z69.81
- - child abuse
- - - by parent Z69.010
- - - non-parental Z69.020
- - rape NEC Z69.81
Coupled rhythm R00.8
Couvelaire syndrome or uterus (complicating delivery) O45.8X-
COVID-19 U07.1
- condition post U09.9
- contact (with) Z20.822
- exposure (to) Z20.822
- history of (personal) Z86.16
- long (haul) U09.9
- partially vaccinated (for) Z28.311
- pneumonia J12.82
- screening Z11.52
- sequelae (post acute) U09.9
- unvaccinated (for) Z28.310
Cowperitis -*see* Urethritis
Cowper's gland -*see* condition
Cowpox B08.010
- due to vaccination T88.1
Coxa
- magna M91.4-
- plana M91.2-
- valga (acquired) -*see also* Deformity, limb, specified type NEC, thigh
- - congenital Q65.81
- - sequelae (late effect) of rickets E64.3
- vara (acquired) -*see also* Deformity, limb, specified type NEC, thigh
- - congenital Q65.82
- - sequelae (late effect) of rickets E64.3
Coxalgia, coxalgic (nontuberculous) -*see also* Pain, joint, hip
- tuberculous A18.02
Coxitis -*see* Monoarthritis, hip
Coxsackie (virus) (infection) B34.1
- as cause of disease classified elsewhere B97.11
- carditis B33.20
- central nervous system NEC A88.8
- endocarditis B33.21
- enteritis A08.39
- meningitis (aseptic) A87.0
- myocarditis B33.22
- pericarditis B33.23
- pharyngitis B08.5
- pleurodynia B33.0
- specific disease NEC B33.8
Crabs, meaning pubic lice B85.3
Crack baby P04.41
Cracked nipple N64.0
- associated with
- - lactation O92.13
- - pregnancy O92.11-
- - puerperium O92.12
Cracked tooth K03.81
Cradle cap L21.0
Craft neurosis F48.8
Cramp(s) R25.2

- abdominal -*see* Pain, abdominal
- bathing T75.1
- colic R10.83
- - psychogenic F45.8
- due to immersion T75.1
- fireman T67.2
- heat T67.2
- immersion T75.1
- intestinal -*see* Pain, abdominal
- - psychogenic F45.8
- leg, sleep related G47.62
- limb (lower) (upper) NEC R25.2
- - sleep related G47.62
- linotypist's F48.8
- - organic G25.89
- muscle (limb) (general) R25.2
- - due to immersion T75.1
- - psychogenic F45.8
- occupational (hand) F48.8
- - organic G25.89
- salt-depletion E87.1
- sleep related, leg G47.62
- stoker's T67.2
- swimmer's T75.1
- telegrapher's F48.8
- - organic G25.89
- typist's F48.8
- - organic G25.89
- uterus N94.89
- - menstrual -*see* Dysmenorrhea
- writer's F48.8
- - organic G25.89

Cranial -*see* condition
Craniocleidodysostosis Q74.0
Craniofenestria (skull) Q75.8
Craniolacunia (skull) Q75.8
Craniopagus Q89.4
Craniopathy, metabolic M85.2
Craniopharyngeal -*see* condition
Craniopharyngioma D44.4
Craniorachischisis (totalis) Q00.1
Cranioschisis Q75.8
Craniostenosis Q75.009
Craniosynostosis Q75.009
- bilateral Q75.002
- coronal Q75.029
- - bilateral Q75.022
- - unilateral Q75.021
- lambdoid Q75.049
- - bilateral Q75.042
- - unilateral Q75.041
- metopic Q75.03
- multi-suture, specified NEC Q75.058
- sagittal Q75.01
- single-suture, specified NEC Q75.08
- unilateral Q75.001

Craniotabes (cause unknown) M83.8
- neonatal P96.3
- rachitic E64.3
- syphilitic A50.56

Cranium -*see* condition
Craw-craw -*see* Onchocerciasis
Creaking joint -*see* Derangement, joint, specified type NEC
Creeping
- eruption B76.9
- palsy or paralysis G12.22
Crenated tongue K14.8
Creotoxism A05.9
Crepitus
- caput Q75.8
- joint -*see* Derangement, joint, specified type NEC
Crescent or conus choroid, congenital Q14.3
CREST syndrome M34.1
Cretin, cretinism (congenital) (endemic) (nongoitrous) (sporadic) E00.9
- pelvis
- - with disproportion (fetopelvic) O33.0
- - - causing obstructed labor O65.0
- type
- - hypothyroid E00.1
- - mixed E00.2
- - myxedematous E00.1
- - neurological E00.0
Creutzfeldt-Jakob disease or syndrome (with dementia) A81.00
- familial A81.09
- iatrogenic A81.09
- specified NEC A81.09
- sporadic A81.09
- variant (vCJD) A81.01
Crib death R99
Cribriform hymen Q52.3
Cri-du-chat syndrome Q93.4
Crigler-Najjar disease or syndrome E80.5
Crime, victim of Z65.4
Crimean hemorrhagic fever A98.0
Criminalism F60.2
Crisis
- abdomen R10.0
- acute reaction F43.0
- addisonian E27.2
- adrenal (cortical) E27.2
- celiac K90.0
- Dietl's N13.8
- emotional -*see also* Disorder, adjustment
- - acute reaction to stress F43.0
- - specific to childhood and adolescence F93.8
- glaucomatocyclitic -*see* Glaucoma, secondary, inflammation
- heart -*see* Failure, heart
- nitritoid I95.2
- - correct substance properly administered -*see* Table of Drugs and Chemicals, by drug, adverse effect
- - overdose or wrong substance given or taken -*see* Table of Drugs and Chemicals, by drug, poisoning
- oculogyric H51.8
- - psychogenic F45.8
- Pel's (tabetic) A52.11
- psychosexual identity F64.2
- renal N28.0
- sickle-cell -*see also* Disease, sickle-cell, by type, with crisis D57.00
- - with
- - - acute chest syndrome D57.01
- - - cerebral vascular involvement D57.03
- - - complication specified NEC D57.09

- - - pain (vaso-occlusive) D57.00
- - - splenic sequestration D57.02
- state (acute reaction) F43.0
- tabetic A52.11
- thyroid -*see* Thyrotoxicosis with thyroid storm
- thyrotoxic -*see* Thyrotoxicosis with thyroid storm
Crocq's disease (acrocyanosis) I73.89
Crohn's disease -*see* Enteritis, regional
Crooked septum, nasal J34.2
Cross syndrome E70.328
Crossbite (anterior) (posterior) M26.24
Cross-eye -*see* Strabismus, convergent concomitant
Croup, croupous (catarrhal) (infectious) (inflammatory) (nondiphtheritic) J05.0
- bronchial J20.9
- diphtheritic A36.2
- false J38.5
- spasmodic J38.5
- - diphtheritic A36.2
- stridulous J38.5
- - diphtheritic A36.2
Crouzon's disease Q75.1
Crowding, tooth, teeth, fully erupted M26.31
CRST syndrome M34.1
Cruchet's disease A85.8
Cruelty in children -*see also* Disorder, conduct
Crural ulcer -*see* Ulcer, lower limb
Crush, crushed, crushing T14.8
- abdomen S38.1
- ankle S97.0-
- arm (upper) (and shoulder) S47.-
- axilla -*see* Crush, arm
- back, lower S38.1
- buttock S38.1
- cheek S07.0
- chest S28.0
- cranium S07.1
- ear S07.0
- elbow S57.0-
- extremity
- - lower
- - - ankle -*see* Crush, ankle
- - - below knee -*see* Crush, leg
- - - foot -*see* Crush, foot
- - - hip -*see* Crush, hip
- - - knee -*see* Crush, knee
- - - thigh -*see* Crush, thigh
- - - toe -*see* Crush, toe
- - upper
- - - below elbow S67.9-
- - - elbow -*see* Crush, elbow
- - - finger -*see* Crush, finger
- - - forearm -*see* Crush, forearm
- - - hand -*see* Crush, hand
- - - thumb -*see* Crush, thumb
- - - upper arm -*see* Crush, arm
- - - wrist -*see* Crush, wrist
- face S07.0
- finger(s) S67.1-
- - with hand (and wrist) -*see* Crush, hand, specified site NEC
- - index S67.19-

- - little S67.19-
- - middle S67.19-
- - ring S67.19-
- - thumb -*see* Crush, thumb
- foot S97.8-
- - toe -*see* Crush, toe
- forearm S57.8-
- genitalia, external
- - female S38.002
- - - vagina S38.03
- - - vulva S38.03
- - male S38.001
- - - penis S38.01
- - - scrotum S38.02
- - - testis S38.02
- hand (except fingers alone) S67.2-
- - with wrist S67.4-
- head S07.9
- - specified NEC S07.8
- heel -*see* Crush, foot
- hip S77.0-
- - with thigh S77.2-
- internal organ (abdomen, chest, or pelvis) NEC T14.8
- knee S87.0-
- labium (majus) (minus) S38.03
- larynx S17.0
- leg (lower) S87.8-
- - knee -*see* Crush, knee
- lip S07.0
- lower
- - back S38.1
- - leg -*see* Crush, leg
- neck S17.9
- nerve -*see* Injury, nerve
- nose S07.0
- pelvis S38.1
- penis S38.01
- scalp S07.8
- scapular region -*see* Crush, arm
- scrotum S38.02
- severe, unspecified site T14.8
- shoulder (and upper arm) -*see* Crush, arm
- skull S07.1
- syndrome (complication of trauma) T79.5
- testis S38.02
- thigh S77.1-
- - with hip S77.2-
- throat S17.8
- thumb S67.0-
- - with hand (and wrist) -*see* Crush, hand, specified site NEC
- toe(s) S97.10-
- - great S97.11-
- - lesser S97.12-
- trachea S17.0
- vagina S38.03
- vulva S38.03
- wrist S67.3-
- - with hand S67.4-

Crusta lactea L21.0

Crusts R23.4

Crutch paralysis -*see* Injury, brachial plexus
Cruveilhier-Baumgarten cirrhosis, disease or syndrome K74.69
Cruveilhier's atrophy or disease G12.8
Crying (constant) (continuous) (excessive)
- child, adolescent, or adult R45.83
- infant (baby) (newborn) R68.11
Cryofibrinogenemia D89.2
Cryoglobulinemia (essential) (idiopathic) (mixed) (primary) (purpura) (secondary) (vasculitis) D89.1
- with lung involvement D89.1 *[J99]*
Cryptitis (anal) (rectal) K62.89
Cryptococcosis, cryptococcus (infection) (neoformans) B45.9
- bone B45.3
- cerebral B45.1
- cutaneous B45.2
- disseminated B45.7
- generalized B45.7
- meningitis B45.1
- meningocerebralis B45.1
- osseous B45.3
- pulmonary B45.0
- skin B45.2
- specified NEC B45.8
Cryptopapillitis (anus) K62.89
Cryptophthalmos Q11.2
- syndrome Q87.0
Cryptorchid, cryptorchism, cryptorchidism Q53.9
- bilateral Q53.20
- - abdominal Q53.211
- - perineal Q53.22
- unilateral Q53.10
- - abdominal Q53.111
- - perineal Q53.12
Cryptosporidiosis A07.2
- hepatobiliary B88.8
- respiratory B88.8
Cryptostromosis J67.6
Crystalluria R82.998
Cubitus
- congenital Q68.8
- valgus (acquired) M21.0-
- - congenital Q68.8
- - sequelae (late effect) of rickets E64.3
- varus (acquired) M21.1-
- - congenital Q68.8
- - sequelae (late effect) of rickets E64.3
Cultural deprivation or shock Z60.3
Curling esophagus K22.4
Curling's ulcer -*see* Ulcer, peptic, acute
Curschmann (-Batten) (-Steinert) disease or syndrome G71.11
Curse, Ondine's -*see* Apnea, sleep
Curvature
- organ or site, congenital NEC -*see* Distortion
- penis (lateral) Q55.61
- Pott's (spinal) A18.01
- radius, idiopathic, progressive (congenital) Q74.0
- spine (acquired) (angular) (idiopathic) (incorrect) (postural) -*see* Dorsopathy, deforming
- - congenital Q67.5
- - due to or associated with
- - - Charcot-Marie-Tooth disease -*see also* subcategory M49.8 G60.0
- - - osteitis

- - - - deformans M88.88
- - - - fibrosa cystica -*see also* subcategory M49.8 E21.0
- - - tuberculosis (Pott's curvature) A18.01
- - sequelae (late effect) of rickets E64.3
- - tuberculous A18.01
Cushingoid due to steroid therapy E24.2
- correct substance properly administered -*see* Table of Drugs and Chemicals, by drug, adverse effect
- overdose or wrong substance given or taken -*see* Table of Drugs and Chemicals, by drug, poisoning
Cushing's
- syndrome or disease E24.9
- - drug-induced E24.2
- - iatrogenic E24.2
- - pituitary-dependent E24.0
- - specified NEC E24.8
- ulcer -*see* Ulcer, peptic, acute
Cusp, Carabelli - omit code
Cut (external) -*see also* Laceration
- muscle -*see* Injury, muscle
Cutaneous -*see also* condition
- hemorrhage R23.3
- larva migrans B76.9
Cutis -*see also* condition
- hyperelastica Q82.8
- - acquired L57.4
- laxa (hyperelastica) -*see* Dermatolysis
- marmorata R23.8
- osteosis L94.2
- pendula -*see* Dermatolysis
- rhomboidalis nuchae L57.2
- verticis gyrata Q82.8
- - acquired L91.8
Cyanosis R23.0
- due to
- - patent foramen botalli Q21.12
- - persistent foramen ovale Q21.12
- enterogenous D74.8
- paroxysmal digital -*see* Raynaud's disease
- - with gangrene I73.01
- retina, retinal H35.89
Cyanotic heart disease I24.9
- congenital Q24.9
Cycle
- anovulatory N97.0
- menstrual, irregular N92.6
Cyclencephaly Q04.9
Cyclical vomiting, in migraine, -*see also* Vomiting, cyclical G43.A0
- psychogenic F50.89
Cyclitis -*see also* Iridocyclitis H20.9
- chronic -*see* Iridocyclitis, chronic
- Fuchs' heterochromic H20.81-
- granulomatous -*see* Iridocyclitis, chronic
- lens-induced -*see* Iridocyclitis, lens-induced
- posterior H30.2-
Cycloid personality F34.0
Cyclophoria H50.54
Cyclopia, cyclops Q87.0
Cyclopism Q87.0
Cyclosporiasis A07.4
Cyclothymia F34.0
Cyclothymic personality F34.0

Cyclotropia H50.41-
Cylindroma -*see also* Neoplasm, malignant, by site
- eccrine dermal -*see* Neoplasm, skin, benign
- skin -*see* Neoplasm, skin, benign
Cylindruria R82.998
Cynanche
- diphtheritic A36.2
- tonsillaris J36
Cynophobia F40.218
Cynorexia R63.2
Cyphosis -*see* Kyphosis
Cyprus fever -*see* Brucellosis
Cyst (colloid) (mucous) (simple) (retention)
- adenoid (infected) J35.8
- adrenal gland E27.8
- - congenital Q89.1
- air, lung J98.4
- allantoic Q64.4
- alveolar process (jaw bone) M27.40
- amnion, amniotic O41.8X-
- aneurysmal M27.49
- anterior
- - chamber (eye) -*see* Cyst, iris
- - nasopalatine K09.1
- antrum J34.1
- anus K62.89
- apical (tooth) (periodontal) K04.8
- appendix K38.8
- arachnoid, brain (acquired) G93.0
- - congenital Q04.6
- arytenoid J38.7
- Baker's M71.2-
- - ruptured M66.0
- - tuberculous A18.02
- Bartholin's gland N75.0
- bile duct (common) (hepatic) K83.5
- bladder (multiple) (trigone) N32.89
- blue dome (breast) -*see* Cyst, breast
- bone (local) NEC M85.60
- - aneurysmal M85.50
- - - ankle M85.57-
- - - foot M85.57-
- - - forearm M85.53-
- - - hand M85.54-
- - - jaw M27.49
- - - lower leg M85.56-
- - - multiple site M85.59
- - - neck M85.58
- - - rib M85.58
- - - shoulder M85.51-
- - - skull M85.58
- - - specified site NEC M85.58
- - - thigh M85.55-
- - - toe M85.57-
- - - upper arm M85.52-
- - - vertebra M85.58
- - solitary M85.40
- - - ankle M85.47-
- - - fibula M85.46-
- - - foot M85.47-

- - - hand M85.44-
- - - humerus M85.42-
- - - jaw M27.49
- - - neck M85.48
- - - pelvis M85.45-
- - - radius M85.43-
- - - rib M85.48
- - - shoulder M85.41-
- - - skull M85.48
- - - specified site NEC M85.48
- - - tibia M85.46-
- - - toe M85.47-
- - - ulna M85.43-
- - - vertebra M85.48
- - specified type NEC M85.60
- - - ankle M85.67-
- - - foot M85.67-
- - - forearm M85.63-
- - - hand M85.64-
- - - jaw M27.40
- - - - developmental (nonodontogenic) K09.1
- - - - - odontogenic K09.0
- - - - latent M27.0
- - - lower leg M85.66-
- - - multiple site M85.69
- - - neck M85.68
- - - rib M85.68
- - - shoulder M85.61-
- - - skull M85.68
- - - specified site NEC M85.68
- - - thigh M85.65-
- - - toe M85.67-
- - - upper arm M85.62-
- - - vertebra M85.68
- brain (acquired) G93.0
- - congenital Q04.6
- - hydatid B67.99 *[G94]*
- - third ventricle (colloid), congenital Q04.6
- branchial (cleft) Q18.0
- branchiogenic Q18.0
- breast (benign) (blue dome) (pedunculated) (solitary) N60.0-
- - involution *-see* Dysplasia, mammary, specified type NEC
- - sebaceous *-see* Dysplasia, mammary, specified type NEC
- broad ligament (benign) N83.8
- bronchogenic (mediastinal) (sequestration) J98.4
- - congenital Q33.0
- buccal K09.8
- bulbourethral gland N36.8
- bursa, bursal NEC M71.30
- - with rupture *-see* Rupture, synovium
- - ankle M71.37-
- - elbow M71.32-
- - foot M71.37-
- - hand M71.34-
- - hip M71.35-
- - multiple sites M71.39
- - pharyngeal J39.2
- - popliteal space *-see* Cyst, Baker's
- - shoulder M71.31-
- - specified site NEC M71.38

- - wrist M71.33-
- calcifying odontogenic D16.5
- - upper jaw (bone) (maxilla) D16.4
- canal of Nuck (female) N94.89
- - congenital Q52.4
- canthus -*see* Cyst, conjunctiva
- carcinomatous -*see* Neoplasm, malignant, by site
- cauda equina G95.89
- cavum septi pellucidi -*see* Cyst, brain
- celomic (pericardium) Q24.8
- cerebellopontine (angle) -*see* Cyst, brain
- cerebellum -*see* Cyst, brain
- cerebral -*see* Cyst, brain
- cervical lateral Q18.0
- cervix NEC N88.8
- - embryonic Q51.6
- - nabothian N88.8
- chiasmal optic NEC -*see* Disorder, optic, chiasm
- chocolate (ovary) N80.10-
- choledochus, congenital Q44.4
- chorion O41.8X-
- choroid plexus G93.0
- - congenital Q04.6
- ciliary body -*see* Cyst, iris
- clitoris N90.7
- colon K63.89
- common (bile) duct K83.5
- congenital NEC Q89.8
- - adrenal gland Q89.1
- - epiglottis Q31.8
- - esophagus Q39.8
- - fallopian tube Q50.4
- - kidney Q61.00
- - - more than one (multiple) Q61.02
- - - - specified as polycystic Q61.3
- - - - - adult type Q61.2
- - - - - infantile type NEC Q61.19
- - - - - - collecting duct dilation Q61.11
- - - solitary Q61.01
- - larynx Q31.8
- - liver Q44.6
- - lung Q33.0
- - mediastinum Q34.1
- - ovary Q50.1
- - oviduct Q50.4
- - periurethral (tissue) Q64.79
- - prepuce Q55.69
- - salivary gland (any) Q38.4
- - sublingual Q38.6
- - submaxillary gland Q38.6
- - thymus (gland) Q89.2
- - tongue Q38.3
- - ureterovesical orifice Q62.8
- - vulva Q52.79
- conjunctiva H11.44-
- cornea H18.89-
- corpora quadrigemina G93.0
- corpus
- - albicans N83.29-
- - luteum (hemorrhagic) (ruptured) N83.1-

- Cowper's gland (benign) (infected) N36.8
- cranial meninges G93.0
- craniobuccal pouch E23.6
- craniopharyngeal pouch E23.6
- cystic duct K82.8
- Cysticercus *-see* Cysticercosis
- Dandy-Walker Q03.1
- - with spina bifida *-see* Spina bifida
- dental (root) K04.8
- - developmental K09.0
- - eruption K09.0
- - primordial K09.0
- dentigerous (mandible) (maxilla) K09.0
- dermoid *-see* Neoplasm, benign, by site
- - with malignant transformation C56.-
- - implantation
- - - external area or site (skin) NEC L72.0
- - - iris *-see* Cyst, iris, implantation
- - - vagina N89.8
- - - vulva N90.7
- - mouth K09.8
- - oral soft tissue K09.8
- - sacrococcygeal *-see* Cyst, pilonidal
- developmental K09.1
- - odontogenic K09.0
- - oral region (nonodontogenic) K09.1
- - ovary, ovarian Q50.1
- dura (cerebral) G93.0
- - spinal G96.198
- ear (external) Q18.1
- echinococcal *-see* Echinococcus
- embryonic
- - cervix uteri Q51.6
- - fallopian tube Q50.4
- - vagina Q52.4
- endometrium, endometrial (uterus) N85.8
- - ectopic *-see* Endometriosis
- enterogenous Q43.8
- epidermal, epidermoid (inclusion) (see also Cyst, skin) L72.0
- - mouth K09.8
- - oral soft tissue K09.8
- epididymis N50.3
- epiglottis J38.7
- epiphysis cerebri E34.8
- epithelial (inclusion) L72.0
- epoophoron Q50.5
- eruption K09.0
- esophagus K22.89
- ethmoid sinus J34.1
- external female genital organs NEC N90.7
- eye NEC H57.89
- - congenital Q15.8
- eyelid (sebaceous) H02.829
- - infected *-see* Hordeolum
- - left H02.826
- - - lower H02.825
- - - upper H02.824
- - right H02.823
- - - lower H02.822
- - - upper H02.821

- fallopian tube N83.8
- - congenital Q50.4
- fimbrial (twisted) Q50.4
- fissural (oral region) K09.1
- follicle (graafian) (hemorrhagic) N83.0-
- - nabothian N88.8
- follicular (atretic) (hemorrhagic) (ovarian) N83.0-
- - dentigerous K09.0
- - odontogenic K09.0
- - skin L72.9
- - - specified NEC L72.8
- frontal sinus J34.1
- gallbladder K82.8
- ganglion -*see* Ganglion
- Gartner's duct Q52.4
- gingiva K09.0
- gland of Moll -*see* Cyst, eyelid
- globulomaxillary K09.1
- graafian follicle (hemorrhagic) N83.0-
- granulosal lutein (hemorrhagic) N83.1-
- hemangiomatous D18.00
- - intra-abdominal D18.03
- - intracranial D18.02
- - skin D18.01
- - specified site NEC D18.09
- hemorrhagic M27.49
- hydatid -*see also* Echinococcus B67.90
- - brain B67.99 *[G94]*
- - liver -*see also* Cyst, liver, hydatid B67.8
- - lung NEC B67.99 *[J99]*
- - Morgagni
- - - female Q50.5
- - - male (epididymal) Q55.4
- - - - testicular Q55.29
- - specified site NEC B67.99
- hymen N89.8
- - embryonic Q52.4
- hypopharynx J39.2
- hypophysis, hypophyseal (duct) (recurrent) E23.6
- - cerebri E23.6
- implantation (dermoid)
- - external area or site (skin) NEC L72.0
- - iris -*see* Cyst, iris, implantation
- - vagina N89.8
- - vulva N90.7
- incisive canal K09.1
- inclusion (epidermal) (epithelial) (epidermoid) (squamous) L72.0
- - not of skin - code under Cyst, by site
- intestine (large) (small) K63.89
- intracranial -*see* Cyst, brain
- intraligamentous -*see also* Disorder, ligament
- - knee -*see* Derangement, knee
- intrasellar E23.6
- iris H21.309
- - exudative H21.31-
- - idiopathic H21.30-
- - implantation H21.32-
- - parasitic H21.33-
- - pars plana (primary) H21.34-
- - - exudative H21.35-

- jaw (bone) M27.40
- - aneurysmal M27.49
- - hemorrhagic M27.49
- - traumatic M27.49
- - developmental (odontogenic) K09.0
- - fissural K09.1
- joint NEC -*see* Disorder, joint, specified type NEC
- kidney N28.1
- - acquired N28.1
- - calyceal -*see* Hydronephrosis
- - congenital Q61.00
- - more than one (multiple) Q61.02
- - - specified as polycystic Q61.3
- - - - adult type (autosomal dominant) Q61.2
- - - - infantile type (autosomal recessive) NEC Q61.19
- - - - - collecting duct dilation Q61.11
- - pyelogenic -*see* Hydronephrosis
- - simple N28.1
- - solitary (single) N28.1
- - - acquired N28.1
- - - congenital Q61.01
- labium (majus) (minus) N90.7
- - sebaceous N90.7
- lacrimal -*see also* Disorder, lacrimal system, specified NEC
- - gland H04.13-
- - passages or sac -*see* Disorder, lacrimal system, specified NEC
- larynx J38.7
- lateral periodontal K09.0
- lens H27.8
- - congenital Q12.8
- lip (gland) K13.0
- liver (idiopathic) (simple) K76.89
- - congenital Q44.6
- - hydatid B67.8
- - - granulosus B67.0
- - - multilocularis B67.5
- lung J98.4
- - congenital Q33.0
- - giant bullous J43.9
- lutein N83.1-
- lymphangiomatous D18.1
- lymphoepithelial, oral soft tissue K09.8
- macula -*see* Degeneration, macula, hole
- malignant -*see* Neoplasm, malignant, by site
- mammary gland -*see* Cyst, breast
- mandible M27.40
- - dentigerous K09.0
- - radicular K04.8
- maxilla M27.40
- - dentigerous K09.0
- - radicular K04.8
- medial, face and neck Q18.8
- median
- - anterior maxillary K09.1
- - palatal K09.1
- mediastinum, congenital Q34.1
- meibomian (gland) -*see* Chalazion
- - infected -*see* Hordeolum
- membrane, brain G93.0
- meninges (cerebral) G93.0

- - spinal G96.198
- meniscus, knee -*see* Derangement, knee, meniscus, cystic
- mesentery, mesenteric K66.8
- - chyle I89.8
- mesonephric duct
- - female Q50.5
- - male Q55.4
- milk N64.89
- Morgagni (hydatid)
- - female Q50.5
- - male (epididymal) Q55.4
- - - testicular Q55.29
- mouth K09.8
- Müllerian duct Q50.4
- - appendix testis Q55.29
- - cervix Q51.6
- - fallopian tube Q50.4
- - female Q50.4
- - male Q55.29
- - prostatic utricle Q55.4
- - vagina (embryonal) Q52.4
- multilocular (ovary) D39.10
- - benign -*see* Neoplasm, benign, by site
- myometrium N85.8
- nabothian (follicle) (ruptured) N88.8
- nasoalveolar K09.1
- nasolabial K09.1
- nasopalatine (anterior) (duct) K09.1
- nasopharynx J39.2
- neoplastic -*see* Neoplasm, uncertain behavior, by site
- - benign -*see* Neoplasm, benign, by site
- nerve root
- - cervical G96.191
- - lumbar G96.191
- - sacral G96.191
- - thoracic G96.191
- nervous system NEC G96.89
- neuroenteric (congenital) Q06.8
- nipple -*see* Cyst, breast
- nose (turbinates) J34.1
- - sinus J34.1
- odontogenic, developmental K09.0
- omentum (lesser) K66.8
- - congenital Q45.8
- ora serrata -*see* Cyst, retina, ora serrata
- oral
- - region K09.9
- - - developmental (nonodontogenic) K09.1
- - - specified NEC K09.8
- - soft tissue K09.9
- - - specified NEC K09.8
- orbit H05.81-
- ovary, ovarian (twisted) N83.20-
- - adherent N83.20-
- - chocolate N80.10-
- - corpus
- - - albicans N83.29-
- - - luteum (hemorrhagic) N83.1-
- - dermoid D27.9
- - developmental Q50.1

- - due to failure of involution NEC N83.20-
- - endometrial N80.10-
- - follicular (graafian) (hemorrhagic) N83.0-
- - hemorrhagic N83.20-
- - in pregnancy or childbirth O34.8-
- - - with obstructed labor O65.5
- - multilocular D39.10
- - pseudomucinous D27.9
- - retention N83.29-
- - serous N83.20-
- - specified NEC N83.29-
- - theca lutein (hemorrhagic) N83.1-
- - tuberculous A18.18
- oviduct N83.8
- palate (median) (fissural) K09.1
- palatine papilla (jaw) K09.1
- pancreas, pancreatic (hemorrhagic) (true) K86.2
- - congenital Q45.2
- - false K86.3
- paralabral
- - hip M24.85-
- - shoulder S43.43-
- paramesonephric duct Q50.4
- - female Q50.4
- - male Q55.29
- paranephric N28.1
- paraphysis, cerebri, congenital Q04.6
- parasitic B89
- parathyroid (gland) E21.4
- paratubal N83.8
- paraurethral duct N36.8
- paroophoron Q50.5
- parotid gland K11.6
- parovarian Q50.5
- pelvis, female N94.89
- - in pregnancy or childbirth O34.8-
- - - causing obstructed labor O65.5
- penis (sebaceous) N48.89
- periapical K04.8
- pericardial (congenital) Q24.8
- - acquired (secondary) I31.8
- pericoronal K09.0
- perineural G96.191
- periodontal K04.8
- - lateral K09.0
- peripelvic (lymphatic) N28.1
- peritoneum K66.8
- - chylous I89.8
- periventricular, acquired, newborn P91.1
- pharynx (wall) J39.2
- pilar L72.11
- pilonidal (infected) (rectum) L05.91
- - with abscess L05.01
- - malignant C44.59-
- pituitary (duct) (gland) E23.6
- placenta O43.19-
- pleura J94.8
- popliteal -*see* Cyst, Baker's
- porencephalic Q04.6
- - acquired G93.0

- postanal (infected) -*see* Cyst, pilonidal
- postmastoidectomy cavity (mucosal) -*see* Complications, postmastoidectomy, cyst
- preauricular Q18.1
- prepuce N47.4
- - congenital Q55.69
- primordial (jaw) K09.0
- prostate N42.83
- pseudomucinous (ovary) D27.9
- pupillary, miotic H21.27-
- radicular (residual) K04.8
- radiculodental K04.8
- ranular K11.8
- Rathke's pouch E23.6
- rectum (epithelium) (mucous) K62.89
- renal -*see* Cyst, kidney
- residual (radicular) K04.8
- retention (ovary) N83.29-
- - salivary gland K11.6
- retina H33.19-
- - ora serrata H33.11-
- - parasitic H33.12-
- retroperitoneal K68.9
- sacrococcygeal (dermoid) -*see* Cyst, pilonidal
- salivary gland or duct (mucous extravasation or retention) K11.6
- Sampson's N80.10-
- sclera H15.89
- scrotum L72.9
- - sebaceous L72.3
- sebaceous (duct) (gland) L72.3
- - breast -*see* Dysplasia, mammary, specified type NEC
- - eyelid -*see* Cyst, eyelid
- - genital organ NEC
- - - female N94.89
- - - male N50.89
- - scrotum L72.3
- semilunar cartilage (knee) (multiple) -*see* Derangement, knee, meniscus, cystic
- seminal vesicle N50.89
- serous (ovary) N83.20-
- sinus (accessory) (nasal) J34.1
- Skene's gland N36.8
- skin L72.9
- - breast -*see* Dysplasia, mammary, specified type NEC
- - epidermal, epidermoid L72.0
- - epithelial L72.0
- - eyelid -*see* Cyst, eyelid
- - genital organ NEC
- - - female N90.7
- - - male N50.89
- - inclusion L72.0
- - scrotum L72.9
- - sebaceous L72.3
- - sweat gland or duct L74.8
- solitary
- - bone -*see* Cyst, bone, solitary
- - jaw M27.40
- - kidney N28.1
- spermatic cord N50.89
- sphenoid sinus J34.1
- spinal meninges G96.198
- spleen NEC D73.4

- - congenital Q89.09
- - hydatid -*see also* Echinococcus B67.99 *[D77]*
- Stafne's M27.0
- subarachnoid intrasellar R93.0
- subcutaneous, pheomycotic (chromomycotic) B43.2
- subdural (cerebral) G93.0
- - spinal cord G96.198
- sublingual gland K11.6
- submandibular gland K11.6
- submaxillary gland K11.6
- suburethral N36.8
- suprarenal gland E27.8
- suprasellar -*see* Cyst, brain
- sweat gland or duct L74.8
- synovial -*see also* Cyst, bursa
- - ruptured -*see* Rupture, synovium
- Tarlov G96.191
- tarsal -*see* Chalazion
- tendon (sheath) -*see* Disorder, tendon, specified type NEC
- testis N44.2
- - tunica albuginea N44.1
- theca lutein (ovary) N83.1-
- Thornwaldt's J39.2
- thymus (gland) E32.8
- thyroglossal duct (infected) (persistent) Q89.2
- thyrolingual duct (infected) (persistent) Q89.2
- thyroid (gland) E04.1
- tongue K14.8
- tonsil J35.8
- tooth -*see* Cyst, dental
- Tornwaldt's J39.2
- trichilemmal (proliferating) L72.12
- trichodermal L72.12
- tubal (fallopian) N83.8
- - inflammatory -*see* Salpingitis, chronic
- tubo-ovarian N83.8
- - inflammatory N70.13
- tunica
- - albuginea testis N44.1
- - vaginalis N50.89
- turbinate (nose) J34.1
- Tyson's gland N48.89
- urachus, congenital Q64.4
- ureter N28.89
- ureterovesical orifice N28.89
- urethra, urethral (gland) N36.8
- uterine ligament N83.8
- uterus (body) (corpus) (recurrent) N85.8
- - embryonic Q51.818
- - - cervix Q51.6
- vagina, vaginal (implantation) (inclusion) (squamous cell) (wall) N89.8
- - embryonic Q52.4
- vallecula, vallecular (epiglottis) J38.7
- vesical (orifice) N32.89
- vitreous body H43.89
- vulva (implantation) (inclusion) N90.7
- - congenital Q52.79
- - sebaceous gland N90.7
- vulvovaginal gland N90.7
- wolffian

- - female Q50.5
- - male Q55.4
Cystadenocarcinoma *-see* Neoplasm, malignant, by site
- bile duct C22.1
- endometrioid *-see* Neoplasm, malignant, by site
- - specified site *-see* Neoplasm, malignant, by site
- - unspecified site
- - - female C56.9
- - - male C61
- mucinous
- - papillary
- - - specified site *-see* Neoplasm, malignant, by site
- - - unspecified site C56.9
- - specified site *-see* Neoplasm, malignant, by site
- - unspecified site C56.9
- papillary
- - mucinous
- - - specified site *-see* Neoplasm, malignant, by site
- - - unspecified site C56.9
- - pseudomucinous
- - - specified site *-see* Neoplasm, malignant, by site
- - - unspecified site C56.9
- - serous
- - - specified site *-see* Neoplasm, malignant, by site
- - - unspecified site C56.9
- - specified site *-see* Neoplasm, malignant, by site
- - unspecified site C56.9
- pseudomucinous
- - papillary
- - - specified site *-see* Neoplasm, malignant, by site
- - - unspecified site C56.9
- - specified site *-see* Neoplasm, malignant, by site
- - unspecified site C56.9
- serous
- - papillary
- - - specified site *-see* Neoplasm, malignant, by site
- - - unspecified site C56.9
- - specified site *-see* Neoplasm, malignant, by site
- - unspecified site C56.9
Cystadenofibroma
- clear cell *-see* Neoplasm, benign, by site
- endometrioid D27.9
- - borderline malignancy D39.1-
- - malignant C56.-
- mucinous
- - specified site *-see* Neoplasm, benign, by site
- - unspecified site D27.9
- serous
- - specified site *-see* Neoplasm, benign, by site
- - unspecified site D27.9
- specified site *-see* Neoplasm, benign, by site
- unspecified site D27.9
Cystadenoma *-see also* Neoplasm, benign, by site
- bile duct D13.4
- endometrioid *-see* Neoplasm, benign, by site
- - borderline malignancy *-see* Neoplasm, uncertain behavior, by site
- malignant *-see* Neoplasm, malignant, by site
- mucinous
- - borderline malignancy
- - - ovary C56.-

- - - specified site NEC -*see* Neoplasm, uncertain behavior, by site
- - - unspecified site C56.9
- - papillary
- - - borderline malignancy
- - - - ovary C56.-
- - - - specified site NEC -*see* Neoplasm, uncertain behavior, by site
- - - - unspecified site C56.9
- - - specified site -*see* Neoplasm, benign, by site
- - - unspecified site D27.9
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D27.9
- papillary
- - borderline malignancy
- - - ovary C56.-
- - - specified site NEC -*see* Neoplasm, uncertain behavior, by site
- - - unspecified site C56.9
- - lymphomatosum
- - - specified site -*see* Neoplasm, benign, by site
- - - unspecified site D11.9
- - mucinous
- - - borderline malignancy
- - - - ovary C56.-
- - - - specified site NEC -*see* Neoplasm, uncertain behavior, by site
- - - - unspecified site C56.9
- - - specified site -*see* Neoplasm, benign, by site
- - - unspecified site D27.9
- - pseudomucinous
- - - borderline malignancy
- - - - ovary C56.-
- - - - specified site NEC -*see* Neoplasm, uncertain behavior, by site
- - - - unspecified site C56.9
- - - specified site -*see* Neoplasm, benign, by site
- - - unspecified site D27.9
- - serous
- - - borderline malignancy
- - - - ovary C56.-
- - - - specified site NEC -*see* Neoplasm, uncertain behavior, by site
- - - - unspecified site C56.9
- - - specified site -*see* Neoplasm, benign, by site
- - - unspecified site D27.9
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D27.9
- pseudomucinous
- - borderline malignancy
- - - ovary C56.-
- - - specified site NEC -*see* Neoplasm, uncertain behavior, by site
- - - unspecified site C56.9
- - papillary
- - - borderline malignancy
- - - - ovary C56.-
- - - - specified site NEC -*see* Neoplasm, uncertain behavior, by site
- - - - unspecified site C56.9
- - - specified site -*see* Neoplasm, benign, by site
- - - unspecified site D27.9
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D27.9
- serous
- - borderline malignancy
- - - ovary C56.-
- - - specified site NEC -*see* Neoplasm, uncertain behavior, by site

- - - unspecified site C56.9
- - papillary
- - - borderline malignancy
- - - - ovary C56.-
- - - - specified site NEC -*see* Neoplasm, uncertain behavior, by site
- - - - unspecified site C56.9
- - - specified site -*see* Neoplasm, benign, by site
- - - unspecified site D27.9
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D27.9
Cystathionine synthase deficiency E72.11
Cystathioninemia E72.19
Cystathioninuria E72.19
Cystic -*see also* condition
- breast (chronic) -*see* Mastopathy, cystic
- corpora lutea (hemorrhagic) N83.1-
- duct -*see* condition
- eyeball (congenital) Q11.0
- fibrosis -*see* Fibrosis, cystic
- kidney (congenital) Q61.9
- - adult type Q61.2
- - infantile type NEC Q61.19
- - - collecting duct dilatation Q61.11
- - medullary Q61.5
- liver, congenital Q44.6
- lung disease J98.4
- - congenital Q33.0
- mastitis, chronic -*see* Mastopathy, cystic
- medullary, kidney Q61.5
- meniscus -*see* Derangement, knee, meniscus, cystic
- ovary N83.20-
Cysticercosis, cysticerciasis B69.9
- with
- - epileptiform fits B69.0
- - myositis B69.81
- brain B69.0
- central nervous system B69.0
- cerebral B69.0
- ocular B69.1
- specified NEC B69.89
Cysticercus cellulose infestation -*see* Cysticercosis
Cystinosis (malignant) E72.04
Cystinuria E72.01
Cystitis (exudative) (hemorrhagic) (septic) (suppurative) N30.90
- with
- - fibrosis -*see* Cystitis, chronic, interstitial
- - hematuria N30.91
- - leukoplakia -*see* Cystitis, chronic, interstitial
- - malakoplakia -*see* Cystitis, chronic, interstitial
- - metaplasia -*see* Cystitis, chronic, interstitial
- - prostatitis N41.3
- acute N30.00
- - with hematuria N30.01
- - of trigone N30.30
- - - with hematuria N30.31
- allergic -*see* Cystitis, specified type NEC
- amebic A06.81
- bilharzial B65.9 *[N33]*
- blennorrhagic (gonococcal) A54.01
- bullous -*see* Cystitis, specified type NEC

- calculous N21.0
- chlamydial A56.01
- chronic N30.20
- - with hematuria N30.21
- - interstitial N30.10
- - - with hematuria N30.11
- - of trigone N30.30
- - - with hematuria N30.31
- - specified NEC N30.20
- - - with hematuria N30.21
- cystic (a) -*see* Cystitis, specified type NEC
- diphtheritic A36.85
- echinococcal
- - granulosus B67.39
- - multilocularis B67.69
- emphysematous -*see* Cystitis, specified type NEC
- encysted -*see* Cystitis, specified type NEC
- eosinophilic -*see* Cystitis, specified type NEC
- follicular -*see* Cystitis, of trigone
- gangrenous -*see* Cystitis, specified type NEC
- glandularis -*see* Cystitis, specified type NEC
- gonococcal A54.01
- incrusted -*see* Cystitis, specified type NEC
- interstitial (chronic) -*see* Cystitis, chronic, interstitial
- irradiation N30.40
- - with hematuria N30.41
- irritation -*see* Cystitis, specified type NEC
- malignant -*see* Cystitis, specified type NEC
- of trigone N30.30
- - with hematuria N30.31
- panmural -*see* Cystitis, chronic, interstitial
- polyposa -*see* Cystitis, specified type NEC
- prostatic N41.3
- puerperal (postpartum) O86.22
- radiation -*see* Cystitis, irradiation
- specified type NEC N30.80
- - with hematuria N30.81
- subacute -*see* Cystitis, chronic
- submucous -*see* Cystitis, chronic, interstitial
- syphilitic (late) A52.76
- trichomonal A59.03
- tuberculous A18.12
- ulcerative -*see* Cystitis, chronic, interstitial

Cystocele (-urethrocele)
- female N81.10
- - with prolapse of uterus -*see* Prolapse, uterus
- - lateral N81.12
- - midline N81.11
- - paravaginal N81.12
- in pregnancy or childbirth O34.8-
- - causing obstructed labor O65.5
- male N32.89

Cystolithiasis N21.0

Cystoma -*see also* Neoplasm, benign, by site
- endometrial, ovary N80.10-
- mucinous
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D27.9
- serous
- - specified site -*see* Neoplasm, benign, by site

- - unspecified site D27.9
- simple (ovary) N83.29-
Cystoplegia N31.2
Cystoptosis N32.89
Cystopyelitis -*see* Pyelonephritis
Cystorrhagia N32.89
Cystosarcoma phyllodes D48.6-
- benign D24-
- malignant -*see* Neoplasm, breast, malignant
Cystostomy
- attention to Z43.5
- complication -*see* Complications, cystostomy
- status Z93.50
- - appendico-vesicostomy Z93.52
- - cutaneous Z93.51
- - specified NEC Z93.59
Cystourethritis -*see* Urethritis
Cystourethrocele -*see also* Cystocele
- female N81.10
- - with uterine prolapse -*see* Prolapse, uterus
- - lateral N81.12
- - midline N81.11
- - paravaginal N81.12
- male N32.89
Cytomegalic inclusion disease
- congenital P35.1
Cytomegalovirus infection B25.9
Cytomycosis (reticuloendothelial) B39.4
Cytopenia D75.9
- refractory
- - with multilineage dysplasia D46.A
- - - and ring sideroblasts (RCMD RS) D46.B
Czerny's disease (periodic hydrarthrosis of the knee) -*see* Effusion, joint, knee

D

Daae (-Finsen) disease (epidemic pleurodynia) B33.0
Da Costa's syndrome F45.8
Dabney's grip B33.0
Dacryoadenitis, dacryadenitis H04.00-
- acute H04.01-
- chronic H04.02-
Dacryocystitis H04.30-
- acute H04.32-
- chronic H04.41-
- neonatal P39.1
- phlegmonous H04.31-
- syphilitic A52.71
- - congenital (early) A50.01
- trachomatous, active A71.1
- - sequelae (late effect) B94.0
Dacryocystoblennorrhea -*see* Inflammation, lacrimal, passages, chronic
Dacryocystocele -*see* Disorder, lacrimal system, changes
Dacryolith, dacryolithiasis H04.51-
Dacryoma -*see* Disorder, lacrimal system, changes
Dacryopericystitis -*see* Dacryocystitis
Dacryops H04.11-
Dacryostenosis -*see also* Stenosis, lacrimal
- congenital Q10.5
Dactylitis

- bone -*see* Osteomyelitis
- sickle-cell D57.00
- - Hb C D57.219
- - Hb SS D57.00
- - specified NEC D57.819
- skin L08.9
- syphilitic A52.77
- tuberculous A18.03

Dactylolysis spontanea (ainhum) L94.6

Dactylosymphysis Q70.9
- fingers -*see* Syndactylism, complex, fingers
- toes -*see* Syndactylism, complex, toes

Damage
- arteriosclerotic -*see* Arteriosclerosis
- brain (nontraumatic) G93.9
- - anoxic, hypoxic G93.1
- - - resulting from a procedure G97.82
- - child NEC G80.9
- - due to birth injury P11.2
- cardiorenal (vascular) -*see* Hypertension, cardiorenal
- cerebral NEC -*see* Damage, brain
- coccyx, complicating delivery O71.6
- coronary -*see* Disease, heart, ischemic
- deep tissue, pressure-induced -*see also* L89 with final character .6
- eye, birth injury P15.3
- liver (nontraumatic) K76.9
- - alcoholic K70.9
- - due to drugs -*see* Disease, liver, toxic
- - toxic -*see* Disease, liver, toxic
- lung
- - dabbing (related) U07.0
- - electronic cigarette (related) U07.0
- - vaping (associated) (device) (product) (use) U07.0
- medication T88.7
- organ
- - dabbing (related) U07.0
- - electronic cigarette (related) U07.0
- - vaping (associated) (device) (product) (use) U07.0
- pelvic
- - joint or ligament, during delivery O71.6
- - organ NEC
- - - during delivery O71.5
- - - following ectopic or molar pregnancy O08.6
- renal -*see* Disease, renal
- subendocardium, subendocardial -*see* Degeneration, myocardial
- vascular I99.9

Dana-Putnam syndrome (subacute combined sclerosis with pernicious anemia) -*see* Degeneration, combined

Danbolt (-Cross) syndrome (acrodermatitis enteropathica) E83.2

Dandruff L21.0

Dandy-Walker syndrome Q03.1
- with spina bifida -*see* Spina bifida

Danlos' syndrome -*see also* Syndrome, Ehlers-Danlos Q79.60

Darier (-White) disease (congenital) Q82.8
- meaning erythema annulare centrifugum L53.1

Darier-Roussy sarcoid D86.3

Darling's disease or histoplasmosis B39.4

Darwin's tubercle Q17.8

Dawson's (inclusion body) encephalitis A81.1

De Beurmann (-Gougerot) disease B42.1

De la Tourette's syndrome F95.2

De Lange's syndrome Q87.19
De Morgan's spots (senile angiomas) I78.1
De Quervain's
- disease (tendon sheath) M65.4
- syndrome E34.51
- thyroiditis (subacute granulomatous thyroiditis) E06.1
De Toni-Fanconi (-Debré) syndrome E72.09
- with cystinosis E72.04
Dead
- fetus, retained (mother) O36.4
- - early pregnancy O02.1
- labyrinth -see subcategory H83.2
- ovum, retained O02.0
Deaf nonspeaking NEC H91.3
Deafmutism (acquired) (congenital) NEC H91.3
- hysterical F44.6
- syphilitic, congenital -*see also* subcategory H94.8 A50.09
Deafness (acquired) (complete) (hereditary) (partial) H91.9-
- with blue sclera and fragility of bone Q78.0
- auditory fatigue -*see* Deafness, specified type NEC
- aviation T70.0
- - nerve injury -*see* Injury, nerve, acoustic, specified type NEC
- boilermaker's -see subcategory H83.3
- central -*see* Deafness, sensorineural
- conductive H90.2
- - and sensorineural
- - - mixed H90.8
- - - - bilateral H90.6
- - bilateral H90.0
- - unilateral H90.1-
- - - with restricted hearing on the contralateral side H90.A-
- congenital H90.5
- - with blue sclera and fragility of bone Q78.0
- due to toxic agents -*see* Deafness, ototoxic
- emotional (hysterical) F44.6
- functional (hysterical) F44.6
- high frequency H91.9-
- hysterical F44.6
- low frequency H91.9-
- mental R48.8
- mixed conductive and sensorineural H90.8
- - bilateral H90.6
- - unilateral H90.7-
- nerve -*see* Deafness, sensorineural
- neural -*see* Deafness, sensorineural
- noise-induced -*see also* subcategory H83.3
- - nerve injury -*see* Injury, nerve, acoustic, specified type NEC
- nonspeaking H91.3
- ototoxic -see subcategory H91.0
- perceptive -*see* Deafness, sensorineural
- psychogenic (hysterical) F44.6
- sensorineural H90.5
- - and conductive
- - - mixed H90.8
- - - - bilateral H90.6
- - bilateral H90.3
- - unilateral H90.4-
- - - with restricted hearing on the contralateral side H90.A-
- sensory -*see* Deafness, sensorineural
- specified type NEC -see subcategory H91.8

- sudden (idiopathic) H91.2-
- syphilitic A52.15
- transient ischemic H93.01-
- traumatic -*see* Injury, nerve, acoustic, specified type NEC
- word (developmental) H93.25

Death (cause unknown) (of) (unexplained) (unspecified cause) R99
- brain G93.82
- cardiac (sudden) (with successful resuscitation) -*see* Arrest, cardiac
- - family history of Z82.41
- - personal history of Z86.74
- family member (assumed) Z63.4

Debility (chronic) (general) (nervous) R53.81
- congenital or neonatal NOS P96.9
- nervous R53.81
- old age R54
- senile R54

Débove's disease (splenomegaly) R16.1

Debt, burdensome Z59.86

Decalcification
- bone -*see* Osteoporosis
- teeth K03.89

Decapsulation, kidney N28.89

Decay
- dental -*see* Caries, dental
- senile R54
- tooth, teeth -*see* Caries, dental

Deciduitis (acute)
- following ectopic or molar pregnancy O08.0

Decline (general) -*see* Debility
- cognitive, age-associated R41.81

Decompensation
- cardiac (acute) (chronic) -*see* Disease, heart
- cardiovascular -*see* Disease, cardiovascular
- heart -*see* Disease, heart
- hepatic -*see* Failure, hepatic
- myocardial (acute) (chronic) -*see* Disease, heart
- respiratory J98.8

Decompression sickness T70.3

Decrease (d)
- absolute neutrophile count -*see* Neutropenia
- blood
- - glucose E16.2
- - - level 1 E16.A1
- - - level 2 E16.A2
- - - level 3 E16.A3
- - platelets -*see* Thrombocytopenia
- - pressure R03.1
- - - due to shock following
- - - - injury T79.4
- - - - operation T81.19
- estrogen E28.39
- - postablative E89.40
- - - asymptomatic E89.40
- - - symptomatic E89.41
- fragility of erythrocytes D58.8
- function
- - lipase (pancreatic) K90.3
- - ovary in hypopituitarism E23.0
- - parenchyma of pancreas K86.89
- - pituitary (gland) (anterior) (lobe) E23.0

- - - posterior (lobe) E23.0
- functional activity R68.89
- glucose E16.2
- hematocrit R71.0
- hemoglobin R71.0
- leukocytes D72.819
- - specified NEC D72.818
- libido R68.82
- lymphocytes D72.810
- platelets D69.6
- respiration, due to shock following injury T79.4
- sexual desire R68.82
- tear secretion NEC *-see* Syndrome, dry eye
- tolerance
- - fat K90.49
- - glucose R73.09
- - pancreatic K90.3
- - salt and water E87.8
- vision NEC H54.7
- white blood cell count D72.819
- - specified NEC D72.818

Decubitus (ulcer) *-see* Ulcer, pressure, by site
- cervix N86

Deepening acetabulum *-see* Derangement, joint, specified type NEC, hip

Defect, defective Q89.9
- 3-beta-hydroxysteroid dehydrogenase E25.0
- 11-hydroxylase E25.0
- 21-hydroxylase E25.0
- abdominal wall, congenital Q79.59
- antibody immunodeficiency D80.9
- aorticopulmonary septum Q21.4
- atrial septal Q21.10
- - coronary sinus Q21.13
- - following acute myocardial infarction (current complication) I23.1
- - ostium primum type (type I) Q21.20
- - - with
- - - - common atrioventricular valves and moderate or larger inlet VSD Q21.23
- - - - separate atrioventricular valves Q21.21
- - - - - and small or restrictive inlet VSD Q21.22
- - ostium secundum type (patent persistent) (type II) Q21.11
- - sinus venosus Q21.16
- - - inferior Q21.15
- - - superior Q21.14
- - specified NEC Q21.19
- - vena cava type
- - - inferior Q21.15
- - - superior Q21.14
- atrioventricular
- - canal Q21.20
- - septal
- - - common Q21.23
- - - complete Q21.23
- - - incomplete Q21.21
- - - intermediate Q21.22
- - - partial Q21.21
- - - transitional Q21.22
- - - unspecified as to partial or complete Q21.20
- - septum Q21.20
- auricular septal Q21.10
- bilirubin excretion NEC E80.6

- biosynthesis, androgen (testicular) E29.1
- bulbar septum Q21.0
- catalase E80.3
- cell membrane receptor complex (CR3) D71
- circulation I99.9
- - congenital Q28.9
- - newborn Q28.9
- coagulation (factor) -*see also* Deficiency, factor D68.9
- - with
- - - COVID-19 associated coagulopathy D68.8
- - - ectopic pregnancy O08.1
- - - molar pregnancy O08.1
- - acquired D68.4
- - antepartum with hemorrhage -*see* Hemorrhage, antepartum, with coagulation defect
- - due to
- - - liver disease D68.4
- - - vitamin K deficiency D68.4
- - hereditary NEC D68.2
- - intrapartum O67.0
- - newborn, transient P61.6
- - postpartum O99.13
- - - with hemorrhage O72.3
- - specified type NEC D68.8
- complement system D84.1
- conduction (heart) I45.9
- - bone -*see* Deafness, conductive
- congenital, organ or site not listed -*see* Anomaly, by site
- coronary sinus Q21.13
- cushion, endocardial Q21.20
- - common Q21.23
- - incomplete Q21.21
- - intermediate Q21.22
- - transitional Q21.22
- degradation, glycoprotein E77.1
- dental bridge, crown, fillings -*see* Defect, dental restoration
- dental restoration K08.50
- - specified NEC K08.59
- dentin (hereditary) K00.5
- Descemet's membrane, congenital Q13.89
- developmental -*see also* Anomaly
- - cauda equina Q06.3
- diaphragm
- - with elevation, eventration or hernia -*see* Hernia, diaphragm
- - congenital Q79.1
- - - with hernia Q79.0
- - - gross (with hernia) Q79.0
- ectodermal, congenital Q82.9
- Eisenmenger's Q21.8
- enzyme
- - catalase E80.3
- - peroxidase E80.3
- esophagus, congenital Q39.9
- extensor retinaculum M62.89
- fibrin polymerization D68.2
- filling
- - bladder R93.41
- - kidney R93.42-
- - renal pelvis R93.41
- - stomach R93.3
- - ureter R93.41

- - urinary organs, specified NEC R93.49
- GABA (gamma aminobutyric acid) metabolic E72.81
- Gerbode Q21.0
- glucose transport, blood-brain barrier E74.810
- glycoprotein degradation E77.1
- Hageman (factor) D68.2
- hearing -*see* Deafness
- high grade F70
- home, technical, preventing adequate care Z59.19
- interatrial septal Q21.19
- interauricular septal Q21.19
- interventricular septal Q21.0
- - with dextroposition of aorta, pulmonary stenosis and hypertrophy of right ventricle Q21.3
- - in tetralogy of Fallot Q21.3
- intervertebral annular fibrosis -*see also* Disease, intervertebral disc, by site M51.9
- - lumbar M51.A0
- - - large M51.A2
- - - small M51.A1
- - lumbosacral M51.A3
- - - large M51.A5
- - - small M51.A4
- learning (specific) -*see* Disorder, learning
- lymphocyte function antigen-1 (LFA-1) D84.0
- lysosomal enzyme, post-translational modification E77.0
- major osseous M89.70
- - ankle M89.77-
- - carpus M89.74-
- - clavicle M89.71-
- - femur M89.75-
- - fibula M89.76-
- - fingers M89.74-
- - foot M89.77-
- - forearm M89.73-
- - hand M89.74-
- - humerus M89.72-
- - lower leg M89.76-
- - metacarpus M89.74-
- - metatarsus M89.77-
- - multiple sites M89.79
- - pelvic region M89.75-
- - pelvis M89.75-
- - radius M89.73-
- - scapula M89.71-
- - shoulder region M89.71-
- - specified NEC M89.78
- - tarsus M89.77-
- - thigh M89.75-
- - tibia M89.76-
- - toes M89.77-
- - ulna M89.73-
- mental -*see* Disability, intellectual
- modification, lysosomal enzymes, post-translational E77.0
- obstructive, congenital
- - renal pelvis Q62.39
- - ureter Q62.39
- - - atresia -*see* Atresia, ureter
- - - cecoureterocele Q62.32
- - - megaureter Q62.2
- - - orthotopic ureterocele Q62.31
- osseous, major M89.70

- - ankle M89.77-
- - carpus M89.74-
- - clavicle M89.71-
- - femur M89.75-
- - fibula M89.76-
- - fingers M89.74-
- - foot M89.77-
- - forearm M89.73-
- - hand M89.74-
- - humerus M89.72-
- - lower leg M89.76-
- - metacarpus M89.74-
- - metatarsus M89.77-
- - multiple sites M89.9
- - pelvic region M89.75-
- - pelvis M89.75-
- - radius M89.73-
- - scapula M89.71-
- - shoulder region M89.71-
- - specified NEC M89.78
- - tarsus M89.77-
- - thigh M89.75-
- - tibia M89.76-
- - toes M89.77-
- - ulna M89.73-
- osteochondral NEC *-see also* Deformity M95.8
- ostium
- - primum Q21.20
- - secundum Q21.11
- peroxidase E80.3
- placental blood supply *-see* Insufficiency, placental
- platelets, qualitative D69.1
- - constitutional *-see* Disease, von Willebrand
- postural NEC, spine *-see* Dorsopathy, deforming
- qualitative, of von Willebrand factor
- - with
- - - decreased platelet adhesion and selective deficiency of high-molecular-weight multimers *-see also* Disease, von Willebrand D68.020
- - - defective platelet adhesion with a normal size distribution of von Willebrand factor multimers *-see also* Disease, von Willebrand D68.022
- - - defective von Willebrand factor to factor VIII binding *-see also* Disease, von Willebrand D68.023
- - - high-molecular-weight von Willebrand factor loss *-see also* Disease, von Willebrand D68.021
- - - hyper-adhesive forms *-see also* Disease, von Willebrand D68.021
- - - increased affinity for platelet glycoprotein Ib *-see also* Disease, von Willebrand D68.021
- - - markedly decreased affinity for factor VIII *-see also* Disease, von Willebrand D68.023
- - in von Willebrand factor function, with no further subtyping *-see also* Disease, von Willebrand D68.029
- reduction
- - limb Q73.8
- - - lower Q72.9-
- - - - absence *-see* Agenesis, leg
- - - - - foot *-see* Agenesis, foot
- - - - longitudinal
- - - - - femur Q72.4-
- - - - - fibula Q72.6-
- - - - - tibia Q72.5-
- - - - specified type NEC Q72.89-
- - - - split foot Q72.7-
- - - specified type NEC Q73.8
- - - upper Q71.9-
- - - - absence *-see* Agenesis, arm

- - - - - forearm -*see* Agenesis, forearm
- - - - - hand -*see* Agenesis, hand
- - - - lobster-claw hand Q71.6-
- - - - longitudinal
- - - - - radius Q71.4-
- - - - - ulna Q71.5-
- - - - specified type NEC Q71.89-
- renal pelvis Q63.8
- - obstructive Q62.39
- respiratory system, congenital Q34.9
- restoration, dental K08.50
- - specified NEC K08.59
- retinal nerve bundle fibers H35.89
- septal (heart) NOS Q21.9
- - acquired (atrial) (auricular) (ventricular) (old) I51.0
- - atrial -*see also* Defect, atrial septal Q21.10
- - - concurrent with acute myocardial infarction -*see* Infarct, myocardium
- - - following acute myocardial infarction (current complication) I23.1
- - ventricular -*see also* Defect, ventricular septal Q21.0
- sinus venosus -*see also* Defect, atrial septal, sinus venosus Q21.16
- speech -*see* Disorder, speech
- - developmental F80.9
- - specified NEC R47.89
- Taussig-Bing (aortic transposition and overriding pulmonary artery) Q20.1
- teeth, wedge K03.1
- vascular (local) I99.9
- - congenital Q27.9
- ventricular septal Q21.0
- - concurrent with acute myocardial infarction -*see* Infarct, myocardium
- - following acute myocardial infarction (current complication) I23.2
- - in tetralogy of Fallot Q21.3
- vision NEC H54.7
- visual field H53.40
- - bilateral
- - - heteronymous H53.47
- - - homonymous H53.46-
- - generalized contraction H53.48-
- - localized
- - - arcuate H53.43-
- - - scotoma (central area) H53.41-
- - - - blind spot area H53.42-
- - - sector H53.43-
- - - specified type NEC H53.45-
- voice R49.9
- - specified NEC R49.8
- wedge, tooth, teeth (abrasion) K03.1

Deferentitis N49.1
- gonorrheal (acute) (chronic) A54.23

Defibrination (syndrome) D65
- antepartum -*see* Hemorrhage, antepartum, with coagulation defect, disseminated intravascular coagulation
- following ectopic or molar pregnancy O08.1
- intrapartum O67.0
- newborn P60
- postpartum O72.3

Deficiency, deficient
- 3-beta hydroxysteroid dehydrogenase E25.0
- 5-alpha reductase (with male pseudohermaphroditism) E29.1
- 11-hydroxylase E25.0
- 21-hydroxylase E25.0
- AADC (aromatic L-amino acid decarboxylase) E70.81

- abdominal muscle syndrome Q79.4
- accelerator globulin (Ac G) (blood) D68.2
- AC globulin (congenital) (hereditary) D68.2
- - acquired D68.4
- acid phosphatase E83.39
- acid sphingomyelinase (ASMD) E75.249
- - type
- - - A E75.240
- - - A/B E75.244
- - - B E75.241
- activating factor (blood) D68.2
- ADA2 (adenosine deaminase 2) D81.32
- adenosine deaminase (ADA) D81.30
- - with severe combined immunodeficiency (SCID) D81.31
- - partial (type 1) D81.39
- - specified NEC D81.39
- - type 1 (without SCID) (without severe combined immunodeficiency) D81.39
- - type 2 D81.32
- aldolase (hereditary) E74.19
- alpha-1-antitrypsin E88.01
- amino-acids E72.9
- anemia -*see* Anemia
- aneurin E51.9
- antibody with
- - hyperimmunoglobulinemia D80.6
- - near-normal immunoglobins D80.6
- antidiuretic hormone E23.2
- anti-hemophilic
- - factor (A) D66
- - - B D67
- - - C D68.1
- - globulin (AHG) NEC D66
- antithrombin (antithrombin III) D68.59
- aromatic L-amino acid decarboxylase (AADC) E70.81
- ascorbic acid E54
- attention (disorder) (syndrome) F98.8
- - with hyperactivity -*see* Disorder, attention-deficit hyperactivity
- autoprothrombin
- - I D68.2
- - II D67
- - C D68.2
- beta-glucuronidase E76.29
- biotin E53.8
- biotin-dependent carboxylase D81.819
- biotinidase D81.810
- brancher enzyme (amylopectinosis) E74.03
- calciferol E55.9
- - with
- - - adult osteomalacia M83.8
- - - rickets -*see* Rickets
- calcium (dietary) E58
- calorie, severe E43
- - with marasmus E41
- - - and kwashiorkor E42
- cardiac -*see* Insufficiency, myocardial
- carnitine E71.40
- - due to
- - - hemodialysis E71.43
- - - inborn errors of metabolism E71.42
- - - Valproic acid therapy E71.43

- - iatrogenic E71.43
- - muscle palmityltransferase E71.314
- - primary E71.41
- - secondary E71.448
- carotene E50.9
- central nervous system G96.89
- ceruloplasmin (Wilson) E83.01
- choline E53.8
- Christmas factor D67
- chromium E61.4
- chronic neurovisceral acid sphingomyelinase E75.244
- chronic visceral acid sphingomyelinase E75.241
- clotting (blood) -*see also* Deficiency, coagulation factor D68.9
- clotting factor NEC (hereditary) -*see also* Deficiency, factor D68.2
- coagulation NOS D68.9
- - with
- - - ectopic pregnancy O08.1
- - - molar pregnancy O08.1
- - acquired (any) D68.4
- - antepartum hemorrhage -*see* Hemorrhage, antepartum, with coagulation defect
- - clotting factor NEC -*see also* Deficiency, factor D68.2
- - due to
- - - hyperprothrombinemia D68.4
- - - liver disease D68.4
- - - vitamin K deficiency D68.4
- - newborn, transient P61.6
- - postpartum O72.3
- - specified NEC D68.8
- cognitive F09
- color vision H53.50
- - achromatopsia H53.51
- - acquired H53.52
- - deuteranomaly H53.53
- - protanomaly H53.54
- - specified type NEC H53.59
- - tritanomaly H53.55
- combined glucocorticoid and mineralocorticoid E27.49
- contact factor D68.2
- copper (nutritional) E61.0
- corticoadrenal E27.40
- - primary E27.1
- craniofacial axis Q75.009
- cyanocobalamin E53.8
- C1 esterase inhibitor (C1-INH) D84.1
- debrancher enzyme (limit dextrinosis) E74.03
- dehydrogenase
- - long chain/very long chain acyl CoA E71.310
- - medium chain acyl CoA E71.311
- - short chain acyl CoA E71.312
- diet E63.9
- dihydropyrimidine dehydrogenase (DPD) E88.89
- disaccharidase E73.9
- edema -*see* Malnutrition, severe
- endocrine E34.9
- energy-supply -*see* Malnutrition
- enzymes, circulating NEC E88.09
- ergosterol E55.9
- - with
- - - adult osteomalacia M83.8
- - - rickets -*see* Rickets

- essential fatty acid (EFA) E63.0
- eye movements
- - saccadic H55.81
- - smooth pursuit H55.82
- factor -*see also* Deficiency, coagulation
- - Hageman D68.2
- - I (congenital) (hereditary) D68.2
- - II (congenital) (hereditary) D68.2
- - IX (congenital) (functional) (hereditary) (with functional defect) D67
- - multiple (congenital) D68.8
- - - acquired D68.4
- - V (congenital) (hereditary) D68.2
- - VII (congenital) (hereditary) D68.2
- - VIII (congenital) (functional) (hereditary) (with functional defect) D66
- - - with vascular defect -*see* Disease, von Willebrand
- - X (congenital) (hereditary) D68.2
- - XI (congenital) (hereditary) D68.1
- - XII (congenital) (hereditary) D68.2
- - XIII (congenital) (hereditary) D68.2
- femoral, proximal focal (congenital) -*see* Defect, reduction, lower limb, longitudinal, femur
- fibrin-stabilizing factor (congenital) (hereditary) D68.2
- - acquired D68.4
- fibrinase D68.2
- fibrinogen (congenital) (hereditary) D68.2
- - acquired D65
- folate E53.8
- folic acid E53.8
- foreskin N47.3
- fructokinase E74.11
- fructose 1,6-diphosphatase E74.19
- fructose-1-phosphate aldolase E74.19
- GABA (gamma aminobutyric acid) transaminase E72.81
- GABA-T (gamma aminobutyric acid transaminase) E72.81
- galactokinase E74.29
- galactose-1-phosphate uridyl transferase E74.29
- gammaglobulin in blood D80.1
- - hereditary D80.0
- glass factor D68.2
- glucocorticoid E27.49
- - mineralocorticoid E27.49
- glucose-6-phosphatase E74.01
- glucose-6-phosphate dehydrogenase
- - anemia D55.0
- - without anemia D75.A
- glucose transporter protein type 1 E74.810
- glucuronyl transferase E80.5
- Glut1 E74.810
- glycogen synthetase E74.09
- gonadotropin (isolated) E23.0
- growth hormone (idiopathic) (isolated) E23.0
- Hageman factor D68.2
- hemoglobin D64.9
- hepatophosphorylase E74.09
- homogentisate 1,2-dioxygenase E70.29
- hormone
- - anterior pituitary (partial) NEC E23.0
- - - growth E23.0
- - growth (isolated) E23.0
- - pituitary E23.0
- - testicular E29.1

- hypoxanthine- (guanine)-phosphoribosyltransferase (HG- PRT) (total H-PRT) E79.1
- immunity D84.9
- - cell-mediated D84.89
- - - with thrombocytopenia and eczema D82.0
- - combined D81.9
- - humoral D80.9
- - IgA (secretory) D80.2
- - IgG D80.3
- - IgM D80.4
- immuno -*see* Immunodeficiency
- immunoglobulin, selective
- - A (IgA) D80.2
- - G (IgG) (subclasses) D80.3
- - M (IgM) D80.4
- infantile neurovisceral acid sphingomyelinase E75.240
- inositol (B complex) E53.8
- intrinsic
- - factor (congenital) D51.0
- - sphincter N36.42
- - - with urethral hypermobility N36.43
- iodine E61.8
- - congenital syndrome -*see* Syndrome, iodine-deficiency, congenital
- iron E61.1
- - anemia D50.9
- kalium E87.6
- kappa-light chain D80.8
- labile factor (congenital) (hereditary) D68.2
- - acquired D68.4
- lacrimal fluid (acquired) -*see also* Syndrome, dry eye
- - congenital Q10.6
- lactase
- - congenital E73.0
- - secondary E73.1
- Laki-Lorand factor D68.2
- LCAD (long chain acyl CoA dehydrogenase deficiency) E71.310
- lecithin cholesterol acyltransferase E78.6
- lipocaic K86.89
- lipoprotein (familial) (high density) E78.6
- liver phosphorylase E74.09
- lysosomal alpha-1, 4 glucosidase E74.02
- lysosome-associated membrane protein 2 [LAMP2] E74.05
- magnesium E61.2
- major histocompatibility complex
- - class I D81.6
- - class II D81.7
- manganese E61.3
- MCAD (medium chain acyl CoA dehydrogenase deficiency) E71.311
- menadione (vitamin K) E56.1
- - newborn P53
- mental (familial) (hereditary) -*see* Disability, intellectual
- methylenetetrahydrofolate reductase (MTHFR) E72.12
- mevalonate kinase M04.1
- mineral NEC E61.8
- mineralocorticoid E27.49
- - with glucocorticoid E27.49
- molybdenum (nutritional) E61.5
- moral F60.2
- multiple nutrient elements E61.7
- multiple sulfatase (MSD) E75.26
- muscle

- - carnitine (palmityltransferase) E71.314
- - phosphofructokinase E74.09
- myoadenylate deaminase E79.2
- myocardial -*see* Insufficiency, myocardial
- myophosphorylase E74.04
- NADH diaphorase or reductase (congenital) D74.0
- NADH-methemoglobin reductase (congenital) D74.0
- natrium E87.1
- niacin (amide) (-tryptophan) E52
- nicotinamide E52
- nicotinic acid E52
- number of teeth -*see* Anodontia
- nutrient element E61.9
- - multiple E61.7
- - specified NEC E61.8
- nutrition, nutritional -*see also* Nutrition deficient E63.9
- - sequelae -*see* Sequelae, nutritional deficiency
- - specified NEC E63.8
- of interleukin 1 receptor antagonist [DIRA] M04.8
- ornithine transcarbamylase E72.4
- ovarian E28.39
- oxygen -*see* Anoxia
- pantothenic acid E53.8
- parathyroid (gland) E20.9
- perineum (female) N81.89
- phenylalanine hydroxylase E70.1
- phosphoenolpyruvate carboxykinase E74.4
- phosphofructokinase E74.19
- phosphomannomutase E74.818
- phosphomannose isomerase E74.818
- phosphomannosyl mutase E74.818
- phosphorylase kinase, liver E74.09
- pituitary hormone (isolated) E23.0
- plasma thromboplastin
- - antecedent (PTA) D68.1
- - component (PTC) D67
- plasminogen (type 1) (type 2) E88.02
- platelet NEC D69.1
- - constitutional -*see* Disease, von Willebrand
- polyglandular E31.8
- - autoimmune E31.0
- potassium (K) E87.6
- prepuce N47.3
- proaccelerin (congenital) (hereditary) D68.2
- - acquired D68.4
- proconvertin factor (congenital) (hereditary) D68.2
- - acquired D68.4
- protein -*see also* Malnutrition E46
- - anemia D53.0
- - C D68.59
- - S D68.59
- prothrombin (congenital) (heredItary) D68.2
- - acquired D68.4
- Prower factor D68.2
- pseudocholinesterase E88.09
- PTA (plasma thromboplastin antecedent) D68.1
- PTC (plasma thromboplastin component) D67
- purine nucleoside phosphorylase (PNP) D81.5
- pyracin (alpha) (beta) E53.1
- pyridoxal E53.1

- pyridoxamine E53.1
- pyridoxine (derivatives) E53.1
- pyruvate
- - carboxylase E74.4
- - dehydrogenase E74.4
- riboflavin (vitamin B2) E53.0
- salt E87.1
- SCAD (short chain acyl CoA dehydrogenase deficiency) E71.312
- secretion
- - ovary E28.39
- - salivary gland (any) K11.7
- - urine R34
- selenium (dietary) E59
- serum antitrypsin, familial E88.01
- short stature homeobox gene (SHOX)
- - with
- - - dyschondrosteosis Q78.8
- - - short stature (idiopathic) E34.328
- - - Turner's syndrome Q96.9
- sodium (Na) E87.1
- SPCA (factor VII) D68.2
- sphincter, intrinsic N36.42
- - with urethral hypermobility N36.43
- stable factor (congenital) (hereditary) D68.2
- - acquired D68.4
- Stuart-Prower (factor X) D68.2
- succinic semialdehyde dehydrogenase E72.81
- sucrase E74.39
- sulfatase E75.26
- sulfite oxidase E72.19
- thiamin, thiaminic (chloride) E51.9
- - beriberi (dry) E51.11
- - - wet E51.12
- thrombokinase D68.2
- - newborn P53
- thyroid (gland) -*see* Hypothyroidism
- tocopherol E56.0
- tooth bud K00.0
- transcobalamine II (anemia) D51.2
- vanadium E61.6
- vascular I99.9
- vasopressin E23.2
- vertical ridge K06.8
- viosterol -*see* Deficiency, calciferol
- vitamin (multiple) NOS E56.9
- - A E50.9
- - - with
- - - - Bitot's spot (corneal) E50.1
- - - - follicular keratosis E50.8
- - - - keratomalacia E50.4
- - - - manifestations NEC E50.8
- - - - night blindness E50.5
- - - - scar of cornea, xerophthalmic E50.6
- - - - xeroderma E50.8
- - - - xerophthalmia E50.7
- - - - xerosis
- - - - - conjunctival E50.0
- - - - - - and Bitot's spot E50.1
- - - - - cornea E50.2
- - - - - - and ulceration E50.3

- - - sequelae E64.1
- - B (complex) NOS E53.9
- - - with
- - - - beriberi (dry) E51.11
- - - - - wet E51.12
- - - - pellagra E52
- - B1 NOS E51.9
- - - beriberi (dry) E51.11
- - - - with circulatory system manifestations E51.11
- - - - wet E51.12
- - B12 E53.8
- - B2 (riboflavin) E53.0
- - B6 E53.1
- - C E54
- - - sequelae E64.2
- - D E55.9
- - - with
- - - - adult osteomalacia M83.8
- - - - rickets -*see* Rickets
- - - 25-hydroxylase E83.32
- - E E56.0
- - folic acid E53.8
- - G E53.0
- - group B E53.9
- - - specified NEC E53.8
- - H (biotin) E53.8
- - K E56.1
- - - of newborn P53
- - nicotinic E52
- - P E56.8
- - PP (pellagra-preventing) E52
- - specified NEC E56.8
- - thiamin E51.9
- - - beriberi -*see* Beriberi
- VLCAD (very long chain acyl CoA dehydrogenase deficiency) E71.310
- von Willebrand factor
- - partial quantitative -*see also* Disease, von Willebrand D68.01
- - total quantitative -*see also* Disease, von Willebrand D68.03
- zinc, dietary E60

Deficit -*see also* Deficiency
- attention and concentration R41.840
- - following
- - - cerebral infarction I69.310
- - - cerebrovascular disease I69.910
- - - - specified disease NEC I69.810
- - - nontraumatic
- - - - intracerebral hemorrhage I69.110
- - - - specified intracranial hemorrhage NEC I69.210
- - - - subarachnoid hemorrhage I69.010
- - disorder -*see* Attention, deficit
- cognitive
- - communication R41.841
- - emotional
- - - following
- - - - cerebral infarction I69.315
- - - - cerebrovascular disease I69.915
- - - - - specified disease NEC I69.815
- - - - nontraumatic
- - - - - intracerebral hemorrhage I69.115
- - - - - specified intracranial hemorrhage NEC I69.215

- - - - - subarachnoid hemorrhage I69.015
- - following
- - - cerebral infarction I69.319
- - - cerebrovascular disease I69.919
- - - - specified disease NEC I69.819
- - - nontraumatic
- - - - intracerebral hemorrhage I69.119
- - - - specified intracranial hemorrhage NEC I69.219
- - - - subarachnoid hemorrhage I69.019
- - social
- - - following
- - - - cerebral infarction I69.315
- - - - cerebrovascular disease I69.915
- - - - - specified disease NEC I69.815
- - - - nontraumatic
- - - - - intracerebral hemorrhage I69.115
- - - - - specified intracranial hemorrhage NEC I69.215
- - - - - subarachnoid hemorrhage I69.015
- cognitive NEC R41.89
- - following
- - - cerebral infarction I69.318
- - - cerebrovascular disease I69.918
- - - - specified disease NEC I69.818
- - - nontraumatic
- - - - intracerebral hemorrhage I69.118
- - - - specified intracranial hemorrhage NEC I69.218
- - - - subarachnoid hemorrhage I69.018
- concentration R41.840
- executive function R41.844
- - following
- - - cerebral infarction I69.314
- - - cerebrovascular disease I69.914
- - - - specified disease NEC I69.814
- - - nontraumatic
- - - - intracerebral hemorrhage I69.114
- - - - specified intracranial hemorrhage NEC I69.214
- - - - subarachnoid hemorrhage I69.014
- frontal lobe R41.844
- - following
- - - cerebral infarction I69.314
- - - cerebrovascular disease I69.914
- - - - specified disease NEC I69.814
- - - nontraumatic
- - - - intracerebral hemorrhage I69.114
- - - - specified intracranial hemorrhage NEC I69.214
- - - - subarachnoid hemorrhage I69.014
- memory
- - following
- - - cerebral infarction I69.311
- - - cerebrovascular disease I69.911
- - - - specified disease NEC I69.811
- - - nontraumatic
- - - - intracerebral hemorrhage I69.111
- - - - specified intracranial hemorrhage NEC I69.211
- - - - subarachnoid hemorrhage I69.011
- neurologic NEC R29.818
- - ischemic
- - - reversible (RIND) I63.9
- - - - prolonged (PRIND) I63.9
- oxygen R09.02

- prolonged reversible ischemic neurologic (PRIND) I63.9
- psychomotor R41.843
- - following
- - - cerebral infarction I69.313
- - - cerebrovascular disease I69.913
- - - - specified disease NEC I69.813
- - - nontraumatic
- - - - intracerebral hemorrhage I69.113
- - - - specified intracranial hemorrhage NEC I69.213
- - - - subarachnoid hemorrhage I69.013
- visuospatial R41.842
- - following
- - - cerebral infarction I69.312
- - - cerebrovascular disease I69.912
- - - - specified disease NEC I69.812
- - - nontraumatic
- - - - intracerebral hemorrhage I69.112
- - - - specified intracranial hemorrhage NEC I69.212
- - - - subarachnoid hemorrhage I69.012

Deflection
- radius -*see* Deformity, limb, specified type NEC, forearm
- septum (acquired) (nasal) (nose) J34.2
- spine -*see* Curvature, spine
- turbinate (nose) J34.2

Defluvium
- capillorum -*see* Alopecia
- ciliorum -*see* Madarosis
- unguium L60.8

Deformity Q89.9
- abdomen, congenital Q89.9
- abdominal wall
- - acquired M95.8
- - congenital Q79.59
- acquired (unspecified site) M95.9
- adrenal gland Q89.1
- alimentary tract, congenital Q45.9
- - upper Q40.9
- ankle (joint) (acquired) -*see also* Deformity, limb, lower leg
- - abduction -*see* Contraction, joint, ankle
- - congenital Q68.8
- - contraction -*see* Contraction, joint, ankle
- - specified type NEC -*see* Deformity, limb, foot, specified NEC
- anus (acquired) K62.89
- - congenital Q43.9
- aorta (arch) (congenital) Q25.40
- - acquired I77.89
- aortic
- - arch, acquired I77.89
- - cusp or valve (congenital) Q23.88
- - - acquired -*see also* Endocarditis, aortic I35.8
- arm (acquired) (upper) -*see also* Deformity, limb, upper arm
- - congenital Q68.8
- - forearm -*see* Deformity, limb, forearm
- artery (congenital) (peripheral) NOS Q27.9
- - acquired I77.89
- - coronary (acquired) I25.9
- - - congenital Q24.5
- - umbilical Q27.0
- atrial septal -*see also* Defect, atrial septal Q21.10
- auditory canal (external) (congenital) -*see also* Malformation, ear, external

- - acquired -*see* Disorder, ear, external, specified type NEC
- auricle
- - ear (congenital) -*see also* Malformation, ear, external
- - - acquired -*see* Disorder, pinna, deformity
- back -*see* Dorsopathy, deforming
- bile duct (common) (congenital) (hepatic) Q44.5
- - acquired K83.8
- biliary duct or passage (congenital) Q44.5
- - acquired K83.8
- bladder (neck) (trigone) (sphincter) (acquired) N32.89
- - congenital Q64.79
- bone (acquired) NOS M95.9
- - congenital Q79.9
- - turbinate M95.0
- brain (congenital) Q04.9
- - acquired G93.89
- - reduction Q04.3
- breast (acquired) N64.89
- - congenital Q83.9
- - reconstructed N65.0
- bronchus (congenital) Q32.4
- - acquired NEC J98.09
- bursa, congenital Q79.9
- canaliculi (lacrimalis) (acquired) -*see also* Disorder, lacrimal system, changes
- - congenital Q10.6
- canthus, acquired -*see* Disorder, eyelid, specified type NEC
- capillary (acquired) I78.8
- cardiovascular system, congenital Q28.9
- caruncle, lacrimal (acquired) -*see also* Disorder, lacrimal system, changes
- - congenital Q10.6
- cascade, stomach K31.2
- cecum (congenital) Q43.9
- - acquired K63.89
- cerebral, acquired G93.89
- - congenital Q04.9
- cervix (uterus) (acquired) NEC N88.8
- - congenital Q51.9
- cheek (acquired) M95.2
- - congenital Q18.9
- chest (acquired) (wall) M95.4
- - congenital Q67.8
- - sequelae (late effect) of rickets E64.3
- chin (acquired) M95.2
- - congenital Q18.9
- choroid (congenital) Q14.3
- - acquired H31.8
- - plexus Q07.8
- - - acquired G96.198
- cicatricial -*see* Cicatrix
- cilia, acquired -*see* Disorder, eyelid, specified type NEC
- clavicle (acquired) M95.8
- - congenital Q68.8
- clitoris (congenital) Q52.6
- - acquired N90.89
- clubfoot -*see* Clubfoot
- coccyx (acquired) -see subcategory M43.8
- colon (congenital) Q43.9
- - acquired K63.89
- concha (ear), congenital -*see also* Malformation, ear, external
- - acquired -*see* Disorder, pinna, deformity

- cornea (acquired) H18.70
- - congenital Q13.4
- - descemetocele -*see* Descemetocele
- - ectasia -*see* Ectasia, cornea
- - specified NEC H18.79-
- - staphyloma -*see* Staphyloma, cornea
- coronary artery (acquired) I25.9
- - congenital Q24.5
- cranium (acquired) -*see* Deformity, skull
- cricoid cartilage (congenital) Q31.8
- - acquired J38.7
- cystic duct (congenital) Q44.5
- - acquired K82.8
- Dandy-Walker Q03.1
- - with spina bifida -*see* Spina bifida
- diaphragm (congenital) Q79.1
- - acquired J98.6
- digestive organ NOS Q45.9
- ductus arteriosus Q25.0
- duodenal bulb K31.89
- duodenum (congenital) Q43.9
- - acquired K31.89
- dura -*see* Deformity, meninges
- ear (acquired) -*see also* Disorder, pinna, deformity
- - congenital (external) Q17.9
- - - internal Q16.5
- - - middle Q16.4
- - - - ossicles Q16.3
- - - ossicles Q16.3
- ectodermal (congenital) NEC Q84.9
- ejaculatory duct (congenital) Q55.4
- - acquired N50.89
- elbow (joint) (acquired) -*see also* Deformity, limb, upper arm
- - congenital Q68.8
- - contraction -*see* Contraction, joint, elbow
- endocrine gland NEC Q89.2
- epididymis (congenital) Q55.4
- - acquired N50.89
- epiglottis (congenital) Q31.8
- - acquired J38.7
- esophagus (congenital) Q39.9
- - acquired K22.89
- eustachian tube (congenital) NEC Q17.8
- eye, congenital Q15.9
- eyebrow (congenital) Q18.8
- eyelid (acquired) -*see also* Disorder, eyelid, specified type NEC
- - congenital Q10.3
- face (acquired) M95.2
- - congenital Q18.9
- fallopian tube, acquired N83.8
- femur (acquired) -*see* Deformity, limb, specified type NEC, thigh
- fetal
- - with fetopelvic disproportion O33.7
- - causing obstructed labor O66.3
- finger (acquired) M20.00-
- - boutonniere M20.02-
- - congenital Q68.1
- - flexion contracture -*see* Contraction, joint, hand
- - mallet finger M20.01-
- - specified NEC M20.09-

- - swan-neck M20.03-
- flexion (joint) (acquired) -*see also* Deformity, limb, flexion M21.20
- - congenital NOS Q74.9
- - - hip Q65.89
- foot (acquired) -*see also* Deformity, limb, lower leg
- - cavovarus (congenital) Q66.1-
- - congenital NOS Q66.9-
- - - specified type NEC Q66.89
- - specified type NEC -*see* Deformity, limb, foot, specified NEC
- - valgus (congenital) Q66.6
- - - acquired -*see* Deformity, valgus, ankle
- - varus (congenital) NEC Q66.3-
- - - acquired -*see* Deformity, varus, ankle
- forearm (acquired) -*see also* Deformity, limb, forearm
- - congenital Q68.8
- forehead (acquired) M95.2
- - congenital Q75.8
- frontal bone (acquired) M95.2
- - congenital Q75.8
- gallbladder (congenital) Q44.1
- - acquired K82.8
- gastrointestinal tract (congenital) NOS Q45.9
- - acquired K63.89
- genitalia, genital organ(s) or system NEC
- - female (congenital) Q52.9
- - - acquired N94.89
- - - external Q52.70
- - male (congenital) Q55.9
- - - acquired N50.89
- globe (eye) (congenital) Q15.8
- - acquired H44.89
- gum, acquired NEC K06.8
- hand (acquired) -*see* Deformity, limb, hand
- - congenital Q68.1
- head (acquired) M95.2
- - congenital Q75.8
- heart (congenital) Q24.9
- - septum Q21.9
- - - auricular -*see also* Defect, atrial septal Q21.10
- - - ventricular Q21.0
- - valve (congenital) NEC Q24.8
- - - acquired -*see* Endocarditis
- heel (acquired) -*see* Deformity, foot
- hepatic duct (congenital) Q44.5
- - acquired K83.8
- hip (joint) (acquired) -*see also* Deformity, limb, thigh
- - congenital Q65.9
- - due to (previous) juvenile osteochondrosis -*see* Coxa, plana
- - flexion -*see* Contraction, joint, hip
- hourglass -*see* Contraction, hourglass
- humerus (acquired) M21.82-
- - congenital Q74.0
- hypophyseal (congenital) Q89.2
- ileocecal (coil) (valve) (acquired) K63.89
- - congenital Q43.9
- ileum (congenital) Q43.9
- - acquired K63.89
- ilium (acquired) M95.5
- - congenital Q74.2
- integument (congenital) Q84.9

- intervertebral cartilage or disc (acquired) -*see* Disorder, disc, specified NEC
- intestine (large) (small) (congenital) NOS Q43.9
- - acquired K63.89
- intrinsic minus or plus (hand) -*see* Deformity, limb, specified type NEC, forearm
- iris (acquired) H21.89
- - congenital Q13.2
- ischium (acquired) M95.5
- - congenital Q74.2
- jaw (acquired) (congenital) M26.9
- joint (acquired) NEC M21.90
- - congenital Q68.8
- - elbow M21.92-
- - hand M21.94-
- - hip M21.95-
- - knee M21.96-
- - shoulder M21.92-
- - wrist M21.93-
- kidney(s) (calyx) (pelvis) (congenital) Q63.9
- - acquired N28.89
- - artery (congenital) Q27.2
- - - acquired I77.89
- Klippel-Feil (brevicollis) Q76.1
- knee (acquired) NEC -*see also* Deformity, limb, lower leg
- - congenital Q68.2
- labium (majus) (minus) (congenital) Q52.79
- - acquired N90.89
- lacrimal passages or duct (congenital) NEC Q10.6
- - acquired -*see* Disorder, lacrimal system, changes
- larynx (muscle) (congenital) Q31.8
- - acquired J38.7
- - web (glottic) Q31.0
- leg (upper) (acquired) NEC -*see also* Deformity, limb, thigh
- - congenital Q68.8
- - lower leg -*see* Deformity, limb, lower leg
- lens (acquired) H27.8
- - congenital Q12.9
- lid (fold) (acquired) -*see also* Disorder, eyelid, specified type NEC
- - congenital Q10.3
- ligament (acquired) -*see* Disorder, ligament
- - congenital Q79.9
- limb (acquired) M21.90
- - clawfoot M21.53-
- - clawhand M21.51-
- - - congenital Q68.1
- - clubfoot M21.54-
- - clubhand M21.52-
- - congenital, except reduction deformity Q74.9
- - flat foot M21.4-
- - flexion M21.20
- - - ankle M21.27-
- - - elbow M21.22-
- - - finger M21.24-
- - - hip M21.25-
- - - knee M21.26-
- - - shoulder M21.21-
- - - toe M21.27-
- - - wrist M21.23-
- - foot
- - - claw -*see* Deformity, limb, clawfoot
- - - club -*see* Deformity, limb, clubfoot

- - - drop M21.37-
- - - flat -*see* Deformity, limb, flat foot
- - - specified NEC M21.6X-
- - forearm M21.93-
- - hand M21.94-
- - lower leg M21.96-
- - specified type NEC M21.80
- - - forearm M21.83-
- - - lower leg M21.86-
- - - thigh M21.85-
- - - upper arm M21.82-
- - thigh M21.95-
- - unequal length M21.70
- - - short site is
- - - - femur M21.75-
- - - - fibula M21.76-
- - - - humerus M21.72-
- - - - radius M21.73-
- - - - tibia M21.76-
- - - - ulna M21.73-
- - upper arm M21.92-
- - valgus -*see* Deformity, valgus
- - varus -*see* Deformity, varus
- - wrist drop M21.33-
- lip (acquired) NEC K13.0
- - congenital Q38.0
- liver (congenital) Q44.70
- - acquired K76.89
- lumbosacral (congenital) (joint) (region) Q76.49
- - acquired -see subcategory M43.8
- - kyphosis -*see* Kyphosis, congenital
- - lordosis -*see* Lordosis, congenital
- lung (congenital) Q33.9
- - acquired J98.4
- lymphatic system, congenital Q89.9
- Madelung's (radius) Q74.0
- mandible (acquired) (congenital) M26.9
- maxilla (acquired) (congenital) M26.9
- meninges or membrane (congenital) Q07.9
- - cerebral Q04.8
- - - acquired G96.198
- - spinal cord (congenital) Q06.-
- - - acquired G96.198
- metacarpus (acquired) -*see* Deformity, limb, forearm
- - congenital Q74.0
- metatarsus (acquired) -*see* Deformity, foot
- - congenital Q66.9-
- middle ear (congenital) Q16.4
- - ossicles Q16.3
- mitral (leaflets) (valve) I05.8
- - parachute Q23.2
- - stenosis, congenital Q23.2
- mouth (acquired) K13.79
- - congenital Q38.6
- multiple, congenital NEC Q89.7
- muscle (acquired) M62.89
- - congenital Q79.9
- - - sternocleidomastoid Q68.0
- musculoskeletal system (acquired) M95.9
- - congenital Q79.9

- - specified NEC M95.8
- nail (acquired) L60.8
- - congenital Q84.6
- nasal -*see* Deformity, nose
- neck (acquired) M95.3
- - congenital Q18.9
- - - sternocleidomastoid Q68.0
- nervous system (congenital) Q07.9
- nipple (congenital) Q83.9
- - acquired N64.89
- nose (acquired) (cartilage) M95.0
- - bone (turbinate) M95.0
- - congenital Q30.9
- - - bent or squashed Q67.4
- - saddle M95.0
- - - syphilitic A50.57
- - septum (acquired) J34.2
- - - congenital Q30.8
- - sinus (wall) (congenital) Q30.8
- - - acquired M95.0
- - syphilitic (congenital) A50.57
- - - late A52.73
- ocular muscle (congenital) Q10.3
- - acquired -*see* Strabismus, mechanical
- opticociliary vessels (congenital) Q13.2
- orbit (eye) (acquired) H05.30
- - atrophy -*see* Atrophy, orbit
- - congenital Q10.7
- - due to
- - - bone disease NEC H05.32-
- - - trauma or surgery H05.33-
- - enlargement -*see* Enlargement, orbit
- - exostosis -*see* Exostosis, orbit
- organ of Corti (congenital) Q16.5
- ovary (congenital) Q50.39
- - acquired N83.8
- oviduct, acquired N83.8
- palate (congenital) Q38.5
- - acquired M27.8
- - cleft (congenital) -*see* Cleft, palate
- pancreas (congenital) Q45.3
- - acquired K86.89
- parathyroid (gland) Q89.2
- parotid (gland) (congenital) Q38.4
- - acquired K11.8
- patella (acquired) -*see* Disorder, patella, specified NEC
- pelvis, pelvic (acquired) (bony) M95.5
- - with disproportion (fetopelvic) O33.0
- - - causing obstructed labor O65.0
- - congenital Q74.2
- - rachitic sequelae (late effect) E64.3
- penis (glans) (congenital) Q55.69
- - acquired N48.89
- pericardium (congenital) Q24.8
- - acquired -*see* Pericarditis
- pharynx (congenital) Q38.8
- - acquired J39.2
- pinna, acquired -*see also* Disorder, pinna, deformity
- - congenital Q17.9
- pituitary (congenital) Q89.2

- posture -*see* Dorsopathy, deforming
- prepuce (congenital) Q55.69
- - acquired N47.8
- prostate (congenital) Q55.4
- - acquired N42.89
- pupil (congenital) Q13.2
- - acquired -*see* Abnormality, pupillary
- pylorus (congenital) Q40.3
- - acquired K31.89
- rachitic (acquired), old or healed E64.3
- radius (acquired) -*see also* Deformity, limb, forearm
- - congenital Q68.8
- rectum (congenital) Q43.9
- - acquired K62.89
- reduction (extremity) (limb), congenital -*see also* condition and site Q73.8
- - brain Q04.3
- - lower -*see* Defect, reduction, lower limb
- - upper -*see* Defect, reduction, upper limb
- renal -*see* Deformity, kidney
- respiratory system (congenital) Q34.9
- rib (acquired) M95.4
- - congenital Q76.6
- - - cervical Q76.5
- rotation (joint) (acquired) -*see* Deformity, limb, specified site NEC
- - congenital Q74.9
- - hip -*see* Deformity, limb, specified type NEC, thigh
- - - congenital Q65.89
- sacroiliac joint (congenital) Q74.2
- - acquired -see subcategory M43.8
- sacrum (acquired) -see subcategory M43.8
- saddle
- - back -*see* Lordosis
- - nose M95.0
- - - syphilitic A50.57
- salivary gland or duct (congenital) Q38.4
- - acquired K11.8
- scapula (acquired) M95.8
- - congenital Q68.8
- scrotum (congenital) -*see also* Malformation, testis and scrotum
- - acquired N50.89
- seminal vesicles (congenital) Q55.4
- - acquired N50.89
- septum, nasal (acquired) J34.2
- shoulder (joint) (acquired) -*see* Deformity, limb, upper arm
- - congenital Q74.0
- - contraction -*see* Contraction, joint, shoulder
- sigmoid (flexure) (congenital) Q43.9
- - acquired K63.89
- skin (congenital) Q82.9
- skull (acquired) M95.2
- - congenital Q75.8
- - - with
- - - - anencephaly Q00.0
- - - - encephalocele -*see* Encephalocele
- - - - hydrocephalus Q03.9
- - - - - with spina bifida -*see* Spina bifida, by site, with hydrocephalus
- - - - microcephaly Q02
- soft parts, organs or tissues (of pelvis)
- - in pregnancy or childbirth NEC O34.8-
- - - causing obstructed labor O65.5

- spermatic cord (congenital) Q55.4
- - acquired N50.89
- - - torsion -*see* Torsion, spermatic cord
- spinal -*see* Dorsopathy, deforming
- - column (acquired) -*see* Dorsopathy, deforming
- - congenital Q67.5
- - cord (congenital) Q06.9
- - - acquired G95.89
- - nerve root (congenital) Q07.9
- spine (acquired) -*see also* Dorsopathy, deforming
- - congenital Q67.5
- - rachitic E64.3
- - specified NEC -*see* Dorsopathy, deforming, specified NEC
- spleen
- - acquired D73.89
- - congenital Q89.09
- Sprengel's (congenital) Q74.0
- sternocleidomastoid (muscle), congenital Q68.0
- sternum (acquired) M95.4
- - congenital NEC Q76.7
- stomach (congenital) Q40.3
- - acquired K31.89
- submandibular gland (congenital) Q38.4
- submaxillary gland (congenital) Q38.4
- - acquired K11.8
- talipes -*see* Talipes
- testis (congenital) -*see also* Malformation, testis and scrotum
- - acquired N44.8
- - - torsion -*see* Torsion, testis
- thigh (acquired) -*see also* Deformity, limb, thigh
- - congenital NEC Q68.8
- thorax (acquired) (wall) M95.4
- - congenital Q67.8
- - sequelae of rickets E64.3
- thumb (acquired) -*see also* Deformity, finger
- - congenital NEC Q68.1
- thymus (tissue) (congenital) Q89.2
- thyroid (gland) (congenital) Q89.2
- - cartilage Q31.8
- - - acquired J38.7
- tibia (acquired) -*see also* Deformity, limb, specified type NEC, lower leg
- - congenital NEC Q68.8
- - saber (syphilitic) A50.56
- toe (acquired) M20.6-
- - congenital Q66.9-
- - hallux rigidus M20.2-
- - hallux valgus M20.1-
- - hallux varus M20.3-
- - hammer toe M20.4-
- - specified NEC M20.5X-
- tongue (congenital) Q38.3
- - acquired K14.8
- tooth, teeth K00.2
- trachea (rings) (congenital) Q32.1
- - acquired J39.8
- transverse aortic arch (congenital) Q25.49
- tricuspid (leaflets) (valve) I07.8
- - atresia or stenosis Q22.4
- - Ebstein's Q22.5
- trunk (acquired) M95.8

- - congenital Q89.9
- ulna (acquired) -*see also* Deformity, limb, forearm
- - congenital NEC Q68.8
- urachus, congenital Q64.4
- ureter (opening) (congenital) Q62.8
- - acquired N28.89
- urethra (congenital) Q64.79
- - acquired N36.8
- urinary tract (congenital) Q64.9
- - urachus Q64.4
- uterus (congenital) Q51.9
- - acquired N85.8
- uvula (congenital) Q38.5
- vagina (acquired) N89.8
- - congenital Q52.4
- valgus NEC M21.00
- - ankle M21.07-
- - elbow M21.02-
- - hip M21.05-
- - knee M21.06-
- valve, valvular (congenital) (heart) Q24.8
- - acquired -*see* Endocarditis
- varus NEC M21.10
- - ankle M21.17-
- - elbow M21.12-
- - hip M21.15
- - knee M21.16-
- - tibia -*see* Osteochondrosis, juvenile, tibia
- vas deferens (congenital) Q55.4
- - acquired N50.89
- vein (congenital) Q27.9
- - great Q26.9
- vertebra -*see* Dorsopathy, deforming
- vertical talus (congenital) Q66.80
- - left foot Q66.82
- - right foot Q66.81
- vesicourethral orifice (acquired) N32.89
- - congenital NEC Q64.79
- vessels of optic papilla (congenital) Q14.2
- visual field (contraction) -*see* Defect, visual field
- vitreous body, acquired H43.89
- vulva (congenital) Q52.79
- - acquired N90.89
- wrist (joint) (acquired) -*see also* Deformity, limb, forearm
- - congenital Q68.8
- - contraction -*see* Contraction, joint, wrist

Degeneration, degenerative

- adrenal (capsule) (fatty) (gland) (hyaline) (infectional) E27.8
- amyloid -*see also* Amyloidosis E85.9
- anterior cornua, spinal cord G12.29
- anterior labral S43.49-
- aorta, aortic I70.0
- - fatty I77.89
- aortic valve (heart) -*see* Endocarditis, aortic
- arteriovascular -*see* Arteriosclerosis
- artery, arterial (atheromatous) (calcareous) -*see also* Arteriosclerosis
- - cerebral, amyloid E85.4 *[I68.0]*
- - medial -*see* Arteriosclerosis, extremities
- articular cartilage NEC -*see* Derangement, joint, articular cartilage, by site
- atheromatous -*see* Arteriosclerosis

- basal nuclei or ganglia G23.9
- - specified NEC G23.8
- bone NEC -*see* Disorder, bone, specified type NEC
- brachial plexus G54.0
- brain (cortical) (progressive) G31.9
- - alcoholic G31.2
- - arteriosclerotic I67.2
- - childhood G31.9
- - - specified NEC G31.89
- - cystic G31.89
- - - congenital Q04.6
- - in
- - - alcoholism G31.2
- - - beriberi E51.2
- - - cerebrovascular disease I67.9
- - - congenital hydrocephalus Q03.9
- - - - with spina bifida -*see also* Spina bifida
- - - Fabry-Anderson disease E75.21
- - - Gaucher's disease E75.22
- - - Hunter's syndrome E76.1
- - - lipidosis
- - - - cerebral E75.4
- - - - generalized E75.6
- - - mucopolysaccharidosis -*see* Mucopolysaccharidosis
- - - myxedema E03.9 *[G32.89]*
- - - neoplastic disease -*see also* Neoplasm D49.6 *[G32.89]*
- - - Niemann-Pick disease E75.249 *[G32.89]*
- - - sphingolipidosis E75.3 *[G32.89]*
- - - vitamin B12 deficiency E53.8 *[G32.89]*
- - senile NEC G31.1
- breast N64.89
- Bruch's membrane -*see* Degeneration, choroid
- capillaries (fatty) I78.8
- - amyloid E85.89 *[I79.8]*
- cardiac -*see also* Degeneration, myocardial
- - valve, valvular -*see* Endocarditis
- cardiorenal -*see* Hypertension, cardiorenal
- cardiovascular -*see also* Disease, cardiovascular
- - renal -*see* Hypertension, cardiorenal
- cerebellar NOS G31.9
- - alcoholic G31.2
- - primary (hereditary) (sporadic) G11.9
- cerebral -*see* Degeneration, brain
- cerebrovascular I67.9
- - due to hypertension I67.4
- cervical plexus G54.2
- cervix N88.8
- - due to radiation (intended effect) N88.8
- - - adverse effect or misadventure N99.89
- chamber angle H21.21-
- changes, spine or vertebra -*see* Spondylosis
- chorioretinal -*see also* Degeneration, choroid
- - hereditary H31.20
- choroid (colloid) (drusen) H31.10-
- - atrophy -*see* Atrophy, choroidal
- - hereditary -*see* Dystrophy, choroidal, hereditary
- ciliary body H21.22-
- cochlear -see subcategory H83.8
- combined (spinal cord) (subacute) E53.8 *[G32.0]*
- - with anemia (pernicious) D51.0 *[G32.0]*

- - - due to dietary vitamin B12 deficiency D51.3 *[G32.0]*
- - in (due to)
- - - vitamin B12 deficiency E53.8 *[G32.0]*
- - - - anemia D51.9 *[G32.0]*
- conjunctiva H11.10
- - concretions -*see* Concretion, conjunctiva
- - deposits -*see* Deposit, conjunctiva
- - pigmentations -*see* Pigmentation, conjunctiva
- - pinguecula -*see* Pinguecula
- - xerosis -*see* Xerosis, conjunctiva
- cornea H18.40
- - calcerous H18.43
- - - band keratopathy H18.42-
- - familial, hereditary -*see* Dystrophy, cornea
- - hyaline (of old scars) H18.49
- - keratomalacia -*see* Keratomalacia
- - nodular H18.45-
- - peripheral H18.46-
- - senile H18.41-
- - specified type NEC H18.49
- cortical (cerebellar) (parenchymatous) G31.89
- - alcoholic G31.2
- - diffuse, due to arteriopathy I67.2
- corticobasal G31.85
- cutis L98.8
- - amyloid E85.4 *[L99]*
- dental pulp K04.2
- disc disease -*see* Degeneration, intervertebral disc, by site
- dorsolateral (spinal cord) -*see* Degeneration, combined
- extrapyramidal G25.9
- eye, macular -*see also* Degeneration, macula
- - congenital or hereditary -*see* Dystrophy, retina
- facet joints -*see* Spondylosis
- fatty
- - liver NEC K76.0
- - - alcoholic K70.0
- grey matter (brain) (Alpers') G31.81
- heart -*see also* Degeneration, myocardial
- - amyloid E85.4 *[I43]*
- - atheromatous -*see* Disease, heart, ischemic, atherosclerotic
- - ischemic -*see* Disease, heart, ischemic
- hepatolenticular (Wilson's) E83.01
- hepatorenal K76.7
- hyaline (diffuse) (generalized)
- - localized -*see* Degeneration, by site
- infrapatellar fat pad M79.4
- intervertebral disc
- - with
- - - myelopathy -*see* Disorder, disc, with, myelopathy
- - - radiculitis or radiculopathy -*see* Disorder, disc, with, radiculopathy
- - cervical, cervicothoracic -*see* Disorder, disc, cervical, degeneration
- - - with
- - - - myelopathy -*see* Disorder, disc, cervical, with myelopathy
- - - - neuritis, radiculitis or radiculopathy -*see* Disorder, disc, cervical, with neuritis
- - lumbar region M51.36-
- - - with
- - - - myelopathy M51.06
- - - - neuritis, radiculitis, radiculopathy or sciatica M51.16
- - lumbosacral region M51.37-
- - - with

- - - - neuritis, radiculitis, radiculopathy or sciatica M51.17
- - sacrococcygeal region M53.3
- - thoracic region M51.34
- - - with
- - - - myelopathy M51.04
- - - - neuritis, radiculitis, radiculopathy M51.14
- - thoracolumbar region M51.35
- - - with
- - - - myelopathy M51.05
- - - - neuritis, radiculitis, radiculopathy M51.15
- intestine, amyloid E85.4
- iris (pigmentary) H21.23-
- ischemic *-see* Ischemia
- joint disease *-see* Osteoarthritis
- kidney N28.89
- - amyloid E85.4 *[N29]*
- - cystic, congenital Q61.9
- - fatty N28.89
- - polycystic Q61.3
- - - adult type (autosomal dominant) Q61.2
- - - infantile type (autosomal recessive) NEC Q61.19
- - - - collecting duct dilatation Q61.11
- Kuhnt-Junius *-see also* Degeneration, macula H35.32-
- lens *-see* Cataract
- lenticular (familial) (progressive) (Wilson's) (with cirrhosis of liver) E83.01
- liver (diffuse) NEC K76.89
- - amyloid E85.4 *[K77]*
- - cystic K76.89
- - - congenital Q44.6
- - fatty NEC K76.0
- - - alcoholic K70.0
- - hypertrophic K76.89
- - parenchymatous, acute or subacute K72.00
- - - with coma K72.01
- - pigmentary K76.89
- - toxic (acute) K71.9
- lung J98.4
- lymph gland I89.8
- - hyaline I89.8
- macula, macular (acquired) (age-related) (senile) H35.30
- - angioid streaks H35.33
- - atrophic age-related H35.31-
- - congenital or hereditary *-see* Dystrophy, retina
- - cystoid H35.35-
- - drusen H35.36-
- - dry age-related H35.31-
- - exudative H35.32-
- - hole H35.34-
- - nonexudative H35.31-
- - puckering H35.37-
- - toxic H35.38-
- - wet age-related H35.32-
- membranous labyrinth, congenital (causing impairment of hearing) Q16.5
- meniscus *-see* Derangement, meniscus
- mitral *-see* Insufficiency, mitral
- Mönckeberg's *-see* Arteriosclerosis, extremities
- motor centers, senile G31.1
- multi-system G90.3
- mural *-see* Degeneration, myocardial
- muscle (fatty) (fibrous) (hyaline) (progressive) M62.89

- - heart -*see* Degeneration, myocardial
- myelin, central nervous system G37.9
- myocardial, myocardium (fatty) (hyaline) (senile) I51.5
- - with rheumatic fever (conditions in I00) I09.0
- - - active, acute or subacute I01.2
- - - - with chorea I02.0
- - - inactive or quiescent (with chorea) I09.0
- - hypertensive -*see* Hypertension, heart
- - rheumatic -*see* Degeneration, myocardial, with rheumatic fever
- - syphilitic A52.06
- nasal sinus (mucosa) J32.9
- - frontal J32.1
- - maxillary J32.0
- nerve -*see* Disorder, nerve
- nervous system G31.9
- - alcoholic G31.2
- - amyloid E85.4 *[G99.8]*
- - autonomic G90.9
- - fatty G31.89
- - specified NEC G31.89
- nipple N64.89
- olivopontocerebellar (hereditary) (familial) G23.8
- osseous labyrinth -see subcategory H83.8
- ovary N83.8
- - cystic N83.20-
- - microcystic N83.20-
- pallidal pigmentary (progressive) G23.0
- pancreas K86.89
- - tuberculous A18.83
- penis N48.89
- pigmentary (diffuse) (general)
- - localized -*see* Degeneration, by site
- - pallidal (progressive) G23.0
- pineal gland E34.8
- pituitary (gland) E23.6
- popliteal fat pad M79.4
- posterolateral (spinal cord) -*see* Degeneration, combined
- pulmonary valve (heart) I37.8
- pulp (tooth) K04.2
- pupillary margin H21.24-
- renal -*see* Degeneration, kidney
- retina H35.9
- - hereditary (cerebroretinal) (congenital) (juvenile) (macula) (peripheral) (pigmentary) -*see* Dystrophy, retina
- - Kuhnt-Junius -*see also* Degeneration, macula H35.32-
- - macula (cystic) (exudative) (hole) (nonexudative) (pseudohole) (senile) (toxic) -*see* Degeneration, macula
- - peripheral H35.40
- - - lattice H35.41-
- - - microcystoid H35.42-
- - - paving stone H35.43-
- - - secondary
- - - - pigmentary H35.45-
- - - - vitreoretinal H35.46-
- - - senile reticular H35.44-
- - pigmentary (primary) -*see also* Dystrophy, retina
- - - secondary -*see* Degeneration, retina, peripheral, secondary
- - posterior pole -*see* Degeneration, macula
- saccule, congenital (causing impairment of hearing) Q16.5
- senile R54
- - brain G31.1
- - cardiac, heart or myocardium -*see* Degeneration, myocardial

- - motor centers G31.1
- - vascular -*see* Arteriosclerosis
- sinus (cystic) -*see also* Sinusitis
- - polypoid J33.1
- skin L98.8
- - amyloid E85.4 *[L99]*
- - colloid L98.8
- spinal (cord) G31.89
- - amyloid E85.4 *[G32.89]*
- - combined (subacute) -*see* Degeneration, combined
- - dorsolateral -*see* Degeneration, combined
- - familial NEC G31.89
- - fatty G31.89
- - funicular -*see* Degeneration, combined
- - posterolateral -*see* Degeneration, combined
- - subacute combined -*see* Degeneration, combined
- - tuberculous A17.81
- spleen D73.0
- - amyloid E85.4 *[D77]*
- stomach K31.89
- striatonigral G23.2
- suprarenal (capsule) (gland) E27.8
- synovial membrane (pulpy) -*see* Disorder, synovium, specified type NEC
- tapetoretinal -*see* Dystrophy, retina
- thymus (gland) E32.8
- - fatty E32.8
- thyroid (gland) E07.89
- tricuspid (heart) (valve) I07.9
- tuberculous NEC -*see* Tuberculosis
- turbinate J34.89
- uterus (cystic) N85.8
- vascular (senile) -*see* Arteriosclerosis
- - hypertensive -*see* Hypertension
- vitreoretinal, secondary -*see* Degeneration, retina, peripheral, secondary, vitreoretinal
- vitreous (body) H43.81-
- Wallerian -*see* Disorder, nerve
- Wilson's hepatolenticular E83.01

Deglutition
- paralysis R13.0
- - hysterical F44.4
- pneumonia J69.0

Degos' disease I77.89

Dehiscence (of)
- amputation stump T87.81
- cesarean wound O90.0
- closure of
- - abdominal wall muscle or fascia T81.321
- - cornea T81.31
- - craniotomy T81.328
- - fascia (muscular) (superficial) T81.328
- - gastrointestinal tract anastomosis, repair, or closure T81.320
- - internal organ or tissue T81.328
- - laceration (external) (internal) T81.33
- - ligament T81.328
- - mucosa T81.31
- - muscle or muscle flap T81.328
- - ribs or rib cage T81.328
- - skin and subcutaneous tissue (full-thickness) (superficial) T81.31
- - skull T81.328
- - sternum (sternotomy) T81.328

- - tendon T81.328
- - traumatic laceration (external) (internal) T81.33
- episiotomy O90.1
- operation wound NEC T81.31
- - deep T81.329
- - external operation wound (superficial) T81.31
- - internal operation wound (deep) T81.329
- - - abdominal wall muscle or fascia T81.321
- - - specified NEC T81.328
- perineal wound (postpartum) O90.1
- traumatic injury wound repair T81.33
- wound T81.30
- - traumatic repair T81.33

Dehydration E86.0
- newborn P74.1

Déjérine-Roussy syndrome G89.0

Déjérine-Sottas disease or neuropathy (hypertrophic) G60.0

Déjérine-Thomas atrophy G23.8

Delay, delayed
- any plane in pelvis
- - complicating delivery O66.9
- birth or delivery NOS O63.9
- closure, ductus arteriosus (Botalli) P29.38
- coagulation *-see* Defect, coagulation
- conduction (cardiac) (ventricular) I45.9
- delivery, second twin, triplet, etc O63.2
- development R62.50
- - global F88
- - intellectual (specific) F81.9
- - language F80.9
- - - due to hearing loss F80.4
- - learning F81.9
- - milestone R62.0
- - pervasive F84.9
- - physiological R62.50
- - - specified stage NEC R62.0
- - reading F81.0
- - sexual E30.0
- - speech F80.9
- - - due to hearing loss F80.4
- - spelling F81.81
- ejaculation F52.32
- gastric emptying K30
- menarche E30.0
- menstruation (cause unknown) N91.0
- milestone R62.0
- passage of meconium (newborn) P76.0
- primary respiration P28.9
- puberty (constitutional) E30.0
- separation of umbilical cord P96.82
- sexual maturation, female E30.0
- sleep phase syndrome G47.21
- union, fracture *-see* Fracture, by site
- vaccination Z28.9

Deletion(s)
- autosome Q93.9
- - identified by fluorescence in situ hybridization (FISH) Q93.89
- - identified by in situ hybridization (ISH) Q93.89
- chromosome
- - with complex rearrangements NEC Q93.7

- - part of NEC Q93.59
- - seen only at prometaphase Q93.89
- - short arm
- - - 4 Q93.3
- - - 5p Q93.4
- - - 22q11.2 Q93.81
- - specified NEC Q93.89
- long arm chromosome 18 or 21 Q93.89
- - with complex rearrangements NEC Q93.7
- microdeletions NEC Q93.88
Delhi boil or button B55.1
Delinquency (juvenile) (neurotic) F91.8
- group Z72.810
Delinquent immunization status Z28.39
- COVID-19 Z28.31-
Delirium, delirious (acute or subacute) (not alcohol- or drug-induced) R41.0
- with
- - dementia -*see also* Dementia F05
- alcoholic (acute) (tremens) (withdrawal) F10.921
- - with intoxication F10.921
- - - in
- - - - abuse F10.121
- - - - dependence F10.221
- due to (secondary to)
- - alcohol
- - - intoxication F10.921
- - - - in
- - - - - abuse F10.121
- - - - - dependence F10.221
- - - withdrawal F10.231
- - amphetamine intoxication F15.921
- - - in
- - - - abuse F15.121
- - - - dependence F15.221
- - anxiolytic
- - - intoxication F13.921
- - - - in
- - - - - abuse F13.121
- - - - - dependence F13.221
- - - withdrawal F13.231
- - cannabis intoxication (acute) F12.921
- - - in
- - - - abuse F12.121
- - - - dependence F12.221
- - cocaine intoxication (acute) F14.921
- - - in
- - - - abuse F14.121
- - - - dependence F14.221
- - general medical condition F05
- - hallucinogen intoxication F16.921
- - - in
- - - - abuse F16.121
- - - - dependence F16.221
- - hypnotic
- - - intoxication F13.921
- - - - in
- - - - - abuse F13.121
- - - - - dependence F13.221
- - - withdrawal F13.231
- - inhalant intoxication (acute) F18.921

- - - in
- - - - abuse F18.121
- - - - dependence F18.221
- - multiple etiologies F05
- - opioid intoxication (acute) F11.921
- - - in
- - - - abuse F11.121
- - - - dependence F11.221
- - other (or unknown) substance F19.921
- - phencyclidine intoxication (acute) F16.921
- - - in
- - - - abuse F16.121
- - - - dependence F16.221
- - psychoactive substance NEC intoxication (acute) F19.921
- - - in
- - - - abuse F19.121
- - - - dependence F19.221
- - sedative
- - - intoxication F13.921
- - - - in
- - - - - abuse F13.121
- - - - - dependence F13.221
- - - withdrawal F13.231
- - unknown etiology R41.0
- exhaustion F43.0
- hysterical F44.89
- postprocedural (postoperative) F05
- puerperal F05
- thyroid *-see* Thyrotoxicosis with thyroid storm
- traumatic *-see* Injury, intracranial
- tremens (alcohol-induced) F10.231
- - sedative-induced F13.231

Delivery (childbirth) (labor)

- arrested active phase O62.1
- cesarean (for)
- - abnormal
- - - pelvis (bony) (deformity) (major) NEC with disproportion (fetopelvic) O33.0
- - - - with obstructed labor O65.0
- - - presentation or position O32.9
- - abruptio placentae *-see also* Abruptio placentae O45.9-
- - acromion presentation O32.2
- - atony, uterus O62.2
- - breech presentation O32.1
- - - incomplete O32.8
- - brow presentation O32.3
- - cephalopelvic disproportion O33.9
- - cerclage O34.3-
- - chin presentation O32.3
- - cicatrix of cervix O34.4-
- - contracted pelvis (general)
- - - inlet O33.2
- - - outlet O33.3
- - cord presentation or prolapse O69.0
- - cystocele O34.8-
- - deformity (acquired) (congenital)
- - - pelvic organs or tissues NEC O34.8-
- - - pelvis (bony) NEC O33.0
- - disproportion NOS O33.9
- - eclampsia *-see* Eclampsia
- - face presentation O32.3

- - failed
- - - forceps O66.5
- - - induction of labor O61.9
- - - - instrumental O61.1
- - - - mechanical O61.1
- - - - medical O61.0
- - - - specified NEC O61.8
- - - - surgical O61.1
- - - trial of labor NOS O66.40
- - - - following previous cesarean delivery O66.41
- - - vacuum extraction O66.5
- - - ventouse O66.5
- - fetal-maternal hemorrhage O43.01-
- - hemorrhage (intrapartum) O67.9
- - - with coagulation defect O67.0
- - - specified cause NEC O67.8
- - high head at term O32.4
- - hydrocephalic fetus O33.6
- - incarceration of uterus O34.51-
- - incoordinate uterine action O62.4
- - increased size, fetus O33.5
- - inertia, uterus O62.2
- - - primary O62.0
- - - secondary O62.1
- - isthmocele O34.22
- - lateroversion, uterus O34.59-
- - mal lie O32.9
- - malposition
- - - fetus O32.9
- - - pelvic organs or tissues NEC O34.8-
- - - uterus NEC O34.59-
- - malpresentation NOS O32.9
- - oblique presentation O32.2
- - occurring after 37 completed weeks of gestation but before 39 completed weeks gestation due to (spontaneous) onset of labor O75.82
- - oversize fetus O33.5
- - pelvic tumor NEC O34.8-
- - placenta previa O44.0-
- - - complete O44.0-
- - - - with hemorrhage O44.1-
- - placental insufficiency O36.51-
- - planned, occurring after 37 completed weeks of gestation but before 39 completed weeks gestation due to (spontaneous) onset of labor O75.82
- - polyp, cervix O34.4-
- - - causing obstructed labor O65.5
- - poor dilatation, cervix O62.0
- - pre-eclampsia O14.94
- - - mild O14.04
- - - moderate O14.04
- - - severe O14.14
- - - - with hemolysis, elevated liver enzymes and low platelet count (HELLP) O14.24
- - previous
- - - cesarean delivery O34.219
- - - - classical (vertical) scar O34.212
- - - - isthmocele O34.22
- - - - low transverse scar O34.211
- - - - mid-transverse T incision O34.218
- - - - scar
- - - - - defect (isthmocele) O34.22
- - - - - specified type NEC O34.218

- - - surgery (to)
- - - - cervix O34.4-
- - - - gynecological NEC O34.8-
- - - - rectum O34.7-
- - - - uterus O34.29
- - - - vagina O34.6-
- - prolapse
- - - arm or hand O32.2
- - - uterus O34.52-
- - prolonged labor NOS O63.9
- - rectocele O34.8-
- - retroversion
- - - uterus O34.53-
- - rigid
- - - cervix O34.4-
- - - pelvic floor O34.8-
- - - perineum O34.7-
- - - vagina O34.6-
- - - vulva O34.7-
- - sacculation, pregnant uterus O34.59-
- - scar(s)
- - - cervix O34.4-
- - - cesarean delivery O34.219
- - - - classical (vertical) O34.212
- - - - isthmocele O34.22
- - - - low transverse O34.211
- - - - mid-transverse T incision O34.218
- - - - scar
- - - - - defect (isthmocele) O34.22
- - - - - specified type NEC O34.218
- - - defect (isthmocele) O34.22
- - - transmural uterine O34.29
- - - uterus O34.29
- - Shirodkar suture in situ O34.3-
- - shoulder presentation O32.2
- - stenosis or stricture, cervix O34.4-
- - streptococcus group B (GBS) carrier state O99.824
- - transmural uterine scar O34.29
- - transverse presentation or lie O32.2
- - tumor, pelvic organs or tissues NEC O34.8-
- - - cervix O34.4-
- - umbilical cord presentation or prolapse O69.0
- - without indication O82
- completely normal case O80
- complicated O75.9
- - by
- - - abnormal, abnormality (of)
- - - - forces of labor O62.9
- - - - - specified type NEC O62.8
- - - - glucose O99.814
- - - - uterine contractions NOS O62.9
- - - abruptio placentae -*see also* Abruptio placentae O45.9-
- - - abuse
- - - - physical O9A.32
- - - - psychological O9A.52
- - - - sexual O9A.42
- - - adherent placenta O72.0
- - - - without hemorrhage O73.0
- - - alcohol use O99.314
- - - anemia (pre-existing) O99.02

- - - anesthetic death O74.8
- - - annular detachment of cervix O71.3
- - - atony, uterus O62.2
- - - attempted vacuum extraction and forceps O66.5
- - - Bandl's ring O62.4
- - - bariatric surgery status O99.844
- - - biliary tract disorder O26.62
- - - bleeding -*see* Delivery, complicated by, hemorrhage
- - - blood disorder NEC O99.12
- - - cervical dystocia (hypotonic) O62.2
- - - - primary O62.0
- - - - secondary O62.1
- - - circulatory system disorder O99.42
- - - compression of cord (umbilical) NEC O69.2
- - - condition NEC O99.892
- - - contraction, contracted ring O62.4
- - - cord (umbilical)
- - - - around neck
- - - - - with compression O69.1
- - - - - without compression O69.81
- - - - bruising O69.5
- - - - complication O69.9
- - - - - specified NEC O69.89
- - - - compression NEC O69.2
- - - - entanglement O69.2
- - - - - without compression O69.82
- - - - hematoma O69.5
- - - - presentation O69.0
- - - - prolapse O69.0
- - - - short O69.3
- - - - thrombosis (vessels) O69.5
- - - - vascular lesion O69.5
- - - Couvelaire uterus O45.8X-
- - - damage to (injury to) NEC
- - - - perineum O71.82
- - - - periurethral tissue O71.82
- - - - vulva O71.82
- - - delay following rupture of membranes (spontaneous) -*see* Pregnancy, complicated by, premature rupture of membranes
- - - depressed fetal heart tones O76
- - - diabetes O24.92
- - - - gestational O24.429
- - - - - diet controlled O24.420
- - - - - insulin controlled O24.424
- - - - - oral drug controlled (antidiabetic) (hypoglycemic) O24.425
- - - - pre-existing O24.32
- - - - - specified NEC O24.82
- - - - - type 1 O24.02
- - - - - type 2 O24.12
- - - diastasis recti (abdominis) O71.89
- - - dilatation
- - - - bladder O66.8
- - - - cervix incomplete, poor or slow O62.0
- - - disease NEC O99.892
- - - disruptio uteri -*see* Delivery, complicated by, rupture, uterus
- - - drug use O99.324
- - - dysfunction, uterus NOS O62.9
- - - - hypertonic O62.4
- - - - hypotonic O62.2
- - - - - primary O62.0

- - - - - secondary O62.1
- - - - incoordinate O62.4
- - - eclampsia O15.1
- - - embolism (pulmonary) -*see* Embolism, obstetric
- - - endocrine, nutritional or metabolic disease NEC O99.284
- - - failed
- - - - attempted vaginal birth after previous cesarean delivery O66.41
- - - - induction of labor O61.9
- - - - - instrumental O61.1
- - - - - mechanical O61.1
- - - - - medical O61.0
- - - - - specified NEC O61.8
- - - - - surgical O61.1
- - - - trial of labor O66.40
- - - female genital mutilation O65.5
- - - fetal
- - - - abnormal acid-base balance O68
- - - - acidemia O68
- - - - acidosis O68
- - - - alkalosis O68
- - - - death, early O02.1
- - - - deformity O66.3
- - - - heart rate or rhythm (abnormal) (non-reassuring) O76
- - - - hypoxia O77.8
- - - - stress O77.9
- - - - - due to drug administration O77.1
- - - - - electrocardiographic evidence of O77.8
- - - - - specified NEC O77.8
- - - - - ultrasound evidence of O77.8
- - - fever during labor O75.2
- - - gastric banding status O99.844
- - - gastric bypass status O99.844
- - - gastrointestinal disease NEC O99.62
- - - gestational
- - - - diabetes O24.429
- - - - - diet controlled O24.420
- - - - - insulin (and diet) controlled O24.424
- - - - - oral drug controlled (antidiabetic) (hypoglycemic) O24.425
- - - - edema O12.04
- - - - - with proteinuria O12.24
- - - - proteinuria O12.14
- - - gonorrhea O98.22
- - - hematoma O71.7
- - - - ischial spine O71.7
- - - - pelvic O71.7
- - - - vagina O71.7
- - - - vulva or perineum O71.7
- - - hemorrhage (uterine) O67.9
- - - - associated with
- - - - - afibrinogenemia O67.0
- - - - - coagulation defect O67.0
- - - - - hyperfibrinolysis O67.0
- - - - - hypofibrinogenemia O67.0
- - - - due to
- - - - - low implantation of placenta O44.5-
- - - - - low lying placenta O44.5-
- - - - - placenta previa O44.1-
- - - - - - marginal O44.3-
- - - - - - partial O44.3-
- - - - - premature separation of placenta (normally implanted) -*see also* Abruptio placentae O45.9-

- - - - - retained placenta O72.0
- - - - - uterine leiomyoma O67.8
- - - - placenta NEC O67.8
- - - - postpartum NEC (atonic) (immediate) O72.1
- - - - - with retained or trapped placenta O72.0
- - - - - delayed O72.2
- - - - - secondary O72.2
- - - - - third stage O72.0
- - - hourglass contraction, uterus O62.4
- - - hypertension, hypertensive (pre-existing) -*see* Hypertension, complicated by, childbirth (labor)
- - - hypotension O26.5-
- - - incomplete dilatation (cervix) O62.0
- - - incoordinate uterus contractions O62.4
- - - inertia, uterus O62.2
- - - - during latent phase of labor O62.0
- - - - primary O62.0
- - - - secondary O62.1
- - - infection (maternal) O98.92
- - - - carrier state NEC O99.834
- - - - gonorrhea O98.22
- - - - human immunodeficiency virus (HIV) O98.72
- - - - sexually transmitted NEC O98.32
- - - - specified NEC O98.82
- - - - syphilis O98.12
- - - - tuberculosis O98.02
- - - - viral hepatitis O98.42
- - - - viral NEC O98.52
- - - injury (to mother) -*see also* Delivery, complicated, by, damage to O71.9
- - - - nonobstetric O9A.22
- - - - - caused by abuse -*see* Delivery, complicated by, abuse
- - - intrauterine fetal death, early O02.1
- - - inversion, uterus O71.2
- - - laceration (perineal) O70.9
- - - - anus (sphincter) O70.4
- - - - - with third degree laceration -*see also* Delivery, complicated, by, laceration, perineum, third degree O70.20
- - - - - - with mucosa O70.3
- - - - - without third degree laceration O70.4
- - - - bladder (urinary) O71.5
- - - - bowel O71.5
- - - - cervix (uteri) O71.3
- - - - fourchette O70.0
- - - - hymen O70.0
- - - - labia O70.0
- - - - pelvic
- - - - - floor O70.1
- - - - - organ NEC O71.5
- - - - perineum, perineal O70.9
- - - - - first degree O70.0
- - - - - fourth degree O70.3
- - - - - muscles O70.1
- - - - - second degree O70.1
- - - - - skin O70.0
- - - - - slight O70.0
- - - - - third degree O70.20
- - - - - - with
- - - - - - - both external anal sphincter (EAS) and internal anal sphincter (IAS) torn (IIIc) O70.23
- - - - - - - less than 50% of external anal sphincter (EAS) thickness torn (IIIa) O70.21
- - - - - - - more than 50% external anal sphincter (EAS) thickness torn (IIIb) O70.22
- - - - - - IIIa O70.21
- - - - - - IIIb O70.22

- - - - - - IIIc O70.23
- - - - peritoneum (pelvic) O71.5
- - - - rectovaginal (septum) (without perineal laceration) O71.4
- - - - - with perineum -*see also* Delivery, complicated, by, laceration, perineum, third degree O70.20
- - - - - - with anal or rectal mucosa O70.3
- - - - specified NEC O71.89
- - - - sphincter ani -*see* Delivery, complicated, by, laceration, anus (sphincter)
- - - - urethra O71.5
- - - - uterus O71.81
- - - - - before labor O71.81
- - - - vagina, vaginal (deep) (high) (without perineal laceration) O71.4
- - - - - with perineum O70.0
- - - - - muscles, with perineum O70.1
- - - - vulva O70.0
- - - liver disorder O26.62
- - - malignancy O9A.12
- - - malnutrition O25.2
- - - malposition, malpresentation
- - - - placenta O44.0-
- - - - - with hemorrhage O44.1-
- - - - uterus or cervix O65.5
- - - - without obstruction -*see also* Delivery, complicated by, obstruction O32.9
- - - - - breech O32.1
- - - - - compound O32.6
- - - - - face (brow) (chin) O32.3
- - - - - footling O32.8
- - - - - high head O32.4
- - - - - oblique O32.2
- - - - - specified NEC O32.8
- - - - - transverse O32.2
- - - - - unstable lie O32.0
- - - meconium in amniotic fluid O77.0
- - - mental disorder NEC O99.344
- - - metrorrhexis -*see* Delivery, complicated by, rupture, uterus
- - - nervous system disorder O99.354
- - - obesity (pre-existing) O99.214
- - - obesity surgery status O99.844
- - - obstetric trauma O71.9
- - - - specified NEC O71.89
- - - obstructed labor
- - - - due to
- - - - - breech (complete) (frank) presentation O64.1
- - - - - - incomplete O64.8
- - - - - brow presentation O64.3
- - - - - buttock presentation O64.1
- - - - - chin presentation O64.2
- - - - - compound presentation O64.5
- - - - - contracted pelvis O65.1
- - - - - deep transverse arrest O64.0
- - - - - deformed pelvis O65.0
- - - - - dystocia (fetal) O66.9
- - - - - - due to
- - - - - - - conjoined twins O66.3
- - - - - - - fetal
- - - - - - - - abnormality NEC O66.3
- - - - - - - - ascites O66.3
- - - - - - - - hydrops O66.3
- - - - - - - - meningomyelocele O66.3
- - - - - - - - sacral teratoma O66.3
- - - - - - - - tumor O66.3

- - - - - - - hydrocephalic fetus O66.3
- - - - - - shoulder O66.0
- - - - - face presentation O64.2
- - - - - fetopelvic disproportion O65.4
- - - - - footling presentation O64.8
- - - - - impacted shoulders O66.0
- - - - - incomplete rotation of fetal head O64.0
- - - - - large fetus O66.2
- - - - - locked twins O66.1
- - - - - malposition O64.9
- - - - - - specified NEC O64.8
- - - - - malpresentation O64.9
- - - - - - specified NEC O64.8
- - - - - multiple fetuses NEC O66.6
- - - - - pelvic
- - - - - - abnormality (maternal) O65.9
- - - - - - - organ O65.5
- - - - - - - specified NEC O65.8
- - - - - - contraction
- - - - - - - inlet O65.2
- - - - - - - mid-cavity O65.3
- - - - - - - outlet O65.3
- - - - - persistent (position)
- - - - - - occipitoiliac O64.0
- - - - - - occipitoposterior O64.0
- - - - - - occipitosacral O64.0
- - - - - - occipitotransverse O64.0
- - - - - prolapsed arm O64.4
- - - - - shoulder presentation O64.4
- - - - specified NEC O66.8
- - - pathological retraction ring, uterus O62.4
- - - penetration, pregnant uterus by instrument O71.1
- - - perforation -*see* Delivery, complicated by, laceration
- - - placenta, placental
- - - - ablatio -*see also* Abruptio placentae O45.9-
- - - - abnormality O43.9-
- - - - - specified NEC O43.89-
- - - - abruptio -*see also* Abruptio placentae O45.9-
- - - - accreta O43.21-
- - - - adherent (with hemorrhage) O72.0
- - - - - without hemorrhage O73.0
- - - - detachment (premature) -*see also* Abruptio placentae O45.9-
- - - - disorder O43.9-
- - - - - specified NEC O43.89-
- - - - hemorrhage NEC O67.8
- - - - increta O43.22-
- - - - low (implantation) (lying) O44.4-
- - - - - with hemorrhage O44.5-
- - - - malformation O43.10-
- - - - malposition O44.0-
- - - - - without hemorrhage O44.1-
- - - - percreta O43.23-
- - - - previa (central) (complete) (lateral) (total) O44.0-
- - - - - with hemorrhage O44.1-
- - - - - marginal O44.2-
- - - - - - with hemorrhage O44.3-
- - - - - partial O44.2-
- - - - - - with hemorrhage O44.3-
- - - - retained (with hemorrhage) O72.0
- - - - - without hemorrhage O73.0

- - - - separation (premature) O45.9-
- - - - - specified NEC O45.8X-
- - - - vicious insertion O44.1-
- - - precipitate labor O62.3
- - - premature rupture, membranes *-see also* Pregnancy, complicated by, premature rupture of membranes O42.90
- - - prolapse
- - - - arm or hand O32.2
- - - - cord (umbilical) O69.0
- - - - foot or leg O32.8
- - - - uterus O34.52-
- - - prolonged labor O63.9
- - - - first stage O63.0
- - - - second stage O63.1
- - - protozoal disease (maternal) O98.62
- - - respiratory disease NEC O99.52
- - - retained membranes or portions of placenta O72.2
- - - - without hemorrhage O73.1
- - - retarded birth O63.9
- - - retention of secundines (with hemorrhage) O72.0
- - - - without hemorrhage O73.0
- - - - partial O72.2
- - - - - without hemorrhage O73.1
- - - rupture
- - - - bladder (urinary) O71.5
- - - - cervix O71.3
- - - - pelvic organ NEC O71.5
- - - - urethra O71.5
- - - - uterus (during or after labor) O71.1
- - - - - before labor O71.0-
- - - separation, pubic bone (symphysis pubis) O71.6
- - - shock O75.1
- - - shoulder presentation O64.4
- - - skin disorder NEC O99.72
- - - spasm, cervix O62.4
- - - stenosis or stricture, cervix O65.5
- - - streptococcus group B (GBS) carrier state O99.824
- - - subluxation of symphysis (pubis) O26.72
- - - syphilis (maternal) O98.12
- - - tear *-see* Delivery, complicated by, laceration
- - - tetanic uterus O62.4
- - - trauma (obstetrical) *-see also* Delivery, complicated, by, damage to O71.9
- - - - non-obstetric O9A.22
- - - - periurethral O71.82
- - - - specified NEC O71.89
- - - tuberculosis (maternal) O98.02
- - - tumor, pelvic organs or tissues NEC O65.5
- - - umbilical cord around neck
- - - - with compression O69.1
- - - - without compression O69.81
- - - uterine inertia O62.2
- - - - during latent phase of labor O62.0
- - - - primary O62.0
- - - - secondary O62.1
- - - vasa previa O69.4
- - - velamentous insertion of cord O43.12-
- - specified complication NEC O75.89
- delayed NOS O63.9
- - following rupture of membranes
- - - artificial O75.5
- - second twin, triplet, etc. O63.2

- forceps, low following failed vacuum extraction O66.5
- missed (at or near term) O36.4
- normal O80
- obstructed -*see* Delivery, complicated by, obstructed labor
- precipitate O62.3
- preterm -*see also* Pregnancy, complicated by, preterm labor O60.10
- spontaneous O80
- term pregnancy NOS O80
- uncomplicated O80
- vaginal, following previous cesarean delivery O34.219
- - classical (vertical) scar O34.212
- - low transverse scar O34.211
- - mid-transverse T incision O34.218
- - scar
- - - defect (isthmocele) O34.22
- - - specified type NEC O34.218

Delusions (paranoid) -*see* Disorder, delusional

Dementia (degenerative (primary)) (persisting) (unspecified severity) (without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety) F03.90
- with
- - aberrant motor behavior (exit-seeking) (pacing) (restlessness) (rocking) F03.911
- - acute confusional state F05
- - agitation F03.911
- - anxiety F03.94
- - behavioral disturbances (sexual disinhibition) (sleep disturbance) (social disinhibition) F03.918
- - - specified NEC F03.918
- - Lewy bodies -*see also* Dementia, in, diseases specified elsewhere G31.83 *[F02.80]*
- - - with behavioral disturbance -*see also* Dementia, in, diseases specified elsewhere G31.83 *[F02.81-]*
- - mood disturbance (anhedonia) (apathy) (depression) F03.93
- - Parkinsonism -*see also* Dementia, in, diseases specified elsewhere G20.C *[F02.80]*
- - - with behavioral disturbance -*see also* Dementia, in, diseases specified elsewhere G20.C *[F02.81-]*
- - Parkinson's disease -*see also* Dementia, in, diseases specified elsewhere G20.A1 *[F02.80]*
- - - with behavioral disturbance -*see also* Dementia, in, diseases specified elsewhere G20.A1 *[F02.81-]*
- - psychotic disturbance (delusional state) (hallucinations) (paranoia) (suspiciousness) F03.92
- - verbal or physical behaviors (anger) (aggression) (combativeness) (profanity) (shouting) (threatening) (violence) F03.911
- alcoholic F10.97
- - with dependence F10.27
- Alzheimer's type -*see* Disease, Alzheimer's
- arteriosclerotic -*see* Dementia, vascular
- atypical, Alzheimer's type -*see* Disease, Alzheimer's, specified NEC
- congenital -*see* Disability, intellectual
- frontal (lobe) -*see also* Dementia, in, diseases specified elsewhere G31.09 *[F02.80]*
- - with behavioral disturbance -*see also* Dementia, in, diseases specified elsewhere G31.09 *[F02.81-]*
- frontotemporal G31.09 *[F02.80]*
- - with behavioral disturbance G31.09 *[F02.81]*
- - specified NEC -*see also* Dementia, in, diseases specified elsewhere G31.09 *[F02.80]*
- - - with behavioral disturbance -*see also* Dementia, in, diseases specified elsewhere G31.09 *[F02.81-]*
- in (due to)
- - alcohol F10.97
- - - with dependence F10.27
- - Alzheimer's disease -*see* Disease, Alzheimer's
- - arteriosclerotic brain disease -*see* Dementia, vascular
- - cerebral lipidoses -*see also* Dementia, in, diseases specified elsewhere E75.- *[F02.80]*
- - - with behavioral disturbance -*see also* Dementia, in, diseases specified elsewhere E75.- *[F02.81-]*
- - Creutzfeldt-Jakob disease -*see also* Creutzfeldt-Jakob disease or syndrome (with dementia) A81.00
- - diseases specified elsewhere (unspecified severity) (without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety) F02.80
- - - with
- - - - aberrant motor behavior (exit-seeking) (pacing) (restlessness) (rocking) F02.811

- - - - agitation F02.811
- - - - anxiety F02.84
- - - - behavioral disturbances (sexual disinhibition) (sleep disturbance) (social disinhibition) F02.818
- - - - - specified NEC F02.818
- - - - mood disturbance (anhedonia) (apathy) (depression) F02.83
- - - - psychotic disturbance (delusional state) (hallucinations) (paranoia) (suspiciousness) F02.82
- - - - verbal or physical behaviors (anger) (aggression) (combativeness) (profanity) (shouting) (threatening) (violence) F02.811
- - - mild F02.A0
- - - - with
- - - - - aberrant motor behavior (exit-seeking) (pacing) (restlessness) (rocking) F02.A11
- - - - - agitation F02.A11
- - - - - anxiety F02.A4
- - - - - behavioral disturbances (sexual disinhibition) (sleep disturbance) (social disinhibition) F02.A18
- - - - - - specified NEC F02.A18
- - - - - mood disturbance (anhedonia) (apathy) (depression) F02.A3
- - - - - psychotic disturbance (delusional state) (hallucinations) (paranoia) (suspiciousness) F02.A2
- - - - - verbal or physical behaviors (anger) (aggression) (combativeness) (profanity) (shouting) (threatening) (violence) F02.A11
- - - moderate F02.B0
- - - - with
- - - - - aberrant motor behavior (exit-seeking) (pacing) (restlessness) (rocking) F02.B11
- - - - - agitation F02.B11
- - - - - anxiety F02.B4
- - - - - behavioral disturbances (sexual disinhibition) (sleep disturbance) (social disinhibition) F02.B18
- - - - - - specified NEC F02.B18
- - - - - mood disturbance (anhedonia) (apathy) (depression) F02.B3
- - - - - psychotic disturbance (delusional state) (hallucinations) (paranoia) (suspiciousness) F02.B2
- - - - - verbal or physical behaviors (anger) (aggression) (combativeness) (profanity) (shouting) (threatening) (violence) F02.B11
- - - severe F02.C0
- - - - with
- - - - - aberrant motor behavior (exit-seeking) (pacing) (restlessness) (rocking) F02.C11
- - - - - agitation F02.C11
- - - - - anxiety F02.C4
- - - - - behavioral disturbances (sexual disinhibition) (sleep disturbance) (social disinhibition) F02.C18
- - - - - - specified NEC F02.C18
- - - - - mood disturbance (anhedonia) (apathy) (depression) F02.C3
- - - - - psychotic disturbance (delusional state) (hallucinations) (paranoia) (suspiciousness) F02.C2
- - - - - verbal or physical behaviors (anger) (aggression) (combativeness) (profanity) (shouting) (threatening) (violence) F02.C11
- - epilepsy *-see also* Dementia, in, diseases specified elsewhere G40.- *[F02.80]*
- - - with behavioral disturbance *-see also* Dementia, in, diseases specified elsewhere G40.- *[F02.81-]*
- - hepatolenticular degeneration *-see also* Dementia, in, diseases specified elsewhere E83.01 *[F02.80]*
- - - with behavioral disturbance *-see also* Dementia, in, diseases specified elsewhere E83.01 *[F02.81-]*
- - human immunodeficiency virus (HIV) disease *-see also* Dementia, in, diseases specified elsewhere B20 *[F02.80]*
- - - with behavioral disturbance *-see also* Dementia, in, diseases specified elsewhere B20 *[F02.81-]*
- - Huntington's disease or chorea *-see also* Dementia, in, diseases specified elsewhere G10 *[F02.80]*
- - - with behavioral disturbance *-see also* Dementia, in, diseases specified elsewhere G10 *[F02.81-]*
- - hypercalcemia *-see also* Dementia, in, diseases specified elsewhere E83.52 *[F02.80]*
- - - with behavioral disturbance *-see also* Dementia, in, diseases specified elsewhere E83.52 *[F02.81-]*
- - hypothyroidism, acquired *-see also* Dementia, in, diseases specified elsewhere E03.9 *[F02.80]*
- - - with behavioral disturbance *-see also* Dementia, in, diseases specified elsewhere E03.9 *[F02.81-]*
- - - due to iodine deficiency *-see also* Dementia, in, diseases specified elsewhere E01.8 *[F02.80]*
- - - - with behavioral disturbance *-see also* Dementia, in, diseases specified elsewhere E01.8 *[F02.81-]*
- - inhalants F18.97
- - - with dependence F18.27
- - multiple
- - - etiologies F03
- - - sclerosis *-see also* Dementia, in, diseases specified elsewhere G35 *[F02.80]*

- - - - with behavioral disturbance *-see also* Dementia, in, diseases specified elsewhere G35 *[F02.81-]*
- - neurosyphilis *-see also* Dementia, in, diseases specified elsewhere A52.17 *[F02.80]*
- - - with behavioral disturbance *-see also* Dementia, in, diseases specified elsewhere A52.17 *[F02.81-]*
- - - juvenile *-see also* Dementia, in, diseases specified elsewhere A50.49 *[F02.80]*
- - - - with behavioral disturbance *-see also* Dementia, in, diseases specified elsewhere A50.49 *[F02.81-]*
- - niacin deficiency *-see also* Dementia, in, diseases specified elsewhere E52 *[F02.80]*
- - - with behavioral disturbance *-see also* Dementia, in, diseases specified elsewhere E52 *[F02.81-]*
- - paralysis agitans *-see also* Dementia, in, diseases specified elsewhere G20.C *[F02.80]*
- - - with behavioral disturbance *-see also* Dementia, in, diseases specified elsewhere G20.C *[F02.81-]*
- - Parkinson's disease *-see also* Dementia, in, diseases specified elsewhere G20.A1 *[F02.80]*
- - pellagra *-see also* Dementia, in, diseases specified elsewhere E52 *[F02.80]*
- - - with behavioral disturbance *-see also* Dementia, in, diseases specified elsewhere E52 *[F02.81-]*
- - Pick's *-see also* Dementia, in, diseases specified elsewhere G31.01 *[F02.80]*
- - - with behavioral disturbance *-see also* Dementia, in, diseases specified elsewhere G31.01 *[F02.81-]*
- - polyarteritis nodosa *-see also* Dementia, in, diseases specified elsewhere M30.0 *[F02.80]*
- - - with behavioral disturbance *-see also* Dementia, in, diseases specified elsewhere M30.0 *[F02.81-]*
- - psychoactive drug F19.97
- - - with dependence F19.27
- - - inhalants F18.97
- - - - with dependence F18.27
- - - sedatives, hypnotics or anxiolytics F13.97
- - - - with dependence F13.27
- - sedatives, hypnotics or anxiolytics F13.97
- - - with dependence F13.27
- - systemic lupus erythematosus *-see also* Dementia, in, diseases specified elsewhere M32.- *[F02.80]*
- - - with behavioral disturbance *-see also* Dementia, in, diseases specified elsewhere M32.- *[F02.81-]*
- - trypanosomiasis
- - - African *-see also* Dementia, in, diseases specified elsewhere B56.9 *[F02.80]*
- - - - with behavioral disturbance *-see also* Dementia, in, diseases specified elsewhere B56.9 *[F02.81-]*
- - unknown etiology F03.-
- - vitamin B12 deficiency *-see also* Dementia, in, diseases specified elsewhere E53.8 *[F02.80]*
- - - with behavioral disturbance *-see also* Dementia, in, diseases specified elsewhere E53.8 *[F02.81-]*
- - volatile solvents F18.97
- - - with dependence F18.27
- infantile, infantilis F84.3
- Lewy body *-see also* Dementia, in, diseases specified elsewhere G31.83 *[F02.80]*
- - with behavioral disturbance *-see also* Dementia, in, diseases specified elsewhere G31.83 *[F02.81-]*
- mild F03.A0
- - with
- - - aberrant motor behavior (exit-seeking) (pacing) (restlessness) (rocking) F03.A11
- - - agitation F03.A11
- - - anxiety F03.A4
- - - behavioral disturbances (sexual disinhibition) (sleep disturbance) (social disinhibition) F03.A18
- - - - specified NEC F03.A18
- - - mood disturbance (anhedonia) (apathy) (depression) F03.A3
- - - psychotic disturbance (delusional state) (hallucinations) (paranoia) (suspiciousness) F03.A2
- - - verbal or physical behaviors (anger) (aggression) (combativeness) (profanity) (shouting) (threatening) (violence) F03.A11
- moderate F03.B0
- - with
- - - aberrant motor behavior (exit-seeking) (pacing) (restlessness) (rocking) F03.B11
- - - agitation F03.B11
- - - anxiety F03.B4
- - - behavioral disturbances (sexual disinhibition) (sleep disturbance) (social disinhibition) F03.B18
- - - - specified NEC F03.B18
- - - mood disturbance (anhedonia) (apathy) (depression) F03.B3
- - - psychotic disturbance (delusional state) (hallucinations) (paranoia) (suspiciousness) F03.B2
- - - verbal or physical behaviors (anger) (aggression) (combativeness) (profanity) (shouting) (threatening) (violence) F03.B11
- multi-infarct *-see* Dementia, vascular

- old age (senile) F03
- - Alzheimer's type -*see* Disease, Alzheimer's, late onset
- paralytica, paralytic (syphilitic) -*see also* Dementia, in, diseases specified elsewhere A52.17 *[F02.80]*
- - with behavioral disturbance -*see also* Dementia, in, diseases specified elsewhere A52.17 *[F02.81-]*
- - juvenilis A50.45
- paretic A52.17
- praecox -*see* Schizophrenia
- presenile F03
- - Alzheimer's type -*see* Disease, Alzheimer's, early onset
- primary degenerative F03
- progressive, syphilitic A52.17
- senile F03
- - Alzheimer's type -*see* Disease, Alzheimer's, late onset
- - depressed or paranoid type F03
- severe F03.C0
- - with
- - - aberrant motor behavior (exit-seeking) (pacing) (restlessness) (rocking) F03.C11
- - - agitation F03.C11
- - - anxiety F03.C4
- - - behavioral disturbances (sexual disinhibition) (sleep disturbance) (social disinhibition) F03.C18
- - - - specified NEC F03.C18
- - - mood disturbance (anhedonia) (apathy) (depression) F03.C3
- - - psychotic disturbance (delusional state) (hallucinations) (paranoia) (suspiciousness) F03.C2
- - - verbal or physical behaviors (anger) (aggression) (combativeness) (profanity) (shouting) (threatening) (violence) F03.C11
- vascular (acute onset) (mixed) (multi-infarct) (subcortical) (unspecified severity) (without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety) F01.50
- - with
- - - aberrant motor behavior (exit-seeking) (pacing) (restlessness) (rocking) F01.511
- - - agitation F01.511
- - - anxiety F01.54
- - - behavioral disturbances (sleep disturbance) (sexual disinhibition) (social disinhibition) F01.518
- - - - specified NEC F01.518
- - - mood disturbance (anhedonia) (apathy) (depression) F01.53
- - - psychotic disturbance (delusional state) (hallucinations) (paranoia) (suspiciousness) F01.52
- - - verbal or physical behaviors (anger) (aggression) (combativeness) (profanity) (shouting) (threatening) (violence) F01.511
- - mild F01.A0
- - - with
- - - - aberrant motor behavior (exit-seeking) (pacing) (restlessness) (rocking) F01.A11
- - - - agitation F01.A11
- - - - anxiety F01.A4
- - - - behavioral disturbances (sleep disturbance) (sexual disinhibition) (social disinhibition) F01.A18
- - - - - specified NEC F01.A18
- - - - mood disturbance (anhedonia) (apathy) (depression) F01.A3
- - - - psychotic disturbance (delusional state) (hallucinations) (paranoia) (suspiciousness) F01.A2
- - - - verbal or physical behaviors (anger) (aggression) (combativeness) (profanity) (shouting) (threatening) (violence) F01.A11
- - moderate F01.B0
- - - with
- - - - aberrant motor behavior (exit-seeking) (pacing) (restlessness) (rocking) F01.B11
- - - - agitation F01.B11
- - - - anxiety F01.B4
- - - - behavioral disturbances (sleep disturbance) (sexual disinhibition) (social disinhibition) F01.B18
- - - - - specified NEC F01.B18
- - - - mood disturbance (anhedonia) (apathy) (depression) F01.B3
- - - - psychotic disturbance (delusional state) (hallucinations) (paranoia) (suspiciousness) F01.B2
- - - - verbal or physical behaviors (anger) (aggression) (combativeness) (profanity) (shouting) (threatening) (violence) F01.B11
- - severe F01.C0

- - - with
- - - - aberrant motor behavior (exit-seeking) (pacing) (restlessness) (rocking) F01.C11
- - - - agitation F01.C11
- - - - anxiety F01.C4
- - - - behavioral disturbances (sleep disturbance) (sexual disinhibition) (social disinhibition) F01.C18
- - - - - specified NEC F01.C18
- - - - mood disturbance (anhedonia) (apathy) (depression) F01.C3
- - - - psychotic disturbance (delusional state) (hallucinations) (paranoia) (suspiciousness) F01.C2
- - - - verbal or physical behaviors (anger) (aggression) (combativeness) (profanity) (shouting) (threatening) (violence) F01.C11

Demineralization, bone -*see* Osteoporosis
Demodex folliculorum (infestation) B88.0
Demophobia F40.248
Demoralization R45.3
Demyelination, demyelinization
- central nervous system G37.9
- - specified NEC G37.89
- corpus callosum (central) G37.1
- disseminated, acute G36.9
- - specified NEC G36.8
- global G35
- in optic neuritis G36.0

Dengue (classical) (fever) A90
- hemorrhagic A91
- sandfly A93.1

Dennie-Marfan syphilitic syndrome A50.45
Dens evaginatus, in dente or invaginatus K00.2
Dense breasts -*see also* Density, breast R92.30
Density
- breast R92.30
- - mammographic
- - - extreme R92.34-
- - - fatty tissue R92.31-
- - - fibroglandular R92.32-
- - - heterogeneous R92.33-
- increased, bone (disseminated) (generalized) (spotted) -*see* Disorder, bone, density and structure, specified type NEC
- low R92.30
- lung (nodular) J98.4

Dental -*see also* condition
- examination Z01.20
- - with abnormal findings Z01.21
- restoration
- - aesthetically inadequate or displeasing K08.56
- - defective K08.50
- - - specified NEC K08.59
- - failure of marginal integrity K08.51
- - failure of periodontal anatomical integrity K08.54

Dentia praecox K00.6
Denticles (pulp) K04.2
Dentigerous cyst K09.0
Dentin
- irregular (in pulp) K04.3
- opalescent K00.5
- secondary (in pulp) K04.3
- sensitive K03.89

Dentinogenesis imperfecta K00.5
Dentinoma -*see* Cyst, calcifying odontogenic
Dentition (syndrome) K00.7
- delayed K00.6
- difficult K00.7

- precocious K00.6
- premature K00.6
- retarded K00.6

Dependence (on) (syndrome) F19.20
- with remission F19.21
- alcohol (ethyl) (methyl) (without remission) F10.20
- - with
- - - amnestic disorder, persisting F10.26
- - - anxiety disorder F10.280
- - - dementia, persisting F10.27
- - - intoxication F10.229
- - - - with delirium F10.221
- - - - uncomplicated F10.220
- - - mood disorder F10.24
- - - psychotic disorder F10.259
- - - - with
- - - - - delusions F10.250
- - - - - hallucinations F10.251
- - - remission F10.21
- - - sexual dysfunction F10.281
- - - sleep disorder F10.282
- - - specified disorder NEC F10.288
- - - withdrawal F10.239
- - - - with
- - - - - delirium F10.231
- - - - - perceptual disturbance F10.232
- - - - uncomplicated F10.230
- - counseling and surveillance Z71.41
- - in remission F10.21
- amobarbital -*see* Dependence, drug, sedative
- amphetamine(s) (type) -*see* Dependence, drug, stimulant NEC
- amytal (sodium) -*see* Dependence, drug, sedative
- analgesic NEC F55.8
- anesthetic (agent) (gas) (general) (local) NEC -*see* Dependence, drug, psychoactive NEC
- anxiolytic NEC -*see* Dependence, drug, sedative
- barbital(s) -*see* Dependence, drug, sedative
- barbiturate(s) (compounds) (drugs classifiable to T42) -*see* Dependence, drug, sedative
- benzedrine -*see* Dependence, drug, stimulant NEC
- bhang -*see* Dependence, drug, cannabis
- bromide(s) NEC -*see* Dependence, drug, sedative
- caffeine -*see* Dependence, drug, stimulant NEC
- cannabis (sativa) (indica) (resin) (derivatives) (type) -*see* Dependence, drug, cannabis
- chloral (betaine) (hydrate) -*see* Dependence, drug, sedative
- chlordiazepoxide -*see* Dependence, drug, sedative
- coca (leaf) (derivatives) -*see* Dependence, drug, cocaine
- cocaine -*see* Dependence, drug, cocaine
- codeine -*see* Dependence, drug, opioid
- combinations of drugs F19.20
- dagga -*see* Dependence, drug, cannabis
- demerol -*see* Dependence, drug, opioid
- dexamphetamine -*see* Dependence, drug, stimulant NEC
- dexedrine -*see* Dependence, drug, stimulant NEC
- dextromethorphan -*see* Dependence, drug, opioid
- dextromoramide -*see* Dependence, drug, opioid
- dextro-nor-pseudo-ephedrine -*see* Dependence, drug, stimulant NEC
- dextrorphan -*see* Dependence, drug, opioid
- diazepam -*see* Dependence, drug, sedative
- dilaudid -*see* Dependence, drug, opioid
- D-lysergic acid diethylamide -*see* Dependence, drug, hallucinogen
- drug NEC F19.20

- - with sleep disorder F19.282
- - cannabis F12.20
- - - with
- - - - anxiety disorder F12.280
- - - - intoxication F12.229
- - - - - with
- - - - - - delirium F12.221
- - - - - - perceptual disturbance F12.222
- - - - - uncomplicated F12.220
- - - - other specified disorder F12.288
- - - - psychosis F12.259
- - - - - delusions F12.250
- - - - - hallucinations F12.251
- - - - unspecified disorder F12.29
- - - - withdrawal F12.23
- - - in remission F12.21
- - cocaine F14.20
- - - with
- - - - anxiety disorder F14.280
- - - - intoxication F14.229
- - - - - with
- - - - - - delirium F14.221
- - - - - - perceptual disturbance F14.222
- - - - - uncomplicated F14.220
- - - - mood disorder F14.24
- - - - other specified disorder F14.288
- - - - psychosis F14.259
- - - - - delusions F14.250
- - - - - hallucinations F14.251
- - - - sexual dysfunction F14.281
- - - - sleep disorder F14.282
- - - - unspecified disorder F14.29
- - - - withdrawal F14.23
- - - in remission F14.21
- - - withdrawal symptoms in newborn P96.1
- - counseling and surveillance Z71.51
- - hallucinogen F16.20
- - - with
- - - - anxiety disorder F16.280
- - - - flashbacks F16.283
- - - - intoxication F16.229
- - - - - with delirium F16.221
- - - - - uncomplicated F16.220
- - - - mood disorder F16.24
- - - - other specified disorder F16.288
- - - - perception disorder, persisting F16.283
- - - - psychosis F16.259
- - - - - delusions F16.250
- - - - - hallucinations F16.251
- - - - unspecified disorder F16.29
- - - in remission F16.21
- - in remission F19.21
- - inhalant F18.20
- - - with
- - - - anxiety disorder F18.280
- - - - dementia, persisting F18.27
- - - - intoxication F18.229
- - - - - with delirium F18.221
- - - - - uncomplicated F18.220
- - - - mood disorder F18.24

- - - - other specified disorder F18.288
- - - - psychosis F18.259
- - - - - delusions F18.250
- - - - - hallucinations F18.251
- - - - unspecified disorder F18.29
- - - in remission F18.21
- - nicotine F17.200
- - - with disorder F17.209
- - - - in remission F17.201
- - - - specified disorder NEC F17.208
- - - - withdrawal F17.203
- - - chewing tobacco F17.220
- - - - with disorder F17.229
- - - - - in remission F17.221
- - - - - specified disorder NEC F17.228
- - - - - withdrawal F17.223
- - - cigarettes F17.210
- - - - with disorder F17.219
- - - - - in remission F17.211
- - - - - specified disorder NEC F17.218
- - - - - withdrawal F17.213
- - - specified product NEC F17.290
- - - - with disorder F17.299
- - - - - remission F17.291
- - - - - specified disorder NEC F17.298
- - - - - withdrawal F17.293
- - opioid F11.20
- - - with
- - - - intoxication F11.229
- - - - - with
- - - - - - delirium F11.221
- - - - - - perceptual disturbance F11.222
- - - - - uncomplicated F11.220
- - - - mood disorder F11.24
- - - - opioid-associated amnestic syndrome F11.288
- - - - other specified disorder F11.288
- - - - psychosis F11.259
- - - - - delusions F11.250
- - - - - hallucinations F11.251
- - - - sexual dysfunction F11.281
- - - - sleep disorder F11.282
- - - - unspecified disorder F11.29
- - - - withdrawal F11.23
- - - in remission F11.21
- - psychoactive NEC F19.20
- - - with
- - - - amnestic disorder F19.26
- - - - anxiety disorder F19.280
- - - - dementia F19.27
- - - - intoxication F19.229
- - - - - with
- - - - - - delirium F19.221
- - - - - - perceptual disturbance F19.222
- - - - - uncomplicated F19.220
- - - - mood disorder F19.24
- - - - other specified disorder F19.288
- - - - psychosis F19.259
- - - - - delusions F19.250
- - - - - hallucinations F19.251
- - - - sexual dysfunction F19.281

- - - - sleep disorder F19.282
- - - - unspecified disorder F19.29
- - - - withdrawal F19.239
- - - - - with
- - - - - - delirium F19.231
- - - - - - perceptual disturbance F19.232
- - - - - uncomplicated F19.230
- - - in remission F19.21
- - sedative, hypnotic or anxiolytic F13.20
- - - with
- - - - amnestic disorder F13.26
- - - - anxiety disorder F13.280
- - - - dementia, persisting F13.27
- - - - intoxication F13.229
- - - - - with delirium F13.221
- - - - - uncomplicated F13.220
- - - - mood disorder F13.24
- - - - other specified disorder F13.288
- - - - psychosis F13.259
- - - - - delusions F13.250
- - - - - hallucinations F13.251
- - - - sexual dysfunction F13.281
- - - - sleep disorder F13.282
- - - - unspecified disorder F13.29
- - - - withdrawal F13.239
- - - - - with
- - - - - - delirium F13.231
- - - - - - perceptual disturbance F13.232
- - - - - uncomplicated F13.230
- - - in remission F13.21
- - stimulant NEC F15.20
- - - with
- - - - anxiety disorder F15.280
- - - - intoxication F15.229
- - - - - with
- - - - - - delirium F15.221
- - - - - - perceptual disturbance F15.222
- - - - - uncomplicated F15.220
- - - - mood disorder F15.24
- - - - other specified disorder F15.288
- - - - psychosis F15.259
- - - - - delusions F15.250
- - - - - hallucinations F15.251
- - - - sexual dysfunction F15.281
- - - - sleep disorder F15.282
- - - - unspecified disorder F15.29
- - - - withdrawal F15.23
- - - in remission F15.21
- ethyl
- - alcohol (without remission) F10.20
- - - with remission F10.21
- - bromide -*see* Dependence, drug, sedative
- - carbamate F19.20
- - chloride F19.20
- - morphine -*see* Dependence, drug, opioid
- ganja -*see* Dependence, drug, cannabis
- glue (airplane) (sniffing) -*see* Dependence, drug, inhalant
- glutethimide -*see* Dependence, drug, sedative
- hallucinogenics -*see* Dependence, drug, hallucinogen
- hashish -*see* Dependence, drug, cannabis

- hemp *-see* Dependence, drug, cannabis
- heroin (salt) (any) *-see* Dependence, drug, opioid
- hypnotic NEC *-see* Dependence, drug, sedative
- Indian hemp *-see* Dependence, drug, cannabis
- inhalants *-see* Dependence, drug, inhalant
- khat *-see* Dependence, drug, stimulant NEC
- laudanum *-see* Dependence, drug, opioid
- LSD (-25) (derivatives) *-see* Dependence, drug, hallucinogen
- luminal *-see* Dependence, drug, sedative
- lysergic acid *-see* Dependence, drug, hallucinogen
- maconha *-see* Dependence, drug, cannabis
- marihuana *-see* Dependence, drug, cannabis
- meprobamate *-see* Dependence, drug, sedative
- mescaline *-see* Dependence, drug, hallucinogen
- methadone *-see* Dependence, drug, opioid
- methamphetamine(s) *-see* Dependence, drug, stimulant NEC
- methaqualone *-see* Dependence, drug, sedative
- methyl
- - alcohol (without remission) F10.20
- - - with remission F10.21
- - bromide *-see* Dependence, drug, sedative
- - morphine *-see* Dependence, drug, opioid
- - phenidate *-see* Dependence, drug, stimulant NEC
- - sulfonal *-see* Dependence, drug, sedative
- morphine (sulfate) (sulfite) (type) *-see* Dependence, drug, opioid
- narcotic (drug) NEC *-see* Dependence, drug, opioid
- nembutal *-see* Dependence, drug, sedative
- neraval *-see* Dependence, drug, sedative
- neravan *-see* Dependence, drug, sedative
- neurobarb *-see* Dependence, drug, sedative
- nicotine *-see* Dependence, drug, nicotine
- nitrous oxide F19.20
- nonbarbiturate sedatives and tranquilizers with similar effect *-see* Dependence, drug, sedative
- on
- - artificial heart (fully implantable) (mechanical) Z95.812
- - aspirator Z99.0
- - care provider (because of) Z74.9
- - - impaired mobility Z74.09
- - - need for
- - - - assistance with personal care Z74.1
- - - - continuous supervision Z74.3
- - - no other household member able to render care Z74.2
- - - specified reason NEC Z74.8
- - machine Z99.89
- - - enabling NEC Z99.89
- - - specified type NEC Z99.89
- - renal dialysis (hemodialysis) (peritoneal) Z99.2
- - respirator Z99.11
- - ventilator Z99.11
- - wheelchair Z99.3
- opiate *-see* Dependence, drug, opioid
- opioids *-see* Dependence, drug, opioid
- opium (alkaloids) (derivatives) (tincture) *-see* Dependence, drug, opioid
- oxygen (long-term) (supplemental) Z99.81
- paraldehyde *-see* Dependence, drug, sedative
- paregoric *-see* Dependence, drug, opioid
- PCP (phencyclidine) (or related substance) *-see* Dependence, drug, hallucinogen
- pentobarbital *-see* Dependence, drug, sedative
- pentobarbitone (sodium) *-see* Dependence, drug, sedative
- pentothal *-see* Dependence, drug, sedative

- peyote -*see* Dependence, drug, hallucinogen
- phencyclidine (PCP) (or related substance) -*see* Dependence, drug, hallucinogen
- phenmetrazine -*see* Dependence, drug, stimulant NEC
- phenobarbital -*see* Dependence, drug, sedative
- polysubstance F19.20
- psilocibin, psilocin, psilocyn, psilocyline -*see* Dependence, drug, hallucinogen
- psychostimulant NEC -*see* Dependence, drug, stimulant NEC
- secobarbital -*see* Dependence, drug, sedative
- seconal -*see* Dependence, drug, sedative
- sedative NEC -*see* Dependence, drug, sedative
- specified drug NEC -*see* Dependence, drug
- stimulant NEC -*see* Dependence, drug, stimulant NEC
- substance NEC -*see* Dependence, drug
- supplemental oxygen Z99.81
- tobacco -*see* Dependence, drug, nicotine
- - counseling and surveillance Z71.6
- tranquilizer NEC -*see* Dependence, drug, sedative
- vitamin B6 E53.1
- volatile solvents -*see* Dependence, drug, inhalant

Dependency
- care-provider Z74.9
- passive F60.7
- reactions (persistent) F60.7

Depersonalization (in neurotic state) (neurotic) (syndrome) F48.1

Depletion
- extracellular fluid E86.9
- plasma E86.1
- potassium E87.6
- - nephropathy N25.89
- salt or sodium E87.1
- - causing heat exhaustion or prostration T67.4
- - nephropathy N28.9
- volume NOS E86.9

Deployment (current) (military) status Z56.82
- in theater or in support of military war, peacekeeping and humanitarian operations Z56.82
- personal history of Z91.82
- - military war, peacekeeping and humanitarian deployment (current or past conflict) Z91.82
- returned from Z91.82

Depolarization, premature I49.40
- atrial I49.1
- junctional I49.2
- specified NEC I49.49
- ventricular I49.3

Deposit
- bone in Boeck's sarcoid D86.89
- calcareous, calcium -*see* Calcification
- cholesterol
- - retina H35.89
- - vitreous (body) (humor) -*see* Deposit, crystalline
- conjunctiva H11.11-
- cornea H18.00-
- - argentous H18.02-
- - due to metabolic disorder H18.03-
- - Kayser-Fleischer ring H18.04-
- - pigmentation -*see* Pigmentation, cornea
- crystalline, vitreous (body) (humor) H43.2-
- hemosiderin in old scars of cornea -*see* Pigmentation, cornea, stromal
- metallic in lens -*see* Cataract, specified NEC
- skin R23.8
- tooth, teeth (betel) (black) (green) (materia alba) (orange) (tobacco) K03.6

- urate, kidney -*see* Calculus, kidney
Depraved appetite -*see* Pica
Depressed
- HDL cholesterol E78.6
Depression (acute) (mental) F32.A
- agitated (single episode) F32.2
- anaclitic -*see* Disorder, adjustment
- anxiety F41.8
- - persistent F34.1
- arches -*see also* Deformity, limb, flat foot
- atypical (single episode) F32.89
- - recurrent episode F33.8
- basal metabolic rate R94.8
- bone marrow D75.89
- central nervous system G98.8
- cerebral R29.818
- - newborn P91.4
- cerebrovascular I67.9
- chest wall M95.4
- climacteric (single episode) F32.89
- - recurrent episode F33.8
- endogenous (without psychotic symptoms) F33.2
- - with psychotic symptoms F33.3
- functional activity R68.89
- hysterical F44.89
- involutional (single episode) F32.89
- - recurrent episode F33.8
- major F32.9
- - with psychotic symptoms F32.3
- - recurrent -*see* Disorder, depressive, recurrent
- manic-depressive -*see* Disorder, depressive, recurrent
- masked (single episode) F32.89
- medullary G93.89
- menopausal (single episode) F32.89
- - recurrent episode F33.8
- metatarsus -*see* Depression, arches
- monopolar F33.9
- nervous F34.1
- neurotic F34.1
- nose M95.0
- postnatal (NOS) F53.0
- postpartum (NOS) F53.0
- post-psychotic of schizophrenia F32.89
- post-schizophrenic F32.89
- psychogenic (reactive) (single episode) F32.9
- psychoneurotic F34.1
- psychotic (single episode) F32.3
- - recurrent F33.3
- reactive (psychogenic) (single episode) F32.9
- - psychotic (single episode) F32.3
- recurrent -*see* Disorder, depressive, recurrent
- respiratory center G93.89
- seasonal -*see* Disorder, depressive, recurrent
- senile F03
- severe, single episode F32.2
- situational F43.21
- skull Q67.4
- specified NEC (single episode) F32.89
- sternum M95.4
- visual field -*see* Defect, visual field

- vital (recurrent) (without psychotic symptoms) F33.2
- - with psychotic symptoms F33.3
- - single episode F32.2

Deprivation
- cultural Z60.3
- effects NOS T73.9
- - specified NEC T73.8
- emotional NEC Z65.8
- - affecting infant or child -*see* Maltreatment, child, psychological
- food T73.0
- material due to limited financial resources, specified NEC Z59.87
- protein -*see* Malnutrition
- sleep Z72.820
- social Z60.4
- - affecting infant or child -*see* Maltreatment, child, psychological
- specified NEC T73.8
- vitamins -*see* Deficiency, vitamin
- water T73.1

Derangement
- ankle (internal) -*see* Derangement, joint, articular cartilage, ankle
- cartilage (articular) NEC -*see* Derangement, joint, articular cartilage, by site
- - recurrent -*see* Dislocation, recurrent
- cruciate ligament, anterior, current injury -*see* Sprain, knee, cruciate, anterior
- elbow (internal) -*see* Derangement, joint, articular cartilage, elbow
- hip (joint) (internal) (old) -*see* Derangement, joint, articular cartilage, hip
- joint (internal) M24.9
- - ankylosis -*see* Ankylosis
- - articular cartilage M24.10
- - - ankle M24.17-
- - - elbow M24.12-
- - - foot M24.17-
- - - hand M24.14-
- - - hip M24.15-
- - - knee NEC M23.9-
- - - loose body -*see* Loose, body
- - - shoulder M24.11-
- - - specified site NEC M24.19
- - - wrist M24.13-
- - contracture -*see* Contraction, joint
- - current injury -*see also* Dislocation
- - - knee, meniscus or cartilage -*see* Tear, meniscus
- - dislocation
- - - pathological -*see* Dislocation, pathological
- - - recurrent -*see* Dislocation, recurrent
- - knee -*see* Derangement, knee
- - ligament -*see* Disorder, ligament
- - loose body -*see* Loose, body
- - recurrent -*see* Dislocation, recurrent
- - specified type NEC M24.80
- - - ankle M24.87-
- - - elbow M24.82-
- - - foot joint M24.87-
- - - hand joint M24.84-
- - - hip M24.85-
- - - shoulder M24.81-
- - - specified site NEC M24.89
- - - wrist M24.83-
- - temporomandibular M26.69
- knee (recurrent) M23.9-
- - ligament disruption, spontaneous M23.60-

- - - anterior cruciate M23.61-
- - - capsular M23.67-
- - - instability, chronic M23.5-
- - - lateral collateral M23.64-
- - - medial collateral M23.63-
- - - posterior cruciate M23.62-
- - loose body M23.4-
- - meniscus M23.30-
- - - cystic M23.00-
- - - - lateral M23.002
- - - - - anterior horn M23.04-
- - - - - posterior horn M23.05-
- - - - - specified NEC M23.06-
- - - - medial M23.005
- - - - - anterior horn M23.01-
- - - - - posterior horn M23.02-
- - - - - specified NEC M23.03-
- - - degenerate -*see* Derangement, knee, meniscus, specified NEC
- - - detached -*see* Derangement, knee, meniscus, specified NEC
- - - due to old tear or injury M23.20-
- - - - lateral M23.20-
- - - - - anterior horn M23.24-
- - - - - posterior horn M23.25-
- - - - - specified NEC M23.26-
- - - - medial M23.20-
- - - - - anterior horn M23.21-
- - - - - posterior horn M23.22-
- - - - - specified NEC M23.23-
- - - retained -*see* Derangement, knee, meniscus, specified NEC
- - - specified NEC M23.30-
- - - - lateral M23.30-
- - - - - anterior horn M23.34-
- - - - - posterior horn M23.35-
- - - - - specified NEC M23.36-
- - - - medial M23.30-
- - - - - anterior horn M23.31-
- - - - - posterior horn M23.32-
- - - - - specified NEC M23.33-
- - old M23.8X-
- - specified NEC -see subcategory M23.8
- low back NEC -*see* Dorsopathy, specified NEC
- meniscus -*see* Derangement, knee, meniscus
- mental -*see* Psychosis
- patella, specified NEC -*see* Disorder, patella, derangement NEC
- semilunar cartilage (knee) -*see* Derangement, knee, meniscus, specified NEC
- shoulder (internal) -*see* Derangement, joint, shoulder

Dercum's disease E88.2

Derealization (neurotic) F48.1

Dermal -*see* condition

Dermaphytid -*see* Dermatophytosis

Dermatitis (eczematous) L30.9
- ab igne L59.0
- acarine B88.0
- actinic (due to sun) L57.8
- - other than from sun L59.8
- allergic -*see* Dermatitis, contact, allergic
- ambustionis, due to burn or scald -*see* Burn
- amebic A06.7
- ammonia L22
- arsenical (ingested) L27.8

- artefacta L98.1
- - psychogenic F54
- atopic L20.9
- - psychogenic F54
- - specified NEC L20.89
- autoimmune progesterone L30.8
- berlock, berloque L56.2
- blastomycotic B40.3
- blister beetle L24.89
- bullous, bullosa L13.9
- - mucosynechial, atrophic L12.1
- - seasonal L30.8
- - specified NEC L13.8
- calorica L59.0
- - due to burn or scald -*see* Burn
- caterpillar L24.89
- cercarial B65.3
- combustionis L59.0
- - due to burn or scald -*see* Burn
- congelationis T69.1
- contact (occupational) L25.9
- - allergic L23.9
- - - due to
- - - - adhesives L23.1
- - - - cement L23.5
- - - - chemical products NEC L23.5
- - - - chromium L23.0
- - - - cosmetics L23.2
- - - - dander (cat) (dog) L23.81
- - - - drugs in contact with skin L23.3
- - - - dyes L23.4
- - - - food in contact with skin L23.6
- - - - hair (cat) (dog) L23.81
- - - - insecticide L23.5
- - - - metals L23.0
- - - - nickel L23.0
- - - - plants, non-food L23.7
- - - - plastic L23.5
- - - - rubber L23.5
- - - - specified agent NEC L23.89
- - due to
- - - cement L25.3
- - - chemical products NEC L25.3
- - - cosmetics L25.0
- - - dander (cat) (dog) L23.81
- - - drugs in contact with skin L25.1
- - - dyes L25.2
- - - food in contact with skin L25.4
- - - hair (cat) (dog) L23.81
- - - plants, non-food L25.5
- - - specified agent NEC L25.8
- - irritant L24.9
- - - due to
- - - - body fluids L24.A0
- - - - - feces L24.A2
- - - - - incontinence (dual) (fecal) (urinary) L24.A2
- - - - - saliva L24.A1
- - - - - specified NEC L24.A9
- - - - - urine L24.A2
- - - - - wound exudate L24.A9

- - - - cement L24.5
- - - - chemical products NEC L24.5
- - - - cosmetics L24.3
- - - - detergents L24.0
- - - - drugs in contact with skin L24.4
- - - - exudate L24.A9
- - - - food in contact with skin L24.6
- - - - friction L24.A0
- - - - oils and greases L24.1
- - - - plants, non-food L24.7
- - - - solvents L24.2
- - - - specified agent NEC L24.89
- - - related to
- - - - colostomy L24.B3
- - - - endotracheal tube L24.A9
- - - - enterocutaneous fistula L24.B3
- - - - gastrostomy L24.B1
- - - - ileostomy L24.B3
- - - - jejunostomy L24.B1
- - - - saliva or spit fistula L24.B1
- - - - stoma or fistula L24.B0
- - - - - digestive L24.B1
- - - - - fecal or urinary L24.B3
- - - - - respiratory L24.B2
- - - - tracheostomy L24.B2
- contusiformis L52
- desquamative L30.8
- diabetic -*see* E08-E13 with .620
- diaper L22
- diphtheritica A36.3
- dry skin L85.3
- due to
- - acetone (contact) (irritant) L24.2
- - acids (contact) (irritant) L24.5
- - adhesive(s) (allergic) (contact) (plaster) L23.1
- - - irritant L24.5
- - alcohol (irritant) (skin contact) (substances in category T51) L24.2
- - - taken internally L27.8
- - alkalis (contact) (irritant) L24.5
- - arsenic (ingested) L27.8
- - carbon disulfide (contact) (irritant) L24.2
- - caustics (contact) (irritant) L24.5
- - cement (contact) L25.3
- - cereal (ingested) L27.2
- - chemical(s) NEC L25.3
- - - taken internally L27.8
- - chlorocompounds L24.2
- - chromium (contact) (irritant) L24.81
- - coffee (ingested) L27.2
- - cold weather L30.8
- - cosmetics (contact) L25.0
- - - allergic L23.2
- - - irritant L24.3
- - cyclohexanes L24.2
- - dander (cat) (dog) L23.81
- - Demodex species B88.0
- - Dermanyssus gallinae B88.0
- - detergents (contact) (irritant) L24.0
- - dichromate L24.81
- - drugs and medicaments (generalized) (internal use) L27.0

- - - external -*see* Dermatitis, due to, drugs, in contact with skin
- - - in contact with skin L25.1
- - - - allergic L23.3
- - - - irritant L24.4
- - - localized skin eruption L27.1
- - - specified substance -*see* Table of Drugs and Chemicals
- - dyes (contact) L25.2
- - - allergic L23.4
- - - irritant L24.89
- - epidermophytosis -*see* Dermatophytosis
- - esters L24.2
- - external irritant NEC L24.9
- - exudate (wound fluids) L24.A9
- - fish (ingested) L27.2
- - flour (ingested) L27.2
- - food (ingested) L27.2
- - - in contact with skin L25.4
- - fruit (ingested) L27.2
- - furs (allergic) (contact) L23.81
- - glues -*see* Dermatitis, due to, adhesives
- - glycols L24.2
- - greases NEC (contact) (irritant) L24.1
- - hair (cat) (dog) L23.81
- - hot
- - - objects and materials -*see* Burn
- - - weather or places L59.0
- - hydrocarbons L24.2
- - infrared rays L59.8
- - ingestion, ingested substance L27.9
- - - chemical NEC L27.8
- - - drugs and medicaments -*see* Dermatitis, due to, drugs
- - - food L27.2
- - - specified NEC L27.8
- - insecticide in contact with skin L24.5
- - internal agent L27.9
- - - drugs and medicaments (generalized) -*see* Dermatitis, due to, drugs
- - - food L27.2
- - irradiation -*see* Dermatitis, due to, radioactive substance
- - ketones L24.2
- - lacquer tree (allergic) (contact) L23.7
- - light (sun) NEC L57.8
- - - acute L56.8
- - - other L59.8
- - Liponyssoides sanguineus B88.0
- - low temperature L30.8
- - meat (ingested) L27.2
- - metals, metal salts (contact) (irritant) L24.81
- - milk (ingested) L27.2
- - nickel (contact) (irritant) L24.81
- - nylon (contact) (irritant) L24.5
- - oils NEC (contact) (irritant) L24.1
- - paint solvent (contact) (irritant) L24.2
- - petroleum products (contact) (irritant) (substances in T52.0) L24.2
- - plants NEC (contact) L25.5
- - - allergic L23.7
- - - irritant L24.7
- - plasters (adhesive) (any) (allergic) (contact) L23.1
- - - irritant L24.5
- - plastic (contact) L25.3
- - preservatives (contact) -*see* Dermatitis, due to, chemical, in contact with skin

- - primrose (allergic) (contact) L23.7
- - primula (allergic) (contact) L23.7
- - radiation L59.8
- - - nonionizing (chronic exposure) L57.8
- - - sun NEC L57.8
- - - - acute L56.8
- - radioactive substance L58.9
- - - acute L58.0
- - - chronic L58.1
- - radium L58.9
- - - acute L58.0
- - - chronic L58.1
- - ragweed (allergic) (contact) L23.7
- - Rhus (allergic) (contact) (diversiloba) (radicans) (toxicodendron) (venenata) (verniciflua) L23.7
- - rubber (contact) L24.5
- - Senecio jacobaea (allergic) (contact) L23.7
- - solvents (contact) (irritant) (substances in categories T52) L24.2
- - specified agent NEC (contact) L25.8
- - - allergic L23.89
- - - irritant L24.89
- - sunshine NEC L57.8
- - - acute L56.8
- - tetrachlorethylene (contact) (irritant) L24.2
- - toluene (contact) (irritant) L24.2
- - turpentine (contact) L24.2
- - ultraviolet rays (sun NEC) (chronic exposure) L57.8
- - - acute L56.8
- - vaccine or vaccination L27.0
- - - specified substance -*see* Table of Drugs and Chemicals
- - varicose veins -*see* Varix, leg, with, inflammation
- - X-rays L58.9
- - - acute L58.0
- - - chronic L58.1
- dyshydrotic L30.1
- dysmenorrheica N94.6
- escharotica -*see* Burn
- exfoliative, exfoliativa (generalized) L26
- - neonatorum L00
- eyelid -*see also* Dermatosis, eyelid H01.9
- - allergic H01.119
- - - left H01.116
- - - - lower H01.115
- - - - upper H01.114
- - - right H01.113
- - - - lower H01.112
- - - - upper H01.111
- - contact -*see* Dermatitis, eyelid, allergic
- - due to
- - - Demodex species B88.0
- - - herpes (zoster) B02.39
- - - - simplex B00.59
- - eczematous H01.139
- - - left H01.136
- - - - lower H01.135
- - - - upper H01.134
- - - right H01.133
- - - - lower H01.132
- - - - upper H01.131
- - specified NEC H01.8
- facta, factitia, factitial L98.1

- - psychogenic F54
- flexural NEC L20.82
- friction L30.4
- fungus B36.9
- - specified type NEC B36.8
- gangrenosa, gangrenous infantum L08.0
- harvest mite B88.0
- heat L59.0
- herpesviral, vesicular (ear) (lip) B00.1
- herpetiformis (bullous) (erythematous) (pustular) (vesicular) L13.0
- - juvenile L12.2
- - senile L12.0
- hiemalis L30.8
- hypostatic, hypostatica -*see* Varix, leg, with, inflammation
- infectious eczematoid L30.3
- infective L30.3
- irritant -*see* Dermatitis, contact, irritant
- Jacquet's (diaper dermatitis) L22
- Leptus B88.0
- lichenified NEC L28.0
- medicamentosa (generalized) (internal use) -*see* Dermatitis, due to drugs
- mite B88.0
- multiformis L13.0
- - juvenile L12.2
- napkin L22
- neurotica L13.0
- nummular L30.0
- papillaris capillitii L73.0
- pellagrous E52
- perioral L71.0
- photocontact L56.2
- polymorpha dolorosa L13.0
- pruriginosa L13.0
- pruritic NEC L30.8
- psychogenic F54
- purulent L08.0
- pustular
- - contagious B08.02
- - subcorneal L13.1
- pyococcal L08.0
- pyogenica L08.0
- repens L40.2
- Ritter's (exfoliativa) L00
- Schamberg's L81.7
- schistosome B65.3
- seasonal bullous L30.8
- seborrheic L21.9
- - infantile L21.1
- - specified NEC L21.8
- sensitization NOS L23.9
- septic L08.0
- solare L57.8
- specified NEC L30.8
- stasis I87.2
- - with
- - - varicose ulcer -*see* Varix, leg, with ulcer, with inflammation
- - - varicose veins -*see* Varix, leg, with, inflammation
- - due to postthrombotic syndrome -*see* Syndrome, postthrombotic
- suppurative L08.0
- traumatic NEC L30.4

- trophoneurotica L13.0
- ultraviolet (sun) (chronic exposure) L57.8
- - acute L56.8
- varicose -*see* Varix, leg, with, inflammation
- vegetans L10.1
- verrucosa B43.0
- vesicular, herpesviral B00.1
Dermatoarthritis, lipoid E78.81
Dermatochalasis, eyelid H02.839
- left H02.836
- - lower H02.835
- - upper H02.834
- right H02.833
- - lower H02.832
- - upper H02.831
Dermatofibroma (lenticulare) -*see* Neoplasm, skin, benign
- protuberans -*see* Neoplasm, skin, uncertain behavior
Dermatofibrosarcoma (pigmented) (protuberans) -*see* Neoplasm, skin, malignant
Dermatographia L50.3
Dermatolysis (exfoliativa) (congenital) Q82.8
- acquired L57.4
- eyelids -*see* Blepharochalasis
- palpebrarum -*see* Blepharochalasis
- senile L57.4
Dermatomegaly NEC Q82.8
Dermatomucosomyositis -*see also* Dermatomyositis M33.10
- with
- - myopathy M33.12
- - respiratory involvement M33.11
- - specified organ involvement NEC M33.19
Dermatomycosis B36.9
- furfuracea B36.0
- specified type NEC B36.8
Dermatomyositis (acute) (chronic) -*see also* Dermatopolymyositis
- adult -*see also* Dermatomyositis, specified NEC M33.10
- in (due to) neoplastic disease -*see also* Neoplasm D49.9 *[M36.0]*
- juvenile M33.00
- - with
- - - myopathy M33.02
- - - respiratory involvement M33.01
- - - specified organ involvement NEC M33.09
- - amyopathic M33.03
- - without myopathy M33.03
- specified NEC M33.10
- - with
- - - myopathy M33.12
- - - respiratory involvement M33.11
- - - specified organ involvement NEC M33.19
- - amyopathic M33.13
- - without myopathy M33.13
Dermatoneuritis of children -*see* Poisoning, mercury
Dermatophilosis A48.8
Dermatophytid L30.2
Dermatophytide -*see* Dermatophytosis
Dermatophytosis (epidermophyton) (infection) (Microsporum) (tinea) (Trichophyton) B35.9
- beard B35.0
- body B35.4
- capitis B35.0
- corporis B35.4
- deep-seated B35.8

- disseminated B35.8
- foot B35.3
- granulomatous B35.8
- groin B35.6
- hand B35.2
- nail B35.1
- perianal (area) B35.6
- scalp B35.0
- specified NEC B35.8

Dermatopolymyositis M33.90
- with
- - myopathy M33.92
- - respiratory involvement M33.91
- - specified organ involvement NEC M33.99
- amyopathic M33.93
- in neoplastic disease *-see also* Neoplasm D49.9 *[M36.0]*
- juvenile M33.00
- - with
- - - myopathy M33.02
- - - respiratory involvement M33.01
- - - specified organ involvement NEC M33.09
- - amyopathic M33.03
- - without myopathy M33.03
- specified NEC M33.10
- - amyopathic M33.13
- - myopathy M33.12
- - respiratory involvement M33.11
- - specified organ involvement NEC M33.19
- - without myopathy M33.13
- without myopathy M33.93

Dermatopolyneuritis *-see* Poisoning, mercury

Dermatorrhexis *-see also* Syndrome, Ehlers-Danlos Q79.60
- acquired L57.4

Dermatosclerosis *-see also* Scleroderma
- localized L94.0

Dermatosis L98.9
- Andrews' L08.89
- Bowen's *-see* Neoplasm, skin, in situ
- bullous L13.9
- - specified NEC L13.8
- exfoliativa L26
- eyelid (noninfectious) *-see also* Dermatitis, eyelid H01.9
- - discoid lupus erythematosus *-see* Lupus, erythematosus, eyelid
- - xeroderma *-see* Xeroderma, acquired, eyelid
- factitial L98.1
- febrile neutrophilic L98.2
- gonococcal A54.89
- herpetiformis L13.0
- - juvenile L12.2
- linear IgA L13.8
- menstrual NEC L98.8
- neutrophilic, febrile L98.2
- occupational *-see* Dermatitis, contact
- papulosa nigra L82.1
- pigmentary L81.9
- - progressive L81.7
- - Schamberg's L81.7
- psychogenic F54
- purpuric, pigmented L81.7
- pustular, subcorneal L13.1

- transient acantholytic L11.1
Dermographia, dermographism L50.3
Dermoid (cyst) -*see also* Neoplasm, benign, by site
- with malignant transformation C56-
- due to radiation (nonionizing) L57.8
Dermopathy
- infiltrative with thyrotoxicosis -*see* Thyrotoxicosis
- nephrogenic fibrosing L90.8
Dermophytosis -*see* Dermatophytosis
Descemetocele H18.73-
Descemet's membrane -*see* condition
Descending -*see* condition
Descensus uteri -*see* Prolapse, uterus
Desert
- rheumatism B38.0
- sore -*see* Ulcer, skin
Desertion (newborn) -*see* Maltreatment
Desmoid (extra-abdominal) (tumor) -*see* Neoplasm, connective tissue, uncertain behavior
- abdominal wall D48.113
- back D48.117
- buttock D48.116
- chest wall D48.111
- extremity
- - lower D48.116
- - upper D48.115
- head and neck D48.110
- intraabdominal D48.114
- intrathoracic D48.112
- pelvic cavity D48.114
- pelvic girdle D48.116
- peritoneal D48.114
- retroperitoneal D48.114
- shoulder girdle D48.115
- site unspecified D48.119
- specified site NEC D48.118
Despondency F32.A
Desquamation, skin R23.4
Destruction, destructive -*see also* Damage
- articular facet -*see also* Derangement, joint, specified type NEC
- - knee M23.8X-
- - vertebra -*see* Spondylosis
- bone -*see also* Disorder, bone, specified type NEC
- - syphilitic A52.77
- joint -*see also* Derangement, joint, specified type NEC
- - sacroiliac M53.3
- rectal sphincter K62.89
- septum (nasal) J34.89
- tuberculous NEC -*see* Tuberculosis
- tympanum, tympanic membrane (nontraumatic) -*see* Disorder, tympanic membrane, specified NEC
- vertebral disc -*see* Degeneration, intervertebral disc
Destructiveness -*see also* Disorder, conduct
- adjustment reaction -*see* Disorder, adjustment
Desultory labor O62.2
Detachment
- cartilage -*see* Sprain
- cervix, annular N88.8
- - complicating delivery O71.3
- choroid (old) (postinfectional) (simple) (spontaneous) H31.40-
- - hemorrhagic H31.41-
- - serous H31.42-

- ligament -*see* Sprain
- meniscus (knee) -*see also* Derangement, knee, meniscus, specified NEC
- - current injury -*see* Tear, meniscus
- - due to old tear or injury -*see* Derangement, knee, meniscus, due to old tear
- retina (without retinal break) (serous) H33.2-
- - with retinal:
- - - break H33.00-
- - - - giant H33.03-
- - - - multiple H33.02-
- - - - single H33.01-
- - - dialysis H33.04-
- - pigment epithelium -*see* Degeneration, retina, separation of layers, pigment epithelium detachment
- - rhegmatogenous -*see* Detachment, retina, with retinal, break
- - specified NEC H33.8
- - total H33.05-
- - traction H33.4-
- vitreous (body) H43.81

Detergent asthma J69.8

Deterioration
- epileptic F06.8
- general physical R53.81
- heart, cardiac -*see* Degeneration, myocardial
- mental -*see* Psychosis
- myocardial, myocardium -*see* Degeneration, myocardial
- senile (simple) R54

Deuteranomaly (anomalous trichromat) H53.53

Deuteranopia (complete) (incomplete) H53.53

Development
- abnormal, bone Q79.9
- arrested R62.50
- - bone -*see* Arrest, development or growth, bone
- - child R62.50
- - due to malnutrition E45
- defective, congenital -*see also* Anomaly, by site
- - cauda equina Q06.3
- - left ventricle Q24.8
- - - in hypoplastic left heart syndrome Q23.4
- - valve Q24.8
- - - pulmonary Q22.3
- delayed -*see also* Delay, development R62.50
- - arithmetical skills F81.2
- - language (skills) (expressive) F80.1
- - learning skill F81.9
- - mixed skills F88
- - motor coordination F82
- - reading F81.0
- - specified learning skill NEC F81.89
- - speech F80.9
- - spelling F81.81
- - written expression F81.81
- imperfect, congenital -*see also* Anomaly, by site
- - heart Q24.9
- - lungs Q33.6
- incomplete
- - bronchial tree Q32.4
- - organ or site not listed -*see* Hypoplasia, by site
- - respiratory system Q34.9
- sexual, precocious NEC E30.1
- tardy, mental -*see also* Disability, intellectual F79

Developmental -*see* condition

- testing, infant or child -*see* Examination, child
Devergie's disease (pityriasis rubra pilaris) L44.0
Deviation (in)
- conjugate palsy (eye) (spastic) H51.0
- esophagus (acquired) K22.89
- eye, skew H51.8
- midline (jaw) (teeth) (dental arch) M26.29
- - specified site NEC -*see* Malposition
- nasal septum J34.2
- - congenital Q67.4
- opening and closing of the mandible M26.53
- organ or site, congenital NEC -*see* Malposition, congenital
- septum (nasal) (acquired) J34.2
- - congenital Q67.4
- sexual F65.9
- - bestiality F65.89
- - erotomania F52.8
- - exhibitionism F65.2
- - fetishism, fetishistic F65.0
- - - transvestism F65.1
- - frotteurism F65.81
- - masochism F65.51
- - multiple F65.89
- - necrophilia F65.89
- - nymphomania F52.8
- - pederosis F65.4
- - pedophilia F65.4
- - sadism, sadomasochism F65.52
- - satyriasis F52.8
- - specified type NEC F65.89
- - transvestism F64.1
- - voyeurism F65.3
- teeth, midline M26.29
- trachea J39.8
- ureter, congenital Q62.61
Device
- cerebral ventricle (communicating) in situ Z98.2
- contraceptive -*see* Contraceptive, device
- drainage, cerebrospinal fluid, in situ Z98.2
Devic's disease G36.0
Devil's
- grip B33.0
- pinches (purpura simplex) D69.2
Devitalized tooth K04.99
Devonshire colic -*see* Poisoning, lead
Dextraposition, aorta Q20.3
- in tetralogy of Fallot Q21.3
Dextrinosis, limit (debrancher enzyme deficiency) E74.03
Dextrocardia (true) Q24.0
- with
- - complete transposition of viscera Q89.3
- - situs inversus Q89.3
Dextrotransposition, aorta Q20.3
d-glycericacidemia E72.59
Dhat syndrome F48.8
Dhobi itch B35.6
Di George's syndrome D82.1
Di Guglielmo's disease C94.0-
Diabetes, diabetic (mellitus) (sugar) E11.9
- with

- - amyotrophy E11.44
- - arthropathy NEC E11.618
- - autonomic (poly) neuropathy E11.43
- - cataract E11.36
- - Charcot's joints E11.610
- - chronic kidney disease E11.22
- - circulatory complication NEC E11.59
- - coma due to
- - - hyperosmolarity E11.01
- - - hypoglycemia E11.641
- - - ketoacidosis E11.11
- - complication E11.8
- - - specified NEC E11.69
- - dermatitis E11.620
- - foot ulcer E11.621
- - gangrene E11.52
- - gastroparalysis E11.43
- - gastroparesis E11.43
- - glomerulonephrosis, intracapillary E11.21
- - glomerulosclerosis, intercapillary E11.21
- - hyperglycemia E11.65
- - hyperosmolarity E11.00
- - - with coma E11.01
- - hypoglycemia E11.649
- - - with coma E11.641
- - ketoacidosis E11.10
- - - with coma E11.11
- - kidney complications NEC E11.29
- - Kimmelstiel-Wilson disease E11.21
- - loss of protective sensation (LOPS) -*see* Diabetes, by type, with neuropathy
- - mononeuropathy E11.41
- - myasthenia E11.44
- - necrobiosis lipoidica E11.620
- - nephropathy E11.21
- - neuralgia E11.42
- - neurologic complication NEC E11.49
- - neuropathic arthropathy E11.610
- - neuropathy E11.40
- - ophthalmic complication NEC E11.39
- - oral complication NEC E11.638
- - osteomyelitis E11.69
- - periodontal disease E11.630
- - peripheral angiopathy E11.51
- - - with gangrene E11.52
- - polyneuropathy E11.42
- - renal complication NEC E11.29
- - renal tubular degeneration E11.29
- - retinopathy E11.319
- - - with macular edema E11.311
- - - - resolved following treatment E11.37
- - - nonproliferative E11.329
- - - - with macular edema E11.321
- - - - mild E11.329
- - - - - with macular edema E11.321
- - - - moderate E11.339
- - - - - with macular edema E11.331
- - - - severe E11.349
- - - - - with macular edema E11.341
- - - proliferative E11.359
- - - - with

- - - - - combined traction retinal detachment and rhegmatogenous retinal detachment E11.354
- - - - - macular edema E11.351
- - - - - stable proliferative diabetic retinopathy E11.355
- - - - - traction retinal detachment involving the macula E11.352
- - - - - traction retinal detachment not involving the macula E11.353
- - skin complication NEC E11.628
- - skin ulcer NEC E11.622
- brittle *-see* Diabetes, type 1
- bronzed E83.110
- complicating pregnancy *-see* Pregnancy, complicated by, diabetes
- dietary counseling and surveillance Z71.3
- due to
- - autoimmune process *-see* Diabetes, type 1
- - immune mediated pancreatic islet beta-cell destruction *-see* Diabetes, type 1
- - pancreatectomy *-see* Diabetes, specified type NEC
- due to drug or chemical E09.9
- - with
- - - amyotrophy E09.44
- - - arthropathy NEC E09.618
- - - autonomic (poly) neuropathy E09.43
- - - cataract E09.36
- - - Charcot's joints E09.610
- - - chronic kidney disease E09.22
- - - circulatory complication NEC E09.59
- - - complication E09.8
- - - - specified NEC E09.69
- - - dermatitis E09.620
- - - foot ulcer E09.621
- - - gangrene E09.52
- - - gastroparalysis E09.43
- - - gastroparesis E09.43
- - - glomerulonephrosis, intracapillary E09.21
- - - glomerulosclerosis, intercapillary E09.21
- - - hyperglycemia E09.65
- - - hyperosmolarity E09.00
- - - - with coma E09.01
- - - hypoglycemia E09.649
- - - - with coma E09.641
- - - ketoacidosis E09.10
- - - - with coma E09.11
- - - kidney complications NEC E09.29
- - - Kimmelstiel-Wilson disease E09.21
- - - mononeuropathy E09.41
- - - myasthenia E09.44
- - - necrobiosis lipoidica E09.620
- - - nephropathy E09.21
- - - neuralgia E09.42
- - - neurologic complication NEC E09.49
- - - neuropathic arthropathy E09.610
- - - neuropathy E09.40
- - - ophthalmic complication NEC E09.39
- - - oral complication NEC E09.638
- - - periodontal disease E09.630
- - - peripheral angiopathy E09.51
- - - - with gangrene E09.52
- - - polyneuropathy E09.42
- - - renal complication NEC E09.29
- - - renal tubular degeneration E09.29
- - - retinopathy E09.319
- - - - with macular edema E09.311

- - - - resolved following treatment E09.37
- - - - nonproliferative E09.329
- - - - - with macular edema E09.321
- - - - - mild E09.329
- - - - - - with macular edema E09.321
- - - - - moderate E09.339
- - - - - - with macular edema E09.331
- - - - - severe E09.349
- - - - - - with macular edema E09.341
- - - - proliferative E09.359
- - - - - with
- - - - - - combined traction retinal detachment and rhegmatogenous retinal detachment E09.354
- - - - - - macular edema E09.351
- - - - - - stable proliferative diabetic retinopathy E09.355
- - - - - - traction retinal detachment involving the macula E09.352
- - - - - - traction retinal detachment not involving the macula E09.353
- - - skin complication NEC E09.628
- - - skin ulcer NEC E09.622
- due to underlying condition E08.9
- - with
- - - amyotrophy E08.44
- - - arthropathy NEC E08.618
- - - autonomic (poly) neuropathy E08.43
- - - cataract E08.36
- - - Charcot's joints E08.610
- - - chronic kidney disease E08.22
- - - circulatory complication NEC E08.59
- - - complication E08.8
- - - - specified NEC E08.69
- - - dermatitis E08.620
- - - foot ulcer E08.621
- - - gangrene E08.52
- - - gastroparalysis E08.43
- - - gastroparesis E08.43
- - - glomerulonephrosis, intracapillary E08.21
- - - glomerulosclerosis, intercapillary E08.21
- - - hyperglycemia E08.65
- - - hyperosmolarity E08.00
- - - - with coma E08.01
- - - hypoglycemia E08.649
- - - - with coma E08.641
- - - ketoacidosis E08.10
- - - - with coma E08.11
- - - kidney complications NEC E08.29
- - - Kimmelstiel-Wilson disease E08.21
- - - mononeuropathy E08.41
- - - myasthenia E08.44
- - - necrobiosis lipoidica E08.620
- - - nephropathy E08.21
- - - neuralgia E08.42
- - - neurologic complication NEC E08.49
- - - neuropathic arthropathy E08.610
- - - neuropathy E08.40
- - - ophthalmic complication NEC E08.39
- - - oral complication NEC E08.638
- - - periodontal disease E08.630
- - - peripheral angiopathy E08.51
- - - - with gangrene E08.52
- - - polyneuropathy E08.42
- - - renal complication NEC E08.29

- - - renal tubular degeneration E08.29
- - - retinopathy E08.319
- - - - with macular edema E08.311
- - - - resolved following treatment E08.37
- - - - nonproliferative E08.329
- - - - - with macular edema E08.321
- - - - - mild E08.329
- - - - - - with macular edema E08.321
- - - - - moderate E08.339
- - - - - - with macular edema E08.331
- - - - - severe E08.349
- - - - - - with macular edema E08.341
- - - - proliferative E08.359
- - - - - with
- - - - - - combined traction retinal detachment and rhegmatogenous retinal detachment E08.354
- - - - - - macular edema E08.351
- - - - - - stable proliferative diabetic retinopathy E08.355
- - - - - - traction retinal detachment involving the macula E08.352
- - - - - - traction retinal detachment not involving the macula E08.353
- - - skin complication NEC E08.628
- - - skin ulcer NEC E08.622
- gestational (in pregnancy) O24.419
- - affecting newborn P70.0
- - diet controlled O24.410
- - in childbirth O24.429
- - - diet controlled O24.420
- - - insulin (and diet) controlled O24.424
- - - oral drug controlled (antidiabetic) (hypoglycemic) O24.425
- - insulin (and diet) controlled O24.414
- - oral drug controlled (antidiabetic) (hypoglycemic) O24.415
- - puerperal O24.439
- - - diet controlled O24.430
- - - insulin (and diet) controlled O24.434
- - - oral drug controlled (antidiabetic) (hypoglycemic) O24.435
- hepatogenous E13.9
- idiopathic -*see* Diabetes, type 1
- inadequately controlled -*see* Diabetes, by type, with hyperglycemia
- insipidus E23.2
- - nephrogenic N25.1
- - pituitary E23.2
- - vasopressin resistant N25.1
- insulin dependent - code to type of diabetes
- juvenile-onset -*see* Diabetes, type 1
- ketosis-prone -*see* Diabetes, type 1
- latent R73.03
- neonatal (transient) P70.2
- non-insulin dependent - code to type of diabetes
- out of control -*see* Diabetes, by type, with hyperglycemia
- phosphate E83.39
- poorly controlled -*see* Diabetes, by type, with hyperglycemia
- postpancreatectomy -*see* Diabetes, specified type NEC
- postprocedural -*see* Diabetes, specified type NEC
- retina, hemorrhage E13.39
- secondary diabetes mellitus NEC -*see* Diabetes, specified type NEC
- specified type NEC E13.9
- - with
- - - amyotrophy E13.44
- - - arthropathy NEC E13.618
- - - autonomic (poly) neuropathy E13.43
- - - cataract E13.36

- - - Charcot's joints E13.610
- - - chronic kidney disease E13.22
- - - circulatory complication NEC E13.59
- - - complication E13.8
- - - - specified NEC E13.69
- - - dermatitis E13.620
- - - foot ulcer E13.621
- - - gangrene E13.52
- - - gastroparalysis E13.43
- - - gastroparesis E13.43
- - - glomerulonephrosis, intracapillary E13.21
- - - glomerulosclerosis, intercapillary E13.21
- - - hyperglycemia E13.65
- - - hyperosmolarity E13.00
- - - - with coma E13.01
- - - hypoglycemia E13.649
- - - - with coma E13.641
- - - ketoacidosis E13.10
- - - - with coma E13.11
- - - kidney complications NEC E13.29
- - - Kimmelstiel-Wilson disease E13.21
- - - mononeuropathy E13.41
- - - myasthenia E13.44
- - - necrobiosis lipoidica E13.620
- - - nephropathy E13.21
- - - neuralgia E13.42
- - - neurologic complication NEC E13.49
- - - neuropathic arthropathy E13.610
- - - neuropathy E13.40
- - - ophthalmic complication NEC E13.39
- - - oral complication NEC E13.638
- - - periodontal disease E13.630
- - - peripheral angiopathy E13.51
- - - - with gangrene E13.52
- - - polyneuropathy E13.42
- - - renal complication NEC E13.29
- - - renal tubular degeneration E13.29
- - - retinopathy E13.319
- - - - with macular edema E13.311
- - - - resolved following treatment E13.37
- - - - nonproliferative E13.329
- - - - - with macular edema E13.321
- - - - - mild E13.329
- - - - - - with macular edema E13.321
- - - - - moderate E13.339
- - - - - - with macular edema E13.331
- - - - - severe E13.349
- - - - - - with macular edema E13.341
- - - - proliferative E13.359
- - - - - with
- - - - - - combined traction retinal detachment and rhegmatogenous retinal detachment E13.354
- - - - - - macular edema E13.351
- - - - - - stable proliferative diabetic retinopathy E13.355
- - - - - - traction retinal detachment involving the macula E13.352
- - - - - - traction retinal detachment not involving the macula E13.353
- - - skin complication NEC E13.628
- - - skin ulcer NEC E13.622
- steroid-induced -*see* Diabetes, due to, drug or chemical
- type 1 E10.9
- - with

- - - amyotrophy E10.44
- - - arthropathy NEC E10.618
- - - autonomic (poly) neuropathy E10.43
- - - cataract E10.36
- - - Charcot's joints E10.610
- - - chronic kidney disease E10.22
- - - circulatory complication NEC E10.59
- - - coma due to
- - - - hypoglycemia E10.641
- - - - ketoacidosis E10.11
- - - complication E10.8
- - - - specified NEC E10.69
- - - dermatitis E10.620
- - - foot ulcer E10.621
- - - gangrene E10.52
- - - gastroparalysis E10.43
- - - gastroparesis E10.43
- - - glomerulonephrosis, intracapillary E10.21
- - - glomerulosclerosis, intercapillary E10.21
- - - hyperglycemia E10.65
- - - hypoglycemia E10.649
- - - - with coma E10.641
- - - ketoacidosis E10.10
- - - - with coma E10.11
- - - kidney complications NEC E10.29
- - - Kimmelstiel-Wilson disease E10.21
- - - mononeuropathy E10.41
- - - myasthenia E10.44
- - - necrobiosis lipoidica E10.620
- - - nephropathy E10.21
- - - neuralgia E10.42
- - - neurologic complication NEC E10.49
- - - neuropathic arthropathy E10.610
- - - neuropathy E10.40
- - - ophthalmic complication NEC E10.39
- - - oral complication NEC E10.638
- - - osteomyelitis E10.69
- - - periodontal disease E10.630
- - - peripheral angiopathy E10.51
- - - - with gangrene E10.52
- - - polyneuropathy E10.42
- - - renal complication NEC E10.29
- - - renal tubular degeneration E10.29
- - - retinopathy E10.319
- - - - with macular edema E10.311
- - - - resolved following treatment E10.37
- - - - nonproliferative E10.329
- - - - - with macular edema E10.321
- - - - - mild E10.329
- - - - - - with macular edema E10.321
- - - - - moderate E10.339
- - - - - - with macular edema E10.331
- - - - - severe E10.349
- - - - - - with macular edema E10.341
- - - - proliferative E10.359
- - - - - with
- - - - - - combined traction retinal detachment and rhegmatogenous retinal detachment E10.354
- - - - - - macular edema E10.351
- - - - - - stable proliferative diabetic retinopathy E10.355
- - - - - - traction retinal detachment involving the macula E10.352

- - - - - - traction retinal detachment not involving the macula E10.353
- - - skin complication NEC E10.628
- - - skin ulcer NEC E10.622
- - early-stage E10.A-
- - presymptomatic E10.A0
- - - Stage 1 E10.A1
- - - Stage 2 E10.A2
- type 2 E11.9
- - with
- - - amyotrophy E11.44
- - - arthropathy NEC E11.618
- - - autonomic (poly) neuropathy E11.43
- - - cataract E11.36
- - - Charcot's joints E11.610
- - - chronic kidney disease E11.22
- - - circulatory complication NEC E11.59
- - - coma due to
- - - - hyperosmolarity E11.01
- - - - hypoglycemia E11.641
- - - - ketoacidosis E11.1-
- - - complication E11.8
- - - - specified NEC E11.69
- - - dermatitis E11.620
- - - foot ulcer E11.621
- - - gangrene E11.52
- - - gastroparalysis E11.43
- - - gastroparesis E11.43
- - - glomerulonephrosis, intracapillary E11.21
- - - glomerulosclerosis, intercapillary E11.21
- - - hyperglycemia E11.65
- - - hyperosmolarity E11.00
- - - - with coma E11.01
- - - hypoglycemia E11.649
- - - - with coma E11.641
- - - ketoacidosis E11.10
- - - - with coma E11.11
- - - kidney complications NEC E11.29
- - - Kimmelstiel-Wilson disease E11.21
- - - mononeuropathy E11.41
- - - myasthenia E11.44
- - - necrobiosis lipoidica E11.620
- - - nephropathy E11.21
- - - neuralgia E11.42
- - - neurologic complication NEC E11.49
- - - neuropathic arthropathy E11.610
- - - neuropathy E11.40
- - - ophthalmic complication NEC E11.39
- - - oral complication NEC E11.638
- - - osteomyelitis E11.69
- - - periodontal disease E11.630
- - - peripheral angiopathy E11.51
- - - - with gangrene E11.52
- - - polyneuropathy E11.42
- - - renal complication NEC E11.29
- - - renal tubular degeneration E11.29
- - - retinopathy E11.319
- - - - with macular edema E11.311
- - - - resolved following treatment E11.37
- - - - nonproliferative E11.329
- - - - - with macular edema E11.321

- - - - - mild E11.329
- - - - - - with macular edema E11.321
- - - - - moderate E11.339
- - - - - - with macular edema E11.331
- - - - - severe E11.349
- - - - - - with macular edema E11.341
- - - - proliferative E11.359
- - - - - with
- - - - - - combined traction retinal detachment and rhegmatogenous retinal detachment E11.354
- - - - - - macular edema E11.351
- - - - - - stable proliferative diabetic retinopathy E11.355
- - - - - - traction retinal detachment involving the macula E11.352
- - - - - - traction retinal detachment not involving the macula E11.353
- - - skin complication NEC E11.628
- - - skin ulcer NEC E11.622
- uncontrolled
- - meaning
- - - hyperglycemia -*see* Diabetes, by type, with, hyperglycemia
- - - hypoglycemia -*see* Diabetes, by type, with, hypoglycemia
Diacyclothrombopathia D69.1
Diagnosis deferred R69
Dialysis (intermittent) (treatment)
- noncompliance (with) Z91.158
- - due to financial hardship Z91.151
- renal (hemodialysis) (peritoneal), status Z99.2
- retina, retinal -*see* Detachment, retina, with retinal, dialysis
Diamond-Blackfan anemia (congenital hypoplastic) D61.01
Diamond-Gardener syndrome (autoerythrocyte sensitization) D69.2
Diaper rash L22
Diaphoresis (excessive) R61
Diaphragm -*see* condition
Diaphragmalgia R07.1
Diaphragmatitis, diaphragmitis J98.6
Diaphysial aclasis Q78.6
Diaphysitis -*see* Osteomyelitis, specified type NEC
Diarrhea, diarrheal (disease) (infantile) (inflammatory) R19.7
- achlorhydric K31.83
- allergic K52.29
- - due to
- - - colitis -*see* Colitis, allergic
- - - enteritis -*see* Enteritis, allergic
- amebic -*see also* Amebiasis A06.0
- - with abscess -*see* Abscess, amebic
- - acute A06.0
- - chronic A06.1
- - nondysenteric A06.2
- bacillary -*see* Dysentery, bacillary
- balantidial A07.0
- cachectic NEC K52.89
- Chilomastix A07.8
- choleriformis A00.1
- chronic (noninfectious) K52.9
- coccidial A07.3
- Cochin-China K90.1
- - strongyloidiasis B78.0
- Dientamoeba A07.8
- dietetic -*see also* Diarrhea, allergic K52.29
- drug-induced K52.1
- due to
- - bacteria A04.9

- - - specified NEC A04.8
- - Campylobacter A04.5
- - Capillaria philippinensis B81.1
- - Clostridium difficile
- - - not specified as recurrent A04.72
- - - recurrent A04.71
- - Clostridium perfringens (C) (F) A04.8
- - Cryptosporidium A07.2
- - drugs K52.1
- - Escherichia coli A04.4
- - - enteroaggregative A04.4
- - - enterohemorrhagic A04.3
- - - enteroinvasive A04.2
- - - enteropathogenic A04.0
- - - enterotoxigenic A04.1
- - - specified NEC A04.4
- - food hypersensitivity *-see also* Diarrhea, allergic K52.29
- - Necator americanus B76.1
- - S. japonicum B65.2
- - specified organism NEC A08.8
- - - bacterial A04.8
- - - viral A08.39
- - Staphylococcus A04.8
- - Trichuris trichiuria B79
- - virus *-see* Enteritis, viral
- - Yersinia enterocolitica A04.6
- dysenteric A09
- endemic A09
- epidemic A09
- flagellate A07.9
- Flexner's (ulcerative) A03.1
- functional K59.1
- - following gastrointestinal surgery K91.89
- - psychogenic F45.8
- Giardia lamblia A07.1
- giardial A07.1
- hill K90.1
- infectious A09
- malarial *-see* Malaria
- mite B88.0
- mycotic NEC B49
- neonatal (noninfectious) P78.3
- nervous F45.8
- neurogenic K59.1
- noninfectious K52.9
- postgastrectomy K91.1
- postvagotomy K91.1
- protozoal A07.9
- - specified NEC A07.8
- psychogenic F45.8
- specified
- - bacterium NEC A04.8
- - virus NEC A08.39
- strongyloidiasis B78.0
- toxic K52.1
- trichomonal A07.8
- tropical K90.1
- tuberculous A18.32
- viral *-see* Enteritis, viral

Diastasis

- cranial bones M84.88
- - congenital NEC Q75.8
- joint (traumatic) -*see* Dislocation
- muscle M62.00
- - ankle M62.07-
- - congenital Q79.8
- - foot M62.07-
- - forearm M62.03-
- - hand M62.04-
- - lower leg M62.06-
- - pelvic region M62.05-
- - shoulder region M62.01-
- - specified site NEC M62.08
- - thigh M62.05-
- - upper arm M62.02-
- recti (abdomen)
- - complicating delivery O71.89
- - congenital Q79.59

Diastema, tooth, teeth, fully erupted M26.32

Diastematomyelia Q06.2

Diataxia, cerebral G80.4

Diathesis
- allergic -*see* History, allergy
- bleeding (familial) D69.9
- cystine (familial) E72.00
- gouty -*see* Gout
- hemorrhagic (familial) D69.9
- - newborn NEC P53
- spasmophilic R29.0

Diaz's disease or osteochondrosis (juvenile) (talus) -*see* Osteochondrosis, juvenile, tarsus

Dibothriocephalus, dibothriocephaliasis (latus) (infection) (infestation) B70.0
- larval B70.1

Dicephalus, dicephaly Q89.4

Dichotomy, teeth K00.2

Dichromat, dichromatopsia (congenital) -*see* Deficiency, color vision

Dichuchwa A65

Dicroceliasis B66.2

Didelphia, didelphys -*see* Double uterus

Didymytis N45.1
- with orchitis N45.3

Dietary
- inadequacy or deficiency E63.9
- surveillance and counseling Z71.3

Dietl's crisis N13.8

Dieulafoy lesion (hemorrhagic)
- duodenum K31.82
- esophagus K22.89
- intestine (colon) K63.81
- stomach K31.82

Difficult, difficulty (in)
- acculturation Z60.3
- feeding R63.30
- - elderly R63.39
- - infant NOS R63.39
- - newborn P92.9
- - - breast P92.5
- - - specified NEC P92.8
- - nonorganic (infant or child) F98.29
- - specified NEC R63.39
- intubation, in anesthesia T88.4

- mechanical, gastroduodenal stoma K91.89
- - causing obstruction -*see also* Obstruction, intestine, postoperative K91.30
- micturition
- - need to immediately re-void R39.191
- - position dependent R39.192
- - specified NEC R39.198
- reading (developmental) F81.0
- - secondary to emotional disorders F93.9
- spelling (specific) F81.81
- - with reading disorder F81.89
- - due to inadequate teaching Z55.8
- swallowing -*see* Dysphagia
- understanding
- - health related information Z55.6
- - medication instructions Z55.6
- walking R26.2
- work
- - conditions NEC Z56.5
- - schedule Z56.3

Diffuse -*see* condition

DiGeorge's syndrome (thymic hypoplasia) D82.1

Digestive -*see* condition

Dihydropyrimidine dehydrogenase disease (DPD) E88.89

Diktyoma -*see* Neoplasm, malignant, by site

Dilaceration, tooth K00.4

Dilatation

- anus K59.89
- - venule -*see* Hemorrhoids
- aorta (focal) (general) -*see* Ectasia, aorta
- - with aneuysm -*see* Aneurysm, aorta
- - congenital Q25.44
- artery -*see* Aneurysm
- bladder (sphincter) N32.89
- - congenital Q64.79
- blood vessel I99.8
- bronchial J47.9
- - with
- - - exacerbation (acute) J47.1
- - - lower respiratory infection J47.0
- calyx N28.89
- - due to obstruction -*see* Hydronephrosis
- capillaries I78.8
- cardiac (acute) (chronic) -*see also* Hypertrophy, cardiac
- - congenital Q24.8
- - - valve NEC Q24.8
- - - - pulmonary Q22.3
- - valve -*see* Endocarditis
- cavum septi pellucidi Q06.8
- cervix (uteri) -*see also* Incompetency, cervix
- - incomplete, poor, slow complicating delivery O62.0
- colon K59.39
- - congenital Q43.1
- - psychogenic F45.8
- - toxic K59.31
- common duct (acquired) K83.8
- - congenital Q44.5
- cystic duct (acquired) K82.8
- - congenital Q44.5
- duct, mammary -*see* Ectasia, mammary duct
- duodenum K59.89

- esophagus K22.89
- - congenital Q39.5
- - due to achalasia K22.0
- eustachian tube, congenital Q17.8
- gallbladder K82.8
- gastric -*see* Dilatation, stomach
- heart (acute) (chronic) -*see also* Hypertrophy, cardiac
- - congenital Q24.8
- - valve -*see* Endocarditis
- ileum K59.89
- - psychogenic F45.8
- jejunum K59.89
- - psychogenic F45.8
- kidney (calyx) (collecting structures) (cystic) (parenchyma) (pelvis) (idiopathic) N28.89
- - due to obstruction -*see* Hydronephrosis
- lacrimal passages or duct -*see* Disorder, lacrimal system, changes
- lymphatic vessel I89.0
- mammary duct -*see* Ectasia, mammary duct
- Meckel's diverticulum (congenital) Q43.0
- - malignant -*see* Table of Neoplasms, small intestine, malignant
- myocardium (acute) (chronic) -*see* Hypertrophy, cardiac
- organ or site, congenital NEC -*see* Distortion
- pancreatic duct K86.89
- pericardium -*see* Pericarditis
- pharynx J39.2
- prostate N42.89
- pulmonary
- - artery (idiopathic) I28.8
- - valve, congenital Q22.3
- pupil H57.04
- rectum K59.39
- saccule, congenital Q16.5
- salivary gland (duct) K11.8
- sphincter ani K62.89
- stomach K31.89
- - acute K31.0
- - psychogenic F45.8
- submaxillary duct K11.8
- trachea, congenital Q32.1
- ureter (idiopathic) N28.82
- - congenital Q62.2
- - due to obstruction N13.4
- urethra (acquired) N36.8
- vasomotor I73.9
- vein I86.8
- ventricular, ventricle (acute) (chronic) -*see also* Hypertrophy, cardiac
- - cerebral, congenital Q04.8
- venule NEC I86.8
- vesical orifice N32.89

Dilated, dilation -*see* Dilatation

Diminished, diminution
- hearing (acuity) -*see* Deafness
- sense or sensation (cold) (heat) (tactile) (vibratory) R20.8
- vision NEC H54.7
- vital capacity R94.2

Diminuta taenia B71.0

Dimitri-Sturge-Weber disease Q85.89

Dimple
- congenital sacral Q82.6
- parasacral Q82.6

- pilonidal or postanal -*see* Cyst, pilonidal
Dioctophyme renalis (infection) (infestation) B83.8
Dipetalonemiasis B74.4
Diphallus Q55.69
Diphtheria, diphtheritic (gangrenous) (hemorrhagic) A36.9
- carrier (suspected) Z22.2
- cutaneous A36.3
- faucial A36.0
- infection of wound A36.3
- laryngeal A36.2
- myocarditis A36.81
- nasal, anterior A36.89
- nasopharyngeal A36.1
- neurological complication A36.89
- pharyngeal A36.0
- specified site NEC A36.89
- tonsillar A36.0
Diphyllobothriasis (intestine) B70.0
- larval B70.1
Diplacusis H93.22-
Diplegia (upper limbs) G83.0
- congenital (cerebral) G80.8
- facial G51.0
- lower limbs G82.20
- spastic G80.1
Diplococcus, diplococcal -*see* condition
Diplopia H53.2
Dipsomania F10.20
- with
- - psychosis -*see* Psychosis, alcoholic
- - remission F10.21
Dipylidiasis B71.1
DIRA (deficiency of interleukin 1 receptor antagonist) M04.8
Direction, teeth, abnormal, fully erupted M26.30
Dirofilariasis B74.8
Dirt-eating child F98.3
Disability, disabilities
- heart -*see* Disease, heart
- intellectual F79
- - with
- - - autistic features F84.9
- - - pathogenic CHAMP1 (genetic) (variant) F78.A9
- - - pathogenic HNRNPH2 (genetic) (variant) F78.A9
- - - pathogenic SATB2 (genetic) (variant) F78.A9
- - - pathogenic SETBP1 (genetic) (variant) F78.A9
- - - pathogenic STXBP1 (genetic) (variant) F78.A9
- - - pathogenic SYNGAP1 (genetic) (variant) F78.A1
- - autosomal dominant F78.A9
- - autosomal recessive F78.A9
- - genetic related F78.A9
- - - with
- - - - pathogenic CHAMP1 (variant) F78.A9
- - - - pathogenic HNRNPH2 (variant) F78.A9
- - - - pathogenic SATB2 (variant) F78.A9
- - - - pathogenic SETBP1 (variant) F78.A9
- - - - pathogenic STXBP1 (variant) F78.A9
- - - - pathogenic SYNGAP1 (variant) F78.A1
- - - specified NEC F78.A9
- - - SYNGAP1-related F78.A1
- - in

- - - autosomal dominant mental retardation F78.A9
- - - autosomal recessive mental retardation F78.A9
- - - SATB2-associated syndrome F78.A9
- - - SETBP1 disorder F78.A9
- - - STXBP1 encephalopathy with epilepsy -*see also* Encephalopathy; and see also Epilepsy F78.A9
- - - X-linked mental retardation (syndromic) (Bain type) F78.A9
- - mild (I.Q.50-69) F70
- - moderate (I.Q.35-49) F71
- - profound (I.Q. under 20) F73
- - severe (I.Q.20-34) F72
- - specified level NEC F78.A9
- - SYNGAP1-related F78.A1
- - X-linked (syndromic) (Bain type) F78.A9
- knowledge acquisition F81.9
- learning F81.9
- limiting activities Z73.6
- spelling, specific F81.81

Disappearance of family member Z63.4

Disarticulation -*see* Amputation
- meaning traumatic amputation -*see* Amputation, traumatic

Discharge (from)
- abnormal finding in -*see* Abnormal, specimen
- breast (female) (male) N64.52
- diencephalic autonomic idiopathic -*see* Epilepsy, specified NEC
- ear -*see also* Otorrhea
- - blood -*see* Otorrhagia
- excessive urine R35.89
- nipple N64.52
- penile R36.9
- postnasal R09.82
- prison, anxiety concerning Z65.2
- urethral R36.9
- - without blood R36.0
- - hematospermia R36.1
- vaginal N89.8

Discitis, diskitis M46.40
- cervical region M46.42
- cervicothoracic region M46.43
- lumbar region M46.46
- lumbosacral region M46.47
- multiple sites M46.49
- occipito-atlanto-axial region M46.41
- pyogenic -*see* Infection, intervertebral disc, pyogenic
- sacrococcygeal region M46.48
- thoracic region M46.44
- thoracolumbar region M46.45

Discoid
- meniscus (congenital) Q68.6
- semilunar cartilage (congenital) -*see* Derangement, knee, meniscus, specified NEC

Discoloration
- nails L60.8
- teeth (posteruptive) K03.7
- - during formation K00.8

Discomfort
- chest R07.89
- visual H53.14-

Discontinuity, ossicles, ear H74.2-

Discord (with)
- boss Z56.4
- classmates Z55.4

- counselor Z64.4
- employer Z56.4
- family Z63.8
- fellow employees Z56.4
- in-laws Z63.1
- landlord Z59.2
- lodgers Z59.2
- neighbors Z59.2
- probation officer Z64.4
- social worker Z64.4
- teachers Z55.4
- workmates Z56.4

Discordant connection
- atrioventricular (congenital) Q20.5
- ventriculoarterial Q20.3

Discrepancy
- centric occlusion maximum intercuspation M26.55
- leg length (acquired) -*see* Deformity, limb, unequal length
- - congenital -*see* Defect, reduction, lower limb
- uterine size date O26.84-

Discrimination
- ethnic Z60.5
- political Z60.5
- racial Z60.5
- religious Z60.5
- sex Z60.5

Disease, diseased -*see also* Syndrome
- absorbent system I87.8
- acid-peptic K30
- Acosta's T70.29
- Adams-Stokes (-Morgagni) (syncope with heart block) I45.9
- Addison's anemia (pernicious) D51.0
- adenoids (and tonsils) J35.9
- adrenal (capsule) (cortex) (gland) (medullary) E27.9
- - hyperfunction E27.0
- - specified NEC E27.8
- ainhum L94.6
- airway
- - obstructive, chronic J44.9
- - - due to
- - - - cotton dust J66.0
- - - - specific organic dusts NEC J66.8
- - reactive -*see* Asthma
- akamushi (scrub typhus) A75.3
- Albers-Schönberg (marble bones) Q78.2
- Albert's -*see* Tendinitis, Achilles
- Alexander G31.86
- alimentary canal K63.9
- alligator-skin Q80.9
- - acquired L85.0
- alpha heavy chain C88.3-
- alpine T70.29
- altitude T70.20
- alveolar ridge
- - edentulous K06.9
- - - specified NEC K06.8
- alveoli, teeth K08.9
- Alzheimer's -*see also* Dementia, in, diseases specified elsewhere G30.9 *[F02.80]*
- - with behavioral disturbance -*see also* Dementia, in, diseases specified elsewhere G30.9 *[F02.81-]*
- - early onset -*see also* Dementia, in, diseases specified elsewhere G30.0 *[F02.80]*

- - - with behavioral disturbance -*see also* Dementia, in, diseases specified elsewhere G30.0 *[F02.81-]*
- - late onset -*see also* Dementia, in, diseases specified elsewhere G30.1 *[F02.80]*
- - - with behavioral disturbance -*see also* Dementia, in, diseases specified elsewhere G30.1 *[F02.81-]*
- - specified NEC -*see also* Dementia, in, diseases specified elsewhere G30.8 *[F02.80]*
- - - with behavioral disturbance -*see also* Dementia, in, diseases specified elsewhere G30.8 *[F02.81-]*
- amyloid -*see* Amyloidosis
- Andersen's (glycogenosis IV) E74.09
- Andes T70.29
- Andrews' (bacterid) L08.89
- angiospastic I73.9
- - cerebral G45.9
- - vein I87.8
- anterior
- - chamber H21.9
- - horn cell G12.29
- antiglomerular basement membrane (anti- GBM) antibody M31.0
- - tubulo-interstitial nephritis N12
- Antopol E74.05
- antral -*see* Sinusitis, maxillary
- anus K62.9
- - specified NEC K62.89
- aorta (nonsyphilitic) I77.9
- - syphilitic NEC A52.02
- aortic (heart) (valve) I35.9
- - rheumatic I06.9
- Apollo B30.3
- aponeuroses -*see* Enthesopathy
- appendix K38.9
- - specified NEC K38.8
- aqueous (chamber) H21.9
- Arnold-Chiari -*see* Arnold-Chiari disease
- arterial -*see also* Disease, artery I77.9
- - occlusive -*see also* Occlusion, by site
- - - due to stricture or stenosis I77.1
- - peripheral I73.9
- arteriocardiorenal -*see* Hypertension, cardiorenal
- arteriolar (generalized) (obliterative) I77.9
- arteriorenal -*see* Hypertension, kidney
- arteriosclerotic -*see also* Arteriosclerosis
- - cardiovascular -*see* Disease, heart, ischemic, atherosclerotic
- - coronary (artery) -*see* Disease, heart, ischemic, atherosclerotic
- - heart -*see* Disease, heart, ischemic, atherosclerotic
- artery -*see also* Disease, arterial I77.9
- - cerebral I67.9
- - coronary I25.10
- - - with angina pectoris -*see* Arteriosclerosis, coronary (artery)
- - peripheral I73.9
- arthropod-borne NOS (viral) A94
- - specified type NEC A93.8
- atticoantral, chronic H66.20
- - left H66.22
- - - with right H66.23
- - right H66.21
- - - with left H66.23
- auditory canal -*see* Disorder, ear, external
- auricle, ear NEC -*see* Disorder, pinna
- Australian X A83.4
- autoimmune (systemic) NOS M35.9
- - hemolytic D59.10
- - - cold type (primary) (secondary) (symptomatic) D59.12

- - - mixed type (primary) (secondary) (symptomatic) D59.13
- - - warm type (primary) (secondary) (symptomatic) D59.11
- - - drug-induced D59.0
- - thyroid E06.3
- autoinflammatory M04.9
- - NOD2-associated M04.8
- - specified type NEC M04.8
- aviator's -*see* Effect, adverse, high altitude
- Ayerza's (pulmonary artery sclerosis with pulmonary hypertension) I27.0
- Babington's (familial hemorrhagic telangiectasia) I78.0
- bacterial A49.9
- - specified NEC A48.8
- - zoonotic A28.9
- - - specified type NEC A28.8
- Baelz's (cheilitis glandularis apostematosa) K13.0
- bagasse J67.1
- balloon -*see* Effect, adverse, high altitude
- Bang's (brucella abortus) A23.1
- Bannister's T78.3
- barometer makers' -*see* Poisoning, mercury
- Barraquer (-Simons') (progressive lipodystrophy) E88.1
- Barrett's -*see* Barrett's, esophagus
- Bartholin's gland N75.9
- basal ganglia G25.9
- - degenerative G23.9
- - - specified NEC G23.8
- - specified NEC G25.89
- Basedow's (exophthalmic goiter) -*see* Hyperthyroidism, with, goiter (diffuse)
- Bateman's B08.1
- Batten-Steinert G71.11
- Battey A31.0
- Beard's (neurasthenia) F48.8
- Becker
- - idiopathic mural endomyocardial I42.3
- - myotonia congenita G71.12
- Begbie's (exophthalmic goiter) -*see* Hyperthyroidism, with, goiter (diffuse)
- behavioral, organic F07.9
- Beigel's (white piedra) B36.2
- Benson's -*see* Deposit, crystalline
- Bernard-Soulier (thrombopathy) D69.1
- Bernhardt (-Roth) -*see* Mononeuropathy, lower limb, meralgia paresthetica
- Biermer's (pernicious anemia) D51.0
- bile duct (common) (hepatic) K83.9
- - with calculus, stones -*see* Calculus, bile duct
- - specified NEC K83.8
- biliary (tract) K83.9
- - specified NEC K83.8
- Billroth's -*see* Spina bifida
- bird fancier's J67.2
- black lung J60
- bladder N32.9
- - in (due to)
- - - schistosomiasis (bilharziasis) B65.0 *[N33]*
- - specified NEC N32.89
- bleeder's D66
- blood D75.9
- - forming organs D75.9
- - vessel I99.9
- Bloodgood's -*see* Mastopathy, cystic
- Blount M92.51-

- Bodechtel-Guttmann (subacute sclerosing panencephalitis) A81.1
- bone -*see also* Disorder, bone
- - aluminum M83.4
- - fibrocystic NEC
- - - jaw M27.49
- bone-marrow D75.9
- Borna A83.9
- Bornholm (epidemic pleurodynia) B33.0
- Bouchard's (myopathic dilatation of the stomach) K31.0
- Bouillaud's (rheumatic heart disease) I01.9
- Bourneville (-Brissaud) (tuberous sclerosis) Q85.1
- Bouveret (-Hoffmann) (paroxysmal tachycardia) I47.9
- bowel K63.9
- - functional K59.9
- - - psychogenic F45.8
- brain G93.9
- - arterial, artery I67.9
- - arteriosclerotic I67.2
- - congenital Q04.9
- - degenerative -*see* Degeneration, brain
- - inflammatory -*see* Encephalitis
- - organic G93.9
- - - arteriosclerotic I67.2
- - parasitic NEC B71.9 *[G94]*
- - senile NEC G31.1
- - specified NEC G93.89
- breast -*see also* Disorder, breast N64.9
- - cystic (chronic) -*see* Mastopathy, cystic
- - fibrocystic -*see* Mastopathy, cystic
- - Paget's
- - - female, unspecified side C50.91-
- - - male, unspecified side C50.92-
- - specified NEC N64.89
- Breda's -*see* Yaws
- Bretonneau's (diphtheritic malignant angina) A36.0
- Bright's -*see* Nephritis
- - arteriosclerotic -*see* Hypertension, kidney
- Brill's (recrudescent typhus) A75.1
- Brill-Zinsser (recrudescent typhus) A75.1
- Brion-Kayser -*see* Fever, paratyphoid
- broad
- - beta E78.2
- - ligament (noninflammatory) N83.9
- - - inflammatory -*see* Disease, pelvis, inflammatory
- - - specified NEC N83.8
- Brocq-Duhring (dermatitis herpetiformis) L13.0
- Brocq's
- - meaning
- - - dermatitis herpetiformis L13.0
- - - prurigo L28.2
- bronchopulmonary J98.4
- bronchus NEC J98.09
- bronze Addison's E27.1
- - tuberculous A18.7
- budgerigar fancier's J67.2
- bullous L13.9
- - chronic of childhood L12.2
- - specified NEC L13.8
- Buerger's (thromboangiitis obliterans) I73.1
- Bürger-Grütz (essential familial hyperlipemia) E78.3

- bursa -*see* Bursopathy
- caisson T70.3
- California -*see* Coccidioidomycosis
- Canavan E75.28
- capillaries I78.9
- - specified NEC I78.8
- Carapata A68.0
- carcinoid E34.00
- - heart E34.01
- - specified NEC E34.09
- cardiac -*see* Disease, heart
- cardiopulmonary, chronic I27.9
- cardiorenal (hepatic) (hypertensive) (vascular) -*see* Hypertension, cardiorenal
- cardiovascular (atherosclerotic) I25.10
- - with angina pectoris -*see* Arteriosclerosis, coronary (artery),
- - congenital Q28.9
- - newborn P29.9
- - - specified NEC P29.89
- - hypertensive -*see* Hypertension, heart
- - renal (hypertensive) -*see* Hypertension, cardiorenal
- - syphilitic (asymptomatic) A52.00
- cartilage -*see* Disorder, cartilage
- Castellani's A69.8
- Castleman (unicentric) (multicentric) D47.Z2
- - HHV-8-associated -*see also* Herpesvirus, human, 8 D47.Z2
- cat-scratch A28.1
- Cavare's (familial periodic paralysis) G72.3
- cecum K63.9
- celiac (adult) (infantile) (with steatorrhea) K90.0
- cellular tissue L98.9
- central core G71.29
- cerebellar, cerebellum -*see* Disease, brain
- cerebral -*see also* Disease, brain
- - degenerative -*see* Degeneration, brain
- cerebrospinal G96.9
- cerebrovascular I67.9
- - acute I67.89
- - - embolic I63.4-
- - - thrombotic I63.3-
- - arteriosclerotic I67.2
- - hereditary NEC I67.858
- - specified NEC I67.89
- cervix (uteri) (noninflammatory) N88.9
- - inflammatory -*see* Cervicitis
- - specified NEC N88.8
- Chabert's A22.9
- Chandler's (osteochondritis dissecans, hip) -*see* Osteochondritis, dissecans, hip
- Charlouis -*see* Yaws
- Chédiak-Steinbrinck (-Higashi) (congenital gigantism of peroxidase granules) E70.330
- chest J98.9
- Chiari's (hepatic vein thrombosis) I82.0
- Chicago B40.9
- Chignon B36.8
- chigo, chigoe B88.1
- childhood granulomatous D71
- Chinese liver fluke B66.1
- chlamydial A74.9
- - specified NEC A74.89
- cholecystic K82.9
- choroid H31.9

- - specified NEC H31.8
- Christmas D67
- chronic bullous of childhood L12.2
- chylomicron retention E78.3
- ciliary body H21.9
- - specified NEC H21.89
- circulatory (system) NEC I99.8
- - newborn P29.9
- - syphilitic A52.00
- - - congenital A50.54
- coagulation factor deficiency (congenital) -*see* Defect, coagulation
- coccidioidal -*see* Coccidioidomycosis
- cold
- - agglutinin or hemoglobinuria D59.12
- - - paroxysmal D59.6
- - hemagglutinin (chronic) D59.12
- collagen NOS (nonvascular) (vascular) M35.9
- - specified NEC M35.89
- colon K63.9
- - functional K59.9
- - - congenital Q43.2
- - ischemic -*see also* Ischemia, intestine, acute K55.039
- colonic inflammatory bowel, unclassified (IBDU) K52.3
- combined system -*see* Degeneration, combined
- compressed air T70.3
- Concato's (pericardial polyserositis) A19.9
- - nontubercular I31.1
- - pleural -*see* Pleurisy, with effusion
- conjunctiva H11.9
- - chlamydial A74.0
- - specified NEC H11.89
- - viral B30.9
- - - specified NEC B30.8
- connective tissue, systemic (diffuse) M35.9
- - in (due to)
- - - hypogammaglobulinemia D80.1 *[M36.8]*
- - - ochronosis E70.29 *[M36.8]*
- - specified NEC M35.89
- Conor and Bruch's (boutonneuse fever) A77.1
- Cooper's -*see* Mastopathy, cystic
- Cori's (glycogenosis III) E74.03
- corkhandler's or corkworker's J67.3
- cornea H18.9
- - specified NEC H18.89-
- coronary (artery) -*see* Disease, heart, ischemic, atherosclerotic
- - congenital Q24.5
- - microvascular
- - - with
- - - - angina pectoris I20.81
- - - - myocardial infarction I21.B
- - - acute I24.81
- - - chronic I25.85
- - ostial, syphilitic (aortic) (mitral) (pulmonary) A52.03
- corpus cavernosum N48.9
- - specified NEC N48.89
- Cotugno -*see* Sciatica
- COVID-19 U07.1
- coxsackie (virus) NEC B34.1
- cranial nerve NOS G52.9
- Creutzfeldt-Jakob -*see* Creutzfeldt-Jakob disease or syndrome

- Crocq's (acrocyanosis) I73.89
- Crohn's -*see* Enteritis, regional
- Curschmann G71.11
- cystic
- - breast (chronic) -*see* Mastopathy, cystic
- - kidney, congenital Q61.9
- - liver, congenital Q44.6
- - lung J98.4
- - - congenital Q33.0
- cytomegalic inclusion (generalized) B25.9
- - with pneumonia B25.0
- - congenital P35.1
- cytomegaloviral B25.9
- - specified NEC B25.8
- Czerny's (periodic hydrarthrosis of the knee) -*see* Effusion, joint, knee
- Daae (-Finsen) (epidemic pleurodynia) B33.0
- Danon E74.05
- Darling's -*see* Histoplasmosis capsulati
- Débove's (splenomegaly) R16.1
- deer fly -*see* Tularemia
- Degos' I77.89
- demyelinating, demyelinizating (nervous system) G37.9
- - multiple sclerosis G35
- - specified NEC G37.89
- dense deposit -*see also* N00-N07 with fourth character .6 N05.6
- deposition, hydroxyapatite -*see* Disease, hydroxyapatite deposition
- de Quervain's (tendon sheath) M65.4
- - thyroid (subacute granulomatous thyroiditis) E06.1
- Devergie's (pityriasis rubra pilaris) L44.0
- Devic's G36.0
- diaphorase deficiency D74.0
- diaphragm J98.6
- diarrheal, infectious NEC A09
- digestive system K92.9
- - specified NEC K92.89
- disc, degenerative -*see* Degeneration, intervertebral disc
- discogenic -*see also* Displacement, intervertebral disc NEC
- - with myelopathy -*see* Disorder, disc, with, myelopathy
- diverticular -*see* Diverticula
- Dubois (thymus) A50.59 *[E35]*
- Duchenne-Griesinger G71.01
- Duchenne's
- - muscular dystrophy G71.01
- - pseudohypertrophy, muscles G71.01
- ductless glands E34.9
- Duhring's (dermatitis herpetiformis) L13.0
- duodenum K31.9
- - specified NEC K31.89
- Dupré's (meningism) R29.1
- Dupuytren's (muscle contracture) M72.0
- Durand-Nicholas-Favre (climatic bubo) A55
- Duroziez's (congenital mitral stenosis) Q23.2
- ear -*see* Disorder, ear
- Eberth's -*see* Fever, typhoid
- Ebola (virus) A98.4
- Ebstein's heart Q22.5
- Echinococcus -*see* Echinococcus
- echovirus NEC B34.1
- Eddowes' (brittle bones and blue sclera) Q78.0
- edentulous (alveolar) ridge K06.9

- - specified NEC K06.8
- Edsall's T67.2
- Eichstedt's (pityriasis versicolor) B36.0
- Eisenmenger's (irreversible) I27.83
- Ellis-van Creveld (chondroectodermal dysplasia) Q77.6
- end stage renal (ESRD) N18.6
- - due to hypertension I12.0
- endocrine glands or system NEC E34.9
- endomyocardial (eosinophilic) I42.3
- English (rickets) E55.0
- enteroviral, enterovirus NEC B34.1
- - central nervous system NEC A88.8
- epidemic B99.9
- - specified NEC B99.8
- epididymis N50.9
- Erb (-Landouzy) G71.02
- Erdheim-Chester (ECD) E88.89
- esophagus K22.9
- - functional K22.4
- - psychogenic F45.8
- - specified NEC K22.89
- Eulenburg's (congenital paramyotonia) G71.19
- eustachian tube -*see* Disorder, eustachian tube
- external
- - auditory canal -*see* Disorder, ear, external
- - ear -*see* Disorder, ear, external
- extrapyramidal G25.9
- - specified NEC G25.89
- eye H57.9
- - anterior chamber H21.9
- - inflammatory NEC H57.89
- - muscle (external) -*see* Strabismus
- - specified NEC H57.89
- - syphilitic -*see* Oculopathy, syphilitic
- eyeball H44.9
- - specified NEC H44.89
- eyelid -*see* Disorder, eyelid
- - specified NEC -*see* Disorder, eyelid, specified type NEC
- eyeworm of Africa B74.3
- facial nerve (seventh) G51.9
- - newborn (birth injury) P11.3
- Fahr (of brain) G23.8
- Fahr Volhard (of kidney) I12.-
- fallopian tube (noninflammatory) N83.9
- - inflammatory -*see* Salpingo-oophoritis
- - specified NEC N83.8
- familial periodic paralysis G72.3
- Fanconi ('s) D61.03
- fascia NEC -*see also* Disorder, muscle
- - inflammatory -*see* Myositis
- - specified NEC M62.89
- Fauchard's (periodontitis) -*see* Periodontitis
- Favre-Durand-Nicolas (climatic bubo) A55
- Fede's K14.0
- Feer's -*see* Poisoning, mercury
- female pelvic inflammatory -*see also* Disease, pelvis, inflammatory N73.9
- - syphilitic (secondary) A51.42
- - tuberculous A18.17
- Fernels' (aortic aneurysm) I71.9
- fibrocaseous of lung -*see* Tuberculosis, pulmonary

- fibrocystic -*see* Fibrocystic disease
- Fiedler's (leptospiral jaundice) A27.0
- fifth B08.3
- file-cutter's -*see* Poisoning, lead
- fish-skin Q80.9
- - acquired L85.0
- Flajani (-Basedow) (exophthalmic goiter) -*see* Hyperthyroidism, with, goiter (diffuse)
- flax-dresser's J66.1
- fluke -*see* Infestation, fluke
- foot and mouth B08.8
- foot process N04.9
- Forbes' (glycogenosis III) E74.03
- Fordyce-Fox (apocrine miliaria) L75.2
- Fordyce's (ectopic sebaceous glands) (mouth) Q38.6
- Forestier's (rhizomelic pseudopolyarthritis) M35.3
- - meaning ankylosing hyperostosis -*see* Hyperostosis, ankylosing
- Fothergill's
- - neuralgia -*see* Neuralgia, trigeminal
- - scarlatina anginosa A38.9
- Fournier (gangrene) N49.3
- - female N76.82
- - vagina and vulva N76.82
- fourth B08.8
- Fox (-Fordyce) (apocrine miliaria) L75.2
- Francis' -*see* Tularemia
- Franklin C88.2-
- Frei's (climatic bubo) A55
- Friedreich's
- - combined systemic or ataxia G11.11
- - myoclonia G25.3
- frontal sinus -*see* Sinusitis, frontal
- fungus NEC B49
- Gaisböck's (polycythemia hypertonica) D75.1
- gallbladder K82.9
- - calculus -*see* Calculus, gallbladder
- - cholecystitis -*see* Cholecystitis
- - cholesterolosis K82.4
- - fistula -*see* Fistula, gallbladder
- - hydrops K82.1
- - obstruction -*see* Obstruction, gallbladder
- - perforation K82.2
- - specified NEC K82.8
- gamma heavy chain C88.2-
- Gamna's (siderotic splenomegaly) D73.2
- Gamstorp's (adynamia episodica hereditaria) G72.3
- Gandy-Nanta (siderotic splenomegaly) D73.2
- ganister J62.8
- gastric -*see* Disease, stomach
- gastroesophageal reflux (GERD) K21.9
- - with esophagitis (without bleeding) K21.00
- - - with bleeding K21.01
- gastrointestinal (tract) K92.9
- - amyloid E85.4
- - functional K59.9
- - - psychogenic F45.8
- - specified NEC K92.89
- Gee (-Herter) (-Heubner) (-Thaysen) (nontropical sprue) K90.0
- genital organs
- - female N94.9
- - male N50.9

- Gerhardt's (erythromelalgia) I73.81
- Gibert's (pityriasis rosea) L42
- Gierke's (glycogenosis I) E74.01
- Gilles de la Tourette's (motor-verbal tic) F95.2
- gingiva K06.9
- - plaque induced K05.00
- - specified NEC K06.8
- gland (lymph) I89.9
- Glanzmann's (hereditary hemorrhagic thrombasthenia) D69.1
- glass-blower's (cataract) *-see* Cataract, specified NEC
- - salivary gland hypertrophy K11.1
- Glisson's *-see* Rickets
- globe H44.9
- - specified NEC H44.89
- glomerular *-see also* Glomerulonephritis
- - with edema *-see* Nephrosis
- - acute *-see* Nephritis, acute
- - chronic *-see* Nephritis, chronic
- - minimal change N05.0
- - rapidly progressive N01.9
- glycogen storage E74.00
- - Andersen's E74.09
- - Cori's E74.03
- - Forbes' E74.03
- - generalized E74.00
- - glucose-6-phosphatase deficiency E74.01
- - heart E74.02 *[I43]*
- - hepatorenal E74.09
- - Hers' E74.09
- - liver and kidney E74.09
- - lysosomal E74.02
- - - with acid maltase deficiency E74.02
- - - without acid maltase deficiency E74.05
- - McArdle's E74.04
- - muscle phosphofructokinase E74.09
- - myocardium E74.02 *[I43]*
- - Pompe's E74.02
- - Tauri's E74.09
- - type 0 E74.09
- - type I E74.01
- - type II E74.02
- - type IIB E74.05
- - type III E74.03
- - type IV E74.09
- - type V E74.04
- - type VI-XI E74.09
- - Von Gierke's E74.01
- Goldstein's (familial hemorrhagic telangiectasia) I78.0
- gonococcal NOS A54.9
- graft-versus-host (GVH) D89.813
- - acute D89.810
- - acute on chronic D89.812
- - chronic D89.811
- grainhandler's J67.8
- granulomatous (childhood) (chronic) D71
- Graves' (exophthalmic goiter) *-see* Hyperthyroidism, with, goiter (diffuse)
- Griesinger's *-see* Ancylostomiasis
- Grisel's M43.6
- Gruby's (tinea tonsurans) B35.0
- Guillain-Barré G61.0

- Guinon's (motor-verbal tic) F95.2
- gum K06.9
- gynecological N94.9
- H (Hartnup's) E72.02
- Haff -*see* Poisoning, mercury
- Hageman (congenital factor XII deficiency) D68.2
- hair (color) (shaft) L67.9
- - follicles L73.9
- - - specified NEC L73.8
- Hamman's (spontaneous mediastinal emphysema) J98.2
- hand, foot and mouth B08.4
- Hansen's -*see* Leprosy
- Hantavirus, with pulmonary manifestations B33.4
- - with renal manifestations A98.5
- Harada's H30.81-
- Hartnup (pellagra-cerebellar ataxia-renal aminoaciduria) E72.02
- Hart's (pellagra-cerebellar ataxia-renal aminoaciduria) E72.02
- Hashimoto's (struma lymphomatosa) E06.3
- Hb -*see* Disease, hemoglobin
- heart (organic) I51.9
- - with
- - - pulmonary edema (acute) -*see also* Failure, ventricular, left I50.1
- - - rheumatic fever (conditions in I00)
- - - - active I01.9
- - - - - with chorea I02.0
- - - - - specified NEC I01.8
- - - - inactive or quiescent (with chorea) I09.9
- - - - - specified NEC I09.89
- - amyloid E85.4 *[I43]*
- - aortic (valve) I35.9
- - arteriosclerotic or sclerotic (senile) -*see* Disease, heart, ischemic, atherosclerotic
- - artery, arterial -*see* Disease, heart, ischemic, atherosclerotic
- - beer drinkers' I42.6
- - beriberi (wet) E51.12
- - black I27.0
- - congenital Q24.9
- - - cyanotic Q24.9
- - - specified NEC Q24.8
- - coronary -*see* Disease, heart, ischemic
- - cryptogenic I51.9
- - fibroid -*see* Myocarditis
- - functional I51.89
- - - psychogenic F45.8
- - glycogen storage E74.02 *[I43]*
- - gonococcal A54.83
- - hypertensive -*see* Hypertension, heart
- - hyperthyroid -*see also* Hyperthyroidism E05.90 *[I43]*
- - - with thyroid storm E05.91 *[I43]*
- - ischemic (chronic or with a stated duration of over 4 weeks) I25.9
- - - atherosclerotic (of) I25.10
- - - - with angina pectoris -*see* Arteriosclerosis, coronary (artery)
- - - - coronary artery bypass graft -*see* Arteriosclerosis, coronary (artery),
- - - cardiomyopathy I25.5
- - - diagnosed on ECG or other special investigation, but currently presenting no symptoms I25.6
- - - silent I25.6
- - - specified form NEC
- - - - acute I24.89
- - - - chronic I25.89
- - kyphoscoliotic I27.1
- - meningococcal A39.50

- - - endocarditis A39.51
- - - myocarditis A39.52
- - - pericarditis A39.53
- - mitral I05.9
- - - specified NEC I05.8
- - muscular *-see* Degeneration, myocardial
- - psychogenic (functional) F45.8
- - pulmonary (chronic) I27.9
- - - in schistosomiasis B65.9 *[I52]*
- - - specified NEC I27.89
- - rheumatic (chronic) (inactive) (old) (quiescent) (with chorea) I09.9
- - - active or acute I01.9
- - - - with chorea (acute) (rheumatic) (Sydenham's) I02.0
- - - specified NEC I09.89
- - senile *-see* Myocarditis
- - syphilitic A52.06
- - - aortic A52.03
- - - - aneurysm A52.01
- - - congenital A50.54 *[I52]*
- - thyrotoxic *-see also* Thyrotoxicosis E05.90 *[I43]*
- - - with thyroid storm E05.91 *[I43]*
- - valve, valvular (obstructive) (regurgitant) *-see also* Endocarditis
- - - congenital NEC Q24.8
- - - - pulmonary Q22.3
- - vascular *-see* Disease, cardiovascular
- heavy chain NEC C88.2-
- - alpha C88.3-
- - gamma C88.2-
- - mu C88.2-
- Hebra's
- - pityriasis
- - - maculata et circinata L42
- - - rubra pilaris L44.0
- - prurigo L28.2
- hematopoietic organs D75.9
- hemoglobin or Hb
- - abnormal (mixed) NEC D58.2
- - - with thalassemia D56.9
- - AS genotype D57.3
- - Bart's D56.0
- - C (Hb-C) D58.2
- - - with other abnormal hemoglobin NEC D58.2
- - - elliptocytosis D58.1
- - - Hb-S D57.2-
- - - sickle-cell D57.2-
- - - thalassemia D56.8
- - Constant Spring D58.2
- - D (Hb-D) D58.2
- - E (Hb-E) D58.2
- - E-beta thalassemia D56.5
- - elliptocytosis D58.1
- - H (Hb-H) (thalassemia) D56.0
- - - with other abnormal hemoglobin NEC D56.9
- - - Constant Spring D56.0
- - I thalassemia D56.9
- - M D74.0
- - S or SS D57.1
- - - with
- - - - acute chest syndrome D57.01
- - - - cerebral vascular involvement D57.03

- - - - crisis (painful) D57.00
- - - - - with complication specified NEC D57.09
- - - - pain (vaso-occlusive) D57.00
- - - - splenic sequestration D57.02
- - - beta plus D57.44
- - - - with
- - - - - acute chest syndrome D57.451
- - - - - cerebral vascular involvement D57.453
- - - - - crisis D57.459
- - - - - - with specified complication NEC D57.458
- - - - - pain (vaso-occlusive) D57.459
- - - - - splenic sequestration D57.452
- - - - without crisis D57.44
- - - beta zero D57.42
- - - - with
- - - - - acute chest syndrome D57.431
- - - - - cerebral vascular involvement D57.433
- - - - - crisis D57.439
- - - - - - with specified complication NEC D57.438
- - - - - pain (vaso-occlusive) D57.439
- - - - - splenic sequestration D57.432
- - - - without crisis D57.42
- - SC D57.2-
- - SD D57.8-
- - SE D57.8-
- - spherocytosis D58.0
- - unstable, hemolytic D58.2
- hemolytic (newborn) P55.9
- - autoimmune D59.10
- - - cold type (primary) (secondary) (symptomatic) D59.12
- - - mixed type (primary) (secondary) (symptomatic) D59.13
- - - warm type (primary) (secondary) (symptomatic) D59.11
- - drug-induced D59.0
- - due to or with
- - - incompatibility
- - - - ABO (blood group) P55.1
- - - - blood (group) (Duffy) (K) (Kell) (Kidd) (Lewis) (M) (S) NEC P55.8
- - - - Rh (blood group) (factor) P55.0
- - - Rh negative mother P55.0
- - specified type NEC P55.8
- - unstable hemoglobin D58.2
- hemorrhagic D69.9
- - newborn P53
- Henoch (-Schönlein) (purpura nervosa) D69.0
- hepatic *-see* Disease, liver
- hepatobiliary K83.9
- - toxic K71.9
- hepatolenticular E83.01
- heredodegenerative NEC
- - spinal cord G95.89
- herpesviral, disseminated B00.7
- Hers' (glycogenosis VI) E74.09
- Herter (-Gee) (-Heubner) (nontropical sprue) K90.0
- Heubner-Herter (nontropical sprue) K90.0
- high fetal gene or hemoglobin thalassemia D56.9
- Hildenbrand's *-see* Typhus
- hip (joint) M25.9
- - congenital Q65.89
- - suppurative M00.9
- - tuberculous A18.02

- His (-Werner) (trench fever) A79.0
- Hodgson's *-see also* Aneurysm, aorta, thorax I71.20
- - ruptured *-see also* Aneurysm, aorta, thorax, ruptured I71.10
- Holla *-see* Spherocytosis
- hookworm B76.9
- - specified NEC B76.8
- host-versus-graft D89.813
- - acute D89.810
- - acute on chronic D89.812
- - chronic D89.811
- human immunodeficiency virus (HIV) B20
- Huntington's G10
- - with dementia *-see also* Dementia, in, diseases specified elsewhere G10 *[F02.80]*
- Hunt's (herpetic geniculate ganglionitis) (neuralgia) B02.21
- - dyssynergia cerebellaris myoclonica G11.19
- Hutchinson's (cheiropompholyx) *-see* Hutchinson's disease
- hyaline (diffuse) (generalized)
- - membrane (lung) (newborn) P22.0
- - - adult J80
- hydatid *-see* Echinococcus
- hydroxyapatite deposition M11.00
- - ankle M11.07-
- - elbow M11.02-
- - foot joint M11.07-
- - hand joint M11.04-
- - hip M11.05-
- - knee M11.06-
- - multiple site M11.09
- - shoulder M11.01-
- - vertebra M11.08
- - wrist M11.03-
- hyperkinetic *-see* Hyperkinesia
- hypertensive *-see* Hypertension
- hypophysis E23.7
- Iceland G93.39
- I-cell E77.0
- IgG4-related D89.84
- immune D89.9
- immunoglobulin G4-related D89.84
- immunoproliferative (malignant) C88.9-
- - small intestinal C88.3-
- - specified NEC C88.8-
- inclusion B25.9
- - salivary gland B25.9
- infectious, infective B99.9
- - congenital P37.9
- - - specified NEC P37.8
- - - viral P35.9
- - - - specified type NEC P35.8
- - specified NEC B99.8
- inflammatory
- - penis N48.29
- - - abscess N48.21
- - - cellulitis N48.22
- - prepuce N47.7
- - - balanoposthitis N47.6
- - tubo-ovarian *-see* Salpingo-oophoritis
- intervertebral disc *-see also* Disorder, disc
- - with myelopathy *-see* Disorder, disc, with, myelopathy
- - cervical, cervicothoracic *-see* Disorder, disc, cervical

- - - with
- - - - myelopathy -*see* Disorder, disc, cervical, with myelopathy
- - - - neuritis, radiculitis or radiculopathy -*see* Disorder, disc, cervical, with neuritis
- - - - specified NEC -*see* Disorder, disc, cervical, specified type NEC
- - lumbar (with)
- - - myelopathy M51.06
- - - neuritis, radiculitis, radiculopathy or sciatica M51.16
- - - specified NEC M51.86
- - lumbosacral (with)
- - - neuritis, radiculitis, radiculopathy or sciatica M51.17
- - - specified NEC M51.87
- - specified NEC -*see* Disorder, disc, specified NEC
- - thoracic (with)
- - - myelopathy M51.04
- - - neuritis, radiculitis or radiculopathy M51.14
- - - specified NEC M51.84
- - thoracolumbar (with)
- - - myelopathy M51.05
- - - neuritis, radiculitis or radiculopathy M51.15
- - - specified NEC M51.85
- intestine K63.9
- - functional K59.9
- - - psychogenic F45.8
- - - specified NEC K59.89
- - organic K63.9
- - protozoal A07.9
- - specified NEC K63.89
- iris H21.9
- - specified NEC H21.89
- iron metabolism or storage E83.10
- island (scrub typhus) A75.3
- itai-itai -*see* Poisoning, cadmium
- Jakob-Creutzfeldt -*see* Creutzfeldt-Jakob disease or syndrome
- jaw M27.9
- - fibrocystic M27.49
- - specified NEC M27.8
- jigger B88.1
- joint -*see also* Disorder, joint
- - Charcot's -*see* Arthropathy, neuropathic (Charcot)
- - degenerative -*see* Osteoarthritis
- - - multiple M15.9
- - - spine -*see* Spondylosis
- - facet joint -*see also* Spondylosis M47.819
- - hypertrophic -*see* Osteoarthritis
- - sacroiliac M53.3
- - specified NEC -*see* Disorder, joint, specified type NEC
- - spine NEC -*see* Dorsopathy
- - suppurative -*see* Arthritis, pyogenic or pyemic
- Jourdain's (acute gingivitis) K05.00
- - nonplaque induced K05.01
- - plaque induced K05.00
- Kaschin-Beck (endemic polyarthritis) M12.10
- - ankle M12.17-
- - elbow M12.12-
- - foot joint M12.17-
- - hand joint M12.14-
- - hip M12.15-
- - knee M12.16-
- - multiple site M12.19
- - shoulder M12.11-

- - vertebra M12.18
- - wrist M12.13-
- Katayama B65.2
- Kedani (scrub typhus) A75.3
- Keshan E59
- kidney (functional) (pelvis) N28.9
- - chronic N18.9
- - - hypertensive *-see* Hypertension, kidney
- - - stage 1 N18.1
- - - stage 2 (mild) N18.2
- - - stage 3 (moderate) N18.30
- - - stage 3a N18.31
- - - stage 3b N18.32
- - - stage 4 (severe) N18.4
- - - stage 5 N18.5
- - complicating pregnancy *-see* Pregnancy, complicated by, renal disease
- - cystic (congenital) Q61.9
- - diabetic *-see* E08-E13 with .22
- - fibrocystic (congenital) Q61.8
- - hypertensive *-see* Hypertension, kidney
- - in (due to)
- - - schistosomiasis (bilharziasis) B65.9 *[N29]*
- - multicystic Q61.4
- - polycystic Q61.3
- - - adult type Q61.2
- - - childhood type NEC Q61.19
- - - - collecting duct dilatation Q61.11
- Kimmelstiel (-Wilson) (intercapillary polycystic (congenital) glomerulosclerosis) *-see* E08-E13 with .21
- Kimura D21.9
- - specified site (see Neoplasm, connective tissue benign)
- Kinnier Wilson's (hepatolenticular degeneration) E83.01
- kissing *-see* Mononucleosis, infectious
- Klebs' *-see also* Glomerulonephritis N05.-
- Klippel-Feil (brevicollis) Q76.1
- Köhler-Pellegrini-Stieda (calcification, knee joint) *-see* Bursitis, tibial collateral
- Kok Q89.8
- König's (osteochondritis dissecans) *-see* Osteochondritis, dissecans
- Korsakoff's (nonalcoholic) F04
- - alcoholic F10.96
- - - with dependence F10.26
- Kostmann's (infantile genetic agranulocytosis) D70.0
- kuru A81.81
- Kyasanur Forest A98.2
- labyrinth, ear *-see* Disorder, ear, inner
- lacrimal system *-see* Disorder, lacrimal system
- Lafora body *-see also* Epilepsy, progressive, Lafora G40.C09
- Lancereaux-Mathieu (leptospiral jaundice) A27.0
- Landry's G61.0
- Larrey-Weil (leptospiral jaundice) A27.0
- larynx J38.7
- legionnaires' A48.1
- - nonpneumonic A48.2
- Lenegre's I44.2
- lens H27.9
- - specified NEC H27.8
- Lev's (acquired complete heart block) I44.2
- Lewy body (dementia) *-see also* Dementia, in, diseases specified elsewhere G31.83 *[F02.80]*
- - with behavioral disturbance *-see also* Dementia, in, diseases specified elsewhere G31.83 *[F02.81-]*
- Lichtheim's (subacute combined sclerosis with pernicious anemia) D51.0
- Lightwood's (renal tubular acidosis) N25.89

- Lignac's (cystinosis) E72.04
- lip K13.0
- lipid-storage E75.6
- - specified NEC E75.5
- Lipschütz's N76.6
- liver (chronic) (organic) K76.9
- - alcoholic (chronic) K70.9
- - - acute *-see* Disease, liver, alcoholic, hepatitis
- - - cirrhosis K70.30
- - - - with ascites K70.31
- - - failure K70.40
- - - - with coma K70.41
- - - fatty liver K70.0
- - - fibrosis K70.2
- - - hepatitis K70.10
- - - - with ascites K70.11
- - - sclerosis K70.2
- - cystic, congenital Q44.6
- - drug-induced (idiosyncratic) (toxic) (predictable) (unpredictable) *-see* Disease, liver, toxic
- - end stage K72.1-
- - - with coma K72.11
- - - due to hepatitis *-see* Hepatitis
- - fatty, nonalcoholic (NAFLD) K76.0
- - - alcoholic K70.0
- - fibrocystic (congenital) Q44.6
- - fluke
- - - Chinese B66.1
- - - oriental B66.1
- - - sheep B66.3
- - gestational alloimmune (GALD) P78.84
- - glycogen storage E74.09 *[K77]*
- - in (due to)
- - - schistosomiasis (bilharziasis) B65.9 *[K77]*
- - inflammatory K75.9
- - - alcoholic K70.1
- - - specified NEC K75.89
- - polycystic (congenital) Q44.6
- - toxic K71.9
- - - with
- - - - cholestasis K71.0
- - - - cirrhosis (liver) K71.7
- - - - fibrosis (liver) K71.7
- - - - focal nodular hyperplasia K71.8
- - - - hepatic granuloma K71.8
- - - - hepatic necrosis K71.10
- - - - - with coma K71.11
- - - - hepatitis NEC K71.6
- - - - - acute K71.2
- - - - - chronic
- - - - - - active K71.50
- - - - - - - with ascites K71.51
- - - - - - lobular K71.4
- - - - - - persistent K71.3
- - - - - lupoid K71.50
- - - - - - with ascites K71.51
- - - - peliosis hepatis K71.8
- - - - veno-occlusive disease (VOD) of liver K71.8
- - veno-occlusive K76.5
- Lobo's (keloid blastomycosis) B48.0
- Lobstein's (brittle bones and blue sclera) Q78.0

- Ludwig's (submaxillary cellulitis) K12.2
- lumbosacral region M53.87
- lung J98.4
- - black J60
- - congenital Q33.9
- - cystic J98.4
- - - congenital Q33.0
- - dabbing (related) U07.0
- - electronic cigarette (related) U07.0
- - fibroid (chronic) -*see* Fibrosis, lung
- - fluke B66.4
- - - oriental B66.4
- - in
- - - amyloidosis E85.4 *[J99]*
- - - sarcoidosis D86.0
- - - Sjögren's syndrome M35.02
- - - systemic
- - - - lupus erythematosus M32.13
- - - - sclerosis M34.81
- - interstitial J84.9
- - - with progressive fibrotic phenotype, in diseases classified elsewhere J84.170
- - - drug-induced -*see* Disorder, lung, interstitial, drug-induced
- - - of childhood, specified NEC J84.848
- - - - drug-induced -*see* Disorder, lung, interstitial, drug-induced
- - - respiratory bronchiolitis J84.115
- - - specified NEC J84.89
- - obstructive (chronic) J44.9
- - - with
- - - - acute
- - - - - bronchitis J44.0
- - - - - exacerbation NEC J44.1
- - - - - lower respiratory infection J44.0
- - - - alveolitis, allergic J67.9
- - - - asthma J44.89
- - - - bronchiectasis J47.9
- - - - - with
- - - - - - exacerbation (acute) J47.1
- - - - - - lower respiratory infection J47.0
- - - - bronchitis J44.89
- - - - - with
- - - - - - exacerbation (acute) J44.1
- - - - - - lower respiratory infection J44.0
- - - - emphysema J43.9
- - - - hypersensitivity pneumonitis J67.9
- - - decompensated J44.1
- - - - with
- - - - - exacerbation (acute) J44.1
- - polycystic J98.4
- - - congenital Q33.0
- - rheumatoid (diffuse) (interstitial) -*see* Rheumatoid, lung
- - vaping (associated) (device) (product) (use) U07.0
- Lutembacher's (atrial septal defect with mitral stenosis) Q21.19
- Lyme A69.20
- lymphatic (gland) (system) (channel) (vessel) I89.9
- lymphoproliferative D47.9
- - specified NEC D47.Z9
- - T-gamma D47.Z9
- - X-linked D82.3
- Magitot's M27.2
- malarial -*see* Malaria

- malignant -*see also* Neoplasm, malignant, by site
- Manson's B65.1
- maple bark J67.6
- maple-syrup-urine E71.0
- Marburg (virus) A98.3
- Marion's (bladder neck obstruction) N32.0
- Marsh's (exophthalmic goiter) -*see* Hyperthyroidism, with, goiter (diffuse)
- mastoid (process) -*see* Disorder, ear, middle
- Mathieu's (leptospiral jaundice) A27.0
- Maxcy's A75.2
- McArdle (-Schmid-Pearson) (glycogenosis V) E74.04
- mediastinum J98.59
- medullary center (idiopathic) (respiratory) G93.89
- Meige's (chronic hereditary edema) Q82.0
- meningococcal -*see* Infection, meningococcal
- mental F99
- - organic F09
- mesenchymal M35.9
- mesenteric embolic -*see also* Ischemia, intestine, acute K55.039
- metabolic, metabolism E88.9
- - bilirubin E80.7
- metal-polisher's J62.8
- metastatic -*see also* Neoplasm, secondary, by site C79.9
- microvascular - code to condition
- microvillus
- - atrophy Q43.8
- - inclusion (MVD) Q43.8
- middle ear -*see* Disorder, ear, middle
- Mikulicz' (dryness of mouth, absent or decreased lacrimation) K11.8
- Milroy's (chronic hereditary edema) Q82.0
- Minamata -*see* Poisoning, mercury
- minicore G71.29
- Minor's G95.19
- Minot's (hemorrhagic disease, newborn) P53
- Minot-von Willebrand-Jürgens (angiohemophilia) -*see* Disease, von Willebrand
- Mitchell's (erythromelalgia) I73.81
- mitral (valve) I05.9
- - nonrheumatic I34.9
- mixed connective tissue M35.1
- MOG antibody G37.81
- moldy hay J67.0
- Monge's T70.29
- Morgagni-Adams-Stokes (syncope with heart block) I45.9
- Morgagni's (syndrome) (hyperostosis frontalis interna) M85.2
- Morton's (with metatarsalgia) -*see* Lesion, nerve, plantar
- Morvan's G60.8
- motor neuron (bulbar) (mixed type) (spinal) G12.20
- - amyotrophic lateral sclerosis G12.21
- - familial G12.24
- - progressive bulbar palsy G12.22
- - specified NEC G12.29
- moyamoya I67.5
- mu heavy chain disease C88.2-
- multicore G71.29
- multiminicore G71.29
- muscle -*see also* Disorder, muscle
- - inflammatory -*see* Myositis
- - ocular (external) -*see* Strabismus
- musculoskeletal system, soft tissue -*see* also Disorder, soft tissue
- - specified NEC -*see* Disorder, soft tissue, specified type NEC

- mushroom workers' J67.5
- mycotic B49
- myelin oligodendrocyte glycoprotein antibody G37.81
- myelodysplastic -*see also* Syndrome, myelodysplastic C94.6
- myelodysplastic/myeloproliferative neoplasm, unclassifiable C94.6
- myeloproliferative D47.1
- - chronic D47.1
- - not classified C94.6
- - specified NEC C94.6
- - unclassifiable C94.6
- myocardium, myocardial -*see also* Degeneration, myocardial I51.5
- - primary (idiopathic) I42.9
- myoneural G70.9
- Naegeli's D69.1
- nails L60.9
- - specified NEC L60.8
- Nairobi (sheep virus) A93.8
- nasal J34.9
- nemaline body G71.21
- nerve -*see* Disorder, nerve
- nervous system G98.8
- - autonomic G90.9
- - central G96.9
- - - specified NEC G96.89
- - congenital Q07.9
- - parasympathetic G90.9
- - specified NEC G98.8
- - sympathetic G90.9
- - vegetative G90.9
- neuromuscular system G70.9
- Newcastle B30.8
- Nicolas (-Durand)-Favre (climatic bubo) A55
- nipple N64.9
- - Paget's C50.01-
- - - female C50.01-
- - - male C50.02-
- Nishimoto (-Takeuchi) I67.5
- nonarthropod-borne NOS (viral) B34.9
- - enterovirus NEC B34.1
- nonautoimmune hemolytic D59.4
- - drug-induced D59.2
- Nonne-Milroy-Meige (chronic hereditary edema) Q82.0
- nose J34.9
- nucleus pulposus -*see* Disorder, disc
- nutritional E63.9
- oast-house-urine E72.19
- - ocular
- - - herpesviral B00.50
- - - zoster B02.30
- obliterative vascular I77.1
- Ohara's -*see* Tularemia
- Opitz's (congestive splenomegaly) D73.2
- Oppenheim-Urbach (necrobiosis lipoidica diabeticorum) -*see* E08-E13 with .620
- optic nerve NEC -*see* Disorder, nerve, optic
- orbit -*see* Disorder, orbit
- Oriental liver fluke B66.1
- Oriental lung fluke B66.4
- organ
- - dabbing (related) U07.0
- - electronic cigarette (related) U07.0

- - vaping (associated) (device) (product) (use) U07.0
- Ormond's N13.5
- Oropouche virus A93.0
- Osler-Rendu (familial hemorrhagic telangiectasia) I78.0
- osteofibrocystic E21.0
- Otto's M24.7
- outer ear *-see* Disorder, ear, external
- ovary (noninflammatory) N83.9
- - cystic N83.20-
- - inflammatory *-see* Salpingo-oophoritis
- - polycystic E28.2
- - specified NEC N83.8
- Owren's (congenital) *-see* Defect, coagulation
- p110d-activating mutation causing senescent T cells, lymphadenopathy, and immunodeficiency [PASLI] D81.82
- pancreas K86.9
- - cystic K86.2
- - fibrocystic E84.9
- - specified NEC K86.89
- panvalvular I08.9
- - specified NEC I08.8
- parametrium (noninflammatory) N83.9
- parasitic B89
- - cerebral NEC B71.9 *[G94]*
- - intestinal NOS B82.9
- - mouth B37.0
- - skin NOS B88.9
- - specified type *-see* Infestation
- - tongue B37.0
- parathyroid (gland) E21.5
- - specified NEC E21.4
- Parkinson's G20.A1
- - with dyskinesia
- - - with
- - - - fluctuations G20.B2
- - - - OFF episodes G20.B2
- - - without mention of
- - - - fluctuations G20.B1
- - - - OFF episodes G20.B1
- - without dyskinesia
- - - with
- - - - fluctuations G20.A2
- - - - OFF episodes G20.A2
- - - without mention of
- - - - fluctuations G20.A1
- - - - OFF episodes G20.A1
- parodontal K05.6
- Parrot's (syphilitic osteochondritis) A50.02
- Parry's (exophthalmic goiter) *-see* Hyperthyroidism, with, goiter (diffuse)
- Parson's (exophthalmic goiter) *-see* Hyperthyroidism, with, goiter (diffuse)
- Paxton's (white piedra) B36.2
- pearl-worker's *-see* Osteomyelitis, specified type NEC
- Pellegrini-Stieda (calcification, knee joint) *-see* Bursitis, tibial collateral
- pelvis, pelvic
- - female NOS N94.9
- - - specified NEC N94.89
- - gonococcal (acute) (chronic) A54.24
- - inflammatory (female) N73.9
- - - acute N73.0
- - - chlamydial A56.11
- - - chronic N73.1

- - - specified NEC N73.8
- - - syphilitic (secondary) A51.42
- - - - late A52.76
- - - tuberculous A18.17
- - organ, female N94.9
- - peritoneum, female NEC N94.89
- penis N48.9
- - inflammatory N48.29
- - - abscess N48.21
- - - cellulitis N48.22
- - specified NEC N48.89
- periapical tissues NOS K04.90
- periodontal K05.6
- - specified NEC K05.5
- periosteum -*see* Disorder, bone, specified type NEC
- peripheral
- - arterial I73.9
- - autonomic nervous system G90.9
- - nerves -*see* Polyneuropathy
- - vascular NOS I73.9
- - - in diabetes mellitus -*see* Diabetes, by type, with peripheral angiopathy
- peritoneum K66.9
- - pelvic, female NEC N94.89
- - specified NEC K66.8
- persistent mucosal (middle ear) H66.20
- - left H66.22
- - - with right H66.23
- - right H66.21
- - - with left H66.23
- Petit's -*see* Hernia, abdomen, specified site NEC
- pharynx J39.2
- - specified NEC J39.2
- Phocas' -*see* Mastopathy, cystic
- photochromogenic (acid-fast bacilli) (pulmonary) A31.0
- - nonpulmonary A31.9
- Pick's -*see also* Dementia, in, diseases specified elsewhere G31.01 *[F02.80]*
- - with behavioral disturbance -*see also* Dementia, in, diseases specified elsewhere G31.01 *[F02.81-]*
- - brain -*see also* Dementia, in, diseases specified elsewhere G31.01 *[F02.80]*
- - - with behavioral disturbance -*see also* Dementia, in, diseases specified elsewhere G31.01 *[F02.81-]*
- - of pericardium (pericardial pseudocirrhosis of liver) I31.1
- pigeon fancier's J67.2
- pineal gland E34.8
- pink -*see* Poisoning, mercury
- Pinkus' (lichen nitidus) L44.1
- pinworm B80
- Piry virus A93.8
- pituitary (gland) E23.7
- pituitary-snuff-taker's J67.8
- pleura (cavity) J94.9
- - specified NEC J94.8
- pneumatic drill (hammer) T75.21
- Pollitzer's (hidradenitis suppurativa) L73.2
- polycystic
- - kidney or renal Q61.3
- - - adult type Q61.2
- - - childhood type NEC Q61.19
- - - - collecting duct dilatation Q61.11
- - liver or hepatic Q44.6
- - lung or pulmonary J98.4
- - - congenital Q33.0

- - ovary, ovaries E28.2
- - spleen Q89.09
- polyethylene T84.05-
- Pompe's (glycogenosis II) E74.02
- Posadas-Wernicke B38.9
- Potain's (pulmonary edema) -*see* Edema, lung
- prepuce N47.8
- - inflammatory N47.7
- - - balanoposthitis N47.6
- Pringle's (tuberous sclerosis) Q85.1
- prion, central nervous system A81.9
- - specified NEC A81.89
- prostate N42.9
- - specified NEC N42.89
- protozoal B64
- - acanthamebiasis -*see* Acanthamebiasis
- - African trypanosomiasis -*see* African trypanosomiasis
- - babesiosis -*see also* Babesiosis B60.00
- - Chagas disease -*see* Chagas disease
- - intestine, intestinal A07.9
- - leishmaniasis -*see* Leishmaniasis
- - malaria -*see* Malaria
- - naegleriasis B60.2
- - pneumocystosis B59
- - specified organism NEC B60.8
- - toxoplasmosis -*see* Toxoplasmosis
- pseudo-Hurler's E77.0
- psychiatric F99
- psychotic -*see* Psychosis
- Puente's (simple glandular cheilitis) K13.0
- puerperal -*see also* Puerperal O90.89
- pulmonary -*see also* Disease, lung
- - artery I28.9
- - chronic obstructive J44.9
- - - with
- - - - acute bronchitis J44.0
- - - - exacerbation (acute) J44.1
- - - - lower respiratory infection (acute) J44.0
- - - decompensated J44.1
- - - - with
- - - - - exacerbation (acute) J44.1
- - heart I27.9
- - - specified NEC I27.89
- - hypertensive (vascular) -*see also* Hypertension, pulmonary I27.20
- - - primary (idiopathic) I27.0
- - valve I37.9
- - - rheumatic I09.89
- pulp (dental) NOS K04.90
- pulseless M31.4
- Putnam's (subacute combined sclerosis with pernicious anemia) D51.0
- Pyle (-Cohn) (metaphyseal dysplasia) Q78.5
- ragpicker's or ragsorter's A22.1
- Raynaud's -*see* Raynaud's disease
- reactive airway -*see* Asthma
- Reclus' (cystic) -*see* Mastopathy, cystic
- rectum K62.9
- - specified NEC K62.89
- Refsum's (heredopathia atactica polyneuritiformis) G60.1
- renal (functional) (pelvis) -*see also* Disease, kidney N28.9
- - with

- - - edema *-see* Nephrosis
- - - glomerular lesion *-see* Glomerulonephritis
- - - - with edema *-see* Nephrosis
- - - interstitial nephritis N12
- - acute N28.9
- - chronic *-see also* Disease, kidney, chronic N18.9
- - cystic, congenital Q61.9
- - diabetic *-see* E08-E13 with .22
- - end-stage (failure) N18.6
- - - due to hypertension I12.0
- - fibrocystic (congenital) Q61.8
- - hypertensive *-see* Hypertension, kidney
- - lupus M32.14
- - phosphate-losing (tubular) N25.0
- - polycystic (congenital) Q61.3
- - - adult type Q61.2
- - - childhood type NEC Q61.19
- - - - collecting duct dilatation Q61.11
- - rapidly progressive N01.9
- - subacute N01.9
- Rendu-Osler-Weber (familial hemorrhagic telangiectasia) I78.0
- renovascular (arteriosclerotic) *-see* Hypertension, kidney
- respiratory (tract) J98.9
- - acute or subacute NOS J06.9
- - - due to
- - - - chemicals, gases, fumes or vapors (inhalation) J68.3
- - - - external agent J70.9
- - - - - specified NEC J70.8
- - - - radiation J70.0
- - - - smoke inhalation J70.5
- - - noninfectious J39.8
- - chronic NOS J98.9
- - - due to
- - - - chemicals, gases, fumes or vapors J68.4
- - - - external agent J70.9
- - - - - specified NEC J70.8
- - - - radiation J70.1
- - - newborn P27.9
- - - - specified NEC P27.8
- - due to
- - - chemicals, gases, fumes or vapors J68.9
- - - - acute or subacute NEC J68.3
- - - - chronic J68.4
- - - external agent J70.9
- - - - specified NEC J70.8
- - newborn P28.9
- - - specified type NEC P28.89
- - upper J39.9
- - - acute or subacute J06.9
- - - noninfectious NEC J39.8
- - - specified NEC J39.8
- - - streptococcal J06.9
- retina, retinal H35.9
- - Batten's or Batten-Mayou E75.4 *[H36.89]*
- - specified NEC H35.89
- rheumatoid *-see* Arthritis, rheumatoid
- rickettsial NOS A79.9
- - specified type NEC A79.89
- Riga (-Fede) (cachectic aphthae) K14.0
- Riggs' (compound periodontitis) *-see* Periodontitis

- Ritter's L00
- Rivalta's (cervicofacial actinomycosis) A42.2
- Robles' (onchocerciasis) B73.01
- rod body G71.21
- Roger's (congenital interventricular septal defect) Q21.0
- Rosenthal's (factor XI deficiency) D68.1
- Rossbach's (hyperchlorhydria) K31.89
- - psychogenic F45.8
- Ross River B33.1
- Rotes Quérol -*see* Hyperostosis, ankylosing
- Roth (-Bernhardt) -*see* Mononeuropathy, lower limb, meralgia paresthetica
- Runeberg's (progressive pernicious anemia) D51.0
- sacroiliac NEC M53.3
- salivary gland or duct K11.9
- - inclusion B25.9
- - specified NEC K11.8
- - virus B25.9
- sandworm B76.9
- Schimmelbusch's -*see* Mastopathy, cystic
- Schmorl's -*see* Schmorl's disease or nodes
- Schönlein (-Henoch) (purpura rheumatica) D69.0
- Schottmüller's -*see* Fever, paratyphoid
- Schultz's (agranulocytosis) -*see* Agranulocytosis
- Schwalbe-Ziehen-Oppenheim G24.1
- Schwartz-Jampel G71.13
- sclera H15.9
- - specified NEC H15.89
- scrofulous (tuberculous) A18.2
- scrotum N50.9
- sebaceous glands L73.9
- semilunar cartilage, cystic -*see also* Derangement, knee, meniscus, cystic
- seminal vesicle N50.9
- serum NEC -*see also* Reaction, serum T80.69
- sexually transmitted A64
- - anogenital
- - - herpesviral infection -*see* Herpes, anogenital
- - - warts A63.0
- - chancroid A57
- - chlamydial infection -*see* Chlamydia
- - gonorrhea -*see* Gonorrhea
- - granuloma inguinale A58
- - specified organism NEC A63.8
- - syphilis -*see* Syphilis
- - trichomoniasis -*see* Trichomoniasis
- Sézary C84.1-
- shimamushi (scrub typhus) A75.3
- shipyard B30.0
- sickle-cell D57.1
- - with
- - - acute chest syndrome D57.01
- - - cerebral vascular involvement D57.03
- - - crisis (painful) D57.00
- - - - with
- - - - - complication specified NEC D57.09
- - - - - dactylitis D57.04
- - - dactylitis D57.04
- - - pain (vaso-occlusive) D57.00
- - - priapism D57.09
- - - splenic sequestration D57.02
- - elliptocytosis D57.8-

- - Hb-C D57.20
- - - with
- - - - acute chest syndrome D57.211
- - - - cerebral vascular involvement D57.213
- - - - crisis D57.219
- - - - - with
- - - - - - dactylitis D57.214
- - - - - - specified complication NEC D57.218
- - - - dactylitis D57.214
- - - - pain (vaso-occlusive) D57.219
- - - - priapism D57.218
- - - - splenic sequestration D57.212
- - - without crisis D57.20
- - Hb-SD D57.80
- - - with
- - - - acute chest syndrome D57.811
- - - - cerebral vascular involvement D57.813
- - - - crisis D57.819
- - - - - with
- - - - - - complication specified NEC D57.818
- - - - - - dactylitis D57.814
- - - - dactylitis D57.814
- - - - pain (vaso-occlusive) D57.819
- - - - splenic sequestration D57.812
- - - without crisis D57.80
- - Hb-SE D57.80
- - - with
- - - - acute chest syndrome D57.811
- - - - cerebral vascular involvement D57.813
- - - - crisis D57.819
- - - - - with
- - - - - - complication specified NEC D57.818
- - - - - - dactylitis D57.814
- - - - dactylitis D57.814
- - - - pain (vaso-occlusive) D57.819
- - - - splenic sequestration D57.812
- - - without crisis D57.80
- - specified NEC D57.80
- - - with
- - - - acute chest syndrome D57.811
- - - - cerebral vascular involvement D57.813
- - - - crisis D57.819
- - - - - with
- - - - - - complication specified NEC D57.818
- - - - - - dactylitis D57.814
- - - - dactylitis D57.814
- - - - pain (vaso-occlusive) D57.819
- - - - splenic sequestration D57.812
- - - without crisis D57.80
- - spherocytosis D57.80
- - - with
- - - - acute chest syndrome D57.811
- - - - cerebral vascular involvement D57.813
- - - - crisis D57.819
- - - - - with complication specified NEC D57.818
- - - - pain (vaso-occlusive) D57.819
- - - - splenic sequestration D57.812
- - - without crisis D57.80
- - thalassemia D57.40
- - - with

- - - - acute chest syndrome D57.411
- - - - - with dactylitis D57.414
- - - - - with specified complication NEC D57.418
- - - - cerebral vascular involvement D57.413
- - - - crisis (painful) D57.419
- - - - - with specified complication NEC D57.418
- - - - dactylitis D57.414
- - - - pain (vaso-occlusive) D57.419
- - - - splenic sequestration D57.412
- - - beta plus D57.44
- - - - with
- - - - - acute chest syndrome D57.451
- - - - - - with dactylitis D57.454
- - - - - cerebral vascular involvement D57.453
- - - - - crisis D57.459
- - - - - - with specified complication NEC D57.458
- - - - - dactylitis D57.454
- - - - - pain (vaso-occlusive) D57.459
- - - - - splenic sequestration D57.452
- - - - without crisis D57.44
- - - beta zero D57.42
- - - - with
- - - - - acute chest syndrome D57.431
- - - - - - with dactylitis D57.434
- - - - - cerebral vascular involvement D57.433
- - - - - crisis D57.439
- - - - - - with specified complication NEC D57.438
- - - - - dactylitis D57.434
- - - - - pain (vaso-occlusive) D57.439
- - - - - splenic sequestration D57.432
- - - - without crisis D57.42
- - - without crisis D57.40
- silo-filler's J68.8
- - bronchitis J68.0
- - pneumonitis J68.0
- - pulmonary edema J68.1
- simian B B00.4
- Simons' (progressive lipodystrophy) E88.1
- sin nombre virus B33.4
- sinus -*see* Sinusitis
- Sirkari's B55.0
- sixth B08.20
- - due to human herpesvirus 6 B08.21
- - due to human herpesvirus 7 B08.22
- skin L98.9
- - due to metabolic disorder NEC E88.9 *[L99]*
- - specified NEC L98.8
- slim (HIV) B20
- small vessel I73.9
- Sneddon-Wilkinson (subcorneal pustular dermatosis) L13.1
- South African creeping B88.0
- spinal (cord) G95.9
- - congenital Q06.9
- - specified NEC G95.89
- spine -*see also* Spondylopathy
- - joint -*see* Dorsopathy
- - tuberculous A18.01
- spinocerebellar (hereditary) G11.9
- - specified NEC G11.8
- spleen D73.9

- - amyloid E85.4 *[D77]*
- - organic D73.9
- - polycystic Q89.09
- - postinfectional D73.89
- sponge-diver's -*see* Toxicity, venom, marine animal, sea anemone
- Startle Q89.8
- Steinert's G71.11
- Sticker's (erythema infectiosum) B08.3
- Stieda's (calcification, knee joint) -*see* Bursitis, tibial collateral
- Stokes' (exophthalmic goiter) -*see* Hyperthyroidism, with, goiter (diffuse)
- Stokes-Adams (syncope with heart block) I45.9
- stomach K31.9
- - functional, psychogenic F45.8
- - specified NEC K31.89
- stonemason's J62.8
- storage
- - glycogen -*see* Disease, glycogen storage
- - mucopolysaccharide -*see* Mucopolysaccharidosis
- striatopallidal system NEC G25.89
- Stuart-Prower (congenital factor X deficiency) D68.2
- Stuart's (congenital factor X deficiency) D68.2
- subcutaneous tissue -*see* Disease, skin
- supporting structures of teeth K08.9
- - specified NEC K08.89
- suprarenal (capsule) (gland) E27.9
- - hyperfunction E27.0
- - specified NEC E27.8
- sweat glands L74.9
- - specified NEC L74.8
- Sweeley-Klionsky E75.21
- Swift (-Feer) -*see* Poisoning, mercury
- swimming-pool granuloma A31.1
- Sylvest's (epidemic pleurodynia) B33.0
- sympathetic nervous system G90.9
- synovium -*see* Disorder, synovium
- syphilitic -*see* Syphilis
- systemic tissue mast cell D47.02
- tanapox (virus) B08.71
- Tangier E78.6
- Tarral-Besnier (pityriasis rubra pilaris) L44.0
- Tauri's E74.09
- tear duct -*see* Disorder, lacrimal system
- tendon, tendinous -*see also* Disorder, tendon
- - nodular -*see* Trigger finger
- terminal vessel I73.9
- testis N50.9
- thalassemia Hb-S -*see* Disease, sickle-cell, thalassemia
- Thaysen-Gee (nontropical sprue) K90.0
- Thomsen G71.12
- throat J39.2
- - septic J02.0
- thromboembolic -*see* Embolism
- thymus (gland) E32.9
- - specified NEC E32.8
- thyroid (gland) E07.9
- - heart -*see also* Hyperthyroidism E05.90 *[I43]*
- - - with thyroid storm E05.91 *[I43]*
- - specified NEC E07.89
- Tietze's M94.0
- tongue K14.9

- - specified NEC K14.8
- tonsils, tonsillar (and adenoids) J35.9
- tooth, teeth K08.9
- - hard tissues K03.9
- - - specified NEC K03.89
- - pulp NEC K04.99
- - specified NEC K08.89
- Tourette's F95.2
- trachea NEC J39.8
- tricuspid I07.9
- - nonrheumatic I36.9
- triglyceride-storage E75.5
- trophoblastic -*see* Mole, hydatidiform
- tsutsugamushi A75.3
- tube (fallopian) (noninflammatory) N83.9
- - inflammatory -*see* Salpingitis
- - specified NEC N83.8
- tuberculous NEC -*see* Tuberculosis
- tubo-ovarian (noninflammatory) N83.9
- - inflammatory -*see* Salpingo-oophoritis
- - specified NEC N83.8
- tubotympanic, chronic -*see* Otitis, media, suppurative, chronic, tubotympanic
- tubulo-interstitial N15.9
- - specified NEC N15.8
- tympanum -*see* Disorder, tympanic membrane
- Uhl's Q24.8
- Underwood's (sclerema neonatorum) P83.0
- Unverricht (-Lundborg) -*see* Epilepsy, generalized, idiopathic
- Urbach-Oppenheim (necrobiosis lipoidica diabeticorum) -*see* E08-E13 with .620
- ureter N28.9
- - in (due to)
- - - schistosomiasis (bilharziasis) B65.0 *[N29]*
- urethra N36.9
- - specified NEC N36.8
- urinary (tract) N39.9
- - bladder N32.9
- - - specified NEC N32.89
- - specified NEC N39.8
- uterus (noninflammatory) N85.9
- - infective -*see* Endometritis
- - inflammatory -*see* Endometritis
- - specified NEC N85.8
- uveal tract (anterior) H21.9
- - posterior H31.9
- vagabond's B85.1
- vagina, vaginal (noninflammatory) N89.9
- - inflammatory NEC N76.89
- - specified NEC N89.8
- valve, valvular I38
- - multiple I08.9
- - - specified NEC I08.8
- van Creveld-von Gierke (glycogenosis I) E74.01
- vas deferens N50.9
- vascular I99.9
- - arteriosclerotic -*see* Arteriosclerosis
- - ciliary body NEC -*see* Disorder, iris, vascular
- - hypertensive -*see* Hypertension
- - iris NEC -*see* Disorder, iris, vascular
- - obliterative I77.1
- - - peripheral I73.9

- - occlusive I99.8
- - peripheral (occlusive) I73.9
- - - in diabetes mellitus *-see* E08-E13 with .51
- vasomotor I73.9
- vasospastic I73.9
- vein I87.9
- venereal *-see also* Disease, sexually transmitted A64
- - chlamydial NEC A56.8
- - - anus A56.3
- - - genitourinary NOS A56.2
- - - pharynx A56.4
- - - rectum A56.3
- - fifth A55
- - sixth A55
- - specified nature or type NEC A63.8
- vertebra, vertebral *-see also* Spondylopathy
- - disc *-see* Disorder, disc
- vibration *-see* Vibration, adverse effects
- viral, virus *-see also* Disease, by type of virus B34.9
- - arbovirus NOS A94
- - arthropod-borne NOS A94
- - congenital P35.9
- - - specified NEC P35.8
- - Hanta (with renal manifestations) (Dobrava) (Puumala) (Seoul) A98.5
- - - with pulmonary manifestations (Andes) (Bayou) (Bermejo) (Black Creek Canal) (Choclo) (Juquitiba) (Laguna negra) (Lechiguanas) (New York) (Oran) (Sin nombre) B33.4
- - Hantaan (Korean hemorrhagic fever) A98.5
- - human immunodeficiency (HIV) B20
- - Kunjin A83.4
- - nonarthropod-borne NOS B34.9
- - Powassan A84.81
- - Rocio (encephalitis) A83.6
- - Sin nombre (Hantavirus) (cardio)-pulmonary syndrome) B33.4
- - Tahyna B33.8
- - vesicular stomatitis A93.8
- vitreous H43.9
- - specified NEC H43.89
- vocal cord J38.3
- Volkmann's, acquired T79.6
- von Eulenburg's (congenital paramyotonia) G71.19
- von Gierke's (glycogenosis I) E74.01
- von Graefe's *-see* Strabismus, paralytic, ophthalmoplegia, progressive
- von Willebrand (-Jürgens) (angiohemophilia) D68.00
- - acquired D68.04
- - platelet-type D68.09
- - pseudo D68.09
- - specified NEC D68.09
- - type 1 D68.01
- - type 1C D68.01
- - type 2 D68.029
- - - type 2A D68.020
- - - type 2B D68.021
- - - type 2M D68.022
- - - type 2N D68.023
- - type 3 D68.03
- Vrolik's (osteogenesis imperfecta) Q78.0
- vulva (noninflammatory) N90.9
- - inflammatory NEC N76.89
- - specified NEC N90.89
- Wallgren's (obstruction of splenic vein with collateral circulation) I87.8

- Wassilieff's (leptospiral jaundice) A27.0
- wasting NEC E88.A
- - due to
- - - malnutrition E43
- - - - with marasmus E41
- - - underlying condition E88.A
- Waterhouse-Friderichsen A39.1
- Wegner's (syphilitic osteochondritis) A50.02
- Weil's (leptospiral jaundice of lung) A27.0
- Weir Mitchell's (erythromelalgia) I73.81
- Werdnig-Hoffmann G12.0
- Wermer's E31.21
- Werner-His (trench fever) A79.0
- Werner-Schultz (neutropenic splenomegaly) D73.81
- Wernicke-Posadas B38.9
- whipworm B79
- white blood cells D72.9
- - specified NEC D72.89
- white matter R90.82
- white-spot, meaning lichen sclerosus et atrophicus L90.0
- - penis N48.0
- - vulva N90.4
- Wilkie's K55.1
- Wilkinson-Sneddon (subcorneal pustular dermatosis) L13.1
- Willis' -*see* Diabetes
- Wilson's (hepatolenticular degeneration) E83.01
- woolsorter's A22.1
- yaba monkey tumor B08.72
- yaba pox (virus) B08.72
- Zika virus A92.5
- - congenital P35.4
- zoonotic, bacterial A28.9
- - specified type NEC A28.8

Disfigurement (due to scar) L90.5
Disgerminoma -*see* Dysgerminoma
DISH (diffuse idiopathic skeletal hyperostosis) -*see* Hyperostosis, ankylosing
Disinsertion, retina -*see* Detachment, retina
Dislocatable hip, congenital Q65.6
Dislocation (articular)
- with fracture -*see* Fracture
- acromioclavicular (joint) S43.10-
- - with displacement
- - - 100%-200% S43.12-
- - - more than 200% S43.13-
- - inferior S43.14-
- - posterior S43.15-
- ankle S93.0-
- astragalus -*see* Dislocation, ankle
- atlantoaxial S13.121
- atlantooccipital S13.111
- atloidooccipital S13.111
- breast bone S23.29
- capsule, joint - code by site under Dislocation
- carpal (bone) -*see* Dislocation, wrist
- carpometacarpal (joint) NEC S63.05-
- - thumb S63.04-
- cartilage (joint) - code by site under Dislocation
- cervical spine (vertebra) -*see* Dislocation, vertebra, cervical
- chronic -*see* Dislocation, recurrent
- clavicle -*see* Dislocation, acromioclavicular joint

- coccyx S33.2
- congenital NEC Q68.8
- coracoid *-see* Dislocation, shoulder
- costal cartilage S23.29
- costochondral S23.29
- cricoarytenoid articulation S13.29
- cricothyroid articulation S13.29
- dorsal vertebra *-see* Dislocation, vertebra, thoracic
- ear ossicle *-see* Discontinuity, ossicles, ear
- elbow S53.10-
- - congenital Q68.8
- - pathological *-see* Dislocation, pathological NEC, elbow
- - radial head alone *-see* Dislocation, radial head
- - recurrent *-see* Dislocation, recurrent, elbow
- - traumatic S53.10-
- - - anterior S53.11-
- - - lateral S53.14-
- - - medial S53.13-
- - - posterior S53.12-
- - - specified type NEC S53.19-
- eye, nontraumatic *-see* Luxation, globe
- eyeball, nontraumatic *-see* Luxation, globe
- femur
- - distal end *-see* Dislocation, knee
- - proximal end *-see* Dislocation, hip
- fibula
- - distal end *-see* Dislocation, ankle
- - proximal end *-see* Dislocation, knee
- finger S63.25-
- - index S63.25-
- - interphalangeal S63.27-
- - - distal S63.29-
- - - - index S63.29-
- - - - little S63.29-
- - - - middle S63.29-
- - - - ring S63.29-
- - - index S63.27-
- - - little S63.27-
- - - middle S63.27-
- - - proximal S63.28-
- - - - index S63.28-
- - - - little S63.28-
- - - - middle S63.28-
- - - - ring S63.28-
- - - ring S63.27-
- - little S63.25-
- - metacarpophalangeal S63.26-
- - - index S63.26-
- - - little S63.26-
- - - middle S63.26-
- - - ring S63.26-
- - middle S63.25-
- - recurrent *-see* Dislocation, recurrent, finger
- - ring S63.25-
- - thumb *-see* Dislocation, thumb
- foot S93.30-
- - recurrent *-see* Dislocation, recurrent, foot
- - specified site NEC S93.33-
- - tarsal joint S93.31-
- - tarsometatarsal joint S93.32-

- - toe -*see* Dislocation, toe
- fracture -*see* Fracture
- glenohumeral (joint) -*see* Dislocation, shoulder
- glenoid -*see* Dislocation, shoulder
- habitual -*see* Dislocation, recurrent
- hip S73.00-
- - anterior S73.03-
- - - obturator S73.02-
- - central S73.04-
- - congenital (total) Q65.2
- - - bilateral Q65.1
- - - partial Q65.5
- - - - bilateral Q65.4
- - - - unilateral Q65.3-
- - - unilateral Q65.0-
- - developmental M24.85-
- - pathological -*see* Dislocation, pathological NEC, hip
- - posterior S73.01-
- - recurrent -*see* Dislocation, recurrent, hip
- humerus, proximal end -*see* Dislocation, shoulder
- incomplete -*see* Subluxation, by site
- incus -*see* Discontinuity, ossicles, ear
- infracoracoid -*see* Dislocation, shoulder
- innominate (pubic junction) (sacral junction) S33.39
- - acetabulum -*see* Dislocation, hip
- interphalangeal (joint(s))
- - finger S63.279
- - - distal S63.29-
- - - - index S63.29-
- - - - little S63.29-
- - - - middle S63.29-
- - - - ring S63.29-
- - - index S63.27-
- - - little S63.27-
- - - middle S63.27-
- - - proximal S63.28-
- - - - index S63.28-
- - - - little S63.28-
- - - - middle S63.28-
- - - - ring S63.28-
- - - ring S63.27-
- - foot or toe -*see* Dislocation, toe
- - thumb S63.12-
- jaw (cartilage) (meniscus) S03.0-
- joint prosthesis -*see* Complications, joint prosthesis, mechanical, displacement, by site
- knee S83.106
- - cap -*see* Dislocation, patella
- - congenital Q68.2
- - old M23.8X-
- - patella -*see* Dislocation, patella
- - pathological -*see* Dislocation, pathological NEC, knee
- - proximal tibia
- - - anteriorly S83.11-
- - - laterally S83.14-
- - - medially S83.13-
- - - posteriorly S83.12-
- - recurrent -*see also* Derangement, knee, specified NEC
- - specified type NEC S83.19-
- lacrimal gland H04.16-
- lens (complete) H27.10

- - anterior H27.12-
- - congenital Q12.1
- - ocular implant -*see* Complications, intraocular lens
- - partial H27.11-
- - posterior H27.13-
- - traumatic S05.8X-
- ligament - code by site under Dislocation
- lumbar (vertebra) -*see* Dislocation, vertebra, lumbar
- lumbosacral (vertebra) -*see also* Dislocation, vertebra, lumbar
- - congenital Q76.49
- mandible S03.0-
- meniscus (knee) -*see* Tear, meniscus
- - other sites - code by site under Dislocation
- metacarpal (bone)
- - distal end -*see* Dislocation, finger
- - proximal end S63.06-
- metacarpophalangeal (joint)
- - finger S63.26-
- - - index S63.26-
- - - little S63.26-
- - - middle S63.26-
- - - ring S63.26-
- - thumb S63.11-
- metatarsal (bone) -*see* Dislocation, foot
- metatarsophalangeal (joint(s)) -*see* Dislocation, toe
- midcarpal (joint) S63.03-
- midtarsal (joint) -*see* Dislocation, foot
- neck S13.20
- - specified site NEC S13.29
- - vertebra -*see* Dislocation, vertebra, cervical
- nose (septal cartilage) S03.1
- occipitoatloid S13.111
- old -*see* Derangement, joint, specified type NEC
- ossicles, ear -*see* Discontinuity, ossicles, ear
- partial -*see* Subluxation, by site
- patella S83.006
- - congenital Q74.1
- - lateral S83.01-
- - recurrent (nontraumatic) M22.0-
- - - incomplete M22.1-
- - specified type NEC S83.09-
- pathological NEC M24.30
- - ankle M24.37-
- - elbow M24.32-
- - foot joint M24.37-
- - hand joint M24.34-
- - hip M24.35-
- - knee M24.36-
- - lumbosacral joint -see subcategory M53.2
- - pelvic region -*see* Dislocation, pathological, hip
- - sacroiliac -see subcategory M53.2
- - shoulder M24.31-
- - specified site NEC M24.39
- - wrist M24.33-
- pelvis NEC S33.30
- - specified NEC S33.39
- phalanx
- - finger or hand -*see* Dislocation, finger
- - foot or toe -*see* Dislocation, toe
- prosthesis, internal -*see* Complications, prosthetic device, by site, mechanical

- radial head S53.006
- - anterior S53.01-
- - posterior S53.02-
- - specified type NEC S53.09-
- radiocarpal (joint) S63.02-
- radiohumeral (joint) -*see* Dislocation, radial head
- radioulnar (joint)
- - distal S63.01-
- - proximal -*see* Dislocation, elbow
- radius
- - distal end -*see* Dislocation, wrist
- - proximal end -*see* Dislocation, radial head
- recurrent M24.40
- - ankle M24.47-
- - elbow M24.42-
- - finger M24.44-
- - foot joint M24.47-
- - hand joint M24.44-
- - hip M24.45-
- - knee M24.46-
- - - patella -*see* Dislocation, patella, recurrent
- - patella -*see* Dislocation, patella, recurrent
- - sacroiliac -see subcategory M53.2
- - shoulder M24.41-
- - specified site NEC M24.49
- - toe M24.47-
- - vertebra -*see also* subcategory M43.5
- - - atlantoaxial M43.4
- - - - with myelopathy M43.3
- - wrist M24.43-
- rib (cartilage) S23.29
- sacrococcygeal S33.2
- sacroiliac (joint) (ligament) S33.2
- - congenital Q74.2
- - recurrent -see subcategory M53.2
- sacrum S33.2
- scaphoid (bone) (hand) (wrist) -*see* Dislocation, wrist
- - foot -*see* Dislocation, foot
- scapula -*see* Dislocation, shoulder, girdle, scapula
- semilunar cartilage, knee -*see* Tear, meniscus
- septal cartilage (nose) S03.1
- septum (nasal) (old) J34.2
- sesamoid bone - code by site under Dislocation
- shoulder (blade) (ligament) (joint) (traumatic) S43.006
- - acromioclavicular -*see* Dislocation, acromioclavicular
- - chronic -*see* Dislocation, recurrent, shoulder
- - congenital Q68.8
- - girdle S43.30-
- - - scapula S43.31-
- - - specified site NEC S43.39-
- - humerus S43.00-
- - - anterior S43.01-
- - - inferior S43.03-
- - - posterior S43.02-
- - pathological -*see* Dislocation, pathological NEC, shoulder
- - recurrent -*see* Dislocation, recurrent, shoulder
- - specified type NEC S43.08-
- spine
- - cervical -*see* Dislocation, vertebra, cervical
- - congenital Q76.49

- - due to birth trauma P11.5
- - lumbar -*see* Dislocation, vertebra, lumbar
- - thoracic -*see* Dislocation, vertebra, thoracic
- spontaneous -*see* Dislocation, pathological
- sternoclavicular (joint) S43.206
- - anterior S43.21-
- - posterior S43.22-
- sternum S23.29
- subglenoid -*see* Dislocation, shoulder
- symphysis pubis S33.4
- talus -*see* Dislocation, ankle
- tarsal (bone(s)) (joint(s)) -*see* Dislocation, foot
- tarsometatarsal (joint(s)) -*see* Dislocation, foot
- temporomandibular (joint) S03.0-
- thigh, proximal end -*see* Dislocation, hip
- thorax S23.20
- - specified site NEC S23.29
- - vertebra -*see* Dislocation, vertebra
- thumb S63.10-
- - interphalangeal joint -*see* Dislocation, interphalangeal (joint), thumb
- - metacarpophalangeal joint -*see* Dislocation, metacarpophalangeal (joint), thumb
- thyroid cartilage S13.29
- tibia
- - distal end -*see* Dislocation, ankle
- - proximal end -*see* Dislocation, knee
- tibiofibular (joint)
- - distal -*see* Dislocation, ankle
- - superior -*see* Dislocation, knee
- toe(s) S93.106
- - great S93.10-
- - - interphalangeal joint S93.11-
- - - metatarsophalangeal joint S93.12-
- - interphalangeal joint S93.119
- - lesser S93.106
- - - interphalangeal joint S93.11-
- - - metatarsophalangeal joint S93.12-
- - metatarsophalangeal joint S93.12-
- tooth S03.2
- trachea S23.29
- ulna
- - distal end S63.07-
- - proximal end -*see* Dislocation, elbow
- ulnohumeral (joint) -*see* Dislocation, elbow
- vertebra (articular process) (body) (traumatic)
- - cervical S13.101
- - - atlantoaxial joint S13.121
- - - atlantooccipital joint S13.111
- - - atloidooccipital joint S13.111
- - - joint between
- - - - C0 and C1 S13.111
- - - - C1 and C2 S13.121
- - - - C2 and C3 S13.131
- - - - C3 and C4 S13.141
- - - - C4 and C5 S13.151
- - - - C5and C6 S13.161
- - - - C6and C7 S13.171
- - - - C7and T1 S13.181
- - - occipitoatloid joint S13.111
- - congenital Q76.49
- - lumbar S33.101

- - - joint between
- - - - L1and L2 S33.111
- - - - L2and L3 S33.121
- - - - L3 and L4 S33.131
- - - - L4and L5 S33.141
- - nontraumatic -*see* Displacement, intervertebral disc
- - partial -*see* Subluxation, by site
- - recurrent NEC -see subcategory M43.5
- - thoracic S23.101
- - - joint between
- - - - T1 and T2 S23.111
- - - - T2 and T3 S23.121
- - - - T3 and T4 S23.123
- - - - T4 and T5 S23.131
- - - - T5 and T6 S23.133
- - - - T6 and T7 S23.141
- - - - T7 and T8 S23.143
- - - - T8 and T9 S23.151
- - - - T9 and T10 S23.153
- - - - T10 and T11 S23.161
- - - - T11 and T12 S23.163
- - - - T12 and L1 S23.171
- wrist (carpal bone) S63.006
- - carpometacarpal joint -*see* Dislocation, carpometacarpal (joint)
- - distal radioulnar joint -*see* Dislocation, radioulnar (joint), distal
- - metacarpal bone, proximal -*see* Dislocation, metacarpal (bone), proximal end
- - midcarpal -*see* Dislocation, midcarpal (joint)
- - radiocarpal joint -*see* Dislocation, radiocarpal (joint)
- - recurrent -*see* Dislocation, recurrent, wrist
- - specified site NEC S63.09-
- - ulna -*see* Dislocation, ulna, distal end
- xiphoid cartilage S23.29

Disorder (of) -*see also* Disease
- acantholytic L11.9
- - specified NEC L11.8
- acute
- - psychotic -*see* Psychosis, acute
- - stress F43.0
- adjustment (grief) F43.20
- - with
- - - anxiety F43.22
- - - - with depressed mood F43.23
- - - conduct disturbance F43.24
- - - - with emotional disturbance F43.25
- - - depressed mood F43.21
- - - - with anxiety F43.23
- - - other specified symptom F43.29
- adrenal (capsule) (gland) (medullary) E27.9
- - specified NEC E27.8
- adrenogenital -*see also* Adrenogenital syndrome E25.9
- - drug-induced E25.8
- - iatrogenic E25.8
- - idiopathic E25.8
- adult personality (and behavior) F69
- - specified NEC F68.8
- affective (mood) -*see* Disorder, mood
- aggressive, unsocialized F91.1
- alcohol-related F10.99
- - with
- - - amnestic disorder, persisting F10.96

- - - anxiety disorder F10.980
- - - dementia, persisting F10.97
- - - intoxication F10.929
- - - - with delirium F10.921
- - - - uncomplicated F10.920
- - - mood disorder F10.94
- - - other specified F10.988
- - - psychotic disorder F10.959
- - - - with
- - - - - delusions F10.950
- - - - - hallucinations F10.951
- - - sexual dysfunction F10.981
- - - sleep disorder F10.982
- alcohol use
- - mild F10.10
- - - with
- - - - alcohol-induced
- - - - - anxiety disorder F10.180
- - - - - bipolar and related disorder F10.14
- - - - - depressive disorder F10.14
- - - - - psychotic disorder F10.159
- - - - - sexual dysfunction F10.181
- - - - - sleep disorder F10.182
- - - - alcohol intoxication F10.129
- - - - - delirium F10.121
- - - in remission (early) (sustained) F10.11
- - moderate or severe F10.20
- - - with
- - - - alcohol-induced
- - - - - anxiety disorder F10.280
- - - - - bipolar and related disorder F10.24
- - - - - depressive disorder F10.24
- - - - - major neurocognitive disorder, amnestic-confabulatory type F10.26
- - - - - major neurocognitive disorder, nonamnestic-confabulatory type F10.27
- - - - - mild neurocognitive disorder F10.288
- - - - - psychotic disorder F10.259
- - - - - sexual dysfunction F10.281
- - - - - sleep disorder F10.282
- - - - alcohol intoxication F10.229
- - - - - delirium F10.221
- - - in remission (early) (sustained) F10.21
- allergic -*see* Allergy
- alveolar NEC J84.09
- amino-acid
- - cystathioninuria E72.19
- - cystinosis E72.04
- - cystinuria E72.01
- - glycinuria E72.09
- - homocystinuria E72.11
- - metabolism -*see* Disturbance, metabolism, amino-acid
- - - specified NEC E72.89
- - neonatal, transitory P74.8
- - renal transport NEC E72.09
- - transport NEC E72.09
- amnesic, amnestic
- - alcohol-induced F10.96
- - - with dependence F10.26
- - due to (secondary to) general medical condition F04
- - psychoactive NEC-induced F19.96
- - - with

- - - - abuse F19.16
- - - - dependence F19.26
- - sedative, hypnotic or anxiolytic-induced F13.96
- - - with dependence F13.26
- amphetamine-type substance use
- - mild F15.10
- - - in remission (early) (sustained) F15.11
- - moderate F15.20
- - - in remission (early) (sustained) F15.21
- - severe F15.20
- - - in remission (early) (sustained) F15.21
- amphetamine (or other stimulant) use
- - mild
- - - with
- - - - amphetamine (or other stimulant) -induced
- - - - - anxiety disorder F15.180
- - - - - bipolar and related disorder F15.14
- - - - - depressive disorder F15.14
- - - - - obsessive-compulsive and related disorder F15.188
- - - - - psychotic disorder F15.159
- - - - - sexual dysfunction F15.181
- - - - amphetamine, cocaine, or other stimulant intoxication
- - - - - with perceptual disturbances F15.122
- - - - - without perceptual disturbances F15.129
- - - - intoxication delirium F15.121
- - moderate or severe
- - - with
- - - - amphetamine (or other stimulant) -induced
- - - - - anxiety disorder F15.280
- - - - - obsessive-compulsive and related disorder F15.288
- - - - - sexual dysfunction F15.281
- - - - - bipolar and related disorder F15.24
- - - - - depressive disorder F15.24
- - - - - psychotic disorder F15.259
- - - - amphetamine, cocaine, or other stimulant intoxication
- - - - - with perceptual disturbances F15.222
- - - - - without perceptual disturbances F15.229
- - - - intoxication delirium F15.221
- anaerobic glycolysis with anemia D55.29
- anxiety F41.9
- - due to (secondary to)
- - - alcohol F10.980
- - - - in
- - - - - abuse F10.180
- - - - - dependence F10.280
- - - amphetamine F15.980
- - - - in
- - - - - abuse F15.180
- - - - - dependence F15.280
- - - anxiolytic F13.980
- - - - in
- - - - - abuse F13.180
- - - - - dependence F13.280
- - - caffeine F15.980
- - - - in
- - - - - abuse F15.180
- - - - - dependence F15.280
- - - cannabis F12.980
- - - - in
- - - - - abuse F12.180

- - - - - dependence F12.280
- - - cocaine F14.980
- - - - in
- - - - - abuse F14.180
- - - - - dependence F14.180
- - - general medical condition F06.4
- - - hallucinogen F16.980
- - - - in
- - - - - abuse F16.180
- - - - - dependence F16.280
- - - hypnotic F13.980
- - - - in
- - - - - abuse F13.180
- - - - - dependence F13.280
- - - inhalant F18.980
- - - - in
- - - - - abuse F18.180
- - - - - dependence F18.280
- - - phencyclidine F16.980
- - - - in
- - - - - abuse F16.180
- - - - - dependence F16.280
- - - psychoactive substance NEC F19.980
- - - - in
- - - - - abuse F19.180
- - - - - dependence F19.280
- - - sedative F13.980
- - - - in
- - - - - abuse F13.180
- - - - - dependence F13.280
- - - volatile solvents F18.980
- - - - in
- - - - - abuse F18.180
- - - - - dependence F18.280
- - generalized F41.1
- - illness F45.21
- - mixed
- - - with depression (mild) F41.8
- - - specified NEC F41.3
- - organic F06.4
- - phobic F40.9
- - - of childhood F40.8
- - specified NEC F41.8
- aortic valve -*see* Endocarditis, aortic
- aromatic amino-acid metabolism E70.9
- - specified NEC E70.89
- arteriole NEC I77.89
- artery NEC I77.89
- articulation -*see* Disorder, joint
- attachment (childhood)
- - disinhibited F94.2
- - reactive F94.1
- attention-deficit hyperactivity (adolescent) (adult) (child) F90.9
- - combined
- - - presentation F90.2
- - - type F90.2
- - hyperactive
- - - impulsive presentation F90.1
- - - type F90.1
- - inattentive

- - - presentation F90.0
- - - type F90.0
- - specified type NEC F90.8
- attention-deficit without hyperactivity (adolescent) (adult) (child) F98.8
- auditory processing (central) H93.25
- autistic F84.0
- autism spectrum F84.0
- autoimmune D89.89
- autonomic nervous system G90.9
- - specified NEC G90.89
- avoidant
- - child or adolescent F40.10
- - restrictive food intake F50.82
- balance
- - acid-base E87.8
- - - mixed E87.4
- - electrolyte E87.8
- - fluid NEC E87.8
- behavioral (disruptive) -*see* Disorder, conduct
- bereavement, persistent complex F43.81
- beta-amino-acid metabolism E72.89
- bile acid and cholesterol metabolism E78.70
- - Barth syndrome E78.71
- - other specified E78.79
- - Smith-Lemli-Opitz syndrome E78.72
- bilirubin excretion E80.6
- binge eating F50.81-
- binocular
- - movement H51.9
- - - convergence
- - - - excess H51.12
- - - - insufficiency H51.11
- - - internuclear ophthalmoplegia -*see* Ophthalmoplegia, internuclear
- - - palsy of conjugate gaze H51.0
- - - specified type NEC H51.8
- - vision NEC -*see* Disorder, vision, binocular
- bipolar (I) (seasonal) (type 1) F31.9
- - and related due to a known physiological condition
- - - with
- - - - manic features F06.33
- - - - manic- or hypomanic-like episodes F06.33
- - - - mixed features F06.34
- - current (or most recent) episode
- - - depressed F31.9
- - - - with psychotic features F31.5
- - - - without psychotic features F31.30
- - - - - mild F31.31
- - - - - moderate F31.32
- - - - - severe (without psychotic features) F31.4
- - - - - - with psychotic features F31.5
- - - hypomanic F31.0
- - - manic F31.9
- - - - with psychotic features F31.2
- - - - without psychotic features F31.10
- - - - - mild F31.11
- - - - - moderate F31.12
- - - - - severe (without psychotic features) F31.13
- - - - - - with psychotic features F31.2
- - - mixed F31.60
- - - - mild F31.61

- - - - moderate F31.62
- - - - severe (without psychotic features) F31.63
- - - - - with psychotic features F31.64
- - - severe depression (without psychotic features) F31.4
- - - - with psychotic features F31.5
- - in remission (currently) F31.70
- - - in full remission
- - - - most recent episode
- - - - - depressed F31.76
- - - - - hypomanic F31.72
- - - - - manic F31.74
- - - - - mixed F31.78
- - - in partial remission
- - - - most recent episode
- - - - - depressed F31.75
- - - - - hypomanic F31.71
- - - - - manic F31.73
- - - - - mixed F31.77
- - II (type 2) F31.81
- - organic F06.30
- - single manic episode F30.9
- - - mild F30.11
- - - moderate F30.12
- - - severe (without psychotic symptoms) F30.13
- - - - with psychotic symptoms F30.2
- - specified NEC F31.89
- bladder N32.9
- - functional NEC N31.9
- - in schistosomiasis B65.0 *[N33]*
- - specified NEC N32.89
- bleeding D68.9
- blood D75.9
- - in congenital early syphilis A50.09 *[D77]*
- body dysmorphic F45.22
- bone M89.9
- - continuity M84.9
- - - specified type NEC M84.80
- - - - ankle M84.87-
- - - - fibula M84.86-
- - - - foot M84.87-
- - - - hand M84.84-
- - - - humerus M84.82-
- - - - neck M84.88
- - - - pelvis M84.859
- - - - radius M84.83-
- - - - rib M84.88
- - - - shoulder M84.81-
- - - - skull M84.88
- - - - thigh M84.85-
- - - - tibia M84.86-
- - - - ulna M84.83-
- - - - vertebra M84.88
- - density and structure M85.9
- - - cyst *-see also* Cyst, bone, specified type NEC
- - - - aneurysmal *-see* Cyst, bone, aneurysmal
- - - - solitary *-see* Cyst, bone, solitary
- - - diffuse idiopathic skeletal hyperostosis *-see* Hyperostosis, ankylosing
- - - fibrous dysplasia (monostotic) *-see* Dysplasia, fibrous, bone
- - - fluorosis *-see* Fluorosis, skeletal
- - - hyperostosis of skull M85.2

- - - osteitis condensans -*see* Osteitis, condensans
- - - specified type NEC M85.8-
- - - - ankle M85.87-
- - - - foot M85.87-
- - - - forearm M85.83-
- - - - hand M85.84-
- - - - lower leg M85.86-
- - - - multiple sites M85.89
- - - - neck M85.88
- - - - rib M85.88
- - - - shoulder M85.81-
- - - - skull M85.88
- - - - thigh M85.85-
- - - - upper arm M85.82-
- - - - vertebra M85.88
- - development and growth NEC M89.20
- - - carpus M89.24-
- - - clavicle M89.21-
- - - femur M89.25-
- - - fibula M89.26-
- - - finger M89.24-
- - - humerus M89.22-
- - - ilium M89.28
- - - ischium M89.28
- - - metacarpus M89.24-
- - - metatarsus M89.27-
- - - multiple sites M89.29
- - - neck M89.28
- - - radius M89.23-
- - - rib M89.28
- - - scapula M89.21-
- - - skull M89.28
- - - tarsus M89.27-
- - - tibia M89.26-
- - - toe M89.27-
- - - ulna M89.23-
- - - vertebra M89.28
- - specified type NEC M89.8X-
- brachial plexus G54.0
- branched-chain amino-acid metabolism E71.2
- - specified NEC E71.19
- breast N64.9
- - agalactia -*see* Agalactia
- - associated with
- - - lactation O92.70
- - - - specified NEC O92.79
- - - pregnancy O92.20
- - - - specified NEC O92.29
- - - puerperium O92.20
- - - - specified NEC O92.29
- - cracked nipple -*see* Cracked nipple
- - galactorrhea -*see* Galactorrhea
- - hypogalactia O92.4
- - lactation disorder NEC O92.79
- - mastitis -*see* Mastitis
- - nipple infection -*see* Infection, nipple
- - retracted nipple -*see* Retraction, nipple
- - specified type NEC N64.89
- Briquet's F45.0
- bullous, in diseases classified elsewhere L14

- caffeine use
- - mild
- - - with
- - - - caffeine-induced
- - - - - anxiety disorder F15.180
- - - - - sleep disorder F15.182
- - moderate or severe
- - - with
- - - - caffeine-induced
- - - - - anxiety disorder F15.280
- - - - - sleep disorder F15.282
- cannabis use
- - mild F12.10
- - - with
- - - - cannabis-induced
- - - - - anxiety disorder F12.180
- - - - - psychotic disorder F12.159
- - - - - sleep disorder F12.188
- - - - cannabis intoxication delirium F12.121
- - - - - with perceptual disturbances F12.122
- - - - - without perceptual disturbances F12.129
- - - in remission (early) (sustained) F12.11
- - moderate or severe F12.20
- - - with
- - - - cannabis-induced
- - - - - anxiety disorder F12.280
- - - - - psychotic disorder F12.259
- - - - - sleep disorder F12.288
- - - - cannabis intoxication
- - - - - with perceptual disturbances F12.222
- - - - - without perceptual disturbances F12.229
- - - - delirium F12.221
- - - in remission (early) (sustained) F12.21
- carbohydrate
- - absorption, intestinal NEC E74.39
- - metabolism (congenital) E74.9
- - - specified NEC E74.89
- cardiac, functional I51.89
- carnitine metabolism E71.40
- cartilage M94.9
- - articular NEC -*see* Derangement, joint, articular cartilage
- - - chondrocalcinosis -*see* Chondrocalcinosis
- - specified type NEC M94.8X-
- - - articular -*see* Derangement, joint, articular cartilage
- - - multiple sites M94.8X0
- catatonia (due to known physiological condition) (with another mental disorder) F06.1
- catatonic NOS F06.1
- - due to (secondary to) known physiological condition F06.1
- - organic NOS F06.1
- central auditory processing H93.25
- cervical
- - region NEC M53.82
- - root (nerve) NEC G54.2
- character NOS F60.9
- childhood disintegrative NEC F84.3
- cholesterol and bile acid metabolism E78.70
- - Barth syndrome E78.71
- - other specified E78.79
- - Smith-Lemli-Opitz syndrome E78.72
- choroid H31.9

- - atrophy -*see* Atrophy, choroid
- - degeneration -*see* Degeneration, choroid
- - detachment -*see* Detachment, choroid
- - dystrophy -*see* Dystrophy, choroid
- - hemorrhage -*see* Hemorrhage, choroid
- - rupture -*see* Rupture, choroid
- - scar -*see* Scar, chorioretinal
- - solar retinopathy -*see* Retinopathy, solar
- - specified type NEC H31.8
- ciliary body -*see* Disorder, iris
- - degeneration -*see* Degeneration, ciliary body
- citrate metabolism NEC E74.829
- citrate transporter, SLC13A5 E74.820
- coagulation (factor) -*see also* Defect, coagulation D68.9
- - newborn, transient P61.6
- cocaine use
- - mild F14.10
- - - with
- - - - amphetamine, cocaine, or other stimulant intoxication
- - - - - with perceptual disturbances F14.122
- - - - - without perceptual disturbances F14.129
- - - - cocaine-induced
- - - - - anxiety disorder F14.180
- - - - - bipolar and related disorder F14.14
- - - - - depressive disorder F14.14
- - - - - obsessive-compulsive and related disorder F14.188
- - - - - psychotic disorder F14.159
- - - - - sexual dysfunction F14.181
- - - - - sleep disorder F14.182
- - - - cocaine intoxication delirium F14.121
- - - in remission (early) (sustained) F14.11
- - moderate or severe F14.20
- - - with
- - - - amphetamine, cocaine, or other stimulant intoxication
- - - - - with perceptual disturbances F14.222
- - - - - without perceptual disturbances F14.229
- - - - cocaine-induced
- - - - - anxiety disorder F14.280
- - - - - bipolar and related disorder F14.24
- - - - - depressive disorder F14.24
- - - - - obsessive-compulsive and related disorder F14.288
- - - - - psychotic disorder F14.259
- - - - - sexual dysfunction F14.281
- - - - - sleep disorder F14.282
- - - - cocaine intoxication delirium F14.221
- - - in remission (early) (sustained) F14.21
- coccyx NEC M53.3
- cognitive F09
- - due to (secondary to) general medical condition F09
- - persisting R41.89
- - - due to
- - - - alcohol F10.97
- - - - - with dependence F10.27
- - - - anxiolytics F13.97
- - - - - with dependence F13.27
- - - - hypnotics F13.97
- - - - - with dependence F13.27
- - - - sedatives F13.97
- - - - - with dependence F13.27
- - - - specified substance NEC F19.97

- - - - - with
- - - - - - abuse F19.17
- - - - - - dependence F19.27
- communication F80.9
- - social pragmatic F80.82
- conduct (childhood) F91.9
- - adjustment reaction -*see* Disorder, adjustment
- - adolescent onset type F91.2
- - childhood onset type F91.1
- - compulsive F63.9
- - confined to family context F91.0
- - depressive F91.8
- - group type F91.2
- - hyperkinetic -*see* Disorder, attention-deficit hyperactivity
- - oppositional defiance F91.3
- - socialized F91.2
- - solitary aggressive type F91.1
- - specified NEC F91.8
- - unsocialized (aggressive) F91.1
- conduction, heart I45.9
- congenital glycosylation (CDG) E74.89
- conjunctiva H11.9
- - infection -*see* Conjunctivitis
- connective tissue, localized L94.9
- - specified NEC L94.8
- conversion (functional neurological symptom disorder)
- - with
- - - abnormal movement F44.4
- - - anesthesia or sensory loss F44.6
- - - attacks or seizures F44.5
- - - mixed symptoms F44.7
- - - special sensory symptoms F44.6
- - - speech symptoms F44.4
- - - swallowing symptoms F44.4
- - - weakness or paralysis F44.4
- convulsive (secondary) -*see* Convulsions
- cornea H18.9
- - deformity -*see* Deformity, cornea
- - degeneration -*see* Degeneration, cornea
- - deposits -*see* Deposit, cornea
- - due to contact lens H18.82-
- - - specified as edema -*see* Edema, cornea
- - edema -*see* Edema, cornea
- - keratitis -*see* Keratitis
- - keratoconjunctivitis -*see* Keratoconjunctivitis
- - membrane change -*see* Change, corneal membrane
- - neovascularization -*see* Neovascularization, cornea
- - scar -*see* Opacity, cornea
- - specified type NEC H18.89-
- - ulcer -*see* Ulcer, cornea
- corpus cavernosum N48.9
- cranial nerve -*see* Disorder, nerve, cranial
- Cyclin-Dependent Kinase-Like 5 Deficiency (CDKL5) G40.42
- cyclothymic F34.0
- defiant oppositional F91.3
- delusional (persistent) (systematized) F22
- - induced F24
- depersonalization F48.1
- depressive F32.A
- - due to known physiological condition

- - - with
- - - - depressive features F06.31
- - - - major depressive-like episode F06.32
- - - - mixed features F06.34
- - major F32.9
- - - with psychotic symptoms F32.3
- - - in remission (full) F32.5
- - - - partial F32.4
- - - recurrent F33.9
- - - - with psychotic features F33.3
- - - single episode F32.9
- - - - mild F32.0
- - - - moderate F32.1
- - - - severe (without psychotic symptoms) F32.2
- - - - - with psychotic symptoms F32.3
- - organic F06.31
- - persistent F34.1
- - recurrent F33.9
- - - current episode
- - - - mild F33.0
- - - - moderate F33.1
- - - - severe (without psychotic symptoms) F33.2
- - - - - with psychotic symptoms F33.3
- - - in remission F33.40
- - - - full F33.42
- - - - partial F33.41
- - - specified NEC F33.8
- - single episode -*see* Episode, depressive
- - specified NEC F32.89
- developmental F89
- - arithmetical skills F81.2
- - coordination (motor) F82
- - expressive writing F81.81
- - language F80.9
- - - expressive F80.1
- - - mixed receptive and expressive F80.2
- - - receptive type F80.2
- - - specified NEC F80.89
- - learning F81.9
- - - arithmetical F81.2
- - - reading F81.0
- - mixed F88
- - motor coordination or function F82
- - pervasive F84.9
- - - specified NEC F84.8
- - phonological F80.0
- - reading F81.0
- - scholastic skills -*see also* Disorder, learning
- - - mixed F81.89
- - specified NEC F88
- - speech F80.9
- - - articulation F80.0
- - - specified NEC F80.89
- - written expression F81.81
- diaphragm J98.6
- digestive (system) K92.9
- - newborn P78.9
- - - specified NEC P78.89
- - postprocedural -*see* Complication, gastrointestinal
- - psychogenic F45.8

- disc (intervertebral) M51.9
- - with
- - - myelopathy
- - - - cervical region M50.00
- - - - cervicothoracic region M50.03
- - - - high cervical region M50.01
- - - - lumbar region M51.06
- - - - mid-cervical region M50.020
- - - - sacrococcygeal region M53.3
- - - - thoracic region M51.04
- - - - thoracolumbar region M51.05
- - - radiculopathy
- - - - cervical region M50.10
- - - - cervicothoracic region M50.13
- - - - high cervical region M50.11
- - - - lumbar region M51.16
- - - - lumbosacral region M51.17
- - - - mid-cervical region M50.120
- - - - sacrococcygeal region M53.3
- - - - thoracic region M51.14
- - - - thoracolumbar region M51.15
- - cervical M50.90
- - - with
- - - - myelopathy M50.00
- - - - - C2-C3 M50.01
- - - - - C3-C4 M50.01
- - - - - C4-C5 M50.021
- - - - - C5-C6 M50.022
- - - - - C6-C7 M50.023
- - - - - C7-T1 M50.03
- - - - - cervicothoracic region M50.03
- - - - - high cervical region M50.01
- - - - - mid-cervical region M50.020
- - - - neuritis, radiculitis or radiculopathy M50.10
- - - - - C2-C3 M50.11
- - - - - C3-C4 M50.11
- - - - - C4-C5 M50.121
- - - - - C5-C6 M50.122
- - - - - C6-C7 M50.123
- - - - - C7-T1 M50.13
- - - - - cervicothoracic region M50.13
- - - - - high cervical region M50.11
- - - - - mid-cervical region M50.120
- - - C2-C3 M50.91
- - - C3-C4 M50.91
- - - C4-C5 M50.921
- - - C5-C6 M50.922
- - - C6-C7 M50.923
- - - C7-T1 M50.93
- - - cervicothoracic region M50.93
- - - degeneration M50.30
- - - - C2-C3 M50.31
- - - - C3-C4 M50.31
- - - - C4-C5 M50.321
- - - - C5-C6 M50.322
- - - - C6-C7 M50.323
- - - - C7-T1 M50.33
- - - - cervicothoracic region M50.33
- - - - high cervical region M50.31
- - - - mid-cervical region M50.320

- - - displacement M50.20
- - - - C2-C3 M50.21
- - - - C3-C4 M50.21
- - - - C4-C5 M50.221
- - - - C5-C6 M50.222
- - - - C6-C7 M50.223
- - - - C7-T1 M50.23
- - - - cervicothoracic region M50.23
- - - - high cervical region M50.21
- - - - mid-cervical region M50.220
- - - high cervical region M50.91
- - - mid-cervical region M50.920
- - - specified type NEC M50.80
- - - - C2-C3 M50.81
- - - - C3-C4 M50.81
- - - - C4-C5 M50.821
- - - - C5-C6 M50.822
- - - - C6-C7 M50.823
- - - - C7-T1 M50.83
- - - - cervicothoracic region M50.83
- - - - high cervical region M50.81
- - - - mid-cervical region M50.820
- - specified NEC
- - - lumbar region M51.86
- - - lumbosacral region M51.87
- - - sacrococcygeal region M53.3
- - - thoracic region M51.84
- - - thoracolumbar region M51.85
- disinhibited attachment (childhood) F94.2
- disintegrative, childhood NEC F84.3
- disruptive F91.9
- - mood dysregulation F34.81
- - specified NEC F91.8
- disruptive behavior -*see* Disorder, conduct
- dissocial personality F60.2
- dissociative F44.9
- - affecting
- - - motor function F44.4
- - - - and sensation F44.7
- - - sensation F44.6
- - - - and motor function F44.7
- - brief reactive F43.0
- - due to (secondary to) general medical condition F06.8
- - mixed F44.7
- - organic F06.8
- - other specified NEC F44.89
- double heterozygous sickling -*see* Disease, sickle-cell
- dream anxiety F51.5
- drug induced hemorrhagic D68.32
- drug related F19.99
- - abuse -*see* Abuse, drug
- - dependence -*see* Dependence, drug
- dysmorphic body F45.22
- dysthymic F34.1
- ear H93.9-
- - bleeding -*see* Otorrhagia
- - deafness -*see* Deafness
- - degenerative H93.09-
- - discharge -*see* Otorrhea
- - external H61.9-

- - - auditory canal stenosis -*see* Stenosis, external ear canal
- - - exostosis -*see* Exostosis, external ear canal
- - - impacted cerumen -*see* Impaction, cerumen
- - - otitis -*see* Otitis, externa
- - - perichondritis -*see* Perichondritis, ear
- - - pinna -*see* Disorder, pinna
- - - specified type NEC H61.89-
- - - - in diseases classified elsewhere H62.8X-
- - inner H83.9-
- - - vestibular dysfunction -*see* Disorder, vestibular function
- - middle H74.9-
- - - adhesive H74.1-
- - - ossicle -*see* Abnormal, ear ossicles
- - - polyp -*see* Polyp, ear (middle)
- - - specified NEC, in diseases classified elsewhere H75.8-
- - postprocedural -*see* Complications, ear, procedure
- - specified NEC, in diseases classified elsewhere H94.8-
- eating (adult) (psychogenic) F50.9
- - anorexia -*see* Anorexia
- - binge F50.81-
- - bulimia F50.2-
- - child F98.29
- - - pica (in remission) F98.3
- - - rumination disorder (in remission) F98.21
- - pica F50.89
- - - adult (in remission) F50.83
- - - childhood (in remission) F98.3
- - rumination -*see also* Rumination R11.10
- - - adult (in remission) F50.84
- - - infancy or childhood (in remission) F98.21
- - specified NEC F50.89
- electrolyte (balance) NEC E87.8
- - with
- - - abortion -*see* Abortion by type complicated by specified condition NEC
- - - ectopic pregnancy O08.5
- - - molar pregnancy O08.5
- - acidosis (lactic) (metabolic) E87.20
- - - acute E87.21
- - - chronic E87.22
- - - respiratory E87.29
- - - specified NEC E87.29
- - alkalosis (metabolic) (respiratory) E87.3
- elimination, transepidermal L87.9
- - specified NEC L87.8
- emotional (persistent) F34.9
- - of childhood F93.9
- - - specified NEC F93.8
- endocrine E34.9
- - postprocedural E89.89
- - - specified NEC E89.89
- erectile (male) (organic) -*see also* Dysfunction, sexual, male, erectile N52.9
- - nonorganic F52.21
- erythematous -*see* Erythema
- esophagus K22.9
- - functional K22.4
- - psychogenic F45.8
- eustachian tube H69.9-
- - infection -*see* Salpingitis, eustachian
- - obstruction -*see* Obstruction, eustachian tube
- - patulous -*see* Patulous, eustachian tube

- - specified NEC H69.8-
- exhibitionistic F65.2
- extrapyramidal G25.9
- - in diseases classified elsewhere -see category G26
- - specified type NEC G25.89
- eye H57.9
- - postprocedural -*see* Complication, postprocedural, eye
- eyelid H02.9
- - cyst -*see* Cyst, eyelid
- - degenerative H02.70
- - - chloasma -*see* Chloasma, eyelid
- - - madarosis -*see* Madarosis
- - - specified type NEC H02.79
- - - vitiligo -*see* Vitiligo, eyelid
- - - xanthelasma -*see* Xanthelasma
- - dermatochalasis -*see* Dermatochalasis
- - edema -*see* Edema, eyelid
- - elephantiasis -*see* Elephantiasis, eyelid
- - foreign body, retained -*see* Foreign body, retained, eyelid
- - function H02.59
- - - abnormal innervation syndrome -*see* Syndrome, abnormal innervation
- - - blepharochalasis -*see* Blepharochalasis
- - - blepharoclonus -*see* Blepharoclonus
- - - blepharophimosis -*see* Blepharophimosis
- - - blepharoptosis -*see* Blepharoptosis
- - - lagophthalmos -*see* Lagophthalmos
- - - lid retraction -*see* Retraction, lid
- - hypertrichosis -*see* Hypertrichosis, eyelid
- - specified type NEC H02.89
- - vascular H02.879
- - - left H02.876
- - - - lower H02.875
- - - - upper H02.874
- - - right H02.873
- - - - lower H02.872
- - - - upper H02.871
- factitious
- - by proxy F68.A
- - imposed on another F68.A
- - imposed on self F68.10
- - - with predominantly
- - - - psychological symptoms F68.11
- - - - - with physical symptoms F68.13
- - - - physical symptoms F68.12
- - - - - with psychological symptoms F68.13
- factor, coagulation -*see* Defect, coagulation
- fatty acid
- - metabolism E71.30
- - - specified NEC E71.39
- - oxidation
- - - LCAD E71.310
- - - MCAD E71.311
- - - SCAD E71.312
- - - specified deficiency NEC E71.318
- feeding (infant or child) -*see also* Disorder, eating R63.30
- - pediatric
- - - acute R63.31
- - - chronic R63.32
- - or eating disorder F50.9
- - specified NEC F50.9

- feigned (with obvious motivation) Z76.5
- - without obvious motivation -*see* Disorder, factitious
- female
- - hypoactive sexual desire F52.0
- - orgasmic F52.31
- - sexual interest/arousal F52.22
- fetishistic F65.0
- fibroblastic M72.9
- - specified NEC M72.8
- fluency
- - adult onset F98.5
- - childhood onset F80.81
- - following
- - - cerebral infarction I69.323
- - - cerebrovascular disease I69.923
- - - - specified disease NEC I69.823
- - - intracerebral hemorrhage I69.123
- - - nontraumatic intracranial hemorrhage NEC I69.223
- - - subarachnoid hemorrhage I69.023
- - in conditions classified elsewhere R47.82
- fluid balance E87.8
- follicular (skin) L73.9
- - specified NEC L73.8
- frotteuristic F65.81
- fructose metabolism E74.10
- - essential fructosuria E74.11
- - fructokinase deficiency E74.11
- - fructose-1, 6-diphosphatase deficiency E74.19
- - hereditary fructose intolerance E74.12
- - other specified E74.19
- functional polymorphonuclear neutrophils D71
- gallbladder, biliary tract and pancreas in diseases classified elsewhere K87
- gambling F63.0
- gamma aminobutyric acid (GABA) metabolism E72.81
- gamma-glutamyl cycle E72.89
- gastric (functional) K31.9
- - motility K30
- - psychogenic F45.8
- - secretion K30
- gastrointestinal (functional) NOS K92.9
- - newborn P78.9
- - psychogenic F45.8
- gender incongruence F64.9
- - in adolescents and adults F64.0
- - of childhood F64.2
- gender-identity or -role F64.9
- - childhood F64.2
- - effect on relationship F66
- - of adolescence or adulthood F64.0
- - - nontranssexual F64.8
- - specified NEC F64.8
- - uncertainty F66
- genito-pelvic pain penetration F52.6
- genitourinary system
- - female N94.9
- - male N50.9
- - psychogenic F45.8
- globe H44.9
- - degenerated condition H44.50
- - - absolute glaucoma H44.51-

- - - atrophy H44.52-
- - - leucocoria H44.53-
- - degenerative H44.30
- - - chalcosis H44.31-
- - - myopia -*see also* Myopia, degenerative H44.2-
- - - siderosis H44.32-
- - - specified type NEC H44.39-
- - endophthalmitis -*see* Endophthalmitis
- - foreign body, retained -*see* Foreign body, intraocular, old, retained
- - hemophthalmos -*see* Hemophthalmos
- - hypotony H44.40
- - - due to
- - - - ocular fistula H44.42-
- - - - specified disorder NEC H44.43-
- - - flat anterior chamber H44.41-
- - - primary H44.44-
- - luxation -*see* Luxation, globe
- - specified type NEC H44.89
- glomerular (in) N05.9
- - amyloidosis E85.4 *[N08]*
- - cryoglobulinemia D89.1 *[N08]*
- - disseminated intravascular coagulation D65 *[N08]*
- - Fabry's disease E75.21 *[N08]*
- - familial lecithin cholesterol acyltransferase deficiency E78.6 *[N08]*
- - Goodpasture's syndrome M31.0
- - hemolytic-uremic syndrome -*see* Syndrome, hemolytic-uremic
- - Henoch (-Schönlein) purpura D69.0 *[N08]*
- - malariae malaria B52.0
- - microscopic polyangiitis M31.7 *[N08]*
- - multiple myeloma C90.0- *[N08]*
- - mumps B26.83
- - schistosomiasis B65.9 *[N08]*
- - sepsis NEC A41.- *[N08]*
- - - streptococcal A40.- *[N08]*
- - sickle-cell disorders D57.- *[N08]*
- - strongyloidiasis B78.9 *[N08]*
- - subacute bacterial endocarditis I33.0 *[N08]*
- - syphilis A52.75
- - systemic lupus erythematosus M32.14
- - thrombotic thrombocytopenic purpura M31.19 *[N08]*
- - Waldenström macroglobulinemia C88.0- *[N08]*
- - Wegener's granulomatosis M31.31
- gluconeogenesis E74.4
- glucosaminoglycan metabolism -*see* Disorder, metabolism, glucosaminoglycan
- glucose transport E74.819
- - specified NEC E74.818
- glycine metabolism E72.50
- - d-glycericacidemia E72.59
- - hyperhydroxyprolinemia E72.59
- - hyperoxaluria R82.992
- - - primary E72.53
- - hyperprolinemia E72.59
- - non-ketotic hyperglycinemia E72.51
- - oxalosis E72.53
- - oxaluria E72.53
- - sarcosinemia E72.59
- - trimethylaminuria E72.52
- glycoprotein metabolism E77.9
- - specified NEC E77.8
- grief

- - complicated F43.81
- - prolonged F43.81
- habit (and impulse) F63.9
- - involving sexual behavior NEC F65.9
- - specified NEC F63.89
- hallucinogen use
- - mild F16.10
- - - with
- - - - hallucinogen-induced
- - - - - anxiety disorder F16.180
- - - - - bipolar and related disorder F16.14
- - - - - depressive disorder F16.14
- - - - - psychotic disorder F16.159
- - - - hallucinogen intoxication delirium F16.121
- - - - other hallucinogen intoxication F16.129
- - - in remission (early) (sustained) F16.11
- - moderate or severe F16.20
- - - with
- - - - hallucinogen-induced
- - - - - anxiety disorder F16.280
- - - - - bipolar and related disorder F16.24
- - - - - depressive disorder F16.24
- - - - - psychotic disorder F16.259
- - - - hallucinogen intoxication delirium F16.221
- - - - other hallucinogen intoxication F16.229
- - - in remission (early) (sustained) F16.21
- heart action I49.9
- hematological D75.9
- - newborn (transient) P61.9
- - - specified NEC P61.8
- hematopoietic organs D75.9
- hemorrhagic NEC D69.9
- - drug-induced D68.32
- - due to
- - - extrinsic circulating anticoagulants D68.32
- - - increase in
- - - - anti-IIa D68.32
- - - - anti-Xa D68.32
- - - intrinsic
- - - - circulating anticoagulants D68.318
- - - - increase in
- - - - - antithrombin D68.318
- - - - - anti-VIIIa D68.318
- - - - - anti-IXa D68.318
- - - - - anti-XIa D68.318
- - following childbirth O72.3
- hemostasis -*see* Defect, coagulation
- histidine metabolism E70.40
- - histidinemia E70.41
- - other specified E70.49
- hoarding F42.3
- hyperkinetic -*see* Disorder, attention-deficit hyperactivity
- hyperleucine-isoleucinemia E71.19
- hypervalinemia E71.19
- hypoactive sexual desire F52.0
- hypochondriacal F45.20
- - body dysmorphic F45.22
- - neurosis F45.21
- - other specified F45.29
- identity

- - dissociative F44.81
- - of childhood F93.8
- - illness anxiety F45.21
- immune mechanism (immunity) D89.9
- - specified type NEC D89.89
- impaired renal tubular function N25.9
- - specified NEC N25.89
- impulse (control) F63.9
- inflammatory
- - pelvic, in diseases classified elsewhere -see category N74
- - penis N48.29
- - - abscess N48.21
- - - cellulitis N48.22
- inhalant use
- - mild F18.10
- - - with
- - - - inhalant-induced
- - - - - anxiety disorder F18.180
- - - - - depressive disorder F18.14
- - - - - major neurocognitive disorder F18.17
- - - - - mild neurocognitive disorder F18.188
- - - - - psychotic disorder F18.159
- - - - inhalant intoxication F18.129
- - - - inhalant intoxication delirium F18.121
- - - in remission (early) (sustained) F18.11
- - moderate or severe F18.20
- - - with
- - - - inhalant-induced
- - - - - anxiety disorder F18.280
- - - - - depressive disorder F18.24
- - - - - major neurocognitive disorder F18.27
- - - - - mild neurocognitive disorder F18.288
- - - - - psychotic disorder F18.259
- - - - inhalant intoxication F18.229
- - - - inhalant intoxication delirium F18.221
- - - in remission (early) (sustained) F18.21
- integument, newborn P83.9
- - specified NEC P83.88
- intermittent explosive F63.81
- internal secretion pancreas -*see* Increased, secretion, pancreas, endocrine
- intestine, intestinal
- - carbohydrate absorption NEC E74.39
- - - postoperative K91.2
- - functional NEC K59.9
- - - postoperative K91.89
- - psychogenic F45.8
- - vascular K55.9
- - - chronic K55.1
- - - specified NEC K55.8
- intraoperative (intraprocedural) -*see* Complications, intraoperative
- involuntary emotional expression (IEED) F48.2
- iris H21.9
- - adhesions -*see* Adhesions, iris
- - atrophy -*see* Atrophy, iris
- - chamber angle recession -*see* Recession, chamber angle
- - cyst -*see* Cyst, iris
- - degeneration -*see* Degeneration, iris
- - in diseases classified elsewhere H22
- - iridodialysis -*see* Iridodialysis
- - iridoschisis -*see* Iridoschisis

- - miotic pupillary cyst -*see* Cyst, pupillary
- - pupillary
- - - abnormality -*see* Abnormality, pupillary
- - - membrane -*see* Membrane, pupillary
- - specified type NEC H21.89
- - vascular NEC H21.1X-
- iron metabolism E83.10
- - specified NEC E83.19
- isovaleric acidemia E71.110
- jaw, developmental M27.0
- - temporomandibular -*see also* Anomaly, dentofacial, temporomandibular joint M26.60-
- joint M25.9
- - derangement -*see* Derangement, joint
- - effusion -*see* Effusion, joint
- - fistula -*see* Fistula, joint
- - hemarthrosis -*see* Hemarthrosis
- - instability -*see* Instability, joint
- - osteophyte -*see* Osteophyte
- - pain -*see* Pain, joint
- - psychogenic F45.8
- - specified type NEC M25.80
- - - ankle M25.87-
- - - elbow M25.82-
- - - foot joint M25.87-
- - - hand joint M25.84-
- - - hip M25.85-
- - - knee M25.86-
- - - shoulder M25.81-
- - - wrist M25.83-
- - stiffness -*see* Stiffness, joint
- ketone metabolism E71.32
- kidney N28.9
- - functional (tubular) N25.9
- - in
- - - schistosomiasis B65.9 *[N29]*
- - tubular function N25.9
- - - specified NEC N25.89
- lacrimal system H04.9
- - changes H04.69
- - - fistula -*see* Fistula, lacrimal
- - gland H04.19
- - - atrophy -*see* Atrophy, lacrimal gland
- - - cyst -*see* Cyst, lacrimal, gland
- - - dacryops -*see* Dacryops
- - - dislocation -*see* Dislocation, lacrimal gland
- - - dry eye syndrome -*see* Syndrome, dry eye
- - - infection -*see* Dacryoadenitis
- - granuloma -*see* Granuloma, lacrimal
- - inflammation -*see* Inflammation, lacrimal
- - obstruction -*see* Obstruction, lacrimal
- - specified NEC H04.89
- lactation NEC O92.79
- language (developmental) F80.9
- - expressive F80.1
- - mixed receptive and expressive F80.2
- - receptive F80.2
- late luteal phase dysphoric N94.89
- learning (specific) F81.9
- - acalculia R48.8
- - alexia R48.0

- - mathematics F81.2
- - reading F81.0
- - specified
- - - with impairment in
- - - - mathematics F81.2
- - - - reading F81.0
- - - - written expression F81.81
- - specified NEC F81.89
- - spelling F81.81
- - written expression F81.81
- lens H27.9
- - aphakia -*see* Aphakia
- - cataract -*see* Cataract
- - dislocation -*see* Dislocation, lens
- - specified type NEC H27.8
- ligament M24.20
- - ankle M24.27-
- - attachment, spine -*see* Enthesopathy, spinal
- - elbow M24.22-
- - foot joint M24.27-
- - hand joint M24.24-
- - hip M24.25-
- - knee -*see* Derangement, knee, specified NEC
- - shoulder M24.21-
- - specified site NEC M24.29
- - vertebra M24.28
- - wrist M24.23-
- ligamentous attachments -*see also* Enthesopathy
- - spine -*see* Enthesopathy, spinal
- lipid
- - metabolism, congenital E78.9
- - storage E75.6
- - - specified NEC E75.5
- lipoprotein
- - deficiency (familial) E78.6
- - metabolism E78.9
- - - specified NEC E78.89
- liver K76.9
- - malarial B54 *[K77]*
- low back -*see also* Dorsopathy, specified NEC
- lumbosacral
- - plexus G54.1
- - root (nerve) NEC G54.4
- lung, interstitial, drug-induced J70.4
- - acute J70.2
- - chronic J70.3
- - dabbing (related) U07.0
- - e-cigarette (related) U07.0
- - electronic cigarette (related) U07.0
- - vaping (associated) (device) (product) (related) (use) U07.0
- lymphoproliferative, post-transplant (PTLD) D47.Z1
- lysine and hydroxylysine metabolism E72.3
- major neurocognitive -*see also* Dementia, in (due to) F03-
- male
- - erectile (organic) -*see also* Dysfunction, sexual, male, erectile N52.9
- - - nonorganic F52.21
- - hypoactive sexual desire F52.0
- - orgasmic F52.32
- manic F30.9
- - organic F06.33

- mast cell activation -*see* Activation, mast cell
- mastoid -*see also* Disorder, ear, middle
- - postprocedural -*see* Complications, ear, procedure
- meninges, specified type NEC G96.198
- meniscus -*see* Derangement, knee, meniscus
- menopausal N95.9
- - specified NEC N95.8
- menstrual N92.6
- - psychogenic F45.8
- - specified NEC N92.5
- mental (or behavioral) (nonpsychotic) F99
- - due to (secondary to)
- - - amphetamine
- - - - due to drug abuse -*see* Abuse, drug, stimulant
- - - - due to drug dependence -*see* Dependence, drug, stimulant
- - - brain disease, damage and dysfunction F09
- - - caffeine use
- - - - due to drug abuse -*see* Abuse, drug, stimulant
- - - - due to drug dependence -*see* Dependence, drug, stimulant
- - - cannabis use
- - - - due to drug abuse -*see* Abuse, drug, cannabis
- - - - due to drug dependence -*see* Dependence, drug, cannabis
- - - general medical condition F09
- - - sedative or hypnotic use
- - - - due to drug abuse -*see* Abuse, drug, sedative
- - - - due to drug dependence -*see* Dependence, drug, sedative
- - - tobacco (nicotine) use -*see* Dependence, drug, nicotine
- - following organic brain damage F07.9
- - - frontal lobe syndrome F07.0
- - - personality change F07.0
- - - postconcussional syndrome F07.81
- - - specified NEC F07.89
- - infancy, childhood or adolescence F98.9
- - neurotic -*see* Neurosis
- - organic or symptomatic F09
- - presenile, psychotic F03
- - problem NEC
- - psychoneurotic -*see* Neurosis
- - psychotic -*see* Psychosis
- - puerperal F53.0
- - senile, psychotic NEC F03
- metabolic, amino acid, transitory, newborn P74.8
- metabolism NOS E88.9
- - amino-acid E72.9
- - - aromatic E70.9
- - - - albinism -*see* Albinism
- - - - histidine E70.40
- - - - - histidinemia E70.41
- - - - - other specified E70.49
- - - - hyperphenylalaninemia E70.1
- - - - - classical phenylketonuria E70.0
- - - - other specified E70.89
- - - - tryptophan E70.5
- - - - tyrosine E70.20
- - - - - hypertyrosinemia E70.21
- - - - - other specified E70.29
- - - branched chain E71.2
- - - - 3-methylglutaconic aciduria E71.111
- - - - hyperleucine-isoleucinemia E71.19
- - - - hypervalinemia E71.19

- - - - isovaleric acidemia E71.110
- - - - maple syrup urine disease E71.0
- - - - methylmalonic acidemia E71.120
- - - - organic aciduria NEC E71.118
- - - - other specified E71.19
- - - - propionate NEC E71.128
- - - - propionic acidemia E71.121
- - - glycine E72.50
- - - - d-glycericacidemia E72.59
- - - - hyperhydroxyprolinemia E72.59
- - - - hyperoxaluria R82.992
- - - - - primary E72.53
- - - - hyperprolinemia E72.59
- - - - non-ketotic hyperglycinemia E72.51
- - - - other specified E72.59
- - - - sarcosinemia E72.59
- - - - trimethylaminuria E72.52
- - - hydroxylysine E72.3
- - - lysine E72.3
- - - ornithine E72.4
- - - other specified E72.89
- - - - beta-amino acid E72.89
- - - - gamma-glutamyl cycle E72.89
- - - straight-chain E72.89
- - - sulfur-bearing E72.10
- - - - homocystinuria E72.11
- - - - methylenetetrahydrofolate reductase deficiency E72.12
- - - - other specified E72.19
- - bile acid and cholesterol metabolism E78.70
- - bilirubin E80.7
- - - specified NEC E80.6
- - calcium E83.50
- - - hypercalcemia E83.52
- - - hypocalcemia E83.51
- - - other specified E83.59
- - carbohydrate E74.9
- - - specified NEC E74.89
- - cholesterol and bile acid metabolism E78.70
- - citrate NEC E74.829
- - congenital E88.9
- - copper E83.00
- - - Wilson's disease E83.01
- - - specified type NEC E83.09
- - cystinuria E72.01
- - fructose E74.10
- - galactose E74.20
- - glucosaminoglycan E76.9
- - - mucopolysaccharidosis -*see* Mucopolysaccharidosis
- - - specified NEC E76.8
- - glutamine E72.89
- - glycine E72.50
- - glycogen storage (hepatorenal) E74.09
- - glycoprotein E77.9
- - - specified NEC E77.8
- - glycosaminoglycan E76.9
- - - specified NEC E76.8
- - in labor and delivery O75.89
- - iron E83.10
- - isoleucine E71.19
- - leucine E71.19

- - lipoid E78.9
- - lipoprotein E78.9
- - - specified NEC E78.89
- - magnesium E83.40
- - - hypermagnesemia E83.41
- - - hypomagnesemia E83.42
- - - other specified E83.49
- - mineral E83.9
- - - specified NEC E83.89
- - mitochondrial E88.40
- - - MELAS syndrome E88.41
- - - MERRF syndrome (myoclonic epilepsy associated with ragged-red fibers) E88.42
- - - other specified E88.49
- - - tRNA synthetases E88.43
- - ornithine E72.4
- - phosphatases E83.30
- - phosphorus E83.30
- - - acid phosphatase deficiency E83.39
- - - hypophosphatasia E83.39
- - - hypophosphatemia E83.39
- - - - familial E83.31
- - - other specified E83.39
- - - pseudovitamin D deficiency E83.32
- - plasma protein NEC E88.09
- - porphyrin -*see* Porphyria
- - postprocedural E89.89
- - - specified NEC E89.89
- - purine E79.9
- - - specified NEC E79.89
- - pyrimidine E79.9
- - - specified NEC E79.89
- - pyruvate E74.4
- - serine E72.89
- - sodium E87.8
- - specified NEC E88.89
- - threonine E72.89
- - valine E71.19
- - zinc E83.2
- methylmalonic acidemia E71.120
- micturition NEC -*see also* Difficulty, micturition R39.198
- - feeling of incomplete emptying R39.14
- - hesitancy R39.11
- - poor stream R39.12
- - psychogenic F45.8
- - split stream R39.13
- - straining R39.16
- - urgency R39.15
- mild neurocognitive G31.84
- - due to known physiological condition (without behavioral disturbance) F06.70
- - - with behavioral disturbance F06.71
- mitochondrial metabolism E88.40
- mitral (valve) -*see* Endocarditis, mitral
- mixed
- - anxiety and depressive F41.8
- - of scholastic skills (developmental) F81.89
- - receptive expressive language F80.2
- mood F39
- - bipolar -*see* Disorder, bipolar
- - depressive -*see* Disorder, depressive
- - due to (secondary to)

- - - alcohol F10.94
- - - amphetamine F15.94
- - - - in
- - - - - abuse F15.14
- - - - - dependence F15.24
- - - anxiolytic F13.94
- - - - in
- - - - - abuse F13.14
- - - - - dependence F13.24
- - - cocaine F14.94
- - - - in
- - - - - abuse F14.14
- - - - - dependence F14.24
- - - general medical condition F06.30
- - - hallucinogen F16.94
- - - - in
- - - - - abuse F16.14
- - - - - dependence F16.24
- - - hypnotic F13.94
- - - - in
- - - - - abuse F13.14
- - - - - dependence F13.24
- - - inhalant F18.94
- - - - in
- - - - - abuse F18.14
- - - - - dependence F18.24
- - - opioid F11.94
- - - - in
- - - - - abuse F11.14
- - - - - dependence F11.24
- - - phencyclidine (PCP) F16.94
- - - - in
- - - - - abuse F16.14
- - - - - dependence F16.24
- - - physiological condition F06.30
- - - - with
- - - - - depressive features F06.31
- - - - - major depressive-like episode F06.32
- - - - - manic features F06.33
- - - - - mixed features F06.34
- - - psychoactive substance NEC F19.94
- - - - in
- - - - - abuse F19.14
- - - - - dependence F19.24
- - - sedative F13.94
- - - - in
- - - - - abuse F13.14
- - - - - dependence F13.24
- - - volatile solvents F18.94
- - - - in
- - - - - abuse F18.14
- - - - - dependence F18.24
- - manic episode F30.9
- - - with psychotic symptoms F30.2
- - - in remission (full) F30.4
- - - - partial F30.3
- - - specified type NEC F30.8
- - - without psychotic symptoms F30.10
- - - - mild F30.11
- - - - moderate F30.12

- - - - severe F30.13
- - organic F06.30
- - - right hemisphere F07.89
- - persistent F34.9
- - - cyclothymia F34.0
- - - dysthymia F34.1
- - - specified type NEC F34.89
- - recurrent F39
- - right hemisphere organic F07.89
- movement G25.9
- - drug-induced G25.70
- - - akathisia G25.71
- - - specified NEC G25.79
- - hysterical F44.4
- - in diseases classified elsewhere -see category G26
- - periodic limb G47.61
- - - sleep related G47.61
- - specified NEC G25.89
- - sleep related NEC G47.69
- - stereotyped F98.4
- - treatment-induced G25.9
- multiple personality F44.81
- muscle M62.9
- - attachment, spine *-see* Enthesopathy, spinal
- - in trichinellosis *-see* Trichinellosis, with muscle disorder
- - psychogenic F45.8
- - specified type NEC M62.89
- - tone, newborn P94.9
- - - specified NEC P94.8
- muscular
- - attachments *-see also* Enthesopathy
- - - spine *-see* Enthesopathy, spinal
- - urethra N36.44
- musculoskeletal system, soft tissue *-see* Disorder, soft tissue
- - postprocedural M96.89
- - psychogenic F45.8
- myoneural G70.9
- - due to lead G70.1
- - specified NEC G70.89
- - toxic G70.1
- myotonic NEC G71.19
- nail, in diseases classified elsewhere L62
- neck region NEC *-see* Dorsopathy, specified NEC
- neonatal onset multisystemic inflammatory (NOMID) M04.2
- nerve G58.9
- - abducent NEC *-see* Strabismus, paralytic, sixth nerve
- - accessory G52.8
- - acoustic -see subcategory H93.3
- - auditory -see subcategory H93.3
- - auriculotemporal G50.8
- - axillary G54.0
- - cerebral *-see* Disorder, nerve, cranial
- - cranial G52.9
- - - eighth -see subcategory H93.3
- - - eleventh G52.8
- - - fifth G50.9
- - - first G52.0
- - - fourth NEC *-see* Strabismus, paralytic, fourth nerve
- - - multiple G52.7
- - - ninth G52.1

- - - second NEC -*see* Disorder, nerve, optic
- - - seventh NEC G51.8
- - - sixth NEC -*see* Strabismus, paralytic, sixth nerve
- - - specified NEC G52.8
- - - tenth G52.2
- - - third NEC -*see* Strabismus, paralytic, third nerve
- - - twelfth G52.3
- - entrapment -*see* Neuropathy, entrapment
- - facial G51.9
- - - specified NEC G51.8
- - femoral -*see* Lesion, nerve, femoral
- - glossopharyngeal NEC G52.1
- - hypoglossal G52.3
- - intercostal G58.0
- - lateral
- - - cutaneous of thigh -*see* Mononeuropathy, lower limb, meralgia paresthetica
- - - popliteal -*see* Lesion, nerve, popliteal
- - lower limb -*see* Mononeuropathy, lower limb
- - medial popliteal -*see* Lesion, nerve, popliteal, medial
- - median NEC -*see* Lesion, nerve, median
- - multiple G58.7
- - oculomotor NEC -*see* Strabismus, paralytic, third nerve
- - olfactory G52.0
- - optic NEC H47.09-
- - - hemorrhage into sheath -*see* Hemorrhage, optic nerve
- - - ischemic H47.01-
- - peroneal -*see* Lesion, nerve, popliteal
- - phrenic G58.8
- - plantar -*see* Lesion, nerve, plantar
- - pneumogastric G52.2
- - posterior tibial -*see* Syndrome, tarsal tunnel
- - radial -*see* Lesion, nerve, radial
- - recurrent laryngeal G52.2
- - root G54.9
- - - cervical G54.2
- - - lumbosacral G54.1
- - - specified NEC G54.8
- - - thoracic G54.3
- - sciatic NEC -*see* Lesion, nerve, sciatic
- - specified NEC G58.8
- - - lower limb -*see* Mononeuropathy, lower limb, specified NEC
- - - upper limb -*see* Mononeuropathy, upper limb, specified NEC
- - sympathetic G90.9
- - tibial -*see* Lesion, nerve, popliteal, medial
- - trigeminal G50.9
- - - specified NEC G50.8
- - trochlear NEC -*see* Strabismus, paralytic, fourth nerve
- - ulnar -*see* Lesion, nerve, ulnar
- - upper limb -*see* Mononeuropathy, upper limb
- - vagus G52.2
- nervous system G98.8
- - autonomic (peripheral) G90.9
- - - specified NEC G90.89
- - central G96.9
- - - specified NEC G96.89
- - parasympathetic G90.9
- - specified NEC G98.8
- - sympathetic G90.9
- - vegetative G90.9
- neurocognitive R41.9

- - with Lewy bodies -*see also* Dementia, in, diseases specified elsewhere G31.83 *[F02.-]*
- - frontotemporal, specified NEC -*see also* Dementia, in, diseases specified elsewhere G31.09 *[F02.-]*
- - major -*see also* Dementia F03.-
- - - due to vascular disease -*see* Dementia, vascular
- - - - mild -*see* Dementia, vascular, mild
- - - - moderate -*see* Dementia, vascular, moderate
- - - - severe -*see* Dementia, vascular, severe
- - - in (due to) (other diseases classified elsewhere) -*see also* Dementia, in (due to) F02.80
- - - - with
- - - - - aggressive behavior -*see also* Dementia, in (due to) F02.81-
- - - - - combative behavior -*see also* Dementia, in (due to) F02.81-
- - - - - violent behavior -*see also* Dementia, in (due to) F02.81-
- - mild (of uncertain or unknown etiology) -*see also* Disorder, mild neurocognitive G31.84
- neurodevelopmental F89
- - specified NEC F88
- neurohypophysis NEC E23.3
- neurological NEC R29.818
- neuromuscular G70.9
- - hereditary NEC G71.9
- - specified NEC G70.89
- - toxic G70.1
- neurotic F48.9
- - specified NEC F48.8
- neutrophil, polymorphonuclear D71
- nicotine use -*see* Dependence, drug, nicotine
- nightmare F51.5
- non-rapid eye movement sleep arousal
- - sleep terror type F51.4
- - sleepwalking type F51.3
- nose J34.9
- - specified NEC J34.89
- obsessive-compulsive F42.9
- - and related disorder due to a known physiological condition F06.8
- odontogenesis NOS K00.9
- opioid use
- - with
- - - opioid-induced psychotic disorder F11.959
- - - - with
- - - - - delusions F11.950
- - - - - hallucinations F11.951
- - due to drug abuse -*see* Abuse, drug, opioid
- - due to drug dependence -*see* Dependence, drug, opioid
- - mild F11.10
- - - with
- - - - opioid-induced
- - - - - anxiety disorder F11.188
- - - - - depressive disorder F11.14
- - - - - sexual dysfunction F11.181
- - - - opioid intoxication
- - - - - with perceptual disturbances F11.122
- - - - - delirium F11.121
- - - - - without perceptual disturbances F11.129
- - - in remission (early) (sustained) F11.11
- - moderate or severe F11.20
- - - with
- - - - opioid-induced
- - - - - anxiety disorder F11.288
- - - - - anxiety disorder F11.988
- - - - - depressive disorder F11.24
- - - - - depressive disorder F11.94

- - - - - sexual dysfunction F11.281
- - - - - sexual dysfunction F11.981
- - - - opioid intoxication
- - - - - with perceptual disturbances F11.222
- - - - - delirium F11.221
- - - - - without perceptual disturbances F11.229
- - - in remission (early) (sustained) F11.21
- oppositional defiant F91.3
- optic
- - chiasm H47.49
- - - due to
- - - - inflammatory disorder H47.41
- - - - neoplasm H47.42
- - - - vascular disorder H47.43
- - disc H47.39-
- - - coloboma -*see* Coloboma, optic disc
- - - drusen -*see* Drusen, optic disc
- - - pseudopapilledema -*see* Pseudopapilledema
- - radiations -*see* Disorder, visual, pathway
- - tracts -*see* Disorder, visual, pathway
- orbit H05.9
- - cyst -*see* Cyst, orbit
- - deformity -*see* Deformity, orbit
- - edema -*see* Edema, orbit
- - enophthalmos -*see* Enophthalmos
- - exophthalmos -*see* Exophthalmos
- - hemorrhage -*see* Hemorrhage, orbit
- - inflammation -*see* Inflammation, orbit
- - myopathy -*see* Myopathy, extraocular muscles
- - retained foreign body -*see* Foreign body, orbit, old
- - specified type NEC H05.89
- organic
- - anxiety F06.4
- - catatonic NOS F06.1
- - delusional F06.2
- - dissociative F06.8
- - emotionally labile (asthenic) F06.8
- - mood (affective) F06.30
- - schizophrenia-like F06.2
- orgasmic (female) F52.31
- - male F52.32
- ornithine metabolism E72.4
- overanxious F41.1
- - of childhood F93.8
- pain
- - with related psychological factors F45.42
- - exclusively related to psychological factors F45.41
- - genito-pelvic penetration disorder F52.6
- pancreatic internal secretion E16.9
- - specified NEC E16.8
- panic F41.0
- - with agoraphobia F40.01
- papulosquamous L44.9
- - in diseases classified elsewhere L45
- - specified NEC L44.8
- paranoid F22
- - induced F24
- - shared F24
- paraphilic F65.9
- - specified NEC F65.89

- parathyroid (gland) E21.5
- - specified NEC E21.4
- parietoalveolar NEC J84.09
- paroxysmal, mixed R56.9
- patella M22.9-
- - chondromalacia -*see* Chondromalacia, patella
- - derangement NEC M22.3X-
- - recurrent
- - - dislocation -*see* Dislocation, patella, recurrent
- - - subluxation -*see* Dislocation, patella, recurrent, incomplete
- - specified NEC M22.8X-
- patellofemoral M22.2X-
- pedophilic F65.4
- pentose phosphate pathway with anemia D55.1
- perception, due to hallucinogens F16.983
- - in
- - - abuse F16.183
- - - dependence F16.283
- peripheral nervous system NEC G64
- peroxisomal E71.50
- - biogenesis
- - - neonatal adrenoleukodystrophy E71.511
- - - specified disorder NEC E71.518
- - - Zellweger syndrome E71.510
- - rhizomelic chondrodysplasia punctata E71.540
- - specified form NEC E71.548
- - - group 1 E71.518
- - - group 2 E71.53
- - - group 3 E71.542
- - X-linked adrenoleukodystrophy E71.529
- - - adolescent E71.521
- - - adrenomyeloneuropathy E71.522
- - - childhood E71.520
- - - specified form NEC E71.528
- - Zellweger-like syndrome E71.541
- persistent
- - (somatoform) pain F45.41
- - affective (mood) F34.9
- personality -*see also* Personality F60.9
- - affective F34.0
- - aggressive F60.3
- - amoral F60.2
- - anankastic F60.5
- - antisocial F60.2
- - anxious F60.6
- - asocial F60.2
- - asthenic F60.7
- - avoidant F60.6
- - borderline F60.3
- - change (secondary) due to general medical condition F07.0
- - compulsive F60.5
- - cyclothymic F34.0
- - dependent (passive) F60.7
- - depressive F34.1
- - dissocial F60.2
- - emotional instability F60.3
- - expansive paranoid F60.0
- - explosive F60.3
- - following organic brain damage F07.9
- - histrionic F60.4

- - hyperthymic F34.0
- - hypothymic F34.1
- - hysterical F60.4
- - immature F60.89
- - inadequate F60.7
- - labile F60.3
- - mixed (nonspecific) F60.89
- - moral deficiency F60.2
- - narcissistic F60.81
- - negativistic F60.89
- - obsessional F60.5
- - obsessive (-compulsive) F60.5
- - organic F07.9
- - overconscientious F60.5
- - paranoid F60.0
- - passive (-dependent) F60.7
- - passive-aggressive F60.89
- - pathological NEC F60.9
- - pseudosocial F60.2
- - psychopathic F60.2
- - schizoid F60.1
- - schizotypal F21
- - self-defeating F60.7
- - specified NEC F60.89
- - type A F60.5
- - unstable (emotional) F60.3
- pervasive, developmental F84.9
- phencyclidine use
- - mild F16.10
- - - with
- - - - phencyclidine-induced
- - - - - anxiety disorder F16.180
- - - - - bipolar and related disorder F16.14
- - - - - depressive disorder F16.14
- - - - - psychotic disorder F16.159
- - - - phencyclidine intoxication F16.129
- - - - phencyclidine intoxication delirium F16.121
- - - in remission (early) (sustained) F16.11
- - moderate or severe F16.20
- - - with
- - - - phencyclidine-induced
- - - - - anxiety disorder F16.280
- - - - - bipolar and related disorder F16.24
- - - - - depressive disorder F16.24
- - - - - psychotic disorder F16.259
- - - - phencyclidine intoxication F16.229
- - - - phencyclidine intoxication delirium F16.221
- - - in remission (early) (sustained) F16.21
- phobic anxiety, childhood F40.8
- phosphate-losing tubular N25.0
- pigmentation L81.9
- - choroid, congenital Q14.3
- - diminished melanin formation L81.6
- - iron L81.8
- - specified NEC L81.8
- pinna (noninfective) H61.10-
- - deformity, acquired H61.11-
- - hematoma H61.12-
- - perichondritis -*see* Perichondritis, ear
- - specified type NEC H61.19-

- pituitary gland E23.7
- - iatrogenic (postprocedural) E89.3
- - specified NEC E23.6
- platelet-activating anti-PF4, specified NEC D75.84
- platelets D69.1
- plexus G54.9
- - specified NEC G54.8
- polymorphonuclear neutrophils D71
- porphyrin metabolism -*see* Porphyria
- postconcussional F07.81
- posthallucinogen perception F16.983
- - in
- - - abuse F16.183
- - - dependence F16.283
- postmenopausal N95.9
- - specified NEC N95.8
- postprocedural (postoperative) -*see* Complications, postprocedural
- post-transplant lymphoproliferative D47.Z1
- post-traumatic stress (PTSD) F43.10
- - acute F43.11
- - chronic F43.12
- premenstrual dysphoric (PMDD) F32.81
- prepuce N47.8
- propionic acidemia E71.121
- prostate N42.9
- - specified NEC N42.89
- psychogenic NOS -*see also* condition F45.9
- - anxiety F41.8
- - appetite F50.9
- - asthenic F48.8
- - cardiovascular (system) F45.8
- - compulsive F42.8
- - cutaneous F54
- - depressive F32.9
- - digestive (system) F45.8
- - dysmenorrheic F45.8
- - dyspneic F45.8
- - endocrine (system) F54
- - eye NEC F45.8
- - feeding -*see* Disorder, eating
- - functional NEC F45.8
- - gastric F45.8
- - gastrointestinal (system) F45.8
- - genitourinary (system) F45.8
- - heart (function) (rhythm) F45.8
- - hyperventilatory F45.8
- - hypochondriacal -*see* Disorder, hypochondriacal
- - intestinal F45.8
- - joint F45.8
- - learning F81.9
- - limb F45.8
- - lymphatic (system) F45.8
- - menstrual F45.8
- - micturition F45.8
- - monoplegic NEC F44.4
- - motor F44.4
- - muscle F45.8
- - musculoskeletal F45.8
- - neurocirculatory F45.8
- - obsessive F42.8

- - occupational F48.8
- - organ or part of body NEC F45.8
- - paralytic NEC F44.4
- - phobic F40.9
- - physical NEC F45.8
- - rectal F45.8
- - respiratory (system) F45.8
- - rheumatic F45.8
- - sexual (function) F52.9
- - skin (allergic) (eczematous) F54
- - sleep F51.9
- - specified part of body NEC F45.8
- - stomach F45.8
- psychological F99
- - associated with
- - - disease classified elsewhere F54
- - - sexual
- - - - development F66
- - - - relationship F66
- - - uncertainty about gender identity F64.9
- psychomotor NEC F44.4
- - hysterical F44.4
- psychoneurotic -*see also* Neurosis
- - mixed NEC F48.8
- psychophysiologic -*see* Disorder, somatoform
- psychosexual F65.9
- - development F66
- - identity of childhood F64.2
- psychosomatic NOS -*see* Disorder, somatoform
- - multiple F45.0
- - undifferentiated F45.1
- psychotic -*see* Psychosis
- - transient (acute) F23
- puberty E30.9
- - specified NEC E30.8
- pulmonary (valve) -*see* Endocarditis, pulmonary
- purine metabolism E79.9
- pyrimidine metabolism E79.9
- pyruvate metabolism E74.4
- reactive attachment (childhood) F94.1
- reading R48.0
- - developmental (specific) F81.0
- receptive language F80.2
- receptor, hormonal, peripheral -*see also* Syndrome, androgen insensitivity E34.50
- recurrent brief depressive F33.8
- reflex R29.2
- refraction H52.7
- - aniseikonia H52.32
- - anisometropia H52.31
- - astigmatism -*see* Astigmatism
- - hypermetropia -*see* Hypermetropia
- - myopia -*see* Myopia
- - presbyopia H52.4
- - specified NEC H52.6
- relationship F68.8
- - due to sexual orientation F66
- REM sleep behavior G47.52
- renal function, impaired (tubular) N25.9
- resonance R49.9
- - specified NEC R49.8

- respiratory function, impaired -*see also* Failure, respiration
- - postprocedural -*see* Complication, postoperative, respiratory system
- - psychogenic F45.8
- retina H35.9
- - angioid streaks H35.33
- - changes in vascular appearance H35.01-
- - degeneration -*see* Degeneration, retina
- - dystrophy (hereditary) -*see* Dystrophy, retina
- - edema H35.81
- - hemorrhage -*see* Hemorrhage, retina
- - ischemia H35.82
- - macular degeneration -*see* Degeneration, macula
- - microaneurysms H35.04-
- - microvascular abnormality NEC H35.09
- - neovascularization -*see* Neovascularization, retina
- - retinopathy -*see* Retinopathy
- - separation of layers H35.70
- - - central serous chorioretinopathy H35.71-
- - - pigment epithelium detachment (serous) H35.72-
- - - - hemorrhagic H35.73-
- - specified type NEC H35.89
- - telangiectasis -*see* Telangiectasis, retina
- - vasculitis -*see* Vasculitis, retina
- retroperitoneal K68.9
- right hemisphere organic affective F07.89
- rumination (infant or child) (in remission) F98.21
- - adult (in remission) F50.84
- sacrum, sacrococcygeal NEC M53.3
- schizoaffective F25.9
- - bipolar type F25.0
- - depressive type F25.1
- - manic type F25.0
- - mixed type F25.0
- - specified NEC F25.8
- schizoid of childhood F84.5
- schizophrenia spectrum and other psychotic disorder F29
- - specified NEC F28
- schizophreniform F20.81
- - brief F23
- schizotypal (personality) F21
- seasonal affective, recurrent episodes F33.-
- secretion, thyrocalcitonin E07.0
- sedative, hypnotic, or anxiolytic use
- - mild F13.10
- - - with
- - - - sedative, hypnotic, or anxiolytic-induced
- - - - - anxiety disorder F13.180
- - - - - bipolar and related disorder F13.14
- - - - - depressive disorder F13.14
- - - - - psychotic disorder F13.159
- - - - - sexual dysfunction F13.181
- - - - sedative, hypnotic, or anxiolytic intoxication F13.129
- - - - sedative, hypnotic, or anxiolytic intoxication delirium F13.121
- - - in remission (early) (sustained) F13.11
- - moderate or severe F13.20
- - - with
- - - - sedative, hypnotic, or anxiolytic-induced
- - - - - anxiety disorder F13.280
- - - - - bipolar and related disorder F13.24
- - - - - depressive disorder F13.24

- - - - - major neurocognitive disorder F13.27
- - - - - mild neurocognitive disorder F13.288
- - - - - psychotic disorder F13.259
- - - - - sexual dysfunction F13.281
- - - - sedative, hypnotic, or anxiolytic intoxication F13.229
- - - - sedative, hypnotic, or anxiolytic intoxication delirium F13.221
- - - in remission (early) (sustained) F13.21
- seizure -*see also* Epilepsy G40.909
- - intractable G40.919
- - - with status epilepticus G40.911
- semantic pragmatic F80.89
- - with autism F84.0
- sense of smell R43.1
- - psychogenic F45.8
- separation anxiety, of childhood F93.0
- sexual
- - arousal, female F52.22
- - aversion F52.1
- - function, psychogenic F52.9
- - interest/arousal, female F52.22
- - masochism F65.51
- - maturation F66
- - nonorganic F52.9
- - preference -*see also* Deviation, sexual F65.9
- - - fetishistic transvestism F65.1
- - relationship F66
- - sadism F65.52
- shyness, of childhood and adolescence F40.10
- sibling rivalry F93.8
- sickle-cell (sickling) (homozygous) -*see* Disease, sickle-cell
- - heterozygous D57.3
- - specified type NEC D57.8-
- - trait D57.3
- sinus (nasal) J34.9
- - specified NEC J34.89
- skin L98.9
- - atrophic L90.9
- - - specified NEC L90.8
- - granulomatous L92.9
- - - specified NEC L92.8
- - hypertrophic L91.9
- - - specified NEC L91.8
- - infiltrative NEC L98.6
- - newborn P83.9
- - - specified NEC P83.88
- - picking F42.4
- - psychogenic (allergic) (eczematous) F54
- SLC13A5 Citrate Transporter Disorder E74.820
- sleep G47.9
- - breathing-related -*see* Apnea, sleep
- - circadian rhythm G47.20
- - - advance sleep phase type G47.22
- - - delayed sleep phase type G47.21
- - - due to
- - - - alcohol
- - - - - abuse F10.182
- - - - - dependence F10.282
- - - - - use F10.982
- - - - amphetamines
- - - - - abuse F15.182

- - - - - dependence F15.282
- - - - - use F15.982
- - - - caffeine
- - - - - abuse F15.182
- - - - - dependence F15.282
- - - - - use F15.982
- - - - cocaine
- - - - - abuse F14.182
- - - - - dependence F14.282
- - - - - use F14.982
- - - - drug NEC
- - - - - abuse F19.182
- - - - - dependence F19.282
- - - - - use F19.982
- - - - opioid
- - - - - abuse F11.182
- - - - - dependence F11.282
- - - - - use F11.982
- - - - psychoactive substance NEC
- - - - - abuse F19.182
- - - - - dependence F19.282
- - - - - use F19.982
- - - - sedative, hypnotic, or anxiolytic
- - - - - abuse F13.182
- - - - - dependence F13.282
- - - - - use F13.982
- - - - stimulant NEC
- - - - - abuse F15.182
- - - - - dependence F15.282
- - - - - use F15.982
- - - free running type G47.24
- - - in conditions classified elsewhere G47.27
- - - irregular sleep wake type G47.23
- - - jet lag type G47.25
- - - non-24-hour sleep-wake type G47.24
- - - shift work type G47.26
- - - specified NEC G47.29
- - due to
- - - alcohol
- - - - abuse F10.182
- - - - dependence F10.282
- - - - use F10.982
- - - amphetamine
- - - - abuse F15.182
- - - - dependence F15.282
- - - - use F15.982
- - - anxiolytic
- - - - abuse F13.182
- - - - dependence F13.282
- - - - use F13.982
- - - caffeine
- - - - abuse F15.182
- - - - dependence F15.282
- - - - use F15.982
- - - cocaine
- - - - abuse F14.182
- - - - dependence F14.282
- - - - use F14.982
- - - drug NEC
- - - - abuse F19.182

- - - - dependence F19.282
- - - - use F19.982
- - - hypnotic
- - - - abuse F13.182
- - - - dependence F13.282
- - - - use F13.982
- - - opioid
- - - - abuse F11.182
- - - - dependence F11.282
- - - - use F11.982
- - - psychoactive substance NEC
- - - - abuse F19.182
- - - - dependence F19.282
- - - - use F19.982
- - - sedative
- - - - abuse F13.182
- - - - dependence F13.282
- - - - use F13.982
- - - stimulant NEC
- - - - abuse F15.182
- - - - dependence F15.282
- - - - use F15.982
- - emotional F51.9
- - excessive somnolence *-see* Hypersomnia
- - hypersomnia type *-see* Hypersomnia
- - initiating or maintaining *-see* Insomnia
- - nightmares F51.5
- - nonorganic F51.9
- - - specified NEC F51.8
- - parasomnia type G47.50
- - specified NEC G47.8
- - terrors F51.4
- - walking F51.3
- sleep-wake pattern or schedule *-see also* Disorder, sleep, circadian rhythm G47.9
- - specified NEC G47.8
- social
- - anxiety (of childhood) F40.10
- - - generalized F40.11
- - functioning in childhood F94.9
- - - specified NEC F94.8
- - pragmatic F80.82
- soft tissue M79.9
- - ankle M79.9
- - due to use, overuse and pressure M70.90
- - - ankle M70.97-
- - - bursitis *-see* Bursitis
- - - foot M70.97-
- - - forearm M70.93-
- - - hand M70.94-
- - - lower leg M70.96-
- - - multiple sites M70.99
- - - pelvic region M70.95-
- - - shoulder region M70.91-
- - - specified site NEC M70.98
- - - specified type NEC M70.80
- - - - ankle M70.87-
- - - - foot M70.87-
- - - - forearm M70.83-
- - - - hand M70.84-
- - - - lower leg M70.86-

- - - - multiple sites M70.89
- - - - pelvic region M70.85-
- - - - shoulder region M70.81-
- - - - specified site NEC M70.88
- - - - thigh M70.85-
- - - - upper arm M70.82-
- - - thigh M70.95-
- - - upper arm M70.92-
- - foot M79.9
- - forearm M79.9
- - hand M79.9
- - lower leg M79.9
- - multiple sites M79.9
- - occupational *-see* Disorder, soft tissue, due to use, overuse and pressure
- - pelvic region M79.9
- - shoulder region M79.9
- - specified type NEC M79.89
- - thigh M79.9
- - upper arm M79.9
- somatic symptom F45.1
- somatization F45.0
- somatoform F45.9
- - pain (persistent) F45.41
- - somatization (multiple) (long-lasting) F45.0
- - specified NEC F45.8
- - undifferentiated F45.1
- somnolence, excessive *-see* Hypersomnia
- specific
- - arithmetical F81.2
- - developmental, of motor F82
- - reading F81.0
- - speech and language F80.9
- - spelling F81.81
- - written expression F81.81
- speech R47.9
- - articulation (functional) (specific) F80.0
- - developmental F80.9
- - specified NEC R47.89
- speech-sound F80.0
- spelling (specific) F81.81
- spine *-see also* Dorsopathy
- - ligamentous or muscular attachments, peripheral *-see* Enthesopathy, spinal
- - specified NEC *-see* Dorsopathy, specified NEC
- stereotyped, habit or movement F98.4
- stimulant use (other) (unspecified)
- - mild F15.10
- - - in remission (early) (sustained) F15.11
- - moderate or severe F15.20
- - - in remission (early) (sustained) F15.21
- stomach (functional) *-see* Disorder, gastric
- stress F43.9
- - acute F43.0
- - post-traumatic F43.10
- - - acute F43.11
- - - chronic F43.12
- substance use (other) (unknown)
- - mild F19.10
- - - with substance-induced
- - - - anxiety disorder F19.180
- - - - bipolar and related disorder F19.14

- - - - depressive disorder F19.14
- - - - major neurocognitive disorder F19.17
- - - - mild neurocognitive disorder F19.188
- - - - obsessive-compulsive and related disorder F19.188
- - - - sexual dysfunction F19.181
- - - substance intoxication F19.129
- - - substance intoxication delirium F19.121
- - moderate or severe F19.20
- - - with substance-induced
- - - - anxiety disorder F19.280
- - - - bipolar and related disorder F19.24
- - - - depressive disorder F19.24
- - - - major neurocognitive disorder F19.27
- - - - mild neurocognitive disorder F19.288
- - - - obsessive-compulsive and related disorder F19.288
- - - - sexual dysfunction F19.281
- - - in remission (early) (sustained) F19.21
- - - substance intoxication F19.229
- - - substance intoxication delirium F19.221
- sulfur-bearing amino-acid metabolism E72.10
- sweat gland (eccrine) L74.9
- - apocrine L75.9
- - - specified NEC L75.8
- - specified NEC L74.8
- synovium M67.90
- - acromioclavicular M67.91-
- - ankle M67.97-
- - elbow M67.92-
- - foot M67.97-
- - forearm M67.93-
- - hand M67.94-
- - hip M67.95-
- - knee M67.96-
- - multiple sites M67.99
- - rupture -*see* Rupture, synovium
- - shoulder M67.91-
- - specified type NEC M67.80
- - - acromioclavicular M67.81-
- - - ankle M67.87-
- - - elbow M67.82-
- - - foot M67.87-
- - - hand M67.84-
- - - hip M67.85-
- - - knee M67.86-
- - - multiple sites M67.89
- - - wrist M67.83-
- - synovitis -*see* Synovitis
- - upper arm M67.92-
- - wrist M67.93-
- temperature regulation, newborn P81.9
- - specified NEC P81.8
- temporomandibular joint M26.60-
- tendon M67.90
- - acromioclavicular M67.91-
- - ankle M67.97-
- - contracture -*see* Contracture, tendon
- - elbow M67.92-
- - foot M67.97-
- - forearm M67.93-
- - hand M67.94-

- - hip M67.95-
- - knee M67.96-
- - multiple sites M67.99
- - rupture -*see* Rupture, tendon
- - shoulder M67.91-
- - specified type NEC M67.80
- - - acromioclavicular M67.81-
- - - ankle M67.87-
- - - elbow M67.82-
- - - foot M67.87-
- - - hand M67.84-
- - - hip M67.85-
- - - knee M67.86-
- - - multiple sites M67.89
- - - trunk M67.88
- - - wrist M67.83-
- - synovitis -*see* Synovitis
- - tendinitis -*see* Tendinitis
- - tenosynovitis -*see* Tenosynovitis
- - trunk M67.98
- - upper arm M67.92-
- - wrist M67.93-
- thoracic root (nerve) NEC G54.3
- thyrocalcitonin hypersecretion E07.0
- thyroid (gland) E07.9
- - function NEC, neonatal, transitory P72.2
- - iodine-deficiency related E01.8
- - specified NEC E07.89
- tic -*see* Tic
- tobacco use
- - chewing tobacco (mild) (moderate) (severe)
- - - in remission (early) (sustained) F17.221
- - cigarettes (mild) (moderate) (severe)
- - - in remission (early) (sustained) F17.211
- - mild F17.200
- - - in remission (early) (sustained) F17.201
- - moderate F17.200
- - - in remission (early) (sustained) F17.201
- - severe F17.200
- - - in remission (early) (sustained) F17.201
- - specified product NEC (mild) (moderate) (severe)
- - - in remission (early) (sustained) F17.291
- tooth K08.9
- - development K00.9
- - - specified NEC K00.8
- - eruption K00.6
- Tourette's F95.2
- trance and possession F44.89
- transvestic F65.1
- trauma and stressor-related NOS F43.9
- - other specified F43.89
- - unspecified F43.9
- tricuspid (valve) -*see* Endocarditis, tricuspid
- tryptophan metabolism E70.5
- tubular, phosphate-losing N25.0
- tubulo-interstitial (in)
- - brucellosis A23.9 *[N16]*
- - cystinosis E72.04
- - diphtheria A36.84
- - glycogen storage disease E74.00 *[N16]*

- - leukemia NEC C95.9- *[N16]*
- - lymphoma NEC C85.9- *[N16]*
- - mixed cryoglobulinemia D89.1 *[N16]*
- - multiple myeloma C90.0- *[N16]*
- - Salmonella infection A02.25
- - sarcoidosis D86.84
- - sepsis A41.9 *[N16]*
- - - streptococcal A40.9 *[N16]*
- - systemic lupus erythematosus M32.15
- - toxoplasmosis B58.83
- - transplant rejection T86.91 *[N16]*
- - Wilson's disease E83.01 *[N16]*
- tubulo-renal function, impaired N25.9
- - specified NEC N25.89
- tympanic membrane H73.9-
- - atrophy -*see* Atrophy, tympanic membrane
- - infection -*see* Myringitis
- - perforation -*see* Perforation, tympanum
- - specified NEC H73.89-
- unsocialized aggressive F91.1
- urea cycle metabolism E72.20
- - argininemia E72.21
- - arginosuccinic aciduria E72.22
- - citrullinemia E72.23
- - ornithine transcarbamylase deficiency E72.4
- - other specified E72.29
- ureter (in) N28.9
- - schistosomiasis B65.0 *[N29]*
- - tuberculosis A18.11
- urethra N36.9
- - specified NEC N36.8
- urinary system N39.9
- - specified NEC N39.8
- valve, heart
- - aortic -*see* Endocarditis, aortic
- - mitral -*see* Endocarditis, mitral
- - pulmonary -*see* Endocarditis, pulmonary
- - rheumatic
- - - aortic -*see* Endocarditis, aortic, rheumatic
- - - mitral -*see* Endocarditis, mitral
- - - pulmonary -*see* Endocarditis, pulmonary, rheumatic
- - - tricuspid -*see* Endocarditis, tricuspid
- - tricuspid -*see* Endocarditis, tricuspid
- vestibular function H81.9-
- - specified NEC -see subcategory H81.8
- - - in diseases classified elsewhere H82.-
- - vertigo -*see* Vertigo
- vision, binocular H53.30
- - abnormal retinal correspondence H53.31
- - diplopia H53.2
- - fusion with defective stereopsis H53.32
- - simultaneous perception H53.33
- - suppression H53.34
- visual
- - cortex
- - - blindness H47.619
- - - - left brain H47.612
- - - - right brain H47.611
- - - due to
- - - - inflammatory disorder H47.629

- - - - - left brain H47.622
- - - - - right brain H47.621
- - - - neoplasm H47.639
- - - - - left brain H47.632
- - - - - right brain H47.631
- - - - vascular disorder H47.649
- - - - - left brain H47.642
- - - - - right brain H47.641
- - pathway H47.9
- - - due to
- - - - inflammatory disorder H47.51-
- - - - neoplasm H47.52-
- - - - vascular disorder H47.53-
- - - optic chiasm -*see* Disorder, optic, chiasm
- vitreous body H43.9
- - crystalline deposits -*see* Deposit, crystalline
- - degeneration -*see* Degeneration, vitreous
- - hemorrhage -*see* Hemorrhage, vitreous
- - opacities -*see* Opacity, vitreous
- - prolapse -*see* Prolapse, vitreous
- - specified type NEC H43.89
- voice R49.9
- - specified type NEC R49.8
- volatile solvent use
- - due to drug abuse -*see* Abuse, drug, inhalant
- - due to drug dependence -*see* Dependence, drug, inhalant
- voyeuristic F65.3
- white blood cells D72.9
- - specified NEC D72.89
- withdrawing, child or adolescent F40.10

Disorientation R41.0

Displacement, displaced
- acquired traumatic of bone, cartilage, joint, tendon NEC -*see* Dislocation
- adrenal gland (congenital) Q89.1
- appendix, retrocecal (congenital) Q43.8
- auricle (congenital) Q17.4
- bladder (acquired) N32.89
- - congenital Q64.19
- brachial plexus (congenital) Q07.8
- brain stem, caudal (congenital) Q04.8
- canaliculus (lacrimalis), congenital Q10.6
- cardia through esophageal hiatus (congenital) Q40.1
- cerebellum, caudal (congenital) Q04.8
- cervix -*see* Malposition, uterus
- colon (congenital) Q43.3
- device, implant or graft -*see also* Complications, by site and type, mechanical T85.628
- - arterial graft NEC -*see* Complication, cardiovascular device, mechanical, vascular
- - breast (implant) T85.42
- - catheter NEC T85.628
- - - dialysis (renal) T82.42
- - - - intraperitoneal T85.621
- - - infusion NEC T82.524
- - - - spinal (epidural) (subdural) T85.620
- - - urinary
- - - - cystostomy T83.020
- - - - Hopkins T83.028
- - - - ileostomy T83.028
- - - - indwelling T83.021
- - - - nephrostomy T83.022
- - - - specified NEC T83.028

- - - - urostomy T83.028
- - electronic (electrode) (pulse generator) (stimulator) -*see* Complication, electronic stimulator
- - fixation, internal (orthopedic) NEC -*see* Complication, fixation device, mechanical
- - gastrointestinal -*see* Complications, prosthetic device, mechanical, gastrointestinal device
- - genital NEC T83.428
- - - intrauterine contraceptive device (string) T83.32
- - - penile prosthesis (cylinder) (implanted) (pump) (reservoir) T83.420
- - - testicular prosthesis T83.421
- - heart NEC -*see* Complication, cardiovascular device, mechanical
- - joint prosthesis -*see* Complications, joint prosthesis, mechanical
- - ocular -*see* Complications, prosthetic device, mechanical, ocular device
- - orthopedic NEC -*see* Complication, orthopedic, device or graft, mechanical
- - specified NEC T85.628
- - urinary NEC T83.128
- - - graft T83.22
- - - sphincter, implanted T83.121
- - - stent (ileal conduit) (nephroureteral) T83.123
- - - - ureteral indwelling T83.122
- - vascular NEC -*see* Complication, cardiovascular device, mechanical
- - ventricular intracranial shunt T85.02
- electronic stimulator
- - bone T84.320
- - cardiac -*see* Complications, cardiac device, electronic
- - nervous system -*see* Complication, prosthetic device, mechanical, electronic nervous system stimulator
- - urinary -*see* Complications, electronic stimulator, urinary
- esophageal mucosa into cardia of stomach, congenital Q39.8
- esophagus (acquired) K22.89
- - congenital Q39.8
- eyeball (acquired) (lateral) (old) -*see* Displacement, globe
- - congenital Q15.8
- - current -*see* Avulsion, eye
- fallopian tube (acquired) N83.4-
- - congenital Q50.6
- - opening (congenital) Q50.6
- gallbladder (congenital) Q44.1
- gastric mucosa (congenital) Q40.2
- globe (acquired) (old) (lateral) H05.21-
- - current -*see* Avulsion, eye
- heart (congenital) Q24.8
- - acquired I51.89
- hymen (upward) (congenital) Q52.4
- intervertebral disc NEC
- - with myelopathy -*see* Disorder, disc, with, myelopathy
- - cervical, cervicothoracic (with) M50.20
- - - myelopathy -*see* Disorder, disc, cervical, with myelopathy
- - - neuritis, radiculitis or radiculopathy -*see* Disorder, disc, cervical, with neuritis
- - due to trauma -*see* Dislocation, vertebra
- - lumbar region M51.26
- - - with
- - - - myelopathy M51.06
- - - - neuritis, radiculitis, radiculopathy or sciatica M51.16
- - lumbosacral region M51.27
- - - with
- - - - neuritis, radiculitis, radiculopathy or sciatica M51.17
- - sacrococcygeal region M53.3
- - thoracic region M51.24
- - - with
- - - - myelopathy M51.04
- - - - neuritis, radiculitis, radiculopathy M51.14
- - thoracolumbar region M51.25

- - - with
- - - - myelopathy M51.05
- - - - neuritis, radiculitis, radiculopathy M51.15
- intrauterine device (string) T83.32
- kidney (acquired) N28.83
- - congenital Q63.2
- lachrymal, lacrimal apparatus or duct (congenital) Q10.6
- lens, congenital Q12.1
- macula (congenital) Q14.1
- Meckel's diverticulum Q43.0
- - malignant -*see* Table of Neoplasms, small intestine, malignant
- nail (congenital) Q84.6
- - acquired L60.8
- opening of Wharton's duct in mouth Q38.4
- organ or site, congenital NEC -*see* Malposition, congenital
- ovary (acquired) N83.4-
- - congenital Q50.39
- - free in peritoneal cavity (congenital) Q50.39
- - into hernial sac N83.4-
- oviduct (acquired) N83.4-
- - congenital Q50.6
- parathyroid (gland) E21.4
- parotid gland (congenital) Q38.4
- punctum lacrimale (congenital) Q10.6
- sacro-iliac (joint) (congenital) Q74.2
- - current injury S33.2
- - old -see subcategory M53.2
- salivary gland (any) (congenital) Q38.4
- spleen (congenital) Q89.09
- stomach, congenital Q40.2
- sublingual duct Q38.4
- tongue (downward) (congenital) Q38.3
- tooth, teeth, fully erupted M26.30
- - horizontal M26.33
- - vertical M26.34
- trachea (congenital) Q32.1
- ureter or ureteric opening or orifice (congenital) Q62.62
- uterine opening of oviducts or fallopian tubes Q50.6
- uterus, uterine -*see* Malposition, uterus
- ventricular septum Q21.0
- - with rudimentary ventricle Q20.4

Disproportion
- between native and reconstructed breast N65.1
- fiber-type G71.20
- - congenital G71.29

Disruptio uteri -*see* Rupture, uterus

Disruption (of)
- ciliary body NEC H21.89
- closure of
- - abdominal wall muscle or fascia T81.321
- - cornea T81.31
- - craniotomy T81.328
- - fascia (muscular) (superficial) T81.328
- - gastrointestinal tract anastomosis, repair, or closure T81.320
- - internal organ or tissue T81.328
- - laceration (external) (internal) T81.33
- - ligament T81.328
- - mucosa T81.31
- - muscle or muscle flap T81.328
- - ribs or rib cage T81.328

- - skin and subcutaneous tissue (full-thickness) (superficial) T81.31
- - skull T81.328
- - sternum (sternotomy) T81.328
- - tendon T81.328
- - traumatic laceration (external) (internal) T81.33
- family Z63.8
- - due to
- - - absence of family member due to military deployment Z63.31
- - - absence of family member NEC Z63.32
- - - alcoholism and drug addiction in family Z63.72
- - - bereavement Z63.4
- - - death (assumed) or disappearance of family member Z63.4
- - - divorce or separation Z63.5
- - - drug addiction in family Z63.72
- - - return of family member from military deployment (current or past conflict) Z63.71
- - - stressful life events NEC Z63.79
- iris NEC H21.89
- ligament(s) -*see also* Sprain
- - knee
- - - current injury -*see* Dislocation, knee
- - - old (chronic) -*see* Derangement, knee, ligament, instability, chronic
- - - spontaneous NEC -*see* Derangement, knee, disruption ligament
- ossicular chain -*see* Discontinuity, ossicles, ear
- pelvic ring (stable) S32.810
- - unstable S32.811
- wound T81.30
- - episiotomy O90.1
- - operation T81.31
- - - cesarean O90.0
- - - deep T81.329
- - - external operation wound (superficial) T81.31
- - - internal operation wound (deep) T81.329
- - - - abdominal wall muscle or fascia T81.321
- - - - specified NEC T81.328
- - perineal (obstetric) O90.1
- - traumatic injury repair T81.33
- traumatic injury wound repair T81.33

Dissatisfaction with
- employment Z56.9
- school environment Z55.4

Dissecting -*see* condition

Dissection
- aorta I71.00
- - abdominal I71.02
- - thoracic I71.019
- - - aortic arch I71.011
- - - ascending aorta I71.010
- - - descending thoracic aorta I71.012
- - thoracoabdominal I71.03
- artery I77.70
- - basilar (trunk) I77.75
- - carotid I77.71
- - cerebral (nonruptured) I67.0
- - - ruptured -*see* Hemorrhage, intracranial, subarachnoid
- - coronary I25.42
- - extremity
- - - lower I77.77
- - - upper I77.76
- - iliac I77.72
- - precerebral

- - - congenital (nonruptured) Q28.1
- - - specified site NEC I77.75
- - renal I77.73
- - specified NEC I77.79
- - vertebral I77.74
- precerebral artery, congenital (nonruptured) Q28.1
- traumatic -*see* Wound, open, by site
- vascular I99.8
- wound -*see* Wound, open

Disseminated -*see* condition

Dissociation
- auriculoventricular or atrioventricular (AV) (any degree) (isorhythmic) I45.89
- - with heart block I44.2
- interference I45.89

Dissociative reaction, state F44.9

Dissolution, vertebra -*see* Osteoporosis

Distension, distention
- abdomen R14.0
- bladder N32.89
- cecum K63.89
- colon K63.89
- gallbladder K82.8
- intestine K63.89
- kidney N28.89
- liver K76.89
- seminal vesicle N50.89
- stomach K31.89
- - acute K31.0
- - psychogenic F45.8
- ureter -*see* Dilatation, ureter
- uterus N85.8

Distoma hepaticum infestation B66.3

Distomiasis B66.9
- bile passages B66.3
- hemic B65.9
- hepatic B66.3
- - due to Clonorchis sinensis B66.1
- intestinal B66.5
- liver B66.3
- - due to Clonorchis sinensis B66.1
- lung B66.4
- pulmonary B66.4

Distomolar (fourth molar) K00.1

Disto-occlusion (Division I) (Division II) M26.212

Distortion(s) (congenital)
- adrenal (gland) Q89.1
- arm NEC Q68.8
- bile duct or passage Q44.5
- bladder Q64.79
- brain Q04.9
- cervix (uteri) Q51.9
- chest (wall) Q67.8
- - bones Q76.8
- clavicle Q74.0
- clitoris Q52.6
- coccyx Q76.49
- common duct Q44.5
- coronary Q24.5
- cystic duct Q44.5
- ear (auricle) (external) Q17.3

- - inner Q16.5
- - middle Q16.4
- - - ossicles Q16.3
- endocrine NEC Q89.2
- eustachian tube Q17.8
- eye (adnexa) Q15.8
- face bone(s) NEC Q75.8
- fallopian tube Q50.6
- femur NEC Q68.8
- fibula NEC Q68.8
- finger(s) Q68.1
- foot Q66.9-
- genitalia, genital organ(s)
- - female Q52.8
- - - external Q52.79
- - - internal NEC Q52.8
- gyri Q04.8
- hand bone(s) Q68.1
- heart (auricle) (ventricle) Q24.8
- - valve (cusp) Q24.8
- hepatic duct Q44.5
- humerus NEC Q68.8
- hymen Q52.4
- intrafamilial communications Z63.8
- jaw NEC M26.89
- labium (majus) (minus) Q52.79
- leg NEC Q68.8
- lens Q12.8
- liver Q44.79
- lumbar spine Q76.49
- - with disproportion O33.8
- - - causing obstructed labor O65.0
- lumbosacral (joint) (region) Q76.49
- - kyphosis -*see* Kyphosis, congenital
- - lordosis -*see* Lordosis, congenital
- nerve Q07.8
- nose Q30.8
- organ
- - of Corti Q16.5
- - or site not listed -*see* Anomaly, by site
- ossicles, ear Q16.3
- oviduct Q50.6
- pancreas Q45.3
- parathyroid (gland) Q89.2
- pituitary (gland) Q89.2
- radius NEC Q68.8
- sacroiliac joint Q74.2
- sacrum Q76.49
- scapula Q74.0
- shoulder girdle Q74.0
- skull bone(s) NEC Q75.8
- - with
- - - anencephalus Q00.0
- - - encephalocele -*see* Encephalocele
- - - hydrocephalus Q03.9
- - - - with spina bifida -*see* Spina bifida, with hydrocephalus
- - - microcephaly Q02
- spinal cord Q06.8
- spine Q76.49
- - kyphosis -*see* Kyphosis, congenital

- - lordosis -*see* Lordosis, congenital
- spleen Q89.09
- sternum NEC Q76.7
- thorax (wall) Q67.8
- - bony Q76.8
- thymus (gland) Q89.2
- thyroid (gland) Q89.2
- tibia NEC Q68.8
- toe(s) Q66.9-
- tongue Q38.3
- trachea (cartilage) Q32.1
- ulna NEC Q68.8
- ureter Q62.8
- urethra Q64.79
- - causing obstruction Q64.39
- uterus Q51.9
- vagina Q52.4
- vertebra Q76.49
- - kyphosis -*see* Kyphosis, congenital
- - lordosis -*see* Lordosis, congenital
- visual -*see also* Disturbance, vision
- - shape and size H53.15
- vulva Q52.79
- wrist (bones) (joint) Q68.8

Distress
- abdomen -*see* Pain, abdominal
- acute respiratory R06.03
- - syndrome (adult) (child) J80
- epigastric R10.13
- fetal P84
- - complicating pregnancy -*see* Stress, fetal
- gastrointestinal (functional) K30
- - psychogenic F45.8
- intestinal (functional) NOS K59.9
- - psychogenic F45.8
- maternal, during labor and delivery O75.0
- relationship, with spouse or intimate partner Z63.0
- respiratory (adult) (child) R06.03
- - newborn P22.9
- - - specified NEC P22.8
- - orthopnea R06.01
- - psychogenic F45.8
- - shortness of breath R06.02
- - specified type NEC R06.09

Distribution vessel, atypical Q27.9
- coronary artery Q24.5
- precerebral Q28.1

Districhiasis L68.8

Disturbance(s) -*see also* Disease
- absorption K90.9
- - calcium E58
- - carbohydrate K90.49
- - fat K90.49
- - - pancreatic K90.3
- - protein K90.49
- - starch K90.49
- - vitamin -*see* Deficiency, vitamin
- acid-base equilibrium E87.8
- - mixed E87.4
- activity and attention (with hyperkinesis) -*see* Disorder, attention-deficit hyperactivity

- amino acid transport E72.00
- assimilation, food K90.9
- auditory nerve, except deafness -see subcategory H93.3
- behavior -*see* Disorder, conduct
- blood clotting (mechanism) -*see also* Defect, coagulation D68.9
- cerebral
- - nerve -*see* Disorder, nerve, cranial
- - status, newborn P91.9
- - - specified NEC P91.88
- circulatory I99.9
- conduct -*see also* Disorder, conduct F91.9
- - adjustment reaction -*see* Disorder, adjustment
- - compulsive F63.9
- - disruptive F91.9
- - hyperkinetic -*see* Disorder, attention-deficit hyperactivity
- - socialized F91.2
- - specified NEC F91.8
- - unsocialized F91.1
- coordination R27.8
- cranial nerve -*see* Disorder, nerve, cranial
- deep sensibility -*see* Disturbance, sensation
- digestive K30
- - psychogenic F45.8
- electrolyte -*see also* Imbalance, electrolyte
- - newborn, transitory P74.49
- - - hyperammonemia P74.6
- - - hyperchloremia P74.421
- - - hyperchloremic metabolic acidosis P74.421
- - - hypochloremia P74.422
- - - potassium balance
- - - - hyperkalemia P74.31
- - - - hypokalemia P74.32
- - - sodium balance
- - - - hypernatremia P74.21
- - - - hyponatremia P74.22
- - - specified type NEC P74.49
- emotions specific to childhood and adolescence F93.9
- - with
- - - anxiety and fearfulness NEC F93.8
- - - elective mutism F94.0
- - - oppositional disorder F91.3
- - - sensitivity (withdrawal) F40.10
- - - shyness F40.10
- - - social withdrawal F40.10
- - involving relationship problems F93.8
- - mixed F93.8
- - specified NEC F93.8
- endocrine (gland) E34.9
- - neonatal, transitory P72.9
- - - specified NEC P72.8
- equilibrium R42
- fructose metabolism E74.10
- gait -*see* Gait
- - hysterical F44.4
- - psychogenic F44.4
- gastrointestinal (functional) K30
- - psychogenic F45.8
- habit, child F98.9
- hearing, except deafness and tinnitus -*see* Abnormal, auditory perception
- heart, functional (conditions in I44-I50)

- - due to presence of (cardiac) prosthesis I97.19-
- - postoperative I97.89
- - - cardiac surgery -*see also* Infarct, myocardium, associated with revascularization procedure I97.19-
- hormones E34.9
- innervation uterus (parasympathetic) (sympathetic) N85.8
- keratinization NEC
- - gingiva K05.10
- - - nonplaque induced K05.11
- - - plaque induced K05.10
- - lip K13.0
- - oral (mucosa) (soft tissue) K13.29
- - tongue K13.29
- learning (specific) -*see* Disorder, learning
- memory -*see* Amnesia
- - mild, following organic brain damage F06.8
- mental F99
- - associated with diseases classified elsewhere F54
- metabolism E88.9
- - with
- - - abortion -*see* Abortion, by type with other specified complication
- - - ectopic pregnancy O08.5
- - - molar pregnancy O08.5
- - amino-acid E72.9
- - - aromatic E70.9
- - - branched-chain E71.2
- - - straight-chain E72.89
- - - sulfur-bearing E72.10
- - ammonia E72.20
- - arginine E72.21
- - arginosuccinic acid E72.22
- - carbohydrate E74.9
- - cholesterol E78.9
- - citrulline E72.23
- - cystathionine E72.19
- - general E88.9
- - glutamine E72.89
- - histidine E70.40
- - homocystine E72.19
- - hydroxylysine E72.3
- - in labor or delivery O75.89
- - iron E83.10
- - lipoid E78.9
- - lysine E72.3
- - methionine E72.19
- - neonatal, transitory P74.9
- - - calcium and magnesium P71.9
- - - - specified type NEC P71.8
- - - carbohydrate metabolism P70.9
- - - - specified type NEC P70.8
- - - specified NEC P74.8
- - ornithine E72.4
- - phosphate E83.39
- - sodium NEC E87.8
- - threonine E72.89
- - tryptophan E70.5
- - tyrosine E70.20
- - urea cycle E72.20
- motor R29.2
- nervous, functional R45.0
- neuromuscular mechanism (eye), due to syphilis A52.15

- nutritional E63.9
- - nail L60.3
- ocular motion H51.9
- - psychogenic F45.8
- oculogyric H51.8
- - psychogenic F45.8
- oculomotor H51.9
- - psychogenic F45.8
- olfactory nerve R43.1
- optic nerve NEC *-see* Disorder, nerve, optic
- oral epithelium, including tongue NEC K13.29
- perceptual due to
- - alcohol withdrawal F10.232
- - amphetamine intoxication F15.922
- - - in
- - - - abuse F15.122
- - - - dependence F15.222
- - anxiolytic withdrawal F13.232
- - cannabis intoxication (acute) F12.922
- - - in
- - - - abuse F12.122
- - - - dependence F12.222
- - cocaine intoxication (acute) F14.922
- - - in
- - - - abuse F14.122
- - - - dependence F14.222
- - hypnotic withdrawal F13.232
- - opioid intoxication (acute) F11.922
- - - in
- - - - abuse F11.122
- - - - dependence F11.222
- - phencyclidine intoxication (acute) F16.122
- - sedative withdrawal F13.232
- personality (pattern) (trait) *-see also* Disorder, personality F60.9
- - following organic brain damage F07.9
- polyglandular E31.9
- - specified NEC E31.8
- potassium balance, newborn
- - hyperkalemia P74.31
- - hypokalemia P74.32
- psychogenic F45.9
- psychomotor F44.4
- psychophysical visual H53.16
- pupillary *-see* Anomaly, pupil, function
- reflex R29.2
- rhythm, heart I49.9
- salivary secretion K11.7
- sensation (cold) (heat) (localization) (tactile discrimination) (texture) (vibratory) NEC R20.9
- - hysterical F44.6
- - skin R20.9
- - - anesthesia R20.0
- - - hyperesthesia R20.3
- - - hypoesthesia R20.1
- - - paresthesia R20.2
- - - specified type NEC R20.8
- - smell R43.9
- - - and taste (mixed) R43.8
- - - anosmia R43.0
- - - parosmia R43.1
- - - specified NEC R43.8

- - taste R43.9
- - - and smell (mixed) R43.8
- - - parageusia R43.2
- - - specified NEC R43.8
- sensory -*see* Disturbance, sensation
- situational (transient) -*see also* Disorder, adjustment
- - acute F43.0
- sleep G47.9
- - nonorganic origin F51.9
- smell -*see* Disturbance, sensation, smell
- sociopathic F60.2
- sodium balance, newborn
- - hypernatremia P74.21
- - hyponatremia P74.22
- speech R47.9
- - developmental F80.9
- - specified NEC R47.89
- stomach (functional) K31.9
- sympathetic (nerve) G90.9
- taste -*see* Disturbance, sensation, taste
- temperature
- - regulation, newborn P81.9
- - - specified NEC P81.8
- - sense R20.8
- - - hysterical F44.6
- tooth
- - eruption K00.6
- - formation K00.4
- - structure, hereditary NEC K00.5
- touch -*see* Disturbance, sensation
- vascular I99.9
- - arteriosclerotic -*see* Arteriosclerosis
- vasomotor I73.9
- vasospastic I73.9
- vision, visual H53.9
- - following
- - - cerebral infarction I69.398
- - - cerebrovascular disease I69.998
- - - - specified NEC I69.898
- - - intracerebral hemorrhage I69.198
- - - nontraumatic intracranial hemorrhage NEC I69.298
- - - specified disease NEC I69.898
- - - subarachnoid hemorrhage I69.098
- - psychophysical H53.16
- - specified NEC H53.8
- - subjective H53.10
- - - day blindness H53.11
- - - discomfort H53.14-
- - - distortions of shape and size H53.15
- - - loss
- - - - sudden H53.13-
- - - - transient H53.12-
- - - specified type NEC H53.19
- voice R49.9
- - psychogenic F44.4
- - specified NEC R49.8

Diuresis R35.89

Diver's palsy, paralysis or squeeze T70.3

Diverticulitis (acute) K57.92
- bladder -*see* Cystitis

- ileum -*see* Diverticulitis, intestine, small
- intestine K57.92
- - with
- - - abscess, perforation K57.80
- - - - with bleeding K57.81
- - - bleeding K57.93
- - congenital Q43.8
- - large K57.32
- - - with
- - - - abscess, perforation K57.20
- - - - - with bleeding K57.21
- - - - bleeding K57.33
- - - - small intestine K57.52
- - - - - with
- - - - - - abscess, perforation K57.40
- - - - - - - with bleeding K57.41
- - - - - - bleeding K57.53
- - small K57.12
- - - with
- - - - abscess, perforation K57.00
- - - - - with bleeding K57.01
- - - - bleeding K57.13
- - - - large intestine K57.52
- - - - - with
- - - - - - abscess, perforation K57.40
- - - - - - - with bleeding K57.41
- - - - - - bleeding K57.53

Diverticulosis K57.90
- with bleeding K57.91
- large intestine K57.30
- - with
- - - bleeding K57.31
- - - small intestine K57.50
- - - - with bleeding K57.51
- small intestine K57.10
- - with
- - - bleeding K57.11
- - - large intestine K57.50
- - - - with bleeding K57.51

Diverticulum, diverticula (multiple) K57.90
- appendix (noninflammatory) K38.2
- bladder (sphincter) N32.3
- - congenital Q64.6
- bronchus (congenital) Q32.4
- - acquired J98.09
- calyx, calyceal (kidney) N28.89
- cardia (stomach) K31.4
- cecum -*see* Diverticulosis, intestine, large
- - congenital Q43.8
- colon -*see* Diverticulosis, intestine, large
- - congenital Q43.8
- duodenum -*see* Diverticulosis, intestine, small
- - congenital Q43.8
- epiphrenic (esophagus) K22.5
- esophagus (congenital) Q39.6
- - acquired (epiphrenic) (pulsion) (traction) K22.5
- eustachian tube -*see* Disorder, eustachian tube, specified NEC
- fallopian tube N83.8
- gastric K31.4
- heart (congenital) Q24.8

- ileum -*see* Diverticulosis, intestine, small
- jejunum -*see* Diverticulosis, intestine, small
- kidney (pelvis) (calyces) N28.89
- - with calculus -*see* Calculus, kidney
- Meckel's (displaced) (hypertrophic) Q43.0
- - malignant -*see* Table of Neoplasms, small intestine, malignant
- midthoracic K22.5
- organ or site, congenital NEC -*see* Distortion
- pericardium (congenital) (cyst) Q24.8
- - acquired I31.8
- pharyngoesophageal (congenital) Q39.6
- - acquired K22.5
- pharynx (congenital) Q38.7
- rectosigmoid -*see* Diverticulosis, intestine, large
- - congenital Q43.8
- rectum -*see* Diverticulosis, intestine, large
- Rokitansky's K22.5
- seminal vesicle N50.89
- sigmoid -*see* Diverticulosis, intestine, large
- - congenital Q43.8
- stomach (acquired) K31.4
- - congenital Q40.2
- trachea (acquired) J39.8
- ureter (acquired) N28.89
- - congenital Q62.8
- ureterovesical orifice N28.89
- urethra (acquired) N36.1
- - congenital Q64.79
- ventricle, left (congenital) Q24.8
- vesical N32.3
- - congenital Q64.6
- Zenker's (esophagus) K22.5

Division
- cervix uteri (acquired) N88.8
- glans penis Q55.69
- labia minora (congenital) Q52.79
- ligament (partial or complete) (current) -*see also* Sprain
- - with open wound -*see* Wound, open
- muscle (partial or complete) (current) -*see also* Injury, muscle
- - with open wound -*see* Wound, open
- nerve (traumatic) -*see* Injury, nerve
- spinal cord -*see* Injury, spinal cord, by region
- vein I87.8

Divorce, causing family disruption Z63.5
Dix-Hallpike neurolabyrinthitis -*see* Neuronitis, vestibular
Dizziness R42
- hysterical F44.89
- psychogenic F45.8

DMAC (disseminated mycobacterium avium- intracellulare complex) A31.2
DNR (do not resuscitate) Z66
Doan-Wiseman syndrome (primary splenic neutropenia) -*see* Agranulocytosis
Doehle-Heller aortitis A52.02
Dog bite -*see* Bite
Dohle body panmyelopathic syndrome D72.0
Dolichocephaly Q67.2
- non-deformational Q75.01

Dolichocolon Q43.8
Dolichostenomelia -*see* Syndrome, Marfan
Donohue's syndrome E34.8
Donor (organ or tissue) Z52.9

- blood (whole) Z52.000
- - autologous Z52.010
- - specified component (lymphocytes) (platelets) NEC Z52.008
- - - autologous Z52.018
- - - specified donor NEC Z52.098
- - specified donor NEC Z52.090
- - stem cells Z52.001
- - - autologous Z52.011
- - - specified donor NEC Z52.091
- bone Z52.20
- - autologous Z52.21
- - marrow Z52.3
- - specified type NEC Z52.29
- cornea Z52.5
- egg (Oocyte) Z52.819
- - age 35 and over Z52.812
- - - anonymous recipient Z52.812
- - - designated recipient Z52.813
- - under age 35 Z52.810
- - - anonymous recipient Z52.810
- - - designated recipient Z52.811
- kidney Z52.4
- liver Z52.6
- lung Z52.89
- lymphocyte *-see* Donor, blood, specified components NEC
- Oocyte *-see* Donor, egg
- platelets Z52.008
- potential, examination of Z00.5
- semen Z52.89
- skin Z52.10
- - autologous Z52.11
- - specified type NEC Z52.19
- specified organ or tissue NEC Z52.89
- sperm Z52.89

Donovanosis A58

Dorsalgia M54.9
- psychogenic F45.41
- specified NEC M54.89

Dorsopathy M53.9
- deforming M43.9
- - specified NEC -see subcategory M43.8
- specified NEC M53.80
- - cervical region M53.82
- - cervicothoracic region M53.83
- - lumbar region M53.86
- - lumbosacral region M53.87
- - occipito-atlanto-axial region M53.81
- - sacrococcygeal region M53.88
- - thoracic region M53.84
- - thoracolumbar region M53.85

Double
- albumin E88.09
- aortic arch Q25.45
- auditory canal Q17.8
- auricle (heart) Q20.8
- bladder Q64.79
- cervix Q51.820
- - with doubling of uterus (and vagina) Q51.10
- - - with obstruction Q51.11
- inlet ventricle Q20.4

- kidney with double pelvis (renal) Q63.0
- meatus urinarius Q64.75
- monster Q89.4
- outlet
- - left ventricle Q20.2
- - right ventricle Q20.1
- pelvis (renal) with double ureter Q62.5
- tongue Q38.3
- ureter (one or both sides) Q62.5
- - with double pelvis (renal) Q62.5
- urethra Q64.74
- urinary meatus Q64.75
- uterus Q51.28
- - with
- - - doubling of cervix (and vagina) Q51.10
- - - - with obstruction Q51.11
- - complete Q51.21
- - in pregnancy or childbirth O34.0-
- - - causing obstructed labor O65.5
- - partial Q51.22
- - specified NEC Q51.28
- vagina Q52.10
- - with doubling of uterus (and cervix) Q51.10
- - - with obstruction Q51.11
- vision H53.2
- vulva Q52.79

Doubled up Z59.01

Douglas' pouch, cul-de-sac -*see* condition

Down syndrome Q90.9
- meiotic nondisjunction Q90.0
- mitotic nondisjunction Q90.1
- mosaicism Q90.1
- translocation Q90.2

DPD (dihydropyrimidine dehydrogenase deficiency) E88.89

Dracontiasis B72

Dracunculiasis, dracunculosis B72

Dream state, hysterical F44.89

Dreschlera (hawaiiensis) (infection) B43.8

Drepanocytic anemia -*see* Disease, sickle-cell

Dresbach's syndrome (elliptocytosis) D58.1

Dressler's syndrome I24.1

Drift, ulnar -*see* Deformity, limb, specified type NEC, forearm

Drinking (alcohol)
- excessive, to excess NEC (without dependence) F10.10
- - habitual (continual) (without remission) F10.20
- - - with remission F10.21

Drip, postnasal (chronic) R09.82
- due to
- - allergic rhinitis -*see* Rhinitis, allergic
- - common cold J00
- - gastroesophageal reflux -*see* Reflux, gastroesophageal
- - nasopharyngitis -*see* Nasopharyngitis
- - other know condition - code to condition
- - sinusitis -*see* Sinusitis

Droop
- facial R29.810
- - cerebrovascular disease I69.992
- - - cerebral infarction I69.392
- - - intracerebral hemorrhage I69.192
- - - nontraumatic intracranial hemorrhage NEC I69.292

- - - specified disease NEC I69.892
- - - subarachnoid hemorrhage I69.092
Drop (in)
- attack NEC R55
- finger *-see* Deformity, finger
- foot *-see* Deformity, limb, foot, drop
- hematocrit (precipitous) R71.0
- hemoglobin R71.0
- toe *-see* Deformity, toe, specified NEC
- wrist *-see* Deformity, limb, wrist drop
Dropped heart beats I45.9
Dropsy, dropsical *-see also* Hydrops
- abdomen R18.8
- brain *-see* Hydrocephalus
- cardiac, heart *-see* Failure, heart, congestive
- gangrenous *-see* Gangrene
- heart *-see* Failure, heart, congestive
- kidney *-see* Nephrosis
- lung *-see* Edema, lung
- newborn due to isoimmunization P56.0
- pericardium *-see* Pericarditis
Drowned, drowning (near) T75.1
Drowsiness R40.0
Drug
- abuse counseling and surveillance Z71.51
- addiction *-see* Dependence
- dependence *-see* Dependence
- habit *-see* Dependence
- harmful use *-see* Abuse, drug
- induced fever R50.2
- overdose *-see* Table of Drugs and Chemicals, by drug, poisoning
- poisoning *-see* Table of Drugs and Chemicals, by drug, poisoning
- resistant organism infection *-see also* Resistant, organism, to, drug Z16.30
- therapy
- - long term (current) (prophylactic) *-see* Therapy, drug long-term (current) (prophylactic)
- - short term - omit code
- wrong substance given or taken in error *-see* Table of Drugs and Chemicals, by drug, poisoning
Drunkenness (without dependence) F10.129
- acute in alcoholism F10.229
- chronic (without remission) F10.20
- - with remission F10.21
- pathological (without dependence) F10.129
- - with dependence F10.229
- sleep F51.9
Drusen
- macula (degenerative) (retina) *-see* Degeneration, macula, drusen
- optic disc H47.32-
Dry, dryness *-see also* condition
- larynx J38.7
- mouth R68.2
- - due to dehydration E86.0
- nose J34.89
- socket (teeth) M27.3
- throat J39.2
DSAP L56.5
Duane's syndrome H50.81-
Dubin-Johnson disease or syndrome E80.6
Dubois' disease (thymus gland) A50.59 *[E35]*
Dubowitz' syndrome Q87.19
Duchenne-Aran muscular atrophy G12.21

Duchenne-Griesinger disease G71.01
Duchenne's
- disease or syndrome
- - motor neuron disease G12.22
- - muscular dystrophy G71.01
- locomotor ataxia (syphilitic) A52.11
- paralysis
- - birth injury P14.0
- - due to or associated with
- - - motor neuron disease G12.22
- - - muscular dystrophy G71.01
Ducreyi chancre A57
Ducrey's chancre A57
Duct, ductus -*see* condition
Duffy phenotype -*see* Phenotype, Duffy
Duhring's disease (dermatitis herpetiformis) L13.0
Dullness, cardiac (decreased) (increased) R01.2
Dumb ague -*see* Malaria
Dumbness -*see* Aphasia
Dumdum fever B55.0
Dumping syndrome (postgastrectomy) K91.1
Duodenitis (nonspecific) (peptic) K29.80
- with bleeding K29.81
- erosive -*see* Ulcer, duodenum
Duodenocholangitis -*see* Cholangitis
Duodenum, duodenal -*see* condition
Duplay's bursitis or periarthritis M75.0
Duplication, duplex -*see also* Accessory
- alimentary tract Q45.8
- anus Q43.4
- appendix (and cecum) Q43.4
- biliary duct (any) Q44.5
- bladder Q64.79
- cecum (and appendix) Q43.4
- cervix Q51.820
- chromosome NEC -*see also* Trisomy
- - with complex rearrangements NEC Q92.5
- - seen only at prometaphase Q92.8
- cystic duct Q44.5
- digestive organs Q45.8
- esophagus Q39.8
- frontonasal process Q75.8
- intestine (large) (small) Q43.4
- kidney Q63.0
- liver Q44.79
- pancreas Q45.3
- penis Q55.69
- respiratory organs NEC Q34.8
- salivary duct Q38.4
- spinal cord (incomplete) Q06.2
- stomach Q40.2
Dupré's disease (meningism) R29.1
Dupuytren's contraction or disease M72.0
Durand-Nicolas-Favre disease A55
Durotomy (inadvertent) (incidental) G97.41
Duroziez's disease (congenital mitral stenosis) Q23.2
Dutton's relapsing fever (West African) A68.1
Dwarfism -*see also* Short, stature E34.328
- achondroplastic Q77.4
- congenital -*see also* Short, stature E34.328

- constitutional E34.31
- hypochondroplastic Q77.4
- hypophyseal E23.0
- infantile *-see also* Short, stature E34.328
- Laron-type *-see also* Short, stature E34.321
- Lorain (-Levi) type E23.0
- metatropic Q77.8
- nephrotic-glycosuric (with hypophosphatemic rickets) E72.09
- nutritional E45
- pancreatic K86.89
- pituitary E23.0
- renal N25.0
- thanatophoric Q77.1

Dyke-Young anemia (secondary) (symptomatic) D59.19
Dysacusis *-see* Abnormal, auditory perception
Dysadrenocortism E27.9
- hyperfunction E27.0

Dysarthria R47.1
- following
- - cerebral infarction I69.322
- - cerebrovascular disease I69.922
- - - specified disease NEC I69.822
- - intracerebral hemorrhage I69.122
- - nontraumatic intracranial hemorrhage NEC I69.222
- - subarachnoid hemorrhage I69.022

Dysautonomia (familial) G90.1
Dysbarism T70.3
Dysbasia R26.2
- angiosclerotica intermittens I73.9
- hysterical F44.4
- lordotica (progressiva) G24.1
- nonorganic origin F44.4
- psychogenic F44.4

Dysbetalipoproteinemia (familial) E78.2
Dyscalculia R48.8
- developmental F81.2

Dyschezia K59.00
Dyschondroplasia (with hemangiomata) Q78.4
Dyschromia (skin) L81.9
Dyscollagenosis M35.9
Dyscranio-pygo-phalangy Q87.0
Dyscrasia
- blood (with) D75.9
- - antepartum hemorrhage *-see* Hemorrhage, antepartum, with coagulation defect
- - newborn P61.9
- - - specified type NEC P61.8
- - intrapartum hemorrhage O67.0
- - puerperal, postpartum O72.3
- polyglandular, pluriglandular E31.9

Dysendocrinism E34.9
Dysentery, dysenteric (catarrhal) (diarrhea) (epidemic) (hemorrhagic) (infectious) (sporadic) (tropical) A09
- abscess, liver A06.4
- amebic *-see also* Amebiasis A06.0
- - with abscess *-see* Abscess, amebic
- - acute A06.0
- - chronic A06.1
- arthritis *-see also* category M01 A09
- - bacillary *-see also* category M01 A03.9
- bacillary A03.9
- - arthritis *-see also* category M01 A03.9

- - Boyd A03.2
- - Flexner A03.1
- - Schmitz (-Stutzer) A03.0
- - Shiga (-Kruse) A03.0
- - Shigella A03.9
- - - boydii A03.2
- - - dysenteriae A03.0
- - - flexneri A03.1
- - - group A A03.0
- - - group B A03.1
- - - group C A03.2
- - - group D A03.3
- - - sonnei A03.3
- - - specified type NEC A03.8
- - Sonne A03.3
- - specified type NEC A03.8
- balantidial A07.0
- Balantidium coli A07.0
- Boyd's A03.2
- candidal B37.82
- Chilomastix A07.8
- Chinese A03.9
- coccidial A07.3
- Dientamoeba (fragilis) A07.8
- Embadomonas A07.8
- Entamoeba, entamebic -*see* Dysentery, amebic
- Flexner-Boyd A03.2
- Flexner's A03.1
- Giardia lamblia A07.1
- Hiss-Russell A03.1
- Lamblia A07.1
- leishmanial B55.0
- malarial -*see* Malaria
- metazoal B82.0
- monilial B37.82
- protozoal A07.9
- Salmonella A02.0
- schistosomal B65.1
- Schmitz (-Stutzer) A03.0
- Shiga (-Kruse) A03.0
- Shigella NOS -*see* Dysentery, bacillary
- Sonne A03.3
- strongyloidiasis B78.0
- trichomonal A07.8
- viral -*see also* Enteritis, viral A08.4

Dysequilibrium R42

Dysesthesia R20.8
- hysterical F44.6

Dysferlinopathy G71.033

Dysfibrinogenemia (congenital) D68.2

Dysfunction
- adrenal E27.9
- - hyperfunction E27.0
- autonomic
- - due to alcohol G31.2
- - somatoform F45.8
- bladder N31.9
- - neurogenic NOS -*see* Dysfunction, bladder, neuromuscular
- - neuromuscular NOS N31.9
- - - atonic (motor) (sensory) N31.2

- - - autonomous N31.2
- - - flaccid N31.2
- - - nonreflex N31.2
- - - reflex N31.1
- - - specified NEC N31.8
- - - uninhibited N31.0
- bleeding, uterus N93.8
- cerebral G93.89
- chronic
- - coronary microvascular I25.85
- - lung allograft J4A.9
- - - mixed J4A.0
- - - specified NEC J4A.8
- colon K59.9
- - psychogenic F45.8
- colostomy K94.03
- coronary microvascular I25.85
- - with
- - - angina pectoris I20.81
- - - myocardial infarction I21.B
- - acute I24.81
- - chronic I25.85
- cystic duct K82.8
- cystostomy (stoma) -*see* Complications, cystostomy
- ejaculatory N53.19
- - anejaculatory orgasm N53.13
- - painful N53.12
- - premature F52.4
- - retarded N53.11
- endocrine NOS E34.9
- endometrium N85.8
- enterostomy K94.13
- erectile -*see* Dysfunction, sexual, male, erectile
- feeding, pediatric
- - acute R63.31
- - chronic R63.32
- gallbladder K82.8
- gastrostomy (stoma) K94.23
- gland, glandular NOS E34.9
- - meibomian, of eyelid -*see* Dysfunction, meibomian gland
- heart I51.89
- hemoglobin D75.89
- hepatic K76.89
- hypophysis E23.7
- hypothalamic NEC E23.3
- ileostomy (stoma) K94.13
- jejunostomy (stoma) K94.13
- kidney -*see* Disease, renal
- labyrinthine -see subcategory H83.2
- left ventricular, following sudden emotional stress I51.81
- liver K76.89
- male -*see* Dysfunction, sexual, male
- meibomian gland, of eyelid H02.889
- - left H02.886
- - - lower H02.885
- - - upper H02.884
- - - upper and lower eyelids H02.88B
- - right H02.883
- - - lower H02.882
- - - upper H02.881

- - - upper and lower eyelids H02.88A
- multifidus muscles, lumbar region M62.85
- orgasmic (female) F52.31
- - male F52.32
- ovary E28.9
- - specified NEC E28.8
- papillary muscle I51.89
- parathyroid E21.4
- physiological NEC R68.89
- - psychogenic F59
- pineal gland E34.8
- pituitary (gland) E23.3
- platelets D69.1
- polyglandular E31.9
- - specified NEC E31.8
- psychophysiologic F59
- psychosexual F52.9
- - with
- - - dyspareunia F52.6
- - - premature ejaculation F52.4
- - - vaginismus F52.5
- pylorus K31.9
- rectum K59.9
- - psychogenic F45.8
- reflex (sympathetic) -*see* Syndrome, pain, complex regional I
- segmental -*see* Dysfunction, somatic
- senile R54
- sexual (due to) R37
- - alcohol F10.981
- - amphetamine F15.981
- - - in
- - - - abuse F15.181
- - - - dependence F15.281
- - anxiolytic F13.981
- - - in
- - - - abuse F13.181
- - - - dependence F13.281
- - cocaine F14.981
- - - in
- - - - abuse F14.181
- - - - dependence F14.281
- - excessive sexual drive F52.8
- - failure of genital response (male) F52.21
- - - female F52.22
- - female N94.9
- - - aversion F52.1
- - - dyspareunia N94.10
- - - - psychogenic F52.6
- - - frigidity F52.22
- - - nymphomania F52.8
- - - orgasmic F52.31
- - - psychogenic F52.9
- - - - aversion F52.1
- - - - dyspareunia F52.6
- - - - frigidity F52.22
- - - - nymphomania F52.8
- - - - orgasmic F52.31
- - - - vaginismus F52.5
- - - vaginismus N94.2
- - - - psychogenic F52.5

- - hypnotic F13.981
- - - in
- - - - abuse F13.181
- - - - dependence F13.281
- - inhibited orgasm (female) F52.31
- - - male F52.32
- - lack
- - - of sexual enjoyment F52.1
- - - or loss of sexual desire F52.0
- - male N53.9
- - - anejaculatory orgasm N53.13
- - - ejaculatory N53.19
- - - - painful N53.12
- - - - premature F52.4
- - - - retarded N53.11
- - - erectile N52.9
- - - - drug induced N52.2
- - - - due to
- - - - - disease classified elsewhere N52.1
- - - - - drug N52.2
- - - - postoperative (postprocedural) N52.39
- - - - - following
- - - - - - cryotherapy N52.37
- - - - - - interstitial seed therapy N52.36
- - - - - - prostate ablative therapy N52.37
- - - - - - prostatectomy N52.34
- - - - - - - radical N52.31
- - - - - - radiation therapy N52.35
- - - - - - radical cystectomy N52.32
- - - - - - ultrasound ablative therapy N52.37
- - - - - - urethral surgery N52.33
- - - - psychogenic F52.21
- - - - specified cause NEC N52.8
- - - - vasculogenic
- - - - - arterial insufficiency N52.01
- - - - - - with corporo-venous occlusive N52.03
- - - - - corporo-venous occlusive N52.02
- - - - - - with arterial insufficiency N52.03
- - - impotence -*see* Dysfunction, sexual, male, erectile
- - - psychogenic F52.9
- - - - aversion F52.1
- - - - erectile F52.21
- - - - orgasmic F52.32
- - - - premature ejaculation F52.4
- - - - satyriasis F52.8
- - - - specified type NEC F52.8
- - - specified type NEC N53.8
- - nonorganic F52.9
- - - specified NEC F52.8
- - opioid F11.981
- - - in
- - - - abuse F11.181
- - - - dependence F11.281
- - orgasmic dysfunction (female) F52.31
- - - male F52.32
- - premature ejaculation F52.4
- - psychoactive substances NEC F19.981
- - - in
- - - - abuse F19.181
- - - - dependence F19.281

- - psychogenic F52.9
- - sedative F13.981
- - - in
- - - - abuse F13.181
- - - - dependence F13.281
- - sexual aversion F52.1
- - vaginismus (nonorganic) (psychogenic) F52.5
- sinoatrial node I49.5
- somatic M99.09
- - abdomen M99.09
- - acromioclavicular M99.07
- - cervical region M99.01
- - cervicothoracic M99.01
- - costochondral M99.08
- - costovertebral M99.08
- - head region M99.00
- - hip M99.05
- - lower extremity M99.06
- - lumbar region M99.03
- - lumbosacral M99.03
- - occipitocervical M99.00
- - pelvic region M99.05
- - pubic M99.05
- - rib cage M99.08
- - sacral region M99.04
- - sacrococcygeal M99.04
- - sacroiliac M99.04
- - specified NEC M99.09
- - sternochondral M99.08
- - sternoclavicular M99.07
- - thoracic region M99.02
- - thoracolumbar M99.02
- - upper extremity M99.07
- somatoform autonomic F45.8
- stomach K31.89
- - psychogenic F45.8
- suprarenal E27.9
- - hyperfunction E27.0
- symbolic R48.9
- - specified type NEC R48.8
- temporomandibular (joint) M26.69
- - joint-pain syndrome M26.62-
- testicular (endocrine) E29.9
- - specified NEC E29.8
- thymus E32.9
- thyroid E07.9
- ureterostomy (stoma) -*see* Complications, stoma, urinary tract
- urethrostomy (stoma) -*see* Complications, stoma, urinary tract
- uterus, complicating delivery O62.9
- - hypertonic O62.4
- - hypotonic O62.2
- - - primary O62.0
- - - secondary O62.1
- ventricular I51.9
- - with congestive heart failure -*see also* Failure, heart I50.9
- - left, reversible, following sudden emotional stress I51.81

Dysgenesis

- gonadal (due to chromosomal anomaly) Q96.9
- - pure Q99.1
- renal Q60.5

- - bilateral Q60.4
- - unilateral Q60.3
- reticular D72.0
- tidal platelet D69.3

Dysgerminoma
- specified site -*see* Neoplasm, malignant, by site
- unspecified site
- - female C56.9
- - male C62.90

Dysgeusia R43.2

Dysgraphia R27.8

Dyshidrosis, dysidrosis L30.1

Dyskaryotic cervical smear R87.619

Dyskeratosis L85.8
- cervix -*see* Dysplasia, cervix
- congenital Q82.8
- uterus NEC N85.8

Dyskinesia G24.9
- biliary (cystic duct or gallbladder) K82.8
- drug induced
- - orofacial G24.01
- esophagus K22.4
- hysterical F44.4
- intestinal K59.89
- nonorganic origin F44.4
- orofacial (idiopathic) G24.4
- - drug induced G24.01
- psychogenic F44.4
- subacute, drug induced G24.01
- tardive G24.01
- - neuroleptic induced G24.01
- trachea J39.8
- tracheobronchial J98.09

Dyslalia (developmental) F80.0

Dyslexia R48.0
- developmental F81.0

Dyslipidemia E78.5
- depressed HDL cholesterol E78.6
- elevated fasting triglycerides E78.1

Dysmaturity -*see also* Light for dates
- pulmonary (newborn) (Wilson-Mikity) P27.0

Dysmenorrhea (essential) (exfoliative) N94.6
- congestive (syndrome) N94.6
- primary N94.4
- psychogenic F45.8
- secondary N94.5

Dysmetabolic syndrome X E88.810

Dysmetria R27.8

Dysmorphia
- muscle F45.22

Dysmorphism (due to)
- alcohol Q86.0
- exogenous cause NEC Q86.8
- hydantoin Q86.1
- warfarin Q86.2

Dysmorphophobia (nondelusional) F45.22
- delusional F22

Dysnomia R47.01

Dysorexia R63.0
- psychogenic F50.89

Dysostosis
- cleidocranial, cleidocranialis Q74.0
- craniofacial Q75.1
- Fairbank's (idiopathic familial generalized osteophytosis) Q78.9
- mandibulofacial (incomplete) Q75.4
- multiplex E76.01
- oculomandibular Q75.5

Dyspareunia (female) N94.10
- deep N94.12
- male N53.12
- nonorganic F52.6
- psychogenic F52.6
- secondary N94.19
- specified NEC N94.19
- superficial (introital) N94.11

Dyspepsia R10.13
- atonic K30
- functional (allergic) (congenital) (gastrointestinal) (occupational) (reflex) K30
- intestinal K59.89
- nervous F45.8
- neurotic F45.8
- psychogenic F45.8

Dysphagia R13.10
- cervical R13.19
- following
- - cerebral infarction I69.391
- - cerebrovascular disease I69.991
- - - specified NEC I69.891
- - intracerebral hemorrhage I69.191
- - nontraumatic intracranial hemorrhage NEC I69.291
- - specified disease NEC I69.891
- - subarachnoid hemorrhage I69.091
- functional (hysterical) F45.8
- hysterical F45.8
- nervous (hysterical) F45.8
- neurogenic R13.19
- oral phase R13.11
- oropharyngeal phase R13.12
- pharyngeal phase R13.13
- pharyngoesophageal phase R13.14
- psychogenic F45.8
- sideropenic D50.1
- spastica K22.4
- specified NEC R13.19

Dysphagocytosis, congenital D71

Dysphasia R47.02
- developmental
- - expressive type F80.1
- - receptive type F80.2
- following
- - cerebrovascular disease I69.921
- - - cerebral infarction I69.321
- - - intracerebral hemorrhage I69.121
- - - nontraumatic intracranial hemorrhage NEC I69.221
- - - specified disease NEC I69.821
- - - subarachnoid hemorrhage I69.021

Dysphonia R49.0
- functional F44.4
- hysterical F44.4
- psychogenic F44.4

- spastica J38.3
Dysphoria
- gender F64.9
- - in
- - - adolescence and adulthood F64.0
- - - children F64.2
- - specified NEC F64.8
- postpartal O90.6
Dyspituitarism E23.3
Dysplasia -*see also* Anomaly
- acetabular, congenital Q65.89
- alveolar capillary, with vein misalignment J84.843
- anus (histologically confirmed) (mild) (moderate) K62.82
- - severe D01.3
- arrhythmogenic right ventricular I42.8
- arterial, fibromuscular I77.3
- asphyxiating thoracic (congenital) Q77.2
- brain Q07.9
- bronchopulmonary, perinatal P27.1
- cervix (uteri) N87.9
- - mild N87.0
- - moderate N87.1
- - severe D06.9
- chondroectodermal Q77.6
- colon D12.6
- craniometaphyseal Q78.8
- dentinal K00.5
- diaphyseal, progressive Q78.3
- dystrophic Q77.5
- ectodermal (anhidrotic) (congenital) (hereditary) Q82.4
- - hydrotic Q82.8
- epithelial, uterine cervix -*see* Dysplasia, cervix
- eye (congenital) Q11.2
- fibrous
- - bone NEC (monostotic) M85.00
- - - ankle M85.07-
- - - foot M85.07-
- - - forearm M85.03-
- - - hand M85.04-
- - - lower leg M85.06-
- - - multiple site M85.09
- - - neck M85.08
- - - rib M85.08
- - - shoulder M85.01-
- - - skull M85.08
- - - specified site NEC M85.08
- - - thigh M85.05-
- - - toe M85.07-
- - - upper arm M85.02-
- - - vertebra M85.08
- - diaphyseal, progressive Q78.3
- - jaw M27.8
- - polyostotic Q78.1
- florid osseous -*see also* Cyst, calcifying odontogenic
- high grade, focal D12.6
- hip, congenital Q65.89
- joint, congenital Q74.8
- kidney Q61.4
- - multicystic Q61.4
- leg Q74.2

- lung, congenital (not associated with short gestation) Q33.6
- mammary (gland) (benign) N60.9-
- - cyst (solitary) -*see* Cyst, breast
- - cystic -*see* Mastopathy, cystic
- - duct ectasia -*see* Ectasia, mammary duct
- - fibroadenosis -*see* Fibroadenosis, breast
- - fibrosclerosis -*see* Fibrosclerosis, breast
- - specified type NEC N60.8-
- metaphyseal Q78.5
- muscle Q79.8
- oculodentodigital Q87.0
- periapical (cemental) (cemento-osseous) -*see* Cyst, calcifying odontogenic
- periosteum -*see* Disorder, bone, specified type NEC
- polyostotic fibrous Q78.1
- prostate -*see also* Neoplasia, intraepithelial, prostate N42.30
- - severe D07.5
- - specified NEC N42.39
- renal Q61.4
- - multicystic Q61.4
- retinal, congenital Q14.1
- right ventricular, arrhythmogenic I42.8
- septo-optic Q04.4
- skin L98.8
- spinal cord Q06.1
- spondyloepiphyseal Q77.7
- thymic, with immunodeficiency D82.1
- vagina N89.3
- - mild N89.0
- - moderate N89.1
- - severe NEC D07.2
- vulva N90.3
- - mild N90.0
- - moderate N90.1
- - severe NEC D07.1

Dysplasminogenemia E88.02

Dyspnea (nocturnal) (paroxysmal) R06.00
- asthmatic (bronchial) J45.909
- - with
- - - exacerbation (acute) J45.901
- - - bronchitis J45.909
- - - - with
- - - - - exacerbation (acute) J45.901
- - - - - status asthmaticus J45.902
- - - - chronic J44.89
- - - status asthmaticus J45.902
- - cardiac -*see* Failure, ventricular, left
- cardiac -*see* Failure, ventricular, left
- functional F45.8
- hyperventilation R06.4
- hysterical F45.8
- newborn P28.89
- orthopnea R06.01
- psychogenic F45.8
- shortness of breath R06.02
- specified type NEC R06.09
- transfusion-associated [TAD] J95.87

Dyspraxia R27.8
- developmental (syndrome) F82

Dysproteinemia E88.09

Dysreflexia, autonomic G90.4

Dysrhythmia
- cardiac I49.9
- - newborn
- - - bradycardia P29.12
- - - occurring before birth P03.819
- - - - before onset of labor P03.810
- - - - during labor P03.811
- - - tachycardia P29.11
- - postoperative I97.89
- cerebral or cortical -*see* Epilepsy
Dyssomnia -*see* Disorder, sleep
Dyssynergia
- biliary K83.8
- bladder sphincter N36.44
- cerebellaris myoclonica (Hunt's ataxia) G11.19
Dysthymia F34.1
Dysthyroidism E07.9
Dystocia O66.9
- affecting newborn P03.1
- cervical (hypotonic) O62.2
- - affecting newborn P03.6
- - primary O62.0
- - secondary O62.1
- contraction ring O62.4
- fetal O66.9
- - abnormality NEC O66.3
- - conjoined twins O66.3
- - oversize O66.2
- maternal O66.9
- positional O64.9
- shoulder (girdle) O66.0
- - causing obstructed labor O66.0
- uterine NEC O62.4
Dystonia G24.9
- cervical G24.3
- deformans progressiva G24.1
- drug induced NEC G24.09
- - acute G24.02
- - specified NEC G24.09
- familial G24.1
- idiopathic G24.1
- - familial G24.1
- - nonfamilial G24.2
- - orofacial G24.4
- lenticularis G24.8
- musculorum deformans G24.1
- neuroleptic induced (acute) G24.02
- orofacial (idiopathic) G24.4
- oromandibular G24.4
- - due to drug G24.01
- specified NEC G24.8
- torsion (familial) (idiopathic) G24.1
- - acquired G24.8
- - genetic G24.1
- - symptomatic (nonfamilial) G24.2
Dystonic movements R25.8
Dystrophy, dystrophia
- adiposogenital E23.6
- autosomal recessive, childhood type, muscular dystrophy resembling Duchenne or Becker G71.01
- Becker's type G71.01

- cervical sympathetic G90.2
- choroid (hereditary) H31.20
- - central areolar H31.22
- - choroideremia H31.21
- - gyrate atrophy H31.23
- - specified type NEC H31.29
- cornea (hereditary) H18.50-
- - endothelial H18.51-
- - epithelial H18.52-
- - granular H18.53-
- - lattice H18.54-
- - macular H18.55-
- - specified type NEC H18.59-
- Duchenne's type G71.01
- due to malnutrition E45
- Erb's G71.02
- Fuchs' H18.51-
- Gower's muscular G71.01
- hair L67.8
- infantile neuraxonal G31.89
- Landouzy-Déjérine G71.02
- Leyden-Möbius -*see also* Dystrophy, muscular, limb-girdle, by type G71.039
- - meaning Limb girdle muscular dystrophy NOS G71.039
- - meaning Limb girdle muscular dystrophy, other specified type, -*see* by type
- - meaning Limb girdle muscular dystrophy, specified type NEC G71.038
- - meaning Limb girdle muscular dystrophy type 2A (autosomal recessive) G71.032
- muscular G71.00
- - autosomal recessive, childhood type, muscular dystrophy resembling Duchenne or Becker G71.01
- - benign (Becker type) G71.01
- - - scapuloperoneal with early contractures [Emery-Dreifuss] G71.09
- - congenital (hereditary) (progressive) (with specific morphological abnormalities of the muscle fiber) G71.09
- - - myotonic G71.11
- - distal G71.09
- - Duchenne type G71.01
- - Emery-Dreifuss G71.09
- - Erb type G71.02
- - facioscapulohumeral G71.02
- - Gower's G71.01
- - hereditary (progressive) -*see also* Dystrophy, muscular, by type G71.09
- - Landouzy-Déjérine type G71.02
- - limb-girdle G71.039
- - - alpha-sarcoglycan-related G71.0341
- - - anoctamin-5-related autosomal recessive (R12) G71.035
- - - autosomal recessive NEC G71.038
- - - beta-sarcoglycan-related G71.0342
- - - calpain-3-related G71.032
- - - - autosomal dominant G71.031
- - - - autosomal recessive G71.032
- - - collagen VI related
- - - - autosomal dominant G71.031
- - - - autosomal recessive G71.038
- - - D1 (autosomal dominant) G71.031
- - - D2 (autosomal dominant) G71.031
- - - D3 (autosomal dominant) G71.031
- - - D4 (autosomal dominant) G71.031
- - - D5 (autosomal dominant) G71.031
- - - delta-sarcoglycan-related G71.0349
- - - due to
- - - - alpha sarcoglycan dysfunction G71.0341
- - - - anoctamin-5 dysfunction G71.035

- - - - beta sarcoglycan dysfunction G71.0342
- - - - fukutin related protein dysfunction G71.038
- - - - sarcoglycan dysfunction, specified NEC G71.0349
- - - FKRP-related autosomal recessive G71.038
- - - gamma-sarcoglycan-related G71.0349
- - - R1 (autosomal recessive) G71.032
- - - R2 (autosomal recessive) G71.033
- - - R3 (autosomal recessive) G71.0341
- - - R4 (autosomal recessive) G71.0342
- - - R5 (autosomal recessive) G71.0349
- - - R6 (autosomal recessive) G71.0349
- - - R7 (autosomal recessive) G71.038
- - - R8 (autosomal recessive) G71.038
- - - R9 (autosomal recessive) G71.038
- - - R10 (autosomal recessive) G71.038
- - - R11 (autosomal recessive) G71.038
- - - R12 (autosomal recessive) G71.035
- - - R13 (autosomal recessive) G71.038
- - - R14 (autosomal recessive) G71.038
- - - R15 (autosomal recessive) G71.038
- - - R16 (autosomal recessive) G71.038
- - - R17 (autosomal recessive) G71.038
- - - R18 (autosomal recessive) G71.038
- - - R19 (autosomal recessive) G71.038
- - - R20 (autosomal recessive) G71.038
- - - R21 (autosomal recessive) G71.038
- - - R22 (autosomal recessive) G71.038
- - - R23 (autosomal recessive) G71.038
- - - R24 (autosomal recessive) G71.038
- - - type 1 (autosomal dominant) G71.031
- - - type 1A (autosomal dominant) G71.031
- - - type 1B (autosomal dominant) G71.031
- - - type 1C (autosomal dominant) G71.031
- - - type 1E (autosomal dominant) G71.031
- - - type 1H (autosomal dominant) G71.031
- - - type 1I (autosomal dominant) G71.031
- - - type 2 (autosomal recessive) G71.038
- - - - specified NEC G71.038
- - - type 2A (autosomal recessive) G71.032
- - - type 2B (autosomal recessive) G71.033
- - - type 2C (autosomal recessive) G71.0349
- - - type 2D (autosomal recessive) G71.0341
- - - type 2E (autosomal recessive) G71.0342
- - - type 2F (autosomal recessive) G71.0349
- - - type 2I (autosomal recessive) G71.038
- - - type 2L (autosomal recessive) G71.035
- - myotonic G71.11
- - progressive (hereditary) -*see also* Dystrophy, muscular, by type G71.09
- - - Charcot-Marie (-Tooth) type G60.0
- - pseudohypertrophic (infantile) G71.01
- - scapulohumeral G71.02
- - scapuloperoneal G71.09
- - severe (Duchenne type) G71.01
- - specified type NEC G71.09
- myocardium, myocardial -*see* Degeneration, myocardial
- myotonic, myotonica G71.11
- nail L60.3
- - congenital Q84.6
- nutritional E45
- ocular G71.09

- oculocerebrorenal E72.03
- oculopharyngeal G71.09
- ovarian N83.8
- polyglandular E31.8
- reflex (neuromuscular) (sympathetic) -*see* Syndrome, pain, complex regional I
- retinal (hereditary) H35.50
- - in
- - - lipid storage disorders E75.6 *[H36.89]*
- - - systemic lipidoses E75.6 *[H36.89]*
- - involving
- - - pigment epithelium H35.54
- - - sensory area H35.53
- - pigmentary H35.52
- - vitreoretinal H35.51
- Salzmann's nodular -*see* Degeneration, cornea, nodular
- scapuloperoneal G71.09
- skin NEC L98.8
- sympathetic (reflex) -*see* Syndrome, pain, complex regional I
- - cervical G90.2
- tapetoretinal H35.54
- thoracic, asphyxiating Q77.2
- unguium L60.3
- - congenital Q84.6
- vitreoretinal H35.51
- vulva N90.4
- yellow (liver) -*see* Failure, hepatic

Dysuria R30.0
- psychogenic F45.8

E

Eales' disease H35.06-
Ear -*see also* condition
- piercing Z41.3
- tropical NEC B36.9 *[H62.40]*
- - in
- - - aspergillosis B44.89
- - - candidiasis B37.84
- - - moniliasis B37.84
- wax (impacted) H61.20
- - left H61.22
- - - with right H61.23
- - right H61.21
- - - with left H61.23

Earache -see subcategory H92.0
Early satiety R68.81
Eaton-Lambert syndrome -*see* Syndrome, Lambert-Eaton
Eberth's disease (typhoid fever) A01.00
Ebola virus disease A98.4
Ebstein's anomaly or syndrome (heart) Q22.5
Eccentro-osteochondrodysplasia E76.29
Ecchondroma -*see* Neoplasm, bone, benign
Ecchondrosis D48.0
Ecchymosis R58
- conjunctiva -*see* Hemorrhage, conjunctiva
- eye (traumatic) -*see* Contusion, eyeball
- eyelid (traumatic) -*see* Contusion, eyelid
- newborn P54.5
- spontaneous R23.3
- traumatic -*see* Contusion

Echinococciasis -*see* Echinococcus
Echinococcosis -*see* Echinococcus
Echinococcus (infection) B67.90
- granulosus B67.4
- - bone B67.2
- - liver B67.0
- - lung B67.1
- - multiple sites B67.32
- - specified site NEC B67.39
- - thyroid B67.31
- liver NOS B67.8
- - granulosus B67.0
- - multilocularis B67.5
- lung NEC B67.99
- - granulosus B67.1
- - multilocularis B67.69
- multilocularis B67.7
- - liver B67.5
- - multiple sites B67.61
- - specified site NEC B67.69
- specified site NEC B67.99
- - granulosus B67.39
- - multilocularis B67.69
- thyroid NEC B67.99
- - granulosus B67.31
- - multilocularis B67.69 *[E35]*
Echinorhynchiasis B83.8
Echinostomiasis B66.8
Echolalia R48.8
Echovirus, as cause of disease classified elsewhere B97.12
Eclampsia, eclamptic (coma) (convulsions) (delirium) (with hypertension) NEC O15.9
- complicating
- - labor and delivery O15.1
- - postpartum O15.2
- - pregnancy O15.0-
- - puerperium O15.2
Economic circumstances affecting care Z59.9
Economo's disease A85.8
Ectasia, ectasis
- annuloaortic I35.8
- aorta I77.819
- - with aneurysm -*see* Aneurysm, aorta
- - abdominal I77.811
- - thoracic I77.810
- - thoracoabdominal I77.812
- breast -*see* Ectasia, mammary duct
- capillary I78.8
- cornea H18.71-
- gastric antral vascular (GAVE) K31.819
- - with hemorrhage K31.811
- - without hemorrhage K31.819
- mammary duct N60.4-
- salivary gland (duct) K11.8
- sclera -*see* Sclerectasia
Ecthyma L08.0
- contagiosum B08.02
- gangrenosum L08.0
- infectiosum B08.02
Ectocardia Q24.8
Ectodermal dysplasia (anhidrotic) Q82.4

Ectodermosis erosiva pluriorificialis L51.1
Ectopic, ectopia (congenital)
- abdominal viscera Q45.8
- - due to defect in anterior abdominal wall Q79.59
- ACTH syndrome E24.3
- adrenal gland Q89.1
- anus Q43.5
- atrial beats I49.1
- beats I49.49
- - atrial I49.1
- - ventricular I49.3
- bladder Q64.10
- bone and cartilage in lung Q33.5
- brain Q04.8
- breast tissue Q83.8
- cardiac Q24.8
- cerebral Q04.8
- cordis Q24.8
- endometrium -*see* Endometriosis
- gastric mucosa Q40.2
- gestation -*see* Pregnancy, by site
- heart Q24.8
- hormone secretion NEC E34.2
- kidney (crossed) (pelvis) Q63.2
- lens, lentis Q12.1
- mole -*see* Pregnancy, by site
- organ or site NEC -*see* Malposition, congenital
- pancreas Q45.3
- pregnancy -*see* Pregnancy, ectopic
- pupil -*see* Abnormality, pupillary
- renal Q63.2
- sebaceous glands of mouth Q38.6
- spleen Q89.09
- testis Q53.00
- - bilateral Q53.02
- - unilateral Q53.01
- thyroid Q89.2
- tissue in lung Q33.5
- ureter Q62.63
- ventricular beats I49.3
- vesicae Q64.10
Ectromelia Q73.8
- lower limb -*see* Defect, reduction, limb, lower, specified type NEC
- upper limb -*see* Defect, reduction, limb, upper, specified type NEC
Ectropion H02.109
- cervix N86
- - with cervicitis N72
- congenital Q10.1
- eyelid H02.109
- - cicatricial H02.119
- - - left H02.116
- - - - lower H02.115
- - - - upper H02.114
- - - right H02.113
- - - - lower H02.112
- - - - upper H02.111
- - congenital Q10.1
- - left H02.106
- - - lower H02.105
- - - upper H02.104

- - mechanical H02.129
- - - left H02.126
- - - - lower H02.125
- - - - upper H02.124
- - - right H02.123
- - - - lower H02.122
- - - - upper H02.121
- - paralytic H02.159
- - - left H02.156
- - - - lower H02.155
- - - - upper H02.154
- - - right H02.153
- - - - lower H02.152
- - - - upper H02.151
- - right H02.103
- - - lower H02.102
- - - upper H02.101
- - senile H02.139
- - - left H02.136
- - - - lower H02.135
- - - - upper H02.134
- - - right H02.133
- - - - lower H02.132
- - - - upper H02.131
- - spastic H02.149
- - - left H02.146
- - - - lower H02.145
- - - - upper H02.144
- - - right H02.143
- - - - lower H02.142
- - - - upper H02.141
- iris H21.89
- lip (acquired) K13.0
- - congenital Q38.0
- urethra N36.8
- uvea H21.89

Eczema (acute) (chronic) (erythematous) (fissum) (rubrum) (squamous) -*see also* Dermatitis L30.9
- contact -*see* Dermatitis, contact
- dyshydrotic L30.1
- external ear -*see* Otitis, externa, acute, eczematoid
- flexural L20.82
- herpeticum B00.0
- hypertrophicum L28.0
- hypostatic -*see* Varix, leg, with, inflammation
- impetiginous L01.1
- infantile (due to any substance) L20.83
- - intertriginous L21.1
- - seborrheic L21.1
- intertriginous NEC L30.4
- - infantile L21.1
- intrinsic (allergic) L20.84
- lichenified NEC L28.0
- marginatum (hebrae) B35.6
- pustular L30.3
- stasis I87.2
- - with varicose veins -*see* Varix, leg, with, inflammation
- vaccination, vaccinatum T88.1
- varicose -*see* Varix, leg, with, inflammation

Eczematid L30.2

Eddowes (-Spurway) syndrome Q78.0

Edema, edematous (infectious) (pitting) (toxic) R60.9
- with nephritis -*see* Nephrosis
- allergic T78.3
- amputation stump (surgical) (sequelae (late effect)) T87.89
- angioneurotic (allergic) (any site) (with urticaria) T78.3
- - hereditary D84.1
- angiospastic I73.9
- Berlin's (traumatic) S05.8X-
- brain (cytotoxic) (vasogenic) G93.6
- - due to birth injury P11.0
- - newborn (anoxia or hypoxia) P52.4
- - - birth injury P11.0
- - traumatic -*see* Injury, intracranial, cerebral edema
- cardiac -*see* Failure, heart, congestive
- cardiovascular -*see* Failure, heart, congestive
- cerebral -*see* Edema, brain
- cerebrospinal -*see* Edema, brain
- cervix (uteri) (acute) N88.8
- - puerperal, postpartum O90.89
- chronic hereditary Q82.0
- circumscribed, acute T78.3
- - hereditary D84.1
- conjunctiva H11.42-
- cornea H18.2-
- - idiopathic H18.22-
- - secondary H18.23-
- - - due to contact lens H18.21-
- due to
- - lymphatic obstruction I89.0
- - salt retention E87.0
- epiglottis -*see* Edema, glottis
- essential, acute T78.3
- - hereditary D84.1
- extremities, lower -*see* Edema, legs
- eyelid NEC H02.849
- - left H02.846
- - - lower H02.845
- - - upper H02.844
- - right H02.843
- - - lower H02.842
- - - upper H02.841
- familial, hereditary Q82.0
- famine -*see* Malnutrition, severe
- generalized R60.1
- glottis, glottic, glottidis (obstructive) (passive) J38.4
- - allergic T78.3
- - - hereditary D84.1
- heart -*see* Failure, heart, congestive
- heat T67.7
- hereditary Q82.0
- inanition -*see* Malnutrition, severe
- intracranial G93.6
- iris H21.89
- joint -*see* Effusion, joint
- larynx -*see* Edema, glottis
- legs R60.0
- - due to venous obstruction I87.1
- - hereditary Q82.0
- localized R60.0
- - due to venous obstruction I87.1

- lower limbs -*see* Edema, legs
- lung J81.1
- - with heart condition or failure -*see* Failure, ventricular, left
- - - newborn P29.0
- - acute J81.0
- - chemical (acute) J68.1
- - - chronic J68.1
- - chronic J81.1
- - - due to
- - - - chemicals, gases, fumes or vapors (inhalation) J68.1
- - - - external agent J70.9
- - - - - specified NEC J70.8
- - - - radiation J70.1
- - due to
- - - chemicals, fumes or vapors (inhalation) J68.1
- - - external agent J70.9
- - - - specified NEC J70.8
- - - high altitude T70.29
- - - near drowning T75.1
- - - radiation J70.0
- - meaning failure, left ventricle I50.1
- lymphatic I89.0
- - due to mastectomy I97.2
- macula H35.81
- - cystoid, following cataract surgery -*see* Complications, postprocedural, following cataract surgery
- - diabetic -*see* Diabetes, by type, with, retinopathy, with macular edema
- malignant -*see* Gangrene, gas
- Milroy's Q82.0
- nasopharynx J39.2
- newborn P83.30
- - hydrops fetalis -*see* Hydrops, fetalis
- - specified NEC P83.39
- nutritional -*see also* Malnutrition, severe
- - with dyspigmentation, skin and hair E40
- optic disc or nerve -*see* Papilledema
- orbit H05.22-
- pancreas K86.89
- papilla, optic -*see* Papilledema
- penis N48.89
- periodic T78.3
- - hereditary D84.1
- pharynx J39.2
- pulmonary -*see* Edema, lung
- Quincke's T78.3
- - hereditary D84.1
- renal -*see* Nephrosis
- retina H35.81
- - diabetic -*see* Diabetes, by type, with, retinopathy, with macular edema
- salt E87.0
- scrotum N50.89
- seminal vesicle N50.89
- spermatic cord N50.89
- spinal (cord) (vascular) (nontraumatic) G95.19
- starvation -*see* Malnutrition, severe
- stasis -*see* Hypertension, venous, (chronic)
- subglottic -*see* Edema, glottis
- supraglottic -*see* Edema, glottis
- testis N44.8
- tunica vaginalis N50.89
- vas deferens N50.89

- vulva (acute) N90.89
Edentulism -*see* Absence, teeth, acquired
Edsall's disease T67.2
Educational handicap Z55.9
- less than a high school diploma Z55.5
- no general equivalence degree (GED) Z55.5
- specified NEC Z55.8
Edward's syndrome -*see* Trisomy, 18
Effect, adverse
- abnormal gravitational (G) forces or states T75.81
- abuse -*see* Maltreatment
- air pressure T70.9
- - specified NEC T70.8
- altitude (high) -*see* Effect, adverse, high altitude
- anesthesia -*see also* Anesthesia T88.59
- - in labor and delivery O74.9
- - local, toxic
- - - in labor and delivery O74.4
- - - in pregnancy NEC O29.3-
- - - postpartum, puerperal O89.3
- - postpartum, puerperal O89.9
- - specified NEC T88.59
- - - in labor and delivery O74.8
- - - postpartum, puerperal O89.8
- - spinal and epidural T88.59
- - - headache T88.59
- - - - in labor and delivery O74.5
- - - - postpartum, puerperal O89.4
- - - specified NEC
- - - - in labor and delivery O74.6
- - - - postpartum, puerperal O89.5
- antitoxin -*see* Complications, vaccination
- atmospheric pressure T70.9
- - due to explosion T70.8
- - high T70.3
- - low -*see* Effect, adverse, high altitude
- - specified effect NEC T70.8
- biological, correct substance properly administered -*see* Effect, adverse, drug
- blood (derivatives) (serum) (transfusion) -*see* Complications, transfusion
- chemical substance -*see* Table of Drugs and Chemicals
- cold (temperature) (weather) T69.9
- - chilblains T69.1
- - frostbite -*see* Frostbite
- - specified effect NEC T69.8
- drugs and medicaments T88.7
- - specified drug -*see* Table of Drugs and Chemicals, by drug, adverse effect
- - specified effect - code to condition
- electric current, electricity (shock) T75.4
- - burn -*see* Burn
- exertion (excessive) T73.3
- exposure -*see* Exposure
- external cause NEC T75.89
- foodstuffs T78.1
- - allergic reaction -*see* Allergy, food
- - - causing anaphylaxis -*see* Shock, anaphylactic, due to food
- - noxious -*see* Poisoning, food, noxious
- gases, fumes, or vapors T59.9-
- - specified agent -*see* Table of Drugs and Chemicals
- glue (airplane) sniffing
- - due to drug abuse -*see* Abuse, drug, inhalant

- - due to drug dependence -*see* Dependence, drug, inhalant
- heat -*see* Heat
- high altitude NEC T70.29
- - anoxia T70.29
- - on
- - - ears T70.0
- - - sinuses T70.1
- - polycythemia D75.1
- high pressure fluids T70.4
- hot weather -*see* Heat
- hunger T73.0
- immersion, foot -*see* Immersion
- immunization -*see* Complications, vaccination
- immunological agents -*see* Complications, vaccination
- infrared (radiation) (rays) NOS T66
- - dermatitis or eczema L59.8
- infusion -*see* Complications, infusion
- lack of care of infants -*see* Maltreatment, child
- lightning -*see* Lightning
- medical care T88.9
- - specified NEC T88.8
- medicinal substance, correct, properly administered -*see* Effect, adverse, drug
- motion T75.3
- noise, on inner ear -see subcategory H83.3
- overheated places -*see* Heat
- psychosocial, of work environment Z56.5
- radiation (diagnostic) (infrared) (natural source) (therapeutic) (ultraviolet) (X-ray) NOS T66
- - dermatitis or eczema -*see* Dermatitis, due to, radiation
- - fibrosis of lung J70.1
- - pneumonitis J70.0
- - pulmonary manifestations
- - - acute J70.0
- - - chronic J70.1
- - skin L59.9
- radioactive substance NOS
- - dermatitis or eczema -*see* Radiodermatitis
- reduced temperature T69.9
- - immersion foot or hand -*see* Immersion
- - specified effect NEC T69.8
- serum NEC -*see also* Reaction, serum T80.69
- specified NEC T78.8
- - external cause NEC T75.89
- strangulation -*see* Asphyxia, traumatic
- submersion T75.1
- thirst T73.1
- toxic -*see* Toxicity
- transfusion -*see* Complications, transfusion
- ultraviolet (radiation) (rays) NOS T66
- - burn -*see* Burn
- - dermatitis or eczema -*see* Dermatitis, due to, ultraviolet rays
- - - acute L56.8
- vaccine (any) -*see* Complications, vaccination
- vibration -*see* Vibration, adverse effects
- water pressure NEC T70.9
- - specified NEC T70.8
- weightlessness T75.82
- whole blood -*see* Complications, transfusion
- work environment Z56.5

Effect(s) (of) (from) -*see* Effect, adverse NEC

Effects, late -*see* Sequelae

Effluvium
- anagen L65.1
- telogen L65.0
Effort syndrome (psychogenic) F45.8
Effusion
- amniotic fluid *-see* Pregnancy, complicated by, premature rupture of membranes
- brain (serous) G93.6
- bronchial *-see* Bronchitis
- cerebral G93.6
- cerebrospinal *-see also* Meningitis
- - vessel G93.6
- chest *-see* Effusion, pleura
- chylous, chyliform (pleura) J94.0
- intracranial G93.6
- joint M25.40
- - ankle M25.47-
- - elbow M25.42-
- - foot joint M25.47-
- - hand joint M25.44-
- - hip M25.45-
- - knee M25.46-
- - shoulder M25.41-
- - specified joint NEC M25.48
- - wrist M25.43-
- malignant pleural J91.0
- meninges *-see* Meningitis
- pericardium, pericardial (noninflammatory) I31.39
- - acute *-see* Pericarditis, acute
- - malignant, in disease classified elsewhere I31.31
- - specified type, NEC I31.39
- peritoneal (chronic) R18.8
- pleura, pleurisy, pleuritic, pleuropericardial J90
- - chylous, chyliform J94.0
- - due to systemic lupus erythematosis M32.13
- - in conditions classified elsewhere J91.8
- - influenzal *-see* Influenza, with, respiratory manifestations NEC
- - malignant J91.0
- - newborn P28.89
- - tuberculous NEC A15.6
- - - primary (progressive) A15.7
- spinal *-see* Meningitis
- thorax, thoracic *-see* Effusion, pleura
Egg shell nails L60.3
- congenital Q84.6
EGPA (eosinophilic granulomatosis with polyangiitis) M30.1
Egyptian splenomegaly B65.1
Ehrlichiosis A77.40
- due to
- - E. chaffeensis A77.41
- - E. ewingii A77.49
- - E. muris euclairensis A77.49
- - E. sennetsu A79.81
- - specified organism NEC A77.49
Ehlers-Danlos syndrome *-see also* Syndrome, Ehlers-Danlos Q79.60
Eichstedt's disease B36.0
Eisenmenger's
- complex or syndrome I27.83
- defect Q21.8
Ejaculation
- delayed F52.32

- painful N53.12
- premature F52.4
- retarded N53.11
- retrograde N53.14
- semen, painful N53.12
- - psychogenic F52.6
Ekbom's syndrome (restless legs) G25.81
Ekman's syndrome (brittle bones and blue sclera) Q78.0
Elastic skin Q82.8
- acquired L57.4
Elastofibroma -*see* Neoplasm, connective tissue, benign
Elastoma (juvenile) Q82.8
- Miescher's L87.2
Elastomyofibrosis I42.4
Elastosis
- actinic, solar L57.8
- atrophicans (senile) L57.4
- perforans serpiginosa L87.2
- senilis L57.4
Elbow -*see* condition
Electric current, electricity, effects (concussion) (fatal) (nonfatal) (shock) T75.4
- burn -*see* Burn
Electric feet syndrome E53.8
Electrocution T75.4
- from electroshock gun (taser) T75.4
Electrolyte imbalance E87.8
- with
- - abortion -*see* Abortion by type, complicated by, electrolyte imbalance
- - ectopic pregnancy O08.5
- - molar pregnancy O08.5
Elephantiasis (nonfilarial) I89.0
- arabicum -*see* Infestation, filarial
- bancroftian B74.0
- congenital (any site) (hereditary) Q82.0
- due to
- - Brugia (malayi) B74.1
- - - timori B74.2
- - mastectomy I97.2
- - Wuchereria (bancrofti) B74.0
- eyelid H02.859
- - left H02.856
- - - lower H02.855
- - - upper H02.854
- - right H02.853
- - - lower H02.852
- - - upper H02.851
- filarial, filariensis -*see* Infestation, filarial
- glandular I89.0
- graecorum A30.9
- lymphangiectatic I89.0
- lymphatic vessel I89.0
- - due to mastectomy I97.2
- scrotum (nonfilarial) I89.0
- streptococcal I89.0
- surgical I97.89
- - postmastectomy I97.2
- telangiectodes I89.0
- vulva (nonfilarial) N90.89
Elevated, elevation
- alanine transaminase (ALT) R74.01

- ALT (alanine transaminase) R74.01
- aspartate transaminase (AST) R74.01
- antibody titer R76.0
- AST (aspartate transaminase) R74.01
- basal metabolic rate R94.8
- blood pressure -*see also* Hypertension
- - reading (incidental) (isolated) (nonspecific), no diagnosis of hypertension R03.0
- blood sugar R73.9
- body temperature (of unknown origin) R50.9
- C-reactive protein (CRP) R79.82
- cancer antigen 125 [CA 125] R97.1
- carcinoembryonic antigen [CEA] R97.0
- cholesterol E78.00
- - with high triglycerides E78.2
- conjugate, eye H51.0
- diaphragm, congenital Q79.1
- erythrocyte sedimentation rate R70.0
- fasting glucose R73.01
- fasting triglycerides E78.1
- finding on laboratory examination -*see* Findings, abnormal, inconclusive, without diagnosis, by type of exam
- GFR (glomerular filtration rate) -*see* Findings, abnormal, inconclusive, without diagnosis, by type of exam
- glucose tolerance (oral) R73.02
- immunoglobulin level R76.8
- indoleacetic acid R82.5
- lactic acid dehydrogenase (LDH) level R74.02
- leukocytes D72.829
- lipoprotein a (Lp(a)) level E78.41
- liver function
- - study R94.5
- - test R79.89
- - - alkaline phosphatase R74.8
- - - aminotransferase R74.01
- - - bilirubin R17
- - - hepatic enzyme R74.8
- - - lactate dehydrogenase R74.02
- Lp (a) (lipoprotein(a)) E78.41
- lymphocytes D72.820
- prostate specific antigen [PSA] R97.20
- Rh titer -*see* Complication(s), transfusion, incompatibility reaction, Rh (factor)
- scapula, congenital Q74.0
- sedimentation rate R70.0
- SGOT R74.01
- SGPT R74.01
- transaminase level R74.01
- triglycerides E78.1
- - with high cholesterol E78.2
- troponin R79.89
- tumor associated antigens [TAA] NEC R97.8
- tumor specific antigens [TSA] NEC R97.8
- urine level of
- - catecholamine R82.5
- - indoleacetic acid R82.5
- - 17-ketosteroids R82.5
- - steroids R82.5
- - vanillylmandelic acid (VMA) R82.5
- venous pressure I87.8
- white blood cell count D72.829
- - specified NEC D72.828

Elliptocytosis (congenital) (hereditary) D58.1
- Hb C (disease) D58.1

- hemoglobin disease D58.1
- sickle-cell (disease) D57.8-
- - trait D57.3
Ellison-Zollinger syndrome E16.4
Ellis-van Creveld syndrome (chondroectodermal dysplasia) Q77.6
Elongated, elongation (congenital) -*see also* Distortion
- bone Q79.9
- cervix (uteri) Q51.828
- - acquired N88.4
- - hypertrophic N88.4
- colon Q43.8
- common bile duct Q44.5
- cystic duct Q44.5
- frenulum, penis Q55.69
- labia minora (acquired) N90.69
- ligamentum patellae Q74.1
- petiolus (epiglottidis) Q31.8
- tooth, teeth K00.2
- uvula Q38.6
Eltor cholera A00.1
Emaciation R64
- due to malnutrition E43
Embadomoniasis A07.8
Embedded tooth, teeth K01.0
- root only K08.3
Embolic -*see* condition
Embolism (multiple) (paradoxical) I74.9
- air (any site) (traumatic) T79.0
- - following
- - - abortion -*see* Abortion by type complicated by embolism
- - - ectopic pregnancy O08.2
- - - infusion, therapeutic injection or transfusion T80.0
- - - molar pregnancy O08.2
- - - procedure NEC
- - - - artery T81.719
- - - - - mesenteric T81.710
- - - - - renal T81.711
- - - - - specified NEC T81.718
- - - - vein T81.72
- - in pregnancy, childbirth or puerperium -*see* Embolism, obstetric
- amniotic fluid (pulmonary) -*see also* Embolism, obstetric
- - following
- - - abortion -*see* Abortion by type complicated by embolism
- - - ectopic pregnancy O08.2
- - - molar pregnancy O08.2
- aorta, aortic I74.10
- - abdominal I74.09
- - - saddle I74.01
- - bifurcation I74.09
- - saddle I74.01
- - thoracic I74.11
- artery I74.9
- - auditory, internal I65.8
- - basilar -*see* Occlusion, artery, basilar
- - carotid (common) (internal) -*see* Occlusion, artery, carotid
- - cerebellar (anterior inferior) (posterior inferior) (superior) I66.3
- - cerebral -*see* Occlusion, artery, cerebral
- - choroidal (anterior) I65.8
- - communicating posterior I65.8
- - coronary -*see also* Infarct, myocardium

- - - not resulting in infarction I24.0
- - extremity I74.4
- - - lower I74.3
- - - upper I74.2
- - hypophyseal I65.8
- - iliac I74.5
- - limb I74.4
- - - lower I74.3
- - - upper I74.2
- - mesenteric (with gangrene) -*see also* Ischemia, intestine, acute K55.059
- - ophthalmic -*see* Occlusion, artery, retina
- - peripheral I74.4
- - pontine I65.8
- - precerebral -*see* Occlusion, artery, precerebral
- - pulmonary -*see* Embolism, pulmonary
- - renal N28.0
- - retinal -*see* Occlusion, artery, retina
- - septic I76
- - specified NEC I74.8
- - vertebral -*see* Occlusion, artery, vertebral
- basilar (artery) I65.1
- blood clot
- - following
- - - abortion -*see* Abortion by type complicated by embolism
- - - ectopic or molar pregnancy O08.2
- - in pregnancy, childbirth or puerperium -*see* Embolism, obstetric
- brain -*see also* Occlusion, artery, cerebral
- - following
- - - abortion -*see* Abortion by type complicated by embolism
- - - ectopic or molar pregnancy O08.2
- - puerperal, postpartum, childbirth -*see* Embolism, obstetric
- capillary I78.8
- cardiac -*see also* Infarct, myocardium
- - not resulting in infarction I51.3
- carotid (artery) (common) (internal) -*see* Occlusion, artery, carotid
- cavernous sinus (venous) -*see* Embolism, intracranial, venous sinus
- cement
- - pulmonary artery I26.95
- - - with acute cor pulmonale I26.03
- cerebral -*see* Occlusion, artery, cerebral
- cholesterol -*see* Atheroembolism
- coronary (artery or vein) (systemic) -*see* Occlusion, coronary
- due to device, implant or graft -*see also* Complications, by site and type, specified NEC
- - arterial graft NEC T82.818
- - breast (implant) T85.818
- - catheter NEC T85.818
- - - dialysis (renal) T82.818
- - - - intraperitoneal T85.818
- - - infusion NEC T82.818
- - - - spinal (epidural) (subdural) T85.810
- - - urinary (indwelling) T83.81
- - electronic (electrode) (pulse generator) (stimulator)
- - - bone T84.81
- - - cardiac T82.817
- - - nervous system (brain) (peripheral nerve) (spinal) T85.810
- - - urinary T83.81
- - fixation, internal (orthopedic) NEC T84.81
- - gastrointestinal (bile duct) (esophagus) T85.818
- - genital NEC T83.81
- - heart (graft) (valve) T82.817

- - joint prosthesis T84.81
- - ocular (corneal graft) (orbital implant) T85.818
- - orthopedic (bone graft) NEC T86.838
- - specified NEC T85.818
- - urinary (graft) NEC T83.81
- - vascular NEC T82.818
- - ventricular intracranial shunt T85.810
- extremities
- - lower -*see* Embolism, vein, lower extremity
- - - arterial I74.3
- - upper I74.2
- eye H34.9
- fat (cerebral) (pulmonary) (systemic) T79.1
- - complicating delivery -*see* Embolism, obstetric
- - following
- - - abortion -*see* Abortion by type complicated by embolism
- - - ectopic or molar pregnancy O08.2
- - pulmonary artery I26.96
- - - with acute cor pulmonale I26.04
- following
- - abortion -*see* Abortion by type complicated by embolism
- - ectopic or molar pregnancy O08.2
- - infusion, therapeutic injection or transfusion
- - - air T80.0
- heart (fatty) -*see also* Infarct, myocardium
- - not resulting in infarction I51.3
- hepatic (vein) I82.0
- in pregnancy, childbirth or puerperium -*see* Embolism, obstetric
- intestine (artery) (vein) (with gangrene) -*see also* Ischemia, intestine, acute K55.039
- intracranial -*see also* Occlusion, artery, cerebral
- - venous sinus (any) G08
- - - nonpyogenic I67.6
- intraspinal venous sinuses or veins G08
- - nonpyogenic G95.19
- kidney (artery) N28.0
- lateral sinus (venous) -*see* Embolism, intracranial, venous sinus
- leg -*see* Embolism, vein, lower extremity
- - arterial I74.3
- longitudinal sinus (venous) -*see* Embolism, intracranial, venous sinus
- lung (massive) -*see* Embolism, pulmonary
- meninges I66.8
- mesenteric (artery) (vein) (with gangrene) -*see also* Ischemia, intestine, acute K55.059
- obstetric (in) (pulmonary)
- - childbirth O88.22
- - - air O88.02
- - - amniotic fluid O88.12
- - - blood clot O88.22
- - - fat O88.82
- - - pyemic O88.32
- - - septic O88.32
- - - specified type NEC O88.82
- - pregnancy O88.21-
- - - air O88.01-
- - - amniotic fluid O88.11-
- - - blood clot O88.21-
- - - fat O88.81-
- - - pyemic O88.31-
- - - septic O88.31-
- - - specified type NEC O88.81-
- - puerperal O88.23

- - - air O88.03
- - - amniotic fluid O88.13
- - - blood clot O88.23
- - - fat O88.83
- - - pyemic O88.33
- - - septic O88.33
- - - specified type NEC O88.83
- ophthalmic -*see* Occlusion, artery, retina
- penis N48.81
- peripheral artery NOS I74.4
- pituitary E23.6
- popliteal (artery) I74.3
- portal (vein) I81
- postoperative, postprocedural
- - artery T81.719
- - - mesenteric T81.710
- - - renal T81.711
- - - specified NEC T81.718
- - vein T81.72
- precerebral artery -*see* Occlusion, artery, precerebral
- puerperal -*see* Embolism, obstetric
- pulmonary (acute) (artery) (vein) I26.99
- - with acute cor pulmonale I26.09
- - cement I26.95
- - - with acute cor pulmonale I26.03
- - chronic I27.82
- - fat I26.96
- - - with acute cor pulmonale I26.04
- - following
- - - abortion -*see* Abortion by type complicated by embolism
- - - ectopic or molar pregnancy O08.2
- - healed or old Z86.711
- - in pregnancy, childbirth or puerperium -*see* Embolism, obstetric
- - multiple subsegmental without acute cor pulmonale I26.94
- - personal history of Z86.711
- - saddle I26.92
- - - with acute cor pulmonale I26.02
- - septic I26.90
- - - with acute cor pulmonale I26.01
- - single subsegmental without acute cor pulmonale I26.93
- - subsegmental NOS I26.93
- pyemic (multiple) I76
- - following
- - - abortion -*see* Abortion by type complicated by embolism
- - - ectopic or molar pregnancy O08.2
- - Hemophilus influenzae A41.3
- - pneumococcal A40.3
- - - with pneumonia J13
- - puerperal, postpartum, childbirth (any organism) -*see* Embolism, obstetric
- - specified organism NEC A41.89
- - staphylococcal A41.2
- - streptococcal A40.9
- renal (artery) N28.0
- - vein I82.3
- retina, retinal -*see* Occlusion, artery, retina
- saddle
- - abdominal aorta I74.01
- - pulmonary artery I26.92
- - - with acute cor pulmonale I26.02
- septic (arterial) I76

- - complicating abortion -*see* Abortion, by type, complicated by, embolism
- sinus -*see* Embolism, intracranial, venous sinus
- soap complicating abortion -*see* Abortion, by type, complicated by, embolism
- spinal cord G95.19
- - pyogenic origin G06.1
- spleen, splenic (artery) I74.8
- thrombotic
- - specified NEC I26.99
- - - with acute cor pulmonale I26.09
- upper extremity I74.2
- vein (acute) I82.90
- - antecubital I82.61-
- - - chronic I82.71-
- - axillary I82.A1-
- - - chronic I82.A2-
- - basilic I82.61-
- - - chronic I82.71-
- - brachial I82.62-
- - - chronic I82.72-
- - brachiocephalic (innominate) I82.290
- - - chronic I82.291
- - calf, muscle I82.46-
- - - chronic I82.56-
- - cephalic I82.61-
- - - chronic I82.71-
- - chronic I82.91
- - deep (DVT) I82.40-
- - - calf I82.4Z-
- - - - chronic I82.5Z-
- - - lower leg I82.4Z-
- - - - chronic I82.5Z-
- - - thigh I82.4Y-
- - - - chronic I82.5Y-
- - - upper leg I82.4Y
- - - - chronic I82.5y--
- - femoral I82.41-
- - - chronic I82.51-
- - gastrocnemial I82.46-
- - - chronic I82.56-
- - iliac (iliofemoral) I82.42-
- - - chronic I82.52-
- - innominate I82.290
- - - chronic I82.291
- - internal jugular I82.C1-
- - - chronic I82.C2-
- - lower extremity
- - - deep I82.40-
- - - - chronic I82.50-
- - - - specified NEC I82.49-
- - - - - chronic NEC I82.59-
- - - distal
- - - - deep I82.4Z-
- - - proximal
- - - - deep I82.4Y-
- - - - - chronic I82.5Y-
- - - superficial I82.81-
- - peroneal I82.45-
- - - chronic I82.55-
- - popliteal I82.43-
- - - chronic I82.53-

- - radial I82.62-
- - - chronic I82.72-
- - renal I82.3
- - saphenous (greater) (lesser) I82.81-
- - soleal I82.46-
- - - chronic I82.56-
- - specified NEC I82.890
- - - chronic NEC I82.891
- - subclavian I82.B1-
- - - chronic I82.B2-
- - thoracic NEC I82.290
- - - chronic I82.291
- - tibial I82.44-
- - - chronic I82.54-
- - ulnar I82.62-
- - - chronic I82.72-
- - upper extremity I82.60-
- - - chronic I82.70-
- - - deep I82.62-
- - - - chronic I82.72-
- - - superficial I82.61-
- - - - chronic I82.71-
- vena cava
- - inferior (acute) I82.220
- - - chronic I82.221
- - superior (acute) I82.210
- - - chronic I82.211
- venous sinus G08
- vessels of brain *-see* Occlusion, artery, cerebral

Embolus *-see* Embolism

Embryoma *-see also* Neoplasm, uncertain behavior, by site
- benign *-see* Neoplasm, benign, by site
- kidney C64.-
- liver C22.0
- malignant *-see also* Neoplasm, malignant, by site
- - kidney C64.-
- - liver C22.0
- - testis C62.9-
- - - descended (scrotal) C62.1-
- - - undescended C62.0-
- testis C62.9-
- - descended (scrotal) C62.1-
- - undescended C62.0-

Embryonic
- circulation Q28.9
- heart Q28.9
- vas deferens Q55.4

Embryopathia NOS Q89.9

Embryotoxon Q13.4

Emesis *-see* Vomiting

Emotional lability R45.86

Emotionality, pathological F60.3

Emotogenic disease *-see* Disorder, psychogenic

Emphysema (atrophic) (bullous) (chronic) (interlobular) (lung) (obstructive) (pulmonary) (senile) (vesicular) J43.9
- cellular tissue (traumatic) T79.7
- - surgical T81.82
- centrilobular J43.2
- compensatory J98.3
- congenital (interstitial) P25.0
- conjunctiva H11.89

- connective tissue (traumatic) T79.7
- - surgical T81.82
- due to chemicals, gases, fumes or vapors *-see also* Disease, respiratory, chronic, due to chemicals, gases, fumes or vapors J43.-
- eyelid(s) *-see* Disorder, eyelid, specified type NEC
- - surgical T81.82
- - traumatic T79.7
- interstitial J98.2
- - congenital P25.0
- - perinatal period P25.0
- laminated tissue T79.7
- - surgical T81.82
- mediastinal J98.2
- - newborn P25.2
- orbit, orbital *-see* Disorder, orbit, specified type NEC
- panacinar J43.1
- panlobular J43.1
- specified NEC J43.8
- subcutaneous (traumatic) T79.7
- - nontraumatic J98.2
- - postprocedural T81.82
- - surgical T81.82
- surgical T81.82
- thymus (gland) (congenital) E32.8
- traumatic (subcutaneous) T79.7
- unilateral J43.0

Empty nest syndrome Z60.0

Empyema (acute) (chest) (double) (pleura) (supradiaphragmatic) (thorax) J86.9
- with fistula J86.0
- accessory sinus (chronic) *-see* Sinusitis
- antrum (chronic) *-see* Sinusitis, maxillary
- brain (any part) *-see* Abscess, brain
- ethmoidal (chronic) (sinus) *-see* Sinusitis, ethmoidal
- extradural *-see* Abscess, extradural
- frontal (chronic) (sinus) *-see* Sinusitis, frontal
- gallbladder K81.0
- mastoid (process) (acute) *-see* Mastoiditis, acute
- maxilla, maxillary M27.2
- - sinus (chronic) *-see* Sinusitis, maxillary
- nasal sinus (chronic) *-see* Sinusitis
- sinus (accessory) (chronic) (nasal) *-see* Sinusitis
- sphenoidal (sinus) (chronic) *-see* Sinusitis, sphenoidal
- subarachnoid *-see* Abscess, extradural
- subdural *-see* Abscess, subdural
- tuberculous A15.6
- ureter *-see* Ureteritis
- ventricular *-see* Abscess, brain

En coup de sabre lesion L94.1

Enamel pearls K00.2

Enameloma K00.2

Enanthema, viral B09

Encephalitis (chronic) (hemorrhagic) (idiopathic) (nonepidemic) (spurious) (subacute) G04.90
- acute *-see also* Encephalitis, viral A86
- - disseminated G04.00
- - - infectious G04.01
- - - noninfectious G04.81
- - - postimmunization (postvaccination) G04.02
- - - postinfectious G04.01
- - inclusion body A85.8
- - necrotizing hemorrhagic G04.30

- - - postimmunization G04.32
- - - postinfectious G04.31
- - - specified NEC G04.39
- arboviral, arbovirus NEC A85.2
- arthropod-borne NEC (viral) A85.2
- Australian A83.4
- California (virus) A83.5
- Central European (tick-borne) A84.1
- Czechoslovakian A84.1
- Dawson's (inclusion body) A81.1
- diffuse sclerosing A81.1
- disseminated, acute G04.00
- due to
- - cat scratch disease A28.1
- - human immunodeficiency virus (HIV) disease B20 *[G05.3]*
- - malaria -*see* Malaria
- - rickettsiosis -*see* Rickettsiosis
- - smallpox inoculation G04.02
- - typhus -*see* Typhus
- Eastern equine A83.2
- endemic (viral) A86
- epidemic NEC (viral) A86
- equine (acute) (infectious) (viral) A83.9
- - Eastern A83.2
- - Venezuelan A92.2
- - Western A83.1
- Far Eastern (tick-borne) A84.0
- following vaccination or other immunization procedure G04.02
- herpes zoster B02.0
- herpesviral B00.4
- - due to herpesvirus 6 B10.01
- - due to herpesvirus 7 B10.09
- - specified NEC B10.09
- Ilheus (virus) A83.8
- inclusion body A81.1
- in (due to)
- - actinomycosis A42.82
- - adenovirus A85.1
- - African trypanosomiasis B56.9 *[G05.3]*
- - Chagas' disease (chronic) B57.42
- - cytomegalovirus B25.8
- - enterovirus A85.0
- - herpes (simplex) virus B00.4
- - - due to herpesvirus 6 B10.01
- - - due to herpesvirus 7 B10.09
- - - specified NEC B10.09
- - infectious disease NEC B99 *[G05.3]*
- - influenza -*see* Influenza, with, encephalopathy
- - listeriosis A32.12
- - measles B05.0
- - mumps B26.2
- - naegleriasis B60.2
- - parasitic disease NEC B89 *[G05.3]*
- - poliovirus A80.9 *[G05.3]*
- - rubella B06.01
- - syphilis
- - - congenital A50.42
- - - late A52.14
- - systemic lupus erythematosus M32.19 *[G05.3]*
- - toxoplasmosis (acquired) B58.2

- - - congenital P37.1
- - tuberculosis A17.82
- - zoster B02.0
- infectious (acute) (virus) NEC A86
- Japanese (B type) A83.0
- La Crosse A83.5
- lead *-see* Poisoning, lead
- lethargica (acute) (infectious) A85.8
- louping ill A84.89
- lupus erythematosus, systemic M32.19 *[G05.3]*
- lymphatica A87.2
- Mengo A85.8
- meningococcal A39.81
- Murray Valley A83.4
- otitic NEC H66.40 *[G05.3]*
- parasitic NOS B71.9
- periaxial G37.0
- periaxialis (concentrica) (diffuse) G37.5
- postchickenpox B01.11
- postexanthematous NEC B09
- postimmunization G04.02
- postinfectious NEC G04.01
- postmeasles B05.0
- postvaccinal G04.02
- postvaricella B01.11
- postviral NEC A86
- Powassan A84.81
- Rasmussen G04.81
- Rio Bravo A85.8
- Russian
- - autumnal A83.0
- - spring-summer (taiga) A84.0
- saturnine *-see* Poisoning, lead
- specified NEC G04.81
- St. Louis A83.3
- subacute sclerosing A81.1
- summer A83.0
- suppurative G04.81
- tick-borne A84.9
- Torula, torular (cryptococcal) B45.1
- toxic NEC G92.8
- trichinosis B75 *[G05.3]*
- type
- - B A83.0
- - C A83.3
- van Bogaert's A81.1
- Venezuelan equine A92.2
- Vienna A85.8
- viral, virus A86
- - arthropod-borne NEC A85.2
- - - mosquito-borne A83.9
- - - - Australian X disease A83.4
- - - - California virus A83.5
- - - - Eastern equine A83.2
- - - - Japanese (B type) A83.0
- - - - Murray Valley A83.4
- - - - specified NEC A83.8
- - - - St. Louis A83.3
- - - - type B A83.0
- - - - type C A83.3

- - - - Western equine A83.1
- - - tick-borne A84.9
- - - - biundulant A84.1
- - - - central European A84.1
- - - - Czechoslovakian A84.1
- - - - diphasic meningoencephalitis A84.1
- - - - Far Eastern A84.0
- - - - Russian spring-summer (taiga) A84.0
- - - - specified NEC A84.89
- - specified type NEC A85.8
- - tick-borne, specified NEC A84.89
- Western equine A83.1
Encephalocele Q01.9
- frontal Q01.0
- nasofrontal Q01.1
- occipital Q01.2
- specified NEC Q01.8
Encephalocystocele -*see* Encephalocele
Encephaloduroarteriomyosynangiosis (EDAMS) I67.5
Encephalomalacia (brain) (cerebellar) (cerebral) -*see* Softening, brain
Encephalomeningitis -*see* Meningoencephalitis
Encephalomeningocele -*see* Encephalocele
Encephalomeningomyelitis -*see* Meningoencephalitis
Encephalomyelitis -*see also* Encephalitis G04.90
- acute disseminated G04.00
- - infectious G04.01
- - noninfectious G04.81
- - postimmunization G04.02
- - postinfectious G04.01
- acute necrotizing hemorrhagic G04.30
- - postimmunization G04.32
- - postinfectious G04.31
- - specified NEC G04.39
- equine A83.9
- - Eastern A83.2
- - Venezuelan A92.2
- - Western A83.1
- in diseases classified elsewhere G05.3
- myalgic G93.32
- - chronic fatigue syndrome [ME/CFS] G93.32
- postchickenpox B01.11
- postinfectious NEC G04.01
- postmeasles B05.0
- postvaccinal G04.02
- postvaricella B01.11
- rubella B06.01
- specified NEC G04.81
- Venezuelan equine A92.2
Encephalomyelocele -*see* Encephalocele
Encephalomyelomeningitis -*see* Meningoencephalitis
Encephalomyelopathy G96.9
Encephalomyeloradiculitis (acute) G61.0
Encephalomyeloradiculoneuritis (acute) (Guillain-Barré) G61.0
Encephalomyeloradiculopathy G96.9
Encephalopathia hyperbilirubinemica, newborn P57.9
- due to isoimmunization (conditions in P55) P57.0
Encephalopathy (acute) G93.40
- acute necrotizing hemorrhagic G04.30
- - postimmunization G04.32
- - postinfectious G04.31

- - specified NEC G04.39
- alcoholic G31.2
- anoxic -*see* Damage, brain, anoxic
- arteriosclerotic I67.2
- centrolobar progressive (Schilder) G37.0
- congenital Q07.9
- degenerative, in specified disease NEC G32.89
- demyelinating callosal G37.1
- developmental and epileptic G93.45
- due to
- - drugs -*see also* Table of Drugs and Chemicals G92.8
- early infantile epileptic G93.45
- hepatic (without coma) K76.82
- hyperbilirubinemic, newborn P57.9
- - due to isoimmunization (conditions in P55) P57.0
- hypertensive I67.4
- hypoglycemic E16.2
- hypoxic -*see* Damage, brain, anoxic
- hypoxic ischemic P91.60
- - mild P91.61
- - moderate P91.62
- - severe P91.63
- in (due to) (with)
- - birth injury P11.1
- - hyperinsulinism E16.1 *[G94]*
- - influenza -*see* Influenza, with, encephalopathy
- - lack of vitamin -*see also* Deficiency, vitamin E56.9 *[G32.89]*
- - neoplastic disease (see also Neoplasm) D49.9 *[G13.1]*
- - serum -*see also* Reaction, serum T80.69
- - syphilis A52.17
- - trauma (postconcussional) F07.81
- - - current injury -*see* Injury, intracranial
- - vaccination G04.02
- lead -*see* Poisoning, lead
- metabolic G93.41
- - drug induced G92.8
- - toxic G92.8
- myoclonic, early, symptomatic -*see* Epilepsy, generalized, specified NEC
- necrotizing, subacute (Leigh) G31.82
- neonatal P91.819
- - in diseases classified elsewhere P91.811
- pellagrous E52 *[G32.89]*
- portal-systemic K76.82
- postcontusional F07.81
- - current injury -*see* Injury, intracranial, diffuse
- posthypoglycemic (coma) E16.1 *[G94]*
- postradiation G93.89
- saturnine -*see* Poisoning, lead
- septic G93.41
- specified NEC G93.49
- spongioform, subacute (viral) A81.09
- toxic G92.9
- - metabolic G92.8
- traumatic (postconcussional) F07.81
- - current injury -*see* Injury, intracranial
- vitamin B deficiency NEC E53.9 *[G32.89]*
- - vitamin B1 E51.2
- Wernicke's E51.2

Encephalorrhagia -*see* Hemorrhage, intracranial, intracerebral

Encephalosis, posttraumatic F07.81

Enchondroma *-see also* Neoplasm, bone, benign
Enchondromatosis (cartilaginous) (multiple) Q78.4
Encopresis R15.9
- functional F98.1
- nonorganic origin F98.1
- psychogenic F98.1
Encounter (with health service) (for) Z76.89
- adjustment and management (of)
- - breast implant Z45.81
- - implanted device NEC Z45.89
- - myringotomy device (stent) (tube) Z45.82
- - neurostimulator (brain) (gastric) (peripheral nerve) (sacral nerve) (spinal cord) (vagus nerve) Z45.42
- administrative purpose only Z02.9
- - examination for
- - - adoption Z02.82
- - - armed forces Z02.3
- - - child welfare Z02.84
- - - disability determination Z02.71
- - - driving license Z02.4
- - - employment Z02.1
- - - insurance Z02.6
- - - medical certificate NEC Z02.79
- - - paternity testing Z02.81
- - - residential institution admission Z02.2
- - - school admission Z02.0
- - - sports Z02.5
- - specified reason NEC Z02.89
- aftercare *-see* Aftercare
- antenatal screening Z36.9
- - cervical length Z36.86
- - chromosomal anomalies Z36.0
- - congenital cardiac abnormalities Z36.83
- - elevated maternal serum alphafetoprotein level Z36.1
- - fetal growth retardation Z36.4
- - fetal lung maturity Z36.84
- - fetal macrosomia Z36.88
- - hydrops fetalis Z36.81
- - intrauterine growth restriction (IUGR) /small-for-dates Z36.4
- - isoimmunization Z36.5
- - large-for-dates Z36.88
- - malformations Z36.3
- - non-visualized anatomy on a previous scan Z36.2
- - nuchal translucency Z36.82
- - raised alphafetoprotein level Z36.1
- - risk of pre-term labor Z36.86
- - specified type NEC Z36.89
- - specified follow-up NEC Z36.2
- - specified genetic defects NEC Z36.8A
- - Streptococcus B Z36.85
- - suspected anomaly Z36.3
- - uncertain dates Z36.87
- assisted reproductive fertility procedure cycle Z31.83
- blood typing Z01.83
- - Rh typing Z01.83
- breast augmentation or reduction Z41.1
- breast implant exchange (different material) (different size) Z45.81
- breast reconstruction following mastectomy Z42.1
- check-up *-see* Examination
- chemotherapy for neoplasm Z51.11
- child welfare screening exam Z02.84

- colonoscopy, screening Z12.11
- counseling -*see* Counseling
- delivery, full-term, uncomplicated O80
- - cesarean, without indication O82
- desensitization to allergens Z51.6
- ear piercing Z41.3
- examination -*see* Examination
- expectant parent(s) (adoptive) pre-birth pediatrician visit Z76.81
- fertility preservation procedure (prior to cancer therapy) (prior to removal of gonads) Z31.84
- fitting (of) -*see* Fitting (and adjustment) (of)
- genetic
- - counseling
- - - nonprocreative Z71.83
- - - procreative Z31.5
- - testing -*see* Test, genetic
- hearing conservation and treatment Z01.12
- HIV
- - pre-exposure prophylaxis Z29.81
- - PrEP Z29.81
- immunotherapy for neoplasm Z51.12
- in vitro fertilization cycle Z31.83
- instruction (in)
- - childbirth Z32.2
- - child care (postpartal) (prenatal) Z32.3
- - natural family planning
- - - procreative Z31.61
- - - to avoid pregnancy Z30.02
- insulin pump titration Z46.81
- joint prosthesis insertion following prior explantation of joint prosthesis (staged procedure)
- - hip Z47.32
- - knee Z47.33
- - shoulder Z47.31
- laboratory (as part of a general medical examination) Z00.00
- - with abnormal findings Z00.01
- mental health services (for)
- - abuse NEC
- - - perpetrator Z69.82
- - - victim Z69.81
- - child abuse
- - - nonparental
- - - - perpetrator Z69.021
- - - - victim Z69.020
- - - parental
- - - - perpetrator Z69.011
- - - - victim Z69.010
- - child neglect
- - - nonparental
- - - - perpetrator Z69.021
- - - - victim Z69.020
- - - parental
- - - - perpetrator Z69.011
- - - - victim Z69.010
- - child psychological abuse
- - - nonparental
- - - - perpetrator Z69.021
- - - - victim Z69.020
- - - parental
- - - - perpetrator Z69.011
- - - - victim Z69.010
- - child sexual abuse

- - - nonparental
- - - - perpetrator Z69.021
- - - - victim Z69.020
- - - parental
- - - - perpetrator Z69.011
- - - - victim Z69.010
- - non-spousal adult abuse
- - - perpetrator Z69.82
- - - victim Z69.81
- - spousal or partner
- - - abuse
- - - - perpetrator Z69.12
- - - - victim Z69.11
- - - neglect
- - - - perpetrator Z69.12
- - - - victim Z69.11
- - - psychological abuse
- - - - perpetrator Z69.12
- - - - victim Z69.11
- - - violence
- - - - perpetrator (physical) (sexual) Z69.12
- - - - victim (physical) Z69.11
- - - - - sexual Z69.81
- observation (for) (ruled out)
- - alarm, without findings
- - - apnea Z03.83
- - - bradycardia Z03.83
- - - oximeter Z03.83
- - condition suspected related to home physiologic monitoring device Z03.83
- - - newborn Z05.81
- - - - apnea alarm Z05.81
- - - - bradycardia alarm Z05.81
- - - - malfunction of home cardiorespiratory monitor Z05.81
- - - - non-specific findings home physiologic monitoring device Z05.81
- - - - pulse oximeter alarm without findings Z05.81
- - exposure to (suspected)
- - - anthrax Z03.810
- - - biological agent NEC Z03.818
- - malfunction of home cardiorespiratory monitor Z03.83
- - non-specific findings home physiologic monitoring device Z03.83
- palliative care Z51.5
- pediatrician visit, by expectant parent(s) (adoptive) Z76.81
- placental sample (taken vaginally) *-see also* Encounter, antenatal screening Z36.9
- plastic and reconstructive surgery following medical procedure or healed injury NEC Z42.8
- postoperative *-see* Aftercare
- pregnancy
- - supervision of *-see* Pregnancy, supervision of
- - test Z32.00
- - - result negative Z32.02
- - - result positive Z32.01
- procreative management and counseling for gestational carrier Z31.7
- prophylactic measures Z29.9
- - antivenin Z29.12
- - fluoride administration Z29.3
- - HIV pre-exposure Z29.81
- - immunotherapy for respiratory syncytial virus (RSV) Z29.11
- - rabies immune globin Z29.14
- - Rho (D) immune globulin Z29.13
- - specified NEC Z29.89
- radiation therapy (antineoplastic) Z51.0

- radiological (as part of a general medical examination) Z00.00
- - with abnormal findings Z00.01
- reconstructive surgery following medical procedure or healed injury NEC Z42.8
- removal (of) -*see also* Removal
- - artificial
- - - arm Z44.00-
- - - - complete Z44.01-
- - - - partial Z44.02-
- - - eye Z44.2-
- - - leg Z44.10-
- - - - complete Z44.11-
- - - - partial Z44.12-
- - breast implant Z45.81
- - - tissue expander (with or without synchronous insertion of permanent implant) Z45.81
- - device Z46.9
- - - specified NEC Z46.89
- - external
- - - fixation device - code to fracture with seventh character D
- - - prosthesis, prosthetic device Z44.9
- - - - breast Z44.3-
- - - - specified NEC Z44.8
- - implanted device NEC Z45.89
- - insulin pump Z46.81
- - internal fixation device Z47.2
- - myringotomy device (stent) (tube) Z45.82
- - nervous system device NEC Z46.2
- - - brain neuropacemaker Z46.2
- - - visual substitution device Z46.2
- - - - implanted Z45.31
- - non-vascular catheter Z46.82
- - orthodontic device Z46.4
- - stent
- - - ureteral Z46.6
- - urinary device Z46.6
- repeat cervical smear to confirm findings of recent normal smear following initial abnormal smear Z01.42
- respirator [ventilator] use during power failure Z99.12
- Rh typing Z01.83
- screening -*see* Screening
- specified NEC Z76.89
- sterilization Z30.2
- suspected condition, ruled out
- - amniotic cavity and membrane Z03.71
- - cervical shortening Z03.75
- - fetal anomaly Z03.73
- - fetal growth Z03.74
- - maternal and fetal conditions NEC Z03.79
- - oligohydramnios Z03.71
- - placental problem Z03.72
- - polyhydramnios Z03.71
- suspected exposure (to), ruled out
- - anthrax Z03.810
- - biological agents NEC Z03.818
- termination of pregnancy, elective Z33.2
- testing -*see* Test
- therapeutic drug level monitoring Z51.81
- titration, insulin pump Z46.81
- to determine fetal viability of pregnancy O36.80
- training
- - insulin pump Z46.81
- X-ray of chest (as part of a general medical examination) Z00.00

- - with abnormal findings Z00.01
Encystment *-see* Cyst
Endarteritis (bacterial, subacute) (infective) I77.6
- brain I67.7
- cerebral or cerebrospinal I67.7
- deformans *-see* Arteriosclerosis
- embolic *-see* Embolism
- obliterans *-see also* Arteriosclerosis
- - pulmonary I28.8
- pulmonary I28.8
- retina *-see* Vasculitis, retina
- senile *-see* Arteriosclerosis
- syphilitic A52.09
- - brain or cerebral A52.04
- - congenital A50.54 *[I79.8]*
- tuberculous A18.89
Endemic *-see* condition
Endocarditis (chronic) (marantic) (nonbacterial) (thrombotic) (valvular) I38
- with rheumatic fever (conditions in I00)
- - active *-see* Endocarditis, acute, rheumatic
- - inactive or quiescent (with chorea) I09.1
- acute or subacute I33.9
- - infective I33.0
- - rheumatic (aortic) (mitral) (pulmonary) (tricuspid) I01.1
- - - with chorea (acute) (rheumatic) (Sydenham's) I02.0
- aortic (heart) (nonrheumatic) (valve) I35.8
- - with
- - - mitral disease I08.0
- - - - with tricuspid (valve) disease I08.3
- - - - active or acute I01.1
- - - - - with chorea (acute) (rheumatic) (Sydenham's) I02.0
- - - rheumatic fever (conditions in I00)
- - - - active *-see* Endocarditis, acute, rheumatic
- - - - inactive or quiescent (with chorea) I06.9
- - - tricuspid (valve) disease I08.2
- - - - with mitral (valve) disease I08.3
- - acute or subacute I33.9
- - arteriosclerotic I35.8
- - rheumatic I06.9
- - - with mitral disease I08.0
- - - - with tricuspid (valve) disease I08.3
- - - - active or acute I01.1
- - - - - with chorea (acute) (rheumatic) (Sydenham's) I02.0
- - - active or acute I01.1
- - - - with chorea (acute) (rheumatic) (Sydenham's) I02.0
- - - specified NEC I06.8
- - specified cause NEC I35.8
- - syphilitic A52.03
- arteriosclerotic I38
- atypical verrucous (Libman-Sacks) M32.11
- bacterial (acute) (any valve) (subacute) I33.0
- candidal B37.6
- congenital Q24.8
- constrictive I33.0
- Coxiella burnetii A78 *[I39]*
- Coxsackie B33.21
- due to
- - prosthetic cardiac valve T82.6
- - Q fever A78 *[I39]*
- - Serratia marcescens I33.0

- - typhoid (fever) A01.02
- gonococcal A54.83
- infectious or infective (acute) (any valve) (subacute) I33.0
- lenta (acute) (any valve) (subacute) I33.0
- Libman-Sacks M32.11
- listerial A32.82
- Löffler's I42.3
- malignant (acute) (any valve) (subacute) I33.0
- meningococcal A39.51
- mitral (chronic) (double) (fibroid) (heart) (inactive) (valve) (with chorea) I05.9
- - with
- - - aortic (valve) disease I08.0
- - - - with tricuspid (valve) disease I08.3
- - - - active or acute I01.1
- - - - - with chorea (acute) (rheumatic) (Sydenham's) I02.0
- - - rheumatic fever (conditions in I00)
- - - - active *-see* Endocarditis, acute, rheumatic
- - - - inactive or quiescent (with chorea) I05.9
- - - tricuspid (valve) disease I08.1
- - - - with aortic (valve) disease I08.3
- - active or acute I01.1
- - - with chorea (acute) (rheumatic) (Sydenham's) I02.0
- - - bacterial I33.0
- - arteriosclerotic I34.89
- - nonrheumatic I34.89
- - - acute or subacute I33.9
- - specified NEC I05.8
- monilial B37.6
- multiple valves I08.9
- - specified disorders I08.8
- mycotic (acute) (any valve) (subacute) I33.0
- pneumococcal (acute) (any valve) (subacute) I33.0
- pulmonary (chronic) (heart) (valve) I37.8
- - with rheumatic fever (conditions in I00)
- - - active *-see* Endocarditis, acute, rheumatic
- - - inactive or quiescent (with chorea) I09.89
- - - - with aortic, mitral or tricuspid disease I08.8
- - acute or subacute I33.9
- - - rheumatic I01.1
- - - - with chorea (acute) (rheumatic) (Sydenham's) I02.0
- - arteriosclerotic I37.8
- - congenital Q22.2
- - rheumatic (chronic) (inactive) (with chorea) I09.89
- - - active or acute I01.1
- - - - with chorea (acute) (rheumatic) (Sydenham's) I02.0
- - syphilitic A52.03
- purulent (acute) (any valve) (subacute) I33.0
- Q fever A78 *[I39]*
- rheumatic (chronic) (inactive) (with chorea) I09.1
- - active or acute (aortic) (mitral) (pulmonary) (tricuspid) I01.1
- - - with chorea (acute) (rheumatic) (Sydenham's) I02.0
- rheumatoid *-see* Rheumatoid, carditis
- septic (acute) (any valve) (subacute) I33.0
- streptococcal (acute) (any valve) (subacute) I33.0
- subacute *-see* Endocarditis, acute
- suppurative (acute) (any valve) (subacute) I33.0
- syphilitic A52.03
- toxic I33.9
- tricuspid (chronic) (heart) (inactive) (rheumatic) (valve) (with chorea) I07.9
- - with

- - - aortic (valve) disease I08.2
- - - - mitral (valve) disease I08.3
- - - mitral (valve) disease I08.1
- - - - aortic (valve) disease I08.3
- - - rheumatic fever (conditions in I00)
- - - - active -*see* Endocarditis, acute, rheumatic
- - - - inactive or quiescent (with chorea) I07.8
- - active or acute I01.1
- - - with chorea (acute) (rheumatic) (Sydenham's) I02.0
- - arteriosclerotic I36.8
- - nonrheumatic I36.8
- - - acute or subacute I33.9
- - specified cause, except rheumatic I36.8
- tuberculous -*see* Tuberculosis, endocarditis
- typhoid A01.02
- ulcerative (acute) (any valve) (subacute) I33.0
- vegetative (acute) (any valve) (subacute) I33.0
- verrucous (atypical) (nonbacterial) (nonrheumatic) M32.11

Endocardium, endocardial -*see also* condition
- cushion defect Q21.20

Endocervicitis -*see also* Cervicitis
- due to intrauterine (contraceptive) device T83.69
- hyperplastic N72

Endocrine -*see* condition

Endocrinopathy, pluriglandular E31.9

Endodontic
- overfill M27.52
- underfill M27.53

Endodontitis K04.01
- irreversible K04.02
- reversible K04.01

Endomastoiditis -*see* Mastoiditis

Endometrioma N80.12-

Endometriosis N80.9
- abdomen, abdominal N80.C0
- - specified site, NEC N80.C9
- - wall N80.C19
- - - fascia and muscular layers N80.C11
- - - subcutaneous tissue N80.C10
- - - unspecified depth N80.C19
- appendix N80.549
- - deep N80.542
- - superficial N80.541
- bladder (unspecified depth) N80.A0
- - deep N80.A2
- - superficial N80.A1
- bowel N80.50
- broad ligament N80.3C
- cardiothoracic space N80.B6
- cecum N80.539
- - deep N80.532
- - superficial N80.531
- cervix N80.0-
- colon N80.559
- - descending N80.559
- - - deep N80.552
- - - superficial N80.551
- - sigmoid N80.529
- - - deep N80.522
- - - superficial N80.521

- - transverse N80.559
- - - deep N80.552
- - - superficial N80.551
- cul-de-sac (Douglas')
- - anterior (unspecified depth) N80.319
- - - deep N80.312
- - - superficial N80.311
- - posterior (unspecified depth) N80.329
- - - deep N80.322
- - - superficial N80.321
- deep
- - involving muscular wall of fallopian tube N80.22
- - retrocervical N80.02
- diaphragm N80.B39
- - deep N80.B32
- - superficial N80.B31
- - unspecified depth N80.B39
- exocervix N80.01
- extra-pelvic abdominal peritoneum N80.C4
- fallopian tube (unspecified depth) N80.20-
- - deep N80.22-
- - superficial N80.21-
- female genital organ NEC N80.8
- gallbladder N80.8
- inguinal canal N80.C3
- in scar of skin N80.6
- internal N80.02
- intestine N80.50
- - small N80.569
- - - deep (multifocal) N80.562
- - - superficial N80.561
- lung N80.B2
- mediastinal space N80.B5
- myometrium N80.03
- nerve
- - femoral N80.D6
- - obturator N80.D3
- - pelvic N80.D0
- - - splanchnic N80.D1
- - pudendal N80.D5
- - retroperitoneum, NEC N80.D9
- - sacral splanchnic N80.D1
- - sciatic N80.D4
- - specified, NEC N80.D9
- ovary (unspecified depth) N80.10-
- - deep N80.12-
- - superficial N80.11-
- parametrium N80.399
- pelvic
- - brim N80.38-
- - - deep N80.37-
- - - superficial N80.36-
- - peritoneum N80.30
- - - specified sites, NEC N80.399
- - - - deep N80.392
- - - - superficial N80.391
- - sidewall N80.35-
- - - deep N80.34-
- - - superficial N80.33-
- pericardial space N80.B4

- peritoneal (pelvic) N80.30
- pleura N80.B1
- rectovaginal septum N80.40
- - with involvement of vagina N80.42
- - without involvement of vagina N80.41
- rectum N80.519
- - deep (multifocal) N80.512
- - superficial N80.511
- retroperitoneum N80.30
- round ligament N80.3C9
- sacral nerve roots N80.D2
- skin (scar) N80.6
- specified site NEC N80.8
- stromal D39.0
- thorax N80.B-
- umbilicus N80.C2
- ureter N80.A69
- - deep N80.A5-
- - extrinsic N80.A4-
- - intrinsic N80.A5-
- - superficial N80.A4-
- - unspecified depth N80.A6-
- uterosacral ligament(s) N80.3C-
- - deep N80.3B-
- - superficial N80.3A-
- uterus N80.00
- - deep N80.02
- - internal N80.02
- - superficial N80.01
- vagina N80.42
- vulva N80.8

Endometritis (decidual) (nonspecific) (purulent) (senile) (atrophic) (suppurative) N71.9
- with ectopic pregnancy O08.0
- acute N71.0
- blennorrhagic (gonococcal) (acute) (chronic) A54.24
- cervix, cervical (with erosion or ectropion) -*see also* Cervicitis
- - hyperplastic N72
- chlamydial A56.11
- chronic N71.1
- following
- - abortion -*see* Abortion by type complicated by genital infection
- - ectopic or molar pregnancy O08.0
- gonococcal, gonorrheal (acute) (chronic) A54.24
- hyperplastic -*see also* Hyperplasia, endometrial N85.00-
- - cervix N72
- puerperal, postpartum, childbirth O86.12
- subacute N71.0
- tuberculous A18.17

Endometrium -*see* condition

Endomyocardiopathy, South African I42.3

Endomyocarditis -*see* Endocarditis

Endomyofibrosis I42.3

Endomyometritis -*see* Endometritis

Endopericarditis -*see* Endocarditis

Endoperineuritis -*see* Disorder, nerve

Endophlebitis -*see* Phlebitis

Endophthalmia -*see* Endophthalmitis, purulent

Endophthalmitis (acute) (infective) (metastatic) (subacute) H44.009
- bleb associated H59.4 -*see* also Bleb, inflammed (infected), postprocedural
- gonorrheal A54.39

- in (due to)
- - cysticercosis B69.1
- - onchocerciasis B73.01
- - toxocariasis B83.0
- panuveitis -*see* Panuveitis
- parasitic H44.12-
- purulent H44.00-
- - panophthalmitis -*see* Panophthalmitis
- - vitreous abscess H44.02-
- specified NEC H44.19
- sympathetic -*see* Uveitis, sympathetic

Endosalpingioma D28.2

Endosalpingiosis N94.89

Endosteitis -*see* Osteomyelitis

Endothelioma, bone -*see* Neoplasm, bone, malignant

Endotheliosis (hemorrhagic infectional) D69.8

Endotoxemia - code to condition

Endotrachelitis -*see* Cervicitis

Engelmann (-Camurati) syndrome Q78.3

English disease -*see* Rickets

Engman's disease L30.3

Engorgement
- breast N64.59
- - newborn P83.4
- - puerperal, postpartum O92.79
- lung (passive) -*see* Edema, lung
- pulmonary (passive) -*see* Edema, lung
- stomach K31.89
- venous, retina -*see* Occlusion, retina, vein, engorgement

Enlargement, enlarged -*see also* Hypertrophy
- adenoids J35.2
- - with tonsils J35.3
- alveolar ridge K08.89
- - congenital -*see* Anomaly, alveolar
- apertures of diaphragm (congenital) Q79.1
- gingival K06.1
- heart, cardiac -*see* Hypertrophy, cardiac
- labium majus, childhood asymmetric (CALME) N90.61
- lacrimal gland, chronic H04.03-
- liver -*see* Hypertrophy, liver
- lymph gland or node R59.9
- - generalized R59.1
- - localized R59.0
- orbit H05.34-
- organ or site, congenital NEC -*see* Anomaly, by site
- parathyroid (gland) E21.0
- pituitary fossa R93.0
- prostate N40.0
- - with lower urinary tract symptoms (LUTS) N40.1
- - - nodular N40.3
- - nodular N40.2
- - - with lower urinary tract symptoms (LUTS) N40.3
- - without lower urinary tract symptoms (LUTS) N40.0
- - - nodular N40.2
- sella turcica R93.0
- spleen -*see* Splenomegaly
- thymus (gland) (congenital) E32.0
- thyroid (gland) -*see* Goiter
- tongue K14.8
- tonsils J35.1

- - with adenoids J35.3
- uterus N85.2
- vestibular aqueduct Q16.5
Enophthalmos H05.40-
- due to
- - orbital tissue atrophy H05.41-
- - trauma or surgery H05.42-
Enostosis M27.8
Entamebic, entamebiasis -*see* Amebiasis
Entanglement
- umbilical cord(s) O69.82
- - with compression O69.2
- - around neck
- - - with compression O69.1
- - - without compression O69.81
- - of twins in monoamniotic sac O69.2
- - other, with compression O69.2
- - other, without compression O69.82
- - without compression O69.82
Enteralgia -*see* Pain, abdominal
Enteric -*see* condition
Enteritis (acute) (diarrheal) (hemorrhagic) (noninfective) K52.9
- adenovirus A08.2
- aertrycke infection A02.0
- allergic K52.29
- - with
- - - eosinophilic gastritis or gastroenteritis K52.81
- - - food protein-induced enterocolitis syndrome K52.21
- - - food protein-induced enteropathy K52.22
- - - FPIES K52.21
- amebic (acute) A06.0
- - with abscess -*see* Abscess, amebic
- - chronic A06.1
- - - with abscess -*see* Abscess, amebic
- - - nondysenteric A06.2
- - nondysenteric A06.2
- astrovirus A08.32
- bacillary NOS A03.9
- bacterial A04.9
- - specified NEC A04.8
- calicivirus A08.31
- candidal B37.82
- Chilomastix A07.8
- choleriformis A00.1
- chronic (noninfectious) K52.9
- - ulcerative -*see* Colitis, ulcerative
- cicatrizing (chronic) -*see* Enteritis, regional, small intestine
- Clostridioides difficile
- - not specified as recurrent A04.72
- - recurrent A04.71
- Clostridium
- - botulinum (food poisoning) A05.1
- - difficile
- - - not specified as recurrent A04.72
- - - recurrent A04.71
- coccidial A07.3
- coxsackie virus A08.39
- dietetic -*see also* Enteritis, allergic K52.29
- drug-induced K52.1
- due to

- - astrovirus A08.32
- - calicivirus A08.31
- - coxsackie virus A08.39
- - drugs K52.1
- - echovirus A08.39
- - enterovirus NEC A08.39
- - food hypersensitivity -*see also* Enteritis, allergic K52.29
- - infectious organism (bacterial) (viral) -*see* Enteritis, infectious
- - torovirus A08.39
- - Yersinia enterocolitica A04.6
- echovirus A08.39
- eltor A00.1
- enterovirus NEC A08.39
- eosinophilic K52.81
- epidemic (infectious) A09
- fulminant -*see also* Ischemia, intestine, acute K55.019
- gangrenous -*see* Enteritis, infectious
- giardial A07.1
- infectious NOS A09
- - due to
- - - adenovirus A08.2
- - - Aerobacter aerogenes A04.8
- - - Arizona (bacillus) A02.0
- - - bacteria NOS A04.9
- - - - specified NEC A04.8
- - - Campylobacter A04.5
- - - Clostridioides difficile
- - - - not specified as recurrent A04.72
- - - - recurrent A04.71
- - - Clostridium difficile
- - - - not specified as recurrent A04.72
- - - - recurrent A04.71
- - - Clostridium perfringens A04.8
- - - Enterobacter aerogenes A04.8
- - - enterovirus A08.39
- - - Escherichia coli A04.4
- - - - enteroaggregative A04.4
- - - - enterohemorrhagic A04.3
- - - - enteroinvasive A04.2
- - - - enteropathogenic A04.0
- - - - enterotoxigenic A04.1
- - - - specified NEC A04.4
- - - specified
- - - - bacteria NEC A04.8
- - - - virus NEC A08.39
- - - Staphylococcus A04.8
- - - virus NEC A08.4
- - - - specified type NEC A08.39
- - - Yersinia enterocolitica A04.6
- - specified organism NEC A08.8
- influenzal -*see* Influenza, with, digestive manifestations
- ischemic K55.9
- - acute -*see also* Ischemia, intestine, acute K55.019
- - chronic K55.1
- microsporidial A07.8
- mucomembranous, myxomembranous -*see* Syndrome, irritable bowel
- mucous -*see* Syndrome, irritable bowel
- necroticans A05.2
- necrotizing of newborn -*see* Enterocolitis, necrotizing, in newborn
- neurogenic -*see* Syndrome, irritable bowel

- newborn necrotizing -*see* Enterocolitis, necrotizing, in newborn
- noninfectious K52.9
- norovirus A08.11
- parasitic NEC B82.9
- paratyphoid (fever) -*see* Fever, paratyphoid
- protozoal A07.9
- - specified NEC A07.8
- radiation K52.0
- regional (of) K50.90
- - with
- - - complication K50.919
- - - - abscess K50.914
- - - - fistula K50.913
- - - - intestinal obstruction K50.912
- - - - rectal bleeding K50.911
- - - - specified complication NEC K50.918
- - colon -*see* Enteritis, regional, large intestine
- - duodenum -*see* Enteritis, regional, small intestine
- - ileum -*see* Enteritis, regional, small intestine
- - jejunum -*see* Enteritis, regional, small intestine
- - large bowel -*see* Enteritis, regional, large intestine
- - large intestine (colon) (rectum) K50.10
- - - with
- - - - complication K50.119
- - - - - abscess K50.114
- - - - - fistula K50.113
- - - - - intestinal obstruction K50.112
- - - - - rectal bleeding K50.111
- - - - - small intestine (duodenum) (ileum) (jejunum) involvement K50.80
- - - - - - with
- - - - - - - complication K50.819
- - - - - - - - abscess K50.814
- - - - - - - - fistula K50.813
- - - - - - - - intestinal obstruction K50.812
- - - - - - - - rectal bleeding K50.811
- - - - - - - - specified complication NEC K50.818
- - - - - specified complication NEC K50.118
- - rectum -*see* Enteritis, regional, large intestine
- - small intestine (duodenum) (ileum) (jejunum) K50.00
- - - with
- - - - complication K50.019
- - - - - abscess K50.014
- - - - - fistula K50.013
- - - - - intestinal obstruction K50.012
- - - - - large intestine (colon) (rectum) involvement K50.80
- - - - - - with
- - - - - - - complication K50.819
- - - - - - - - abscess K50.814
- - - - - - - - fistula K50.813
- - - - - - - - intestinal obstruction K50.812
- - - - - - - - rectal bleeding K50.811
- - - - - - - - specified complication NEC K50.818
- - - - - rectal bleeding K50.011
- - - - - specified complication NEC K50.018
- rotaviral A08.0
- Salmonella, salmonellosis (arizonae) (cholerae-suis) (enteritidis) (typhimurium) A02.0
- segmental -*see* Enteritis, regional
- septic A09
- Shigella -*see* Infection, Shigella
- small round structured NEC A08.19

- spasmodic, spastic -*see* Syndrome, irritable bowel
- staphylococcal A04.8
- - due to food A05.0
- torovirus A08.39
- toxic NEC K52.1
- - due to
- - - Clostridioides difficile
- - - - not specified as recurrent A04.72
- - - - recurrent A04.71
- - - Clostridium difficile
- - - - not specified as recurrent A04.72
- - - - recurrent A04.71
- trichomonal A07.8
- tuberculous A18.32
- typhosa A01.00
- ulcerative (chronic) -*see* Colitis, ulcerative
- viral A08.4
- - adenovirus A08.2
- - enterovirus A08.39
- - Rotavirus A08.0
- - small round structured NEC A08.19
- - specified NEC A08.39
- - virus specified NEC A08.39

Enterobiasis B80

Enterobius vermicularis (infection) (infestation) B80

Enterocele -*see also* Hernia, abdomen
- pelvic, pelvis (acquired) (congenital) N81.5
- vagina, vaginal (acquired) (congenital) NEC N81.5

Enterocolitis -*see also* Enteritis K52.9
- due to
- - Clostridioides difficile
- - - not specified as recurrent A04.72
- - - recurrent A04.71
- - Clostridium difficile
- - - not specified as recurrent A04.72
- - - recurrent A04.71
- fulminant ischemic -*see also* Ischemia, intestine, acute K55.059
- granulomatous -*see* Enteritis, regional
- hemorrhagic (acute) -*see also* Ischemia, intestine, acute K55.059
- - chronic K55.1
- infectious NEC A09
- ischemic K55.9
- necrotizing K55.30
- - with
- - - perforation K55.33
- - - pneumatosis K55.32
- - - - and perforation K55.33
- - due to
- - - Clostridioides difficile
- - - - not specified as recurrent A04.72
- - - - recurrent A04.71
- - - Clostridium difficile
- - - - not specified as recurrent A04.72
- - - - recurrent A04.71
- - in non-newborn K55.30
- - - stage 1 (without pneumatosis, without perforation) K55.31
- - - stage 2 (with pneumatosis, without perforation) K55.32
- - - stage 3 (with pneumatosis, with perforation) K55.33
- - in newborn P77.9
- - - stage 1 (without pneumatosis, without perforation) P77.1

- - - stage 2 (with pneumatosis, without perforation) P77.2
- - - stage 3 (with pneumatosis, with perforation) P77.3
- - without pneumatosis or perforation K55.31
- noninfectious K52.9
- - newborn *-see* Enterocolitis, necrotizing, in newborn
- pseudomembranous (newborn)
- - not specified as recurrent A04.72
- - recurrent A04.71
- radiation K52.0
- - newborn *-see* Enterocolitis, necrotizing, in newborn
- ulcerative (chronic) *-see* Pancolitis, ulcerative (chronic)

Enterogastritis *-see* Enteritis

Enteropathy K63.9
- food protein-induced K52.22
- celiac-gluten-sensitive K90.0
- - non-celiac K90.41
- hemorrhagic, terminal *-see also* Ischemia, intestine, acute K55.059
- protein-losing K90.49

Enteroperitonitis *-see* Peritonitis

Enteroptosis K63.4

Enterorrhagia K92.2

Enterospasm *-see also* Syndrome, irritable, bowel
- psychogenic F45.8

Enterostenosis *-see also* Obstruction, intestine, specified NEC K56.699

Enterostomy
- complication *-see* Complication, enterostomy
- status Z93.4

Enterovirus, as cause of disease classified elsewhere B97.10
- coxsackievirus B97.11
- echovirus B97.12
- other specified B97.19

Enthesopathy (peripheral) M77.9
- Achilles tendinitis *-see* Tendinitis, Achilles
- ankle and tarsus M77.5-
- - specified type NEC *-see* Enthesopathy, foot, specified type NEC
- anterior tibial syndrome M76.81-
- calcaneal spur *-see* Spur, bone, calcaneal
- elbow region M77.8
- - lateral epicondylitis *-see* Epicondylitis, lateral
- - medial epicondylitis *-see* Epicondylitis, medial
- foot NEC M77.8
- - metatarsalgia *-see* Metatarsalgia
- - specified type NEC M77.5-
- forearm M77.8
- gluteal tendinitis *-see* Tendinitis, gluteal
- hand M77.8
- hip *-see* Enthesopathy, lower limb, specified type NEC
- iliac crest spur *-see* Spur, bone, iliac crest
- iliotibial band syndrome *-see* Syndrome, iliotibial band
- knee *-see* Enthesopathy, lower limb, lower leg, specified type NEC
- lateral epicondylitis *-see* Epicondylitis, lateral
- lower limb (excluding foot) M76.9
- - Achilles tendinitis *-see* Tendinitis, Achilles
- - ankle and tarsus M77.5-
- - - specified type NEC *-see* Enthesopathy, foot, specified type NEC
- - anterior tibial syndrome M76.81-
- - gluteal tendinitis *-see* Tendinitis, gluteal
- - iliac crest spur *-see* Spur, bone, iliac crest
- - iliotibial band syndrome *-see* Syndrome, iliotibial band
- - patellar tendinitis *-see* Tendinitis, patellar

- - pelvic region -*see* Enthesopathy, lower limb, specified type NEC
- - peroneal tendinitis -*see* Tendinitis, peroneal
- - posterior tibial syndrome M76.82-
- - psoas tendinitis -*see* Tendinitis, psoas
- - specified type NEC M76.89-
- - tibial collateral bursitis -*see* Bursitis, tibial collateral
- medial epicondylitis -*see* Epicondylitis, medial
- metatarsalgia -*see* Metatarsalgia
- multiple sites M77.8
- patellar tendinitis -*see* Tendinitis, patellar
- pelvis M77.8
- periarthritis of wrist -*see* Periarthritis, wrist
- peroneal tendinitis -*see* Tendinitis, peroneal
- posterior tibial syndrome M76.82-
- psoas tendinitis -*see* Tendinitis, psoas
- shoulder M77.8
- shoulder region -*see* Lesion, shoulder
- specified type NEC M77.8
- spinal M46.00
- - cervical region M46.02
- - cervicothoracic region M46.03
- - lumbar region M46.06
- - lumbosacral region M46.07
- - multiple sites M46.09
- - occipito-atlanto-axial region M46.01
- - sacrococcygeal region M46.08
- - thoracic region M46.04
- - thoracolumbar region M46.05
- tibial collateral bursitis -*see* Bursitis, tibial collateral
- upper arm M77.8
- wrist and carpus NEC M77.8
- - calcaneal spur -*see* Spur, bone, calcaneal
- - periarthritis of wrist -*see* Periarthritis, wrist

Entomophobia F40.218

Entomophthoromycosis B46.8

Entrance, air into vein -*see* Embolism, air

Entrapment
- muscle
- - eye
- - - extraocular H50.68-
- - - oblique
- - - - inferior H50.62-
- - - - superior H50.66-
- - - rectus
- - - - inferior H50.63-
- - - - lateral H50.64-
- - - - medial H50.65-
- - - - superior H50.67-
- nerve -*see* Neuropathy, entrapment

Entropion (eyelid) (paralytic) H02.009
- cicatricial H02.019
- - left H02.016
- - - lower H02.015
- - - upper H02.014
- - right H02.013
- - - lower H02.012
- - - upper H02.011
- congenital Q10.2
- left H02.006
- - lower H02.005

- - upper H02.004
- mechanical H02.029
- - left H02.026
- - - lower H02.025
- - - upper H02.024
- - right H02.023
- - - lower H02.022
- - - upper H02.021
- right H02.003
- - lower H02.002
- - upper H02.001
- senile H02.039
- - left H02.036
- - - lower H02.035
- - - upper H02.034
- - right H02.033
- - - lower H02.032
- - - upper H02.031
- spastic H02.049
- - left H02.046
- - - lower H02.045
- - - upper H02.044
- - right H02.043
- - - lower H02.042
- - - upper H02.041

Enucleated eye (traumatic, current) S05.7-

Enuresis R32
- functional F98.0
- habit disturbance F98.0
- nocturnal N39.44
- - psychogenic F98.0
- nonorganic origin F98.0
- psychogenic F98.0

Eosinopenia -*see* Agranulocytosis

Eosinophilia (allergic) (idiopathic) (secondary) D72.10
- with
- - angiolymphoid hyperplasia (ALHE) D18.01
- familial D72.19
- hereditary D72.19
- in disease classified elsewhere D72.18
- infiltrative -*see* Eosinophilia, pulmonary
- Löffler's J82.89
- peritoneal -*see* Peritonitis, eosinophilic
- pulmonary NEC J82.89
- - acute J82.82
- - asthmatic J82.83
- - chronic J82.81
- specified NEC D72.19
- tropical (pulmonary) J82.89

Eosinophilia-myalgia syndrome M35.89

Ependymitis (acute) (cerebral) (chronic) (granular) -*see* Encephalomyelitis

Ependymoblastoma
- specified site -*see* Neoplasm, malignant, by site
- unspecified site C71.9

Ependymoma (epithelial) (malignant)
- anaplastic
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C71.9
- benign
- - specified site -*see* Neoplasm, benign, by site

- - unspecified site D33.2
- myxopapillary D43.2
- - specified site -*see* Neoplasm, uncertain behavior, by site
- - unspecified site D43.2
- papillary D43.2
- - specified site -*see* Neoplasm, uncertain behavior, by site
- - unspecified site D43.2
- specified site -*see* Neoplasm, malignant, by site
- unspecified site C71.9

Ependymopathy G93.89

Ephelis, ephelides L81.2

Epiblepharon (congenital) Q10.3

Epicanthus, epicanthic fold (eyelid) (congenital) Q10.3

Epicondylitis (elbow)
- lateral M77.1-
- medial M77.0-

Epicystitis -*see* Cystitis

Epidemic -*see* condition

Epidermidalization, cervix -*see* Dysplasia, cervix

Epidermis, epidermal -*see* condition

Epidermodysplasia verruciformis B07.8

Epidermolysis
- bullosa (congenital) Q81.9
- - acquired L12.30
- - - drug-induced L12.31
- - - specified cause NEC L12.35
- - dystrophica Q81.2
- - letalis Q81.1
- - simplex Q81.0
- - specified NEC Q81.8
- necroticans combustiformis L51.2
- - due to drug -*see* Table of Drugs and Chemicals, by drug

Epidermophytid -*see* Dermatophytosis

Epidermophytosis (infected) -*see* Dermatophytosis

Epididymis -*see* condition

Epididymitis (acute) (nonvenereal) (recurrent) (residual) N45.1
- with orchitis N45.3
- blennorrhagic (gonococcal) A54.23
- caseous (tuberculous) A18.15
- chlamydial A56.19
- filarial -*see also* Infestation, filarial B74.9 *[N51]*
- gonococcal A54.23
- syphilitic A52.76
- tuberculous A18.15

Epididymo-orchitis -*see also* Epididymitis N45.3

Epidural -*see* condition

Epigastrium, epigastric -*see* condition

Epigastrocele -*see* Hernia, ventral

Epiglottis -*see* condition

Epiglottitis, epiglottiditis (acute) J05.10
- with obstruction J05.11
- chronic J37.0

Epignathus Q89.4

Epilepsia partialis continua -*see also* Kozhevnikof's epilepsy G40.1-

Epilepsy, epileptic, epilepsia (attack) (cerebral) (convulsion) (fit) (seizure) G40.909
- Note: the following terms are to be considered equivalent to intractable: pharmacoresistant (pharmacologically resistant), treatment resistant, refractory (medically) and poorly controlled
- with
- - complex partial seizures -*see* Epilepsy, localization-related, symptomatic, with complex partial seizures
- - grand mal seizures on awakening -*see* Epilepsy, generalized, specified NEC

- - myoclonic absences -*see* Epilepsy, generalized, specified NEC
- - myoclonic-astatic seizures -*see* Epilepsy, generalized, specified NEC
- - simple partial seizures -*see* Epilepsy, localization-related, symptomatic, with simple partial seizures
- akinetic -*see* Epilepsy, generalized, specified NEC
- benign childhood with centrotemporal EEG spikes -*see* Epilepsy, localization-related, idiopathic
- benign myoclonic in infancy G40.80-
- Bravais-jacksonian -*see* Epilepsy, localization-related, symptomatic, with simple partial seizures
- childhood
- - with occipital EEG paroxysms -*see* Epilepsy, localization-related, idiopathic
- - absence G40.A09
- - - intractable G40.A19
- - - - with status epilepticus G40.A11
- - - - without status epilepticus G40.A19
- - - not intractable G40.A09
- - - - with status epilepticus G40.A01
- - - - without status epilepticus G40.A09
- climacteric -*see* Epilepsy, specified NEC
- cysticercosis B69.0
- deterioration (mental) F06.8
- due to syphilis A52.19
- focal -*see* Epilepsy, localization-related, symptomatic, with simple partial seizures
- generalized
- - idiopathic G40.309
- - - intractable G40.319
- - - - with status epilepticus G40.311
- - - - without status epilepticus G40.319
- - - not intractable G40.309
- - - - with status epilepticus G40.301
- - - - without status epilepticus G40.309
- - specified NEC G40.409
- - - intractable G40.419
- - - - with status epilepticus G40.411
- - - - without status epilepticus G40.419
- - - not intractable G40.409
- - - - with status epilepticus G40.401
- - - - without status epilepticus G40.409
- impulsive petit mal -*see* Epilepsy, juvenile myoclonic
- intractable G40.919
- - with status epilepticus G40.911
- - without status epilepticus G40.919
- juvenile absence G40.A09
- - intractable G40.A19
- - - with status epilepticus G40.A11
- - - without status epilepticus G40.A19
- - not intractable G40.A09
- - - with status epilepticus G40.A01
- - - without status epilepticus G40.A09
- juvenile myoclonic G40.B09
- - intractable G40.B19
- - - with status epilepticus G40.B11
- - - without status epilepticus G40.B19
- - not intractable G40.B09
- - - with status epilepticus G40.B01
- - - without status epilepticus G40.B09
- KCNQ2-related G40.842
- - intractable G40.844
- - - with status epilepticus G40.843
- - - without status epilepticus G40.844
- - not intractable G40.842
- - - with status epilepticus G40.841

- - - without status epilepticus G40.842
- Lafora progressive myoclonus -*see also* Epilepsy, progressive, Lafora G40.C09
- localization-related (focal) (partial)
- - idiopathic G40.009
- - - with seizures of localized onset G40.009
- - - - intractable G40.019
- - - - - with status epilepticus G40.011
- - - - - without status epilepticus G40.019
- - - - not intractable G40.009
- - - - - with status epilepticus G40.001
- - - - - without status epilepticus G40.009
- - symptomatic
- - - with complex partial seizures G40.209
- - - - intractable G40.219
- - - - - with status epilepticus G40.211
- - - - - without status epilepticus G40.219
- - - - not intractable G40.209
- - - - - with status epilepticus G40.201
- - - - - without status epilepticus G40.209
- - - with simple partial seizures G40.109
- - - - intractable G40.119
- - - - - with status epilepticus G40.111
- - - - - without status epilepticus G40.119
- - - - not intractable G40.109
- - - - - with status epilepticus G40.101
- - - - - without status epilepticus G40.109
- myoclonus, myoclonic -*see also* Epilepsy, generalized, specified NEC
- - progressive -*see also* Epilepsy, generalized, idiopathic
- - - Lafora G40.C09
- - - - intractable G40.C19
- - - - - with status epilepticus G40.C11
- - - - - without status epilepticus G40.C19
- - - - not intractable G40.C09
- - - - - with status epilepticus G40.C01
- - - - - without status epilepticus G40.C09
- - - type 1 -*see* Epilepsy, generalized, idiopathic
- - - type 2 -*see* Epilepsy, myoclonus, progressive, Lafora
- - severe, in infancy (SMEI) G40.83-
- not intractable G40.909
- - with status epilepticus G40.901
- - without status epilepticus G40.909
- on awakening -*see* Epilepsy, generalized, specified NEC
- parasitic NOS B71.9 *[G94]*
- partial -*see* Epilepsy, localization-related, symptomatic, with simple partial seizures
- partialis continua -*see also* Kozhevnikof's epilepsy G40.1-
- peripheral -*see* Epilepsy, specified NEC
- polymorphic, in infancy (PMEI) G40.83-
- procursiva -*see* Epilepsy, localization-related, symptomatic, with simple partial seizures
- progressive (familial) myoclonic -*see* Epilepsy, myoclonus, progressive
- - Lafora -*see also* Epilepsy, progressive, Lafora G40.C09
- reflex -*see* Epilepsy, specified NEC
- related to
- - alcohol G40.509
- - - not intractable G40.509
- - - - with status epilepticus G40.501
- - - - without status epliepticus G40.509
- - drugs G40.509
- - - not intractable G40.509
- - - - with status epilepticus G40.501
- - - - without status epliepticus G40.509

- - external causes G40.509
- - - not intractable G40.509
- - - - with status epilepticus G40.501
- - - - without status epliepticus G40.509
- - hormonal changes G40.509
- - - not intractable G40.509
- - - - with status epilepticus G40.501
- - - - without status epliepticus G40.509
- - sleep deprivation G40.509
- - - not intractable G40.509
- - - - with status epilepticus G40.501
- - - - without status epliepticus G40.509
- - stress G40.509
- - - not intractable G40.509
- - - - with status epilepticus G40.501
- - - - without status epliepticus G40.509
- somatomotor -*see* Epilepsy, localization-related, symptomatic, with simple partial seizures
- somatosensory -*see* Epilepsy, localization-related, symptomatic, with simple partial seizures
- spasms G40.822
- - intractable G40.824
- - - with status epilepticus G40.823
- - - without status epilepticus G40.824
- - not intractable G40.822
- - - with status epilepticus G40.821
- - - without status epilepticus G40.822
- specified NEC G40.802
- - intractable G40.804
- - - with status epilepticus G40.803
- - - without status epilepticus G40.804
- - not intractable G40.802
- - - with status epilepticus G40.801
- - - without status epilepticus G40.802
- syndromes
- - generalized
- - - idiopathic G40.309
- - - - intractable G40.319
- - - - - with status epilepticus G40.311
- - - - - without status epilepticus G40.319
- - - - not intractable G40.309
- - - - - with status epilepticus G40.301
- - - - - without status epilepticus G40.309
- - - specified NEC G40.409
- - - - intractable G40.419
- - - - - with status epilepticus G40.411
- - - - - without status epilepticus G40.419
- - - - not intractable G40.409
- - - - - with status epilepticus G40.401
- - - - - without status epilepticus G40.409
- - localization-related (focal) (partial)
- - - idiopathic G40.009
- - - - with seizures of localized onset G40.009
- - - - - intractable G40.019
- - - - - - with status epilepticus G40.011
- - - - - - without status epilepticus G40.019
- - - - - not intractable G40.009
- - - - - - with status epilepticus G40.001
- - - - - - without status epilepticus G40.009
- - - symptomatic
- - - - with complex partial seizures G40.209
- - - - - intractable G40.219

- - - - - - with status epilepticus G40.211
- - - - - - without status epilepticus G40.219
- - - - - not intractable G40.209
- - - - - - with status epilepticus G40.201
- - - - - - without status epilepticus G40.209
- - - - with simple partial seizures G40.109
- - - - - intractable G40.119
- - - - - - with status epilepticus G40.111
- - - - - - without status epilepticus G40.119
- - - - - not intractable G40.109
- - - - - - with status epilepticus G40.101
- - - - - - without status epilepticus G40.109
- - specified NEC G40.802
- - - intractable G40.804
- - - - with status epilepticus G40.803
- - - - without status epilepticus G40.804
- - - not intractable G40.802
- - - - with status epilepticus G40.801
- - - - without status epilepticus G40.802
- tonic (-clonic) -*see* Epilepsy, generalized, specified NEC
- twilight F05
- uncinate (gyrus) -*see* Epilepsy, localization-related, symptomatic, with complex partial seizures
- Unverricht (-Lundborg) (familial myoclonic) -*see* Epilepsy, generalized, idiopathic
- visceral -*see* Epilepsy, specified NEC
- visual -*see* Epilepsy, specified NEC

Epiloia Q85.1

Epimenorrhea N92.0

Epipharyngitis -*see* Nasopharyngitis

Epiphora H04.20-
- due to
- - excess lacrimation H04.21-
- - insufficient drainage H04.22-

Epiphyseal arrest -*see* Arrest, epiphyseal

Epiphyseolysis, epiphysiolysis -*see* Osteochondropathy

Epiphysitis -*see also* Osteochondropathy
- juvenile M92.9
- syphilitic (congenital) A50.02

Epiplocele -*see* Hernia, abdomen

Epiploitis -*see* Peritonitis

Epiplosarcomphalocele -*see* Hernia, umbilicus

Episcleritis (suppurative) H15.10-
- in (due to)
- - syphilis A52.71
- - tuberculosis A18.51
- nodular H15.12-
- periodica fugax H15.11-
- - angioneurotic -*see* Edema, angioneurotic
- syphilitic (late) A52.71
- tuberculous A18.51

Episode
- affective, mixed F39
- depersonalization (in neurotic state) F48.1
- depressive F32.A
- - major F32.9
- - - mild F32.0
- - - moderate F32.1
- - - severe (without psychotic symptoms) F32.2
- - - - with psychotic symptoms F32.3
- - recurrent F33.9
- - - brief F33.8

- - specified NEC F32.89
- hypomanic F30.8
- manic F30.9
- - with
- - - psychotic symptoms F30.2
- - - remission (full) F30.4
- - - - partial F30.3
- - other specified F30.8
- - recurrent F31.89
- - without psychotic symptoms F30.10
- - - mild F30.11
- - - moderate F30.12
- - - severe (without psychotic symptoms) F30.13
- - - - with psychotic symptoms F30.2
- psychotic F23
- - organic F06.8
- schizophrenic (acute) NEC, brief F23

Epispadias (female) (male) Q64.0

Episplenitis D73.89

Epistaxis (multiple) R04.0
- hereditary I78.0
- vicarious menstruation N94.89

Epithelioma (malignant) -*see* also Neoplasm, malignant, by site
- adenoides cysticum -*see* Neoplasm, skin, benign
- basal cell -*see* Neoplasm, skin, malignant
- benign -*see* Neoplasm, benign, by site
- Bowen's -*see* Neoplasm, skin, in situ
- calcifying, of Malherbe -*see* Neoplasm, skin, benign
- external site -*see* Neoplasm, skin, malignant
- intraepidermal, Jadassohn -*see* Neoplasm, skin, benign
- squamous cell -*see* Neoplasm, malignant, by site

Epitheliomatosis pigmented Q82.1

Epitheliopathy, multifocal placoid pigment H30.14-

Epithelium, epithelial -*see* condition

Epituberculosis (with atelectasis) (allergic) A15.7

Eponychia Q84.6

Epstein's
- nephrosis or syndrome -*see* Nephrosis
- pearl K09.8

Epulis (gingiva) (fibrous) (giant cell) K06.8

Equinia A24.0

Equinovarus (congenital) (talipes) Q66.0-
- acquired -*see* Deformity, limb, clubfoot

Equivalent
- convulsive (abdominal) -*see* Epilepsy, specified NEC
- epileptic (psychic) -*see* Epilepsy, localization-related, symptomatic, with complex partial seizures

Erb (-Duchenne) paralysis (birth injury) (newborn) P14.0

Erb-Goldflam disease or syndrome G70.00
- with exacerbation (acute) G70.01
- in crisis G70.01

Erb's
- disease G71.02
- palsy, paralysis (brachial) (birth) (newborn) P14.0
- - spinal (spastic) syphilitic A52.17
- pseudohypertrophic muscular dystrophy G71.02

Erdheim's syndrome (acromegalic macrospondylitis) E22.0

Erection, painful (persistent) -*see* Priapism

Ergosterol deficiency (vitamin D) E55.9
- with
- - adult osteomalacia M83.8

- - rickets -*see* Rickets
Ergotism -*see also* Poisoning, food, noxious, plant
- from ergot used as drug (migraine therapy) -*see* Table of Drugs and Chemicals
Erosio interdigitalis blastomycetica B37.2
Erosion
- artery I77.2
- - without rupture I77.89
- bone -*see* Disorder, bone, density and structure, specified NEC
- bronchus J98.09
- cameron -*see* Ulcer, stomach
- cartilage (joint) -*see* Disorder, cartilage, specified type NEC
- cervix (uteri) (acquired) (chronic) (congenital) N86
- - with cervicitis N72
- cornea (nontraumatic) -*see* Ulcer, cornea
- - recurrent H18.83-
- - traumatic -*see* Abrasion, cornea
- dental (idiopathic) (occupational) (due to diet, drugs or vomiting) K03.2
- duodenum, postpyloric -*see* Ulcer, duodenum
- esophagus K22.10
- - with bleeding K22.11
- gastric -*see* Ulcer, stomach
- gastrojejunal -*see* Ulcer, gastrojejunal
- implanted mesh -*see* Complications, prosthetic device or implant, mesh
- intestine K63.3
- lymphatic vessel I89.8
- pylorus, pyloric (ulcer) -*see* Ulcer, stomach
- spine, aneurysmal A52.09
- stomach -*see* Ulcer, stomach
- subcutaneous device pocket
- - nervous system prosthetic device, implant, or graft T85.890
- - other internal prosthetic device, implant, or graft T85.898
- teeth (idiopathic) (occupational) (due to diet, drugs or vomiting) K03.2
- urethra N36.8
- uterus N85.8
Erotomania F52.8
Error
- metabolism, inborn -- se Disorder, metabolism
- refractive -*see* Disorder, refraction
Eructation R14.2
- nervous or psychogenic F45.8
Eruption
- creeping B76.9
- drug (generalized) (taken internally) L27.0
- - fixed L27.1
- - in contact with skin -*see* Dermatitis, due to drugs
- - localized L27.1
- Hutchinson, summer L56.4
- Kaposi's varicelliform B00.0
- napkin L22
- polymorphous light (sun) L56.4
- recalcitrant pustular L13.8
- ringed R23.8
- skin (nonspecific) R21
- - creeping (meaning hookworm) B76.9
- - due to inoculation/vaccination (generalized) -*see also* Dermatitis, due to, vaccine L27.0
- - - localized L27.1
- - erysipeloid A26.0
- - feigned L98.1
- - Kaposi's varicelliform B00.0
- - lichenoid L28.0

- - meaning dermatitis *-see* Dermatitis
- - toxic NEC L53.0
- tooth, teeth, abnormal (incomplete) (late) (premature) (sequence) K00.6
- vesicular R23.8

Erysipelas (gangrenous) (infantile) (newborn) (phlegmonous) (suppurative) A46
- external ear A46 *[H62.40]*
- puerperal, postpartum O86.89

Erysipeloid A26.9
- cutaneous (Rosenbach's) A26.0
- disseminated A26.8
- sepsis A26.7
- specified NEC A26.8

Erythema, erythematous (infectional) (inflammation) L53.9
- ab igne L59.0
- annulare (centrifugum) (rheumaticum) L53.1
- arthriticum epidemicum A25.1
- brucellum *-see* Brucellosis
- chronic figurate NEC L53.3
- chronicum migrans (Borrelia burgdorferi) A69.20
- diaper L22
- due to
- - chemical NEC L53.0
- - - in contact with skin L24.5
- - drug (internal use) *-see* Dermatitis, due to, drugs
- elevatum diutinum L95.1
- endemic E52
- epidemic, arthritic A25.1
- figuratum perstans L53.3
- gluteal L22
- heat - code by site under Burn, first degree
- ichthyosiforme congenitum bullous Q80.3
- in diseases classified elsewhere L54
- induratum (nontuberculous) L52
- - tuberculous A18.4
- infectiosum B08.3
- intertrigo L30.4
- iris L51.9
- marginatum L53.2
- - in (due to) acute rheumatic fever I00
- medicamentosum *-see* Dermatitis, due to, drugs
- migrans A26.0
- - chronicum A69.20
- - tongue K14.1
- multiforme (major) (minor) L51.9
- - bullous, bullosum L51.1
- - conjunctiva L51.1
- - nonbullous L51.0
- - pemphigoides L12.0
- - specified NEC L51.8
- napkin L22
- neonatorum P83.88
- - toxic P83.1
- nodosum L52
- - tuberculous A18.4
- palmar L53.8
- pernio T69.1
- rash, newborn P83.88
- scarlatiniform (recurrent) (exfoliative) L53.8
- solare L55.0
- specified NEC L53.8

- toxic, toxicum NEC L53.0
- - newborn P83.1
- tuberculous (primary) A18.4
Erythematous, erythematosus -*see* condition
Erythermalgia (primary) I73.81
Erythralgia I73.81
Erythrasma L08.1
Erythredema (polyneuropathy) -*see* Poisoning, mercury
Erythremia (acute) C94.0-
- chronic D45
- secondary D75.1
Erythroblastopenia -*see also* Aplasia, red cell D60.9
- congenital D61.01
Erythroblastophthisis D61.09
Erythroblastosis (fetalis) (newborn) P55.9
- due to
- - ABO (antibodies) (incompatibility) (isoimmunization) P55.1
- - Rh (antibodies) (incompatibility) (isoimmunization) P55.0
Erythrocyanosis (crurum) I73.89
Erythrocythemia -*see* Erythremia
Erythrocytosis (megalosplenic) (secondary) D75.1
- familial D75.0
- oval, hereditary -*see* Elliptocytosis
- secondary D75.1
- stress D75.1
Erythroderma (secondary) -*see also* Erythema L53.9
- bullous ichthyosiform, congenital Q80.3
- desquamativum L21.1
- ichthyosiform, congenital (bullous) Q80.3
- neonatorum P83.88
- psoriaticum L40.8
Erythrodysesthesia, palmar plantar (PPE) L27.1
Erythrogenesis imperfecta D61.09
Erythroleukemia C94.0-
Erythromelalgia I73.81
Erythrophagocytosis D75.89
Erythrophobia F40.298
Erythroplakia, oral epithelium, and tongue K13.29
Erythroplasia (Queyrat) D07.4
- specified site -*see* Neoplasm, skin, in situ
- unspecified site D07.4
Escherichia coli (E. coli), as cause of disease classified elsewhere B96.20
- non-O157 Shiga toxin-producing (with known O group) B96.22
- non-Shiga toxin-producing B96.29
- O157 B96.21
- O157 with confirmation of Shiga toxin when H antigen is unknown, or is not H7 B96.21
- O157:H- (nonmotile) with confirmation of Shiga toxin B96.21
- O157:H7 with or without confirmation of Shiga toxin-production B96.21
- - specified NEC B96.22
- Shiga toxin-producing (with unspecified O group) (STEC) B96.23
- specified NEC B96.29
Esophagismus K22.4
Esophagitis (acute) (alkaline) (chemical) (chronic) (infectional) (necrotic) (peptic) (postoperative) (without bleeding) K20.90
- with bleeding K20.91
- candidal B37.81
- due to gastrointestinal reflux disease (without bleeding) K21.00
- - with bleeding K21.01
- eosinophilic K20.0
- reflux K21.00

- - with bleeding K21.01
- specified NEC (without bleeding) K20.80
- - with bleeding K20.81
- tuberculous A18.83
- ulcerative K22.10
- - with bleeding K22.11
Esophagocele K22.5
Esophagomalacia K22.89
Esophagospasm K22.4
Esophagostenosis K22.2
Esophagostomiasis B81.8
Esophagotracheal -*see* condition
Esophagus -*see* condition
Esophoria H50.51
- convergence, excess H51.12
- divergence, insufficiency H51.8
Esotropia -*see* Strabismus, convergent concomitant
Espundia B55.2
Essential -*see* condition
Esthesioneuroblastoma C30.0
Esthesioneurocytoma C30.0
Esthesioneuroepithelioma C30.0
Esthiomene A55
Estivo-autumnal malaria (fever) B50.9
Estrangement (marital) Z63.5
- parent-child NEC Z62.890
Estriasis -*see* Myiasis
Ethanolism -*see* Alcoholism
Etherism -*see* Dependence, drug, inhalant
Ethmoid, ethmoidal -*see* condition
Ethmoiditis (chronic) (nonpurulent) (purulent) -*see also* Sinusitis, ethmoidal
- influenzal -*see* Influenza, with, respiratory manifestations NEC
- Woakes' J33.1
Ethylism -*see* Alcoholism
Eulenburg's disease (congenital paramyotonia) G71.19
Eumycetoma B47.0
Eunuchoidism E29.1
- hypogonadotropic E23.0
European blastomycosis -*see* Cryptococcosis
Eustachian -*see* condition
Evaluation (for) (of)
- development state
- - adolescent Z00.3
- - period of
- - - delayed growth in childhood Z00.70
- - - - with abnormal findings Z00.71
- - - rapid growth in childhood Z00.2
- - puberty Z00.3
- growth and developmental state (period of rapid growth) Z00.2
- - delayed growth Z00.70
- - - with abnormal findings Z00.71
- mental health (status) Z00.8
- - requested by authority Z04.6
- period of
- - delayed growth in childhood Z00.70
- - - with abnormal findings Z00.71
- - rapid growth in childhood Z00.2
- suspected condition -*see* Observation
Evans syndrome D69.41
Event

- apparent life threatening in newborn and infant (ALTE) R68.13
- brief resolved unexplained event (BRUE) R68.13

Eventration -*see also* Hernia, ventral
- colon into chest -*see* Hernia, diaphragm
- diaphragm (congenital) Q79.1

Eversion
- bladder N32.89
- cervix (uteri) N86
- - with cervicitis N72
- foot NEC -*see also* Deformity, valgus, ankle
- - congenital Q66.6
- punctum lacrimale (postinfectional) (senile) H04.52-
- ureter (meatus) N28.89
- urethra (meatus) N36.8
- uterus N81.4

Evidence
- cytologic
- - of malignancy on anal smear R85.614
- - of malignancy on cervical smear R87.614
- - of malignancy on vaginal smear R87.624

Evisceration
- birth injury P15.8
- traumatic NEC
- - eye -*see* Enucleated eye

Evulsion -*see* Avulsion

Ewing's sarcoma or tumor -*see* Neoplasm, bone, malignant

Examination (for) (following) (general) (of) (routine) Z00.00
- with abnormal findings Z00.01
- abuse, physical (alleged), ruled out
- - adult Z04.71
- - child Z04.72
- adolescent (development state) Z00.3
- alleged rape or sexual assault (victim), ruled out
- - adult Z04.41
- - child Z04.42
- allergy Z01.82
- annual (adult) (periodic) (physical) Z00.00
- - with abnormal findings Z00.01
- - gynecological Z01.419
- - - with abnormal findings Z01.411
- antibody response Z01.84
- blood -*see* Examination, laboratory
- blood pressure Z01.30
- - with abnormal findings Z01.31
- cancer staging -*see* Neoplasm, malignant, by site
- cervical Papanicolaou smear Z12.4
- - as part of routine gynecological examination Z01.419
- - - with abnormal findings Z01.411
- child (over 28 days old) Z00.129
- - with abnormal findings Z00.121
- - under 28 days old -*see* Newborn, examination
- clinical research control or normal comparison (control) (participant) Z00.6
- contraceptive (drug) maintenance (routine) Z30.8
- - device (intrauterine) Z30.431
- dental Z01.20
- - with abnormal findings Z01.21
- developmental -*see* Examination, child
- donor (potential) Z00.5
- ear Z01.10
- - with abnormal findings NEC Z01.118

- eye Z01.00
- - with abnormal findings Z01.01
- - following failed vision screening Z01.020
- - - with abnormal findings Z01.021
- following
- - accident NEC Z04.3
- - - transport Z04.1
- - - work Z04.2
- - assault, alleged, ruled out
- - - adult Z04.71
- - - child Z04.72
- - motor vehicle accident Z04.1
- - treatment (for) Z09
- - - combined NEC Z09
- - - - fracture Z09
- - - - malignant neoplasm Z08
- - - malignant neoplasm Z08
- - - mental disorder Z09
- - - specified condition NEC Z09
- follow-up (routine) (following) Z09
- - chemotherapy NEC Z09
- - - malignant neoplasm Z08
- - fracture Z09
- - malignant neoplasm Z08
- - postpartum Z39.2
- - psychotherapy Z09
- - radiotherapy NEC Z09
- - - malignant neoplasm Z08
- - surgery NEC Z09
- - - malignant neoplasm Z08
- forced labor exploitation Z04.82
- forced sexual exploitation Z04.81
- gynecological Z01.419
- - with abnormal findings Z01.411
- - for contraceptive maintenance Z30.8
- health -*see* Examination, medical
- hearing Z01.10
- - with abnormal findings NEC Z01.118
- - infant or child (over 28 days old) Z00.129
- - - with abnormal findings Z00.121
- - following failed hearing screening Z01.110
- immunity status testing Z01.84
- laboratory (as part of a general medical examination) Z00.00
- - with abnormal findings Z00.01
- - preprocedural Z01.812
- lactating mother Z39.1
- medical (adult) (for) (of) Z00.00
- - with abnormal findings Z00.01
- - administrative purpose only Z02.9
- - - specified NEC Z02.89
- - admission to
- - - armed forces Z02.3
- - - old age home Z02.2
- - - prison Z02.89
- - - residential institution Z02.2
- - - school Z02.0
- - - - following illness or medical treatment Z02.0
- - - summer camp Z02.89
- - adoption Z02.82
- - blood alcohol or drug level Z02.83

- - camp (summer) Z02.89
- - clinical research, normal subject (control) (participant) Z00.6
- - control subject in clinical research (normal comparison) (participant) Z00.6
- - donor (potential) Z00.5
- - driving license Z02.4
- - general (adult) Z00.00
- - - with abnormal findings Z00.01
- - immigration Z02.89
- - insurance purposes Z02.6
- - marriage Z02.89
- - medicolegal reasons NEC Z04.89
- - naturalization Z02.89
- - participation in sport Z02.5
- - paternity testing Z02.81
- - population survey Z00.8
- - pre-employment Z02.1
- - pre-operative -*see* Examination, pre-procedural
- - pre-procedural
- - - cardiovascular Z01.810
- - - respiratory Z01.811
- - - specified NEC Z01.818
- - preschool children
- - - for admission to school Z02.0
- - prisoners
- - - for entrance into prison Z02.89
- - recruitment for armed forces Z02.3
- - specified NEC Z00.8
- - sport competition Z02.5
- medicolegal reason NEC Z04.89
- - following
- - - forced labor exploitation Z04.82
- - - forced sexual exploitation Z04.81
- newborn -*see* Newborn, examination
- pelvic (annual) (periodic) Z01.419
- - with abnormal findings Z01.411
- period of rapid growth in childhood Z00.2
- periodic (adult) (annual) (routine) Z00.00
- - with abnormal findings Z00.01
- physical (adult) -*see also* Examination, medical Z00.00
- - sports Z02.5
- postpartum
- - immediately after delivery Z39.0
- - routine follow-up Z39.2
- prenatal (normal pregnancy) -*see also* Pregnancy, normal Z34.9-
- pre-chemotherapy (antineoplastic) Z01.818
- pre-procedural (pre-operative)
- - cardiovascular Z01.810
- - laboratory Z01.812
- - respiratory Z01.811
- - specified NEC Z01.818
- prior to chemotherapy (antineoplastic) Z01.818
- psychiatric NEC Z00.8
- - follow-up not needing further care Z09
- - requested by authority Z04.6
- radiological (as part of a general medical examination) Z00.00
- - with abnormal findings Z00.01
- repeat cervical smear to confirm findings of recent normal smear following initial abnormal smear Z01.42
- skin (hypersensitivity) Z01.82
- special -*see also* Examination, by type Z01.89
- - specified type NEC Z01.89

- specified type or reason NEC Z04.89
- teeth Z01.20
- - with abnormal findings Z01.21
- urine -*see* Examination, laboratory
- vision Z01.00
- - with abnormal findings Z01.01
- - following failed vision screening Z01.020
- - - with abnormal findings Z01.021
- - infant or child (over 28 days old) Z00.129
- - - with abnormal findings Z00.121

Exanthem, exanthema -*see also* Rash
- with enteroviral vesicular stomatitis B08.4
- Boston A88.0
- epidemic with meningitis A88.0 *[G02]*
- subitum B08.20
- - due to human herpesvirus 6 B08.21
- - due to human herpesvirus 7 B08.22
- viral, virus B09
- - specified type NEC B08.8

Excess, excessive, excessively
- alcohol level in blood R78.0
- androgen (ovarian) E28.1
- attrition, tooth, teeth K03.0
- carotene, carotin (dietary) E67.1
- cold, effects of T69.9
- - specified effect NEC T69.8
- convergence H51.12
- crying
- - in child, adolescent, or adult R45.83
- - in infant R68.11
- development, breast N62
- divergence H51.8
- drinking (alcohol) NEC (without dependence) F10.10
- - habitual (continual) (without remission) F10.20
- eating R63.2
- estrogen E28.0
- fat -*see also* Obesity
- - in heart -*see* Degeneration, myocardial
- - localized E65
- foreskin N47.8
- gas R14.0
- glucagon E16.3
- heat -*see* Heat
- intermaxillary vertical dimension of fully erupted teeth M26.37
- interocclusal distance of fully erupted teeth M26.37
- kalium E87.5
- large
- - colon K59.39
- - - congenital Q43.8
- - infant P08.0
- - organ or site, congenital NEC -*see* Anomaly, by site
- long
- - organ or site, congenital NEC -*see* Anomaly, by site
- menstruation (with regular cycle) N92.0
- - with irregular cycle N92.1
- napping Z72.821
- natrium E87.0
- number of teeth K00.1
- nutrient (dietary) NEC R63.2
- potassium (K) E87.5

- salivation K11.7
- secretion -*see also* Hypersecretion
- - milk O92.6
- - sputum R09.3
- - sweat R61
- sexual drive F52.8
- short
- - organ or site, congenital NEC -*see* Anomaly, by site
- - umbilical cord in labor or delivery O69.3
- skin L98.7
- - and subcutaneous tissue L98.7
- - eyelid (acquired) -*see* Blepharochalasis
- - - congenital Q10.3
- sodium (Na) E87.0
- spacing of fully erupted teeth M26.32
- sputum R09.3
- sweating R61
- thirst R63.1
- - due to deprivation of water T73.1
- transportation time Z59.82
- tuberosity of jaw M26.07
- vitamin
- - A (dietary) E67.0
- - - administered as drug (prolonged intake) -*see* Table of Drugs and Chemicals, vitamins, adverse effect
- - - overdose or wrong substance given or taken -*see* Table of Drugs and Chemicals, vitamins, poisoning
- - D (dietary) E67.3
- - - administered as drug (prolonged intake) -*see* Table of Drugs and Chemicals, vitamins, adverse effect
- - - overdose or wrong substance given or taken -*see* Table of Drugs and Chemicals, vitamins, poisoning
- weight
- - gain R63.5
- - loss R63.4

Excitability, abnormal, under minor stress (personality disorder) F60.3

Excitation
- anomalous atrioventricular I45.6
- psychogenic F30.8
- reactive (from emotional stress, psychological trauma) F30.8

Excitement
- hypomanic F30.8
- manic F30.9
- mental, reactive (from emotional stress, psychological trauma) F30.8
- state, reactive (from emotional stress, psychological trauma) F30.8

Excoriation (traumatic) -*see also* Abrasion
- neurotic L98.1
- skin picking disorder F42.4

Exfoliation
- due to erythematous conditions according to extent of body surface involved L49.0
- - 10-19 percent of body surface L49.1
- - 20-29 percent of body surface L49.2
- - 30-39 percent of body surface L49.3
- - 40-49 percent of body surface L49.4
- - 50-59 percent of body surface L49.5
- - 60-69 percent of body surface L49.6
- - 70-79 percent of body surface L49.7
- - 80-89 percent of body surface L49.8
- - 90-99 percent of body surface L49.9
- - less than 10 percent of body surface L49.0
- teeth, due to systemic causes K08.0

Exfoliative -*see* condition

Exhaustion, exhaustive (physical NEC) R53.83
- battle F43.0

- cardiac -*see* Failure, heart
- delirium F43.0
- due to
- - cold T69.8
- - excessive exertion T73.3
- - exposure T73.2
- - neurasthenia F48.8
- heart -*see* Failure, heart
- heat -*see also* Heat, exhaustion T67.5
- - due to
- - - salt depletion T67.4
- - - water depletion T67.3
- maternal, complicating delivery O75.81
- mental F48.8
- myocardium, myocardial -*see* Failure, heart
- nervous F48.8
- old age R54
- psychogenic F48.8
- psychosis F43.0
- senile R54
- vital NEC Z73.0

Exhibitionism F65.2

Exocervicitis -*see* Cervicitis

Exomphalos Q79.2
- meaning hernia -*see* Hernia, umbilicus

Exophoria H50.52
- convergence, insufficiency H51.11
- divergence, excess H51.8

Exophthalmos H05.2-
- congenital Q15.8
- constant NEC H05.24-
- displacement, globe -*see* Displacement, globe
- due to thyrotoxicosis (hyperthyroidism) -*see* Hyperthyroidism, with, goiter (diffuse)
- dysthyroid -*see* Hyperthyroidism, with, goiter (diffuse)
- goiter -*see* Hyperthyroidism, with, goiter (diffuse)
- intermittent NEC H05.25-
- malignant -*see* Hyperthyroidism, with, goiter (diffuse)
- orbital
- - edema -*see* Edema, orbit
- - hemorrhage -*see* Hemorrhage, orbit
- pulsating NEC H05.26-
- thyrotoxic, thyrotropic -*see* Hyperthyroidism, with, goiter (diffuse)

Exostosis -*see also* Disorder, bone
- cartilaginous -*see* Neoplasm, bone, benign
- congenital (multiple) Q78.6
- external ear canal H61.81-
- gonococcal A54.49
- jaw (bone) M27.8
- multiple, congenital Q78.6
- orbit H05.35-
- osteocartilaginous -*see* Neoplasm, bone, benign
- syphilitic A52.77

Exotropia -*see* Strabismus, divergent concomitant

Explanation of
- investigation finding Z71.2
- medication Z71.89

Exploitation
- labor
- - confirmed
- - - adult forced T74.61

- - - child forced T74.62
- - suspected
- - - adult forced T76.61
- - - child forced T76.62
- sexual
- - confirmed
- - - adult forced T74.51
- - - child T74.52
- - suspected
- - - adult forced T76.51
- - - child T76.52

Exposure (to) *-see also* Contact, with T75.89
- acariasis Z20.7
- AIDS virus Z20.6
- air pollution Z77.110
- algae and algae toxins Z77.121
- algae bloom Z77.121
- anthrax Z20.810
- aromatic amines Z77.020
- aromatic (hazardous) compounds NEC Z77.028
- aromatic dyes NOS Z77.028
- arsenic Z77.010
- asbestos Z77.090
- bacterial disease NEC Z20.818
- benzene Z77.021
- blue-green algae bloom Z77.121
- body fluids (potentially hazardous) Z77.21
- brown tide Z77.121
- chemicals (chiefly nonmedicinal) (hazardous) NEC Z77.098
- cholera Z20.09
- chromium compounds Z77.018
- cold, effects of T69.9
- - specified effect NEC T69.8
- communicable disease Z20.9
- - bacterial NEC Z20.818
- - specified NEC Z20.89
- - viral NEC Z20.828
- - Zika virus Z20.821
- coronavirus (disease) (novel) 2019 Z20.822
- COVID-19 Z20.822
- cyanobacteria bloom Z77.121
- disaster Z65.5
- discrimination Z60.5
- dyes Z77.098
- effects of T73.9
- environmental tobacco smoke (acute) (chronic) Z77.22
- Escherichia coli (E. coli) Z20.01
- exhaustion due to T73.2
- fiberglass *-see* Table of Drugs and Chemicals, fiberglass
- German measles Z20.4
- gonorrhea Z20.2
- hazardous metals NEC Z77.018
- hazardous substances NEC Z77.29
- hazards in the physical environment NEC Z77.128
- hazards to health NEC Z77.9
- human immunodeficiency virus (HIV) Z20.6
- human T-lymphotropic virus type-1 (HTLV-1) Z20.89
- implanted
- - mesh *-see* Complications, prosthetic device or implant, mesh
- - prosthetic materials NEC *-see* Complications, prosthetic materials NEC

- infestation (parasitic) NEC Z20.7
- intestinal infectious disease NEC Z20.09
- - Escherichia coli (E. coli) Z20.01
- lead Z77.011
- meningococcus Z20.811
- mold (toxic) Z77.120
- nickel dust Z77.018
- noise Z77.122
- occupational
- - air contaminants NEC Z57.39
- - dust Z57.2
- - environmental tobacco smoke Z57.31
- - extreme temperature Z57.6
- - noise Z57.0
- - radiation Z57.1
- - risk factors Z57.9
- - - specified NEC Z57.8
- - toxic agents (gases) (liquids) (solids) (vapors) in agriculture Z57.4
- - toxic agents (gases) (liquids) (solids) (vapors) in industry NEC Z57.5
- - vibration Z57.7
- parasitic disease NEC Z20.7
- pediculosis Z20.7
- persecution Z60.5
- pfiesteria piscicida Z77.121
- poliomyelitis Z20.89
- polycyclic aromatic hydrocarbons Z77.028
- pollution
- - air Z77.110
- - environmental NEC Z77.118
- - soil Z77.112
- - water Z77.111
- prenatal (drugs) (toxic chemicals) -*see* Newborn, affected by, noxious substances transmitted via placenta or breast milk
- rabies Z20.3
- radiation, naturally occurring NEC Z77.123
- radon Z77.123
- red tide (Florida) Z77.121
- rubella Z20.4
- SARS-CoV-2 Z20.822
- second hand tobacco smoke (acute) (chronic) Z77.22
- - in the perinatal period P96.81
- sexually-transmitted disease Z20.2
- smallpox (laboratory) Z20.89
- syphilis Z20.2
- terrorism Z65.4
- torture Z65.4
- tuberculosis Z20.1
- uranium Z77.012
- varicella Z20.820
- venereal disease Z20.2
- viral disease NEC Z20.828
- war Z65.5
- water pollution Z77.111
- Zika virus Z20.821

Exsanguination -*see* Hemorrhage

Exstrophy
- abdominal contents Q45.8
- bladder Q64.10
- - cloacal Q64.12
- - specified type NEC Q64.19
- - supravesical fissure Q64.11

Extensive -*see* condition
Extra -*see also* Accessory
- marker chromosomes (normal individual) Q92.61
- - in abnormal individual Q92.62
- rib Q76.6
- - cervical Q76.5
Extrasystoles (supraventricular) I49.49
- atrial I49.1
- auricular I49.1
- junctional I49.2
- ventricular I49.3
Extrauterine gestation or pregnancy -*see* Pregnancy, by site
Extravasation
- blood R58
- chyle into mesentery I89.8
- pelvicalyceal N13.8
- pyelosinus N13.8
- urine (from ureter) R39.0
- vesicant agent
- - antineoplastic chemotherapy T80.810
- - other agent NEC T80.818
Extremity -*see* condition, limb
Extrophy -*see* Exstrophy
Extroversion
- bladder Q64.19
- uterus N81.4
- - complicating delivery O71.2
- - postpartal (old) N81.4
Extruded tooth (teeth) M26.34
Extrusion
- breast implant (prosthetic) T85.42
- eye implant (globe) (ball) T85.328
- intervertebral disc -*see* Displacement, intervertebral disc
- ocular lens implant (prosthetic) -*see* Complications, intraocular lens
- vitreous -*see* Prolapse, vitreous
Exudate
- causing irritant dermatitis L24.A9
- pleural -*see* Effusion, pleura
- retina H35.89
- wound fluids causing irritant dermatitis L24.A9
Exudative -*see* condition
Eye, eyeball, eyelid -*see* condition
Eyestrain -*see* Disturbance, vision, subjective
Eyeworm disease of Africa B74.3

F

Faber's syndrome (achlorhydric anemia) D50.9
Fabry (-Anderson) disease E75.21
Facet syndrome M47.89-
Faciocephalalgia, autonomic -*see also* Neuropathy, peripheral, autonomic G90.09
Factor(s)
- psychic, associated with diseases classified elsewhere F54
- psychological
- - affecting physical conditions F54
- - or behavioral
- - - affecting general medical condition F54
- - - associated with disorders or diseases classified elsewhere F54
Fahr disease (of brain) G23.8
Fahr Volhard disease (of kidney) I12.-

Failure, failed
- abortion -*see* Abortion, attempted
- aortic (valve) I35.8
- - rheumatic I06.8
- attempted abortion -*see* Abortion, attempted
- biventricular I50.82
- - due to left heart failure I50.814
- bone marrow -*see* Anemia, aplastic
- cardiac -*see* Failure, heart
- cardiorenal (chronic) -*see also* Failure, renal, and Failure, heart I50.9
- - hypertensive I13.2
- cardiorespiratory -*see also* Failure, heart R09.2
- cardiovascular (chronic) -*see* Failure, heart
- cerebrovascular I67.9
- cervical dilatation in labor O62.0
- circulation, circulatory (peripheral) R57.9
- - newborn P29.89
- compensation -*see* Disease, heart
- compliance with medical treatment or regimen -*see* Noncompliance
- congestive -*see* Failure, heart, congestive
- dental implant (endosseous) M27.69
- - due to
- - - failure of dental prosthesis M27.63
- - - lack of attached gingiva M27.62
- - - occlusal trauma (poor prosthetic design) M27.62
- - - parafunctional habits M27.62
- - - periodontal infection (peri-implantitis) M27.62
- - - poor oral hygiene M27.62
- - osseointegration M27.61
- - - due to
- - - - complications of systemic disease M27.61
- - - - poor bone quality M27.61
- - - iatrogenic M27.61
- - post-osseointegration
- - - biological M27.62
- - - due to complications of systemic disease M27.62
- - - iatrogenic M27.62
- - - mechanical M27.63
- - pre-integration M27.61
- - pre-osseointegration M27.61
- - specified NEC M27.69
- descent of head (at term) of pregnancy (mother) O32.4
- endosseous dental implant -*see* Failure, dental implant
- engagement of head (term of pregnancy) (mother) O32.4
- erection (penile) -*see also* Dysfunction, sexual, male, erectile N52.9
- - nonorganic F52.21
- examination(s), anxiety concerning Z55.2
- expansion terminal respiratory units (newborn) (primary) P28.0
- forceps NOS (with subsequent cesarean delivery) O66.5
- gain weight (child over 28 days old) R62.51
- - adult R62.7
- - newborn P92.6
- genital response (male) F52.21
- - female F52.22
- heart (acute) (senile) (sudden) I50.9
- - with
- - - acute pulmonary edema -*see* Failure, ventricular, left
- - - decompensation I50.9
- - - - with
- - - - - normal ejection fraction I50.33

- - - - - preserved ejection fraction I50.33
- - - - - reduced ejection fraction I50.23
- - - - - - with diastolic dysfunction I50.43
- - - - combined systolic and diastolic I50.43
- - - - diastolic I50.33
- - - - right I50.813
- - - - systolic I50.23
- - - dilatation -*see* Disease, heart
- - - hypertension -*see* Hypertension, heart
- - - normal ejection fraction -*see* Failure, heart, diastolic
- - - preserved ejection fraction -*see* Failure, heart, diastolic
- - - reduced ejection fraction -*see* Failure, heart, systolic
- - arteriosclerotic I70.90
- - biventricular I50.82
- - - due to left heart failure I50.814
- - combined left-right sided I50.82
- - - due to left heart failure I50.814
- - compensated -*see also* Failure, heart, by type as diastolic or systolic, chronic I50.9
- - complicating
- - - anesthesia (general) (local) or other sedation
- - - - in labor and delivery O74.2
- - - - in pregnancy O29.12-
- - - - postpartum, puerperal O89.1
- - - delivery (cesarean) (instrumental) O75.4
- - congestive I50.9
- - - with rheumatic fever (conditions in I00)
- - - - active I01.8
- - - - inactive or quiescent (with chorea) I09.81
- - - newborn P29.0
- - - rheumatic (chronic) (inactive) (with chorea) I09.81
- - - - active or acute I01.8
- - - - - with chorea I02.0
- - decompensated -*see also* Failure, heart, by type as diastolic or systolic, acute and chronic I50.9
- - degenerative -*see* Degeneration, myocardial
- - diastolic (congestive) (left ventricular) I50.30
- - - acute (congestive) I50.31
- - - - and (on) chronic (congestive) I50.33
- - - chronic (congestive) I50.32
- - - - and (on) acute (congestive) I50.33
- - - combined with systolic (congestive) I50.40
- - - - acute (congestive) I50.41
- - - - - and (on) chronic (congestive) I50.43
- - - - chronic (congestive) I50.42
- - - - - and (on) acute (congestive) I50.43
- - due to presence of cardiac prosthesis I97.13-
- - end stage -*see also* Failure, heart, by type as diastolic or systolic, chronic I50.84
- - following cardiac surgery I97.13-
- - high output NOS I50.83
- - hypertensive -*see* Hypertension, heart
- - left (ventricular) -*see also* Failure, ventricular, left
- - - combined diastolic and systolic -*see* Failure, heart, diastolic, combined with systolic
- - - diastolic -*see* Failure, heart, diastolic
- - - systolic -*see* Failure, heart, systolic
- - low output (syndrome) NOS I50.9
- - newborn P29.0
- - organic -*see* Disease, heart
- - peripartum O90.3
- - postprocedural I97.13-
- - rheumatic (chronic) (inactive) I09.9
- - right (isolated) (ventricular) I50.810

- - - acute I50.811
- - - - and (on) chronic I50.813
- - - chronic I50.812
- - - - and acute I50.813
- - - secondary to left heart failure I50.814
- - specified NEC I50.89
- Note: heart failure stages A, B, C, and D are based on the American College of Cardiology and American Heart Association stages of heart failure, which complement and should not be confused with the New York Heart Association Classification of Heart Failure, into Class I, Class II, Class III, and Class IV
- - stage A Z91.89
- - stage B *-see also* Failure, heart, by type as diastolic or systolic I50.9
- - stage C *-see also* Failure, heart, by type as diastolic or systolic I50.9
- - stage D *-see also* Failure, heart, by type as diastolic or systolic, chronic I50.84
- - systolic (congestive) (left ventricular) I50.20
- - - acute (congestive) I50.21
- - - - and (on) chronic (congestive) I50.23
- - - chronic (congestive) I50.22
- - - - and (on) acute (congestive) I50.23
- - - combined with diastolic (congestive) I50.40
- - - - acute (congestive) I50.41
- - - - - and (on) chronic (congestive) I50.43
- - - - chronic (congestive) I50.42
- - - - - and (on) acute (congestive) I50.43
- - thyrotoxic *-see also* Thyrotoxicosis E05.90 *[I43]*
- - - with
- - - - high output *-see also* Thyrotoxicosis I50.83
- - - - thyroid storm E05.91 *[I43]*
- - - - - high output *-see also* Thyrotoxicosis I50.83
- - valvular *-see* Endocarditis
- hepatic K72.90
- - with coma K72.91
- - acute or subacute K72.00
- - - with coma K72.01
- - - due to drugs K71.10
- - - - with coma K71.11
- - alcoholic (acute) (chronic) (subacute) K70.40
- - - with coma K70.41
- - chronic K72.10
- - - with coma K72.11
- - - due to drugs (acute) (subacute) (chronic) K71.10
- - - - with coma K71.11
- - due to drugs (acute) (subacute) (chronic) K71.10
- - - with coma K71.11
- - end stage K72.10
- - - with coma K72.11
- - postprocedural K91.82
- hepatorenal K76.7
- induction (of labor) O61.9
- - abortion *-see* Abortion, attempted
- - by
- - - oxytocic drugs O61.0
- - - prostaglandins O61.0
- - instrumental O61.1
- - mechanical O61.1
- - medical O61.0
- - specified NEC O61.8
- - surgical O61.1
- intestinal failure K90.83
- intubation during anesthesia T88.4
- - in pregnancy O29.6-

- - labor and delivery O74.7
- - postpartum, puerperal O89.6
- involution, thymus (gland) E32.0
- kidney -*see also* Disease, kidney, chronic N19
- - acute -*see also* Failure, renal, acute N17.9-
- - diabetic -*see* E08-E13 with .22
- lactation (complete) O92.3
- - partial O92.4
- Leydig's cell, adult E29.1
- liver -*see* Failure, hepatic
- menstruation at puberty N91.0
- mitral I05.8
- myocardial, myocardium -*see also* Failure, heart I50.9
- - chronic -*see also* Failure, heart, congestive I50.9
- - congestive -*see also* Failure, heart, congestive I50.9
- newborn screening -*see* Abnormal, neonatal screening
- - neonatal congenital heart disease P09.5
- orgasm (female) (psychogenic) F52.31
- - male F52.32
- ovarian (primary) E28.39
- - iatrogenic E89.40
- - - asymptomatic E89.40
- - - symptomatic E89.41
- - postprocedural (postablative) (postirradiation) (postsurgical) E89.40
- - - asymptomatic E89.40
- - - symptomatic E89.41
- ovulation causing infertility N97.0
- polyglandular, autoimmune E31.0
- prosthetic joint implant -*see* Complications, joint prosthesis, mechanical, breakdown, by site
- renal N19
- - with
- - - tubular necrosis (acute) N17.0
- - acute N17.9
- - - with
- - - - cortical necrosis N17.1
- - - - medullary necrosis N17.2
- - - - tubular necrosis N17.0
- - - specified NEC N17.8
- - chronic N18.9
- - - hypertensive -*see* Hypertension, kidney
- - congenital P96.0
- - end stage (chronic) N18.6
- - - due to hypertension I12.0
- - following
- - - abortion -*see* Abortion by type complicated by specified condition NEC
- - - crushing T79.5
- - - ectopic or molar pregnancy O08.4
- - - labor and delivery (acute) O90.49
- - hypertensive -*see* Hypertension, kidney
- - postprocedural N99.0
- respiration, respiratory J96.90
- - with
- - - hypercapnia J96.92
- - - hypercarbia J96.92
- - - hypoxia J96.91
- - acute J96.00
- - - with
- - - - hypercapnia J96.02
- - - - hypercarbia J96.02
- - - - hypoxia J96.01

- - center G93.89
- - acute and (on) chronic J96.20
- - - with
- - - - hypercapnia J96.22
- - - - hypercarbia J96.22
- - - - hypoxia J96.21
- - chronic J96.10
- - - with
- - - - hypercapnia J96.12
- - - - hypercarbia J96.12
- - - - hypoxia J96.11
- - newborn P28.5
- - postprocedural (acute) J95.821
- - - acute and chronic J95.822
- rotation
- - cecum Q43.3
- - colon Q43.3
- - intestine Q43.3
- - kidney Q63.2
- sedation (conscious) (moderate) during procedure T88.52
- - history of Z92.83
- segmentation -*see also* Fusion
- - fingers -*see* Syndactylism, complex, fingers
- - vertebra Q76.49
- - - with scoliosis Q76.3
- seminiferous tubule, adult E29.1
- senile (general) R54
- sexual arousal (male) F52.21
- - female F52.22
- testicular endocrine function E29.1
- to thrive (child over 28 days old) R62.51
- - adult R62.7
- - newborn P92.6
- transplant T86.92
- - bone T86.831
- - - marrow T86.02
- - cornea T86.841-
- - heart T86.22
- - - with lung(s) T86.32
- - intestine T86.851
- - kidney T86.12
- - liver T86.42
- - lung(s) T86.811
- - - with heart T86.32
- - pancreas T86.891
- - skin (allograft) (autograft) T86.821
- - specified organ or tissue NEC T86.891
- - stem cell (peripheral blood) (umbilical cord) T86.5
- trial of labor (with subsequent cesarean delivery) O66.40
- - following previous cesarean delivery O66.41
- tubal ligation N99.89
- urinary -*see* Disease, kidney, chronic
- vacuum extraction NOS (with subsequent cesarean delivery) O66.5
- vasectomy N99.89
- ventouse NOS (with subsequent cesarean delivery) O66.5
- ventricular -*see also* Failure, heart I50.9
- - left -*see also* Failure, heart, left I50.1
- - - with rheumatic fever (conditions in I00)
- - - - active I01.8
- - - - - with chorea I02.0

- - - - inactive or quiescent (with chorea) I09.81
- - - rheumatic (chronic) (inactive) (with chorea) I09.81
- - - - active or acute I01.8
- - - - - with chorea I02.0
- - right -*see* Failure, heart, right
- vital centers, newborn P91.88
Fainting (fit) R55
Fallen arches -*see* Deformity, limb, flat foot
Falling, falls (repeated) R29.6
- any organ or part -*see* Prolapse
Fallopian
- insufflation Z31.41
- tube -*see* condition
Fallot's
- pentalogy Q21.8
- tetrad or tetralogy Q21.3
- triad or trilogy Q22.3
False -*see also* condition
- croup J38.5
- joint -*see* Nonunion, fracture
- labor (pains) O47.9
- - at or after 37 completed weeks of gestation O47.1
- - before 37 completed weeks of gestation O47.0-
- passage, urethra (prostatic) N36.5
- pregnancy F45.8
Family, familial -*see also* condition
- disruption Z63.8
- - involving divorce or separation Z63.5
- Li-Fraumeni (syndrome) Z15.01
- planning advice Z30.09
- problem Z63.9
- - specified NEC Z63.8
- retinoblastoma C69.2-
Famine (effects of) T73.0
- edema -*see* Malnutrition, severe
Fanconi (-de Toni)(-Debré) syndrome E72.09
- with cystinosis E72.04
Fanconi ('s) anemia D61.03
Fanconi hypoplastic anemia D61.03
Fanconi panmyelopathy D61.03
Farber's disease or syndrome E75.29
Farcy A24.0
Farmer's
- lung J67.0
- skin L57.8
Farsightedness -*see* Hypermetropia
Fascia -*see* condition
Fasciculation R25.3
Fasciitis M72.9
- diffuse (eosinophilic) M35.4
- infective M72.8
- - necrotizing M72.6
- necrotizing M72.6
- nodular M72.4
- perirenal (with ureteral obstruction) N13.5
- - with infection N13.6
- plantar M72.2
- specified NEC M72.8
- traumatic (old) M72.8
- - current - code by site under Sprain

Fascioliasis B66.3
Fasciolopsis, fasciolopsiasis (intestinal) B66.5
Fascioscapulohumeral myopathy G71.02
Fast pulse R00.0
Fat
- embolism -*see* Embolism, fat
- excessive -*see also* Obesity
- - in heart -*see* Degeneration, myocardial
- in stool R19.5
- localized (pad) E65
- - heart -*see* Degeneration, myocardial
- - knee M79.4
- - retropatellar M79.4
- necrosis
- - breast N64.1
- - mesentery K65.4
- - omentum K65.4
- pad E65
- - knee M79.4
Fatigue R53.83
- auditory deafness -*see* Deafness
- chronic R53.82
- combat F43.0
- general R53.83
- - psychogenic F48.8
- heat (transient) T67.6
- muscle M62.89
- myocardium -*see* Failure, heart
- neoplasm-related R53.0
- nervous, neurosis F48.8
- operational F48.8
- psychogenic (general) F48.8
- senile R54
- voice R49.8
Fatness -*see* Obesity
Fatty -*see also* condition
- apron E65
- degeneration -*see* Degeneration, fatty
- heart (enlarged) -*see* Degeneration, myocardial
- liver NEC K76.0
- - alcoholic K70.0
- - nonalcoholic K76.0
- necrosis -*see* Degeneration, fatty
Fauces -*see* condition
Fauchard's disease (periodontitis) -*see* Periodontitis
Faucitis J02.9
Favism (anemia) D55.0
Favus -*see* Dermatophytosis
Fazio-Londe disease or syndrome G12.1
Fear complex or reaction F40.9
Fear of -*see* Phobia
Feared complaint unfounded Z71.1
Febris, febrile -*see also* Fever
- flava -*see also* Fever, yellow A95.9
- melitensis A23.0
- pestis -*see* Plague
- recurrens -*see* Fever, relapsing
- rubra A38.9
Fecal
- incontinence R15.9

- smearing R15.1
- soiling R15.1
- urgency R15.2
Fecalith (impaction) K56.41
- appendix K38.1
- congenital P76.8
Fede's disease K14.0
Feeble rapid pulse due to shock following injury T79.4
Feeble-minded F70
Feeding
- difficulties R63.30
- problem (elderly) (infant) R63.39
- - newborn P92.9
- - - specified NEC P92.8
- - nonorganic (adult) -*see* Disorder, eating
Feeling (of)
- foreign body in throat R09.A2
Feer's disease -*see* Poisoning, mercury
Feet -*see* condition
Feigned illness Z76.5
Feil-Klippel syndrome (brevicollis) Q76.1
Feinmesser's (hidrotic) ectodermal dysplasia Q82.4
Felinophobia F40.218
Felon -*see also* Cellulitis, digit
- with lymphangitis -*see* Lymphangitis, acute, digit
Felty's syndrome M05.00
- ankle M05.07-
- elbow M05.02-
- foot joint M05.07-
- hand joint M05.04-
- hip M05.05-
- knee M05.06-
- multiple site M05.09
- shoulder M05.01-
- vertebra -*see* Spondylitis, ankylosing
- wrist M05.03-
Female genital cutting status -*see* Female genital mutilation status (FGM)
Female genital mutilation status (FGM) N90.810
- specified NEC N90.818
- type I (clitorectomy status) N90.811
- type II (clitorectomy with excision of labia minora status) N90.812
- type III (infibulation status) N90.813
- type IV N90.818
Femur, femoral -*see* condition
Fenestration, fenestrated -*see also* Imperfect, closure
- aortico-pulmonary Q21.4
- atrial septum Q21.11
- cusps, heart valve NEC Q24.8
- - pulmonary Q22.3
- pulmonic cusps Q22.3
Fernell's disease (aortic aneurysm) I71.9
Fertile eunuch syndrome E23.0
Fetid
- breath R19.6
- sweat L75.0
Fetishism F65.0
- transvestic F65.1
Fetus, fetal -*see also* condition
- alcohol syndrome (dysmorphic) Q86.0
- compressus O31.0-

- hydantoin syndrome Q86.1
- lung tissue P28.0
- papyraceous O31.0-

Fever (inanition) (of unknown origin) (persistent) (with chills) (with rigor) R50.9
- abortus A23.1
- Aden (dengue) A90
- African tick bite A77.8
- African tick-borne A68.1
- American
- - mountain (tick) A93.2
- - spotted A77.0
- aphthous B08.8
- arbovirus, arboviral A94
- - hemorrhagic A94
- - specified NEC A93.8
- Argentinian hemorrhagic A96.0
- Assam B55.0
- Australian Q A78
- Bangkok hemorrhagic A91
- Barmah forest A92.8
- Bartonella A44.0
- bilious, hemoglobinuric B50.8
- blackwater B50.8
- blister B00.1
- Bolivian hemorrhagic A96.1
- Bonvale dam T73.3
- boutonneuse A77.1
- brain -*see* Encephalitis
- Brazilian purpuric A48.4
- breakbone A90
- Bullis A77.0
- Bunyamwera A92.8
- Burdwan B55.0
- Bwamba A92.8
- Cameroon -*see* Malaria
- Canton A75.9
- catarrhal (acute) J00
- - chronic J31.0
- cat-scratch A28.1
- Central Asian hemorrhagic A98.0
- cerebral -*see* Encephalitis
- cerebrospinal meningococcal A39.0
- Chagres B50.9
- Chandipura A92.8
- Changuinola A93.1
- Charcot's (biliary) (hepatic) (intermittent) -*see* Calculus, bile duct
- Chikungunya (viral) (hemorrhagic) A92.0
- Chitral A93.1
- Colombo -*see* Fever, paratyphoid
- Colorado tick (virus) A93.2
- congestive (remittent) -*see* Malaria
- Congo virus A98.0
- continued malarial B50.9
- Corsican -*see* Malaria
- Crimean-Congo hemorrhagic A98.0
- Cyprus -*see* Brucellosis
- dandy A90
- deer fly -*see* Tularemia
- dengue (virus) A90
- - hemorrhagic A91

- - sandfly A93.1
- desert B38.0
- drug induced R50.2
- due to
- - conditions classified elsewhere R50.81
- - heat T67.01
- enteric A01.00
- enteroviral exanthematous (Boston exanthem) A88.0
- ephemeral (of unknown origin) R50.9
- epidemic hemorrhagic A98.5
- erysipelatous -*see* Erysipelas
- estivo-autumnal (malarial) B50.9
- famine A75.0
- five day A79.0
- following delivery O86.4
- Fort Bragg A27.89
- gastroenteric A01.00
- gastromalarial -*see* Malaria
- Gibraltar -*see* Brucellosis
- glandular -*see* Mononucleosis, infectious
- Guama (viral) A92.8
- Haverhill A25.1
- hay (allergic) J30.1
- - with asthma (bronchial) J45.909
- - - with
- - - - exacerbation (acute) J45.901
- - - - status asthmaticus J45.902
- - due to
- - - allergen other than pollen J30.89
- - - pollen, any plant or tree J30.1
- heat (effects) T67.01
- hematuric, bilious B50.8
- hemoglobinuric (malarial) (bilious) B50.8
- hemorrhagic (arthropod-borne) NOS A94
- - with renal syndrome A98.5
- - arenaviral A96.9
- - - specified NEC A96.8
- - Argentinian A96.0
- - Bangkok A91
- - Bolivian A96.1
- - Central Asian A98.0
- - Chikungunya A92.0
- - Crimean-Congo A98.0
- - dengue (virus) A91
- - epidemic A98.5
- - Junin (virus) A96.0
- - Korean A98.5
- - Kyasanur forest A98.2
- - Machupo (virus) A96.1
- - mite-borne A93.8
- - mosquito-borne A92.8
- - Omsk A98.1
- - Philippine A91
- - Russian A98.5
- - Singapore A91
- - Southeast Asia A91
- - Thailand A91
- - tick-borne NEC A93.8
- - viral A99
- - - specified NEC A98.8

- hepatic -*see* Cholecystitis
- herpetic -*see* Herpes
- icterohemorrhagic A27.0
- Indiana A93.8
- infective B99.9
- - specified NEC B99.8
- intermittent (bilious) -*see also* Malaria
- - of unknown origin R50.9
- - pernicious B50.9
- iodide R50.2
- Japanese river A75.3
- jungle -*see also* Malaria
- - yellow A95.0
- Junin (virus) hemorrhagic A96.0
- Katayama B65.2
- kedani A75.3
- Kenya (tick) A77.1
- Kew Garden A79.1
- Korean hemorrhagic A98.5
- Lassa A96.2
- Lone Star A77.0
- Machupo (virus) hemorrhagic A96.1
- malaria, malarial -*see* Malaria
- Malta A23.9
- Marseilles A77.1
- marsh -*see* Malaria
- Mayaro (viral) A92.8
- Mediterranean -*see also* Brucellosis A23.9
- - familial M04.1
- - tick A77.1
- meningeal -*see* Meningitis
- Meuse A79.0
- Mexican A75.2
- mianeh A68.1
- miasmatic -*see* Malaria
- mosquito-borne (viral) A92.9
- - hemorrhagic A92.8
- mountain -*see also* Brucellosis
- - meaning Rocky Mountain spotted fever A77.0
- - tick (American) (Colorado) (viral) A93.2
- Mucambo (viral) A92.8
- mud A27.9
- Neapolitan -*see* Brucellosis
- neutropenic D70.9
- newborn P81.9
- - environmental P81.0
- Nine-Mile A78
- non-exanthematous tick A93.2
- North Asian tick-borne A77.2
- Omsk hemorrhagic A98.1
- O'nyong-nyong (viral) A92.1
- Oropouche (viral) A93.0
- Oroya A44.0
- pacific coast tick A77.8
- paludal -*see* Malaria
- Panama (malarial) B50.9
- Pappataci A93.1
- paratyphoid A01.4
- - A A01.1
- - B A01.2

- - C A01.3
- parrot A70
- periodic (Mediterranean) M04.1
- persistent (of unknown origin) R50.9
- petechial A39.0
- pharyngoconjunctival B30.2
- Philippine hemorrhagic A91
- phlebotomus A93.1
- Piry (virus) A93.8
- Pixuna (viral) A92.8
- Plasmodium ovale B53.0
- polioviral (nonparalytic) A80.4
- Pontiac A48.2
- postimmunization R50.83
- postoperative R50.82
- - due to infection T81.40
- posttransfusion R50.84
- postvaccination R50.83
- presenting with conditions classified elsewhere R50.81
- pretibial A27.89
- puerperal O86.4
- Q A78
- quadrilateral A78
- quartan (malaria) B52.9
- Queensland (coastal) (tick) A77.3
- quintan A79.0
- rabbit -*see* Tularemia
- rat-bite A25.9
- - due to
- - - Spirillum A25.0
- - - Streptobacillus moniliformis A25.1
- recurrent -*see* Fever, relapsing
- relapsing (Borrelia) A68.9
- - Carter's (Asiatic) A68.1
- - Dutton's (West African) A68.1
- - Koch's A68.9
- - louse-borne A68.0
- - Novy's
- - - louse-borne A68.0
- - - tick-borne A68.1
- - Obermeyer's (European) A68.0
- - tick-borne A68.1
- remittent (bilious) (congestive) (gastric) -*see* Malaria
- rheumatic (active) (acute) (chronic) (subacute) I00
- - with central nervous system involvement I02.9
- - active with heart involvement -*see* category I01
- - inactive or quiescent with
- - - cardiac hypertrophy I09.89
- - - carditis I09.9
- - - endocarditis I09.1
- - - - aortic (valve) I06.9
- - - - - with mitral (valve) disease I08.0
- - - - mitral (valve) I05.9
- - - - - with aortic (valve) disease I08.0
- - - - pulmonary (valve) I09.89
- - - - tricuspid (valve) I07.8
- - - heart disease NEC I09.89
- - - heart failure (congestive) (conditions in category I50.) I09.81
- - - left ventricular failure (conditions in I50.1-I50.4-) I09.81
- - - myocarditis, myocardial degeneration (conditions in I51.4) I09.0

- - - pancarditis I09.9
- - - pericarditis I09.2
- Rift Valley (viral) A92.4
- Rocky Mountain spotted A77.0
- rose J30.1
- Ross River B33.1
- Russian hemorrhagic A98.5
- San Joaquin (Valley) B38.0
- sandfly A93.1
- Sao Paulo A77.0
- scarlet A38.9
- seven day (leptospirosis) (autumnal) (Japanese) A27.89
- - dengue A90
- shin-bone A79.0
- Singapore hemorrhagic A91
- solar A90
- Songo A98.5
- sore B00.1
- South African tick-bite A68.1
- Southeast Asia hemorrhagic A91
- spinal -*see* Meningitis
- spirillary A25.0
- splenic -*see* Anthrax
- spotted A77.9
- - American A77.0
- - Brazilian A77.0
- - cerebrospinal meningitis A39.0
- - Colombian A77.0
- - due to Rickettsia
- - - africae (African tick bite fever) A77.8
- - - australis A77.3
- - - conorii A77.1
- - - parkeri A77.8
- - - rickettsii A77.0
- - - sibirica A77.2
- - - specified type NEC A77.8
- - Ehrlichiosis A77.40
- - - due to
- - - - E. chaffeensis A77.41
- - - - specified organism NEC A77.49
- - Rocky Mountain A77.0
- steroid R50.2
- streptobacillary A25.1
- subtertian B50.9
- Sumatran mite A75.3
- sun A90
- swamp A27.9
- swine A02.8
- sylvatic, yellow A95.0
- Tahyna B33.8
- tertian -*see* Malaria, tertian
- Thailand hemorrhagic A91
- thermic T67.01
- three-day A93.1
- tick
- - American mountain A93.2
- - Colorado A93.2
- - Kemerovo A93.8
- - Mediterranean A77.1
- - mountain A93.2

- - nonexanthematous A93.2
- - Quaranfil A93.8
- tick-bite NEC A93.8
- tick-borne (hemorrhagic) NEC A93.8
- trench A79.0
- tsutsugamushi A75.3
- typhogastric A01.00
- typhoid (abortive) (hemorrhagic) (intermittent) (malignant) A01.00
- - complicated by
- - - arthritis A01.04
- - - heart involvement A01.02
- - - meningitis A01.01
- - - osteomyelitis A01.05
- - - pneumonia A01.03
- - - specified NEC A01.09
- typhomalarial -*see* Malaria
- typhus -*see* Typhus (fever)
- undulant -*see* Brucellosis
- unknown origin R50.9
- uveoparotid D86.89
- valley B38.0
- Venezuelan equine A92.2
- vesicular stomatitis A93.8
- viral hemorrhagic -*see* Fever, hemorrhagic, by type of virus
- Volhynian A79.0
- Wesselsbron (viral) A92.8
- West
- - African B50.8
- - Nile (viral) A92.30
- - - with
- - - - complications NEC A92.39
- - - - cranial nerve disorders A92.32
- - - - encephalitis A92.31
- - - - encephalomyelitis A92.31
- - - - neurologic manifestation NEC A92.32
- - - - optic neuritis A92.32
- - - - polyradiculitis A92.32
- Whitmore's -*see* Melioidosis
- Wolhynian A79.0
- worm B83.9
- yellow A95.9
- - jungle A95.0
- - sylvatic A95.0
- - urban A95.1
- Zika virus A92.5

FFA (frontal fibrosing alopecia) L66.12

Fibrillation
- atrial or auricular (established) I48.91
- - chronic I48.20
- - - persistent I48.19
- - paroxysmal I48.0
- - permanent I48.21
- - persistent (chronic) (NOS) (other) I48.19
- - - longstanding I48.11
- cardiac I49.8
- heart I49.8
- muscular M62.89
- ventricular I49.01

Fibrin
- ball or bodies, pleural (sac) J94.1

- chamber, anterior (eye) (gelatinous exudate) -*see* Iridocyclitis, acute
Fibrinogenolysis -*see* Fibrinolysis
Fibrinogenopenia D68.8
- acquired D65
- congenital D68.2
Fibrinolysis (hemorrhagic) (acquired) D65
- antepartum hemorrhage -*see* Hemorrhage, antepartum, with coagulation defect
- following
- - abortion -*see* Abortion by type complicated by hemorrhage
- - ectopic or molar pregnancy O08.1
- intrapartum O67.0
- newborn, transient P60
- postpartum O72.3
Fibrinopenia (hereditary) D68.2
- acquired D68.4
Fibrinopurulent -*see* condition
Fibrinous -*see* condition
Fibroadenoma
- cellular intracanalicular D24-
- giant D24-
- intracanalicular
- - cellular D24-
- - giant D24-
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D24-
- juvenile D24-
- pericanalicular
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D24-
- phyllodes D24-
- prostate D29.1
- specified site NEC -*see* Neoplasm, benign, by site
- unspecified site D24-
Fibroadenosis, breast (chronic) (cystic) (diffuse) (periodic) (segmental) N60.2-
Fibroangioma -*see also* Neoplasm, benign, by site
- juvenile
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D10.6
Fibrochondrosarcoma -*see* Neoplasm, cartilage, malignant
Fibrocystic
- disease -*see also* Fibrosis, cystic
- - breast -*see* Mastopathy, cystic
- - jaw M27.49
- - kidney (congenital) Q61.8
- - liver Q44.6
- - pancreas E84.9
- kidney (congenital) Q61.8
Fibrodysplasia ossificans progressiva -*see* Myositis, ossificans, progressiva
Fibroelastosis (cordis) (endocardial) (endomyocardial) I42.4
Fibroid (tumor) -*see also* Neoplasm, connective tissue, benign
- disease, lung (chronic) -*see* Fibrosis, lung
- heart (disease) -*see* Myocarditis
- in pregnancy or childbirth O34.1-
- - causing obstructed labor O65.5
- induration, lung (chronic) -*see* Fibrosis, lung
- lung -*see* Fibrosis, lung
- pneumonia (chronic) -*see* Fibrosis, lung
- uterus -*see also* Leiomyoma, uterus D25.9
Fibrolipoma -*see* Lipoma
Fibroliposarcoma -*see* Neoplasm, connective tissue, malignant

Fibroma -*see also* Neoplasm, connective tissue, benign
- ameloblastic -*see* Cyst, calcifying odontogenic
- bone (nonossifying) -*see* Disorder, bone, specified type NEC
- - ossifying -*see* Neoplasm, bone, benign
- cementifying -*see* Neoplasm, bone, benign
- chondromyxoid -*see* Neoplasm, bone, benign
- desmoplastic -*see* Neoplasm, connective tissue, uncertain behavior
- durum -*see* Neoplasm, connective tissue, benign
- fascial -*see* Neoplasm, connective tissue, benign
- invasive -*see* Neoplasm, connective tissue, uncertain behavior
- molle -*see* Lipoma
- myxoid -*see* Neoplasm, connective tissue, benign
- nasopharynx, nasopharyngeal (juvenile) D10.6
- nonosteogenic (nonossifying) -*see* Dysplasia, fibrous
- odontogenic (central) -*see* Cyst, calcifying odontogenic
- ossifying -*see* Neoplasm, bone, benign
- periosteal -*see* Neoplasm, bone, benign
- soft -*see* Lipoma

Fibromatosis M72.9
- abdominal -*see* Neoplasm, connective tissue, uncertain behavior
- aggressive -*see* Neoplasm, connective tissue, uncertain behavior
- congenital generalized -*see* Neoplasm, connective tissue, uncertain behavior
- Dupuytren's M72.0
- gingival K06.1
- palmar (fascial) M72.0
- plantar (fascial) M72.2
- pseudosarcomatous (proliferative) (subcutaneous) M72.4
- retroperitoneal D48.3
- specified NEC M72.8

Fibromyalgia M79.7

Fibromyoma -*see also* Neoplasm, connective tissue, benign
- uterus (corpus) -*see also* Leiomyoma, uterus
- - in pregnancy or childbirth -*see* Fibroid, in pregnancy or childbirth
- - - causing obstructed labor O65.5

Fibromyositis M79.7

Fibromyxolipoma D17.9

Fibromyxoma -*see* Neoplasm, connective tissue, benign

Fibromyxosarcoma -*see* Neoplasm, connective tissue, malignant

Fibro-odontoma, ameloblastic -*see* Cyst, calcifying odontogenic

Fibro-osteoma -*see* Neoplasm, bone, benign

Fibroplasia, retrolental H35.17-

Fibropurulent -*see* condition

Fibrosarcoma -*see also* Neoplasm, connective tissue, malignant
- ameloblastic C41.1
- - upper jaw (bone) C41.0
- congenital -*see* Neoplasm, connective tissue, malignant
- fascial -*see* Neoplasm, connective tissue, malignant
- infantile -*see* Neoplasm, connective tissue, malignant
- odontogenic C41.1
- - upper jaw (bone) C41.0
- periosteal -*see* Neoplasm, bone, malignant

Fibrosclerosis
- breast N60.3-
- multifocal M35.5
- penis (corpora cavernosa) N48.6

Fibrosis, fibrotic
- adrenal (gland) E27.8
- amnion O41.8X-
- anal papillae K62.89
- arteriocapillary -*see* Arteriosclerosis

- bladder N32.89
- - interstitial -*see* Cystitis, chronic, interstitial
- - localized submucosal -*see* Cystitis, chronic, interstitial
- - panmural -*see* Cystitis, chronic, interstitial
- breast -*see* Fibrosclerosis, breast
- capillary -*see also* Arteriosclerosis I70.90
- - lung (chronic) -*see* Fibrosis, lung
- cardiac -*see* Myocarditis
- cervix N88.8
- chorion O41.8X-
- corpus cavernosum (sclerosing) N48.6
- cystic (of pancreas) E84.9
- - with
- - - distal intestinal obstruction syndrome E84.19
- - - fecal impaction E84.19
- - - intestinal manifestations NEC E84.19
- - - pulmonary manifestations E84.0
- - - specified manifestations NEC E84.8
- due to device, implant or graft -*see also* Complications, by site and type, specified NEC T85.828
- - arterial graft NEC T82.828
- - breast (implant) T85.828
- - catheter NEC T85.828
- - - dialysis (renal) T82.828
- - - - intraperitoneal T85.828
- - - infusion NEC T82.828
- - - - spinal (epidural) (subdural) T85.820
- - - urinary (indwelling) T83.82
- - electronic (electrode) (pulse generator) (stimulator)
- - - bone T84.82
- - - cardiac T82.827
- - - nervous system (brain) (peripheral nerve) (spinal) T85.820
- - - urinary T83.82
- - fixation, internal (orthopedic) NEC T84.82
- - gastrointestinal (bile duct) (esophagus) T85.828
- - genital NEC T83.82
- - heart NEC T82.827
- - joint prosthesis T84.82
- - ocular (corneal graft) (orbital implant) NEC T85.828
- - orthopedic NEC T84.82
- - specified NEC T85.828
- - urinary NEC T83.82
- - vascular NEC T82.828
- - ventricular intracranial shunt T85.820
- ejaculatory duct N50.89
- endocardium -*see* Endocarditis
- endomyocardial (tropical) I42.3
- epididymis N50.89
- eye muscle -*see* Strabismus, mechanical
- heart -*see* Myocarditis
- hepatic -*see* Fibrosis, liver
- hepatolienal (portal hypertension) K76.6
- hepatosplenic (portal hypertension) K76.6
- infrapatellar fat pad M79.4
- intrascrotal N50.89
- kidney N26.9
- liver K74.00
- - with sclerosis K74.2
- - advanced K74.02
- - alcoholic K70.2
- - early K74.01

- - stage
- - - F1 or F2 K74.01
- - - F3 K74.02
- lung (atrophic) (chronic) (confluent) (massive) (perialveolar) (peribronchial) J84.10
- - with
- - - anthracosilicosis J60
- - - anthracosis J60
- - - asbestosis J61
- - - bagassosis J67.1
- - - bauxite J63.1
- - - berylliosis J63.2
- - - byssinosis J66.0
- - - calcicosis J62.8
- - - chalicosis J62.8
- - - dust reticulation J64
- - - farmer's lung J67.0
- - - ganister disease J62.8
- - - graphite J63.3
- - - pneumoconiosis NOS J64
- - - siderosis J63.4
- - - silicosis J62.8
- - capillary J84.10
- - congenital P27.8
- - diffuse (idiopathic) J84.10
- - - chemicals, gases, fumes or vapors (inhalation) -*see also* Disease, respiratory, chronic, due to chemicals, gases, fumes or vapors J84.10
- - - interstitial J84.10
- - - - acute J84.114
- - - talc J62.0
- - following radiation J70.1
- - idiopathic J84.112
- - postinflammatory J84.10
- - silicotic J62.8
- - tuberculous -*see* Tuberculosis, pulmonary
- lymphatic gland I89.8
- median bar -*see* Hyperplasia, prostate
- mediastinum (idiopathic) J98.59
- meninges G96.198
- myocardium, myocardial -*see* Myocarditis
- ovary N83.8
- oviduct N83.8
- pancreas K86.89
- penis NEC N48.6
- pericardium I31.0
- perineum, in pregnancy or childbirth O34.7-
- - causing obstructed labor O65.5
- pleura J94.1
- popliteal fat pad M79.4
- prostate (chronic) -*see* Hyperplasia, prostate
- pulmonary -*see also* Fibrosis, lung J84.10
- - congenital P27.8
- - idiopathic J84.112
- rectal sphincter K62.89
- retroperitoneal K68.2
- - with infection N13.6
- - idiopathic (with ureteral obstruction) N13.5
- sclerosing mesenteric (idiopathic) K65.4
- scrotum N50.89
- seminal vesicle N50.89
- senile R54

- skin L90.5
- spermatic cord N50.89
- spleen D73.89
- - in schistosomiasis (bilharziasis) B65.9 *[D77]*
- subepidermal nodular -*see* Neoplasm, skin, benign
- submucous (oral) (tongue) K13.5
- testis N44.8
- - chronic, due to syphilis A52.76
- thymus (gland) E32.8
- tongue, submucous K13.5
- tunica vaginalis N50.89
- uterus (non-neoplastic) N85.8
- vagina N89.8
- valve, heart -*see* Endocarditis
- vas deferens N50.89
- vein I87.8

Fibrositis (periarticular) M79.7
- nodular, chronic (Jaccoud's) (rheumatoid) -*see* Arthropathy, postrheumatic, chronic

Fibrothorax J94.1
Fibrotic -*see* Fibrosis
Fibrous -*see* condition
Fibroxanthoma -*see also* Neoplasm, connective tissue, benign
- atypical -*see* Neoplasm, connective tissue, uncertain behavior
- malignant -*see* Neoplasm, connective tissue, malignant

Fibroxanthosarcoma -*see* Neoplasm, connective tissue, malignant
Fiedler's
- disease (icterohemorrhagic leptospirosis) A27.0
- myocarditis (acute) I40.1

Fifth disease B08.3
- venereal A55

Filaria, filarial, filariasis -*see* Infestation, filarial
Filatov's disease -*see* Mononucleosis, infectious
File-cutter's disease -*see* Poisoning, lead
Filling defect
- biliary tract R93.2
- bladder R93.41
- duodenum R93.3
- gallbladder R93.2
- gastrointestinal tract R93.3
- intestine R93.3
- kidney R93.42-
- stomach R93.3
- ureter R93.41
- urinary organs, specified NEC R93.49

Fimbrial cyst Q50.4
Financial problem affecting care NOS Z59.9
- bankruptcy Z59.89
- foreclosure on loan Z59.89
- - home loan Z59.81-
- strain Z59.86

Findings, abnormal, inconclusive, without diagnosis -*see also* Abnormal
- 17-ketosteroids, elevated R82.5
- acetonuria R82.4
- alcohol in blood R78.0
- anisocytosis R71.8
- antenatal screening of mother O28.9
- - biochemical O28.1
- - chromosomal O28.5
- - cytological O28.2
- - genetic O28.5

- - hematological O28.0
- - radiological O28.4
- - specified NEC O28.8
- - ultrasonic O28.3
- antibody titer, elevated R76.0
- anticardiolipin antibody R76.0
- antiphosphatidylglycerol antibody R76.0
- antiphosphatidylinositol antibody R76.0
- antiphosphatidylserine antibody R76.0
- antiphospholipid antibody R76.0
- bacteriuria R82.71
- bicarbonate E87.8
- bile in urine R82.2
- blood sugar R73.09
- - high R73.9
- - low (transient) E16.2
- body fluid or substance, specified NEC R88.8
- casts, urine R82.998
- catecholamines R82.5
- cells, urine R82.998
- chloride E87.8
- cholesterol E78.9
- - high E78.00
- - - with high triglycerides E78.2
- chyluria R82.0
- cloudy
- - dialysis effluent R88.0
- - urine R82.90
- creatinine clearance R94.4
- crystals, urine R82.998
- culture
- - blood R78.81
- - positive *-see* Positive, culture
- echocardiogram R93.1
- electrolyte level, urinary R82.998
- function study NEC R94.8
- - bladder R94.8
- - endocrine NEC R94.7
- - - thyroid R94.6
- - kidney R94.4
- - liver R94.5
- - pancreas R94.8
- - placenta R94.8
- - pulmonary R94.2
- - spleen R94.8
- gallbladder, nonvisualization R93.2
- glucose (tolerance test) (non-fasting) R73.09
- glycosuria R81
- heart
- - shadow R93.1
- - sounds R01.2
- hematinuria R82.3
- hematocrit drop (precipitous) R71.0
- hemoglobinuria R82.3
- human papillomavirus (HPV) DNA test positive
- - cervix
- - - high risk R87.810
- - - low risk R87.820
- - vagina
- - - high risk R87.811

- - - low risk R87.821
- in blood (of substance not normally found in blood) R78.9
- - addictive drug NEC R78.4
- - alcohol (excessive level) R78.0
- - cocaine R78.2
- - hallucinogen R78.3
- - heavy metals (abnormal level) R78.79
- - lead R78.71
- - lithium (abnormal level) R78.89
- - opiate drug R78.1
- - psychotropic drug R78.5
- - specified substance NEC R78.89
- - steroid agent R78.6
- indoleacetic acid, elevated R82.5
- ketonuria R82.4
- lactic acid dehydrogenase (LDH) R74.02
- liver function test -*see also* Elevated, liver function, test R79.89
- mammogram NEC R92.8
- - calcification (calculus) R92.1
- - inconclusive result R92.2
- - microcalcification R92.0
- mediastinal shift R93.89
- melanin, urine R82.998
- myoglobinuria R82.1
- neonatal screening -*see* Abnormal, neonatal screening
- newborn screens, state mandated -*see* Abnormal, neonatal screening
- nonvisualization of gallbladder R93.2
- odor of urine NOS R82.90
- Papanicolaou cervix R87.619
- - non-atypical endometrial cells R87.618
- pneumoencephalogram R93.0
- poikilocytosis R71.8
- potassium (deficiency) E87.6
- - excess E87.5
- PPD R76.11
- radiologic (X-ray) R93.89
- - abdomen R93.5
- - biliary tract R93.2
- - breast R92.8
- - gastrointestinal tract R93.3
- - genitourinary organs R93.89
- - head R93.0
- - inconclusive due to excess body fat of patient R93.9
- - intrathoracic organs NEC R93.1
- - musculoskeletal
- - - limbs R93.6
- - - other than limb R93.7
- - placenta R93.89
- - retroperitoneum R93.5
- - skin R93.89
- - skull R93.0
- - subcutaneous tissue R93.89
- - testis R93.81-
- red blood cell (count) (morphology) (sickling) (volume) R71.8
- scan NEC R94.8
- - bladder R94.8
- - bone R94.8
- - kidney R94.4
- - liver R93.2
- - lung R94.2

- - pancreas R94.8
- - placental R94.8
- - spleen R94.8
- - thyroid R94.6
- sedimentation rate, elevated R70.0
- SGOT R74.01
- SGPT R74.01
- sodium (deficiency) E87.1
- - excess E87.0
- specified body fluid NEC R88.8
- stress test R94.39
- thyroid (function) (metabolic rate) (scan) (uptake) R94.6
- transaminase (level) R74.01
- triglycerides E78.9
- - high E78.1
- - - with high cholesterol E78.2
- tuberculin skin test (without active tuberculosis) R76.11
- urine R82.90
- - acetone R82.4
- - bacteria R82.71
- - bile R82.2
- - casts or cells R82.998
- - chyle R82.0
- - culture positive R82.79
- - glucose R81
- - hemoglobin R82.3
- - ketone R82.4
- - sugar R81
- vanillylmandelic acid (VMA), elevated R82.5
- vectorcardiogram (VCG) R94.39
- ventriculogram R93.0
- white blood cell (count) (differential) (morphology) D72.9
- xerography R92.8

Finger -*see* condition

Fire, Saint Anthony's -*see* Erysipelas

Fire-setting
- pathological (compulsive) F63.1

Fish hook stomach K31.89

Fishmeal-worker's lung J67.8

Fissure, fissured
- anus, anal K60.2
- - acute K60.0
- - chronic K60.1
- - congenital Q43.8
- ear, lobule, congenital Q17.8
- epiglottis (congenital) Q31.8
- larynx J38.7
- - congenital Q31.8
- lip K13.0
- - congenital -*see* Cleft, lip
- nipple N64.0
- - associated with
- - - lactation O92.13
- - - pregnancy O92.11-
- - - puerperium O92.12
- nose Q30.2
- palate (congenital) -*see* Cleft, palate
- skin R23.4
- spine (congenital) -*see also* Spina bifida
- - with hydrocephalus -*see* Spina bifida, by site, with hydrocephalus

- tongue (acquired) K14.5
- - congenital Q38.3
Fistula (cutaneous) L98.8
- abdomen (wall) K63.2
- - bladder N32.2
- - intestine NEC K63.2
- - ureter N28.89
- - uterus N82.5
- abdominorectal K63.2
- abdominosigmoidal K63.2
- abdominothoracic J86.0
- abdominouterine N82.5
- - congenital Q51.7
- abdominovesical N32.2
- accessory sinuses -*see* Sinusitis
- actinomycotic -*see* Actinomycosis
- alveolar antrum -*see* Sinusitis, maxillary
- alveolar process K04.6
- anorectal (infectional) K60.50
- - complex K60.529
- - - chronic K60.522
- - - initial K60.521
- - - new K60.521
- - - occurring following complete healing K60.523
- - - persistent K60.522
- - - recurrent K60.523
- - extrasphincteric K60.52-
- - high intersphincteric K60.52-
- - low intersphincteric K60.51-
- - simple K60.519
- - - chronic K60.512
- - - initial K60.511
- - - new K60.511
- - - occurring following complete healing K60.513
- - - persistent K60.512
- - - recurrent K60.513
- - superficial K60.51-
- - suprasphincteric K60.52-
- - transsphincteric K60.52-
- antrobuccal -*see* Sinusitis, maxillary
- antrum -*see* Sinusitis, maxillary
- anus, anal (recurrent) (infectional) K60.30
- - complex K60.329
- - - chronic K60.322
- - - initial K60.321
- - - new K60.321
- - - occurring following complete healing K60.323
- - - persistent K60.322
- - - recurrent K60.323
- - congenital Q43.6
- - - with absence, atresia and stenosis Q42.2
- - extrasphincteric K60.32-
- - high intersphincteric K60.32-
- - low intersphincteric K60.31-
- - simple K60.319
- - - chronic K60.312
- - - initial K60.311
- - - new K60.311
- - - occurring following complete healing K60.313
- - - persistent K60.312

- - - recurrent K60.313
- - superficial K60.31-
- - suprasphincteric K60.32-
- - transsphincteric K60.32-
- - tuberculous A18.32
- aorta-duodenal I77.2
- appendix, appendicular K38.3
- arteriovenous (acquired) (nonruptured) I77.0
- - brain I67.1
- - - congenital Q28.2
- - - - ruptured *-see* Fistula, arteriovenous, brain, ruptured
- - - ruptured I60.8
- - - - intracerebral I61.8
- - - - intraparenchymal I61.8
- - - - intraventricular I61.5
- - - - subarachnoid I60.8
- - cerebral *-see* Fistula, arteriovenous, brain
- - congenital (peripheral) *-see also* Malformation, arteriovenous
- - - brain Q28.2
- - - - ruptured *-see* Fistula, arteriovenous, brain, ruptured
- - - coronary Q24.5
- - - pulmonary Q25.72
- - coronary I25.41
- - - congenital Q24.5
- - pulmonary I28.0
- - - congenital Q25.72
- - surgically created (for dialysis) Z99.2
- - - complication *-see* Complication, arteriovenous, fistula, surgically created
- - traumatic *-see* Injury, blood vessel
- artery I77.2
- aural (mastoid) *-see* Mastoiditis, chronic
- auricle *-see also* Disorder, pinna, specified type NEC
- - congenital Q18.1
- Bartholin's gland N82.8
- bile duct (common) (hepatic) K83.3
- - with calculus, stones *-see also* Calculus, bile duct K83.3
- biliary (tract) *-see* Fistula, bile duct
- bladder (sphincter) NEC *-see also* Fistula, vesico- N32.2
- - into seminal vesicle N32.2
- bone *-see also* Disorder, bone, specified type NEC
- - with osteomyelitis, chronic *-see* Osteomyelitis, chronic, with draining sinus
- brain G93.89
- - arteriovenous (acquired) *-see also* Fistula, arteriovenous, brain I67.1
- - - congenital Q28.2
- branchial (cleft) Q18.0
- branchiogenous Q18.0
- breast N61.0
- - puerperal, postpartum or gestational, due to mastitis (purulent) *-see* Mastitis, obstetric, purulent
- bronchial J86.0
- bronchocutaneous, bronchomediastinal, bronchopleural, bronchopleuromediastinal (infective) J86.0
- - tuberculous NEC A15.5
- bronchoesophageal J86.0
- - congenital Q39.2
- - - with atresia of esophagus Q39.1
- bronchovisceral J86.0
- buccal cavity (infective) K12.2
- cecosigmoidal K63.2
- cecum K63.2
- cerebrospinal (fluid) G96.08
- cervical, lateral Q18.1

- cervicoaural Q18.1
- cervicosigmoidal N82.4
- cervicovesical N82.1
- cervix N82.8
- chest (wall) J86.0
- cholecystenteric -*see* Fistula, gallbladder
- cholecystocolic -*see* Fistula, gallbladder
- cholecystocolonic -*see* Fistula, gallbladder
- cholecystoduodenal -*see* Fistula, gallbladder
- cholecystogastric -*see* Fistula, gallbladder
- cholecystointestinal -*see* Fistula, gallbladder
- choledochoduodenal -*see* Fistula, bile duct
- cholocolic K82.3
- coccyx -*see* Sinus, pilonidal
- colon K63.2
- colostomy K94.09
- colovesical N32.1
- common duct -*see* Fistula, bile duct
- congenital, site not listed -*see* Anomaly, by site
- coronary, arteriovenous I25.41
- - congenital Q24.5
- costal region J86.0
- cul-de-sac, Douglas' N82.8
- cystic duct -*see also* Fistula, gallbladder
- - congenital Q44.5
- dental K04.6
- diaphragm J86.0
- duodenum K31.6
- ear (external) (canal) -*see* Disorder, ear, external, specified type NEC
- enterocolic K63.2
- enterocutaneous K63.2
- enterouterine N82.4
- - congenital Q51.7
- enterovaginal N82.4
- - congenital Q52.2
- - large intestine N82.3
- - small intestine N82.2
- enterovesical N32.1
- epididymis N50.89
- - tuberculous A18.15
- esophagobronchial J86.0
- - congenital Q39.2
- - - with atresia of esophagus Q39.1
- esophagocutaneous K22.89
- esophagopleural-cutaneous J86.0
- esophagotracheal J86.0
- - congenital Q39.2
- - - with atresia of esophagus Q39.1
- esophagus K22.89
- - congenital Q39.2
- - - with atresia of esophagus Q39.1
- ethmoid -*see* Sinusitis, ethmoidal
- eyeball (cornea) (sclera) -*see* Disorder, globe, hypotony
- eyelid H01.8
- fallopian tube, external N82.5
- fecal K63.2
- - congenital Q43.6
- from periapical abscess K04.6
- frontal sinus -*see* Sinusitis, frontal
- gallbladder K82.3

- - with calculus, cholelithiasis, stones -*see* Calculus, gallbladder
- gastric K31.6
- gastrocolic K31.6
- - congenital Q40.2
- - tuberculous A18.32
- gastroenterocolic K31.6
- gastroesophageal K31.6
- gastrojejunal K31.6
- gastrojejunocolic K31.6
- genital tract (female) N82.9
- - specified NEC N82.8
- - to intestine NEC N82.4
- - to skin N82.5
- hepatic artery-portal vein, congenital Q26.6
- hepatopleural J86.0
- hepatopulmonary J86.0
- ileorectal or ileosigmoidal K63.2
- ileovaginal N82.2
- ileovesical N32.1
- ileum K63.2
- in ano K60.30
- - tuberculous A18.32
- inner ear (labyrinth) -see subcategory H83.1
- intestine NEC K63.2
- intestinocolonic (abdominal) K63.2
- intestinoureteral N28.89
- intestinouterine N82.4
- intestinovaginal N82.4
- - large intestine N82.3
- - small intestine N82.2
- intestinovesical N32.1
- ischiorectal (fossa) K61.39
- jejunum K63.2
- joint M25.10
- - ankle M25.17-
- - elbow M25.12-
- - foot joint M25.17-
- - hand joint M25.14-
- - hip M25.15-
- - knee M25.16-
- - shoulder M25.11-
- - specified joint NEC M25.18
- - tuberculous -*see* Tuberculosis, joint
- - vertebrae M25.18
- - wrist M25.13-
- kidney N28.89
- labium (majus) (minus) N82.8
- labyrinth -see subcategory H83.1
- lacrimal (gland) (sac) H04.61-
- lacrimonasal duct -*see* Fistula, lacrimal
- laryngotracheal, congenital Q34.8
- larynx J38.7
- lip K13.0
- - congenital Q38.0
- lumbar, tuberculous A18.01
- lung J86.0
- lymphatic I89.8
- mammary (gland) N61.0
- mastoid (process) (region) -*see* Mastoiditis, chronic
- maxillary J32.0

- medial, face and neck Q18.8
- mediastinal J86.0
- mediastinobronchial J86.0
- mediastinocutaneous J86.0
- middle ear -see subcategory H74.8
- mouth K12.2
- nasal J34.89
- - sinus -*see* Sinusitis
- nasopharynx J39.2
- nipple N64.0
- nose J34.89
- oral (cutaneous) K12.2
- - maxillary J32.0
- - nasal (with cleft palate) -*see* Cleft, palate
- orbit, orbital -*see* Disorder, orbit, specified type NEC
- oroantral J32.0
- oviduct, external N82.5
- palate (hard) M27.8
- pancreatic K86.89
- pancreaticoduodenal K86.89
- parotid (gland) K11.4
- - region K12.2
- penis N48.89
- perianal K60.30
- pericardium (pleura) (sac) -*see* Pericarditis
- pericecal K63.2
- perineorectal K60.40
- perineosigmoidal K63.2
- perineum, perineal (with urethral involvement) NEC N36.0
- - tuberculous A18.13
- - ureter N28.89
- perirectal K60.40
- - tuberculous A18.32
- peritoneum K65.9
- pharyngoesophageal J39.2
- pharynx J39.2
- - branchial cleft (congenital) Q18.0
- pilonidal (infected) (rectum) -*see* Sinus, pilonidal
- pleura, pleural, pleurocutaneous, pleuroperitoneal J86.0
- - tuberculous NEC A15.6
- pleuropericardial I31.8
- portal vein-hepatic artery, congenital Q26.6
- postauricular H70.81-
- postoperative, persistent T81.83
- - specified site -*see* Fistula, by site
- preauricular (congenital) Q18.1
- prostate N42.89
- pulmonary J86.0
- - arteriovenous I28.0
- - - congenital Q25.72
- - tuberculous -*see* Tuberculosis, pulmonary
- pulmonoperitoneal J86.0
- rectal (infectional) K60.40
- - complex K60.429
- - - chronic K60.422
- - - initial K60.421
- - - new K60.421
- - - occurring following complete healing K60.423
- - - persistent K60.422
- - - recurrent K60.423

- - extrasphincteric K60.42-
- - high intersphincteric K60.42-
- - low intersphincteric K60.41-
- - simple K60.419
- - - chronic K60.412
- - - initial K60.411
- - - new K60.411
- - - occurring following complete healing K60.413
- - - persistent K60.412
- - - recurrent K60.413
- - superficial K60.41-
- - suprasphincteric K60.42-
- - transsphincteric K60.42-
- rectolabial N82.4
- rectosigmoid (intercommunicating) K63.2
- rectoureteral N28.89
- rectourethral N36.0
- - congenital Q64.73
- rectouterine N82.4
- - congenital Q51.7
- rectovaginal N82.3
- - congenital Q52.2
- - tuberculous A18.18
- rectovesical N32.1
- - congenital Q64.79
- rectovesicovaginal N82.3
- rectovulval N82.4
- - congenital Q52.79
- rectum (to skin) K60.40
- - congenital Q43.6
- - - with absence, atresia and stenosis Q42.0
- - tuberculous A18.32
- renal N28.89
- retroauricular -*see* Fistula, postauricular
- salivary duct or gland (any) K11.4
- - congenital Q38.4
- scrotum (urinary) N50.89
- - tuberculous A18.15
- semicircular canals -see subcategory H83.1
- sigmoid K63.2
- - to bladder N32.1
- sinus -*see* Sinusitis
- skin L98.8
- - to genital tract (female) N82.5
- splenocolic D73.89
- stercoral K63.2
- stomach K31.6
- sublingual gland K11.4
- submandibular gland K11.4
- submaxillary (gland) K11.4
- - region K12.2
- thoracic J86.0
- - duct I89.8
- thoracoabdominal J86.0
- thoracogastric J86.0
- thoracointestinal J86.0
- thorax J86.0
- thyroglossal duct Q89.2
- thyroid E07.89
- trachea, congenital (external) (internal) Q32.1

- tracheoesophageal J86.0
- - congenital Q39.2
- - - with atresia of esophagus Q39.1
- - following tracheostomy J95.04
- traumatic arteriovenous -*see* Injury, blood vessel, by site
- tuberculous - code by site under Tuberculosis
- typhoid A01.09
- umbilicourinary Q64.8
- urachus, congenital Q64.4
- ureter (persistent) N28.89
- ureteroabdominal N28.89
- ureterorectal N28.89
- ureterosigmoido-abdominal N28.89
- ureterovaginal N82.1
- ureterovesical N32.2
- urethra N36.0
- - congenital Q64.79
- - tuberculous A18.13
- urethroperineal N36.0
- urethroperineovesical N32.2
- urethrorectal N36.0
- - congenital Q64.73
- urethroscrotal N50.89
- urethrovaginal N82.1
- urethrovesical N32.2
- urinary (tract) (persistent) (recurrent) N36.0
- uteroabdominal N82.5
- - congenital Q51.7
- uteroenteric, uterointestinal N82.4
- - congenital Q51.7
- uterorectal N82.4
- - congenital Q51.7
- uteroureteric N82.1
- uterourethral Q51.7
- uterovaginal N82.8
- uterovesical N82.1
- - congenital Q51.7
- uterus N82.8
- vagina (postpartal) (wall) N82.8
- vaginocutaneous (postpartal) N82.5
- vaginointestinal NEC N82.4
- - large intestine N82.3
- - small intestine N82.2
- vaginoperineal N82.5
- vasocutaneous, congenital Q55.7
- vesical NEC N32.2
- vesicoabdominal N32.2
- vesicocervicovaginal N82.1
- vesicocolic N32.1
- vesicocutaneous N32.2
- vesicoenteric N32.1
- vesicointestinal N32.1
- vesicometrorectal N82.4
- vesicoperineal N32.2
- vesicorectal N32.1
- - congenital Q64.79
- vesicosigmoidal N32.1
- vesicosigmoidovaginal N82.3
- vesicoureteral N32.2
- vesicoureterovaginal N82.1

- vesicourethral N32.2
- vesicourethrorectal N32.1
- vesicouterine N82.1
- - congenital Q51.7
- vesicovaginal N82.0
- vulvorectal N82.4
- - congenital Q52.79

Fit R56.9
- epileptic -*see* Epilepsy
- fainting R55
- hysterical F44.5
- newborn P90

Fitting (and adjustment) (of)
- artificial
- - arm -*see* Admission, adjustment, artificial, arm
- - breast Z44.3
- - eye Z44.2
- - leg -*see* Admission, adjustment, artificial, leg
- automatic implantable cardiac defibrillator (with synchronous cardiac pacemaker) Z45.02
- brain neuropacemaker Z46.2
- - implanted Z45.42
- cardiac defibrillator -*see* Fitting (and adjustment) (of), automatic implantable cardiac defibrillator
- catheter, non-vascular Z46.82
- colostomy belt Z46.89
- contact lenses Z46.0
- CRT-D (resynchronization therapy defibrillator) Z45.02
- CRT-P (cardiac resynchronization therapy pacemaker) Z45.018
- - pulse generator Z45.010
- cystostomy device Z46.6
- defibrillator, cardiac -*see* Fitting (and adjustment) (of), automatic implantable cardiac defibrillator
- dentures Z46.3
- device NOS Z46.9
- - abdominal Z46.89
- - gastrointestinal NEC Z46.59
- - implanted NEC Z45.89
- - nervous system Z46.2
- - - implanted -*see* Admission, adjustment, device, implanted, nervous system
- - orthodontic Z46.4
- - orthoptic Z46.0
- - orthotic Z46.89
- - prosthetic (external) Z44.9
- - - breast Z44.3
- - - dental Z46.3
- - - eye Z44.2
- - - specified NEC Z44.8
- - specified NEC Z46.89
- - substitution
- - - auditory Z46.2
- - - - implanted -*see* Admission, adjustment, device, implanted, hearing device
- - - nervous system Z46.2
- - - - implanted -*see* Admission, adjustment, device, implanted, nervous system
- - - visual Z46.2
- - - - implanted Z45.31
- - urinary Z46.6
- gastric lap band Z46.51
- gastrointestinal appliance NEC Z46.59
- glasses (reading) Z46.0
- hearing aid Z46.1
- ileostomy device Z46.89
- insulin pump Z46.81

- intestinal appliance NEC Z46.89
- myringotomy device (stent) (tube) Z45.82
- neuropacemaker Z46.2
- - implanted Z45.42
- non-vascular catheter Z46.82
- orthodontic device Z46.4
- orthopedic device (brace) (cast) (corset) (shoes) Z46.89
- pacemaker (cardiac) (cardiac resynchronization therapy (CRT-P)) Z45.018
- - nervous system (brain) (peripheral nerve) (spinal cord) Z46.2
- - - implanted Z45.42
- - pulse generator Z45.010
- portacath (port-a-cath) Z45.2
- prosthesis (external) Z44.9
- - arm -*see* Admission, adjustment, artificial, arm
- - breast Z44.3
- - dental Z46.3
- - eye Z44.2
- - leg -*see* Admission, adjustment, artificial, leg
- - specified NEC Z44.8
- spectacles Z46.0
- wheelchair Z46.89

Fitzhugh-Curtis syndrome
- due to
- - Chlamydia trachomatis A74.81
- - Neisseria gonorrhea (gonococcal peritonitis) A54.85

Fitz's syndrome (acute hemorrhagic pancreatitis) -*see also* Pancreatitis, acute K85.80

Fixation
- joint -*see* Ankylosis
- larynx J38.7
- stapes -*see* Ankylosis, ear ossicles
- - deafness -*see* Deafness, conductive
- uterus (acquired) -*see* Malposition, uterus
- vocal cord J38.3

Flabby ridge K06.8

Flaccid -*see also* condition
- palate, congenital Q38.5

Flail
- chest S22.5
- - associated with chest compression and cardiopulmonary resuscitation M96.A4
- - newborn (birth injury) P13.8
- joint (paralytic) M25.20
- - ankle M25.27-
- - elbow M25.22-
- - foot joint M25.27-
- - hand joint M25.24-
- - hip M25.25-
- - knee M25.26-
- - shoulder M25.21-
- - specified joint NEC M25.28
- - wrist M25.23-

Flajani's disease -*see* Hyperthyroidism, with, goiter (diffuse)

Flap, liver K71.3

Flashbacks (residual to hallucinogen use) F16.283

Flat
- affect R45.89
- chamber (eye) -*see* Disorder, globe, hypotony, flat anterior chamber
- chest, congenital Q67.8
- foot (acquired) (fixed type) (painful) (postural) -*see also* Deformity, limb, flat foot
- - congenital (rigid) (spastic (everted)) Q66.5-
- - rachitic sequelae (late effect) E64.3

- organ or site, congenital NEC -*see* Anomaly, by site
- pelvis M95.5
- - with disproportion (fetopelvic) O33.0
- - - causing obstructed labor O65.0
- - congenital Q74.2
Flatau-Schilder disease G37.0
Flatback syndrome M40.30
- lumbar region M40.36
- lumbosacral region M40.37
- thoracolumbar region M40.35
Flattening
- head, femur M89.8X5
- hip -*see* Coxa, plana
- lip (congenital) Q18.8
- nose (congenital) Q67.4
- - acquired M95.0
Flatulence R14.3
- psychogenic F45.8
Flatus R14.3
- vaginalis N89.8
Flax-dresser's disease J66.1
Flea bite -*see* Injury, bite, by site, superficial, insect
Flecks, glaucomatous (subcapsular) -*see* Cataract, complicated
Fleischer (-Kayser) ring (cornea) H18.04-
Fleshy mole O02.0
Flexibilitas cerea -*see* Catalepsy
Flexion
- amputation stump (surgical) T87.89
- cervix -*see* Malposition, uterus
- contracture, joint -*see* Contraction, joint
- deformity, joint -*see also* Deformity, limb, flexion M21.20
- - hip, congenital Q65.89
- uterus -*see also* Malposition, uterus
- - lateral -*see* Lateroversion, uterus
Flexner-Boyd dysentery A03.2
Flexner's dysentery A03.1
Flexure -*see* Flexion
Flint murmur (aortic insufficiency) I35.1
Floater, vitreous -*see* Opacity, vitreous
Floating
- cartilage (joint) -*see also* Loose, body, joint
- - knee -*see* Derangement, knee, loose body
- gallbladder, congenital Q44.1
- kidney N28.89
- - congenital Q63.8
- spleen D73.89
Flooding N92.0
Floor -*see* condition
Floppy
- baby syndrome (nonspecific) P94.2
- iris syndrome (intraoperative) (IFIS) H21.81
- nonrheumatic mitral valve syndrome I34.1
Flu -*see also* Influenza
- avian -*see also* Influenza, due to, identified novel influenza A virus J09.X2
- bird -*see also* Influenza, due to, identified novel influenza A virus J09.X2
- intestinal NEC A08.4
- swine (viruses that normally cause infections in pigs) -*see also* Influenza, due to, identified novel influenza A virus J09.X2
Fluctuating blood pressure I99.8
Fluid

- abdomen R18.8
- chest J94.8
- heart -*see* Failure, heart, congestive
- joint -*see* Effusion, joint
- loss (acute) E86.9
- lung -*see* Edema, lung
- overload E87.70
- - specified NEC E87.79
- peritoneal cavity R18.8
- pleural cavity J94.8
- retention R60.9

Flukes NEC -*see also* Infestation, fluke
- blood NEC -*see* Schistosomiasis
- liver B66.3

Fluor (vaginalis) N89.8
- trichomonal or due to Trichomonas (vaginalis) A59.00

Fluorosis
- dental K00.3
- skeletal M85.10
- - ankle M85.17-
- - foot M85.17-
- - forearm M85.13-
- - hand M85.14-
- - lower leg M85.16-
- - multiple site M85.19
- - neck M85.18
- - rib M85.18
- - shoulder M85.11-
- - skull M85.18
- - specified site NEC M85.18
- - thigh M85.15-
- - toe M85.17-
- - upper arm M85.12-
- - vertebra M85.18

Flush syndrome E34.09

Flushing R23.2
- menopausal N95.1

Flutter
- atrial or auricular I48.92
- - atypical I48.4
- - type I I48.3
- - type II I48.4
- - typical I48.3
- heart I49.8
- - atrial or auricular I48.92
- - - atypical I48.4
- - - type I I48.3
- - - type II I48.4
- - - typical I48.3
- - ventricular I49.02
- ventricular I49.02

FNHTR (febrile nonhemolytic transfusion reaction) R50.84

Fochier's abscess - code by site under Abscess

Focus, Assmann's -*see* Tuberculosis, pulmonary

Fogo selvagem L10.3

Foix-Alajouanine syndrome G95.19

Fold, folds (anomalous) -*see also* Anomaly, by site
- Descemet's membrane -*see* Change, corneal membrane, Descemet's, fold
- epicanthic Q10.3
- heart Q24.8

Folie à deux F24
Follicle
- cervix (nabothian) (ruptured) N88.8
- graafian, ruptured, with hemorrhage N83.0-
- nabothian N88.8
Follicular -*see* condition
Folliculitis (superficial) L73.9
- abscedens et suffodiens L66.3
- cyst N83.0-
- decalvans L66.2
- deep -*see* Furuncle, by site
- gonococcal (acute) (chronic) A54.01
- keloid, keloidalis L73.0
- pustular L01.02
- ulerythematosa reticulata L66.4
Folliculome lipidique
- specified site -*see* Neoplasm, benign, by site
- unspecified site
- - female D27.9
- - male D29.20
Følling's disease E70.0
Follow-up -*see* Examination, follow-up
Fong's syndrome (hereditary osteo-onychodysplasia) Q87.2
Food
- allergy L27.2
- asphyxia (from aspiration or inhalation) -*see* Foreign body, by site
- choked on -*see* Foreign body, by site
- deprivation T73.0
- - specified kind of food NEC E63.8
- insecurity Z59.41
- intoxication -*see* Poisoning, food
- lack of T73.0
- poisoning -*see* Poisoning, food
- rejection NEC -*see* Disorder, eating
- strangulation or suffocation -*see* Foreign body, by site
- toxemia -*see* Poisoning, food
Foot -*see* condition
Foramen ovale (nonclosure) (patent) (persistent) Q21.12
Forbes' glycogen storage disease E74.03
Fordyce-Fox disease L75.2
Fordyce's disease (mouth) Q38.6
Forearm -*see* condition
Foreclosure on loan Z59.89
Foreign body
- with
- - laceration -*see* Laceration, by site, with foreign body
- - puncture wound -*see* Puncture, by site, with foreign body
- accidentally left following a procedure T81.509
- - aspiration T81.506
- - - resulting in
- - - - adhesions T81.516
- - - - obstruction T81.526
- - - - perforation T81.536
- - - - specified complication NEC T81.596
- - cardiac catheterization T81.505
- - - resulting in
- - - - acute reaction T81.60
- - - - - aseptic peritonitis T81.61
- - - - - specified NEC T81.69
- - - - adhesions T81.515

- - - - obstruction T81.525
- - - - perforation T81.535
- - - - specified complication NEC T81.595
- - causing
- - - acute reaction T81.60
- - - - aseptic peritonitis T81.61
- - - - specified complication NEC T81.69
- - - adhesions T81.519
- - - aseptic peritonitis T81.61
- - - obstruction T81.529
- - - perforation T81.539
- - - specified complication NEC T81.599
- - endoscopy T81.504
- - - resulting in
- - - - adhesions T81.514
- - - - obstruction T81.524
- - - - perforation T81.534
- - - - specified complication NEC T81.594
- - immunization T81.503
- - - resulting in
- - - - adhesions T81.513
- - - - obstruction T81.523
- - - - perforation T81.533
- - - - specified complication NEC T81.593
- - infusion T81.501
- - - resulting in
- - - - adhesions T81.511
- - - - obstruction T81.521
- - - - perforation T81.531
- - - - specified complication NEC T81.591
- - injection T81.503
- - - resulting in
- - - - adhesions T81.513
- - - - obstruction T81.523
- - - - perforation T81.533
- - - - specified complication NEC T81.593
- - kidney dialysis T81.502
- - - resulting in
- - - - adhesions T81.512
- - - - obstruction T81.522
- - - - perforation T81.532
- - - - specified complication NEC T81.592
- - packing removal T81.507
- - - resulting in
- - - - acute reaction T81.60
- - - - - aseptic peritonitis T81.61
- - - - - specified NEC T81.69
- - - - adhesions T81.517
- - - - obstruction T81.527
- - - - perforation T81.537
- - - - specified complication NEC T81.597
- - puncture T81.506
- - - resulting in
- - - - adhesions T81.516
- - - - obstruction T81.526
- - - - perforation T81.536
- - - - specified complication NEC T81.596
- - specified procedure NEC T81.508
- - - resulting in
- - - - acute reaction T81.60

- - - - - aseptic peritonitis T81.61
- - - - - specified NEC T81.69
- - - - adhesions T81.518
- - - - obstruction T81.528
- - - - perforation T81.538
- - - - specified complication NEC T81.598
- - surgical operation T81.500
- - - resulting in
- - - - acute reaction T81.60
- - - - - aseptic peritonitis T81.61
- - - - - specified NEC T81.69
- - - - adhesions T81.510
- - - - obstruction T81.520
- - - - perforation T81.530
- - - - specified complication NEC T81.590
- - transfusion T81.501
- - - resulting in
- - - - adhesions T81.511
- - - - obstruction T81.521
- - - - perforation T81.531
- - - - specified complication NEC T81.591
- alimentary tract T18.9
- - anus T18.5
- - colon T18.4
- - esophagus -*see* Foreign body, esophagus
- - mouth T18.0
- - multiple sites T18.8
- - rectosigmoid (junction) T18.5
- - rectum T18.5
- - small intestine T18.3
- - specified site NEC T18.8
- - stomach T18.2
- anterior chamber (eye) S05.5-
- auditory canal -*see* Foreign body, entering through orifice, ear
- bronchus T17.508
- - causing
- - - asphyxiation T17.500
- - - - food (bone) (seed) T17.520
- - - - gastric contents (vomitus) T17.510
- - - - specified type NEC T17.590
- - - injury NEC T17.508
- - - - food (bone) (seed) T17.528
- - - - gastric contents (vomitus) T17.518
- - - - specified type NEC T17.598
- canthus -*see* Foreign body, conjunctival sac
- ciliary body (eye) S05.5-
- conjunctival sac T15.1-
- cornea T15.0-
- entering through orifice
- - accessory sinus T17.0
- - alimentary canal T18.9
- - - multiple parts T18.8
- - - specified part NEC T18.8
- - alveolar process T18.0
- - antrum (Highmore's) T17.0
- - anus T18.5
- - appendix T18.4
- - auditory canal -*see* Foreign body, entering through orifice, ear
- - auricle -*see* Foreign body, entering through orifice, ear
- - bladder T19.1

- - bronchioles -*see* Foreign body, respiratory tract, specified site NEC
- - bronchus (main) -*see* Foreign body, bronchus
- - buccal cavity T18.0
- - canthus (inner) -*see* Foreign body, conjunctival sac
- - cecum T18.4
- - cervix (canal) (uteri) T19.3
- - colon T18.4
- - conjunctival sac -*see* Foreign body, conjunctival sac
- - cornea -*see* Foreign body, cornea
- - digestive organ or tract NOS T18.9
- - - multiple parts T18.8
- - - specified part NEC T18.8
- - duodenum T18.3
- - ear (external) T16.-
- - esophagus -*see* Foreign body, esophagus
- - eye (external) NOS T15.9-
- - - conjunctival sac -*see* Foreign body, conjunctival sac
- - - cornea -*see* Foreign body, cornea
- - - specified part NEC T15.8-
- - eyeball -*see also* Foreign body, entering through orifice, eye, specified part NEC
- - - with penetrating wound -*see* Puncture, eyeball
- - eyelid -*see also* Foreign body, conjunctival sac
- - - with
- - - - laceration -*see* Laceration, eyelid, with foreign body
- - - - puncture -*see* Puncture, eyelid, with foreign body
- - - - superficial injury -*see* Foreign body, superficial, eyelid
- - gastrointestinal tract T18.9
- - - multiple parts T18.8
- - - specified part NEC T18.8
- - genitourinary tract T19.9
- - - multiple parts T19.8
- - - specified part NEC T19.8
- - globe -*see* Foreign body, entering through orifice, eyeball
- - gum T18.0
- - Highmore's antrum T17.0
- - hypopharynx -*see* Foreign body, pharynx
- - ileum T18.3
- - intestine (small) T18.3
- - - large T18.4
- - lacrimal apparatus (punctum) -*see* Foreign body, entering through orifice, eye, specified part NEC
- - large intestine T18.4
- - larynx -*see* Foreign body, larynx
- - lung -*see* Foreign body, respiratory tract, specified site NEC
- - maxillary sinus T17.0
- - mouth T18.0
- - nasal sinus T17.0
- - nasopharynx -*see* Foreign body, pharynx
- - nose (passage) T17.1
- - nostril T17.1
- - oral cavity T18.0
- - palate T18.0
- - penis T19.4
- - pharynx -*see* Foreign body, pharynx
- - piriform sinus -*see* Foreign body, pharynx
- - rectosigmoid (junction) T18.5
- - rectum T18.5
- - respiratory tract -*see* Foreign body, respiratory tract
- - sinus (accessory) (frontal) (maxillary) (nasal) T17.0
- - - piriform -*see* Foreign body, pharynx
- - small intestine T18.3

- - stomach T18.2
- - suffocation by -*see* Foreign body, by site
- - tear ducts or glands -*see* Foreign body, entering through orifice, eye, specified part NEC
- - throat -*see* Foreign body, pharynx
- - tongue T18.0
- - tonsil, tonsillar (fossa) -*see* Foreign body, pharynx
- - trachea -*see* Foreign body, trachea
- - ureter T19.8
- - urethra T19.0
- - uterus (any part) T19.3
- - vagina T19.2
- - vulva T19.2
- esophagus T18.108
- - causing
- - - injury NEC T18.108
- - - - food (bone) (seed) T18.128
- - - - gastric contents (vomitus) T18.118
- - - - specified type NEC T18.198
- - - tracheal compression T18.100
- - - - food (bone) (seed) T18.120
- - - - gastric contents (vomitus) T18.110
- - - - specified type NEC T18.190
- feeling of, in throat R09.89
- fragment -*see* Retained, foreign body fragments (type of)
- genitourinary tract T19.9
- - bladder T19.1
- - multiple parts T19.8
- - penis T19.4
- - specified site NEC T19.8
- - urethra T19.0
- - uterus T19.3
- - - IUD Z97.5
- - vagina T19.2
- - - contraceptive device Z97.5
- - vulva T19.2
- granuloma (old) (soft tissue) -*see also* Granuloma, foreign body
- - skin L92.3
- in
- - laceration -*see* Laceration, by site, with foreign body
- - puncture wound -*see* Puncture, by site, with foreign body
- - soft tissue (residual) M79.5
- inadvertently left in operation wound -*see* Foreign body, accidentally left during a procedure
- ingestion, ingested NOS T18.9
- inhalation or inspiration -*see* Foreign body, by site
- internal organ, not entering through a natural orifice - code as specific injury with foreign body
- intraocular S05.5-
- - old, retained (nonmagnetic) H44.70-
- - - anterior chamber H44.71-
- - - ciliary body H44.72-
- - - iris H44.72-
- - - lens H44.73-
- - - magnetic H44.60-
- - - - anterior chamber H44.61-
- - - - ciliary body H44.62-
- - - - iris H44.62-
- - - - lens H44.63-
- - - - posterior wall H44.64-
- - - - specified site NEC H44.69-
- - - - vitreous body H44.65-
- - - posterior wall H44.74-

- - - specified site NEC H44.79-
- - - vitreous body H44.75-
- iris -*see* Foreign body, intraocular
- lacrimal punctum -*see* Foreign body, entering through orifice, eye, specified part NEC
- larynx T17.308
- - causing
- - - asphyxiation T17.300
- - - - food (bone) (seed) T17.320
- - - - gastric contents (vomitus) T17.310
- - - - specified type NEC T17.390
- - - injury NEC T17.308
- - - - food (bone) (seed) T17.328
- - - - gastric contents (vomitus) T17.318
- - - - specified type NEC T17.398
- lens -*see* Foreign body, intraocular
- ocular muscle S05.4-
- - old, retained -*see* Foreign body, orbit, old
- old or residual
- - soft tissue (residual) M79.5
- operation wound, left accidentally -*see* Foreign body, accidentally left during a procedure
- orbit S05.4-
- - old, retained H05.5-
- pharynx T17.208
- - causing
- - - asphyxiation T17.200
- - - - food (bone) (seed) T17.220
- - - - gastric contents (vomitus) T17.210
- - - - specified type NEC T17.290
- - - injury NEC T17.208
- - - - food (bone) (seed) T17.228
- - - - gastric contents (vomitus) T17.218
- - - - specified type NEC T17.298
- respiratory tract T17.908
- - bronchioles -*see* Foreign body, respiratory tract, specified site NEC
- - bronchus -*see* Foreign body, bronchus
- - causing
- - - asphyxiation T17.900
- - - - food (bone) (seed) T17.920
- - - - gastric contents (vomitus) T17.910
- - - - specified type NEC T17.990
- - - injury NEC T17.908
- - - - food (bone) (seed) T17.928
- - - - gastric contents (vomitus) T17.918
- - - - specified type NEC T17.998
- - larynx -*see* Foreign body, larynx
- - lung -*see* Foreign body, respiratory tract, specified site NEC
- - multiple parts -*see* Foreign body, respiratory tract, specified site NEC
- - nasal sinus T17.0
- - nasopharynx -*see* Foreign body, pharynx
- - nose T17.1
- - nostril T17.1
- - pharynx -*see* Foreign body, pharynx
- - specified site NEC T17.808
- - - causing
- - - - asphyxiation T17.800
- - - - - food (bone) (seed) T17.820
- - - - - gastric contents (vomitus) T17.810
- - - - - specified type NEC T17.890
- - - - injury NEC T17.808
- - - - - food (bone) (seed) T17.828

- - - - - gastric contents (vomitus) T17.818
- - - - - specified type NEC T17.898
- - throat -*see* Foreign body, pharynx
- - trachea -*see* Foreign body, trachea
- retained (old) (nonmagnetic) (in)
- - anterior chamber (eye) -*see* Foreign body, intraocular, old, retained, anterior chamber
- - - magnetic -*see* Foreign body, intraocular, old, retained, magnetic, anterior chamber
- - ciliary body -*see* Foreign body, intraocular, old, retained, ciliary body
- - - magnetic -*see* Foreign body, intraocular, old, retained, magnetic, ciliary body
- - eyelid H02.819
- - - left H02.816
- - - - lower H02.815
- - - - upper H02.814
- - - right H02.813
- - - - lower H02.812
- - - - upper H02.811
- - fragments -*see* Retained, foreign body fragments (type of)
- - globe -*see* Foreign body, intraocular, old, retained
- - - magnetic -*see* Foreign body, intraocular, old, retained, magnetic
- - intraocular -*see* Foreign body, intraocular, old, retained
- - - magnetic -*see* Foreign body, intraocular, old, retained, magnetic
- - iris -*see* Foreign body, intraocular, old, retained, iris
- - - magnetic -*see* Foreign body, intraocular, old, retained, magnetic, iris
- - lens -*see* Foreign body, intraocular, old, retained, lens
- - - magnetic -*see* Foreign body, intraocular, old, retained, magnetic, lens
- - muscle -*see* Foreign body, retained, soft tissue
- - orbit -*see* Foreign body, orbit, old
- - posterior wall of globe -*see* Foreign body, intraocular, old, retained, posterior wall
- - - magnetic -*see* Foreign body, intraocular, old, retained, magnetic, posterior wall
- - retrobulbar -*see* Foreign body, orbit, old, retrobulbar
- - soft tissue M79.5
- - vitreous -*see* Foreign body, intraocular, old, retained, vitreous body
- - - magnetic -*see* Foreign body, intraocular, old, retained, magnetic, vitreous body
- retina S05.5-
- sensation -*see* Sensation, foreign body
- superficial, without open wound
- - abdomen, abdominal (wall) S30.851
- - alveolar process S00.552
- - ankle S90.55-
- - antecubital space -*see* Foreign body, superficial, forearm
- - anus S30.857
- - arm (upper) S40.85-
- - auditory canal -*see* Foreign body, superficial, ear
- - auricle -*see* Foreign body, superficial, ear
- - axilla -*see* Foreign body, superficial, arm
- - back, lower S30.850
- - breast S20.15-
- - brow S00.85
- - buttock S30.850
- - calf -*see* Foreign body, superficial, leg
- - canthus -*see* Foreign body, superficial, eyelid
- - cheek S00.85
- - - internal S00.552
- - chest wall -*see* Foreign body, superficial, thorax
- - chin S00.85
- - clitoris S30.854
- - costal region -*see* Foreign body, superficial, thorax
- - digit(s)
- - - hand -*see* Foreign body, superficial, finger
- - - foot -*see* Foreign body, superficial, toe

- - ear S00.45-
- - elbow S50.35-
- - epididymis S30.853
- - epigastric region S30.851
- - epiglottis S10.15
- - esophagus, cervical S10.15
- - eyebrow -*see* Foreign body, superficial, eyelid
- - eyelid S00.25-
- - face S00.85
- - finger(s) S60.459
- - - index S60.45-
- - - little S60.45-
- - - middle S60.45-
- - - ring S60.45-
- - flank S30.851
- - foot (except toe(s) alone) S90.85-
- - - toe -*see* Foreign body, superficial, toe
- - forearm S50.85-
- - - elbow only -*see* Foreign body, superficial, elbow
- - forehead S00.85
- - genital organs, external
- - - female S30.856
- - - male S30.855
- - groin S30.851
- - gum S00.552
- - hand S60.55-
- - head S00.95
- - - ear -*see* Foreign body, superficial, ear
- - - eyelid -*see* Foreign body, superficial, eyelid
- - - lip S00.551
- - - nose S00.35
- - - oral cavity S00.552
- - - scalp S00.05
- - - specified site NEC S00.85
- - heel -*see* Foreign body, superficial, foot
- - hip S70.25-
- - inguinal region S30.851
- - interscapular region S20.459
- - jaw S00.85
- - knee S80.25-
- - labium (majus) (minus) S30.854
- - larynx S10.15
- - leg (lower) S80.85-
- - - knee -*see* Foreign body, superficial, knee
- - - upper -*see* Foreign body, superficial, thigh
- - lip S00.551
- - lower back S30.850
- - lumbar region S30.850
- - malar region S00.85
- - mammary -*see* Foreign body, superficial, breast
- - mastoid region S00.85
- - mouth S00.552
- - nail
- - - finger -*see* Foreign body, superficial, finger
- - - toe -*see* Foreign body, superficial, toe
- - nape S10.85
- - nasal S00.35
- - neck S10.95
- - - specified site NEC S10.85
- - - throat S10.15

- - nose S00.35
- - occipital region S00.05
- - oral cavity S00.552
- - orbital region *-see* Foreign body, superficial, eyelid
- - palate S00.552
- - palm *-see* Foreign body, superficial, hand
- - parietal region S00.05
- - pelvis S30.850
- - penis S30.852
- - perineum
- - - female S30.854
- - - male S30.850
- - periocular area *-see* Foreign body, superficial, eyelid
- - phalanges
- - - finger *-see* Foreign body, superficial, finger
- - - toe *-see* Foreign body, superficial, toe
- - pharynx S10.15
- - pinna *-see* Foreign body, superficial, ear
- - popliteal space *-see* Foreign body, superficial, knee
- - prepuce S30.852
- - pubic region S30.850
- - pudendum
- - - female S30.856
- - - male S30.855
- - sacral region S30.850
- - scalp S00.05
- - scapular region *-see* Foreign body, superficial, shoulder
- - scrotum S30.853
- - shin *-see* Foreign body, superficial, leg
- - shoulder S40.25-
- - sternal region S20.359
- - submaxillary region S00.85
- - submental region S00.85
- - subungual
- - - finger(s) *-see* Foreign body, superficial, finger
- - - toe(s) *-see* Foreign body, superficial, toe
- - supraclavicular fossa S10.85
- - supraorbital S00.85
- - temple S00.85
- - temporal region S00.85
- - testis S30.853
- - thigh S70.35-
- - thorax, thoracic (wall) S20.95
- - - back S20.45-
- - - front S20.35-
- - throat S10.15
- - thumb S60.35-
- - toe(s) (lesser) S90.456
- - - great S90.45-
- - tongue S00.552
- - trachea S10.15
- - tunica vaginalis S30.853
- - tympanum, tympanic membrane *-see* Foreign body, superficial, ear
- - uvula S00.552
- - vagina S30.854
- - vocal cords S10.15
- - vulva S30.854
- - wrist S60.85-
- swallowed T18.9
- trachea T17.408

- - causing
- - - asphyxiation T17.400
- - - - food (bone) (seed) T17.420
- - - - gastric contents (vomitus) T17.410
- - - - specified type NEC T17.490
- - - injury NEC T17.408
- - - - food (bone) (seed) T17.428
- - - - gastric contents (vomitus) T17.418
- - - - specified type NEC T17.498
- type of fragment -*see* Retained, foreign body fragments (type of)
- vitreous (humor) S05.5-
Forestier's disease (rhizomelic pseudopolyarthritis) M35.3
- meaning ankylosing hyperostosis -*see* Hyperostosis, ankylosing
Formation
- hyalin in cornea -*see* Degeneration, cornea
- sequestrum in bone (due to infection) -*see* Osteomyelitis, chronic
- valve
- - colon, congenital Q43.8
- - ureter (congenital) Q62.39
Formication R20.2
Fort Bragg fever A27.89
Fossa -*see also* condition
- pyriform -*see* condition
Foster-Kennedy syndrome H47.14-
Fothergill's
- disease (trigeminal neuralgia) -*see also* Neuralgia, trigeminal
- - scarlatina anginosa A38.9
Foul breath R19.6
Foundling Z76.1
Fournier disease or gangrene N49.3
- female N76.82
- vagina and vulva N76.82
Fourth
- cranial nerve -*see* condition
- molar K00.1
Foville's (peduncular) disease or syndrome G46.3
Fox (-Fordyce) disease (apocrine miliaria) L75.2
FPIES (food protein-induced enterocolitis syndrome) K52.21
Fracture, burst -*see* Fracture, traumatic, by site
Fracture, chronic -*see* Fracture, pathological, by site
Fracture, insufficiency -*see* Fracture, pathological, by site
Fracture, nontraumatic, NEC
- atypical
- - femur M84.750-
- - - complete
- - - - oblique M84.759
- - - - - left side M84.758
- - - - - right side M84.757
- - - - transverse M84.756
- - - - - left side M84.755
- - - - - right side M84.754
- - - incomplete M84.753
- - - - left side M84.752
- - - - right side M84.751
Fracture, pathological (pathologic) -*see also* Fracture, traumatic M84.40
- ankle M84.47-
- carpus M84.44-
- clavicle M84.41-
- compression (not due to trauma) -*see also* Collapse, vertebra M48.50-
- dental implant M27.63

- dental restorative material K08.539
- - with loss of material K08.531
- - without loss of material K08.530
- due to
- - neoplastic disease NEC -*see also* Neoplasm M84.50
- - - ankle M84.57-
- - - carpus M84.54-
- - - clavicle M84.51-
- - - femur M84.55-
- - - fibula M84.56-
- - - finger M84.54-
- - - hip M84.559
- - - humerus M84.52-
- - - ilium M84.550
- - - ischium M84.550
- - - metacarpus M84.54-
- - - metatarsus M84.57-
- - - neck M84.58
- - - pelvis M84.550
- - - radius M84.53-
- - - rib M84.58
- - - scapula M84.51-
- - - skull M84.58
- - - specified site NEC M84.58
- - - tarsus M84.57-
- - - tibia M84.56-
- - - toe M84.57-
- - - ulna M84.53-
- - - vertebra M84.58
- - osteoporosis M80.00
- - - disuse -*see* Osteoporosis, specified type NEC, with pathological fracture
- - - drug-induced -*see* Osteoporosis, drug induced, with pathological fracture
- - - idiopathic -*see* Osteoporosis, specified type NEC, with pathological fracture
- - - postmenopausal -*see* Osteoporosis, postmenopausal, with pathological fracture
- - - postoophorectomy -*see* Osteoporosis, postoophorectomy, with pathological fracture
- - - postsurgical malabsorption -*see* Osteoporosis, specified type NEC, with pathological fracture
- - - specified cause NEC -*see* Osteoporosis, specified type NEC, with pathological fracture
- - specified disease NEC M84.60
- - - ankle M84.67-
- - - carpus M84.64-
- - - clavicle M84.61-
- - - femur M84.65-
- - - fibula M84.66-
- - - finger M84.64-
- - - hip M84.65-
- - - humerus M84.62-
- - - ilium M84.650
- - - ischium M84.650
- - - metacarpus M84.64-
- - - metatarsus M84.67-
- - - neck M84.68
- - - radius M84.63-
- - - rib M84.68
- - - scapula M84.61-
- - - skull M84.68
- - - tarsus M84.67-
- - - tibia M84.66-
- - - toe M84.67-
- - - ulna M84.63-
- - - vertebra M84.68

- femur M84.45-
- fibula M84.46-
- finger M84.44-
- hip M84.459
- humerus M84.42-
- ilium M84.454
- ischium M84.454
- joint prosthesis -*see* Complications, joint prosthesis, mechanical, breakdown, by site
- - periprosthetic -*see* Fracture, pathological, periprosthetic
- metacarpus M84.44-
- metatarsus M84.47-
- neck M84.48
- pelvis M84.454
- periprosthetic M97.9
- - ankle M97.2-
- - elbow M97.4-
- - finger M97.8
- - hip M97.0-
- - knee M97.1-
- - other specified joint M97.8
- - shoulder M97.3-
- - spinal joint M97.8
- - toe joint M97.8
- - wrist joint M97.8
- radius M84.43-
- restorative material (dental) K08.539
- - with loss of material K08.531
- - without loss of material K08.530
- rib M84.48
- scapula M84.41-
- skull M84.48
- tarsus M84.47-
- tibia M84.46-
- toe M84.47-
- ulna M84.43-
- vertebra M84.48

Fracture, traumatic (abduction) (adduction) (separation) -*see also* Fracture, pathological T14.8
- acetabulum S32.40-
- - column
- - - anterior (displaced) (iliopubic) S32.43-
- - - - nondisplaced S32.436
- - - posterior (displaced) (ilioischial) S32.443
- - - - nondisplaced S32.44-
- - dome (displaced) S32.48-
- - - nondisplaced S32.48
- - specified NEC S32.49-
- - transverse (displaced) S32.45-
- - - with associated posterior wall fracture (displaced) S32.46-
- - - - nondisplaced S32.46-
- - - nondisplaced S32.45-
- - wall
- - - anterior (displaced) S32.41-
- - - - nondisplaced S32.41-
- - - medial (displaced) S32.47-
- - - - nondisplaced S32.47-
- - - posterior (displaced) S32.42-
- - - - with associated transverse fracture (displaced) S32.46-
- - - - - nondisplaced S32.46-
- - - - nondisplaced S32.42-
- acromion -*see* Fracture, scapula, acromial process

- ankle S82.899
- - bimalleolar (displaced) S82.84-
- - - nondisplaced S82.84-
- - lateral malleolus only (displaced) S82.6-
- - - nondisplaced S82.6-
- - medial malleolus (displaced) S82.5-
- - - associated with Maisonneuve's fracture -*see* Fracture, Maisonneuve's
- - - nondisplaced S82.5-
- - talus -*see* Fracture, tarsal, talus
- - trimalleolar (displaced) S82.85-
- - - nondisplaced S82.85-
- arm (upper) -*see also* Fracture, humerus, shaft
- - humerus -*see* Fracture, humerus
- - radius -*see* Fracture, radius
- - ulna -*see* Fracture, ulna
- associated with chest compression and cardiopulmonary resuscitation M96.A9
- astragalus -*see* Fracture, tarsal, talus
- atlas -*see* Fracture, neck, cervical vertebra, first
- axis -*see* Fracture, neck, cervical vertebra, second
- back -*see* Fracture, vertebra
- Barton's -*see* Barton's fracture
- base of skull -*see* Fracture, skull, base
- basicervical (basal) (femoral) S72.0
- Bennett's -*see* Bennett's fracture
- bimalleolar -*see* Fracture, ankle, bimalleolar
- blow-out S02.3-
- bone NEC T14.8
- - birth injury P13.9
- - following insertion of orthopedic implant, joint prosthesis or bone plate -*see* Fracture, following insertion of orthopedic implant, joint prosthesis or bone plate
- - in (due to) neoplastic disease NEC -*see* Fracture, pathological, due to, neoplastic disease
- - pathological (cause unknown) -*see* Fracture, pathological
- breast bone -*see* Fracture, sternum
- bucket handle (semilunar cartilage) -*see* Tear, meniscus
- buckle -*see* Fracture, by site, torus
- burst -*see* Fracture, traumatic, by site
- calcaneus -*see* Fracture, tarsal, calcaneus
- carpal bone(s) S62.10-
- - capitate (displaced) S62.13-
- - - nondisplaced S62.13-
- - cuneiform -*see* Fracture, carpal bone, triquetrum
- - hamate (body) (displaced) S62.143
- - - hook process (displaced) S62.15-
- - - - nondisplaced S62.15-
- - - nondisplaced S62.14-
- - larger multangular -*see* Fracture, carpal bones, trapezium
- - lunate (displaced) S62.12-
- - - nondisplaced S62.12-
- - navicular S62.00-
- - - distal pole (displaced) S62.01-
- - - - nondisplaced S62.01-
- - - middle third (displaced) S62.02-
- - - - nondisplaced S62.02-
- - - proximal third (displaced) S62.03-
- - - - nondisplaced S62.03-
- - - volar tuberosity -*see* Fracture, carpal bones, navicular, distal pole
- - os magnum -*see* Fracture, carpal bones, capitate
- - pisiform (displaced) S62.16-
- - - nondisplaced S62.16-
- - semilunar -*see* Fracture, carpal bones, lunate

- - smaller multangular -*see* Fracture, carpal bones, trapezoid
- - trapezium (displaced) S62.17-
- - - nondisplaced S62.17-
- - trapezoid (displaced) S62.18-
- - - nondisplaced S62.18-
- - triquetrum (displaced) S62.11-
- - - nondisplaced S62.11-
- - unciform -*see* Fracture, carpal bones, hamate
- cervical -*see* Fracture, vertebra, cervical
- clavicle S42.00-
- - acromial end (displaced) S42.03-
- - - nondisplaced S42.03-
- - birth injury P13.4
- - lateral end -*see* Fracture, clavicle, acromial end
- - shaft (displaced) S42.02-
- - - nondisplaced S42.02-
- - sternal end (anterior) (displaced) S42.01-
- - - nondisplaced S42.01-
- - - posterior S42.01-
- coccyx S32.2
- collapsed -*see* Collapse, vertebra
- collar bone -*see* Fracture, clavicle
- Colles' -*see* Colles' fracture
- coronoid process -*see* Fracture, ulna, upper end, coronoid process
- corpus cavernosum penis S39.840
- costochondral cartilage S23.41
- costochondral, costosternal junction -*see* Fracture, rib
- cranium -*see* Fracture, skull
- cricoid cartilage S12.8
- cuboid (ankle) -*see* Fracture, tarsal, cuboid
- cuneiform
- - foot -*see* Fracture, tarsal, cuneiform
- - wrist -*see* Fracture, carpal, triquetrum
- delayed union -*see* Delay, union, fracture
- dental restorative material K08.539
- - with loss of material K08.531
- - without loss of material K08.530
- due to
- - birth injury -*see* Birth, injury, fracture
- - osteoporosis -*see* Osteoporosis, with fracture
- Dupuytren's -*see* Fracture, ankle, lateral malleolus
- elbow S42.40-
- ethmoid (bone) (sinus) -*see* Fracture, skull, base
- face bone S02.92
- fatigue -*see also* Fracture, stress
- - vertebra M48.40
- - - cervical region M48.42
- - - cervicothoracic region M48.43
- - - lumbar region M48.46
- - - lumbosacral region M48.47
- - - occipito-atlanto-axial region M48.41
- - - sacrococcygeal region M48.48
- - - thoracic region M48.44
- - - thoracolumbar region M48.45
- femur, femoral S72.9-
- - basicervical (basal) S72.0
- - birth injury P13.2
- - capital epiphyseal S79.01-
- - condyles, epicondyles -*see* Fracture, femur, lower end
- - distal end -*see* Fracture, femur, lower end

- - epiphysis
- - - head -*see* Fracture, femur, upper end, epiphysis
- - - lower -*see* Fracture, femur, lower end, epiphysis
- - - upper -*see* Fracture, femur, upper end, epiphysis
- - following insertion of implant, prosthesis or plate M96.66-
- - head -*see* Fracture, femur, upper end, head
- - intertrochanteric -*see* Fracture, femur, trochanteric
- - intratrochanteric -*see* Fracture, femur, trochanteric
- - lower end S72.40-
- - - condyle (displaced) S72.41-
- - - - lateral (displaced) S72.42-
- - - - - nondisplaced S72.42-
- - - - medial (displaced) S72.43-
- - - - - nondisplaced S72.43-
- - - - nondisplaced S72.41-
- - - epiphysis (displaced) S72.44-
- - - - nondisplaced S72.44-
- - - physeal S79.10-
- - - - Salter-Harris
- - - - - Type I S79.11-
- - - - - Type II S79.12-
- - - - - Type III S79.13-
- - - - - Type IV S79.14-
- - - - specified NEC S79.19-
- - - specified NEC S72.49-
- - - supracondylar (displaced) S72.45-
- - - - with intracondylar extension (displaced) S72.46-
- - - - - nondisplaced S72.46-
- - - - nondisplaced S72.45-
- - - torus S72.47-
- - neck -*see* Fracture, femur, upper end, neck
- - pertrochanteric -*see* Fracture, femur, trochanteric
- - shaft (lower third) (middle third) (upper third) S72.30-
- - - comminuted (displaced) S72.35-
- - - - nondisplaced S72.35-
- - - oblique (displaced) S72.33-
- - - - nondisplaced S72.33-
- - - segmental (displaced) S72.36-
- - - - nondisplaced S72.36-
- - - specified NEC S72.39-
- - - spiral (displaced) S72.34-
- - - - nondisplaced S72.34-
- - - transverse (displaced) S72.32-
- - - - nondisplaced S72.32-
- - specified site NEC -see subcategory S72.8
- - subcapital (displaced) S72.01-
- - subtrochanteric (region) (section) (displaced) S72.2-
- - - nondisplaced S72.2-
- - transcervical -*see* Fracture, femur, midcervical
- - transtrochanteric -*see* Fracture, femur, trochanteric
- - trochanteric S72.10-
- - - apophyseal (displaced) S72.13-
- - - - nondisplaced S72.13-
- - - greater trochanter (displaced) S72.11-
- - - - nondisplaced S72.11-
- - - intertrochanteric (displaced) S72.14-
- - - - nondisplaced S72.14-
- - - lesser trochanter (displaced) S72.12-
- - - - nondisplaced S72.12-
- - upper end S72.00-

- - - apophyseal (displaced) S72.13-
- - - - nondisplaced S72.13-
- - - cervicotrochanteric -*see* Fracture, femur, upper end, neck, base
- - - epiphysis (displaced) S72.02-
- - - - nondisplaced S72.02-
- - - head S72.05-
- - - - articular (displaced) S72.06-
- - - - - nondisplaced S72.06-
- - - - specified NEC S72.09-
- - - intertrochanteric (displaced) S72.14-
- - - - nondisplaced S72.14-
- - - intracapsular S72.01-
- - - midcervical (displaced) S72.03-
- - - - nondisplaced S72.03-
- - - neck S72.00-
- - - - base (displaced) S72.04-
- - - - - nondisplaced S72.04-
- - - - specified NEC S72.09-
- - - pertrochanteric -*see* Fracture, femur, upper end, trochanteric
- - - physeal S79.00-
- - - - Salter-Harris type I S79.01-
- - - - specified NEC S79.09-
- - - subcapital (displaced) S72.01-
- - - subtrochanteric (displaced) S72.2-
- - - - nondisplaced S72.2-
- - - transcervical -*see* Fracture, femur, upper end, midcervical
- - - trochanteric S72.10-
- - - - greater (displaced) S72.11-
- - - - - nondisplaced S72.11-
- - - - lesser (displaced) S72.12-
- - - - - nondisplaced S72.12-
- fibula (shaft) (styloid) S82.40-
- - comminuted (displaced) S82.45-
- - - nondisplaced S82.45-
- - following insertion of implant, prosthesis or plate M96.67-
- - involving ankle or malleolus -*see* Fracture, fibula, lateral malleolus
- - lateral malleolus (displaced) S82.6-
- - - nondisplaced S82.6-
- - lower end
- - - physeal S89.30-
- - - - Salter-Harris
- - - - - Type I S89.31-
- - - - - Type II S89.32-
- - - - specified NEC S89.39-
- - - specified NEC S82.83-
- - - torus S82.82-
- - oblique (displaced) S82.43-
- - - nondisplaced S82.43-
- - segmental (displaced) S82.46-
- - - nondisplaced S82.46-
- - specified NEC S82.49-
- - spiral (displaced) S82.44-
- - - nondisplaced S82.44-
- - transverse (displaced) S82.42-
- - - nondisplaced S82.42-
- - upper end
- - - physeal S89.20-
- - - - Salter-Harris
- - - - - Type I S89.21-
- - - - - Type II S89.22-

- - - - specified NEC S89.29-
- - - specified NEC S82.83-
- - - torus S82.81-
- finger (except thumb) S62.60-
- - distal phalanx (displaced) S62.63-
- - - nondisplaced S62.66-
- - index S62.60-
- - - distal phalanx (displaced) S62.63-
- - - - nondisplaced S62.66-
- - - middle phalanx (displaced) S62.62-
- - - - nondisplaced S62.65-
- - - proximal phalanx (displaced) S62.61-
- - - - nondisplaced S62.64-
- - little S62.60-
- - - distal phalanx (displaced) S62.63-
- - - - nondisplaced S62.66-
- - - middle phalanx (displaced) S62.62-
- - - - nondisplaced S62.65-
- - - proximal phalanx (displaced) S62.61-
- - - - nondisplaced S62.64-
- - middle phalanx (displaced) S62.62-
- - - nondisplaced S62.65-
- - middle S62.60-
- - - distal phalanx (displaced) S62.63-
- - - - nondisplaced S62.66-
- - - middle phalanx (displaced) S62.62-
- - - - nondisplaced S62.65-
- - - proximal phalanx (displaced) S62.61-
- - - - nondisplaced S62.64-
- - proximal phalanx (displaced) S62.61-
- - - nondisplaced S62.64-
- - ring S62.60-
- - - distal phalanx (displaced) S62.63-
- - - - nondisplaced S62.66-
- - - middle phalanx (displaced) S62.62-
- - - - nondisplaced S62.65-
- - - proximal phalanx (displaced) S62.61-
- - - - nondisplaced S62.64-
- - thumb -*see* Fracture, thumb
- following insertion (intraoperative) (postoperative) of orthopedic implant, joint prosthesis or bone plate M96.69
- - femur M96.66-
- - fibula M96.67-
- - humerus M96.62-
- - pelvis M96.65
- - radius M96.63-
- - specified bone NEC M96.69
- - tibia M96.67-
- - ulna M96.63-
- foot S92.90-
- - astragalus -*see* Fracture, tarsal, talus
- - calcaneus -*see* Fracture, tarsal, calcaneus
- - cuboid -*see* Fracture, tarsal, cuboid
- - cuneiform -*see* Fracture, tarsal, cuneiform
- - metatarsal -*see* Fracture, metatarsal
- - navicular -*see* Fracture, tarsal, navicular
- - sesamoid S92.81-
- - specified NEC S92.81-
- - talus -*see* Fracture, tarsal, talus
- - tarsal -*see* Fracture, tarsal
- - toe -*see* Fracture, toe

- forearm S52.9-
- - radius -*see* Fracture, radius
- - ulna -*see* Fracture, ulna
- fossa (anterior) (middle) (posterior) S02.19
- fragility -*see* Fracture, pathological, due to osteoporosis
- frontal (bone) (skull) S02.0
- - sinus S02.19
- glenoid (cavity) (scapula) -*see* Fracture, scapula, glenoid cavity
- greenstick -*see* Fracture, by site
- hallux -*see* Fracture, toe, great
- hand S62.9-
- - carpal -*see* Fracture, carpal bone
- - finger (except thumb) -*see* Fracture, finger
- - metacarpal -*see* Fracture, metacarpal
- - navicular (scaphoid) (hand) -*see* Fracture, carpal bone, navicular
- - thumb -*see* Fracture, thumb
- healed or old
- - with complications - code by Nature of the complication
- heel bone -*see* Fracture, tarsal, calcaneus
- Hill-Sachs S42.29-
- hip -*see* Fracture, femur, neck
- humerus S42.30-
- - anatomical neck -*see* Fracture, humerus, upper end
- - articular process -*see* Fracture, humerus, lower end
- - capitellum -*see* Fracture, humerus, lower end, condyle, lateral
- - distal end -*see* Fracture, humerus, lower end
- - epiphysis
- - - lower -*see* Fracture, humerus, lower end, physeal
- - - upper -*see* Fracture, humerus, upper end, physeal
- - external condyle -*see* Fracture, humerus, lower end, condyle, lateral
- - following insertion of implant, prosthesis or plate M96.62-
- - great tuberosity -*see* Fracture, humerus, upper end, greater tuberosity
- - intercondylar -*see* Fracture, humerus, lower end
- - internal epicondyle -*see* Fracture, humerus, lower end, epicondyle, medial
- - lesser tuberosity -*see* Fracture, humerus, upper end, lesser tuberosity
- - lower end S42.40-
- - - condyle
- - - - lateral (displaced) S42.45-
- - - - - nondisplaced S42.45-
- - - - medial (displaced) S42.46-
- - - - - nondisplaced S42.46-
- - - epicondyle
- - - - lateral (displaced) S42.43-
- - - - - nondisplaced S42.43-
- - - - medial (displaced) S42.44-
- - - - - incarcerated S42.44-
- - - - - nondisplaced S42.44-
- - - physeal S49.10-
- - - - Salter-Harris
- - - - - Type I S49.11-
- - - - - Type II S49.12-
- - - - - Type III S49.13-
- - - - - Type IV S49.14-
- - - - specified NEC S49.19-
- - - specified NEC (displaced) S42.49-
- - - - nondisplaced S42.49-
- - - supracondylar (simple) (displaced) S42.41-
- - - - with intercondylar fracture -*see* Fracture, humerus, lower end
- - - - comminuted (displaced) S42.42-
- - - - - nondisplaced S42.42-

- - - - nondisplaced S42.41-
- - - torus S42.48-
- - - transcondylar (displaced) S42.47-
- - - - nondisplaced S42.47-
- - proximal end -*see* Fracture, humerus, upper end
- - shaft S42.30-
- - - comminuted (displaced) S42.35-
- - - - nondisplaced S42.35-
- - - greenstick S42.31-
- - - oblique (displaced) S42.33-
- - - - nondisplaced S42.33-
- - - segmental (displaced) S42.36-
- - - - nondisplaced S42.36-
- - - specified NEC S42.39-
- - - spiral (displaced) S42.34-
- - - - nondisplaced S42.34-
- - - transverse (displaced) S42.32-
- - - - nondisplaced S42.32-
- - supracondylar -*see* Fracture, humerus, lower end
- - surgical neck -*see* Fracture, humerus, upper end, surgical neck
- - trochlea -*see* Fracture, humerus, lower end, condyle, medial
- - tuberosity -*see* Fracture, humerus, upper end
- - upper end S42.20-
- - - anatomical neck -*see* Fracture, humerus, upper end, specified NEC
- - - articular head -*see* Fracture, humerus, upper end, specified NEC
- - - epiphysis -*see* Fracture, humerus, upper end, physeal
- - - greater tuberosity (displaced) S42.25-
- - - - nondisplaced S42.25-
- - - lesser tuberosity (displaced) S42.26-
- - - - nondisplaced S42.26-
- - - physeal S49.00-
- - - - Salter-Harris
- - - - - Type I S49.01-
- - - - - Type II S49.02-
- - - - - Type III S49.03-
- - - - - Type IV S49.04-
- - - - specified NEC S49.09-
- - - specified NEC (displaced) S42.29-
- - - - nondisplaced S42.29-
- - - surgical neck (displaced) S42.21-
- - - - four-part S42.24-
- - - - nondisplaced S42.21-
- - - - three-part S42.23-
- - - - two-part (displaced) S42.22-
- - - - - nondisplaced S42.22-
- - - torus S42.27-
- - - transepiphyseal -*see* Fracture, humerus, upper end, physeal
- hyoid bone S12.8
- ilium S32.30-
- - with disruption of pelvic ring -*see* Disruption, pelvic ring
- - avulsion (displaced) S32.31-
- - - nondisplaced S32.31-
- - specified NEC S32.39-
- impaction, impacted - code as Fracture, by site
- innominate bone -*see* Fracture, ilium
- instep -*see* Fracture, foot
- ischium S32.60-
- - with disruption of pelvic ring -*see* Disruption, pelvic ring
- - avulsion (displaced) S32.61-
- - - nondisplaced S32.61-

- - specified NEC S32.69-
- jaw (bone) (lower) -*see* Fracture, mandible
- - upper -*see* Fracture, maxilla
- joint prosthesis -*see* Complications, joint prosthesis, mechanical, breakdown, by site
- - periprosthetic -*see* Fracture, traumatic, periprosthetic
- knee cap -*see* Fracture, patella
- larynx S12.8
- late effects -*see* Sequelae, fracture
- leg (lower) S82.9-
- - ankle -*see* Fracture, ankle
- - femur -*see* Fracture, femur
- - fibula -*see* Fracture, fibula
- - malleolus -*see* Fracture, ankle
- - patella -*see* Fracture, patella
- - specified site NEC S82.89-
- - tibia -*see* Fracture, tibia
- lumbar spine -*see* Fracture, vertebra, lumbar
- lumbosacral spine S32.9
- Maisonneuve's (displaced) S82.86-
- - nondisplaced S82.86-
- malar bone -*see also* Fracture, maxilla S02.400
- - left side S02.40B
- - right side S02.40A
- malleolus -*see* Fracture, ankle
- malunion -*see* Fracture, by site
- mandible (lower jaw (bone)) S02.609
- - alveolus S02.67-
- - angle (of jaw) S02.65-
- - body, unspecified S02.600
- - - left side S02.602
- - - right side S02.601
- - condylar process S02.61-
- - coronoid process S02.63-
- - ramus, unspecified S02.64-
- - specified site NEC S02.69
- - subcondylar process S02.62-
- - symphysis S02.66
- manubrium (sterni) S22.21
- - dissociation from sternum S22.23
- march -*see* Fracture, traumatic, stress, by site
- maxilla, maxillary (bone) (sinus) (superior) (upper jaw) S02.401
- - alveolus S02.42
- - inferior -*see* Fracture, mandible
- - LeFort I S02.411
- - LeFort II S02.412
- - LeFort III S02.413
- - left side S02.40D
- - right side S02.40C
- metacarpal S62.309
- - base (displaced) S62.319
- - - nondisplaced S62.349
- - fifth S62.30-
- - - base (displaced) S62.31-
- - - - nondisplaced S62.34-
- - - neck (displaced) S62.33-
- - - - nondisplaced S62.36-
- - - shaft (displaced) S62.32-
- - - - nondisplaced S62.35-
- - - specified NEC S62.398
- - first S62.20-

- - - base NEC (displaced) S62.23-
- - - - nondisplaced S62.23-
- - - Bennett's *-see* Bennett's fracture
- - - neck (displaced) S62.25-
- - - - nondisplaced S62.25-
- - - shaft (displaced) S62.24-
- - - - nondisplaced S62.24-
- - - specified NEC S62.29-
- - fourth S62.30-
- - - base (displaced) S62.31-
- - - - nondisplaced S62.34-
- - - neck (displaced) S62.33-
- - - - nondisplaced S62.36-
- - - shaft (displaced) S62.32-
- - - - nondisplaced S62.35-
- - - specified NEC S62.39-
- - neck (displaced) S62.33-
- - - nondisplaced S62.36-
- - Rolando's *-see* Rolando's fracture
- - second S62.30-
- - - base (displaced) S62.31-
- - - - nondisplaced S62.34-
- - - neck (displaced) S62.33-
- - - - nondisplaced S62.36-
- - - shaft (displaced) S62.32-
- - - - nondisplaced S62.35-
- - - specified NEC S62.39-
- - shaft (displaced) S62.32-
- - - nondisplaced S62.35-
- - third S62.30-
- - - base (displaced) S62.31-
- - - - nondisplaced S62.34-
- - - neck (displaced) S62.33-
- - - - nondisplaced S62.36-
- - - shaft (displaced) S62.32-
- - - - nondisplaced S62.35-
- - - specified NEC S62.39-
- - specified NEC S62.399
- metaphyseal *-see* Fracture, traumatic, by site, shaft
- metastatic *-see* Fracture, pathological, due to, neoplastic disease *-see also* Neoplasm
- metatarsal bone S92.30-
- - fifth (displaced) S92.35-
- - - nondisplaced S92.35-
- - first (displaced) S92.31-
- - - nondisplaced S92.31-
- - fourth (displaced) S92.34-
- - - nondisplaced S92.34-
- - physeal S99.10-
- - - Salter-Harris
- - - - Type I S99.11-
- - - - Type II S99.12-
- - - - Type III S99.13-
- - - - Type IV S99.14-
- - - specified NEC S99.19-
- - second (displaced) S92.32-
- - - nondisplaced S92.32-
- - third (displaced) S92.33-
- - - nondisplaced S92.33-
- Monteggia's *-see* Monteggia's fracture
- multiple

- - hand (and wrist) NEC -*see* Fracture, by site
- - ribs -*see* Fracture, rib, multiple
- nasal (bone(s)) S02.2
- navicular (scaphoid) (foot) -*see also* Fracture, tarsal, navicular
- - hand -*see* Fracture, carpal, navicular
- neck S12.9
- - cervical vertebra S12.9
- - - fifth (displaced) S12.400
- - - - nondisplaced S12.401
- - - - specified type NEC (displaced) S12.490
- - - - - nondisplaced S12.491
- - - first (displaced) S12.000
- - - - burst (stable) S12.01
- - - - - unstable S12.02
- - - - lateral mass (displaced) S12.040
- - - - - nondisplaced S12.041
- - - - nondisplaced S12.001
- - - - posterior arch (displaced) S12.030
- - - - - nondisplaced S12.031
- - - - specified type NEC (displaced) S12.090
- - - - - nondisplaced S12.091
- - - fourth (displaced) S12.300
- - - - nondisplaced S12.301
- - - - specified type NEC (displaced) S12.390
- - - - - nondisplaced S12.391
- - - second (displaced) S12.100
- - - - nondisplaced S12.101
- - - - dens (anterior) (displaced) (type II) S12.110
- - - - - nondisplaced S12.112
- - - - - posterior S12.111
- - - - - specified type NEC (displaced) S12.120
- - - - - - nondisplaced S12.121
- - - - specified type NEC (displaced) S12.190
- - - - - nondisplaced S12.191
- - - seventh (displaced) S12.600
- - - - nondisplaced S12.601
- - - - specified type NEC (displaced) S12.690
- - - - - nondisplaced S12.691
- - - sixth (displaced) S12.500
- - - - nondisplaced S12.501
- - - - specified type NEC (displaced) S12.590
- - - - - nondisplaced S12.591
- - - third (displaced) S12.200
- - - - nondisplaced S12.201
- - - - specified type NEC (displaced) S12.290
- - - - - nondisplaced S12.291
- - hyoid bone S12.8
- - larynx S12.8
- - specified site NEC S12.8
- - thyroid cartilage S12.8
- - trachea S12.8
- neoplastic NEC -*see* Fracture, pathological, due to, neoplastic disease
- neural arch -*see* Fracture, vertebra
- newborn -*see* Birth, injury, fracture
- nontraumatic -*see* Fracture, pathological
- nonunion -*see* Nonunion, fracture
- nose, nasal (bone) (septum) S02.2
- occiput -*see* Fracture, skull, base, occiput
- odontoid process -*see* Fracture, neck, cervical vertebra, second
- olecranon (process) (ulna) -*see* Fracture, ulna, upper end, olecranon process

- orbit, orbital (bone) (region) S02.85
- - floor (blow-out) S02.3-
- - roof S02.12-
- - wall S02.85
- - - lateral S02.84-
- - - medial S02.83-
- os
- - calcis -*see* Fracture, tarsal, calcaneus
- - magnum -*see* Fracture, carpal, capitate
- - pubis -*see* Fracture, pubis
- palate S02.8-
- parietal bone (skull) S02.0
- patella S82.00-
- - comminuted (displaced) S82.04-
- - - nondisplaced S82.04-
- - longitudinal (displaced) S82.02-
- - - nondisplaced S82.02-
- - osteochondral (displaced) S82.01-
- - - nondisplaced S82.01-
- - specified NEC S82.09-
- - transverse (displaced) S82.03-
- - - nondisplaced S82.03-
- pedicle (of vertebral arch) -*see* Fracture, vertebra
- pelvis, pelvic (bone) S32.9
- - acetabulum -*see* Fracture, acetabulum
- - circle -*see* Disruption, pelvic ring
- - following insertion of implant, prosthesis or plate M96.65
- - ilium -*see* Fracture, ilium
- - ischium -*see* Fracture, ischium
- - multiple
- - - with disruption of pelvic ring (circle) -*see* Disruption, pelvic ring
- - - without disruption of pelvic ring (circle) S32.82
- - pubis -*see* Fracture, pubis
- - specified site NEC S32.89
- - sacrum -*see* Fracture, sacrum
- periprosthetic, around internal prosthetic joint M97.9
- - ankle M97.2-
- - elbow M97.4-
- - finger M97.8
- - hip M97.0-
- - knee M97.1--
- - shoulder M97.3-
- - specified joint NEC M97.8
- - spine M97.8
- - toe M97.8
- - wrist M97.8
- phalanx
- - foot -*see* Fracture, toe
- - hand -*see* Fracture, finger
- pisiform -*see* Fracture, carpal, pisiform
- pond -*see* Fracture, skull
- prosthetic device, internal -*see* Complications, prosthetic device, by site, mechanical
- pubis S32.50-
- - with disruption of pelvic ring -*see* Disruption, pelvic ring
- - specified site NEC S32.59-
- - superior rim S32.51-
- radius S52.9-
- - distal end -*see* Fracture, radius, lower end
- - following insertion of implant, prosthesis or plate M96.63-
- - head -*see* Fracture, radius, upper end, head

- - lower end S52.50-
- - - Barton's -*see* Barton's fracture
- - - Colles' -*see* Colles' fracture
- - - extraarticular NEC S52.55-
- - - intraarticular NEC S52.57-
- - - physeal S59.20-
- - - - Salter-Harris
- - - - - Type I S59.21-
- - - - - Type II S59.22-
- - - - - Type III S59.23-
- - - - - Type IV S59.24-
- - - - specified NEC S59.29-
- - - Smith's -*see* Smith's fracture
- - - specified NEC S52.59-
- - - styloid process (displaced) S52.51-
- - - - nondisplaced S52.51-
- - - torus S52.52-
- - neck -*see* Fracture, radius, upper end
- - proximal end -*see* Fracture, radius, upper end
- - shaft S52.30-
- - - bent bone S52.38-
- - - comminuted (displaced) S52.35-
- - - - nondisplaced S52.35-
- - - Galeazzi's -*see* Galeazzi's fracture
- - - greenstick S52.31-
- - - oblique (displaced) S52.33-
- - - - nondisplaced S52.33-
- - - segmental (displaced) S52.36-
- - - - nondisplaced S52.36-
- - - specified NEC S52.39-
- - - spiral (displaced) S52.34-
- - - - nondisplaced S52.34-
- - - transverse (displaced) S52.32-
- - - - nondisplaced S52.32-
- - upper end S52.10-
- - - head (displaced) S52.12-
- - - - nondisplaced S52.12-
- - - neck (displaced) S52.13-
- - - - nondisplaced S52.13-
- - - specified NEC S52.18-
- - - physeal S59.10-
- - - - Salter-Harris
- - - - - Type I S59.11-
- - - - - Type II S59.12-
- - - - - Type III S59.13-
- - - - - Type IV S59.14-
- - - - specified NEC S59.19-
- - - torus S52.11-
- ramus
- - inferior or superior, pubis -*see* Fracture, pubis
- - mandible -*see* Fracture, mandible
- restorative material (dental) K08.539
- - with loss of material K08.531
- - without loss of material K08.530
- rib S22.3-
- - with flail chest -*see* Flail, chest
- - associated with chest compression and cardiopulmonary resuscitation M96.A2
- - multiple S22.4-
- - - with flail chest -*see* Flail, chest
- - - associated with chest compression and cardiopulmonary resuscitation M96.A3

- root, tooth -*see* Fracture, tooth
- sacrum S32.10
- - specified NEC S32.19
- - Type
- - - 1 S32.14
- - - 2 S32.15
- - - 3 S32.16
- - - 4 S32.17
- - Zone
- - - I S32.119
- - - - displaced (minimally) S32.111
- - - - - severely S32.112
- - - - nondisplaced S32.110
- - - II S32.129
- - - - displaced (minimally) S32.121
- - - - - severely S32.122
- - - - nondisplaced S32.120
- - - III S32.139
- - - - displaced (minimally) S32.131
- - - - - severely S32.132
- - - - nondisplaced S32.130
- scaphoid (hand) -*see also* Fracture, carpal, navicular
- - foot -*see* Fracture, tarsal, navicular
- scapula S42.10-
- - acromial process (displaced) S42.12-
- - - nondisplaced S42.12-
- - body (displaced) S42.11-
- - - nondisplaced S42.11-
- - coracoid process (displaced) S42.13-
- - - nondisplaced S42.13-
- - glenoid cavity (displaced) S42.14-
- - - nondisplaced S42.14-
- - neck (displaced) S42.15-
- - - nondisplaced S42.15-
- - specified NEC S42.19-
- semilunar bone, wrist -*see* Fracture, carpal, lunate
- sequelae -*see* Sequelae, fracture
- sesamoid bone
- - foot S92.81-
- - hand -*see* Fracture, carpal
- - other -*see* Fracture, traumatic, by site
- shepherd's -*see* Fracture, tarsal, talus
- shoulder (girdle) S42.9-
- - blade -*see* Fracture, scapula
- sinus (ethmoid) (frontal) S02.19
- skull S02.91
- - base S02.10-
- - - occiput S02.119
- - - - condyle S02.113
- - - - - type I S02.110
- - - - - - left side S02.11B
- - - - - - right side S02.11A
- - - - - type II S02.111
- - - - - - left side S02.11D
- - - - - - right side S02.11C
- - - - - type III S02.112
- - - - - - left side S02.11F
- - - - - - right side S02.11E
- - - - - specified NEC S02.118
- - - - - - left side S02.11H

- - - - - - right side S02.11G
- - - specified NEC S02.19
- - birth injury P13.0
- - frontal bone S02.0
- - parietal bone S02.0
- - specified site NEC S02.8-
- - temporal bone S02.19
- - vault S02.0
- Smith's -*see* Smith's fracture
- sphenoid (bone) (sinus) S02.19
- spine -*see* Fracture, vertebra
- spinous process -*see* Fracture, vertebra
- spontaneous (cause unknown) -*see* Fracture, pathological
- stave (of thumb) -*see* Fracture, metacarpal, first
- sternum S22.20
- - with flail chest -*see* Flail, chest
- - associated with chest compression and cardiopulmonary resuscitation M96.A1
- - body S22.22
- - manubrium S22.21
- - xiphoid (process) S22.24
- - - associated with chest compression and cardiopulmonary resuscitation M96.A1
- stress M84.30
- - ankle M84.37-
- - carpus M84.34-
- - clavicle M84.31-
- - femoral neck M84.359
- - femur M84.35-
- - fibula M84.36-
- - finger M84.34-
- - hip M84.35-
- - humerus M84.32-
- - ilium M84.350
- - ischium M84.350
- - metacarpus M84.34-
- - metatarsus M84.37-
- - neck -*see* Fracture, fatigue, vertebra
- - pelvis M84.350
- - radius M84.33-
- - rib M84.38
- - scapula M84.31-
- - skull M84.38
- - tarsus M84.37-
- - tibia M84.36-
- - toe M84.37-
- - ulna M84.33-
- - vertebra -*see* Fracture, fatigue, vertebra
- supracondylar, elbow -*see* Fracture, humerus, lower end, supracondylar
- symphysis pubis -*see* Fracture, pubis
- talus (ankle bone) -*see* Fracture, tarsal, talus
- tarsal bone(s) S92.20-
- - astragalus -*see* Fracture, tarsal, talus
- - calcaneus S92.00-
- - - anterior process (displaced) S92.02-
- - - - nondisplaced S92.02-
- - - body (displaced) S92.01-
- - - - nondisplaced S92.01-
- - - extraarticular NEC (displaced) S92.05-
- - - - nondisplaced S92.05-
- - - intraarticular (displaced) S92.06-
- - - - nondisplaced S92.06-

- - - physeal S99.00-
- - - - Salter-Harris
- - - - - Type I S99.01-
- - - - - Type II S99.02-
- - - - - Type III S99.03-
- - - - - Type IV S99.04-
- - - - specified NEC S99.09-
- - - tuberosity (displaced) S92.04-
- - - - avulsion (displaced) S92.03-
- - - - - nondisplaced S92.03-
- - - - nondisplaced S92.04-
- - cuboid (displaced) S92.21-
- - - nondisplaced S92.21-
- - cuneiform
- - - intermediate (displaced) S92.23-
- - - - nondisplaced S92.23-
- - - lateral (displaced) S92.22-
- - - - nondisplaced S92.22-
- - - medial (displaced) S92.24-
- - - - nondisplaced S92.24-
- - navicular (displaced) S92.25-
- - - nondisplaced S92.25-
- - scaphoid -*see* Fracture, tarsal, navicular
- - talus S92.10-
- - - avulsion (displaced) S92.15-
- - - - nondisplaced S92.15-
- - - body (displaced) S92.12-
- - - - nondisplaced S92.12-
- - - dome (displaced) S92.14-
- - - - nondisplaced S92.14-
- - - head (displaced) S92.12-
- - - - nondisplaced S92.12-
- - - lateral process (displaced) S92.14-
- - - - nondisplaced S92.14-
- - - neck (displaced) S92.11-
- - - - nondisplaced S92.11-
- - - posterior process (displaced) S92.13-
- - - - nondisplaced S92.13-
- - - specified NEC S92.19-
- temporal bone (styloid) S02.19
- thorax (bony) S22.9
- - with flail chest -*see* Flail, chest
- - rib S22.3-
- - - multiple S22.4-
- - - - with flail chest -*see* Flail, chest
- - sternum S22.20
- - - body S22.22
- - - manubrium S22.21
- - - xiphoid process S22.24
- - - - associated with chest compression and cardiopulmonary resuscitation M96.A1
- - vertebra (displaced) S22.009
- - - burst (stable) S22.001
- - - - unstable S22.002
- - - eighth S22.069
- - - - burst (stable) S22.061
- - - - - unstable S22.062
- - - - specified type NEC S22.068
- - - - wedge compression S22.060
- - - eleventh S22.089
- - - - burst (stable) S22.081

- - - - - unstable S22.082
- - - - specified type NEC S22.088
- - - - wedge compression S22.080
- - - fifth S22.059
- - - - burst (stable) S22.051
- - - - - unstable S22.052
- - - - specified type NEC S22.058
- - - - wedge compression S22.050
- - - first S22.019
- - - - burst (stable) S22.011
- - - - - unstable S22.012
- - - - specified type NEC S22.018
- - - - wedge compression S22.010
- - - fourth S22.049
- - - - burst (stable) S22.041
- - - - - unstable S22.042
- - - - specified type NEC S22.048
- - - - wedge compression S22.040
- - - ninth S22.079
- - - - burst (stable) S22.071
- - - - - unstable S22.072
- - - - specified type NEC S22.078
- - - - wedge compression S22.070
- - - nondisplaced S22.001
- - - second S22.029
- - - - burst (stable) S22.021
- - - - - unstable S22.022
- - - - specified type NEC S22.028
- - - - wedge compression S22.020
- - - seventh S22.069
- - - - burst (stable) S22.061
- - - - - unstable S22.062
- - - - specified type NEC S22.068
- - - - wedge compression S22.060
- - - sixth S22.059
- - - - burst (stable) S22.051
- - - - - unstable S22.052
- - - - specified type NEC S22.058
- - - - wedge compression S22.050
- - - specified type NEC S22.008
- - - tenth S22.079
- - - - burst (stable) S22.071
- - - - - unstable S22.072
- - - - specified type NEC S22.078
- - - - wedge compression S22.070
- - - third S22.039
- - - - burst (stable) S22.031
- - - - - unstable S22.032
- - - - specified type NEC S22.038
- - - - wedge compression S22.030
- - - twelfth S22.089
- - - - burst (stable) S22.081
- - - - - unstable S22.082
- - - - specified type NEC S22.088
- - - - wedge compression S22.080
- - - wedge compression S22.000
- thumb S62.50-
- - distal phalanx (displaced) S62.52-
- - - nondisplaced S62.52-
- - proximal phalanx (displaced) S62.51-

- - - nondisplaced S62.51-
- thyroid cartilage S12.8
- tibia (shaft) S82.20-
- - comminuted (displaced) S82.25-
- - - nondisplaced S82.25-
- - condyles -*see* Fracture, tibia, upper end
- - distal end -*see* Fracture, tibia, lower end
- - epiphysis
- - - lower -*see* Fracture, tibia, lower end
- - - upper -*see* Fracture, tibia, upper end
- - following insertion of implant, prosthesis or plate M96.67-
- - head (involving knee joint) -*see* Fracture, tibia, upper end
- - intercondyloid eminence -*see* Fracture, tibia, upper end
- - involving ankle or malleolus -*see* Fracture, ankle, medial malleolus
- - lower end S82.30-
- - - physeal S89.10-
- - - - Salter-Harris
- - - - - Type I S89.11-
- - - - - Type II S89.12-
- - - - - Type III S89.13-
- - - - - Type IV S89.14-
- - - - specified NEC S89.19-
- - - pilon (displaced) S82.87-
- - - - nondisplaced S82.87-
- - - specified NEC S82.39-
- - - torus S82.31-
- - malleolus -*see* Fracture, ankle, medial malleolus
- - oblique (displaced) S82.23-
- - - nondisplaced S82.23-
- - pilon -*see* Fracture, tibia, lower end, pilon
- - proximal end -*see* Fracture, tibia, upper end
- - segmental (displaced) S82.26-
- - - nondisplaced S82.26-
- - specified NEC S82.29-
- - spine -*see* Fracture, tibia, upper end, spine
- - spiral (displaced) S82.24-
- - - nondisplaced S82.24-
- - transverse (displaced) S82.22-
- - - nondisplaced S82.22-
- - tuberosity -*see* Fracture, tibia, upper end, tuberosity
- - upper end S82.10-
- - - bicondylar (displaced) S82.14-
- - - - nondisplaced S82.14-
- - - lateral condyle (displaced) S82.12-
- - - - nondisplaced S82.12-
- - - medial condyle (displaced) S82.13-
- - - - nondisplaced S82.13-
- - - physeal S89.00-
- - - - Salter-Harris
- - - - - Type I S89.01-
- - - - - Type II S89.02-
- - - - - Type III S89.03-
- - - - - Type IV S89.04-
- - - - specified NEC S89.09-
- - - plateau -*see* Fracture, tibia, upper end, bicondylar
- - - spine (displaced) S82.11-
- - - - nondisplaced S82.11-
- - - torus S82.16-
- - - specified NEC S82.19-
- - - tuberosity (displaced) S82.15-

- - - - nondisplaced S82.15-
- toe S92.91-
- - great (displaced) S92.40-
- - - distal phalanx (displaced) S92.42-
- - - - nondisplaced S92.42-
- - - nondisplaced S92.40-
- - - proximal phalanx (displaced) S92.41-
- - - - nondisplaced S92.41-
- - - specified NEC S92.49-
- - lesser (displaced) S92.50-
- - - distal phalanx (displaced) S92.53-
- - - - nondisplaced S92.53-
- - - middle phalanx (displaced) S92.52-
- - - - nondisplaced S92.52-
- - - nondisplaced S92.50-
- - - proximal phalanx (displaced) S92.51-
- - - - nondisplaced S92.51-
- - - specified NEC S92.59-
- - physeal
- - - phalanx S99.20-
- - - - Salter-Harris
- - - - - Type I S99.21-
- - - - - Type II S99.22-
- - - - - Type III S99.23-
- - - - - Type IV S99.24-
- - - - specified NEC S99.29-
- tooth (root) S02.5
- trachea (cartilage) S12.8
- transverse process -*see* Fracture, vertebra
- trapezium or trapezoid bone -*see* Fracture, carpal
- trimalleolar -*see* Fracture, ankle, trimalleolar
- triquetrum (cuneiform of carpus) -*see* Fracture, carpal, triquetrum
- trochanter -*see* Fracture, femur, trochanteric
- tuberosity (external) -*see* Fracture, traumatic, by site
- ulna (shaft) S52.20-
- - bent bone S52.28-
- - coronoid process -*see* Fracture, ulna, upper end, coronoid process
- - distal end -*see* Fracture, ulna, lower end
- - following insertion of implant, prosthesis or plate M96.63-
- - head S52.60-
- - lower end S52.60-
- - - physeal S59.00-
- - - - Salter-Harris
- - - - - Type I S59.01-
- - - - - Type II S59.02-
- - - - - Type III S59.03-
- - - - - Type IV S59.04-
- - - - specified NEC S59.09-
- - - specified NEC S52.69-
- - - styloid process (displaced) S52.61-
- - - - nondisplaced S52.61-
- - - torus S52.62-
- - proximal end -*see* Fracture, ulna, upper end
- - shaft S52.20-
- - - comminuted (displaced) S52.25-
- - - - nondisplaced S52.25-
- - - greenstick S52.21-
- - - Monteggia's -*see* Monteggia's fracture
- - - oblique (displaced) S52.23-
- - - - nondisplaced S52.23-

- - - segmental (displaced) S52.26-
- - - - nondisplaced S52.26-
- - - specified NEC S52.29-
- - - spiral (displaced) S52.24-
- - - - nondisplaced S52.24-
- - - transverse (displaced) S52.22-
- - - - nondisplaced S52.22-
- - upper end S52.00-
- - - coronoid process (displaced) S52.04-
- - - - nondisplaced S52.04-
- - - olecranon process (displaced) S52.02-
- - - - with intraarticular extension S52.03-
- - - - nondisplaced S52.02-
- - - - - with intraarticular extension S52.03-
- - - specified NEC S52.09-
- - - torus S52.01-
- unciform -*see* Fracture, carpal, hamate
- vault of skull S02.0
- vertebra, vertebral (arch) (body) (column) (neural arch) (pedicle) (spinous process) (transverse process)
- - atlas -*see* Fracture, neck, cervical vertebra, first
- - axis -*see* Fracture, neck, cervical vertebra, second
- - cervical (teardrop) S12.9
- - - axis -*see* Fracture, neck, cervical vertebra, second
- - - first (atlas) -*see* Fracture, neck, cervical vertebra, first
- - - second (axis) -*see* Fracture, neck, cervical vertebra, second
- - chronic M84.48
- - coccyx S32.2
- - dorsal -*see* Fracture, thorax, vertebra
- - lumbar S32.009
- - - burst (stable) S32.001
- - - - unstable S32.002
- - - fifth S32.059
- - - - burst (stable) S32.051
- - - - - unstable S32.052
- - - - specified type NEC S32.058
- - - - wedge compression S32.050
- - - first S32.019
- - - - burst (stable) S32.011
- - - - - unstable S32.012
- - - - specified type NEC S32.018
- - - - wedge compression S32.010
- - - fourth S32.049
- - - - burst (stable) S32.041
- - - - - unstable S32.042
- - - - specified type NEC S32.048
- - - - wedge compression S32.040
- - - second S32.029
- - - - burst (stable) S32.021
- - - - - unstable S32.022
- - - - specified type NEC S32.028
- - - - wedge compression S32.020
- - - specified type NEC S32.008
- - - third S32.039
- - - - burst (stable) S32.031
- - - - - unstable S32.032
- - - - specified type NEC S32.038
- - - - wedge compression S32.030
- - - wedge compression S32.000
- - metastatic -*see* Collapse, vertebra, in, specified disease NEC -*see also* Neoplasm
- - newborn (birth injury) P11.5

- - sacrum S32.10
- - - specified NEC S32.19
- - - Type
- - - - 1 S32.14
- - - - 2 S32.15
- - - - 3 S32.16
- - - - 4 S32.17
- - - Zone
- - - - I S32.119
- - - - - displaced (minimally) S32.111
- - - - - - severely S32.112
- - - - - nondisplaced S32.110
- - - - II S32.129
- - - - - displaced (minimally) S32.121
- - - - - - severely S32.122
- - - - - nondisplaced S32.120
- - - - III S32.139
- - - - - displaced (minimally) S32.131
- - - - - - severely S32.132
- - - - - nondisplaced S32.130
- - thoracic -*see* Fracture, thorax, vertebra
- vertex S02.0
- vomer (bone) S02.2
- wrist S62.10-
- - carpal -*see* Fracture, carpal bone
- - navicular (scaphoid) (hand) -*see* Fracture, carpal, navicular
- xiphisternum, xiphoid (process) S22.24
- - associated with chest compression and cardiopulmonary resuscitation M96.A1
- zygoma S02.402
- - left side S02.40F
- - right side S02.40E

Fragile, fragility
- autosomal site Q95.5
- bone, congenital (with blue sclera) Q78.0
- capillary (hereditary) D69.8
- hair L67.8
- nails L60.3
- non-sex chromosome site Q95.5
- X chromosome Q99.2

Fragilitas
- crinium L67.8
- ossium (with blue sclerae) (hereditary) Q78.0
- unguium L60.3
- - congenital Q84.6

Fragments, cataract (lens), following cataract surgery H59.02-
- retained foreign body -*see* Retained, foreign body fragments (type of)

Frailty (frail) R54
- mental R41.81

Frambesia, frambesial (tropica) -*see also* Yaws
- initial lesion or ulcer A66.0
- primary A66.0

Frambeside
- gummatous A66.4
- of early yaws A66.2

Frambesioma A66.1

Franceschetti-Klein (-Wildervanck) disease or syndrome Q75.4

Francis' disease -*see* Tularemia

Franklin disease C88.2-

Frank's essential thrombocytopenia D69.3

Fraser's syndrome Q87.0

Freckle(s) L81.2
- malignant melanoma in *-see* Melanoma
- melanotic (Hutchinson's) *-see* Melanoma, in situ
- retinal D49.81
Frederickson's hyperlipoproteinemia, type
- I and V E78.3
- IIA E78.00
- IIB and III E78.2
- IV E78.1
Freeman Sheldon syndrome Q87.0
Freezing *-see also* Effect, adverse, cold T69.9
Freiberg's disease (infraction of metatarsal head or osteochondrosis) *-see* Osteochondrosis, juvenile, metatarsus
Frei's disease A55
Fremitus, friction, cardiac R01.2
Frenum, frenulum
- external os Q51.828
- tongue (shortening) (congenital) Q38.1
Frequency micturition (nocturnal) R35.0
- psychogenic F45.8
Frey's syndrome
- auriculotemporal G50.8
- hyperhidrosis L74.52
Friction
- burn *-see* Burn, by site
- fremitus, cardiac R01.2
- precordial R01.2
- sounds, chest R09.89
Friderichsen-Waterhouse syndrome or disease A39.1
Friedländer's B (bacillus) NEC *-see also* condition A49.8
Friedreich's
- ataxia G11.11
- combined systemic disease G11.11
- facial hemihypertrophy Q67.4
- sclerosis (cerebellum) (spinal cord) G11.11
Frigidity F52.22
Fröhlich's syndrome E23.6
Frontal *-see also* condition
- lobe syndrome F07.0
Frostbite (superficial) T33.90
- with
- - partial thickness skin loss *-see* Frostbite (superficial), by site
- - tissue necrosis T34.90
- abdominal wall T33.3
- - with tissue necrosis T34.3
- ankle T33.81-
- - with tissue necrosis T34.81-
- arm T33.4-
- - with tissue necrosis T34.4-
- - finger(s) *-see* Frostbite, finger
- - hand *-see* Frostbite, hand
- - wrist *-see* Frostbite, wrist
- ear T33.01-
- - with tissue necrosis T34.01-
- face T33.09
- - with tissue necrosis T34.09
- finger T33.53-
- - with tissue necrosis T34.53-
- foot T33.82-
- - with tissue necrosis T34.82-
- hand T33.52-

- - with tissue necrosis T34.52-
- head T33.09
- - with tissue necrosis T34.09
- - ear -*see* Frostbite, ear
- - nose -*see* Frostbite, nose
- hip (and thigh) T33.6-
- - with tissue necrosis T34.6-
- knee T33.7-
- - with tissue necrosis T34.7-
- leg T33.9-
- - with tissue necrosis T34.9-
- - ankle -*see* Frostbite, ankle
- - foot -*see* Frostbite, foot
- - knee -*see* Frostbite, knee
- - lower T33.7-
- - - with tissue necrosis T34.7-
- - thigh -*see* Frostbite, hip
- - toe -*see* Frostbite, toe
- limb
- - lower T33.99
- - - with tissue necrosis T34.99
- - upper -*see* Frostbite, arm
- neck T33.1
- - with tissue necrosis T34.1
- nose T33.02
- - with tissue necrosis T34.02
- pelvis T33.3
- - with tissue necrosis T34.3
- specified site NEC T33.99
- - with tissue necrosis T34.99
- thigh -*see* Frostbite, hip
- thorax T33.2
- - with tissue necrosis T34.2
- toes T33.83-
- - with tissue necrosis T34.83-
- trunk T33.99
- - with tissue necrosis T34.99
- wrist T33.51-
- - with tissue necrosis T34.51-

Frotteurism F65.81

Frozen -*see also* Effect, adverse, cold T69.9
- pelvis (female) N94.89
- - male K66.8
- shoulder -*see* Capsulitis, adhesive

Fructokinase deficiency E74.11

Fructose 1,6 diphosphatase deficiency E74.19

Fructosemia (benign) (essential) E74.12

Fructosuria (benign) (essential) E74.11

Fuchs'
- black spot (myopic) -*see also* Myopia, degenerative H44.2-
- dystrophy (corneal endothelium) H18.51-
- heterochromic cyclitis -*see* Cyclitis, Fuchs' heterochromic

Fucosidosis E77.1

Fugue R68.89
- dissociative F44.1
- hysterical (dissociative) F44.1
- postictal in epilepsy -*see* Epilepsy
- reaction to exceptional stress (transient) F43.0

Fulminant, fulminating -*see* condition

Functional -*see also* condition

- bleeding (uterus) N93.8
Functioning, intellectual, borderline R41.83
Fundus -*see* condition
Fungemia NOS B49
Fungus, fungous
- cerebral G93.89
- disease NOS B49
- infection -*see* Infection, fungus
Funiculitis (acute) (chronic) (endemic) N49.1
- gonococcal (acute) (chronic) A54.23
- tuberculous A18.15
Funnel
- breast (acquired) M95.4
- - congenital Q67.6
- - sequelae (late effect) of rickets E64.3
- chest (acquired) M95.4
- - congenital Q67.6
- - sequelae (late effect) of rickets E64.3
- pelvis (acquired) M95.5
- - with disproportion (fetopelvic) O33.3
- - - causing obstructed labor O65.3
- - congenital Q74.2
FUO (fever of unknown origin) R50.9
Furfur L21.0
- microsporon B36.0
Furrier's lung J67.8
Furrowed K14.5
- nail(s) (transverse) L60.4
- - congenital Q84.6
- tongue K14.5
- - congenital Q38.3
Furuncle L02.92
- abdominal wall L02.221
- ankle -*see* Furuncle, lower limb
- anus K61.0
- antecubital space -*see* Furuncle, upper limb
- arm -*see* Furuncle, upper limb
- auditory canal, external -*see* Abscess, ear, external
- auricle (ear) -*see* Abscess, ear, external
- axilla (region) L02.42-
- back (any part) L02.222
- breast N61.1
- buttock L02.32
- cheek (external) L02.02
- chest wall L02.223
- chin L02.02
- corpus cavernosum N48.21
- ear, external -*see* Abscess, ear, external
- external auditory canal -*see* Abscess, ear, external
- eyelid -*see* Abscess, eyelid
- face L02.02
- femoral (region) -*see* Furuncle, lower limb
- finger -*see* Furuncle, hand
- flank L02.221
- foot L02.62-
- forehead L02.02
- gluteal (region) L02.32
- groin L02.224
- hand L02.52-
- head L02.821

- - face L02.02
- hip -*see* Furuncle, lower limb
- kidney -*see* Abscess, kidney
- knee -*see* Furuncle, lower limb
- labium (majus) (minus) N76.4
- lacrimal
- - gland -*see* Dacryoadenitis
- - passages (duct) (sac) -*see* Inflammation, lacrimal, passages, acute
- leg (any part) -*see* Furuncle, lower limb
- lower limb L02.42-
- malignant A22.0
- mouth K12.2
- navel L02.226
- neck L02.12
- nose J34.0
- orbit, orbital -*see* Abscess, orbit
- palmar (space) -*see* Furuncle, hand
- partes posteriores L02.32
- pectoral region L02.223
- penis N48.21
- perineum L02.225
- pinna -*see* Abscess, ear, external
- popliteal -*see* Furuncle, lower limb
- prepatellar -*see* Furuncle, lower limb
- scalp L02.821
- seminal vesicle N49.0
- shoulder -*see* Furuncle, upper limb
- specified site NEC L02.828
- submandibular K12.2
- temple (region) L02.02
- thumb -*see* Furuncle, hand
- toe -*see* Furuncle, foot
- trunk L02.229
- - abdominal wall L02.221
- - back L02.222
- - chest wall L02.223
- - groin L02.224
- - perineum L02.225
- - umbilicus L02.226
- umbilicus L02.226
- upper limb L02.42-
- vulva N76.4

Furunculosis -*see* Furuncle

Fused -*see* Fusion, fused

Fusion, fused (congenital)

- astragaloscaphoid Q74.2
- atria Q21.19
- auditory canal Q16.1
- auricles, heart Q21.19
- binocular with defective stereopsis H53.32
- bone Q79.8
- cervical spine M43.22
- choanal Q30.0
- commissure, mitral valve Q23.2
- cusps, heart valve NEC Q24.8
- - mitral Q23.2
- - pulmonary Q22.1
- - tricuspid Q22.4
- ear ossicles Q16.3
- fingers Q70.0-

- hymen Q52.3
- joint (acquired) -*see also* Ankylosis
- - congenital Q74.8
- kidneys (incomplete) Q63.1
- labium (majus) (minus) Q52.5
- larynx and trachea Q34.8
- limb, congenital Q74.8
- - lower Q74.2
- - upper Q74.0
- lobes, lung Q33.8
- lumbosacral (acquired) M43.27
- - arthrodesis status Z98.1
- - congenital Q76.49
- - postprocedural status Z98.1
- nares, nose, nasal, nostril(s) Q30.0
- organ or site not listed -*see* Anomaly, by site
- ossicles Q79.9
- - auditory Q16.3
- pulmonic cusps Q22.1
- ribs Q76.6
- sacroiliac (joint) (acquired) M43.28
- - arthrodesis status Z98.1
- - congenital Q74.2
- - postprocedural status Z98.1
- spine (acquired) NEC M43.20
- - arthrodesis status Z98.1
- - cervical region M43.22
- - cervicothoracic region M43.23
- - congenital Q76.49
- - lumbar M43.26
- - lumbosacral region M43.27
- - occipito-atlanto-axial region M43.21
- - postoperative status Z98.1
- - sacrococcygeal region M43.28
- - thoracic region M43.24
- - thoracolumbar region M43.25
- sublingual duct with submaxillary duct at opening in mouth Q38.4
- testes Q55.1
- toes Q70.2-
- tooth, teeth K00.2
- trachea and esophagus Q39.8
- twins Q89.4
- vagina Q52.4
- ventricles, heart Q21.0
- vertebra (arch) -*see* Fusion, spine
- vulva Q52.5

Fusospirillosis (mouth) (tongue) (tonsil) A69.1
Fussy baby R68.12

G

Gain in weight (abnormal) (excessive) -*see also* Weight, gain
Gaisböck's disease (polycythemia hypertonica) D75.1
Gait abnormality R26.9
- ataxic R26.0
- falling R29.6
- hysterical (ataxic) (staggering) F44.4
- paralytic R26.1
- spastic R26.1
- specified type NEC R26.89

- staggering R26.0
- unsteadiness R26.81
- walking difficulty NEC R26.2
Galactocele (breast) N64.89
- puerperal, postpartum O92.79
Galactokinase deficiency E74.29
Galactophoritis N61.0
- gestational, puerperal, postpartum O91.2-
Galactorrhea O92.6
- not associated with childbirth N64.3
Galactosemia (classic) (congenital) E74.21
Galactosuria E74.29
Galacturia R82.0
- schistosomiasis (bilharziasis) B65.0
GALD (gestational alloimmune liver disease) P78.84
Galeazzi's fracture S52.37-
Galen's vein -*see* condition
Galeophobia F40.218
Gall duct -*see* condition
Gallbladder -*see also* condition
- acute K81.0
Gallop rhythm R00.8
Gallstone (colic) (cystic duct) (gallbladder) (impacted) (multiple) -*see also* Calculus, gallbladder
- with
- - cholecystitis -*see* Calculus, gallbladder, with cholecystitis
- bile duct (common) (hepatic) -*see* Calculus, bile duct
- causing intestinal obstruction K56.3
- specified NEC K80.80
- - with obstruction K80.81
Gambling Z72.6
- pathological (compulsive) F63.0
Gammopathy (of undetermined significance [MGUS]) D47.2
- associated with lymphoplasmacytic dyscrasia D47.2
- monoclonal D47.2
- polyclonal D89.0
Gamna's disease (siderotic splenomegaly) D73.1
Gamophobia F40.298
Gampsodactylia (congenital) Q66.7-
Gamstorp's disease (adynamia episodica hereditaria) G72.3
Gandy-Nanta disease (siderotic splenomegaly) D73.1
Gang
- membership offenses Z72.810
Gangliocytoma D36.10
Ganglioglioma -*see* Neoplasm, uncertain behavior, by site
Ganglion (compound) (diffuse) (joint) (tendon (sheath)) M67.40
- ankle M67.47-
- foot M67.47-
- forearm M67.43-
- hand M67.44-
- lower leg M67.46-
- multiple sites M67.49
- of yaws (early) (late) A66.6
- pelvic region M67.45-
- periosteal -*see* Periostitis
- shoulder region M67.41-
- specified site NEC M67.48
- thigh region M67.45-
- tuberculous A18.09
- upper arm M67.42-
- wrist M67.43-

Ganglioneuroblastoma -*see* Neoplasm, nerve, malignant
Ganglioneuroma D36.10
- malignant -*see* Neoplasm, nerve, malignant
Ganglioneuromatosis D36.10
Ganglionitis
- fifth nerve -*see* Neuralgia, trigeminal
- gasserian (postherpetic) (postzoster) B02.21
- geniculate G51.1
- - newborn (birth injury) P11.3
- - postherpetic, postzoster B02.21
- herpes zoster B02.21
- postherpetic geniculate B02.21
Gangliosidosis E75.10
- GM1 E75.19
- GM2 E75.00
- - other specified E75.09
- - Sandhoff disease E75.01
- - Tay-Sachs disease E75.02
- GM3 E75.19
- mucolipidosis IV E75.11
Gangosa A66.5
Gangrene, gangrenous (connective tissue) (dropsical) (dry) (moist) (skin) (ulcer) -*see also* Necrosis I96
- with diabetes (mellitus) -*see* Diabetes, with, gangrene
- abdomen (wall) I96
- alveolar M27.3
- appendix K35.80
- - with
- - - peritonitis, localized -*see also* Appendicitis K35.31
- arteriosclerotic (general) (senile) -*see* Arteriosclerosis, extremities, with, gangrene
- auricle I96
- Bacillus welchii A48.0
- bladder (infectious) -*see* Cystitis, specified type NEC
- bowel, cecum, or colon -*see* Gangrene, intestine
- Clostridium perfringens or welchii A48.0
- cornea H18.89-
- corpora cavernosa N48.29
- - noninfective N48.89
- cutaneous, spreading I96
- decubital -*see* Ulcer, pressure, by site
- diabetic (any site) -*see* Diabetes, with, gangrene
- epidemic -*see* Poisoning, food, noxious, plant
- epididymis (infectional) N45.1
- erysipelas -*see* Erysipelas
- emphysematous -*see* Gangrene, gas
- extremity (lower) (upper) I96
- Fournier N49.3
- - female N76.82
- - vagina and vulva N76.82
- fusospirochetal A69.0
- gallbladder -*see* Cholecystitis, acute
- gas (bacillus) A48.0
- - following
- - - abortion -*see* Abortion by type complicated by infection
- - - ectopic or molar pregnancy O08.0
- glossitis K14.0
- hernia -*see* Hernia, by site, with gangrene
- intestine, intestinal (hemorrhagic) (massive) -*see also* Infarct, intestine K55.069
- - with
- - - mesenteric embolism -*see also* Infarct, intestine K55.069
- - - obstruction -*see* Obstruction, intestine

- laryngitis J04.0
- limb (lower) (upper) I96
- lung J85.0
- - spirochetal A69.8
- lymphangitis I89.1
- Meleney's (synergistic) -*see* Ulcer, skin
- mesentery -*see also* Infarct, intestine K55.069
- - with
- - - embolism -*see also* Infarct, intestine K55.069
- - - intestinal obstruction -*see* Obstruction, intestine
- mouth A69.0
- ovary -*see* Oophoritis
- pancreas -*see* Pancreatitis, acute
- penis N48.29
- - noninfective N48.89
- perineum I96
- pharynx -*see also* Pharyngitis
- - Vincent's A69.1
- presenile I73.1
- progressive synergistic -*see* Ulcer, skin
- pulmonary J85.0
- pulpal (dental) K04.1
- quinsy J36
- Raynaud's (symmetric gangrene) I73.01
- retropharyngeal J39.2
- scrotum N49.3
- - noninfective N50.89
- senile (atherosclerotic) -*see* Arteriosclerosis, extremities, with, gangrene
- spermatic cord N49.1
- - noninfective N50.89
- spine I96
- spirochetal NEC A69.8
- spreading cutaneous I96
- stomatitis A69.0
- symmetrical I73.01
- testis (infectional) N45.2
- - noninfective N44.8
- throat -*see also* Pharyngitis
- - diphtheritic A36.0
- - Vincent's A69.1
- thyroid (gland) E07.89
- tooth (pulp) K04.1
- tuberculous NEC -*see* Tuberculosis
- tunica vaginalis N49.1
- - noninfective N50.89
- umbilicus I96
- uterus -*see* Endometritis
- uvulitis K12.2
- vas deferens N49.1
- - noninfective N50.89
- vulva N76.82

Ganister disease J62.8

Ganser's syndrome (hysterical) F44.89

Gardner-Diamond syndrome (autoerythrocyte sensitization) D69.2

Gargoylism E76.01

Garré's disease, osteitis (sclerosing), osteomyelitis -*see* Osteomyelitis, specified type NEC

Garrod's pad, knuckle M72.1

Gartner's duct
- cyst Q52.4
- persistent Q50.6

Gas R14.3
- asphyxiation, inhalation, poisoning, suffocation NEC -*see* Table of Drugs and Chemicals
- excessive R14.0
- gangrene A48.0
- - following
- - - abortion -*see* Abortion by type complicated by infection
- - - ectopic or molar pregnancy O08.0
- on stomach R14.0
- pains R14.1
Gastralgia -*see also* Pain, abdominal
Gastrectasis K31.0
- psychogenic F45.8
Gastric -*see* condition
Gastrinoma
- malignant
- - pancreas C25.4
- - specified site NEC -*see* Neoplasm, malignant, by site
- - unspecified site C25.4
- specified site -*see* Neoplasm, uncertain behavior
- unspecified site D37.9
Gastritis (simple) K29.70
- with bleeding K29.71
- acute (erosive) K29.00
- - with bleeding K29.01
- alcoholic K29.20
- - with bleeding K29.21
- allergic K29.60
- - with bleeding K29.61
- atrophic (chronic) K29.40
- - with bleeding K29.41
- chronic (antral) (fundal) K29.50
- - with bleeding K29.51
- - atrophic K29.40
- - - with bleeding K29.41
- - superficial K29.30
- - - with bleeding K29.31
- dietary counseling and surveillance Z71.3
- due to diet deficiency E63.9
- eosinophilic K52.81
- giant hypertrophic K29.60
- - with bleeding K29.61
- granulomatous K29.60
- - with bleeding K29.61
- hypertrophic (mucosa) K29.60
- - with bleeding K29.61
- nervous F54
- spastic K29.60
- - with bleeding K29.61
- specified NEC K29.60
- - with bleeding K29.61
- superficial chronic K29.30
- - with bleeding K29.31
- tuberculous A18.83
- viral NEC A08.4
Gastrocarcinoma -*see* Neoplasm, malignant, stomach
Gastrocolic -*see* condition
Gastrodisciasis, gastrodiscoidiasis B66.8
Gastroduodenitis K29.90
- with bleeding K29.91
- virus, viral A08.4

- - specified type NEC A08.39
Gastrodynia -*see* Pain, abdominal
Gastroenteritis (acute) (chronic) (noninfectious) -*see also* Enteritis K52.9
- allergic K52.29
- - with
- - - eosinophilic gastritis or gastroenteritis K52.81
- - - food protein-induced enterocolitis syndrome K52.21
- - - food protein-induced enteropathy K52.22
- dietetic -*see also* Gastroenteritis, allergic K52.29
- drug-induced K52.1
- due to
- - Cryptosporidium A07.2
- - drugs K52.1
- - food poisoning -*see* Intoxication, foodborne
- - radiation K52.0
- eosinophilic K52.81
- epidemic (infectious) A09
- food hypersensitivity -*see also* Gastroenteritis, allergic K52.29
- infectious -*see* Enteritis, infectious
- influenzal -*see* Influenza, with gastroenteritis
- noninfectious K52.9
- - specified NEC K52.89
- rotaviral A08.0
- Salmonella A02.0
- toxic K52.1
- viral NEC A08.4
- - acute infectious A08.39
- - - type Norwalk A08.11
- - infantile (acute) A08.39
- - Norwalk agent A08.11
- - rotaviral A08.0
- - severe of infants A08.39
- - specified type NEC A08.39
Gastroenteropathy -*see also* Gastroenteritis K52.9
- acute, due to Norwalk agent A08.11
- acute, due to Norovirus A08.11
- infectious A09
Gastroenteroptosis K63.4
Gastroesophageal laceration- hemorrhage syndrome K22.6
Gastrointestinal -*see* condition
Gastrojejunal -*see* condition
Gastrojejunitis -*see also* Enteritis K52.9
Gastrojejunocolic -*see* condition
Gastroliths K31.89
Gastromalacia K31.89
Gastroparalysis K31.84
- diabetic -*see* Diabetes, gastroparalysis
Gastroparesis K31.84
- diabetic -*see* Diabetes, by type, with gastroparesis
Gastropathy K31.9
- congestive portal (see also, Hypertension, portal) K31.89
- erythematous K29.70
- exudative K90.89
- portal hypertensive (see also, Hypertension, portal) K31.89
- specified NEC K31.89
Gastroptosis K31.89
Gastrorrhagia K92.2
- psychogenic F45.8
Gastroschisis (congenital) Q79.3
Gastrospasm (neurogenic) (reflex) K31.89

- neurotic F45.8
- psychogenic F45.8
Gastrostaxis -*see* Gastritis, with bleeding
Gastrostenosis K31.89
Gastrostomy
- attention to Z43.1
- status Z93.1
Gastrosuccorrhea (continuous) (intermittent) K31.89
- neurotic F45.8
- psychogenic F45.8
Gatophobia F40.218
Gaucher's disease or splenomegaly (adult) (infantile) E75.22
Gee (-Herter)(-Thaysen) disease (nontropical sprue) K90.0
Gélineau's syndrome G47.419
- with cataplexy G47.411
Gemination, tooth, teeth K00.2
Gemistocytoma
- specified site -*see* Neoplasm, malignant, by site
- unspecified site C71.9
General, generalized -*see* condition
Genetic
- carrier (status)
- - cystic fibrosis Z14.1
- - hemophilia A (asymptomatic) Z14.01
- - - symptomatic Z14.02
- - specified NEC Z14.8
- susceptibility to disease NEC Z15.89
- - epilepsy Z15.1
- - malignant neoplasm Z15.09
- - - breast Z15.01
- - - endometrium Z15.04
- - - ovary Z15.02
- - - prostate Z15.03
- - - specified NEC Z15.09
- - multiple endocrine neoplasia Z15.81
- - neurodevelopmental disorders Z15.1
- - obesity Z15.2
Genital -*see* condition
Genito-anorectal syndrome A55
Genitourinary system -*see* condition
Genu
- congenital Q74.1
- extrorsum (acquired) -*see also* Deformity, varus, knee
- - congenital Q74.1
- - sequelae (late effect) of rickets E64.3
- introrsum (acquired) -*see also* Deformity, valgus, knee
- - congenital Q74.1
- - sequelae (late effect) of rickets E64.3
- rachitic (old) E64.3
- recurvatum (acquired) -*see also* Deformity, limb, specified type NEC, lower leg
- - congenital Q68.2
- - sequelae (late effect) of rickets E64.3
- valgum (acquired) (knock-knee) M21.06-
- - congenital Q74.1
- - sequelae (late effect) of rickets E64.3
- varum (acquired) (bowleg) M21.16-
- - congenital Q74.1
- - sequelae (late effect) of rickets E64.3
Geographic tongue K14.1
Geophagia -*see* Pica

Geotrichosis B48.3
- stomatitis B48.3
Gephyrophobia F40.242
Gerbode defect Q21.0
GERD (gastroesophageal reflux disease) K21.9
Gerhardt's
- disease (erythromelalgia) I73.81
- syndrome (vocal cord paralysis) J38.00
- - bilateral J38.02
- - unilateral J38.01
German measles -*see also* Rubella
- exposure to Z20.4
Germinoblastoma (diffuse) C85.9-
- follicular C82.9-
Germinoma -*see* Neoplasm, malignant, by site
Gerontoxon -*see* Degeneration, cornea, senile
Gerstmann-Sträussler-Scheinker syndrome (GSS) A81.82
Gerstmann's syndrome R48.8
- developmental F81.2
Gestation (period) -*see also* Pregnancy
- ectopic -*see* Pregnancy, by site
- multiple O30.9-
- - greater than quadruplets -*see* Pregnancy, multiple (gestation), specified NEC
- - specified NEC -*see* Pregnancy, multiple (gestation), specified NEC
Gestational
- mammary abscess O91.11-
- purulent mastitis O91.11-
- subareolar abscess O91.11-
Ghon tubercle, primary infection A15.7
Ghost
- teeth K00.4
- vessels (cornea) H16.41-
Ghoul hand A66.3
Gianotti-Crosti disease L44.4
Giant
- cell
- - epulis K06.8
- - peripheral granuloma K06.8
- esophagus, congenital Q39.5
- kidney, congenital Q63.3
- urticaria T78.3
- - hereditary D84.1
Giardiasis A07.1
Gibert's disease or pityriasis L42
Giddiness R42
- hysterical F44.89
- psychogenic F45.8
Gierke's disease (glycogenosis I) E74.01
Gigantism (cerebral) (hypophyseal) (pituitary) E22.0
- constitutional E34.4
Gilbert's disease or syndrome E80.4
Gilchrist's disease B40.9
Gilford-Hutchinson disease E34.8
Gilles de la Tourette's disease or syndrome (motor-verbal tic) F95.2
Gingivitis K05.10
- acute (catarrhal) K05.00
- - necrotizing A69.1
- - nonplaque induced K05.01
- - plaque induced K05.00
- chronic (desquamative) (hyperplastic) (simple marginal) (pregnancy associated) (ulcerative) K05.10

- - nonplaque induced K05.11
- - plaque induced K05.10
- expulsiva -*see* Periodontitis
- necrotizing ulcerative (acute) A69.1
- pellagrous E52
- - acute necrotizing A69.1
- Vincent's A69.1
Gingivoglossitis K14.0
Gingivopericementitis -*see* Periodontitis
Gingivosis -*see* Gingivitis, chronic
Gingivostomatitis K05.10
- herpesviral B00.2
- necrotizing ulcerative (acute) A69.1
Gland, glandular -*see* condition
Glanders A24.0
Glanzmann (-Naegeli) disease or thrombasthenia D69.1
Glasgow coma scale
- total score
- - 3-8 R40.243
- - 9-12 R40.242
- - 13-15 R40.241
Glass-blower's disease (cataract) -*see* Cataract, specified NEC
Glaucoma H40.9
- with
- - increased episcleral venous pressure H40.81-
- - pseudoexfoliation of lens -*see* Glaucoma, open angle, primary, capsular
- absolute H44.51-
- angle-closure (primary) H40.20-
- - acute (attack) (crisis) H40.21-
- - chronic H40.22-
- - intermittent H40.23-
- - residual stage H40.24-
- borderline H40.00-
- capsular (with pseudoexfoliation of lens) -*see* Glaucoma, open angle, primary, capsular
- childhood Q15.0
- closed angle -*see* Glaucoma, angle-closure
- congenital Q15.0
- corticosteroid-induced -*see* Glaucoma, secondary, drugs
- hypersecretion H40.82-
- in (due to)
- - amyloidosis E85.4 *[H42]*
- - aniridia Q13.1 *[H42]*
- - concussion of globe -*see* Glaucoma, secondary, trauma
- - dislocation of lens -*see* Glaucoma, secondary
- - disorder of lens NEC -*see* Glaucoma, secondary
- - drugs -*see* Glaucoma, secondary, drugs
- - endocrine disease NOS E34.9 *[H42]*
- - eye
- - - inflammation -*see* Glaucoma, secondary, inflammation
- - - trauma -*see* Glaucoma, secondary, trauma
- - hypermature cataract -*see* Glaucoma, secondary
- - iridocyclitis -*see* Glaucoma, secondary, inflammation
- - lens disorder -*see* Glaucoma, secondary,
- - Lowe's syndrome E72.03 *[H42]*
- - metabolic disease NOS E88.9 *[H42]*
- - ocular disorders NEC -*see* Glaucoma, secondary
- - onchocerciasis B73.02
- - pupillary block -*see* Glaucoma, secondary
- - retinal vein occlusion -*see* Glaucoma, secondary
- - Rieger anomaly Q13.81 *[H42]*

- - rubeosis of iris -*see* Glaucoma, secondary
- - tumor of globe -*see* Glaucoma, secondary
- infantile Q15.0
- low tension -*see* Glaucoma, open angle, primary, low-tension
- malignant H40.83-
- narrow angle -*see* Glaucoma, angle-closure
- newborn Q15.0
- noncongestive (chronic) -*see* Glaucoma, open angle
- nonobstructive -*see* Glaucoma, open angle
- obstructive -*see also* Glaucoma, angle-closure
- - due to lens changes -*see* Glaucoma, secondary
- open angle H40.10-
- - primary H40.11-
- - - capsular (with pseudoexfoliation of lens) H40.14-
- - - low-tension H40.12-
- - - pigmentary H40.13-
- - - residual stage H40.15-
- phacolytic -*see* Glaucoma, secondary
- pigmentary -*see* Glaucoma, open angle, primary, pigmentary
- postinfectious -*see* Glaucoma, secondary, inflammation
- secondary (to) H40.5-
- - drugs H40.6-
- - inflammation H40.4-
- - trauma H40.3-
- simple (chronic) H40.11-
- simplex H40.11-
- specified type NEC H40.89
- suspect H40.00-
- syphilitic A52.71
- traumatic -*see also* Glaucoma, secondary, trauma
- - newborn (birth injury) P15.3
- tuberculous A18.59

Glaucomatous flecks (subcapsular) -*see* Cataract, complicated

Glazed tongue K14.4

Gleet (gonococcal) A54.01

Glénard's disease K63.4

Glioblastoma (multiforme)
- with sarcomatous component
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C71.9
- giant cell
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C71.9
- specified site -*see* Neoplasm, malignant, by site
- unspecified site C71.9

Glioma (malignant)
- astrocytic
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C71.9
- mixed
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C71.9
- nose Q30.8
- specified site NEC -*see* Neoplasm, malignant, by site
- subependymal D43.2
- - specified site -*see* Neoplasm, uncertain behavior, by site
- - unspecified site D43.2
- unspecified site C71.9

Gliomatosis cerebri C71.0

Glioneuroma -*see* Neoplasm, uncertain behavior, by site

Gliosarcoma
- specified site -*see* Neoplasm, malignant, by site
- unspecified site C71.9
Gliosis (cerebral) G93.89
- spinal G95.89
Glisson's disease -*see* Rickets
Globinuria R82.3
Globus (hystericus) F45.8
Glomangioma D18.00
- intra-abdominal D18.03
- intracranial D18.02
- skin D18.01
- specified site NEC D18.09
Glomangiomyoma D18.00
- intra-abdominal D18.03
- intracranial D18.02
- skin D18.01
- specified site NEC D18.09
Glomangiosarcoma -*see* Neoplasm, connective tissue, malignant
Glomerular
- disease in syphilis A52.75
- nephritis -*see* Glomerulonephritis
Glomerulitis -*see* Glomerulonephritis
Glomerulonephritis -*see also* Nephritis N05.9
- with
- - C3
- - - glomerulonephritis N05.A
- - - glomerulopathy N05.A
- - - - with dense deposit disease N05.6
- - edema -*see* Nephrosis
- - minimal change N05.0
- - minor glomerular abnormality N05.0
- acute N00.9
- chronic N03.9
- crescentic (diffuse) NEC -*see also* N00-N07 with fourth character .7 N05.7
- dense deposit -*see also* N00-N07 with fourth character .6 N05.6
- diffuse
- - crescentic -*see also* N00-N07 with fourth character .7 N05.7
- - endocapillary proliferative -*see also* N00-N07 with fourth character .4 N05.4
- - membranous -*see also* N00-N07 with fourth character .2 N05.2
- - mesangial proliferative -*see also* N00-N07 with fourth character .3 N05.3
- - mesangiocapillary -*see also* N00-N07 with fourth character .5 N05.5
- - sclerosing N18.9
- endocapillary proliferative (diffuse) NEC -*see also* N00-N07 with fourth character .4 N05.4
- extracapillary NEC -*see also* N00-N07 with fourth character .7 N05.7
- focal (and segmental) -*see also* N00-N07 with fourth character .1 N05.1
- hypocomplementemic -*see* Glomerulonephritis, membranoproliferative
- IgA -*see* Nephropathy, IgA
- immune complex (circulating) NEC N05.8
- in (due to)
- - amyloidosis E85.4 *[N08]*
- - bilharziasis B65.9 *[N08]*
- - cryoglobulinemia D89.1 *[N08]*
- - defibrination syndrome D65 *[N08]*
- - diabetes mellitus -*see* Diabetes, glomerulosclerosis
- - disseminated intravascular coagulation D65 *[N08]*
- - Fabry (-Anderson) disease E75.21 *[N08]*
- - Goodpasture's syndrome M31.0
- - hemolytic-uremic syndrome -*see* Syndrome, hemolytic-uremic
- - Henoch (-Schönlein) purpura D69.0 *[N08]*

- - lecithin cholesterol acyltransferase deficiency E78.6 *[N08]*
- - microscopic polyangiitis M31.7 *[N08]*
- - multiple myeloma C90.0- *[N08]*
- - Plasmodium malariae B52.0
- - schistosomiasis B65.9 *[N08]*
- - sepsis A41.9 *[N08]*
- - - streptococcal A40- *[N08]*
- - sickle-cell disorders D57.- *[N08]*
- - strongyloidiasis B78.9 *[N08]*
- - subacute bacterial endocarditis I33.0 *[N08]*
- - syphilis (late) congenital A50.59 *[N08]*
- - systemic lupus erythematosus M32.14
- - thrombotic thrombocytopenic purpura M31.19 *[N08]*
- - typhoid fever A01.09
- - Waldenström macroglobulinemia C88.0- *[N08]*
- - Wegener's granulomatosis M31.31
- latent or quiescent N03.9
- lobular, lobulonodular -*see* Glomerulonephritis, membranoproliferative
- membranoproliferative (diffuse)(type 1 or 3) -*see also* N00-N07 with fourth character .5 N05.5
- - dense deposit (type 2) NEC -*see also* N00-N07 with fourth character .6 N05.6
- membranous (diffuse) NEC -*see also* N00-N07 with fourth character .2 N05.2
- mesangial
- - IgA/IgG -*see* Nephropathy, IgA
- - proliferative (diffuse) NEC -*see also* N00-N07 with fourth character .3 N05.3
- mesangiocapillary (diffuse) NEC -*see also* N00-N07 with fourth character .5 N05.5
- necrotic, necrotizing NEC -*see also* N00-N07 with fourth character .8 N05.8
- nodular -*see* Glomerulonephritis, membranoproliferative
- poststreptococcal NEC N05.9
- - acute N00.9
- - chronic N03.9
- - rapidly progressive N01.9
- proliferative NEC -*see also* N00-N07 with fourth character .8 N05.8
- - diffuse (lupus) M32.14
- rapidly progressive N01.9
- sclerosing, diffuse N18.9
- specified pathology NEC -*see also* N00-N07 with fourth character .8 N05.8
- subacute N01.9

Glomerulopathy -*see* Glomerulonephritis

Glomerulosclerosis -*see also* Sclerosis, renal
- intercapillary (nodular) (with diabetes) -*see* Diabetes, glomerulosclerosis
- intracapillary -*see* Diabetes, glomerulosclerosis

Glossagra K14.6

Glossalgia K14.6

Glossitis (chronic superficial) (gangrenous) (Moeller's) K14.0
- areata exfoliativa K14.1
- atrophic K14.4
- benign migratory K14.1
- cortical superficial, sclerotic K14.0
- Hunter's D51.0
- interstitial, sclerous K14.0
- median rhomboid K14.2
- pellagrous E52
- superficial, chronic K14.0

Glossocele K14.8

Glossodynia K14.6
- exfoliativa K14.4

Glossoncus K14.8

Glossopathy K14.9

Glossophytia K14.3

Glossoplegia K14.8

Glossoptosis K14.8
Glossopyrosis K14.6
Glossotrichia K14.3
Glossy skin L90.8
Glottis -*see* condition
Glottitis -*see also* Laryngitis J04.0
Glucagonoma
- pancreas
- - benign D13.7
- - malignant C25.4
- - uncertain behavior D37.8
- specified site NEC
- - benign -*see* Neoplasm, benign, by site
- - malignant -*see* Neoplasm, malignant, by site
- - uncertain behavior -*see* Neoplasm, uncertain behavior, by site
- unspecified site
- - benign D13.7
- - malignant C25.4
- - uncertain behavior D37.8
Glucoglycinuria E72.51
Glucose-galactose malabsorption E74.39
Glue
- ear -*see* Otitis, media, nonsuppurative, chronic, mucoid
- sniffing (airplane) -*see* Abuse, drug, inhalant
- - dependence -*see* Dependence, drug, inhalant
GLUT1 deficiency syndrome 1, infantile onset E74.810
GLUT1 deficiency syndrome 2, childhood onset E74.810
Glutaric aciduria E72.3
Glycinemia E72.51
Glycinuria (renal) (with ketosis) E72.09
Glycogen
- infiltration -*see* Disease, glycogen storage
- storage disease -*see* Disease, glycogen storage
Glycogenosis (diffuse) (generalized) -*see also* Disease, glycogen storage
- cardiac E74.02 *[I43]*
- diabetic, secondary -*see* Diabetes, glycogenosis, secondary
- pulmonary interstitial J84.842
Glycopenia E16.2
Glycosuria R81
- renal (familial) E74.818
Gnathostoma spinigerum (infection) (infestation), gnathostomiasis (wandering swelling) B83.1
Goiter (plunging) (substernal) E04.9
- with
- - hyperthyroidism (recurrent) -*see* Hyperthyroidism, with, goiter
- - thyrotoxicosis -*see* Hyperthyroidism, with, goiter
- adenomatous -*see* Goiter, nodular
- cancerous C73
- congenital (nontoxic) E03.0
- - diffuse E03.0
- - parenchymatous E03.0
- - transitory, with normal functioning P72.0
- cystic E04.2
- - due to iodine-deficiency E01.1
- due to
- - enzyme defect in synthesis of thyroid hormone E07.1
- - iodine-deficiency (endemic) E01.2
- dyshormonogenetic (familial) E07.1
- endemic (iodine-deficiency) E01.2
- - diffuse E01.0
- - multinodular E01.1

- exophthalmic -*see* Hyperthyroidism, with, goiter
- iodine-deficiency (endemic) E01.2
- - diffuse E01.0
- - multinodular E01.1
- - nodular E01.1
- lingual Q89.2
- lymphadenoid E06.3
- malignant C73
- multinodular (cystic) (nontoxic) E04.2
- - toxic or with hyperthyroidism E05.20
- - - with thyroid storm E05.21
- neonatal NEC P72.0
- nodular (nontoxic) (due to) E04.9
- - with
- - - hyperthyroidism E05.20
- - - - with thyroid storm E05.21
- - - thyrotoxicosis E05.20
- - - - with thyroid storm E05.21
- - endemic E01.1
- - iodine-deficiency E01.1
- - sporadic E04.9
- - toxic E05.20
- - - with thyroid storm E05.21
- nontoxic E04.9
- - diffuse (colloid) E04.0
- - multinodular E04.2
- - simple E04.0
- - specified NEC E04.8
- - uninodular E04.1
- simple E04.0
- toxic -*see* Hyperthyroidism, with, goiter
- uninodular (nontoxic) E04.1
- - toxic or with hyperthyroidism E05.10
- - - with thyroid storm E05.11

Goiter-deafness syndrome E07.1
Goldberg syndrome Q89.8
Goldberg-Maxwell syndrome E34.51
Goldblatt's hypertension or kidney I70.1
Goldenhar (-Gorlin) syndrome Q87.0
Goldflam-Erb disease or syndrome G70.00
- with exacerbation (acute) G70.01
- in crisis G70.01

Goldscheider's disease Q81.8
Goldstein's disease (familial hemorrhagic telangiectasia) I78.0
Golfer's elbow -*see* Epicondylitis, medial
Gonadoblastoma
- specified site -*see* Neoplasm, uncertain behavior, by site
- unspecified site
- - female D39.10
- - male D40.10

Gonecystitis -*see* Vesiculitis
Gongylonemiasis B83.8
Goniosynechiae -*see* Adhesions, iris, goniosynechiae
Gonococcemia A54.86
Gonococcus, gonococcal (disease) (infection) -*see also* condition A54.9
- anus A54.6
- bursa, bursitis A54.49
- conjunctiva, conjunctivitis (neonatorum) A54.31
- endocardium A54.83
- eye A54.30

- - conjunctivitis A54.31
- - iridocyclitis A54.32
- - keratitis A54.33
- - newborn A54.31
- - other specified A54.39
- fallopian tubes (acute) (chronic) A54.24
- genitourinary (organ) (system) (tract) (acute)
- - lower A54.00
- - - with abscess (accessory gland) (periurethral) A54.1
- - upper -*see also* condition A54.29
- heart A54.83
- iridocyclitis A54.32
- joint A54.42
- lymphatic (gland) (node) A54.89
- meninges, meningitis A54.81
- musculoskeletal A54.40
- - arthritis A54.42
- - osteomyelitis A54.43
- - other specified A54.49
- - spondylopathy A54.41
- pelviperitonitis A54.24
- pelvis (acute) (chronic) A54.24
- pharynx A54.5
- proctitis A54.6
- pyosalpinx (acute) (chronic) A54.24
- rectum A54.6
- skin A54.89
- specified site NEC A54.89
- tendon sheath A54.49
- throat A54.5
- urethra (acute) (chronic) A54.01
- - with abscess (accessory gland) (periurethral) A54.1
- vulva (acute) (chronic) A54.02

Gonocytoma
- specified site -*see* Neoplasm, uncertain behavior, by site
- unspecified site
- - female D39.10
- - male D40.10

Gonorrhea (acute) (chronic) A54.9
- Bartholin's gland (acute) (chronic) (purulent) A54.02
- - with abscess (accessory gland) (periurethral) A54.1
- bladder A54.01
- cervix A54.03
- conjunctiva, conjunctivitis (neonatorum) A54.31
- contact Z20.2
- Cowper's gland (with abscess) A54.1
- exposure to Z20.2
- fallopian tube (acute) (chronic) A54.24
- kidney (acute) (chronic) A54.21
- lower genitourinary tract A54.00
- - with abscess (accessory gland) (periurethral) A54.1
- ovary (acute) (chronic) A54.24
- pelvis (acute) (chronic) A54.24
- - female pelvic inflammatory disease A54.24
- penis A54.09
- prostate (acute) (chronic) A54.22
- seminal vesicle (acute) (chronic) A54.23
- specified site not listed -*see also* Gonococcus A54.89
- spermatic cord (acute) (chronic) A54.23
- urethra A54.01

- - with abscess (accessory gland) (periurethral) A54.1
- vagina A54.02
- vas deferens (acute) (chronic) A54.23
- vulva A54.02
Goodall's disease A08.19
Goodpasture's syndrome M31.0
Gopalan's syndrome (burning feet) E53.0
Gorlin-Chaudry-Moss syndrome Q87.0
Gottron's papules L94.4
Gougerot's syndrome (trisymptomatic) L81.7
Gougerot-Blum syndrome (pigmented purpuric lichenoid dermatitis) L81.7
Gougerot-Carteaud disease or syndrome (confluent reticulate papillomatosis) L83
Gouley's syndrome (constrictive pericarditis) I31.1
Goundou A66.6
Gout, gouty (acute) (attack) (flare) -*see also* Gout, chronic M10.9
- drug-induced M10.20
- - ankle M10.27-
- - elbow M10.22-
- - foot joint M10.27-
- - hand joint M10.24-
- - hip M10.25-
- - knee M10.26-
- - multiple site M10.29
- - shoulder M10.21-
- - vertebrae M10.28
- - wrist M10.23-
- idiopathic M10.00
- - ankle M10.07-
- - elbow M10.02-
- - foot joint M10.07-
- - hand joint M10.04-
- - hip M10.05-
- - knee M10.06-
- - multiple site M10.09
- - shoulder M10.01-
- - vertebrae M10.08
- - wrist M10.03-
- in (due to) renal impairment M10.30
- - ankle M10.37-
- - elbow M10.32-
- - foot joint M10.37-
- - hand joint M10.34-
- - hip M10.35-
- - knee M10.36-
- - multiple site M10.39
- - shoulder M10.31-
- - vertebrae M10.38
- - wrist M10.33-
- lead-induced M10.10
- - ankle M10.17-
- - elbow M10.12-
- - foot joint M10.17-
- - hand joint M10.14-
- - hip M10.15-
- - knee M10.16-
- - multiple site M10.19
- - shoulder M10.11-
- - vertebrae M10.18
- - wrist M10.13-
- primary -*see* Gout, idiopathic

- saturnine -*see* Gout, lead-induced
- secondary NEC M10.40
- - ankle M10.47-
- - elbow M10.42-
- - foot joint M10.47-
- - hand joint M10.44-
- - hip M10.45-
- - knee M10.46-
- - multiple site M10.49
- - shoulder M10.41-
- - vertebrae M10.48
- - wrist M10.43-
- syphilitic -*see also* subcategory M14.8- A52.77
- tophi -*see* Gout, chronic

Gout, chronic -*see also* Gout, gouty M1A.9
- drug-induced M1A.20
- - ankle M1A.27-
- - elbow M1A.22-
- - foot joint M1A.27-
- - hand joint M1A.24-
- - hip M1A.25-
- - knee M1A.26-
- - multiple site M1A.29-
- - shoulder M1A.21-
- - vertebrae M1A.28
- - wrist M1A.23-
- idiopathic M1A.00
- - ankle M1A.07-
- - elbow M1A.02-
- - foot joint M1A.07-
- - hand joint M1A.04-
- - hip M1A.05-
- - knee M1A.06-
- - multiple site M1A.09
- - shoulder M1A.01-
- - vertebrae M1A.08
- - wrist M1A.03-
- in (due to) renal impairment M1A.30
- - ankle M1A.37-
- - elbow M1A.32-
- - foot joint M1A.37-
- - hand joint M1A.34-
- - hip M1A.35-
- - knee M1A.36-
- - multiple site M1A.39
- - shoulder M1A.31-
- - vertebrae M1A.38
- - wrist M1A.33-
- lead-induced M1A.10
- - ankle M1A.17-
- - elbow M1A.12-
- - foot joint M1A.17-
- - hand joint M1A.14-
- - hip M1A.15-
- - knee M1A.16-
- - multiple site M1A.19
- - shoulder M1A.11-
- - vertebrae M1A.18
- - wrist M1A.13-
- primary -*see* Gout, chronic, idiopathic

- saturnine -*see* Gout, chronic, lead-induced
- secondary NEC M1A.40
- - ankle M1A.47-
- - elbow M1A.42-
- - foot joint M1A.47-
- - hand joint M1A.44-
- - hip M1A.45-
- - knee M1A.46-
- - multiple site M1A.49
- - shoulder M1A.41-
- - vertebrae M1A.48
- - wrist M1A.43-
- syphilitic -*see also* subcategory M14.8- A52.77
- tophi M1A.9

Gower's
- muscular dystrophy G71.01
- syndrome (vasovagal attack) R55

Gradenigo's syndrome -*see* Otitis, media, suppurative, acute

Graefe's disease -*see* Strabismus, paralytic, ophthalmoplegia, progressive

Graft-versus-host disease D89.813
- acute D89.810
- acute on chronic D89.812
- chronic D89.811

Grainhandler's disease or lung J67.8

Grain mite (itch) B88.0

Grand mal -*see* Epilepsy, generalized, specified NEC

Grand multipara status only (not pregnant) Z64.1
- pregnant -*see* Pregnancy, complicated by, grand multiparity

Granite worker's lung J62.8

Granular -*see also* condition
- inflammation, pharynx J31.2
- kidney (contracting) -*see* Sclerosis, renal
- liver K74.69

Granulation tissue (abnormal) (excessive) L92.9
- postmastoidectomy cavity -*see* Complications, postmastoidectomy, granulation

Granulocytopenia (primary) (malignant) -*see* Agranulocytosis

Granuloma L92.9
- abdomen K66.8
- - from residual foreign body L92.3
- - pyogenicum L98.0
- actinic L57.5
- annulare (perforating) L92.0
- apical K04.5
- aural -*see* Otitis, externa, specified NEC
- beryllium (skin) L92.3
- bone
- - eosinophilic C96.6
- - from residual foreign body -*see* Osteomyelitis, specified type NEC
- - lung C96.6
- brain (any site) G06.0
- - schistosomiasis B65.9 *[G07]*
- canaliculus lacrimalis -*see* Granuloma, lacrimal
- candidal (cutaneous) B37.2
- cerebral (any site) G06.0
- coccidioidal (primary) (progressive) B38.7
- - lung B38.1
- - meninges B38.4
- colon K63.89
- conjunctiva H11.22-
- dental K04.5

- ear, middle -*see* Cholesteatoma
- eosinophilic C96.6
- - bone C96.6
- - lung C96.6
- - oral mucosa K13.4
- - skin L92.2
- eyelid H01.8
- facial (e) L92.2
- foreign body (in soft tissue) NEC M60.20
- - ankle M60.27-
- - foot M60.27-
- - forearm M60.23-
- - hand M60.24-
- - in operation wound -*see* Foreign body, accidentally left during a procedure
- - lower leg M60.26-
- - pelvic region M60.25-
- - shoulder region M60.21-
- - skin L92.3
- - specified site NEC M60.28
- - subcutaneous tissue L92.3
- - thigh M60.25-
- - upper arm M60.22-
- gangraenescens M31.2
- genito-inguinale A58
- giant cell (central) (reparative) (jaw) M27.1
- - gingiva (peripheral) K06.8
- gland (lymph) I88.8
- hepatic NEC K75.3
- - in (due to)
- - - berylliosis J63.2 *[K77]*
- - - sarcoidosis D86.89
- Hodgkin C81.9-
- ileum K63.89
- infectious B99.9
- - specified NEC B99.8
- inguinale (Donovan) (venereal) A58
- intestine NEC K63.89
- intracranial (any site) G06.0
- intraspinal (any part) G06.1
- iridocyclitis -*see* Iridocyclitis, chronic
- jaw (bone) (central) M27.1
- - reparative giant cell M27.1
- kidney -*see also* Infection, kidney N15.8
- lacrimal H04.81-
- larynx J38.7
- lethal midline (faciale(e)) M31.2
- liver NEC -*see* Granuloma, hepatic
- lung (infectious) -*see also* Fibrosis, lung
- - coccidioidal B38.1
- - eosinophilic C96.6
- Majocchi's B35.8
- malignant (facial(e)) M31.2
- mandible (central) M27.1
- midline (lethal) M31.2
- monilial (cutaneous) B37.2
- nasal sinus -*see* Sinusitis
- operation wound T81.89
- - foreign body -*see* Foreign body, accidentally left during a procedure
- - stitch T81.89
- - talc -*see* Foreign body, accidentally left during a procedure

- oral mucosa K13.4
- orbit, orbital H05.11-
- paracoccidioidal B41.8
- penis, venereal A58
- periapical K04.5
- peritoneum K66.8
- - due to ova of helminths NOS *-see also* Helminthiasis B83.9 *[K67]*
- postmastoidectomy cavity *-see* Complications, postmastoidectomy, recurrent cholesteatoma
- prostate N42.89
- pudendi (ulcerating) A58
- pulp, internal (tooth) K03.3
- pyogenic, pyogenicum (of) (skin) L98.0
- - gingiva K06.8
- - maxillary alveolar ridge K04.5
- - oral mucosa K13.4
- rectum K62.89
- reticulohistiocytic D76.3
- rubrum nasi L74.8
- Schistosoma *-see* Schistosomiasis
- septic (skin) L98.0
- silica (skin) L92.3
- sinus (accessory) (infective) (nasal) *-see* Sinusitis
- skin L92.9
- - from residual foreign body L92.3
- - pyogenicum L98.0
- spine
- - syphilitic (epidural) A52.19
- - tuberculous A18.01
- stitch (postoperative) T81.89
- suppurative (skin) L98.0
- swimming pool A31.1
- talc *-see also* Granuloma, foreign body
- - in operation wound *-see* Foreign body, accidentally left during a procedure
- telangiectaticum (skin) L98.0
- tracheostomy J95.09
- trichophyticum B35.8
- tropicum A66.4
- umbilical P83.81
- umbilicus P83.81
- urethra N36.8
- uveitis *-see* Iridocyclitis, chronic
- vagina A58
- venereum A58
- vocal cord J38.3

Granulomatosis L92.9
- with polyangiitis M31.3-
- eosinophilic, with polyangiitis [EGPA] M30.1
- lymphoid C83.8-
- miliary (listerial) A32.89
- necrotizing, respiratory M31.30
- progressive septic D71
- specified NEC L92.8
- Wegener's M31.30
- - with renal involvement M31.31

Granulomatous tissue (abnormal) (excessive) L92.9

Granulosis rubra nasi L74.8

Graphite fibrosis (of lung) J63.3

Graphospasm F48.8
- organic G25.89

Grating scapula M89.8X1

Gravel (urinary) -*see* Calculus, urinary
Graves' disease -*see* Hyperthyroidism, with, goiter
Gravis -*see* condition
Grawitz tumor C64.-
Gray syndrome (newborn) P93.0
Grayness, hair (premature) L67.1
- congenital Q84.2
Green sickness D50.8
Greenfield's disease
- meaning
- - concentric sclerosis (encephalitis periaxialis concentrica) G37.5
- - metachromatic leukodystrophy E75.25
Greenstick fracture - code as Fracture, by site
Grey syndrome (newborn) P93.0
Grief F43.21
- complicated F43.81
- prolonged F43.81
- reaction -*see also* Disorder, adjustment F43.20
Griesinger's disease B76.0
Grinder's lung or pneumoconiosis J62.8
Grinding, teeth
- psychogenic F45.8
- sleep related G47.63
Grip
- Dabney's B33.0
- devil's B33.0
Grippe, grippal -*see also* Influenza
- Balkan A78
- summer, of Italy A93.1
Grisel's disease M43.6
Groin -*see* condition
Grooved tongue K14.5
Ground itch B76.9
Grover's disease or syndrome L11.1
Growing pains, children R29.898
Growth (fungoid) (neoplastic) (new) -*see also* Neoplasm
- adenoid (vegetative) J35.8
- benign -*see* Neoplasm, benign, by site
- malignant -*see* Neoplasm, malignant, by site
- rapid, childhood Z00.2
- secondary -*see* Neoplasm, secondary, by site
Gruby's disease B35.0
Guardianship by non-parental relative Z62.23
Gubler-Millard paralysis or syndrome G46.3
Guerin-Stern syndrome Q74.3
Guidance, insufficient anterior (occlusal) M26.54
Guillain-Barré disease or syndrome G61.0
- sequelae G65.0
Guinea worms (infection) (infestation) B72
Guinon's disease (motor-verbal tic) F95.2
Gull's disease E03.4
Gum -*see* condition
Gumboil K04.7
- with sinus K04.6
Gumma (syphilitic) A52.79
- artery A52.09
- - cerebral A52.04
- bone A52.77
- - of yaws (late) A66.6
- brain A52.19

- cauda equina A52.19
- central nervous system A52.3
- ciliary body A52.71
- congenital A50.59
- eyelid A52.71
- heart A52.06
- intracranial A52.19
- iris A52.71
- kidney A52.75
- larynx A52.73
- leptomeninges A52.19
- liver A52.74
- meninges A52.19
- myocardium A52.06
- nasopharynx A52.73
- neurosyphilitic A52.3
- nose A52.73
- orbit A52.71
- palate (soft) A52.79
- penis A52.76
- pericardium A52.06
- pharynx A52.73
- pituitary A52.79
- scrofulous (tuberculous) A18.4
- skin A52.79
- specified site NEC A52.79
- spinal cord A52.19
- tongue A52.79
- tonsil A52.73
- trachea A52.73
- tuberculous A18.4
- ulcerative due to yaws A66.4
- ureter A52.75
- yaws A66.4
- - bone A66.6

Gunn's syndrome Q07.8
Gunshot wound *-see also* Puncture, open
- fracture - code as Fracture, by site
- internal organs *-see* Injury, by site

Gynandrism Q56.0
Gynandroblastoma
- specified site *-see* Neoplasm, uncertain behavior, by site
- unspecified site
- - female D39.10
- - male D40.10

Gynecological examination (periodic) (routine) Z01.419
- with abnormal findings Z01.411

Gynecomastia N62
Gynephobia F40.291
Gyrate scalp Q82.8

H

H (Hartnup's) disease E72.02
Haas' disease or osteochondrosis (juvenile) (head of humerus) *-see* Osteochondrosis, juvenile, humerus
H-ABC (hypomyelination with atrophy of the basal ganglia and cerebellum) G23.3
Habit, habituation
- bad sleep Z72.821
- chorea F95.8
- disturbance, child F98.9

- drug -*see* Dependence, drug
- irregular sleep Z72.821
- laxative F55.2
- spasm -*see* Tic
- tic -*see* Tic

Haemophilus (H.) influenzae, as cause of disease classified elsewhere B96.3
Haff disease -*see* Poisoning, mercury
Hageman's factor defect, deficiency or disease D68.2
Haglund's disease or osteochondrosis (juvenile) (os tibiale externum) -*see* Osteochondrosis, juvenile, tarsus
Hailey-Hailey disease Q82.8
Hair -*see also* condition
- plucking F63.3
- - in stereotyped movement disorder F98.4
- tourniquet syndrome -*see also* Constriction, external, by site
- - finger S60.44-
- - penis S30.842
- - thumb S60.34-
- - toe S90.44-

Hairball in stomach T18.2
Hair-pulling, pathological (compulsive) F63.3
Hairy black tongue K14.3
Half vertebra Q76.49
Halitosis R19.6
Hallerman-Streiff syndrome Q87.0
Hallervorden-Spatz disease G23.0
Hallopeau's acrodermatitis or disease L40.2
Hallucination R44.3
- auditory R44.0
- gustatory R44.2
- olfactory R44.2
- specified NEC R44.2
- tactile R44.2
- visual R44.1

Hallucinosis (chronic) F28
- alcoholic (acute) F10.951
- - in
- - - abuse F10.151
- - - dependence F10.251
- drug-induced F19.951
- - cannabis F12.951
- - cocaine F14.951
- - hallucinogen F16.151
- - in
- - - abuse F19.151
- - - - cannabis F12.151
- - - - cocaine F14.151
- - - - hallucinogen F16.151
- - - - inhalant F18.151
- - - - opioid F11.151
- - - - sedative, anxiolytic or hypnotic F13.151
- - - - stimulant NEC F15.151
- - - dependence F19.251
- - - - cannabis F12.251
- - - - cocaine F14.251
- - - - hallucinogen F16.251
- - - - inhalant F18.251
- - - - opioid F11.251
- - - - sedative, anxiolytic or hypnotic F13.251
- - - - stimulant NEC F15.251
- - inhalant F18.951

- - opioid F11.951
- - sedative, anxiolytic or hypnotic F13.951
- - stimulant NEC F15.951
- organic F06.0

Hallux
- deformity (acquired) NEC M20.5X-
- limitus M20.5X-
- malleus (acquired) NEC M20.3-
- rigidus (acquired) M20.2-
- - congenital Q74.2
- - sequelae (late effect) of rickets E64.3
- valgus (acquired) M20.1-
- - congenital Q66.6
- varus (acquired) M20.3-
- - congenital Q66.3-

Halo, visual H53.19

Hamartoma, hamartoblastoma Q85.9
- epithelial (gingival), odontogenic, central or peripheral -*see* Cyst, calcifying odontogenic

Hamartosis Q85.9

Hamman-Rich syndrome J84.114

Hammer toe (acquired) NEC -*see also* Deformity, toe, hammer toe
- congenital Q66.89
- sequelae (late effect) of rickets E64.3

Hand -*see* condition

Hand-foot syndrome L27.1

Handicap, handicapped
- educational Z55.9
- - specified NEC Z55.8

Hand-Schüller-Christian disease or syndrome C96.5

Hanging (asphyxia) (strangulation) (suffocation) -*see* Asphyxia, traumatic, due to mechanical threat

Hangnail -*see also* Cellulitis, digit
- with lymphangitis -*see* Lymphangitis, acute, digit

Hangover (alcohol) F10.129

Hanhart's syndrome Q87.0

Hanot-Chauffard (-Troisier) syndrome E83.19

Hanot's cirrhosis or disease K74.3

Hansen's disease -*see* Leprosy

Hantaan virus disease (Korean hemorrhagic fever) A98.5

Hantavirus disease (with renal manifestations) (Dobrava) (Puumala) (Seoul) A98.5
- with pulmonary manifestations (Andes) (Bayou) (Bermejo) (Black Creek Canal) (Choclo) (Juquitiba) (Laguna negra) (Lechiguanas) (New York) (Oran) (Sin nombre) B33.4

Happy puppet syndrome Q93.51

Harada's disease or syndrome H30.81-

Hardening
- artery -*see* Arteriosclerosis
- brain G93.89

Hardship, material, due to limited financial resources, specified NEC Z59.87

Harelip (complete) (incomplete) -*see* Cleft, lip

Harlequin (newborn) Q80.4

Harley's disease D59.6

Harmful use (of)
- alcohol F10.10
- anxiolytics -*see* Abuse, drug, sedative
- cannabinoids -*see* Abuse, drug, cannabis
- cocaine -*see* Abuse, drug, cocaine
- drug -*see* Abuse, drug
- hallucinogens -*see* Abuse, drug, hallucinogen
- hypnotics -*see* Abuse, drug, sedative
- opioids -*see* Abuse, drug, opioid
- PCP (phencyclidine) -*see* Abuse, drug, hallucinogen

- sedatives -*see* Abuse, drug, sedative
- stimulants NEC -*see* Abuse, drug, stimulant
Harris' lines -*see* Arrest, epiphyseal
Hartnup's disease E72.02
Harvester's lung J67.0
Harvesting ovum for in vitro fertilization Z31.83
Hashimoto's disease or thyroiditis E06.3
Hashitoxicosis (transient) E06.3
Hassal-Henle bodies or warts (cornea) H18.49
Haut mal -*see* Epilepsy, generalized, specified NEC
Haverhill fever A25.1
Hay fever -*see also* Fever, hay J30.1
Hayem-Widal syndrome D59.8
Haygarth's nodes M15.8
Haymaker's lung J67.0
Hb (abnormal)
- Bart's disease D56.0
- disease -*see* Disease, hemoglobin
- trait -*see* Trait
Head -*see* condition
Headache R51.9
- with
- - orthostatic component NEC R51.0
- - positional component NEC R51.0
- allergic NEC G44.89
- associated with sexual activity G44.82
- cervicogenic G44.86
- chronic daily R51.9
- cluster G44.009
- - chronic G44.029
- - - intractable G44.021
- - - not intractable G44.029
- - episodic G44.019
- - - intractable G44.011
- - - not intractable G44.019
- - intractable G44.001
- - not intractable G44.009
- cough (primary) G44.83
- daily chronic R51.9
- drug-induced NEC G44.40
- - intractable G44.41
- - not intractable G44.40
- exertional (primary) G44.84
- histamine G44.009
- - intractable G44.001
- - not intractable G44.009
- hypnic G44.81
- lumbar puncture G97.1
- medication overuse G44.40
- - intractable G44.41
- - not intractable G44.40
- menstrual -*see* Migraine, menstrual
- migraine (type) -*see also* Migraine G43.909
- nasal septum R51.9
- neuralgiform, short lasting unilateral, with conjunctival injection and tearing (SUNCT) G44.059
- - intractable G44.051
- - not intractable G44.059
- new daily persistent (NDPH) G44.52
- orgasmic G44.82
- periodic syndromes in adults and children G43.C0

- - with refractory migraine G43.C1
- - intractable G43.C1
- - not intractable G43.C0
- - without refractory migraine G43.C0
- postspinal puncture G97.1
- post-traumatic G44.309
- - acute G44.319
- - - intractable G44.311
- - - not intractable G44.319
- - chronic G44.329
- - - intractable G44.321
- - - not intractable G44.329
- - intractable G44.301
- - not intractable G44.309
- pre-menstrual *-see* Migraine, menstrual
- preorgasmic G44.82
- primary
- - cough G44.83
- - exertional G44.84
- - stabbing G44.85
- - thunderclap G44.53
- rebound G44.40
- - intractable G44.41
- - not intractable G44.40
- short lasting unilateral neuralgiform, with conjunctival injection and tearing (SUNCT) G44.059
- - intractable G44.051
- - not intractable G44.059
- specified syndrome NEC G44.89
- spinal and epidural anesthesia - induced T88.59
- - in labor and delivery O74.5
- - in pregnancy O29.4-
- - postpartum, puerperal O89.4
- spinal fluid loss (from puncture) G97.1
- stabbing (primary) G44.85
- tension (-type) G44.209
- - chronic G44.229
- - - intractable G44.221
- - - not intractable G44.229
- - episodic G44.219
- - - intractable G44.211
- - - not intractable G44.219
- - intractable G44.201
- - not intractable G44.209
- thunderclap (primary) G44.53
- vascular NEC G44.1

Healthy
- infant
- - accompanying sick mother Z76.3
- - receiving care Z76.2
- person accompanying sick person Z76.3

Hearing examination Z01.10
- with abnormal findings NEC Z01.118
- infant or child (over 28 days old) Z00.129
- - with abnormal findings Z00.121
- following failed hearing screening Z01.110
- for hearing conservation and treatment Z01.12

Heart *-see* condition
- carcinoid *-see* Syndrome, carcinoid, heart

Heart beat
- abnormality R00.9

- - specified NEC R00.8
- awareness R00.2
- rapid R00.0
- slow R00.1
Heartburn R12
- psychogenic F45.8
Heartland virus disease A93.8
Heat (effects) T67.9
- apoplexy T67.01
- burn *-see also* Burn L55.9
- collapse T67.1
- cramps T67.2
- dermatitis or eczema L59.0
- edema T67.7
- erythema - code by site under Burn, first degree
- excessive T67.9
- - specified effect NEC T67.8
- exhaustion T67.5
- - anhydrotic T67.3
- - due to
- - - salt (and water) depletion T67.4
- - - water depletion T67.3
- - - - with salt depletion T67.4
- fatigue (transient) T67.6
- fever T67.01
- hyperpyrexia T67.01
- prickly L74.0
- prostration *-see* Heat, exhaustion
- pyrexia T67.01
- rash L74.0
- specified effect NEC T67.8
- stroke T67.01
- - exertional T67.02
- - specified NEC T67.09
- sunburn *-see* Sunburn
- syncope T67.1
Heavy-for-dates NEC (infant) (4000g to 4499g) P08.1
- exceptionally (4500g or more) P08.0
Hebephrenia, hebephrenic (schizophrenia) F20.1
Heberden's disease or nodes (with arthropathy) M15.1
Hebra's
- pityriasis L26
- prurigo L28.2
Heel *-see* condition
Heerfordt's disease D86.89
Hegglin's anomaly or syndrome D72.0
Heilmeyer-Schoner disease D45
Heine-Medin disease A80.9
Heinz body anemia, congenital D58.2
Heliophobia F40.228
Heller's disease or syndrome F84.3
HELLP syndrome (hemolysis, elevated liver enzymes and low platelet count) O14.2-
- complicating
- - childbirth O14.24
- - puerperium O14.25
Helminthiasis *-see also* Infestation, helminth
- Ancylostoma B76.0
- intestinal B82.0
- - mixed types (types classifiable to more than one of the titles B65.0-B81.3 and B81.8) B81.4
- - specified type NEC B81.8

- mixed types (intestinal) (types classifiable to more than one of the titles B65.0-B81.3 and B81.8) B81.4
- Necator (americanus) B76.1
- specified type NEC B83.8

Heloma L84

Hemangioblastoma -*see* Neoplasm, connective tissue, uncertain behavior
- malignant -*see* Neoplasm, connective tissue, malignant

Hemangioendothelioma -*see also* Neoplasm, uncertain behavior, by site
- benign D18.00
- - intra-abdominal D18.03
- - intracranial D18.02
- - skin D18.01
- - specified site NEC D18.09
- bone (diffuse) -*see* Neoplasm, bone, malignant
- epithelioid -*see also* Neoplasm, uncertain behavior, by site
- - malignant -*see* Neoplasm, malignant, by site
- malignant -*see* Neoplasm, connective tissue, malignant

Hemangiofibroma -*see* Neoplasm, benign, by site

Hemangiolipoma -*see* Lipoma

Hemangioma D18.00
- arteriovenous D18.00
- - intra-abdominal D18.03
- - intracranial D18.02
- - skin D18.01
- - specified site NEC D18.09
- capillary I78.1
- - intra-abdominal D18.03
- - intracranial D18.02
- - skin D18.01
- - specified site NEC D18.09
- cavernous D18.00
- - intra-abdominal D18.03
- - intracranial D18.02
- - skin D18.01
- - specified site NEC D18.09
- epithelioid D18.00
- - intra-abdominal D18.03
- - intracranial D18.02
- - skin D18.01
- - specified site NEC D18.09
- histiocytoid D18.00
- - intra-abdominal D18.03
- - intracranial D18.02
- - skin D18.01
- - specified site NEC D18.09
- infantile D18.00
- - intra-abdominal D18.03
- - intracranial D18.02
- - skin D18.01
- - specified site NEC D18.09
- intra-abdominal D18.03
- intracranial D18.02
- intramuscular D18.00
- - intra-abdominal D18.03
- - intracranial D18.02
- - skin D18.01
- - specified site NEC D18.09
- intrathoracic structures D18.09
- juvenile D18.00
- malignant -*see* Neoplasm,connective tissue, malignant
- plexiform D18.00

- - intra-abdominal D18.03
- - intracranial D18.02
- - skin D18.01
- - specified site NEC D18.09
- racemose D18.00
- - intra-abdominal D18.03
- - intracranial D18.02
- - skin D18.01
- - specified site NEC D18.09
- sclerosing *-see* Neoplasm,skin, benign
- simplex D18.00
- - intra-abdominal D18.03
- - intracranial D18.02
- - skin D18.01
- - specified site NEC D18.09
- skin D18.01
- specified site NEC D18.09
- venous D18.00
- - intra-abdominal D18.03
- - intracranial D18.02
- - skin D18.01
- - specified site NEC D18.09
- verrucous keratotic D18.00
- - intra-abdominal D18.03
- - intracranial D18.02
- - skin D18.01
- - specified site NEC D18.09

Hemangiomatosis (systemic) I78.8
- involving single site *-see* Hemangioma

Hemangiopericytoma *-see also* Neoplasm, connective tissue, uncertain behavior
- benign *-see* Neoplasm, connective tissue, benign
- malignant *-see* Neoplasm, connective tissue, malignant

Hemangiosarcoma *-see* Neoplasm, connective tissue, malignant

Hemarthrosis (nontraumatic) M25.00
- ankle M25.07-
- elbow M25.02-
- foot joint M25.07-
- hand joint M25.04-
- hip M25.05-
- in hemophilic arthropathy *-see* Arthropathy, hemophilic
- knee M25.06-
- shoulder M25.01-
- specified joint NEC M25.08
- traumatic *-see* Sprain, by site
- vertebrae M25.08
- wrist M25.03-

Hematemesis K92.0
- with ulcer - code by site under Ulcer, with hemorrhage K27.4
- newborn, neonatal P54.0
- - due to swallowed maternal blood P78.2

Hematidrosis L74.8

Hematinuria *-see also* Hemoglobinuria
- malarial B50.8

Hematobilia K83.8

Hematocele
- female NEC N94.89
- - with ectopic pregnancy O00.90
- - - with intrauterine pregnancy O00.91
- - ovary N83.8
- male N50.1

Hematochezia -*see also* Melena K92.1
Hematochyluria -*see also* Infestation, filarial
- schistosomiasis (bilharziasis) B65.0
Hematocolpos (with hematometra or hematosalpinx) N89.7
Hematocornea -*see* Pigmentation, cornea, stromal
Hematogenous -*see* condition
Hematoma (traumatic) (skin surface intact) -*see also* Contusion
- with
- - injury of internal organs -*see* Injury, by site
- - open wound -*see* Wound, open
- amputation stump (surgical) (late) T87.89
- aorta, dissecting I71.00
- - abdominal I71.02
- - thoracic -*see also* Dissection, aorta, thoracic I71.019
- - thoracoabdominal I71.03
- aortic intramural -*see* Dissection, aorta
- arterial (complicating trauma) -*see* Injury, blood vessel, by site
- auricle -*see* Contusion, ear
- - nontraumatic -*see* Disorder, pinna, hematoma
- birth injury NEC P15.8
- brain (traumatic)
- - with
- - - cerebral laceration or contusion (diffuse) -*see* Injury, intracranial, diffuse
- - - - focal -*see* Injury, intracranial, focal
- - cerebellar, traumatic S06.37-
- - newborn NEC P52.4
- - - birth injury P10.1
- - intracerebral, traumatic -*see* Injury, intracranial, intracerebral hemorrhage
- - nontraumatic -*see* Hemorrhage, intracranial
- - subarachnoid, arachnoid, traumatic -*see* Injury, intracranial, subarachnoid hemorrhage
- - subdural, traumatic -*see* Injury, intracranial, subdural hemorrhage
- breast (nontraumatic) N64.89
- broad ligament (nontraumatic) N83.7
- - traumatic S37.892
- cerebellar, traumatic S06.37-
- cerebral -*see* Hematoma, brain
- cerebrum S06.36-
- - left S06.35-
- - right S06.34-
- cesarean delivery wound O90.2
- complicating delivery (perineal) (pelvic) (vagina) (vulva) O71.7
- corpus cavernosum (nontraumatic) N48.89
- epididymis (nontraumatic) N50.1
- epidural (traumatic) -*see* Injury, intracranial, epidural hemorrhage
- - spinal -*see* Injury, spinal cord, by region
- episiotomy O90.2
- face, birth injury P15.4
- genital organ NEC (nontraumatic)
- - female (nonobstetric) N94.89
- - - traumatic S30.202
- - male N50.1
- - - traumatic S30.201
- internal organs -*see* Injury, by site
- intracerebral, traumatic -*see* Injury, intracranial, intracerebral hemorrhage
- intraoperative -*see* Complications, intraoperative, hemorrhage
- labia (nontraumatic) (nonobstetric) N90.89
- liver (subcapsular) (nontraumatic) K76.89
- - birth injury P15.0
- mediastinum -*see* Injury, intrathoracic
- mesosalpinx (nontraumatic) N83.7

- - traumatic S37.898
- muscle - code by site under Contusion
- nontraumatic
- - muscle M79.81
- - soft tissue M79.81
- obstetrical surgical wound O90.2
- orbit, orbital (nontraumatic) -*see also* Hemorrhage, orbit
- - traumatic -*see* Contusion, orbit
- pelvis (female) (nontraumatic) (nonobstetric) N94.89
- - obstetric O71.7
- - traumatic -*see* Injury, by site
- penis (nontraumatic) N48.89
- - birth injury P15.5
- perianal (nontraumatic) K64.5
- perineal S30.23
- - complicating delivery O71.7
- perirenal -*see* Injury, kidney
- peritoneal K66.1
- pinna -*see* Contusion, ear
- - nontraumatic -*see* Disorder, pinna, hematoma
- placenta O43.89-
- postoperative (postprocedural) -*see* Complication, postprocedural, hematoma
- retroperitoneal (nontraumatic) K68.3
- - traumatic S36.892
- scrotum, superficial S30.22
- - birth injury P15.5
- seminal vesicle (nontraumatic) N50.1
- - traumatic S37.892
- spermatic cord (traumatic) S37.892
- - nontraumatic N50.1
- spinal (cord) (meninges) -*see also* Injury, spinal cord, by region
- - newborn (birth injury) P11.5
- spleen D73.5
- - intraoperative -*see* Complications, intraoperative, hemorrhage, spleen
- - postprocedural (postoperative) -*see* Complications, postprocedural, hemorrhage, spleen
- sternocleidomastoid, birth injury P15.2
- sternomastoid, birth injury P15.2
- subarachnoid (traumatic) -*see* Injury, intracranial, subarachnoid hemorrhage
- - newborn (nontraumatic) P52.5
- - - due to birth injury P10.3
- - nontraumatic -*see* Hemorrhage, intracranial, subarachnoid
- subdural (traumatic) -*see* Injury, intracranial, subdural hemorrhage
- - newborn (localized) P52.8
- - - birth injury P10.0
- - nontraumatic -*see* Hemorrhage, intracranial, subdural
- superficial, newborn P54.5
- testis (nontraumatic) N50.1
- - birth injury P15.5
- tunica vaginalis (nontraumatic) N50.1
- umbilical cord, complicating delivery O69.5
- uterine ligament (broad) (nontraumatic) N83.7
- - traumatic S37.892
- vagina (ruptured) (nontraumatic) N89.8
- - complicating delivery O71.7
- vas deferens (nontraumatic) N50.1
- - traumatic S37.892
- vitreous -*see* Hemorrhage, vitreous
- vulva (nontraumatic) (nonobstetric) N90.89
- - complicating delivery O71.7
- - newborn (birth injury) P15.5

Hematometra N85.7
- with hematocolpos N89.7
Hematomyelia (central) G95.19
- newborn (birth injury) P11.5
- traumatic T14.8
Hematomyelitis G04.90
Hematoperitoneum -*see* Hemoperitoneum
Hematophobia F40.230
Hematopneumothorax (see Hemothorax)
Hematopoiesis, cyclic D70.4
Hematoporphyria -*see* Porphyria
Hematorachis, hematorrhachis G95.19
- newborn (birth injury) P11.5
Hematosalpinx N83.6
- with
- - hematocolpos N89.7
- - hematometra N85.7
- - - with hematocolpos N89.7
- infectional -*see* Salpingitis
Hematospermia R36.1
Hematothorax (see Hemothorax)
Hematuria R31.9
- due to sulphonamide, sulfonamide -*see* Table of Drugs and Chemicals, by drug
- benign (familial) (of childhood) -*see also* Hematuria, idiopathic
- - essential microscopic R31.1
- endemic -*see also* Schistosomiasis B65.0
- gross R31.0
- idiopathic N02.9
- - with glomerular lesion
- - - C3
- - - - glomerulonephritis N02.A
- - - - glomerulopathy N02.A
- - - - - with dense deposit disease N02.6
- - - crescentic (diffuse) glomerulonephritis N02.7
- - - dense deposit disease N02.6
- - - endocapillary proliferative glomerulonephritis N02.4
- - - focal and segmental hyalinosis or sclerosis N02.1
- - - membranoproliferative (diffuse) N02.5
- - - membranous (diffuse) N02.2
- - - mesangial proliferative (diffuse) N02.3
- - - mesangiocapillary (diffuse) N02.5
- - - minor abnormality N02.0
- - - proliferative NEC N02.8
- - - specified pathology NEC N02.8
- intermittent -*see* Hematuria, idiopathic
- malarial B50.8
- microscopic NEC (with symptoms) R31.29
- - asymptomatic R31.21
- - benign essential R31.1
- paroxysmal -*see also* Hematuria, idiopathic
- - nocturnal D59.5
- persistent -*see* Hematuria, idiopathic
- recurrent -*see* Hematuria, idiopathic
- tropical -*see also* Schistosomiasis B65.0
- tuberculous A18.13
Hemeralopia (day blindness) H53.11
- vitamin A deficiency E50.5
Hemi-akinesia R41.4
Hemianalgesia R20.0
Hemianencephaly Q00.0

Hemianesthesia R20.0
Hemianopia, hemianopsia (heteronymous) H53.47
- homonymous H53.46-
- syphilitic A52.71
Hemiathetosis R25.8
Hemiatrophy R68.89
- cerebellar G31.9
- face, facial, progressive (Romberg) G51.8
- tongue K14.8
Hemiballism (us) G25.5
Hemicardia Q24.8
Hemicephalus, hemicephaly Q00.0
Hemichorea G25.5
Hemicolitis, left -*see* Colitis, left sided
Hemicrania
- congenital malformation Q00.0
- continua G44.51
- meaning migraine -*see also* Migraine G43.909
- paroxysmal G44.039
- - chronic G44.049
- - - intractable G44.041
- - - not intractable G44.049
- - episodic G44.039
- - - intractable G44.031
- - - not intractable G44.039
- - intractable G44.031
- - not intractable G44.039
Hemidystrophy -*see* Hemiatrophy
Hemiectromelia Q73.8
Hemihypalgesia R20.8
Hemihypesthesia R20.1
Hemi-inattention R41.4
Hemimegalencephaly Q04.5
Hemimelia Q73.8
- lower limb -*see* Defect, reduction, lower limb, specified type NEC
- upper limb -*see* Defect, reduction, upper limb, specified type NEC
Hemiparalysis -*see* Hemiplegia
Hemiparesis -*see* Hemiplegia
Hemiparesthesia R20.2
Hemiparkinsonism G20.C
Hemiplegia G81.9-
- alternans facialis G83.89
- ascending NEC G81.90
- - spinal G95.89
- congenital (cerebral) G80.8
- - spastic G80.2
- embolic (current episode) I63.4-
- flaccid G81.0-
- following
- - cerebrovascular disease I69.959
- - - cerebral infarction I69.35-
- - - intracerebral hemorrhage I69.15-
- - - nontraumatic intracranial hemorrhage NEC I69.25-
- - - specified disease NEC I69.85-
- - - stroke NOS I69.35-
- - - subarachnoid hemorrhage I69.05-
- hysterical F44.4
- newborn NEC P91.88
- - birth injury P11.9
- spastic G81.1-

- - congenital G80.2
- thrombotic (current episode) I63.3-
Hemisection, spinal cord -*see* Injury, spinal cord, by region
Hemispasm (facial) R25.2
Hemisporosis B48.8
Hemitremor R25.1
Hemivertebra Q76.49
- failure of segmentation with scoliosis Q76.3
- fusion with scoliosis Q76.3
Hemochromatosis E83.119
- with refractory anemia D46.1
- due to repeated red blood cell transfusion E83.111
- hereditary (primary) E83.110
- neonatal P78.84
- primary E83.110
- specified NEC E83.118
Hemoglobin -*see also* condition
- abnormal (disease) -*see* Disease, hemoglobin
- AS genotype D57.3
- Constant Spring D58.2
- E-beta thalassemia D56.5
- fetal, hereditary persistence (HPFH) D56.4
- H Constant Spring D56.0
- low NOS D64.9
- S (Hb S), heterozygous D57.3
Hemoglobinemia D59.9
- due to blood transfusion T80.89
- paroxysmal D59.6
- - nocturnal D59.5
Hemoglobinopathy (mixed) D58.2
- with thalassemia D56.8
- sickle-cell D57.1
- - with thalassemia D57.40
- - - with
- - - - acute chest syndrome D57.411
- - - - cerebral vascular involvement D57.413
- - - - crisis (painful) D57.419
- - - - - with specified complication NEC D57.418
- - - - pain (vaso-occlusive) D57.419
- - - - splenic sequestration D57.412
- - - without crisis D57.40
Hemoglobinuria R82.3
- with anemia, hemolytic, acquired (chronic) NEC D59.6
- cold (paroxysmal) (with Raynaud's syndrome) D59.6
- - agglutinin D59.12
- due to exertion or hemolysis NEC D59.6
- intermittent D59.6
- malarial B50.8
- march D59.6
- nocturnal (paroxysmal) D59.5
- paroxysmal (cold) D59.6
- - nocturnal D59.5
Hemolymphangioma D18.1
Hemolysis
- intravascular
- - with
- - - abortion -*see* Abortion, by type, complicated by, hemorrhage
- - - ectopic or molar pregnancy O08.1
- - - hemorrhage
- - - - antepartum -*see* Hemorrhage, antepartum, with coagulation defect

- - - - intrapartum -*see also* Hemorrhage, complicating, delivery O67.0
- - postpartum O72.3
- neonatal (excessive) P58.9
- - specified NEC P58.8
Hemolytic -*see* condition
Hemopericardium I31.2
- following acute myocardial infarction (current complication) I23.0
- newborn P54.8
- traumatic -*see* Injury, heart, with hemopericardium
Hemoperitoneum K66.1
- infectional K65.9
- traumatic S36.899
- - with open wound -*see* Wound, open, abdominal, wall, by site if known, with penetration into peritoneal cavity
Hemophilia (classical) (familial) (hereditary) D66
- A D66
- B D67
- C D68.1
- acquired D68.311
- autoimmune D68.311
- calcipriva -*see also* Defect, coagulation D68.4
- nonfamilial -*see also* Defect, coagulation D68.4
- secondary D68.311
- vascular -*see* Disease, von Willebrand
Hemophthalmos H44.81-
Hemopneumothorax -*see also* Hemothorax
- traumatic S27.2
Hemoptysis R04.2
- newborn P26.9
- tuberculous -*see* Tuberculosis, pulmonary
Hemorrhage, hemorrhagic (concealed) R58
- abdomen R58
- accidental antepartum -*see* Hemorrhage, antepartum
- acute idiopathic pulmonary, in infants R04.81
- adenoid J35.8
- adrenal (capsule) (gland) E27.49
- - medulla E27.8
- - newborn P54.4
- after delivery -*see* Hemorrhage, postpartum
- alveolar
- - lung, newborn P26.8
- - process K08.89
- alveolus K08.89
- amputation stump (surgical) T87.89
- anemia (chronic) D50.0
- - acute D62
- antepartum (with) O46.90
- - with coagulation defect O46.00-
- - - afibrinogenemia O46.01-
- - - disseminated intravascular coagulation O46.02-
- - - hypofibrinogenemia O46.01-
- - - specified defect NEC O46.09-
- - before 20 weeks gestation O20.9
- - - specified type NEC O20.8
- - - threatened abortion O20.0
- - due to
- - - abruptio placenta -*see also* Abruptio placentae O45.9-
- - - leiomyoma, uterus -*see* Hemorrhage, antepartum, specified cause NEC
- - - placenta previa O44.1-
- - specified cause NEC -see subcategory O46.8X-
- anus (sphincter) K62.5

- apoplexy (stroke) -*see* Hemorrhage, intracranial, intracerebral
- arachnoid -*see* Hemorrhage, intracranial, subarachnoid
- artery R58
- - brain -*see* Hemorrhage, intracranial, intracerebral
- basilar (ganglion) I61.0
- bladder N32.89
- bowel K92.2
- - newborn P54.3
- brain (miliary) (nontraumatic) -*see* Hemorrhage, intracranial, intracerebral
- - due to
- - - birth injury P10.1
- - - syphilis A52.05
- - epidural or extradural (traumatic) -*see* Injury, intracranial, epidural hemorrhage
- - newborn P52.4
- - - birth injury P10.1
- - subarachnoid -*see* Hemorrhage, intracranial, subarachnoid
- - subdural -*see* Hemorrhage, intracranial, subdural
- brainstem (nontraumatic) I61.3
- - traumatic S06.38-
- breast N64.59
- bronchial tube -*see* Hemorrhage, lung
- bronchopulmonary -*see* Hemorrhage, lung
- bronchus -*see* Hemorrhage, lung
- bulbar I61.5
- capillary I78.8
- - primary D69.8
- cecum K92.2
- cerebellar, cerebellum (nontraumatic) I61.4
- - newborn P52.6
- - traumatic S06.37-
- cerebral, cerebrum -*see also* Hemorrhage, intracranial, intracerebral
- - newborn (anoxic) P52.4
- - - birth injury P10.1
- - lobe I61.1
- cerebromeningeal I61.8
- cerebrospinal -*see* Hemorrhage, intracranial, intracerebral
- cervix (uteri) (stump) NEC N88.8
- chamber, anterior (eye) -*see* Hyphema
- childbirth -*see* Hemorrhage, complicating, delivery
- choroid H31.30-
- - expulsive H31.31-
- ciliary body -*see* Hyphema
- cochlea -see subcategory H83.8
- colon K92.2
- complicating
- - abortion -*see* Abortion, by type, complicated by, hemorrhage
- - delivery O67.9
- - - associated with coagulation defect (afibrinogenemia) (DIC) (hyperfibrinolysis) O67.0
- - - specified cause NEC O67.8
- - surgical procedure -*see* Hemorrhage, intraoperative
- conjunctiva H11.3-
- - newborn P54.8
- cord, newborn (stump) P51.9
- corpus luteum (ruptured) cyst N83.1-
- cortical (brain) I61.1
- cranial -*see* Hemorrhage, intracranial
- cutaneous R23.3
- - due to autosensitivity, erythrocyte D69.2
- - newborn P54.5
- delayed

- - following ectopic or molar pregnancy O08.1
- - postpartum O72.2
- diathesis (familial) D69.9
- disease D69.9
- - newborn P53
- - specified type NEC D69.8
- due to or associated with
- - afibrinogenemia or other coagulation defect (conditions in categories D65-D69)
- - - antepartum -*see* Hemorrhage, antepartum, with coagulation defect
- - - intrapartum O67.0
- - dental implant M27.61
- - device, implant or graft -*see also* Complications, by site and type, specified NEC T85.838
- - - arterial graft NEC T82.838
- - - breast T85.838
- - - catheter NEC T85.838
- - - - dialysis (renal) T82.838
- - - - - intraperitoneal T85.838
- - - - infusion NEC T82.838
- - - - - spinal (epidural) (subdural) T85.830
- - - - urinary (indwelling) T83.83
- - - electronic (electrode) (pulse generator) (stimulator)
- - - - bone T84.83
- - - - cardiac T82.837
- - - - nervous system (brain) (peripheral nerve) (spinal) T85.830
- - - - urinary T83.83
- - - fixation, internal (orthopedic) NEC T84.83
- - - gastrointestinal (bile duct) (esophagus) T85.838
- - - genital NEC T83.83
- - - heart NEC T82.837
- - - joint prosthesis T84.83
- - - ocular (corneal graft) (orbital implant) NEC T85.838
- - - orthopedic NEC T84.83
- - - - bone graft T86.838
- - - specified NEC T85.838
- - - urinary NEC T83.83
- - - vascular NEC T82.838
- - - ventricular intracranial shunt T85.830
- duodenum, duodenal K92.2
- - ulcer -*see* Ulcer, duodenum, with hemorrhage
- dura mater -*see* Hemorrhage, intracranial, subdural
- endotracheal -*see* Hemorrhage, lung
- epicranial subaponeurotic (massive), birth injury P12.2
- epidural (traumatic) -*see also* Injury, intracranial, epidural hemorrhage
- - nontraumatic I62.1
- esophagus K22.89
- - varix I85.01
- - - secondary I85.11
- excessive, following ectopic gestation (subsequent episode) O08.1
- extradural (traumatic) -*see* Injury, intracranial, epidural hemorrhage
- - birth injury P10.8
- - newborn (anoxic) (nontraumatic) P52.8
- - nontraumatic I62.1
- eye NEC H57.89
- - fundus -*see* Hemorrhage, retina
- - lid -*see* Disorder, eyelid, specified type NEC
- fallopian tube N83.6
- fibrinogenolysis -*see* Fibrinolysis
- fibrinolytic (acquired) -*see* Fibrinolysis
- from
- - ear (nontraumatic) -*see* Otorrhagia

- - tracheostomy stoma J95.01
- fundus, eye -*see* Hemorrhage, retina
- funis -*see* Hemorrhage, umbilicus, cord
- gastric -*see* Hemorrhage, stomach
- gastroenteric K92.2
- - newborn P54.3
- gastrointestinal (tract) K92.2
- - newborn P54.3
- genital organ, male N50.1
- genitourinary (tract) NOS R31.9
- gingiva K06.8
- globe (eye) -*see* Hemophthalmos
- graafian follicle cyst (ruptured) N83.0-
- gum K06.8
- heart I51.89
- hypopharyngeal (throat) R04.1
- intermenstrual (regular) N92.3
- - irregular N92.1
- internal (organs) NEC R58
- - capsule I61.0
- - ear -see subcategory H83.8
- - newborn P54.8
- intestine K92.2
- - newborn P54.3
- intra-abdominal R58
- intra-alveolar (lung), newborn P26.8
- intracerebral (nontraumatic) -*see* Hemorrhage, intracranial, intracerebral
- intracranial (nontraumatic) I62.9
- - birth injury P10.9
- - epidural, nontraumatic I62.1
- - extradural, nontraumatic I62.1
- - newborn P52.9
- - - specified NEC P52.8
- - intracerebral (nontraumatic) (in) I61.9
- - - brain stem I61.3
- - - cerebellum I61.4
- - - newborn P52.4
- - - - birth injury P10.1
- - - hemisphere I61.2
- - - - cortical (superficial) I61.1
- - - - subcortical (deep) I61.0
- - - intraoperative
- - - - during a nervous system procedure G97.31
- - - - during other procedure G97.32
- - - intraventricular I61.5
- - - multiple localized I61.6
- - - postprocedural
- - - - following a nervous system procedure G97.51
- - - - following other procedure G97.52
- - - specified NEC I61.8
- - - superficial I61.1
- - - traumatic -*see* Injury, intracranial, intracerebral hemorrhage, traumatic
- - subarachnoid (nontraumatic) (from) I60.9
- - - newborn P52.5
- - - - birth injury P10.3
- - - intracranial (cerebral) artery I60.7
- - - - anterior communicating I60.2
- - - - basilar I60.4
- - - - carotid siphon and bifurcation I60.0-
- - - - communicating I60.7

- - - - - anterior I60.2
- - - - - posterior I60.3-
- - - - middle cerebral I60.1-
- - - - posterior communicating I60.3-
- - - - specified artery NEC I60.6
- - - - vertebral I60.5-
- - - specified NEC I60.8
- - - traumatic S06.6X-
- - subdural (nontraumatic) I62.00
- - - acute I62.01
- - - birth injury P10.0
- - - chronic I62.03
- - - newborn (anoxic) (hypoxic) P52.8
- - - - birth injury P10.0
- - - spinal G95.19
- - - subacute I62.02
- - - traumatic -*see* Injury, intracranial, subdural hemorrhage
- - traumatic -*see* Injury, intracranial, focal brain injury
- intramedullary NEC G95.19
- intraocular -*see* Hemophthalmos
- intraoperative, intraprocedural -*see* Complication, hemorrhage (hematoma), intraoperative (intraprocedural), by site
- intrapartum -*see* Hemorrhage, complicating, delivery
- intrapelvic
- - female N94.89
- - male K66.1
- intraperitoneal K66.1
- intrapontine I61.3
- intraprocedural -*see* Complication, hemorrhage (hematoma), intraoperative (intraprocedural), by site
- intrauterine N85.7
- - complicating delivery -*see also* Hemorrhage, complicating, delivery O67.9
- - postpartum -*see* Hemorrhage, postpartum
- intraventricular I61.5
- - newborn (nontraumatic) -*see also* Newborn, affected by, hemorrhage P52.3
- - - due to birth injury P10.2
- - - grade
- - - - 1 P52.0
- - - - 2 P52.1
- - - - 3 P52.21
- - - - 4 P52.22
- intravesical N32.89
- iris (postinfectional) (postinflammatory) (toxic) -*see* Hyphema
- joint (nontraumatic) -*see* Hemarthrosis
- kidney N28.89
- knee (joint) (nontraumatic) -*see* Hemarthrosis, knee
- labyrinth -see subcategory H83.8
- lenticular striate artery I61.0
- ligature, vessel -*see* Hemorrhage, postoperative
- liver K76.89
- lung R04.89
- - newborn P26.9
- - - massive P26.1
- - - specified NEC P26.8
- - tuberculous -*see* Tuberculosis, pulmonary
- massive umbilical, newborn P51.0
- mediastinum -*see* Hemorrhage, lung
- medulla I61.3
- membrane (brain) I60.8
- - spinal cord -*see* Hemorrhage, spinal cord
- meninges, meningeal (brain) (middle) I60.8
- - spinal cord -*see* Hemorrhage, spinal cord

- mesentery K66.1
- metritis -*see* Endometritis
- mouth K13.79
- mucous membrane NEC R58
- - newborn P54.8
- muscle M62.89
- nail (subungual) L60.8
- nasal turbinate R04.0
- - newborn P54.8
- navel, newborn P51.9
- newborn P54.9
- - specified NEC P54.8
- nipple N64.59
- nose R04.0
- - newborn P54.8
- omentum K66.1
- optic nerve (sheath) H47.02-
- orbit, orbital H05.23-
- ovary NEC N83.8
- oviduct N83.6
- pancreas K86.89
- parathyroid (gland) (spontaneous) E21.4
- parturition -*see* Hemorrhage, complicating, delivery
- penis N48.89
- pericardium, pericarditis I31.2
- peritoneum, peritoneal K66.1
- peritonsillar tissue J35.8
- - due to infection J36
- petechial R23.3
- - due to autosensitivity, erythrocyte D69.2
- pituitary (gland) E23.6
- pleura -*see* Hemorrhage, lung
- polioencephalitis, superior E51.2
- polymyositis -*see* Polymyositis
- pons, pontine I61.3
- posterior fossa (nontraumatic) I61.8
- - newborn P52.6
- postmenopausal N95.0
- postnasal R04.0
- postoperative -*see* Complications, postprocedural, hemorrhage, by site
- postpartum NEC (following delivery of placenta) O72.1
- - delayed or secondary O72.2
- - retained placenta O72.0
- - third stage O72.0
- pregnancy -*see* Hemorrhage, antepartum
- preretinal -*see* Hemorrhage, retina
- prostate N42.1
- puerperal -*see* Hemorrhage, postpartum
- - delayed or secondary O72.2
- pulmonary R04.89
- - newborn P26.9
- - - massive P26.1
- - - specified NEC P26.8
- - tuberculous -*see* Tuberculosis, pulmonary
- purpura (primary) D69.3
- rectum (sphincter) K62.5
- - newborn P54.2
- recurring, following initial hemorrhage at time of injury T79.2
- renal N28.89
- respiratory passage or tract R04.9

- - specified NEC R04.89
- retina, retinal (vessels) H35.6-
- - diabetic -*see* Microaneurysm, retinal, diabetic
- retroperitoneal K68.3
- scalp R58
- scrotum N50.1
- secondary (nontraumatic) R58
- - following initial hemorrhage at time of injury T79.2
- seminal vesicle N50.1
- skin R23.3
- - newborn P54.5
- slipped umbilical ligature P51.8
- spermatic cord N50.1
- spinal (cord) G95.19
- - newborn (birth injury) P11.5
- spleen D73.5
- - intraoperative -*see* Complications, intraoperative, hemorrhage, spleen
- - postprocedural -*see* Complications, postprocedural, hemorrhage, spleen
- stomach K92.2
- - newborn P54.3
- - ulcer -*see* Ulcer, stomach, with hemorrhage
- subarachnoid (nontraumatic) -*see* Hemorrhage, intracranial, subarachnoid
- subconjunctival -*see also* Hemorrhage, conjunctiva
- - birth injury P15.3
- subcortical (brain) I61.0
- subcutaneous R23.3
- subdiaphragmatic R58
- subdural (acute) (nontraumatic) -*see* Hemorrhage, intracranial, subdural
- subependymal
- - newborn P52.0
- - - with intraventricular extension P52.1
- - - - and intracerebral extension P52.22
- subgaleal P12.2
- subhyaloid -*see* Hemorrhage, retina
- subperiosteal -*see* Disorder, bone, specified type NEC
- subretinal -*see* Hemorrhage, retina
- subtentorial -*see* Hemorrhage, intracranial, subdural
- subungual L60.8
- suprarenal (capsule) (gland) E27.49
- - newborn P54.4
- tentorium (traumatic) NEC -*see* Hemorrhage, brain
- - newborn (birth injury) P10.4
- testis N50.1
- third stage (postpartum) O72.0
- thorax -*see* Hemorrhage, lung
- throat R04.1
- thymus (gland) E32.8
- thyroid (cyst) (gland) E07.89
- tongue K14.8
- tonsil J35.8
- trachea -*see* Hemorrhage, lung
- tracheobronchial R04.89
- - newborn P26.0
- traumatic - code to specific injury
- - cerebellar -*see* Hemorrhage, brain
- - intracranial -*see* Hemorrhage, brain
- - recurring or secondary (following initial hemorrhage at time of injury) T79.2
- tuberculous NEC -*see also* Tuberculosis, pulmonary A15.0
- tunica vaginalis N50.1
- ulcer - code by site under Ulcer, with hemorrhage K27.4

- umbilicus, umbilical
- - cord
- - - after birth, newborn P51.9
- - - complicating delivery O69.5
- - newborn P51.9
- - - massive P51.0
- - - slipped ligature P51.8
- - stump P51.9
- urethra (idiopathic) N36.8
- uterus, uterine (abnormal) N93.9
- - climacteric N92.4
- - complicating delivery -*see* Hemorrhage, complicating, delivery
- - dysfunctional or functional N93.8
- - intermenstrual (regular) N92.3
- - - irregular N92.1
- - postmenopausal N95.0
- - postpartum -*see* Hemorrhage, postpartum
- - preclimacteric or premenopausal N92.4
- - prepubertal N93.8
- - pubertal N92.2
- vagina (abnormal) N93.9
- - newborn P54.6
- vas deferens N50.1
- vasa previa O69.4
- ventricular I61.5
- vesical N32.89
- viscera NEC R58
- - newborn P54.8
- vitreous (humor) (intraocular) H43.1-
- vulva N90.89

Hemorrhoids (bleeding) (without mention of degree) K64.9
- 1st degree (grade/stage I) (without prolapse outside of anal canal) K64.0
- 2nd degree (grade/stage II) (that prolapse with straining but retract spontaneously) K64.1
- 3rd degree (grade/stage III) (that prolapse with straining and require manual replacement back inside anal canal) K64.2
- 4th degree (grade/stage IV) (with prolapsed tissue that cannot be manually replaced) K64.3
- complicating
- - pregnancy O22.4
- - puerperium O87.2
- external K64.4
- - with
- - - thrombosis K64.5
- internal (without mention of degree) K64.8
- prolapsed K64.8
- skin tags
- - anus K64.4
- - residual K64.4
- specified NEC K64.8
- strangulated -*see also* Hemorrhoids, by degree K64.8
- thrombosed -*see also* Hemorrhoids, by degree K64.5
- ulcerated -*see also* Hemorrhoids, by degree K64.8

Hemosalpinx N83.6
- with
- - hematocolpos N89.7
- - hematometra N85.7
- - - with hematocolpos N89.7

Hemosiderosis (dietary) E83.19
- pulmonary, idiopathic E83.1- *[J84.03]*
- transfusion T80.89

Hemothorax (bacterial) (nontuberculous) J94.2
- newborn P54.8

- traumatic S27.1
- - with pneumothorax S27.2
- tuberculous NEC A15.6
Henoch (-Schönlein) disease or syndrome (purpura) D69.0
Henpue, henpuye A66.6
Hepar lobatum (syphilitic) A52.74
Hepatalgia K76.89
Hepatitis K75.9
- A -*see* Hepatitis, viral, type, A
- acute B17.9
- - with coma K72.01
- - with hepatic failure -*see* Failure, hepatic
- - alcoholic -*see* Hepatitis, alcoholic
- - infectious B17.9
- - non-viral K72.0
- - viral (see also, Hepatitis, viral) B17.9
- alcoholic (acute) (chronic) K70.10
- - with ascites K70.11
- amebic -*see* Abscess, liver, amebic
- anicteric, (viral) -*see* Hepatitis, viral
- antigen-associated (HAA) -*see* Hepatitis, B
- Australia-antigen (positive) -*see* Hepatitis, B
- autoimmune K75.4
- B B19.10
- - with B19.11
- - - delta (agent) -*see* Hepatitis, D
- - - hepatic coma B19.11
- - acute B16.9
- - - with
- - - - delta-agent (coinfection) (without hepatic coma) B16.1
- - - - - with hepatic coma B16.0
- - - - hepatic coma (without delta-agent coinfection) B16.2
- - chronic B18.1
- - - with delta-agent B18.0
- bacterial NEC K75.89
- C (viral) B19.20
- - with hepatic coma B19.21
- - acute B17.10
- - - with hepatic coma B17.11
- - chronic B18.2
- catarrhal (acute) B15.9
- - with hepatic coma B15.0
- cholangiolitic K75.89
- cholestatic K75.89
- chronic K73.9
- - active NEC K73.2
- - - toxic -*see* Disease, liver, toxic, with, hepatitis, chronic, active
- - lobular NEC K73.1
- - persistent NEC K73.0
- - specified NEC K73.8
- - toxic -*see* Disease, liver, toxic, with, hepatitis, chronic
- - viral -*see* Hepatitis, viral, chronic
- cytomegaloviral B25.1
- D B16.1
- - acute B16.1
- - - with hepatic coma B16.0
- - - in hepatitis B carrier B17.0
- - chronic B18.0
- delta (agent) -*see* Hepatitis, D
- due to ethanol (acute) (chronic) -*see* Hepatitis, alcoholic

- epidemic B15.9
- - with hepatic coma B15.0
- fulminant NEC (viral) *-see* Hepatitis, viral
- neonatal giant cell P59.29
- granulomatous NEC K75.3
- herpesviral B00.81
- history of
- - B Z86.19
- - C Z86.19
- homologous serum *-see* Hepatitis, viral, type B
- in (due to)
- - mumps B26.81
- - toxoplasmosis (acquired) B58.1
- - - congenital (active) P37.1 *[K77]*
- infectious, infective B15.9
- - acute (subacute) B17.9
- - chronic B18.9
- inoculation *-see* Hepatitis, viral, type B
- interstitial (chronic) K74.69
- ischemia, ischemic K72.00
- lupoid NEC K75.4
- malignant NEC (with hepatic failure) K72.90
- - with coma K72.91
- neonatal (idiopathic) (toxic) P59.29
- newborn P59.29
- postimmunization *-see* Hepatitis, viral, type B
- post-transfusion *-see* Hepatitis, viral, type B
- reactive, nonspecific K75.2
- serum *-see* Hepatitis, viral, type B
- shock K72.00
- specified type NEC
- - with hepatic failure *-see* Failure, hepatic
- syphilitic (late) A52.74
- - congenital (early) A50.08 *[K77]*
- - - late A50.59 *[K77]*
- - secondary A51.45
- toxic *-see also* Disease, liver, toxic K71.6
- tuberculous A18.83
- viral, virus B19.9
- - with hepatic coma B19.0
- - acute B17.9
- - chronic B18.9
- - - specified NEC B18.8
- - - type
- - - - B B18.1
- - - - - with delta-agent B18.0
- - - - C B18.2
- - - - D B18.0
- - congenital P35.3
- - coxsackie B33.8 *[K77]*
- - cytomegalic inclusion B25.1
- - in remission, any type - code to Hepatitis, chronic, by type
- - non-A, non-B B17.8
- - specified type NEC (with or without coma) B17.8
- - type
- - - A B15.9
- - - - with hepatic coma B15.0
- - - B B19.10
- - - - with hepatic coma B19.11
- - - - acute B16.9

- - - - - with
- - - - - - delta-agent (coinfection) (without hepatic coma) B16.1
- - - - - - - with hepatic coma B16.0
- - - - - - hepatic coma (without delta-agent coinfection) B16.2
- - - - chronic B18.1
- - - - - with delta-agent B18.0
- - - C B19.20
- - - - with hepatic coma B19.21
- - - - acute B17.10
- - - - - with hepatic coma B17.11
- - - - chronic B18.2
- - - D B16.1
- - - - acute B16.1
- - - - - with hepatic coma B16.0
- - - - - in hepatitis B carrier B17.0
- - - - chronic B18.0
- - - delta (agent) -*see* Hepatitis, viral, type, D
- - - E B17.2
- - - non-A, non-B B17.8
Hepatization lung (acute) -*see* Pneumonia, lobar
Hepatoblastoma C22.2
Hepatocarcinoma C22.0
Hepatocholangiocarcinoma C22.0
Hepatocholangioma, benign D13.4
Hepatocholangitis K75.89
Hepatolenticular degeneration E83.01
Hepatoma (malignant) C22.0
- benign D13.4
- embryonal C22.0
Hepatomegaly -*see also* Hypertrophy, liver
- with splenomegaly R16.2
- congenital Q44.79
- in mononucleosis
- - gammaherpesviral B27.09
- - infectious specified NEC B27.89
Hepatoptosis K76.89
Hepatorenal syndrome following labor and delivery O90.41
Hepatosis K76.89
Hepatosplenomegaly R16.2
- hyperlipemic (Bürger-Grütz type) E78.3 *[K77]*
Hereditary -*see* condition
Hereditary alpha tryptasemia (syndrome) D89.44
Heredodegeneration, macular -*see* Dystrophy, retina
Heredopathia atactica polyneuritiformis G60.1
Heredosyphilis -*see* Syphilis, congenital
Herlitz' syndrome Q81.1
Hermansky-Pudlak syndrome E70.331
Hermaphrodite, hermaphroditism (true) Q56.0
- 46,XX with streak gonads Q99.1
- 46,XX/46,XY Q99.0
- 46,XY with streak gonads Q99.1
- chimera 46,XX/46,XY Q99.0
Hernia, hernial (acquired) (recurrent) K46.9
- with
- - gangrene -*see* Hernia, by site, with, gangrene
- - incarceration -*see* Hernia, by site, with, obstruction
- - irreducible -*see* Hernia, by site, with, obstruction
- - obstruction -*see* Hernia, by site, with, obstruction
- - strangulation -*see* Hernia, by site, with, obstruction
- abdomen, abdominal K46.9

- - with
- - - gangrene (and obstruction) K46.1
- - - obstruction K46.0
- - femoral -*see* Hernia, femoral
- - incisional -*see* Hernia, incisional
- - inguinal -*see* Hernia, inguinal
- - specified site NEC K45.8
- - - with
- - - - gangrene (and obstruction) K45.1
- - - - obstruction K45.0
- - umbilical -*see* Hernia, umbilical
- - wall -*see* Hernia, ventral
- appendix -*see* Hernia, abdomen
- bladder (mucosa) (sphincter)
- - congenital (female) (male) Q79.51
- - female -*see* Cystocele
- - male N32.89
- brain, congenital -*see* Encephalocele
- cartilage, vertebra -*see* Displacement, intervertebral disc
- cerebral, congenital -*see also* Encephalocele
- - endaural Q01.8
- ciliary body (traumatic) S05.2-
- colon -*see* Hernia, abdomen
- Cooper's -*see* Hernia, abdomen, specified site NEC
- crural -*see* Hernia, femoral
- diaphragm, diaphragmatic K44.9
- - with
- - - gangrene (and obstruction) K44.1
- - - obstruction K44.0
- - congenital Q79.0
- direct (inguinal) -*see* Hernia, inguinal
- diverticulum, intestine -*see* Hernia, abdomen
- double (inguinal) -*see* Hernia, inguinal, bilateral
- due to adhesions (with obstruction) K56.50
- epigastric -*see also* Hernia, ventral K43.9
- esophageal hiatus -*see* Hernia, hiatal
- external (inguinal) -*see* Hernia, inguinal
- fallopian tube N83.4-
- fascia M62.89
- femoral K41.90
- - with
- - - gangrene (and obstruction) K41.40
- - - - not specified as recurrent K41.40
- - - - recurrent K41.41
- - - obstruction K41.30
- - - - not specified as recurrent K41.30
- - - - recurrent K41.31
- - bilateral K41.20
- - - with
- - - - gangrene (and obstruction) K41.10
- - - - - not specified as recurrent K41.10
- - - - - recurrent K41.11
- - - - obstruction K41.00
- - - - - not specified as recurrent K41.00
- - - - - recurrent K41.01
- - - not specified as recurrent K41.20
- - - recurrent K41.21
- - unilateral K41.90
- - - with
- - - - gangrene (and obstruction) K41.40

- - - - - not specified as recurrent K41.40
- - - - - recurrent K41.41
- - - - obstruction K41.30
- - - - - not specified as recurrent K41.30
- - - - - recurrent K41.31
- - - not specified as recurrent K41.90
- - - recurrent K41.91
- - not specified as recurrent K41.90
- - recurrent K41.91
- foramen magnum G93.5
- - congenital Q01.8
- funicular (umbilical) -*see also* Hernia, umbilicus
- - spermatic (cord) -*see* Hernia, inguinal
- gastrointestinal tract -*see* Hernia, abdomen
- Hesselbach's -*see* Hernia, femoral, specified site NEC
- hiatal (esophageal) (sliding) K44.9
- - with
- - - gangrene (and obstruction) K44.1
- - - obstruction K44.0
- - congenital Q40.1
- hypogastric -*see* Hernia, ventral
- incarcerated -*see also* Hernia, by site, with obstruction
- - with gangrene -*see* Hernia, by site, with gangrene
- incisional K43.2
- - with
- - - gangrene (and obstruction) K43.1
- - - obstruction K43.0
- indirect (inguinal) -*see* Hernia, inguinal
- inguinal (direct) (external) (funicular) (indirect) (internal) (oblique) (scrotal) (sliding) K40.90
- - with
- - - gangrene (and obstruction) K40.40
- - - - not specified as recurrent K40.40
- - - - recurrent K40.41
- - - obstruction K40.30
- - - - not specified as recurrent K40.30
- - - - recurrent K40.31
- - not specified as recurrent K40.90
- - recurrent K40.91
- - bilateral K40.20
- - - with
- - - - gangrene (and obstruction) K40.10
- - - - - not specified as recurrent K40.10
- - - - - recurrent K40.11
- - - - obstruction K40.00
- - - - - not specified as recurrent K40.00
- - - - - recurrent K40.01
- - - not specified as recurrent K40.20
- - - recurrent K40.21
- - unilateral K40.90
- - - with
- - - - gangrene (and obstruction) K40.40
- - - - - not specified as recurrent K40.40
- - - - - recurrent K40.41
- - - - obstruction K40.30
- - - - - not specified as recurrent K40.30
- - - - - recurrent K40.31
- - - not specified as recurrent K40.90
- - - recurrent K40.91
- internal -*see also* Hernia, abdomen
- - inguinal -*see* Hernia, inguinal

- interstitial -*see* Hernia, abdomen
- intervertebral cartilage or disc -*see* Displacement, intervertebral disc
- intestine, intestinal -*see* Hernia, by site
- intra-abdominal -*see* Hernia, abdomen
- iris (traumatic) S05.2-
- irreducible -*see also* Hernia, by site, with obstruction
- - with gangrene -*see* Hernia, by site, with gangrene
- ischiatic -*see* Hernia, abdomen, specified site NEC
- ischiorectal -*see* Hernia, abdomen, specified site NEC
- lens (traumatic) S05.2-
- linea (alba) (semilunaris) -*see* Hernia, ventral
- Littre's -*see* Hernia, abdomen
- lumbar -*see* Hernia, abdomen, specified site NEC
- lung (subcutaneous) J98.4
- mediastinum J98.59
- mesenteric (internal) -*see* Hernia, abdomen
- midline -*see* Hernia, ventral
- muscle (sheath) M62.89
- nucleus pulposus -*see* Displacement, intervertebral disc
- oblique (inguinal) -*see* Hernia, inguinal
- obstructive -*see also* Hernia, by site, with obstruction
- - with gangrene -*see* Hernia, by site, with gangrene
- obturator -*see* Hernia, abdomen, specified site NEC
- omental -*see* Hernia, abdomen
- ovary N83.4-
- oviduct N83.4-
- paraesophageal -*see also* Hernia, diaphragm
- - congenital Q40.1
- parastomal K43.5
- - with
- - - gangrene (and obstruction) K43.4
- - - obstruction K43.3
- paraumbilical -*see* Hernia, umbilicus
- perineal -*see* Hernia, abdomen, specified site NEC
- Petit's -*see* Hernia, abdomen, specified site NEC
- postoperative -*see* Hernia, incisional
- pregnant uterus -*see* Abnormal, uterus in pregnancy or childbirth
- prevesical N32.89
- properitoneal -*see* Hernia, abdomen, specified site NEC
- pudendal -*see* Hernia, abdomen, specified site NEC
- rectovaginal N81.6
- retroperitoneal -*see* Hernia, abdomen, specified site NEC
- Richter's -*see* Hernia, abdomen, with obstruction
- Rieux's, Riex's -*see* Hernia, abdomen, specified site NEC
- sac condition (adhesion) (dropsy) (inflammation) (laceration) (suppuration) - code by site under Hernia
- sciatic -*see* Hernia, abdomen, specified site NEC
- scrotum, scrotal -*see* Hernia, inguinal
- sliding (inguinal) -*see also* Hernia, inguinal
- - hiatus -*see* Hernia, hiatal
- spigelian -*see* Hernia, ventral
- spinal -*see* Spina bifida
- strangulated -*see also* Hernia, by site, with obstruction
- - with gangrene -*see* Hernia, by site, with gangrene
- subxiphoid -*see* Hernia, ventral
- supra-umbilicus -*see* Hernia, ventral
- tendon -*see* Disorder, tendon, specified type NEC
- Treitz's (fossa) -*see* Hernia, abdomen, specified site NEC
- tunica vaginalis Q55.29
- umbilicus, umbilical K42.9
- - with

- - - gangrene (and obstruction) K42.1
- - - obstruction K42.0
- ureter N28.89
- urethra, congenital Q64.79
- urinary meatus, congenital Q64.79
- uterus N81.4
- - pregnant -*see* Abnormal, uterus in pregnancy or childbirth
- vaginal (anterior) (wall) -*see* Cystocele
- Velpeau's -*see* Hernia, femoral
- ventral K43.9
- - with
- - - gangrene (and obstruction) K43.7
- - - obstruction K43.6
- - recurrent -*see* Hernia, incisional
- - incisional K43.2
- - - with
- - - - gangrene (and obstruction) K43.1
- - - - obstruction K43.0
- - specified NEC K43.9
- - - with
- - - - gangrene (and obstruction) K43.7
- - - - obstruction K43.6
- vesical
- - congenital (female) (male) Q79.51
- - female -*see* Cystocele
- - male N32.89
- vitreous (into wound) S05.2-
- - into anterior chamber -*see* Prolapse, vitreous

Herniation -*see also* Hernia
- brain (stem) G93.5
- - nontraumatic G93.5
- - traumatic S06.A1
- - - cerebellar S06.A1
- - - subfalcine (cingulate) S06.A1
- - - tonsillar S06.A1
- - - transtentorial (central) (upward cerebellar) S06.A1
- - - uncal S06.A1
- cerebral G93.5
- - nontraumatic G93.5
- - traumatic S06.A1
- mediastinum J98.59
- nucleus pulposus -*see* Displacement, intervertebral disc

Herpangina B08.5

Herpes, herpesvirus, herpetic B00.9
- anogenital A60.9
- - perianal skin A60.1
- - rectum A60.1
- - urogenital tract A60.00
- - - cervix A60.03
- - - male genital organ NEC A60.02
- - - penis A60.01
- - - specified site NEC A60.09
- - - vagina A60.04
- - - vulva A60.04
- blepharitis (zoster) B02.39
- - simplex B00.59
- circinatus B35.4
- - bullosus L12.0
- conjunctivitis (simplex) B00.53
- - zoster B02.31

- cornea B02.33
- encephalitis B00.4
- - due to herpesvirus 6 B10.01
- - due to herpesvirus 7 B10.09
- - specified NEC B10.09
- eye (zoster) B02.30
- - simplex B00.50
- eyelid (zoster) B02.39
- - simplex B00.59
- facialis B00.1
- febrilis B00.1
- geniculate ganglionitis B02.21
- genital, genitalis A60.00
- - female A60.09
- - male A60.02
- gestational, gestationis O26.4-
- gingivostomatitis B00.2
- human B00.9
- - 1 -*see* Herpes, simplex
- - 2 -*see* Herpes, simplex
- - 3 -*see* Varicella
- - 4 -*see* Mononucleosis, Epstein-Barr (virus)
- - 5 -*see* Disease, cytomegalic inclusion (generalized)
- - 6
- - - encephalitis B10.01
- - - specified NEC B10.81
- - 7
- - - encephalitis B10.09
- - - specified NEC B10.82
- - 8 B10.89
- infection NEC B10.89
- - Kaposi's sarcoma associated B10.89
- iridocyclitis (simplex) B00.51
- - zoster B02.32
- iris (vesicular erythema multiforme) L51.9
- iritis (simplex) B00.51
- Kaposi's sarcoma associated B10.89
- keratitis (simplex) (dendritic) (disciform) (interstitial) B00.52
- - zoster (interstitial) B02.33
- keratoconjunctivitis (simplex) B00.52
- - zoster B02.33
- labialis B00.1
- lip B00.1
- meningitis (simplex) B00.3
- - zoster B02.1
- ophthalmicus (zoster) NEC B02.30
- - simplex B00.50
- penis A60.01
- perianal skin A60.1
- pharyngitis, pharyngotonsillitis B00.2
- rectum A60.1
- scrotum A60.02
- sepsis B00.7
- simplex B00.9
- - complicated NEC B00.89
- - congenital P35.2
- - conjunctivitis B00.53
- - external ear B00.1
- - eyelid B00.59
- - hepatitis B00.81

- - keratitis (interstitial) B00.52
- - myelitis B00.82
- - specified complication NEC B00.89
- - visceral B00.89
- stomatitis B00.2
- tonsurans B35.0
- visceral B00.89
- vulva A60.04
- whitlow B00.89
- zoster -*see also* condition B02.9
- - auricularis B02.21
- - complicated NEC B02.8
- - conjunctivitis B02.31
- - disseminated B02.7
- - encephalitis B02.0
- - eye (lid) B02.39
- - geniculate ganglionitis B02.21
- - keratitis (interstitial) B02.33
- - meningitis B02.1
- - myelitis B02.24
- - neuritis, neuralgia B02.29
- - ophthalmicus NEC B02.30
- - oticus B02.21
- - polyneuropathy B02.23
- - specified complication NEC B02.8
- - trigeminal neuralgia B02.22

Herpesvirus (human) -*see* Herpes

Herpetophobia F40.218

Herrick's anemia -*see* Disease, sickle-cell

Hers' disease E74.09

Herter-Gee syndrome K90.0

Herxheimer's reaction R68.89

Hesitancy
- of micturition R39.11
- urinary R39.11

Hesselbach's hernia -*see* Hernia, femoral, specified site NEC

Heterochromia (congenital) Q13.2
- cataract -*see* Cataract, complicated
- cyclitis (Fuchs) -*see* Cyclitis, Fuchs' heterochromic
- hair L67.1
- iritis -*see* Cyclitis, Fuchs' heterochromic
- retained metallic foreign body (nonmagnetic) -*see* Foreign body, intraocular, old, retained
- - magnetic -*see* Foreign body, intraocular, old, retained, magnetic
- uveitis -*see* Cyclitis, Fuchs' heterochromic

Heterophoria -*see* Strabismus, heterophoria

Heterophyes, heterophyiasis (small intestine) B66.8

Heterotopia, heterotopic -*see also* Malposition, congenital
- cerebralis Q04.8

Heterotropia -*see* Strabismus

Heubner-Herter disease K90.0

Hexadactylism Q69.9

HGSIL (cytology finding) (high grade squamous intraepithelial lesion on cytologic smear) (Pap smear finding)
- anus R85.613
- cervix R87.613
- - biopsy (histology) finding -*see* Neoplasia, intraepithelial, cervix, grade II or grade III
- vagina R87.623
- - biopsy (histology) finding -*see* Neoplasia, intraepithelial, vagina, grade II or grade III

Hibernoma -*see* Lipoma

Hiccup, hiccough R06.6
- epidemic B33.0

- psychogenic F45.8
Hidden penis (congenital) Q55.64
- acquired N48.83
Hidradenitis (axillaris) (suppurative) L73.2
Hidradenoma (nodular) -*see also* Neoplasm, skin, benign
- clear cell -*see* Neoplasm, skin, benign
- papillary -*see* Neoplasm, skin, benign
Hidrocystoma -*see* Neoplasm, skin, benign
High
- altitude effects T70.20
- - anoxia T70.29
- - on
- - - ears T70.0
- - - sinuses T70.1
- - polycythemia D75.1
- arch
- - foot Q66.7-
- - palate, congenital Q38.5
- arterial tension -*see* Hypertension
- basal metabolic rate R94.8
- blood pressure -*see also* Hypertension
- - borderline R03.0
- - reading (incidental) (isolated) (nonspecific), without diagnosis of hypertension R03.0
- cholesterol E78.00
- - with high triglycerides E78.2
- diaphragm (congenital) Q79.1
- expressed emotional level within family Z63.8
- head at term O32.4
- palate, congenital Q38.5
- risk
- - infant NEC Z76.2
- - sexual behavior (heterosexual) Z72.51
- - - bisexual Z72.53
- - - homosexual Z72.52
- scrotal testis, testes
- - bilateral Q53.23
- - unilateral Q53.13
- temperature (of unknown origin) R50.9
- thoracic rib Q76.6
- triglycerides E78.1
- - with high cholesterol E78.2
Hildenbrand's disease A75.0
Hilum -*see* condition
Hip -*see* condition
Hippel's disease Q85.83
Hippophobia F40.218
Hippus H57.09
Hirschsprung's disease or megacolon Q43.1
Hirsutism, hirsuties L68.0
Hirudiniasis
- external B88.3
- internal B83.4
Hiss-Russell dysentery A03.1
Histidinemia, histidinuria E70.41
Histiocytoma -*see also* Neoplasm, skin, benign
- fibrous -*see also* Neoplasm, skin, benign
- - atypical -*see* Neoplasm, connective tissue, uncertain behavior
- - malignant -*see* Neoplasm, connective tissue, malignant
Histiocytosis D76.3
- acute differentiated progressive C96.0

- Langerhans' cell NEC C96.6
- - multifocal X
- - - multisystemic (disseminated) C96.0
- - - unisystemic C96.5
- - pulmonary, adult (adult PLCH) J84.82
- - unifocal (X) C96.6
- lipid, lipoid D76.3
- - essential E75.29
- malignant C96.A
- mononuclear phagocytes NEC D76.1
- - Langerhans' cells C96.6
- non-Langerhans cell D76.3
- polyostotic sclerosing D76.3
- sinus, with massive lymphadenopathy D76.3
- syndrome NEC D76.3
- X NEC C96.6
- - acute (progressive) C96.0
- - chronic C96.6
- - multifocal C96.5
- - multisystemic C96.0
- - unifocal C96.6

Histoplasmosis B39.9
- with pneumonia NEC B39.2
- African B39.5
- American -*see* Histoplasmosis, capsulati
- capsulati B39.4
- - disseminated B39.3
- - generalized B39.3
- - pulmonary B39.2
- - - acute B39.0
- - - chronic B39.1
- Darling's B39.4
- duboisii B39.5
- lung NEC B39.2

History
- family (of) -*see also* History, personal (of)
- - adenomatous polyposis Z83.72
- - alcohol abuse Z81.1
- - allergy NEC Z84.89
- - anemia Z83.2
- - arthritis Z82.61
- - asthma Z82.5
- - blindness Z82.1
- - cardiac death (sudden) Z82.41
- - carrier of genetic disease Z84.81
- - chromosomal anomaly Z82.79
- - chronic
- - - disabling disease NEC Z82.8
- - - lower respiratory disease Z82.5
- - colonic polyps Z83.719
- - - adenomatous and serrated Z83.710
- - - hyperplastic Z83.711
- - - inflammatory Z83.718
- - - specified, NEC Z83.718
- - - tubular adenoma Z83.710
- - - tubulovillous adenoma Z83.710
- - - villous adenoma Z83.710
- - congenital malformations and deformations Z82.79
- - - polycystic kidney Z82.71
- - consanguinity Z84.3

- - deafness Z82.2
- - diabetes mellitus Z83.3
- - disability NEC Z82.8
- - disease or disorder (of)
- - - allergic NEC Z84.89
- - - behavioral NEC Z81.8
- - - blood and blood-forming organs Z83.2
- - - cardiovascular NEC Z82.49
- - - chronic disabling NEC Z82.8
- - - digestive Z83.79
- - - ear NEC Z83.52
- - - endocrine NEC Z83.49
- - - elevated lipoprotein (a) (Lp(a)) Z83.430
- - - eye NEC Z83.518
- - - - glaucoma Z83.511
- - - familial hypercholesterolemia Z83.42
- - - genitourinary NEC Z84.2
- - - glaucoma Z83.511
- - - hematological Z83.2
- - - immune mechanism Z83.2
- - - infectious NEC Z83.1
- - - ischemic heart Z82.49
- - - kidney Z84.1
- - - lipoprotein metabolism Z83.438
- - - mental NEC Z81.8
- - - metabolic Z83.49
- - - musculoskeletal NEC Z82.69
- - - neurological NEC Z82.0
- - - nutritional Z83.49
- - - parasitic NEC Z83.1
- - - psychiatric NEC Z81.8
- - - respiratory NEC Z83.6
- - - skin and subcutaneous tissue NEC Z84.0
- - - specified NEC Z84.89
- - drug abuse NEC Z81.3
- - elevated lipoprotein (a) (Lp(a)) Z83.430
- - epilepsy Z82.0
- - familial hypercholesterolemia Z83.42
- - genetic disease carrier Z84.81
- - glaucoma Z83.511
- - hearing loss Z82.2
- - human immunodeficiency virus (HIV) infection Z83.0
- - Huntington's chorea Z82.0
- - hyperlipidemia, familial combined Z83.438
- - intellectual disability Z81.0
- - leukemia Z80.6
- - lipidemia NEC Z83.438
- - malignant neoplasm (of) NOS Z80.9
- - - bladder Z80.52
- - - breast Z80.3
- - - bronchus Z80.1
- - - digestive organ Z80.0
- - - gastrointestinal tract Z80.0
- - - genital organ Z80.49
- - - - ovary Z80.41
- - - - prostate Z80.42
- - - - specified organ NEC Z80.49
- - - - testis Z80.43
- - - hematopoietic NEC Z80.7
- - - intrathoracic organ NEC Z80.2

- - - kidney Z80.51
- - - lung Z80.1
- - - lymphatic NEC Z80.7
- - - ovary Z80.41
- - - prostate Z80.42
- - - respiratory organ NEC Z80.2
- - - specified site NEC Z80.8
- - - testis Z80.43
- - - trachea Z80.1
- - - urinary organ or tract Z80.59
- - - - bladder Z80.52
- - - - kidney Z80.51
- - mental
- - - disorder NEC Z81.8
- - multiple endocrine neoplasia (MEN) syndrome Z83.41
- - osteoporosis Z82.62
- - polycystic kidney Z82.71
- - polyposis, adenomatous Z83.72
- - polyps (colon) -*see also* History, family, colonic polyps Z83.719
- - psychiatric disorder Z81.8
- - psychoactive substance abuse NEC Z81.3
- - respiratory condition NEC Z83.6
- - - asthma and other lower respiratory conditions Z82.5
- - self-harmful behavior Z81.8
- - SIDS (sudden infant death syndrome) Z84.82
- - skin condition Z84.0
- - specified condition NEC Z84.89
- - stroke (cerebrovascular) Z82.3
- - substance abuse NEC Z81.4
- - - alcohol Z81.1
- - - drug NEC Z81.3
- - - psychoactive NEC Z81.3
- - - tobacco Z81.2
- - sudden
- - - cardiac death Z82.41
- - - infant death syndrome (SIDS) Z84.82
- - tobacco abuse Z81.2
- - violence, violent behavior Z81.8
- - visual loss Z82.1
- personal (of) -*see also* History, family (of)
- - abuse
- - - adult Z91.419
- - - - financial Z91.413
- - - - forced labor or sexual exploitation Z91.42
- - - - intimate partner Z91.414
- - - - physical and sexual Z91.410
- - - - psychological Z91.411
- - - childhood Z62.819
- - - - financial Z62.814
- - - - forced labor or sexual exploitation in childhood Z62.813
- - - - intimate partner Z62.815
- - - - physical Z62.810
- - - - psychological Z62.811
- - - - sexual Z62.810
- - - in adolescence -*see* History, personal, abuse, childhood
- - alcohol dependence F10.21
- - allergy (to) Z88.9
- - - analgesic agent NEC Z88.6
- - - anesthetic Z88.4
- - - antibiotic agent NEC Z88.1

- - - anti-infective agent NEC Z88.3
- - - contrast media Z91.041
- - - drugs, medicaments and biological substances Z88.9
- - - - specified NEC Z88.8
- - - food Z91.018
- - - - additives Z91.02
- - - - beef Z91.014
- - - - eggs Z91.012
- - - - lamb Z91.014
- - - - mammalian meats Z91.014
- - - - milk products Z91.011
- - - - peanuts Z91.010
- - - - pork Z91.014
- - - - red meats Z91.014
- - - - seafood Z91.013
- - - - specified food NEC Z91.018
- - - insect Z91.038
- - - - bee Z91.030
- - - latex Z91.040
- - - medicinal agents Z88.9
- - - - specified NEC Z88.8
- - - narcotic agent NEC Z88.5
- - - nonmedicinal agents Z91.048
- - - penicillin Z88.0
- - - serum Z88.7
- - - specified NEC Z91.09
- - - sulfonamides Z88.2
- - - vaccine Z88.7
- - anaphylactic shock Z87.892
- - anaphylaxis Z87.892
- - behavioral disorders Z86.59
- - benign carcinoid tumor Z86.012
- - benign neoplasm Z86.018
- - - carcinoid Z86.012
- - - brain Z86.011
- - - colonic polyps -*see* History, personal, neoplasm, benign, colon polyp
- - brain injury (traumatic) Z87.820
- - breast implant removal Z98.86
- - calculi, renal Z87.442
- - cancer -*see* History, personal (of), malignant neoplasm (of)
- - cardiac arrest (death), suscessfully resuscitated Z86.74
- - CAR-T (Chimeric Antigen Receptor T-cell) therapy Z92.850
- - cellular therapy Z92.859
- - - specified NEC Z92.858
- - cerebral infarction without residual deficit Z86.73
- - certain (corrected) conditions arising in the perinatal period, specified NEC Z87.68
- - cervical dysplasia Z87.410
- - chemotherapy for neoplastic condition Z92.21
- - childhood abuse -*see* History, personal (of), abuse
- - Chimeric Antigen Receptor T-cell (CAR-T) therapy Z92.850
- - cleft lip (corrected) Z87.730
- - cleft palate (corrected) Z87.730
- - cloaca, persistent Z87.732
- - cloacal malformations Z87.732
- - collapsed vertebra (healed) Z87.311
- - - due to osteoporosis Z87.310
- - combat and operational stress reaction Z86.51
- - congenital malformation (corrected) Z87.798
- - - circulatory system (corrected) Z87.74
- - - diaphragmatic hernia Z87.760

- - - digestive system (corrected) NEC Z87.738
- - - ear (corrected) Z87.721
- - - eye (corrected) Z87.720
- - - face and neck (corrected) Z87.790
- - - gastroschisis Z87.761
- - - genitourinary system (corrected) NEC Z87.718
- - - heart (corrected) Z87.74
- - - integument (corrected) Z87.768
- - - limb(s) (corrected) Z87.768
- - - malformations
- - - - abdominal wall Z87.763
- - - - diaphragm NEC Z87.760
- - - - integument Z87.768
- - - - limbs Z87.768
- - - - musculoskeletal system Z87.768
- - - - prune belly Z87.762
- - - musculoskeletal system (corrected) Z87.768
- - - neck (corrected) Z87.790
- - - nervous system (corrected) NEC Z87.728
- - - respiratory system (corrected) Z87.75
- - - sense organs (corrected) NEC Z87.728
- - - specified NEC Z87.798
- - contraception Z92.0
- - coronavirus (disease) (novel) 2019 Z86.16
- - COVID-19 Z86.16
- - deployment (military) Z91.82
- - diabetic foot ulcer Z86.31
- - disease or disorder (of) Z87.898
- - - blood and blood-forming organs Z86.2
- - - circulatory system Z86.79
- - - - specified condition NEC Z86.79
- - - connective tissue NEC Z87.39
- - - digestive system Z87.19
- - - - colonic polyp -*see* History, personal, neoplasm, benign, colon polyp
- - - - peptic ulcer disease Z87.11
- - - - specified condition NEC Z87.19
- - - ear Z86.69
- - - endocrine Z86.39
- - - - diabetic foot ulcer Z86.31
- - - - gestational diabetes Z86.32
- - - - specified type NEC Z86.39
- - - eye Z86.69
- - - genital (track) system NEC
- - - - female Z87.42
- - - - male Z87.438
- - - hematological Z86.2
- - - Hodgkin Z85.71
- - - immune mechanism Z86.2
- - - infectious Z86.19
- - - - coronavirus (disease) (novel) 2019 Z86.16
- - - - COVID-19 Z86.16
- - - - malaria Z86.13
- - - - Methicillin resistant Staphylococcus aureus (MRSA) Z86.14
- - - - poliomyelitis Z86.12
- - - - SARS-CoV-2 Z86.16
- - - - specified NEC Z86.19
- - - - tuberculosis Z86.11
- - - mental NEC Z86.59
- - - metabolic Z86.39
- - - - diabetic foot ulcer Z86.31

- - - - gestational diabetes Z86.32
- - - - specified type NEC Z86.39
- - - musculoskeletal NEC Z87.39
- - - nervous system Z86.69
- - - nutritional Z86.39
- - - parasitic Z86.19
- - - respiratory system NEC Z87.09
- - - sense organs Z86.69
- - - skin Z87.2
- - - specified site or type NEC Z87.898
- - - subcutaneous tissue Z87.2
- - - trophoblastic Z87.59
- - - urinary system NEC Z87.448
- - drug dependence -*see* Dependence, drug, by type, in remission
- - drug therapy
- - - antineoplastic chemotherapy Z92.21
- - - estrogen Z92.23
- - - ICI (immune checkpoint inhibitor) drug therapy Z92.26
- - - immunosuppression Z92.25
- - - inhaled steroids Z92.240
- - - monoclonal drug Z92.22
- - - specified NEC Z92.29
- - - steroid Z92.241
- - - systemic steroids Z92.241
- - dysplasia
- - - cervical (mild) (moderate) Z87.410
- - - - severe (grade III) Z86.001
- - - prostatic Z87.430
- - - vaginal (mild) (moderate) Z87.411
- - - - severe (grade III) Z86.002
- - - vulvar (mild) (moderate) Z87.412
- - - - severe (grade III) Z86.002
- - embolism (venous) Z86.718
- - - pulmonary Z86.711
- - encephalitis Z86.61
- - estrogen therapy Z92.23
- - extracorporeal membrane oxygenation (ECMO) Z92.81
- - failed moderate sedation Z92.83
- - failed conscious sedation Z92.83
- - fall, falling Z91.81
- - forced labor or sexual exploitation Z91.42
- - - in childhood Z62.813
- - fracture (healed)
- - - fatigue Z87.312
- - - fragility Z87.310
- - - osteoporosis Z87.310
- - - pathological NEC Z87.311
- - - stress Z87.312
- - - traumatic Z87.81
- - gene therapy Z92.86
- - gestational diabetes Z86.32
- - hepatitis
- - - B Z86.19
- - - C Z86.19
- - Hodgkin disease Z85.71
- - hyperthermia, malignant Z88.4
- - hypospadias (corrected) Z87.710
- - hysterectomy Z90.710
- - ICI (immune checkpoint inhibitor) drug therapy Z92.26
- - immune checkpoint inhibitor (ICI) therapy Z92.26

- - immunosuppression therapy Z92.25
- - in situ neoplasm
- - - breast Z86.000
- - - cervix uteri Z86.001
- - - digestive organs, specified NEC Z86.004
- - - esophagus Z86.003
- - - genital organs, specified NEC Z86.002
- - - melanoma Z86.006
- - - middle ear Z86.005
- - - oral cavity Z86.003
- - - respiratory system Z86.005
- - - skin Z86.007
- - - specified NEC Z86.008
- - - stomach Z86.003
- - infection NEC Z86.19
- - - central nervous system Z86.61
- - - coronavirus (disease) (novel) 2019 Z86.16
- - - COVID-19 Z86.16
- - - latent tuberculosis Z86.15
- - - Methicillin resistant Staphylococcus aureus (MRSA) Z86.14
- - - SARS-CoV-2 Z86.16
- - - urinary (recurrent) (tract) Z87.440
- - injury NEC Z87.828
- - in utero procedure during pregnancy Z98.870
- - in utero procedure while a fetus Z98.871
- - irradiation Z92.3
- - kidney stones Z87.442
- - latent tuberculosis infection Z86.15
- - leukemia Z85.6
- - lymphoma (non-Hodgkin) Z85.72
- - malignant melanoma (skin) Z85.820
- - malignant neoplasm (of) Z85.9
- - - accessory sinuses Z85.22
- - - anus NEC Z85.048
- - - - carcinoid Z85.040
- - - bladder Z85.51
- - - bone Z85.830
- - - brain Z85.841
- - - breast Z85.3
- - - bronchus NEC Z85.118
- - - - carcinoid Z85.110
- - - carcinoid -*see* History, personal (of), malignant neoplasm, by site, carcinoid
- - - cervix Z85.41
- - - colon NEC Z85.038
- - - - carcinoid Z85.030
- - - digestive organ Z85.00
- - - - specified NEC Z85.09
- - - endocrine gland NEC Z85.858
- - - epididymis Z85.48
- - - esophagus Z85.01
- - - eye Z85.840
- - - gastrointestinal tract -*see* History, malignant neoplasm, digestive organ
- - - genital organ
- - - - female Z85.40
- - - - - specified NEC Z85.44
- - - - male Z85.45
- - - - - specified NEC Z85.49
- - - hematopoietic NEC Z85.79
- - - intrathoracic organ Z85.20
- - - kidney NEC Z85.528

- - - - carcinoid Z85.520
- - - large intestine NEC Z85.038
- - - - carcinoid Z85.030
- - - larynx Z85.21
- - - liver Z85.05
- - - lung NEC Z85.118
- - - - carcinoid Z85.110
- - - mediastinum Z85.29
- - - Merkel cell Z85.821
- - - middle ear Z85.22
- - - nasal cavities Z85.22
- - - nervous system NEC Z85.848
- - - oral cavity Z85.819
- - - - specified site NEC Z85.818
- - - ovary Z85.43
- - - pancreas Z85.07
- - - pharynx Z85.819
- - - - specified site NEC Z85.818
- - - pelvis Z85.53
- - - pleura Z85.29
- - - prostate Z85.46
- - - rectosigmoid junction NEC Z85.048
- - - - carcinoid Z85.040
- - - rectum NEC Z85.048
- - - - carcinoid Z85.040
- - - respiratory organ Z85.20
- - - sinuses, accessory Z85.22
- - - skin NEC Z85.828
- - - - melanoma Z85.820
- - - - Merkel cell Z85.821
- - - small intestine NEC Z85.068
- - - - carcinoid Z85.060
- - - soft tissue Z85.831
- - - specified site NEC Z85.89
- - - stomach NEC Z85.028
- - - - carcinoid Z85.020
- - - testis Z85.47
- - - thymus NEC Z85.238
- - - - carcinoid Z85.230
- - - thyroid Z85.850
- - - tongue Z85.810
- - - trachea Z85.12
- - - ureter Z85.54
- - - urinary organ or tract Z85.50
- - - - specified NEC Z85.59
- - - uterus Z85.42
- - maltreatment Z91.89
- - medical treatment NEC Z92.89
- - melanoma Z85.820
- - - in situ Z86.006
- - - malignant (skin) Z85.820
- - meningitis Z86.61
- - mental disorder Z86.59
- - Merkel cell carcinoma (skin) Z85.821
- - Methicillin resistant Staphylococcus aureus (MRSA) Z86.14
- - military deployment Z91.82
- - military service Z91.85
- - military war, peacekeeping and humanitarian deployment (current or past conflict) Z91.82
- - myocardial infarction (old) I25.2
- - necrotizing enterocolitis of newborn (corrected) Z87.61

- - neglect (in)
- - - adult Z91.412
- - - childhood Z62.812
- - neoplasia
- - - anal intraepithelial, III [AIN III] Z86.004
- - - high-grade prostatic intraepithelial, III [HGPIN III] Z86.002
- - - vaginal intraepithelial, III [VAIN III] Z86.002
- - - vulvar intraepithelial, III [VIN III] Z86.002
- - neoplasm
- - - benign Z86.018
- - - - brain Z86.011
- - - - colon polyp Z86.0100
- - - - - adenomatous (sessile) Z86.0101
- - - - - hyperplastic Z86.0102
- - - - - serrated (sessile) Z86.0101
- - - - - specified NEC Z86.0109
- - - - - traditional serrated adenoma Z86.0101
- - - - - tubular adenoma Z86.0101
- - - - - tubulovillous adenoma Z86.0101
- - - - - villous adenoma Z86.0101
- - - in situ
- - - - breast Z86.000
- - - - cervix uteri Z86.001
- - - - digestive organs, specified NEC Z86.004
- - - - esophagus Z86.003
- - - - genital organs, specified NEC Z86.002
- - - - melanoma Z86.006
- - - - middle ear Z86.005
- - - - oral cavity Z86.003
- - - - respiratory system Z86.005
- - - - skin Z86.007
- - - - specified NEC Z86.008
- - - - stomach Z86.003
- - - malignant -*see* History of, malignant neoplasm
- - - uncertain behavior Z86.03
- - nephrotic syndrome Z87.441
- - nicotine dependence Z87.891
- - noncompliance with medical treatment or regimen -*see* Noncompliance
- - nutritional deficiency Z86.39
- - obstetric complications Z87.59
- - - childbirth Z87.59
- - - pregnancy Z87.59
- - - pre-term labor Z87.51
- - - puerperium Z87.59
- - osteoporosis fractures Z87.31
- - parasuicide (attempt) Z91.51
- - physical trauma NEC Z87.828
- - - self-harm or suicide attempt Z91.51
- - poisoning NEC Z91.89
- - - self-harm or suicide attempt Z91.51
- - poor personal hygiene Z91.89
- - pneumonia (recurrent) Z87.01
- - preterm labor Z87.51
- - prolonged reversible ischemic neurologic deficit (PRIND) Z86.73
- - procedure during pregnancy Z98.870
- - procedure while a fetus Z98.871
- - prostatic dysplasia Z87.430
- - psychological
- - - abuse
- - - - adult Z91.411

- - - - child Z62.811
- - - trauma, specified NEC Z91.49
- - radiation therapy Z92.3
- - removal
- - - implant
- - - - breast Z98.86
- - renal calculi Z87.442
- - respiratory condition NEC Z87.09
- - retained foreign body fully removed Z87.821
- - risk factors NEC Z91.89
- - SARS-CoV-2 infection Z86.16
- - self-harm
- - - nonsuicidal Z91.52
- - - suicidal Z91.51
- - self-inflicted injury without suicidal intent Z91.52
- - self-injury
- - - nonsuicidal Z91.52
- - self-mutilation Z91.52
- - self-poisoning attempt Z91.51
- - sex reassignment Z87.890
- - sleep-wake cycle problem Z72.821
- - specified NEC Z87.898
- - steroid therapy (systemic) Z92.241
- - - inhaled Z92.240
- - stroke without residual deficits Z86.73
- - substance abuse NEC F10-F19
- - sudden cardiac arrest Z86.74
- - sudden cardiac death successfully resuscitated Z86.74
- - suicidal behavior Z91.51
- - suicide attempt Z91.51
- - surgery NEC Z98.890
- - - with uterine scar Z98.891
- - - sex reassignment Z87.890
- - - transplant *-see* Transplant
- - thrombophlebitis Z86.72
- - thrombosis (venous) Z86.718
- - - pulmonary Z86.711
- - tobacco dependence Z87.891
- - tracheoesophageal
- - - atresia Z87.731
- - - fistula Z87.731
- - transient ischemic attack (TIA) without residual deficits Z86.73
- - trauma (physical) NEC Z87.828
- - - psychological NEC Z91.49
- - - self-harm Z91.51
- - traumatic brain injury Z87.820
- - tuberculosis, latent infection Z86.15
- - unhealthy sleep-wake cycle Z72.821
- - unintended awareness under general anesthesia Z92.84
- - urinary calculi Z87.442
- - urinary (recurrent) (tract) infection(s) Z87.440
- - uterine scar from previous surgery Z98.891
- - vaginal dysplasia Z87.411
- - venous thrombosis or embolism Z86.718
- - - pulmonary Z86.711
- - vulvar dysplasia Z87.412

His-Werner disease A79.0

HIV *-see also* Human, immunodeficiency virus B20
- laboratory evidence (nonconclusive) R75
- positive, seropositive Z21

- nonconclusive test (in infants) R75
Hives (bold) -*see* Urticaria
Hoarseness R49.0
Hobo Z59.00
Hodgkin disease -*see* Lymphoma, Hodgkin
Hodgson's -*see also* Aneurysm, aorta, thorax I71.20
- ruptured -*see also* Aneurysm, aorta, thorax, ruptured I71.10
Hoffa-Kastert disease E88.89
Hoffa's disease E88.89
Hoffmann-Bouveret syndrome I47.9
Hoffmann's syndrome E03.9 *[G73.7]*
Hole (round)
- macula H35.34-
- retina (without detachment) -*see* Break, retina, round hole
- - with detachment -*see* Detachment, retina, with retinal, break
Holiday relief care Z75.5
Hollenhorst's plaque -*see* Occlusion, artery, retina
Hollow foot (congenital) Q66.7-
- acquired -*see* Deformity, limb, foot, specified NEC
Holoprosencephaly Q04.2
Holt-Oram syndrome Q87.2
Homelessness Z59.00
- sheltered Z59.01
- unsheltered Z59.02
Homesickness -*see* Disorder, adjustment
Homocysteinemia R79.83
Homocystinemia R79.83
Homocystinuria E72.11
Homogentisate 1,2-dioxygenase deficiency E70.29
Homologous serum hepatitis (prophylactic) (therapeutic) -*see* Hepatitis, viral, type B
Honeycomb lung J98.4
- congenital Q33.0
Hooded
- clitoris Q52.6
- penis Q55.69
Hookworm (disease) (infection) (infestation) B76.9
- with anemia B76.9 *[D63.8]*
- specified NEC B76.8
Hordeolum (eyelid) (externum) (recurrent) H00.019
- internum H00.029
- - left H00.026
- - - lower H00.025
- - - upper H00.024
- - right H00.023
- - - lower H00.022
- - - upper H00.021
- left H00.016
- - lower H00.015
- - upper H00.014
- right H00.013
- - lower H00.012
- - upper H00.011
Horn
- cutaneous L85.8
- nail L60.2
- - congenital Q84.6
Horner (-Claude Bernard) syndrome G90.2
- traumatic -*see* Injury, nerve, cervical sympathetic
Horseshoe kidney (congenital) Q63.1
Horton's headache or neuralgia G44.099

- intractable G44.091
- not intractable G44.099
Hospital hopper syndrome -*see* Disorder, factitious
Hospitalism in children -*see* Disorder, adjustment
Hostility R45.5
- towards child Z62.3
Hot flashes
- menopausal N95.1
Hourglass (contracture) -*see also* Contraction, hourglass
- stomach K31.89
- - congenital Q40.2
- - stricture K31.2
Household, housing circumstance affecting care Z59.9
- specified NEC Z59.89
Housemaid's knee -*see* Bursitis, prepatellar
HSCT-TMA (hematopoietic stem cell transplantation-associated thrombotic microangiopathy) M31.11
Hudson (-Stähli) line (cornea) -*see* Pigmentation, cornea, anterior
Human
- bite (open wound) -*see also* Bite
- - intact skin surface -*see* Bite, superficial
- herpesvirus -*see* Herpes
- immunodeficiency virus (HIV) disease (infection) B20
- - asymptomatic status Z21
- - contact Z20.6
- - counseling Z71.7
- - dementia -*see also* Dementia, in, diseases specified elsewhere B20 *[F02.80]*
- - - with behavioral disturbance -*see also* Dementia, in, diseases specified elsewhere B20 *[F02.81-]*
- - exposure to Z20.6
- - laboratory evidence R75
- - type-2 (HIV 2) as cause of disease classified elsewhere B97.35
- papillomavirus (HPV)
- - DNA test positive
- - - high risk
- - - - cervix R87.810
- - - - vagina R87.811
- - - low risk
- - - - cervix R87.820
- - - - vagina R87.821
- - screening for Z11.51
- T-cell lymphotropic virus
- - type-1 (HTLV-I) infection B33.3
- - - as cause of disease classified elsewhere B97.33
- - - carrier Z22.6
- - type-2 (HTLV-II) as cause of disease classified elsewhere B97.34
Humidifier lung or pneumonitis J67.7
Humiliation (experience) in childhood Z62.898
Humpback (acquired) -*see* Kyphosis
Hunchback (acquired) -*see* Kyphosis
Hunger T73.0
- air, psychogenic F45.8
Hungry bone syndrome E83.81
Hunner's ulcer -*see* Cystitis, chronic, interstitial
Hunter's
- glossitis D51.0
- syndrome E76.1
Huntington's disease or chorea G10
- with dementia -*see also* Dementia, in, diseases specified elsewhere G10 *[F02.80]*
- - with behavioral disturbance -*see also* Dementia, in, diseases specified elsewhere G10 *[F02.81-]*
Hunt's
- disease or syndrome (herpetic geniculate ganglionitis) B02.21

- - dyssynergia cerebellaris myoclonica G11.19
- neuralgia B02.21
Hurler (-Scheie) disease or syndrome E76.02
Hurst's disease G36.1
Hurthle cell
- adenocarcinoma C73
- adenoma D34
- carcinoma C73
- tumor D34
Hutchinson-Boeck disease or syndrome *-see* Sarcoidosis
Hutchinson-Gilford disease or syndrome E34.8
Hutchinson's
- disease, meaning
- - angioma serpiginosum L81.7
- - pompholyx (cheiropompholyx) L30.1
- - prurigo estivalis L56.4
- - summer eruption or summer prurigo L56.4
- melanotic freckle *-see* Melanoma, in situ
- - malignant melanoma in *-see* Melanoma
- teeth or incisors (congenital syphilis) A50.52
- triad (congenital syphilis) A50.53
Hyalin plaque, sclera, senile H15.89
Hyaline membrane (disease) (lung) (pulmonary) (newborn) P22.0
Hyalinosis
- cutis (et mucosae) E78.89
- focal and segmental (glomerular) *-see also* N00-N07 with fourth character .1 N05.1
Hyalitis, hyalosis, asteroid *-see also* Deposit, crystalline
- syphilitic (late) A52.71
Hydatid
- cyst or tumor *-see* Echinococcus
- mole *-see* Hydatidiform mole
- Morgagni
- - female Q50.5
- - male (epididymal) Q55.4
- - - testicular Q55.29
Hydatidiform mole (benign) (complicating pregnancy) (delivered) (undelivered) O01.9
- classical O01.0
- complete O01.0
- incomplete O01.1
- invasive D39.2
- malignant D39.2
- partial O01.1
Hydatidosis *-see* Echinococcus
Hydradenitis (axillaris) (suppurative) L73.2
Hydradenoma *-see* Hidradenoma
Hydramnios O40.-
Hydrancephaly, hydranencephaly Q04.3
- with spina bifida *-see* Spina bifida, with hydrocephalus
Hydrargyrism NEC *-see* Poisoning, mercury
Hydrarthrosis *-see also* Effusion, joint
- gonococcal A54.42
- intermittent M12.40
- - ankle M12.47-
- - elbow M12.42-
- - foot joint M12.47-
- - hand joint M12.44-
- - hip M12.45-
- - knee M12.46-
- - multiple site M12.49
- - shoulder M12.41-

- - specified joint NEC M12.48
- - wrist M12.43-
- of yaws (early) (late) -*see also* subcategory M14.8- A66.6
- syphilitic (late) A52.77
- - congenital A50.55 *[M12.80]*

Hydremia D64.89

Hydrencephalocele (congenital) -*see* Encephalocele

Hydrencephalomeningocele (congenital) -*see* Encephalocele

Hydroa R23.8
- aestivale L56.4
- vacciniforme L56.4

Hydroadenitis (axillaris) (suppurative) L73.2

Hydrocalycosis -*see* Hydronephrosis

Hydrocele (spermatic cord) (testis) (tunica vaginalis) N43.3
- canal of Nuck N94.89
- communicating N43.2
- - congenital P83.5
- congenital P83.5
- encysted N43.0
- female NEC N94.89
- infected N43.1
- newborn P83.5
- round ligament N94.89
- specified NEC N43.2
- spinalis -*see* Spina bifida
- vulva N90.89

Hydrocephalus (acquired) (external) (internal) (malignant) (recurrent) G91.9
- aqueduct Sylvius stricture Q03.0
- causing disproportion O33.6
- - with obstructed labor O66.3
- communicating G91.0
- congenital (external) (internal) Q03.9
- - with spina bifida Q05.4
- - - cervical Q05.0
- - - dorsal Q05.1
- - - lumbar Q05.2
- - - lumbosacral Q05.2
- - - sacral Q05.3
- - - thoracic Q05.1
- - - thoracolumbar Q05.1
- - specified NEC Q03.8
- due to toxoplasmosis (congenital) P37.1
- foramen Magendie block (acquired) G91.1
- - congenital -*see also* Hydrocephalus, congenital Q03.1
- in (due to)
- - infectious disease NEC B89 *[G91.4]*
- - neoplastic disease NEC (see also Neoplasm) G91.4
- - parasitic disease B89 *[G91.4]*
- newborn Q03.9
- - with spina bifida -*see* Spina bifida, with hydrocephalus
- noncommunicating G91.1
- normal pressure G91.2
- - secondary G91.0
- obstructive G91.1
- otitic G93.2
- post-traumatic NEC G91.3
- secondary G91.4
- - post-traumatic G91.3
- specified NEC G91.8
- syphilitic, congenital A50.49

Hydrocolpos (congenital) N89.8
Hydrocystoma -*see* Neoplasm, skin, benign
Hydroencephalocele (congenital) -*see* Encephalocele
Hydroencephalomeningocele (congenital) -*see* Encephalocele
Hydrohematopneumothorax -*see* Hemothorax
Hydromeningitis -*see* Meningitis
Hydromeningocele (spinal) -*see also* Spina bifida
- cranial -*see* Encephalocele
Hydrometra N85.8
Hydrometrocolpos N89.8
Hydromicrocephaly Q02
Hydromphalos (since birth) Q45.8
Hydromyelia Q06.4
Hydromyelocele -*see* Spina bifida
Hydronephrosis (atrophic) (early) (functionless) (intermittent) (primary) (secondary) NEC N13.30
- with
- - infection N13.6
- - obstruction (by) (of)
- - - renal calculus N13.2
- - - - with infection N13.6
- - - ureteral NEC N13.1
- - - - with infection N13.6
- - - - calculus N13.2
- - - - - with infection N13.6
- - - ureteropelvic junction (congenital) Q62.11
- - - - acquired N13.0
- - - - - with infection N13.6
- - ureteral stricture NEC N13.1
- - - with infection N13.6
- congenital Q62.0
- - due to acquired occlusion of ureteropelvic junction N13.0
- specified type NEC N13.39
- tuberculous A18.11
Hydropericarditis -*see* Pericarditis
Hydropericardium -*see* Pericarditis
Hydroperitoneum R18.8
Hydrophobia -*see* Rabies
Hydrophthalmos Q15.0
Hydropneumohemothorax -*see* Hemothorax
Hydropneumopericarditis -*see* Pericarditis
Hydropneumopericardium -*see* Pericarditis
Hydropneumothorax J94.8
- traumatic -*see* Injury, intrathoracic, lung
- tuberculous NEC A15.6
Hydrops R60.9
- abdominis R18.8
- articulorum intermittens -*see* Hydrarthrosis, intermittent
- cardiac -*see* Failure, heart, congestive
- causing obstructed labor (mother) O66.3
- endolymphatic H81.0-
- fetal -*see* Pregnancy, complicated by, hydrops, fetalis
- fetalis P83.2
- - due to
- - - ABO isoimmunization P56.0
- - - alpha thalassemia D56.0
- - - hemolytic disease P56.90
- - - - specified NEC P56.99
- - - isoimmunization (ABO) (Rh) P56.0
- - - other specified nonhemolytic disease NEC P83.2
- - - Rh incompatibility P56.0

- - during pregnancy -*see* Pregnancy, complicated by, hydrops, fetalis
- gallbladder K82.1
- joint -*see* Effusion, joint
- labyrinth H81.0-
- newborn (idiopathic) P83.2
- - due to
- - - ABO isoimmunization P56.0
- - - alpha thalassemia D56.0
- - - hemolytic disease P56.90
- - - - specified NEC P56.99
- - - isoimmunization (ABO) (Rh) P56.0
- - - Rh incompatibility P56.0
- nutritional -*see* Malnutrition, severe
- pericardium -*see* Pericarditis
- pleura -*see* Hydrothorax
- spermatic cord -*see* Hydrocele

Hydropyonephrosis N13.6

Hydrorachis Q06.4

Hydrorrhea (nasal) J34.89
- pregnancy -*see* Rupture, membranes, premature

Hydrosadenitis (axillaris) (suppurative) L73.2

Hydrosalpinx (fallopian tube) (follicularis) N70.11

Hydrothorax (double) (pleura) J94.8
- chylous (nonfilarial) I89.8
- - filarial -*see also* Infestation, filarial B74.9 *[J91.8]*
- traumatic -*see* Injury, intrathoracic
- tuberculous NEC (non primary) A15.6

Hydroureter -*see also* Hydronephrosis N13.4
- with infection N13.6
- congenital Q62.39

Hydroureteronephrosis -*see* Hydronephrosis

Hydrourethra N36.8

Hydroxykynureninuria E70.89

Hydroxylysinemia E72.3

Hydroxyprolinemia E72.59

Hygiene, sleep
- abuse Z72.821
- inadequate Z72.821
- poor Z72.821

Hygroma (congenital) (cystic) D18.1
- praepatellare, prepatellar -*see* Bursitis, prepatellar
- subdural -*see* Leak, cerebrospinal fluid

Hymen -*see* condition

Hymenolepis, hymenolepiasis (diminuta) (infection) (infestation) (nana) B71.0

Hypalgesia R20.8

Hyperacidity (gastric) K31.89
- psychogenic F45.8

Hyperactive, hyperactivity F90.9
- basal cell, uterine cervix -*see* Dysplasia, cervix
- bowel sounds R19.12
- cervix epithelial (basal) -*see* Dysplasia, cervix
- child F90.9
- - attention deficit -*see* Disorder, attention-deficit hyperactivity
- detrusor muscle N32.81
- gastrointestinal K31.89
- - psychogenic F45.8
- nasal mucous membrane J34.3
- stomach K31.89
- thyroid (gland) -*see* Hyperthyroidism

Hyperacusis H93.23-

Hyperadrenalism E27.5
Hyperadrenocorticism E24.9
- congenital E25.0
- iatrogenic E24.2
- - correct substance properly administered -*see* Table of Drugs and Chemicals, by drug, adverse effect
- - overdose or wrong substance given or taken -*see* Table of Drugs and Chemicals, by drug, poisoning
- not associated with Cushing's syndrome E27.0
- pituitary-dependent E24.0
Hyperaldosteronism E26.9
- familial (type I) E26.02
- glucocorticoid-remediable E26.02
- primary (due to (bilateral) adrenal hyperplasia) E26.09
- primary NEC E26.09
- secondary E26.1
- specified NEC E26.89
Hyperalgesia R20.8
Hyperalimentation R63.2
- carotene, carotin E67.1
- specified NEC E67.8
- vitamin
- - A E67.0
- - D E67.3
Hyperaminoaciduria
- arginine E72.21
- cystine E72.01
- lysine E72.3
- ornithine E72.4
Hyperammonemia (congenital) E72.20
Hyperazotemia -*see* Uremia
Hyperbetalipoproteinemia (familial) E78.00
- with prebetalipoproteinemia E78.2
Hyperbicarbonatemia P74.41
Hyperbilirubinemia
- constitutional E80.6
- familial conjugated E80.6
- neonatal (transient) -*see* Jaundice, newborn
Hypercalcemia, hypocalciuric, familial E83.52
Hypercalciuria, idiopathic R82.994
Hypercapnia R06.89
- newborn P84
Hypercarotenemia (dietary) E67.1
Hypercementosis K03.4
Hyperchloremia E87.8
Hyperchlorhydria K31.89
- neurotic F45.8
- psychogenic F45.8
Hypercholesterinemia -*see* Hypercholesterolemia
Hypercholesterolemia (essential) (primary) (pure) E78.00
- with hyperglyceridemia, endogenous E78.2
- dietary counseling and surveillance Z71.3
- familial E78.01
- hereditary E78.01
Hyperchylia gastrica, psychogenic F45.8
Hyperchylomicronemia (familial) (primary) E78.3
- with hyperbetalipoproteinemia E78.3
Hypercoagulable (state) D68.59
- activated protein C resistance D68.51
- antithrombin (III) deficiency D68.59
- factor V Leiden mutation D68.51
- primary NEC D68.59

- protein C deficiency D68.59
- protein S deficiency D68.59
- prothrombin gene mutation D68.52
- secondary D68.69
- specified NEC D68.69

Hypercoagulation (state) D68.59
Hypercorticalism, pituitary-dependent E24.0
Hypercorticosolism -*see* Cushing's, syndrome
Hypercorticosteronism E24.2
- correct substance properly administered -*see* Table of Drugs and Chemicals, by drug, adverse effect
- overdose or wrong substance given or taken -*see* Table of Drugs and Chemicals, by drug, poisoning

Hypercortisonism E24.2
- correct substance properly administered -*see* Table of Drugs and Chemicals, by drug, adverse effect
- overdose or wrong substance given or taken -*see* Table of Drugs and Chemicals, by drug, poisoning

Hyperekplexia Q89.8
Hyperelectrolytemia E87.8
Hyperemesis R11.10
- with nausea R11.2
- gravidarum (mild) O21.0
- - with
- - - carbohydrate depletion O21.1
- - - dehydration O21.1
- - - electrolyte imbalance O21.1
- - - metabolic disturbance O21.1
- - severe (with metabolic disturbance) O21.1
- projectile R11.12
- psychogenic F45.8

Hyperemia (acute) (passive) R68.89
- anal mucosa K62.89
- bladder N32.89
- cerebral I67.89
- conjunctiva H11.43-
- ear internal, acute -see subcategory H83.0
- enteric K59.89
- eye -*see* Hyperemia, conjunctiva
- eyelid (active) (passive) -*see* Disorder, eyelid, specified type NEC
- intestine K59.89
- iris -*see* Disorder, iris, vascular
- kidney N28.89
- labyrinth -see subcategory H83.0
- liver (active) K76.89
- lung (passive) -*see* Edema, lung
- pulmonary (passive) -*see* Edema, lung
- renal N28.89
- retina H35.89
- stomach K31.89

Hyperesthesia (body surface) R20.3
- larynx (reflex) J38.7
- - hysterical F44.89
- pharynx (reflex) J39.2
- - hysterical F44.89

Hyperestrogenism (drug-induced) (iatrogenic) E28.0
Hyperexplexia Q89.8
Hyperfibrinolysis -*see* Fibrinolysis
Hyperfructosemia E74.19
Hyperfunction
- adrenal cortex, not associated with Cushing's syndrome E27.0
- - medulla E27.5
- - - adrenomedullary E27.5
- - virilism E25.9

- - - congenital E25.0
- ovarian E28.8
- pancreas K86.89
- parathyroid (gland) E21.3
- pituitary (gland) (anterior) E22.9
- - specified NEC E22.8
- polyglandular E31.1
- testicular E29.0
Hypergammaglobulinemia D89.2
- polyclonal D89.0
- Waldenström D89.0
Hypergastrinemia E16.4
Hyperglobulinemia R77.1
Hyperglycemia, hyperglycemic (transient) R73.9
- coma -*see* Diabetes, by type, with coma
- postpancreatectomy E89.1
Hyperglyceridemia (endogenous) (essential) (familial) (hereditary) (pure) E78.1
- mixed E78.3
Hyperglycinemia (non-ketotic) E72.51
Hypergonadism
- ovarian E28.8
- testicular (primary) (infantile) E29.0
Hyperheparinemia D68.32
Hyperhidrosis, hyperidrosis R61
- focal
- - primary L74.519
- - - axilla L74.510
- - - face L74.511
- - - palms L74.512
- - - soles L74.513
- - secondary L74.52
- generalized R61
- localized
- - primary L74.519
- - - axilla L74.510
- - - face L74.511
- - - palms L74.512
- - - soles L74.513
- - secondary L74.52
- psychogenic F45.8
- secondary R61
- - focal L74.52
Hyperhistidinemia E70.41
Hyperhomocysteinemia E72.11
Hyperhydroxyprolinemia E72.59
Hyperinsulinism (functional) E16.1
- with
- - coma (hypoglycemic) E15
- - encephalopathy E16.1 *[G94]*
- ectopic E16.1
- therapeutic misadventure (from administration of insulin) -see subcategory T38.3
Hyperkalemia E87.5
Hyperkeratosis -*see also* Keratosis L85.9
- cervix N88.0
- due to yaws (early) (late) (palmar or plantar) A66.3
- follicularis Q82.8
- - penetrans (in cutem) L87.0
- palmoplantaris climacterica L85.1
- pinta A67.1
- senile (with pruritus) L57.0

- universalis congenita Q80.8
- vocal cord J38.3
- vulva N90.4

Hyperkinesia, hyperkinetic (disease) (reaction) (syndrome) (childhood) (adolescence) -*see also* Disorder, attention-deficit hyperactivity
- heart I51.89

Hyperleucine-isoleucinemia E71.19

Hyperlipemia, hyperlipidemia E78.5
- combined E78.2
- - familial E78.49
- group
- - A E78.00
- - B E78.1
- - C E78.2
- - D E78.3
- mixed E78.2
- specified NEC E78.49

Hyperlipidosis E75.6
- hereditary NEC E75.5

Hyperlipoproteinemia E78.5
- Fredrickson's type
- - I E78.3
- - IIa E78.00
- - IIb E78.2
- - III E78.2
- - IV E78.1
- - V E78.3
- low-density-lipoprotein-type (LDL) E78.00
- very-low-density-lipoprotein-type (VLDL) E78.1

Hyperlucent lung, unilateral J43.0

Hyperlysinemia E72.3

Hypermagnesemia E83.41
- neonatal P71.8

Hypermenorrhea N92.0

Hypermethioninemia E72.19

Hypermetropia (congenital) H52.0-

Hypermobility, hypermotility
- cecum -*see* Syndrome, irritable bowel
- coccyx -see subcategory M53.2
- colon -*see* Syndrome, irritable bowel
- - psychogenic F45.8
- ileum K58.9
- intestine -*see also* Syndrome, irritable bowel K58.9
- - psychogenic F45.8
- meniscus (knee) -*see* Derangement, knee, meniscus
- scapula -*see* Instability, joint, shoulder
- stomach K31.89
- - psychogenic F45.8
- syndrome M35.7
- urethra N36.41
- - with intrinsic sphincter deficiency N36.43

Hypernasality R49.21

Hypernatremia E87.0

Hypernephroma C64.-

Hyperopia -*see* Hypermetropia

Hyperorexia nervosa F50.2-

Hyperornithinemia E72.4

Hyperosmia R43.1

Hyperosmolality (see also, Diabetes, by type, with hyperosmolarity) E87.0

Hyperostosis (monomelic) -*see also* Disorder, bone, density and structure, specified NEC

- ankylosing (spine) M48.10
- - cervical region M48.12
- - cervicothoracic region M48.13
- - lumbar region M48.16
- - lumbosacral region M48.17
- - multiple sites M48.19
- - occipito-atlanto-axial region M48.11
- - sacrococcygeal region M48.18
- - thoracic region M48.14
- - thoracolumbar region M48.15
- cortical (skull) M85.2
- - infantile M89.8X-
- frontal, internal of skull M85.2
- interna frontalis M85.2
- skeletal, diffuse idiopathic -*see* Hyperostosis, ankylosing
- skull M85.2
- - congenital Q75.8
- vertebral, ankylosing -*see* Hyperostosis, ankylosing

Hyperovarism E28.8

Hyperoxaluria R82.992
- primary E72.53

Hyperparathyroidism E21.3
- primary E21.0
- secondary (renal) N25.81
- - non-renal E21.1
- specified NEC E21.2
- tertiary E21.2

Hyperpathia R20.8

Hyperperistalsis R19.2
- psychogenic F45.8

Hyperpermeability, capillary I78.8

Hyperphagia R63.2

Hyperphenylalaninemia NEC E70.1

Hyperphoria (alternating) H50.53

Hyperphosphatemia E83.39

Hyperpiesis, hyperpiesia -*see* Hypertension

Hyperpigmentation -*see also* Pigmentation
- melanin NEC L81.4
- postinflammatory L81.0

Hyperpinealism E34.8

Hyperpituitarism E22.9

Hyperplasia, hyperplastic
- adenoids J35.2
- adrenal (capsule) (cortex) (gland) E27.8
- - with
- - - sexual precocity (male) E25.9
- - - - congenital E25.0
- - - virilism, adrenal E25.9
- - - - congenital E25.0
- - - virilization (female) E25.9
- - - - congenital E25.0
- - congenital E25.0
- - - salt-losing E25.0
- adrenomedullary E27.5
- angiolymphoid, eosinophilia (ALHE) D18.01
- appendix (lymphoid) K38.0
- artery, fibromuscular I77.3
- bone -*see also* Hypertrophy, bone
- - marrow D75.89
- breast -*see also* Hypertrophy, breast

- - atypical, atypia N60.9-
- - - ductal N60.9-
- - - lobular N60.9-
- C-cell, thyroid E07.0
- cementation (tooth) (teeth) K03.4
- cervical gland R59.0
- cervix (uteri) (basal cell) (endometrium) (polypoid) -*see also* Dysplasia, cervix
- - congenital Q51.828
- clitoris, congenital Q52.6
- denture K06.2
- endocervicitis N72
- endometrium, endometrial (adenomatous) (cystic) (glandular) (glandular-cystic) (polypoid) N85.00
- - with atypia N85.02
- - benign N85.01
- - cervix -*see* Dysplasia, cervix
- - complex (without atypia) N85.01
- - simple (without atypia) N85.01
- epithelial L85.9
- - focal, oral, including tongue K13.29
- - nipple N62
- - skin L85.9
- - tongue K13.29
- - vaginal wall N89.3
- erythroid D75.89
- fibromuscular of artery (carotid) (renal) I77.3
- genital
- - female NEC N94.89
- - male N50.89
- gingiva K06.1
- glandularis cystica uteri (interstitialis) -*see also* Hyperplasia, endometrial N85.00-
- gum K06.1
- hymen, congenital Q52.4
- irritative, edentulous (alveolar) K06.2
- jaw M26.09
- - alveolar M26.79
- - lower M26.03
- - - alveolar M26.72
- - upper M26.01
- - - alveolar M26.71
- kidney (congenital) Q63.3
- labia N90.69
- - epithelial N90.3
- liver (congenital) Q44.79
- - nodular, focal K76.89
- lymph gland or node R59.9
- mandible, mandibular M26.03
- - alveolar M26.72
- - unilateral condylar M27.8
- maxilla, maxillary M26.01
- - alveolar M26.71
- myometrium, myometrial N85.2
- neuroendocrine cell, of infancy J84.841
- nose
- - lymphoid J34.89
- - polypoid J33.9
- oral mucosa (irritative) K13.6
- organ or site, congenital NEC -*see* Anomaly, by site
- ovary N83.8
- palate, papillary (irritative) K13.6
- pancreatic islet cells E16.9

- - alpha E16.8
- - - with excess
- - - - gastrin E16.4
- - - - glucagon E16.3
- - beta E16.1
- parathyroid (gland) E21.0
- pharynx (lymphoid) J39.2
- prostate (adenofibromatous) N40.0
- - with lower urinary tract symptoms (LUTS) N40.1
- - - nodular N40.3
- - nodular N40.2
- - - with lower urinary tract symptoms (LUTS) N40.3
- - without lower urinary tract symptoms (LUTS) N40.0
- - - nodular N40.2
- renal artery I77.89
- reticulo-endothelial (cell) D75.89
- salivary gland (any) K11.1
- Schimmelbusch's -*see* Mastopathy, cystic
- suprarenal capsule (gland) E27.8
- thymus (gland) (persistent) E32.0
- thyroid (gland) -*see* Goiter
- tonsils (faucial) (infective) (lingual) (lymphoid) J35.1
- - with adenoids J35.3
- unilateral condylar M27.8
- uterus, uterine N85.2
- - endometrium (glandular) -*see also* Hyperplasia, endometrial N85.00-
- vulva N90.69
- - epithelial N90.3

Hyperpnea -*see* Hyperventilation

Hyperpotassemia E87.5

Hyperprebetalipoproteinemia (familial) E78.1

Hyperprolactinemia E22.1

Hyperprolinemia (type I) (type II) E72.59

Hyperproteinemia E88.09

Hyperprothrombinemia, causing coagulation factor deficiency D68.4

Hyperpyrexia R50.9
- heat (effects) T67.01
- malignant, due to anesthetic T88.3
- rheumatic -*see* Fever, rheumatic
- unknown origin R50.9

Hyper-reflexia R29.2

Hypersalivation K11.7

Hypersecretion
- ACTH (not associated with Cushing's syndrome) E27.0
- - pituitary E24.0
- adrenaline E27.5
- adrenomedullary E27.5
- androgen (testicular) E29.0
- - ovarian (drug-induced) (iatrogenic) E28.1
- calcitonin E07.0
- catecholamine E27.5
- corticoadrenal E24.9
- cortisol E24.9
- epinephrine E27.5
- estrogen E28.0
- gastric K31.89
- - psychogenic F45.8
- gastrin E16.4
- glucagon E16.3
- hormone(s)

- - ACTH (not associated with Cushing's syndrome) E27.0
- - - pituitary E24.0
- - antidiuretic E22.2
- - growth E22.0
- - intestinal NEC E34.1
- - ovarian androgen E28.1
- - pituitary E22.9
- - testicular E29.0
- - thyroid stimulating E05.80
- - - with thyroid storm E05.81
- insulin -*see* Hyperinsulinism
- lacrimal glands -*see* Epiphora
- medulloadrenal E27.5
- milk O92.6
- ovarian androgens E28.1
- salivary gland (any) K11.7
- thyrocalcitonin E07.0
- upper respiratory J39.8

Hypersegmentation, leukocytic, hereditary D72.0

Hypersensitive, hypersensitiveness, hypersensitivity -*see also* Allergy
- carotid sinus G90.01
- colon -*see* Irritable, colon
- drug T88.7
- gastrointestinal K52.29
- - immediate K52.29
- - psychogenic F45.8
- labyrinth -see subcategory H83.2
- pain R20.8
- pneumonitis -*see* Pneumonitis, allergic
- reaction T78.40
- - upper respiratory tract NEC J39.3

Hypersomnia (organic) G47.10
- due to
- - alcohol
- - - abuse F10.182
- - - dependence F10.282
- - - use F10.982
- - amphetamines
- - - abuse F15.182
- - - dependence F15.282
- - - use F15.982
- - caffeine
- - - abuse F15.182
- - - dependence F15.282
- - - use F15.982
- - cocaine
- - - abuse F14.182
- - - dependence F14.282
- - - use F14.982
- - drug NEC
- - - abuse F19.182
- - - dependence F19.282
- - - use F19.982
- - medical condition G47.14
- - mental disorder F51.13
- - opioid
- - - abuse F11.182
- - - dependence F11.282
- - - use F11.982
- - psychoactive substance NEC

- - - abuse F19.182
- - - dependence F19.282
- - - use F19.982
- - sedative, hypnotic, or anxiolytic
- - - abuse F13.182
- - - dependence F13.282
- - - use F13.982
- - stimulant NEC
- - - abuse F15.182
- - - dependence F15.282
- - - use F15.982
- idiopathic G47.11
- - with long sleep time G47.11
- - without long sleep time G47.12
- menstrual related G47.13
- nonorganic origin F51.11
- - specified NEC F51.19
- not due to a substance or known physiological condition F51.11
- - specified NEC F51.19
- primary F51.11
- recurrent G47.13
- specified NEC G47.19

Hypersplenia, hypersplenism D73.1

Hyperstimulation, ovaries (associated with induced ovulation) N98.1

Hypersusceptibility -*see* Allergy

Hypertelorism (ocular) (orbital) Q75.2

Hypertension, hypertensive (accelerated) (benign) (essential) (idiopathic) (malignant) (systemic) I10
- with
- - heart failure (congestive) I11.0
- - heart involvement (conditions in I50.- or I51.4-I51.7, I51.89, I51.9, due to hypertension) -*see* Hypertension, heart
- - kidney involvement -*see* Hypertension, kidney
- benign, intracranial G93.2
- borderline R03.0
- cardiorenal (disease) I13.10
- - with heart failure I13.0
- - - with stage 1 through stage 4 chronic kidney disease I13.0
- - - with stage 5 or end stage renal disease I13.2
- - without heart failure I13.10
- - - with stage 1 through stage 4 chronic kidney disease I13.10
- - - with stage 5 or end stage renal disease I13.11
- cardiovascular
- - disease (arteriosclerotic) (sclerotic) -*see* Hypertension, heart
- - renal (disease) -*see* Hypertension, cardiorenal
- chronic venous -*see* Hypertension, venous (chronic)
- complicating
- - childbirth (labor) O16.4
- - - pre-existing O10.92
- - - - with
- - - - - heart disease O10.12
- - - - - - with renal disease O10.32
- - - - - pre-eclampsia O11.4
- - - - - renal disease O10.22
- - - - - - with heart disease O10.32
- - - - essential O10.02
- - - secondary O10.42
- - pregnancy O16.-
- - - with edema -*see also* Pre-eclampsia O14.9-
- - - gestational (pregnancy induced) (without proteinuria) O13.-
- - - - with proteinuria O14.9-
- - - - - mild pre-eclampsia O14.0-

- - - - - moderate pre-eclampsia O14.0-
- - - - - severe pre-eclampsia O14.1-
- - - - - - with hemolysis, elevated liver enzymes and low platelet count (HELLP) O14.2-
- - - pre-existing O10.91-
- - - - with
- - - - - heart disease O10.11-
- - - - - - with renal disease O10.31-
- - - - - pre-eclampsia -see category O11
- - - - - renal disease O10.21-
- - - - - - with heart disease O10.31-
- - - - essential O10.01-
- - - - secondary O10.41-
- - - transient O13.-
- - puerperium, pre-existing O16.5
- - - pre-existing
- - - - with
- - - - - heart disease O10.13
- - - - - - with renal disease O10.33
- - - - - pre-eclampsia O11.5
- - - - - renal disease O10.23
- - - - - - with heart disease O10.33
- - - - essential O10.03
- - - pregnancy-induced O13.9
- - - secondary O10.43
- crisis I16.9
- due to
- - endocrine disorders I15.2
- - pheochromocytoma *-see also* Pheochromocytoma, by type I15.2
- - renal disorders NEC I15.1
- - - arterial I15.0
- - renovascular disorders I15.0
- - specified disease NEC I15.8
- emergency I16.1
- encephalopathy I67.4
- gestational (without significant proteinuria) (pregnancy-induced) (transient) O13.-
- - with significant proteinuria *-see* Pre-eclampsia
- - complicating
- - - delivery O13.4
- - - puerperium O13.5
- Goldblatt's I70.1
- heart (disease) (conditions in I51.4-I51.9 due to hypertension) I11.9
- - with
- - - heart failure (congestive) I11.0
- - - kidney disease (chronic) *-see* Hypertension, cardiorenal
- intracranial, benign G93.2
- kidney I12.9
- - with
- - - heart disease *-see* Hypertension, cardiorenal
- - - stage 5 chronic kidney disease (CKD) or end stage renal disease (ESRD) I12.0
- - - stage 1 through stage 4 chronic kidney disease I12.9
- lesser circulation I27.0
- maternal O16.-
- newborn P29.2
- - pulmonary (persistent) P29.30
- ocular H40.05-
- pancreatic duct - code to underlying condition
- - with chronic pancreatitis K86.1
- portal (due to chronic liver disease) (idiopathic) K76.6
- - gastropathy K31.89
- - in (due to) schistosomiasis (bilharziasis) B65.9 *[K77]*

- postoperative I97.3
- psychogenic F45.8
- pulmonary I27.20
- - with
- - - cor pulmonale (chronic) I27.29
- - - - acute I26.09
- - - right heart ventricular strain/failure I27.29
- - - - acute I26.09
- - - right to left shunt related to congenital heart disease I27.83
- - - unclear multifactorial mechanisms I27.29
- - arterial (associated) (drug-induced) (toxin-induced) I27.21
- - chronic thromboembolic I27.24
- - due to
- - - hematologic disorders I27.29
- - - kyphoscoliotic heart disease I27.1
- - - left heart disease I27.22
- - - lung diseases and hypoxia I27.23
- - - metabolic disorders I27.29
- - - specified systemic disorders NEC I27.29
- - group 1 (associated) (drug-induced) (toxin-induced) I27.21
- - group 2 I27.22
- - group 3 I27.23
- - group 4 I27.24
- - group 5 I27.29
- - of newborn (persistent) P29.30
- - primary (idiopathic) I27.0
- - secondary
- - - arterial I27.21
- - - specified NEC I27.29
- renal -*see* Hypertension, kidney
- renovascular I15.0
- resistant (apparent treatment) (treatment) (true) I1A.0
- secondary NEC I15.9
- - due to
- - - endocrine disorders I15.2
- - - pheochromocytoma -*see also* Pheochromocytoma, by type I15.2
- - - renal disorders NEC I15.1
- - - - arterial I15.0
- - - renovascular disorders I15.0
- - specified NEC I15.8
- transient R03.0
- - of pregnancy O13.-
- urgency I16.0
- venous (chronic)
- - due to
- - - deep vein thrombosis -*see* Syndrome, postthrombotic
- - idiopathic I87.309
- - - with
- - - - inflammation I87.32-
- - - - - with ulcer I87.33-
- - - - specified complication NEC I87.39-
- - - - ulcer I87.31-
- - - - - with inflammation I87.33-
- - - asymptomatic I87.30-

Hypertensive urgency -*see* Hypertension

Hyperthecosis ovary E28.8

Hyperthermia (of unknown origin) -*see also* Hyperpyrexia
- malignant, due to anesthesia T88.3
- newborn P81.9
- - environmental P81.0

Hyperthyroid (recurrent) -*see* Hyperthyroidism
Hyperthyroidism (latent) (pre-adult) (recurrent) E05.90
- with
- - goiter (diffuse) E05.00
- - - with thyroid storm E05.01
- - - nodular (multinodular) E05.20
- - - - with thyroid storm E05.21
- - - - uninodular E05.10
- - - - - with thyroid storm E05.11
- - storm E05.91
- due to ectopic thyroid tissue E05.30
- - with thyroid storm E05.31
- neonatal, transitory P72.1
- specified NEC E05.80
- - with thyroid storm E05.81
Hypertony, hypertonia, hypertonicity
- bladder N31.8
- congenital P94.1
- stomach K31.89
- - psychogenic F45.8
- uterus, uterine (contractions) (complicating delivery) O62.4
Hypertrichosis L68.9
- congenital Q84.2
- eyelid H02.869
- - left H02.866
- - - lower H02.865
- - - upper H02.864
- - right H02.863
- - - lower H02.862
- - - upper H02.861
- lanuginosa Q84.2
- - acquired L68.1
- localized L68.2
- specified NEC L68.8
Hypertriglyceridemia, essential E78.1
Hypertrophy, hypertrophic
- adenofibromatous, prostate -*see* Enlargement, enlarged, prostate
- adenoids (infective) J35.2
- - with tonsils J35.3
- adrenal cortex E27.8
- alveolar process or ridge -*see* Anomaly, alveolar
- anal papillae K62.89
- artery I77.89
- - congenital NEC Q27.8
- - - digestive system Q27.8
- - - lower limb Q27.8
- - - specified site NEC Q27.8
- - - upper limb Q27.8
- auricular -*see* Hypertrophy, cardiac
- Bartholin's gland N75.8
- bile duct (common) (hepatic) K83.8
- bladder (sphincter) (trigone) N32.89
- bone M89.30
- - carpus M89.34-
- - clavicle M89.31-
- - femur M89.35-
- - fibula M89.36-
- - finger M89.34-
- - humerus M89.32-
- - ilium M89.38

- - ischium M89.38
- - metacarpus M89.34-
- - metatarsus M89.37-
- - multiple sites M89.39
- - neck M89.38
- - pubic ramus M89.38
- - radius M89.33-
- - rib M89.38
- - scapula M89.31-
- - skull M89.38
- - tarsus M89.37-
- - tibia M89.36-
- - toe M89.37-
- - ulna M89.33-
- - vertebra M89.38
- brain G93.89
- breast N62
- - cystic -*see* Mastopathy, cystic
- - newborn P83.4
- - pubertal, massive N62
- - puerperal, postpartum -*see* Disorder, breast, specified type NEC
- - senile (parenchymatous) N62
- cardiac (chronic) (idiopathic) I51.7
- - with rheumatic fever (conditions in I00)
- - - active I01.8
- - - inactive or quiescent (with chorea) I09.89
- - congenital NEC Q24.8
- - fatty -*see* Degeneration, myocardial
- - hypertensive -*see* Hypertension, heart
- - rheumatic (with chorea) I09.89
- - - active or acute I01.8
- - - - with chorea I02.0
- - valve -*see* Endocarditis
- cartilage -*see* Disorder, cartilage, specified type NEC
- cecum -*see* Megacolon
- cervix (uteri) N88.8
- - congenital Q51.828
- - elongation N88.4
- clitoris (cirrhotic) N90.89
- - congenital Q52.6
- colon -*see also* Megacolon
- - congenital Q43.2
- conjunctiva, lymphoid H11.89
- corpora cavernosa N48.89
- cystic duct K82.8
- duodenum K31.89
- endometrium (glandular) -*see also* Hyperplasia, endometrial N85.00-
- - cervix N88.8
- epididymis N50.89
- esophageal hiatus (congenital) Q79.1
- - with hernia -*see* Hernia, hiatal
- eyelid -*see* Disorder, eyelid, specified type NEC
- facet joint -*see also* Spondylosis M47.819
- fat pad E65
- - knee (infrapatellar) (popliteal) (prepatellar) (retropatellar) M79.4
- foot (congenital) Q74.2
- frenulum, frenum (tongue) K14.8
- - lip K13.0
- gallbladder K82.8
- gastric mucosa K29.60

- - with bleeding K29.61
- gland, glandular R59.9
- - generalized R59.1
- - localized R59.0
- gum (mucous membrane) K06.1
- heart (idiopathic) -*see also* Hypertrophy, cardiac
- - valve -*see also* Endocarditis I38
- hemifacial Q67.4
- hepatic -*see* Hypertrophy, liver
- hiatus (esophageal) Q79.1
- hilus gland R59.0
- hymen, congenital Q52.4
- ileum K63.89
- intestine NEC K63.89
- jejunum K63.89
- kidney (compensatory) N28.81
- - congenital Q63.3
- labium (majus) (minus) N90.60
- ligament -*see* Disorder, ligament
- lingual tonsil (infective) J35.1
- - with adenoids J35.3
- lip K13.0
- - congenital Q18.6
- liver R16.0
- - acute K76.89
- - congenital Q44.79
- - cirrhotic -*see* Cirrhosis, liver
- - fatty -*see* Fatty, liver
- lymph, lymphatic gland R59.9
- - generalized R59.1
- - localized R59.0
- - tuberculous -*see* Tuberculosis, lymph gland
- mammary gland -*see* Hypertrophy, breast
- Meckel's diverticulum (congenital) Q43.0
- - malignant -*see* Table of Neoplasms, small intestine, malignant
- median bar -*see* Hyperplasia, prostate
- meibomian gland -*see* Chalazion
- meniscus, knee, congenital Q74.1
- metatarsal head -*see* Hypertrophy, bone, metatarsus
- metatarsus -*see* Hypertrophy, bone, metatarsus
- mucous membrane
- - alveolar ridge K06.2
- - gum K06.1
- - nose (turbinate) J34.3
- muscle M62.89
- muscular coat, artery I77.89
- myocardium -*see also* Hypertrophy, cardiac
- - idiopathic I42.2
- myometrium N85.2
- nail L60.2
- - congenital Q84.5
- nasal J34.89
- - alae J34.89
- - bone J34.89
- - cartilage J34.89
- - mucous membrane (septum) J34.3
- - sinus J34.89
- - turbinate J34.3
- nasopharynx, lymphoid (infectional) (tissue) (wall) J35.2
- nipple N62

- organ or site, congenital NEC -*see* Anomaly, by site
- ovary N83.8
- palate (hard) M27.8
- - soft K13.79
- pancreas, congenital Q45.3
- parathyroid (gland) E21.0
- parotid gland K11.1
- penis N48.89
- pharyngeal tonsil J35.2
- pharynx J39.2
- - lymphoid (infectional) (tissue) (wall) J35.2
- pituitary (anterior) (fossa) (gland) E23.6
- prepuce (congenital) N47.8
- - female N90.89
- prostate -*see* Enlargement, enlarged, prostate
- - congenital Q55.4
- pseudomuscular -*see also* Dystrophy, muscular, by type, if applicable G71.09
- pylorus (adult) (muscle) (sphincter) K31.1
- - congenital or infantile Q40.0
- rectal, rectum (sphincter) K62.89
- rhinitis (turbinate) J31.0
- salivary gland (any) K11.1
- - congenital Q38.4
- scaphoid (tarsal) -*see* Hypertrophy, bone, tarsus
- scar L91.0
- scrotum N50.89
- seminal vesicle N50.89
- sigmoid -*see* Megacolon
- skin L91.9
- - specified NEC L91.8
- spermatic cord N50.89
- spleen -*see* Splenomegaly
- spondylitis -*see* Spondylosis
- stomach K31.89
- sublingual gland K11.1
- submandibular gland K11.1
- suprarenal cortex (gland) E27.8
- synovial NEC M67.20
- - acromioclavicular M67.21-
- - ankle M67.27-
- - elbow M67.22-
- - foot M67.27-
- - hand M67.24-
- - hip M67.25-
- - knee M67.26-
- - multiple sites M67.29
- - specified site NEC M67.28
- - wrist M67.23-
- tendon -*see* Disorder, tendon, specified type NEC
- testis N44.8
- - congenital Q55.29
- thymic, thymus (gland) (congenital) E32.0
- thyroid (gland) -*see* Goiter
- toe (congenital) Q74.2
- - acquired -*see also* Deformity, toe, specified NEC
- tongue K14.8
- - congenital Q38.2
- - papillae (foliate) K14.3
- tonsils (faucial) (infective) (lingual) (lymphoid) J35.1
- - with adenoids J35.3

- tunica vaginalis N50.89
- ureter N28.89
- urethra N36.8
- uterus N85.2
- - neck (with elongation) N88.4
- - puerperal O90.89
- uvula K13.79
- vagina N89.8
- vas deferens N50.89
- vein I87.8
- ventricle, ventricular (heart) -*see also* Hypertrophy, cardiac
- - congenital Q24.8
- - in tetralogy of Fallot Q21.3
- verumontanum N36.8
- vocal cord J38.3
- vulva N90.60
- - stasis (nonfilarial) N90.69

Hypertropia H50.2-

Hypertyrosinemia E70.21

Hyperuricemia (asymptomatic) E79.0

Hyperuricosuria R82.993

Hypervalinemia E71.19

Hyperventilation (tetany) R06.4
- hysterical F45.8
- psychogenic F45.8
- syndrome F45.8

Hypervitaminosis (dietary) NEC E67.8
- A E67.0
- - administered as drug (prolonged intake) -*see* Table of Drugs and Chemicals, vitamins, adverse effect
- - overdose or wrong substance given or taken -*see* Table of Drugs and Chemicals, vitamins, poisoning
- B6 E67.2
- D E67.3
- - administered as drug (prolonged intake) -*see* Table of Drugs and Chemicals, vitamins, adverse effect
- - overdose or wrong substance given or taken -*see* Table of Drugs and Chemicals, vitamins, poisoning
- K E67.8
- - administered as drug (prolonged intake) -*see* Table of Drugs and Chemicals, vitamins, adverse effect
- - overdose or wrong substance given or taken -*see* Table of Drugs and Chemicals, vitamins, poisoning

Hypervolemia E87.70
- specified NEC E87.79

Hypesthesia R20.1
- cornea -*see* Anesthesia, cornea

Hyphema H21.0-
- traumatic S05.1-

Hypoacidity, gastric K31.89
- psychogenic F45.8

Hypoadrenalism, hypoadrenia E27.40
- primary E27.1
- tuberculous A18.7

Hypoadrenocorticism E27.40
- pituitary E23.0
- primary E27.1

Hypoalbuminemia E88.09

Hypoaldosteronism E27.40

Hypoalphalipoproteinemia E78.6

Hypobarism T70.29

Hypobaropathy T70.29

Hypobetalipoproteinemia (familial) E78.6

Hypocalcemia E83.51
- autosomal dominant E20.810
- - type 1 (ADH1) E20.810

- - type 2 (ADH2) E20.810
- dietary E58
- neonatal P71.1
- - due to cow's milk P71.0
- phosphate-loading (newborn) P71.1
Hypochloremia E87.8
Hypochlorhydria K31.89
- neurotic F45.8
- psychogenic F45.8
Hypochondria, hypochondriac, hypochondriasis (reaction) F45.21
- sleep F51.03
Hypochondrogenesis Q77.0
Hypochondroplasia Q77.4
Hypochromasia, blood cells D50.8
Hypocitraturia R82.991
Hypodontia -*see* Anodontia
Hypoeosinophilia D72.89
Hypoesthesia R20.1
Hypofibrinogenemia D68.8
- acquired D65
- congenital (hereditary) D68.2
Hypofunction
- adrenocortical E27.40
- - drug-induced E27.3
- - postprocedural E89.6
- - primary E27.1
- adrenomedullary, postprocedural E89.6
- cerebral R29.818
- corticoadrenal NEC E27.40
- intestinal K59.89
- labyrinth -see subcategory H83.2
- ovary E28.39
- pituitary (gland) (anterior) E23.0
- testicular E29.1
- - postprocedural (postsurgical) (postirradiation) (iatrogenic) E89.5
Hypogalactia O92.4
Hypogammaglobulinemia -*see also* Agammaglobulinemia D80.1
- hereditary D80.0
- nonfamilial D80.1
- transient, of infancy D80.7
Hypogenitalism (congenital) -*see* Hypogonadism
Hypoglossia Q38.3
Hypoglycemia (spontaneous) E16.2
- coma E15
- - diabetic -*see* Diabetes, by type, with hypoglycemia, with coma
- diabetic -*see* Diabetes, hypoglycemia
- dietary counseling and surveillance Z71.3
- drug-induced E16.0
- - with coma (nondiabetic) E15
- due to insulin E16.0
- - with coma (nondiabetic) E15
- - therapeutic misadventure -see subcategory T38.3
- functional, nonhyperinsulinemic E16.1
- iatrogenic E16.0
- - with coma (nondiabetic) E15
- in infant of diabetic mother P70.1
- - gestational diabetes P70.0
- infantile E16.1
- leucine-induced E71.19
- level

- - 1 E16.A1
- - 2 E16.A2
- - 3 E16.A3
- neonatal (transitory) P70.4
- - iatrogenic P70.3
- reactive (not drug-induced) E16.1
- transitory neonatal P70.4

Hypogonadism
- female E28.39
- hypogonadotropic E23.0
- male E29.1
- ovarian (primary) E28.39
- pituitary E23.0
- testicular (primary) E29.1

Hypohidrosis, hypoidrosis L74.4
Hypoinsulinemia, postprocedural E89.1
Hypokalemia E87.6
Hypoleukocytosis -*see* Agranulocytosis
Hypolipoproteinemia (alpha) (beta) E78.6
Hypomagnesemia E83.42
- neonatal P71.2

Hypomania, hypomanic reaction F30.8
Hypomenorrhea -*see* Oligomenorrhea
Hypometabolism R63.8

Hypomotility
- gastrointestinal (tract) K31.89
- - psychogenic F45.8
- intestine K59.89
- - psychogenic F45.8
- stomach K31.89
- - psychogenic F45.8

Hypomyelination - hypogonadotropic hypogonadism - hypodontia G11.5
Hypomyelination with atrophy of the basal ganglia and cerebellum (H-ABC) G23.3
Hyponasality R49.22
Hyponatremia E87.1
Hypo-osmolality E87.1
Hypo-ovarianism, hypo-ovarism E28.39
Hypoparathyroidism E20.9
- autoimmune E20.812
- due to impaired parathyroid hormone secretion, unspecified E20.819
- familial E20.89
- - isolated E20.818
- idiopathic E20.0
- neonatal, transitory P71.4
- postprocedural E89.2
- secondary, in diseases classified elsewhere E20.811
- specified NEC E20.89
- - due to impaired parathyroid hormone secretion E20.818

Hypoperfusion (in)
- newborn P96.89

Hypopharyngitis -*see* Laryngopharyngitis
Hypophoria H50.53
Hypophosphatemia, hypophosphatasia (acquired) (congenital) (renal) E83.39
- familial E83.31

Hypophyseal, hypophysis -*see also* condition
- dwarfism E23.0
- gigantism E22.0

Hypopiesis -*see* Hypotension
Hypopinealism E34.8
Hypopituitarism (juvenile) E23.0

- drug-induced E23.1
- due to
- - hypophysectomy E89.3
- - radiotherapy E89.3
- iatrogenic NEC E23.1
- postirradiation E89.3
- postpartum O99.285
- postprocedural E89.3

Hypoplasia, hypoplastic

- adrenal (gland), congenital Q89.1
- alimentary tract, congenital Q45.8
- - upper Q40.8
- anus, anal (canal) Q42.3
- - with fistula Q42.2
- aorta, aortic Q25.42
- - ascending, in hypoplastic left heart syndrome Q23.4
- - valve Q23.1
- - - in hypoplastic left heart syndrome Q23.4
- areola, congenital Q83.8
- arm (congenital) -*see* Defect, reduction, upper limb
- artery (peripheral) Q27.8
- - brain (congenital) Q28.3
- - coronary Q24.5
- - digestive system Q27.8
- - lower limb Q27.8
- - pulmonary Q25.79
- - - functional, unilateral J43.0
- - retinal (congenital) Q14.1
- - specified site NEC Q27.8
- - umbilical Q27.0
- - upper limb Q27.8
- auditory canal Q17.8
- - causing impairment of hearing Q16.9
- biliary duct or passage Q44.5
- bone NOS Q79.9
- - face Q75.8
- - marrow D61.9
- - - megakaryocytic D69.49
- - skull -*see* Hypoplasia, skull
- brain Q02
- - gyri Q04.3
- - part of Q04.3
- breast (areola) N64.82
- bronchus Q32.4
- cardiac Q24.8
- carpus -*see* Defect, reduction, upper limb, specified type NEC
- cartilage hair Q78.8
- cecum Q42.8
- cementum K00.4
- cephalic Q02
- cerebellum Q04.3
- cervix (uteri), congenital Q51.821
- clavicle (congenital) Q74.0
- coccyx Q76.49
- colon Q42.9
- - specified NEC Q42.8
- corpus callosum Q04.0
- cricoid cartilage Q31.2
- digestive organ(s) or tract NEC Q45.8
- - upper (congenital) Q40.8

- ear (auricle) (lobe) Q17.2
- - middle Q16.4
- enamel of teeth (neonatal) (postnatal) (prenatal) K00.4
- endocrine (gland) NEC Q89.2
- endometrium N85.8
- epididymis (congenital) Q55.4
- epiglottis Q31.2
- erythroid, congenital D61.01
- esophagus (congenital) Q39.8
- eustachian tube Q17.8
- eye Q11.2
- eyelid (congenital) Q10.3
- face Q18.8
- - bone(s) Q75.8
- femur (congenital) -*see* Defect, reduction, lower limb, specified type NEC
- fibula (congenital) -*see* Defect, reduction, lower limb, specified type NEC
- finger (congenital) -*see* Defect, reduction, upper limb, specified type NEC
- focal dermal Q82.8
- foot -*see* Defect, reduction, lower limb, specified type NEC
- gallbladder Q44.0
- genitalia, genital organ(s)
- - female, congenital Q52.8
- - - external Q52.79
- - - internal NEC Q52.8
- - in adiposogenital dystrophy E23.6
- glottis Q31.2
- hair Q84.2
- hand (congenital) -*see* Defect, reduction, upper limb, specified type NEC
- heart Q24.8
- humerus (congenital) -*see* Defect, reduction, upper limb, specified type NEC
- intestine (small) Q41.9
- - large Q42.9
- - - specified NEC Q42.8
- jaw M26.09
- - alveolar M26.79
- - lower M26.04
- - - alveolar M26.74
- - upper M26.02
- - - alveolar M26.73
- kidney(s) Q60.5
- - bilateral Q60.4
- - unilateral Q60.3
- labium (majus) (minus), congenital Q52.79
- larynx Q31.2
- left heart syndrome Q23.4
- leg (congenital) -*see* Defect, reduction, lower limb
- limb Q73.8
- - lower (congenital) -*see* Defect, reduction, lower limb
- - upper (congenital) -*see* Defect, reduction, upper limb
- liver Q44.79
- lung (lobe) (not associated with short gestation) Q33.6
- - associated with immaturity, low birth weight, prematurity, or short gestation P28.0
- mammary (areola), congenital Q83.8
- mandible, mandibular M26.04
- - alveolar M26.74
- - unilateral condylar M27.8
- maxillary M26.02
- - alveolar M26.73
- medullary D61.9
- megakaryocytic D69.49

- metacarpus -*see* Defect, reduction, upper limb, specified type NEC
- metatarsus -*see* Defect, reduction, lower limb, specified type NEC
- muscle Q79.8
- nail(s) Q84.6
- nose, nasal Q30.1
- optic nerve H47.03-
- osseous meatus (ear) Q17.8
- ovary, congenital Q50.39
- pancreas Q45.0
- parathyroid (gland) Q89.2
- parotid gland Q38.4
- patella Q74.1
- pelvis, pelvic girdle Q74.2
- penis (congenital) Q55.62
- peripheral vascular system Q27.8
- - digestive system Q27.8
- - lower limb Q27.8
- - specified site NEC Q27.8
- - upper limb Q27.8
- pituitary (gland) (congenital) Q89.2
- pulmonary (not associated with short gestation) Q33.6
- - artery, functional J43.0
- - associated with short gestation P28.0
- radioulnar -*see* Defect, reduction, upper limb, specified type NEC
- radius -*see* Defect, reduction, upper limb
- rectum Q42.1
- - with fistula Q42.0
- respiratory system NEC Q34.8
- rib Q76.6
- right heart syndrome Q22.6
- sacrum Q76.49
- scapula Q74.0
- scrotum Q55.1
- shoulder girdle Q74.0
- skin Q82.8
- skull (bone) Q75.8
- - with
- - - anencephaly Q00.0
- - - encephalocele -*see* Encephalocele
- - - hydrocephalus Q03.9
- - - - with spina bifida -*see* Spina bifida, by site, with hydrocephalus
- - - microcephaly Q02
- spinal (cord) (ventral horn cell) Q06.1
- spine Q76.49
- sternum Q76.7
- tarsus -*see* Defect, reduction, lower limb, specified type NEC
- testis Q55.1
- thymic, with immunodeficiency D82.1
- thymus (gland) Q89.2
- - with immunodeficiency D82.1
- thyroid (gland) E03.1
- - cartilage Q31.2
- tibiofibular (congenital) -*see* Defect, reduction, lower limb, specified type NEC
- toe -*see* Defect, reduction, lower limb, specified type NEC
- tongue Q38.3
- Turner's K00.4
- ulna (congenital) -*see* Defect, reduction, upper limb
- umbilical artery Q27.0
- unilateral condylar M27.8
- ureter Q62.8

- uterus, congenital Q51.811
- vagina Q52.4
- vascular NEC peripheral Q27.8
- - brain Q28.3
- - digestive system Q27.8
- - lower limb Q27.8
- - specified site NEC Q27.8
- - upper limb Q27.8
- vein(s) (peripheral) Q27.8
- - brain Q28.3
- - digestive system Q27.8
- - great Q26.8
- - lower limb Q27.8
- - specified site NEC Q27.8
- - upper limb Q27.8
- vena cava (inferior) (superior) Q26.8
- vertebra Q76.49
- vulva, congenital Q52.79
- zonule (ciliary) Q12.8

Hypoplasminogenemia E88.02
Hypopnea, obstructive sleep apnea G47.33
Hypopotassemia E87.6
Hypoproconvertinemia, congenital (hereditary) D68.2
Hypoproteinemia E77.8
Hypoprothrombinemia (congenital) (hereditary) (idiopathic) D68.2
- acquired D68.4
- newborn, transient P61.6

Hypoptyalism K11.7
Hypopyon (eye) (anterior chamber) -*see* Iridocyclitis, acute, hypopyon
Hypopyrexia R68.0
Hyporeflexia R29.2
Hyposecretion
- ACTH E23.0
- antidiuretic hormone E23.2
- ovary E28.39
- salivary gland (any) K11.7
- vasopressin E23.2

Hyposegmentation, leukocytic, hereditary D72.0
Hyposiderinemia D50.9
Hypospadias Q54.9
- balanic Q54.0
- coronal Q54.0
- glandular Q54.0
- penile Q54.1
- penoscrotal Q54.2
- perineal Q54.3
- specified NEC Q54.8

Hypospermatogenesis -*see* Oligospermia
Hyposplenism D73.0
Hypostasis pulmonary, passive -*see* Edema, lung
Hypostatic -*see* condition
Hyposthenuria N28.89
Hypotension (arterial) (constitutional) I95.9
- chronic I95.89
- due to (of) hemodialysis I95.3
- drug-induced I95.2
- iatrogenic I95.89
- idiopathic (permanent) I95.0
- intracranial G96.810
- - following

- - - lumbar cerebrospinal fluid shunting G97.83
- - - specified procedure NEC G97.84
- - - ventricular shunting (ventriculostomy) G97.2
- - specified NEC G96.819
- - spontaneous G96.811
- intra-dialytic I95.3
- maternal, syndrome (following labor and delivery) O26.5-
- neurogenic, orthostatic G90.3
- orthostatic (chronic) I95.1
- - due to drugs I95.2
- - neurogenic G90.3
- postoperative I95.81
- postural I95.1
- specified NEC I95.89

Hypothermia (accidental) T68
- due to anesthesia, anesthetic T88.51
- low environmental temperature T68
- neonatal P80.9
- - environmental (mild) NEC P80.8
- - mild P80.8
- - severe (chronic) (cold injury syndrome) P80.0
- - specified NEC P80.8
- not associated with low environmental temperature R68.0

Hypothyroidism (acquired) E03.9
- autoimmune -*see* Thyroiditis, autoimmune
- congenital (without goiter) E03.1
- - with goiter (diffuse) E03.0
- due to
- - exogenous substance NEC E03.2
- - iodine-deficiency, acquired E01.8
- - - subclinical E02
- - irradiation therapy E89.0
- - medicament NEC E03.2
- - P-aminosalicylic acid (PAS) E03.2
- - phenylbutazone E03.2
- - resorcinol E03.2
- - sulfonamide E03.2
- - surgery E89.0
- - thiourea group drugs E03.2
- iatrogenic NEC E03.2
- iodine-deficiency (acquired) E01.8
- - congenital -*see* Syndrome, iodine- deficiency, congenital
- - subclinical E02
- neonatal, transitory P72.2
- postinfectious E03.3
- postirradiation E89.0
- postprocedural E89.0
- postsurgical E89.0
- specified NEC E03.8
- subclinical, iodine-deficiency related E02

Hypotonia, hypotonicity, hypotony
- bladder N31.2
- congenital (benign) P94.2
- eye -*see* Disorder, globe, hypotony

Hypotrichosis -*see* Alopecia

Hypotropia H50.2-

Hypoventilation R06.89
- congenital central alveolar G47.35
- sleep related
- - idiopathic nonobstructive alveolar G47.34

- - in conditions classified elsewhere G47.36
Hypovitaminosis -*see* Deficiency, vitamin
Hypovolemia E86.1
- surgical shock T81.19
- traumatic (shock) T79.4
Hypoxemia R09.02
- newborn P84
- sleep related, in conditions classified elsewhere G47.36
Hypoxia -*see also* Anoxia R09.02
- cerebral, during a procedure NEC G97.81
- - postprocedural NEC G97.82
- intrauterine P84
- myocardial -*see* Insufficiency, coronary
- newborn P84
- sleep-related G47.34
Hypsarrhythmia -*see* Epilepsy, generalized, specified NEC
Hysteralgia, pregnant uterus O26.89-
Hysteria, hysterical (conversion) (dissociative state) F44.9
- anxiety F41.8
- convulsions F44.5
- psychosis, acute F44.9
Hysteroepilepsy F44.5

I

IBDU (colonic inflammatory bowel dissease unclassified) K52.3
ICANS (immune effector cell-associated neurotoxicity syndrome) -*see* Syndrome, immune effector cell-associated neurotoxicity
Ichthyoparasitism due to Vandellia cirrhosa B88.8
Ichthyosis (congenital) Q80.9
- acquired L85.0
- fetalis Q80.4
- hystrix Q80.8
- lamellar Q80.2
- lingual K13.29
- palmaris and plantaris Q82.8
- simplex Q80.0
- vera Q80.8
- vulgaris Q80.0
- X-linked Q80.1
Ichthyotoxism -*see* Poisoning, fish
- bacterial -*see* Intoxication, foodborne
Icteroanemia, hemolytic (acquired) D59.9
- congenital -*see* Spherocytosis
Icterus -*see also* Jaundice
- conjunctiva R17
- newborn P59.9
- gravis, newborn P55.0
- hematogenous (acquired) D59.9
- hemolytic (acquired) D59.9
- - congenital -*see* Spherocytosis
- hemorrhagic (acute) (leptospiral) (spirochetal) A27.0
- - newborn P53
- infectious B15.9
- - with hepatic coma B15.0
- - leptospiral A27.0
- - spirochetal A27.0
- neonatorum -*see* Jaundice, newborn
- spirochetal A27.0
Ictus solaris, solis T67.01

Ideation
- homicidal R45.850
- suicidal R45.851
Identity disorder (child) F64.9
- gender role F64.2
- psychosexual F64.2
Id reaction (due to bacteria) L30.2
Idioglossia F80.0
Idiopathic -*see* condition
Idiot, idiocy (congenital) F73
- amaurotic (Bielschowsky(-Jansky)) (family) (infantile (late)) (juvenile (late)) (Vogt-Spielmeyer) E75.4
- microcephalic Q02
IgE asthma J45.909
IIAC (idiopathic infantile arterial calcification) Q28.8
Ileitis (chronic) (noninfectious) -*see also* Enteritis K52.9
- backwash -*see* Pancolitis, ulcerative (chronic)
- infectious A09
- regional (ulcerative) -*see* Enteritis, regional, small intestine
- segmental -*see* Enteritis, regional
- terminal (ulcerative) -*see* Enteritis, regional, small intestine
Ileocolitis -*see also* Enteritis K52.9
- infectious A09
- regional -*see* Enteritis, regional
- ulcerative K51.0-
Ileostomy
- attention to Z43.2
- malfunctioning K94.13
- status (ileal pouch) (Kock pouch) Z93.2
- - with complication -*see* Complications, enterostomy
Ileotyphus -*see* Typhoid
Ileum -*see* condition
Ileus (bowel) (colon) (inhibitory) (intestine) K56.7
- adynamic K56.0
- due to gallstone (in intestine) K56.3
- duodenal (chronic) K31.5
- gallstone K56.3
- mechanical NEC -*see also* Obstruction, intestine, specified NEC K56.699
- meconium P76.0
- - in cystic fibrosis E84.11
- - meaning meconium plug (without cystic fibrosis) P76.0
- myxedema K59.89
- neurogenic K56.0
- - Hirschsprung's disease or megacolon Q43.1
- newborn
- - due to meconium P76.0
- - - in cystic fibrosis E84.11
- - - meaning meconium plug (without cystic fibrosis) P76.0
- - transitory P76.1
- obstructive -*see also* Obstruction, intestine, specified NEC K56.699
- paralytic K56.0
- postoperative K91.89
Iliac -*see* condition
Iliotibial band syndrome M76.3-
Illiteracy Z55.0
- health Z55.6
Illness -*see also* Disease R69
- manic-depressive -*see* Disorder, bipolar
Imbalance R26.89
- autonomic G90.89
- constituents of food intake E63.1

- electrolyte E87.8
- - with
- - - abortion -*see* Abortion by type, complicated by, electrolyte imbalance
- - - molar pregnancy O08.5
- - due to hyperemesis gravidarum O21.1
- - following ectopic or molar pregnancy O08.5
- - neonatal, transitory NEC P74.49
- - - potassium
- - - - hyperkalemia P74.31
- - - - hypokalemia P74.32
- - - sodium
- - - - hypernatremia P74.21
- - - - hyponatremia P74.22
- endocrine E34.9
- eye muscle NOS H50.9
- hormone E34.9
- hysterical F44.4
- labyrinth -see subcategory H83.2
- posture R29.3
- protein-energy -*see* Malnutrition
- sympathetic G90.89

Imbecile, imbecility (I.Q.35-49) F71
Imbedding, intrauterine device T83.39
Imbibition, cholesterol (gallbladder) K82.4
Imbrication, teeth,, fully erupted M26.30
Imerslund (-Gräsbeck) syndrome D51.1
Immature -*see also* Immaturity
- birth (less than 37 completed weeks) -*see* Preterm, newborn
- - extremely (less than 28 completed weeks) -*see* Immaturity, extreme
- personality F60.89

Immaturity (less than 37 completed weeks) -*see also* Preterm, newborn
- extreme of newborn (less than 28 completed weeks of gestation) (less than 196 completed days of gestation) (unspecified weeks of gestation) P07.20
- - gestational age
- - - 23 completed weeks (23 weeks, 0 days through 23 weeks, 6 days) P07.22
- - - 24 completed weeks (24 weeks, 0 days through 24 weeks, 6 days) P07.23
- - - 25 completed weeks (25 weeks, 0 days through 25 weeks, 6 days) P07.24
- - - 26 completed weeks (26 weeks, 0 days through 26 weeks, 6 days) P07.25
- - - 27 completed weeks (27 weeks, 0 days through 27 weeks, 6 days) P07.26
- - - less than 23 completed weeks P07.21
- fetus or infant light-for-dates -*see* Light-for-dates
- lung, newborn P28.0
- organ or site NEC -*see* Hypoplasia
- pulmonary, newborn P28.0
- reaction F60.89
- sexual (female) (male), after puberty E30.0

Immersion T75.1
- hand T69.01-
- foot T69.02-

Immobile, immobility
- complete, due to severe physical disability or frailty R53.2
- intestine K59.89
- syndrome (paraplegic) M62.3

Immune reconstitution (inflammatory) syndrome [IRIS] D89.3
Immunization -*see also* Vaccination
- ABO -*see* Incompatibility, ABO
- - in newborn P55.1
- appropriate for age
- - child (over 28 days old) Z00.129
- - - with abnormal findings Z00.121

- complication -*see* Complications, vaccination
- encounter for Z23
- not done (not carried out) -*see also* Underimmunization status Z28.9
- - because (of)
- - - acute illness of patient Z28.01
- - - allergy to vaccine (or component) Z28.04
- - - caregiver refusal Z28.82
- - - chronic illness of patient Z28.02
- - - contraindication NEC Z28.09
- - - delay in delivery of vaccine Z28.83
- - - group pressure Z28.1
- - - guardian refusal Z28.82
- - - immune compromised state of patient Z28.03
- - - lack of availability of vaccine Z28.83
- - - manufacturer delay of vaccine Z28.83
- - - parent refusal Z28.82
- - - patient's belief Z28.1
- - - patient had disease being vaccinated against Z28.81
- - - patient refusal Z28.21
- - - religious beliefs of patient Z28.1
- - - specified reason NEC Z28.89
- - - - of patient Z28.29
- - - unavailability of vaccine Z28.83
- - - unspecified patient reason Z28.20
- partial -*see also* Underimmunization status
- - for COVID-19 Z28.311
- Rh factor
- - affecting management of pregnancy NEC O36.09-
- - - anti-D antibody O36.01-
- - from transfusion -*see* Complication(s), transfusion, incompatibility reaction, Rh (factor)

Immunocompromised NOS D84.9

Immunocytoma C83.0-

Immunodeficiency D84.9
- with
- - adenosine-deaminase deficiency -*see also* Deficiency, adenosine deaminase D81.30
- - antibody defects D80.9
- - - specified type NEC D80.8
- - hyperimmunoglobulinemia D80.6
- - increased immunoglobulin M (IgM) D80.5
- - major defect D82.9
- - - specified type NEC D82.8
- - partial albinism D82.8
- - short-limbed stature D82.2
- - thrombocytopenia and eczema D82.0
- antibody with
- - hyperimmunoglobulinemia D80.6
- - near-normal immunoglobulins D80.6
- autosomal recessive, Swiss type D80.0
- combined D81.9
- - biotin-dependent carboxylase D81.819
- - - biotinidase D81.810
- - - holocarboxylase synthetase D81.818
- - - specified type NEC D81.818
- - severe (SCID) D81.9
- - - with
- - - - low or normal B-cell numbers D81.2
- - - - low T- and B-cell numbers D81.1
- - - - reticular dysgenesis D81.0
- - specified type NEC D81.89
- common variable D83.9

- - with
- - - abnormalities of B-cell numbers and function D83.0
- - - autoantibodies to B- or T-cells D83.2
- - - immunoregulatory T-cell disorders D83.1
- - specified type NEC D83.8
- due to
- - conditions classified elsewhere D84.81
- - drugs D84.821
- - external causes D84.822
- - medication (current or past) D84.821
- following hereditary defective response to Epstein-Barr virus (EBV) D82.3
- selective, immunoglobulin
- - A (IgA) D80.2
- - G (IgG) (subclasses) D80.3
- - M (IgM) D80.4
- severe combined (SCID) D81.9
- - due to adenosine deaminase deficiency D81.31
- specified type NEC D84.89
- X-linked, with increased IgM D80.5

Immunodeficient NOS D84.9

Immunosuppressed NOS D84.9

Immunotherapy (encounter for)
- antineoplastic Z51.12

Impaction, impacted
- bowel, colon, rectum *-see also* Impaction, fecal K56.49
- - by gallstone K56.3
- calculus *-see* Calculus
- cerumen (ear) (external) H61.2-
- cuspid *-see* Impaction, tooth
- dental (same or adjacent tooth) K01.1
- fecal, feces K56.41
- fracture *-see* Fracture, by site
- gallbladder *-see* Calculus, gallbladder
- gallstone(s) *-see* Calculus, gallbladder
- - bile duct (common) (hepatic) *-see* Calculus, bile duct
- - cystic duct *-see* Calculus, gallbladder
- - in intestine, with obstruction (any part) K56.3
- intestine (calculous) NEC *-see also* Impaction, fecal K56.49
- - gallstone, with ileus K56.3
- intrauterine device (IUD) T83.39
- molar *-see* Impaction, tooth
- shoulder, causing obstructed labor O66.0
- tooth, teeth K01.1
- turbinate J34.89

Impaired, impairment (function)
- auditory discrimination *-see* Abnormal, auditory perception
- cognitive, mild, of uncertain or unknown etiology G31.84
- dual sensory Z73.82
- fasting glucose R73.01
- glucose tolerance (oral) R73.02
- hearing *-see* Deafness
- heart *-see* Disease, heart
- kidney N28.9
- - disorder resulting from N25.9
- - - specified NEC N25.89
- liver K72.90
- - with coma K72.91
- mastication K08.89
- mild cognitive G31.84
- - of uncertain or unknown etiology G31.84

- mild neurocognitive
- - due to known physiological condition (without behavioral disturbance) F06.70
- - - with behavioral disturbance F06.71
- mobility
- - ear ossicles -*see* Ankylosis, ear ossicles
- - requiring care provider Z74.09
- myocardium, myocardial -*see* Insufficiency, myocardial
- rectal sphincter R19.8
- renal (acute) (chronic) N28.9
- - disorder resulting from N25.9
- - - specified NEC N25.89
- vision NEC H54.7
- - both eyes H54.3

Impediment, speech -*see also* Disorder, speech R47.9
- psychogenic (childhood) F98.8
- slurring R47.81
- specified NEC R47.89

Impending
- coronary syndrome I20.0
- delirium tremens F10.239
- myocardial infarction I20.0

Imperception auditory (acquired) -*see also* Deafness
- congenital H93.25

Imperfect
- aeration, lung (newborn) NEC -*see* Atelectasis
- closure (congenital)
- - alimentary tract NEC Q45.8
- - - lower Q43.8
- - - upper Q40.8
- - atrioventricular ostium Q21.20
- - atrium (secundum) Q21.11
- - branchial cleft NOS Q18.2
- - - cyst Q18.0
- - - fistula Q18.0
- - - sinus Q18.0
- - choroid Q14.3
- - cricoid cartilage Q31.8
- - cusps, heart valve NEC Q24.8
- - - pulmonary Q22.3
- - ductus
- - - arteriosus Q25.0
- - - Botalli Q25.0
- - ear drum (causing impairment of hearing) Q16.4
- - esophagus with communication to bronchus or trachea Q39.1
- - eyelid Q10.3
- - foramen
- - - botalli Q21.12
- - - ovale Q21.12
- - genitalia, genital organ(s) or system
- - - female Q52.8
- - - - external Q52.79
- - - - internal NEC Q52.8
- - - male Q55.8
- - glottis Q31.8
- - interatrial ostium or septum Q21.19
- - interauricular ostium or septum Q21.19
- - interventricular ostium or septum Q21.0
- - larynx Q31.8
- - lip -*see* Cleft, lip
- - nasal septum Q30.3

- - nose Q30.2
- - omphalomesenteric duct Q43.0
- - optic nerve entry Q14.2
- - organ or site not listed -*see* Anomaly, by site
- - ostium
- - - interatrial Q21.19
- - - interauricular Q21.19
- - - interventricular Q21.0
- - palate -*see* Cleft, palate
- - preauricular sinus Q18.1
- - retina Q14.1
- - roof of orbit Q75.8
- - sclera Q13.5
- - septum
- - - aorticopulmonary Q21.4
- - - atrial (secundum) Q21.19
- - - between aorta and pulmonary artery Q21.4
- - - heart Q21.9
- - - interatrial (secundum) Q21.19
- - - interauricular (secundum) Q21.19
- - - interventricular Q21.0
- - - - in tetralogy of Fallot Q21.3
- - - nasal Q30.3
- - - ventricular Q21.0
- - - - with pulmonary stenosis or atresia, dextraposition of aorta, and hypertrophy of right ventricle Q21.3
- - - - in tetralogy of Fallot Q21.3
- - skull Q75.009
- - - with
- - - - anencephaly Q00.0
- - - - encephalocele -*see* Encephalocele
- - - - hydrocephalus Q03.9
- - - - - with spina bifida -*see* Spina bifida, by site, with hydrocephalus
- - - - microcephaly Q02
- - spine (with meningocele) -*see* Spina bifida
- - trachea Q32.1
- - tympanic membrane (causing impairment of hearing) Q16.4
- - uterus Q51.818
- - vitelline duct Q43.0
- erection -*see* Dysfunction, sexual, male, erectile
- fusion -*see* Imperfect, closure
- inflation, lung (newborn) -*see* Atelectasis
- posture R29.3
- rotation, intestine Q43.3
- septum, ventricular Q21.0

Imperfectly descended testis -*see* Cryptorchid

Imperforate (congenital) -*see also* Atresia
- anus Q42.3
- - with fistula Q42.2
- cervix (uteri) Q51.828
- esophagus Q39.0
- - with tracheoesophageal fistula Q39.1
- hymen Q52.3
- jejunum Q41.1
- pharynx Q38.8
- rectum Q42.1
- - with fistula Q42.0
- urethra Q64.39
- vagina Q52.4

Impervious (congenital) -*see also* Atresia
- anus Q42.3

- - with fistula Q42.2
- bile duct Q44.2
- esophagus Q39.0
- - with tracheoesophageal fistula Q39.1
- intestine (small) Q41.9
- - large Q42.9
- - - specified NEC Q42.8
- rectum Q42.1
- - with fistula Q42.0
- ureter -*see* Atresia, ureter
- urethra Q64.39

Impetiginization of dermatoses L01.1

Impetigo (any organism) (any site) (circinate) (contagiosa) (simplex) (vulgaris) L01.00
- Bockhart's L01.02
- bullous, bullosa L01.03
- external ear L01.00 *[H62.40]*
- follicularis L01.02
- furfuracea L30.5
- herpetiformis L40.1
- - nonobstetrical L40.1
- neonatorum L01.03
- nonbullous L01.01
- specified type NEC L01.09
- ulcerative L01.09

Impingement (on teeth)
- joint -*see* Disorder, joint, specified type NEC
- soft tissue
- - anterior M26.81
- - posterior M26.82

Implant, endometrial N80.9

Implantation
- anomalous -*see* Anomaly, by site
- - ureter Q62.63
- cyst
- - external area or site (skin) NEC L72.0
- - iris -*see* Cyst, iris, implantation
- - vagina N89.8
- - vulva N90.7
- dermoid (cyst) -*see* Implantation, cyst

Impotence (sexual) N52.9
- counseling Z70.1
- organic origin -*see also* Dysfunction, sexual, male, erectile N52.9
- psychogenic F52.21

Impression, basilar Q75.8

Imprisonment, anxiety concerning Z65.1

Improper care (child) (newborn) -*see* Maltreatment

Improperly tied umbilical cord (causing hemorrhage) P51.8

Impulsiveness (impulsive) R45.87

Inability to
- comply with dietary regimen Z91.118
- swallow -*see* Aphagia

Inaccessible, inaccessibility
- health care NEC Z75.3
- - due to
- - - waiting period Z75.2
- - - - for admission to facility elsewhere Z75.1
- other helping agencies Z75.4
- transportation Z59.82

Inactive -*see* condition

Inadequate, inadequacy

- aesthetics of dental restoration K08.56
- biologic, constitutional, functional, or social F60.7
- development
- - child R62.50
- - genitalia
- - - after puberty NEC E30.0
- - - congenital
- - - - female Q52.8
- - - - - external Q52.79
- - - - - internal Q52.8
- - - - male Q55.8
- - lungs Q33.6
- - - associated with short gestation P28.0
- - organ or site not listed -*see* Anomaly, by site
- diet (causing nutritional deficiency) E63.9
- drinking-water supply Z58.6
- eating habits Z72.4
- environment, household Z59.11
- family support Z63.8
- food (supply) NEC Z59.48
- - hunger effects T73.0
- functional F60.7
- household care, due to
- - family member
- - - handicapped or ill Z74.2
- - - on vacation Z75.5
- - - temporarily away from home Z74.2
- - technical defects in home Z59.19
- - temporary absence from home of person rendering care Z74.2
- housing Z59.10
- - environmental temperature Z59.11
- - heating Z59.11
- - space Z59.19
- - specified NEC Z59.19
- - utilities Z59.12
- income (financial) Z59.6
- intrafamilial communication Z63.8
- material resources due to limited financial resources, specified NEC Z59.87
- mental -*see* Disability, intellectual
- parental supervision or control of child Z62.0
- personality F60.7
- pulmonary
- - function R06.89
- - - newborn P28.5
- - ventilation, newborn P28.5
- sample of cytologic smear
- - anus R85.615
- - cervix R87.615
- - vagina R87.625
- social F60.7
- - insurance Z59.71
- - skills NEC Z73.4
- - social support Z60.8
- supervision of child by parent Z62.0
- teaching affecting education Z55.8
- transportation Z59.82
- welfare support Z59.72

Inanition R64
- with edema -*see* Malnutrition, severe
- due to

- - deprivation of food T73.0
- - malnutrition -*see* Malnutrition
- fever R50.9

Inappropriate
- change in quantitative human chorionic gonadotropin (hCG) in early pregnancy O02.81
- diet or eating habits Z72.4
- level of quantitative human chorionic gonadotropin (hCG) for gestational age in early pregnancy O02.81
- secretion
- - antidiuretic hormone (ADH) (excessive) E22.2
- - - deficiency E23.2
- - pituitary (posterior) E22.2
- sinus tachycardia, so stated (IST) I47.11

Inattention at or after birth -*see* Neglect

Incarceration, incarcerated
- enterocele K46.0
- - gangrenous K46.1
- epiplocele K46.0
- - gangrenous K46.1
- exomphalos K42.0
- - gangrenous K42.1
- hernia -*see also* Hernia, by site, with obstruction
- - with gangrene -*see* Hernia, by site, with gangrene
- iris, in wound -*see* Injury, eye, laceration, with prolapse
- lens, in wound -*see* Injury, eye, laceration, with prolapse
- omphalocele K42.0
- prison, anxiety concerning Z65.1
- rupture -*see* Hernia, by site
- sarcoepiplocele K46.0
- - gangrenous K46.1
- sarcoepiplomphalocele K42.0
- - with gangrene K42.1
- uterus N85.8
- - gravid O34.51-
- - - causing obstructed labor O65.5

Incised wound
- external -*see* Laceration
- internal organs -*see* Injury, by site

Incision, incisional
- hernia K43.2
- - with
- - - gangrene (and obstruction) K43.1
- - - obstruction K43.0
- surgical, complication -*see* Complications, surgical procedure
- traumatic
- - external -*see* Laceration
- - internal organs -*see* Injury, by site

Inclusion
- azurophilic leukocytic D72.0
- blennorrhea (neonatal) (newborn) P39.1
- gallbladder in liver (congenital) Q44.1

Incompatibility
- ABO
- - affecting management of pregnancy O36.11-
- - - anti-A sensitization O36.11-
- - - anti-B sensitization O36.19-
- - - specified NEC O36.19-
- - infusion or transfusion reaction -*see* Complication(s), transfusion, incompatibility reaction, ABO
- - newborn P55.1
- blood (group) (Duffy) (K) (Kell) (Kidd) (Lewis) (M) (S) NEC
- - affecting management of pregnancy O36.11-

- - - anti-A sensitization O36.11-
- - - anti-B sensitization O36.19-
- - infusion or transfusion reaction T80.89
- - newborn P55.8
- divorce or estrangement Z63.5
- Rh (blood group) (factor) Z31.82
- - affecting management of pregnancy NEC O36.09-
- - - anti-D antibody O36.01-
- - infusion or transfusion reaction -*see* Complication(s), transfusion, incompatibility reaction, Rh (factor)
- - newborn P55.0
- rhesus -*see* Incompatibility, Rh

Incompetency, incompetent, incompetence
- annular
- - aortic (valve) -*see* Insufficiency, aortic
- - mitral (valve) I34.0
- - pulmonary valve (heart) I37.1
- aortic (valve) -*see* Insufficiency, aortic
- cardiac valve -*see* Endocarditis
- cervix, cervical (os) N88.3
- - in pregnancy O34.3-
- chronotropic I45.89
- - with
- - - autonomic dysfunction G90.89
- - - ischemic heart disease I25.89
- - - left ventricular dysfunction I51.89
- - - sinus node dysfunction I49.8
- esophagogastric (junction) (sphincter) K22.0
- mitral (valve) -*see* Insufficiency, mitral
- pelvic fundus N81.89
- pubocervical tissue N81.82
- pulmonary valve (heart) I37.1
- - congenital Q22.3
- rectovaginal tissue N81.83
- tricuspid (annular) (valve) -*see* Insufficiency, tricuspid
- valvular -*see* Endocarditis
- - congenital Q24.8
- vein, venous (saphenous) (varicose) -*see* Varix, leg

Incomplete -*see also* condition
- atrioventricular
- - canal Q21.21
- - septal defect Q21.21
- bladder, emptying R33.9
- defecation R15.0
- endocardial cushion defect Q21.21
- expansion lungs (newborn) NEC -*see* Atelectasis
- rotation, intestine Q43.3

Inconclusive
- diagnostic imaging due to excess body fat of patient R93.9
- findings on diagnostic imaging of breast NEC R92.8
- mammogram R92.2

Incontinence R32
- anal sphincter R15.9
- coital N39.491
- feces R15.9
- - nonorganic origin F98.1
- insensible (urinary) N39.42
- overflow N39.490
- postural (urinary) N39.492
- psychogenic F45.8
- rectal R15.9

- reflex N39.498
- stress (female) (male) N39.3
- - and urge N39.46
- urethral sphincter R32
- urge N39.41
- - and stress (female) (male) N39.46
- urine (urinary) R32
- - continuous N39.45
- - due to cognitive impairment, or severe physical disability or immobility R39.81
- - functional R39.81
- - insensible N39.42
- - mixed (stress and urge) N39.46
- - nocturnal N39.44
- - nonorganic origin F98.0
- - overflow N39.490
- - post dribbling N39.43
- - postural N39.492
- - reflex N39.498
- - specified NEC N39.498
- - stress (female) (male) N39.3
- - - and urge N39.46
- - total N39.498
- - unaware N39.42
- - urge N39.41
- - - and stress (female) (male) N39.46

Incontinentia pigmenti Q82.3

Incoordinate, incoordination

- esophageal-pharyngeal (newborn) -*see* Dysphagia
- muscular R27.8
- uterus (action) (contractions) (complicating delivery) O62.4

Increase, increased

- abnormal, in development R63.8
- androgens (ovarian) E28.1
- anticoagulants (antithrombin) (anti-VIIIa) (anti-IXa) (anti-Xa) (anti-XIa) -*see* Circulating anticoagulants
- cold sense R20.8
- estrogen E28.0
- function
- - adrenal
- - - cortex -*see* Cushing's, syndrome
- - - medulla E27.5
- - pituitary (gland) (anterior) (lobe) E22.9
- - - posterior E22.2
- heat sense R20.8
- intracranial pressure (benign) G93.2
- permeability, capillaries I78.8
- pressure, intracranial G93.2
- secretion
- - gastrin E16.4
- - glucagon E16.3
- - pancreas, endocrine E16.9
- - - growth hormone-releasing hormone E16.8
- - - pancreatic polypeptide E16.8
- - - somatostatin E16.8
- - - vasoactive-intestinal polypeptide E16.8
- sphericity, lens Q12.4
- splenic activity D73.1
- venous pressure I87.8
- - portal K76.6

Increta placenta O43.22-

Incrustation, cornea, foreign body (lead)(zinc) -*see* Foreign body, cornea

Incyclophoria H50.54
Incyclotropia -*see* Cyclotropia
Indeterminate sex Q56.4
India rubber skin Q82.8
Indigestion (acid) (bilious) (functional) K30
- catarrhal K31.89
- due to decomposed food NOS A05.9
- nervous F45.8
- psychogenic F45.8
Indirect -*see* condition
Induratio penis plastica N48.6
Induration, indurated
- brain G93.89
- breast (fibrous) N64.51
- - puerperal, postpartum O92.29
- broad ligament N83.8
- chancre
- - anus A51.1
- - congenital A50.07
- - extragenital NEC A51.2
- corpora cavernosa (penis) (plastic) N48.6
- liver (chronic) K76.89
- lung (black) (chronic) (fibroid) -*see also* Fibrosis, lung J84.10
- - essential brown J84.03
- penile (plastic) N48.6
- phlebitic -*see* Phlebitis
- skin R23.4
Inebriety (without dependence) -*see* Alcohol, intoxication
Inefficiency, kidney N28.9
Inelasticity, skin R23.4
Inequality, leg (length) (acquired) -*see also* Deformity, limb, unequal length
- congenital -*see* Defect, reduction, lower limb
- lower leg -*see* Deformity, limb, unequal length
Inertia
- bladder (neurogenic) N31.2
- stomach K31.89
- - psychogenic F45.8
- uterus, uterine during labor O62.2
- - during latent phase of labor O62.0
- - primary O62.0
- - secondary O62.1
- vesical (neurogenic) N31.2
Infancy, infantile, infantilism -*see also* condition
- celiac K90.0
- genitalia, genitals (after puberty) E30.0
- Herter's (nontropical sprue) K90.0
- intestinal K90.0
- Lorain E23.0
- pancreatic K86.89
- pelvis M95.5
- - with disproportion (fetopelvic) O33.1
- - - causing obstructed labor O65.1
- pituitary E23.0
- renal N25.0
- uterus -*see* Infantile, genitalia
Infant(s) -*see also* Infancy
- excessive crying R68.11
- irritable child R68.12
- lack of care -*see* Neglect
- liveborn (singleton) Z38.2

- - born in hospital Z38.00
- - - by cesarean Z38.01
- - born outside hospital Z38.1
- - multiple NEC Z38.8
- - - born in hospital Z38.68
- - - - by cesarean Z38.69
- - - born outside hospital Z38.7
- - quadruplet Z38.8
- - - born in hospital Z38.63
- - - - by cesarean Z38.64
- - - born outside hospital Z38.7
- - quintuplet Z38.8
- - - born in hospital Z38.65
- - - - by cesarean Z38.66
- - - born outside hospital Z38.7
- - triplet Z38.8
- - - born in hospital Z38.61
- - - - by cesarean Z38.62
- - - born outside hospital Z38.7
- - twin Z38.5
- - - born in hospital Z38.30
- - - - by cesarean Z38.31
- - - born outside hospital Z38.4
- of diabetic mother (syndrome of) P70.1
- - gestational diabetes P70.0

Infantile -*see also* condition
- genitalia, genitals E30.0
- os, uterine E30.0
- penis E30.0
- testis E29.1
- uterus E30.0

Infantilism -*see* Infancy

Infarct, infarction
- adrenal (capsule) (gland) E27.49
- appendices epiploicae -*see also* Infarct, intestine K55.069
- bowel -*see also* Infarct, intestine K55.069
- brain (stem) -*see* Infarct, cerebral
- breast N64.89
- brewer's (kidney) N28.0
- cardiac -*see* Infarct, myocardium
- cerebellar -*see* Infarct, cerebral
- cerebral (acute) -*see also* Occlusion, artery cerebral or precerebral, with infarction I63.9-
- - aborted I63.9
- - chronic (imaging) (old) (remote) (without sequelae) Z86.73
- - - with residual defects -*see* Sequelae, disease, cerebrovascular
- - cortical I63.9
- - due to
- - - cerebral venous thrombosis, nonpyogenic I63.6
- - - embolism
- - - - cerebral arteries I63.4-
- - - - precerebral arteries I63.1-
- - - occlusion NEC
- - - - cerebral arteries I63.5-
- - - - precerebral arteries I63.2-
- - - - small artery I63.81
- - - stenosis NEC
- - - - cerebral arteries I63.5-
- - - - precerebral arteries I63.2-
- - - - small artery I63.81
- - - thrombosis

- - - - cerebral artery I63.3-
- - - - precerebral artery I63.0-
- - intraoperative
- - - during cardiac surgery I97.810
- - - during other surgery I97.811
- - neonatal P91.82-
- - perinatal (arterial ischemic) P91.82-
- - postprocedural
- - - following cardiac surgery I97.820
- - - following other surgery I97.821
- - specified NEC I63.89
- colon (acute) (agnogenic) (embolic) (hemorrhagic) (nonocclusive) (nonthrombotic) (occlusive) (segmental) (thrombotic) (with gangrene) -*see also* Infarct, intestine K55.049
- coronary artery -*see* Infarct, myocardium
- embolic -*see* Embolism
- fallopian tube N83.8
- gallbladder K82.8
- heart -*see* Infarct, myocardium
- hepatic K76.3
- hypophysis (anterior lobe) E23.6
- impending (myocardium) I20.0
- intestine (acute) (agnogenic) (embolic) (hemorrhagic) (nonocclusive) (nonthrombotic) (occlusive) (thrombotic) (with gangrene) K55.069
- - diffuse K55.062
- - focal K55.061
- - large K55.049
- - - diffuse K55.042
- - - focal K55.041
- - small K55.029
- - - diffuse K55.022
- - - focal K55.021
- kidney N28.0
- lacunar I63.81
- liver K76.3
- lung (embolic) (thrombotic) -*see* Embolism, pulmonary
- lymph node I89.8
- mesentery, mesenteric (embolic) (thrombotic) (with gangrene) -*see also* Infarct, intestine K55.069
- muscle (ischemic) M62.20
- - ankle M62.27-
- - foot M62.27-
- - forearm M62.23-
- - hand M62.24-
- - lower leg M62.26-
- - pelvic region M62.25-
- - shoulder region M62.21-
- - specified site NEC M62.28
- - thigh M62.25-
- - upper arm M62.22-
- myocardium, myocardial (acute) (with stated duration of 4 weeks or less) I21.9
- - with
- - - coronary microvascular disease I21.B
- - - coronary microvascular dysfunction I21.B
- - - nonobstructive coronary arteries [MINOCA] with microvascular disease I21.B
- - associated with revascularization procedure I21.A9
- - diagnosed on ECG, but presenting no symptoms I25.2
- - due to
- - - demand ischemia I21.A1
- - - ischemic imbalance I21.A1
- - healed or old I25.2
- - intraoperative -*see also* Infarct, myocardium, associated with revascularization procedure

- - - during cardiac surgery I97.790
- - - during other surgery I97.791
- - non-Q wave I21.4
- - non-ST elevation (NSTEMI) I21.4
- - - subsequent I22.2
- - nontransmural I21.4
- - past (diagnosed on ECG or other investigation, but currently presenting no symptoms) I25.2
- - postprocedural *-see also* Infarct, myocardium, associated with revascularization procedure
- - - following cardiac surgery surgery *-see also* Infarct, myocardium, type 4 or type 5 I97.190
- - - following other surgery I97.191
- - Q wave (see also, Infarct, myocardium, ST elevation, by site) I21.3
- - secondary to
- - - demand ischemia I21.A1
- - - ischemic imbalance I21.A1
- - ST elevation (STEMI) I21.3
- - - anterior (anteroapical) (anterolateral) (anteroseptal) (Q wave) (wall) I21.09
- - - - subsequent I22.0
- - - inferior (diaphragmatic) (inferolateral) (inferoposterior) (wall) NEC I21.19
- - - - subsequent I22.1
- - - inferoposterior transmural (Q wave) I21.11
- - - involving
- - - - coronary artery of anterior wall NEC I21.09
- - - - coronary artery of inferior wall NEC I21.19
- - - - diagonal coronary artery I21.02
- - - - left anterior descending coronary artery I21.02
- - - - left circumflex coronary artery I21.21
- - - - left main coronary artery I21.01
- - - - oblique marginal coronary artery I21.21
- - - - right coronary artery I21.11
- - - lateral (apical-lateral) (basal-lateral) (high) I21.29
- - - - subsequent I22.8
- - - posterior (posterobasal) (posterolateral) (posteroseptal) (true) I21.29
- - - - subsequent I22.8
- - - septal I21.29
- - - - subsequent I22.8
- - - specified NEC I21.29
- - - - subsequent I22.8
- - - subsequent I22.9
- - subsequent (recurrent) (reinfarction) I22.9
- - - anterior (anteroapical) (anterolateral) (anteroseptal) (wall) I22.0
- - - diaphragmatic (wall) I22.1
- - - inferior (diaphragmatic) (inferolateral) (inferoposterior) (wall) I22.1
- - - lateral (apical-lateral) (basal-lateral) (high) I22.8
- - - non-ST elevation (NSTEMI) I22.2
- - - posterior (posterobasal) (posterolateral) (posteroseptal) (true) I22.8
- - - septal I22.8
- - - specified NEC I22.8
- - - ST elevation I22.9
- - - - anterior (anteroapical) (anterolateral) (anteroseptal) (wall) I22.0
- - - - inferior (diaphragmatic) (inferolateral) (inferoposterior) (wall) I22.1
- - - - specified NEC I22.8
- - - subendocardial I22.2
- - - transmural I22.9
- - - - anterior (anteroapical) (anterolateral) (anteroseptal) (wall) I22.0
- - - - diaphragmatic (wall) I22.1
- - - - inferior (diaphragmatic) (inferolateral) (inferoposterior) (wall) I22.1
- - - - lateral (apical-lateral) (basal-lateral) (high) I22.8
- - - - posterior (posterobasal) (posterolateral) (posteroseptal) (true) I22.8
- - - - specified NEC I22.8
- - - type 1 *-see also* Infarction, myocardial, subsequent, by site, or by ST elevation or non-ST elevation I22.9

- - - type 2 I21.A1
- - - type 3 I21.A9
- - - type 4 I21.A9
- - - type 5 I21.A9
- - syphilitic A52.06
- - transmural (see also, Infarct, myocardium, ST elevation, by site) I21.3
- - - anterior (anteroapical) (anterolateral) (anteroseptal) (Q wave) (wall) NEC I21.09
- - - inferior (diaphragmatic) (inferolateral) (inferoposterior) (Q wave) (wall) NEC I21.19
- - - inferoposterior (Q wave) I21.11
- - - lateral (apical-lateral) (basal-lateral) (high) NEC I21.29
- - - posterior (posterobasal) (posterolateral) (posteroseptal) (true) NEC I21.29
- - - septal NEC I21.29
- - - specified NEC I21.29
- - type 1 -*see also* Infarction, myocardial, by site, or by ST elevation or non-ST elevation I21.9
- - type 2 I21.A1
- - type 3 I21.A9
- - type 4 (a) (b) (c) I21.A9
- - type 5 I21.A9
- nontransmural I21.4
- omentum -*see also* Infarct, intestine K55.069
- ovary N83.8
- pancreas K86.89
- papillary muscle -*see* Infarct, myocardium
- parathyroid gland E21.4
- pituitary (gland) E23.6
- placenta O43.81-
- prostate N42.89
- pulmonary (artery) (vein) (hemorrhagic) -*see* Embolism, pulmonary
- renal (embolic) (thrombotic) N28.0
- retina, retinal (artery) -*see* Occlusion, artery, retina
- spinal (cord) (acute) (embolic) (nonembolic) G95.11
- spleen D73.5
- - embolic or thrombotic I74.8
- subendocardial (acute) (nontransmural) I21.4
- suprarenal (capsule) (gland) E27.49
- testis N50.1
- thrombotic -*see also* Thrombosis
- - artery, arterial -*see* Embolism
- thyroid (gland) E07.89
- ventricle (heart) -*see* Infarct, myocardium

Infecting -*see* condition

Infection, infected, infective (opportunistic) B99.9
- with
- - drug resistant organism -*see* Resistance (to), drug -*see also* specific organism
- - lymphangitis -*see* Lymphangitis
- - organ dysfunction (acute) R65.20
- - - with septic shock R65.21
- abscess (skin) - code by site under Abscess
- Absidia -*see* Mucormycosis
- Acanthamoeba -*see* Acanthamebiasis
- Acanthocheilonema (perstans) (streptocerca) B74.4
- accessory sinus (chronic) -*see* Sinusitis
- achorion -*see* Dermatophytosis
- Acinetobacter baumannii, as cause of disease classified elsewhere B96.83
- Acremonium falciforme B47.0
- acromioclavicular M00.9
- Actinobacillus (actinomycetem-comitans) A28.8
- - mallei A24.0
- - muris A25.1
- Actinomadura B47.1

- Actinomyces (israelii) -*see also* Actinomycosis A42.9
- Actinomycetales -*see* Actinomycosis
- actinomycotic NOS -*see* Actinomycosis
- adenoid (and tonsil) J03.90
- - chronic J35.02
- adenovirus NEC
- - as cause of disease classified elsewhere B97.0
- - unspecified nature or site B34.0
- aerogenes capsulatus A48.0
- aertrycke -*see* Infection, salmonella
- alimentary canal NOS -*see* Enteritis, infectious
- Allescheria boydii B48.2
- Alternaria B48.8
- alveolus, alveolar (process) K04.7
- Ameba, amebic (histolytica) -*see* Amebiasis
- amniotic fluid, sac or cavity O41.10-
- - chorioamnionitis O41.12-
- - placentitis O41.14-
- amputation stump (surgical) -*see* Complication, amputation stump, infection
- Ancylostoma (duodenalis) B76.0
- Anisakiasis, Anisakis larvae B81.0
- anthrax -*see* Anthrax
- antrum (chronic) -*see* Sinusitis, maxillary
- anus, anal (papillae) (sphincter) K62.89
- arbovirus (arbor virus) A94
- - specified type NEC A93.8
- artificial insemination N98.0
- Ascaris lumbricoides -*see* Ascariasis
- Ascomycetes B47.0
- Aspergillus (flavus) (fumigatus) (terreus) -*see* Aspergillosis
- atypical
- - acid-fast (bacilli) -*see* Mycobacterium, atypical
- - mycobacteria -*see* Mycobacterium, atypical
- - virus A81.9
- - - specified type NEC A81.89
- auditory meatus (external) -*see* Otitis, externa, infective
- auricle (ear) -*see* Otitis, externa, infective
- axillary gland (lymph) L04.2
- Bacillus A49.9
- - abortus A23.1
- - anthracis -*see* Anthrax
- - ducreyi (any location) A57
- - Flexner's A03.1
- - Friedländer's NEC A49.8
- - gas (gangrene) A48.0
- - mallei A24.0
- - melitensis A23.0
- - paratyphoid, paratyphosus A01.4
- - - A A01.1
- - - B A01.2
- - - C A01.3
- - Shiga (-Kruse) A03.0
- - suipestifer -*see* Infection, salmonella
- - swimming pool A31.1
- - typhosa A01.00
- - welchii -*see* Gangrene, gas
- bacterial NOS A49.9
- - as cause of disease classified elsewhere B96.89
- - - Acinetobacter baumannii B96.83
- - - Bacteroides fragilis [B. fragilis] B96.6

- - - Clostridium perfringens [C. perfringens] B96.7
- - - Cronobacter (sakazakii) A49.8
- - - Enterobacter sakazakii B96.89
- - - Enterococcus B95.2
- - - Escherichia coli [E. coli] -*see also* Escherichia coli B96.20
- - - Helicobacter pylori [H.pylori] B96.81
- - - Hemophilus influenzae [H. influenzae] B96.3
- - - Klebsiella pneumoniae [K. pneumoniae] B96.1
- - - Mycoplasma pneumoniae [M. pneumoniae] B96.0
- - - Proteus (mirabilis) (morganii) B96.4
- - - Pseudomonas (aeruginosa) (mallei) (pseudomallei) B96.5
- - - Staphylococcus B95.8
- - - - aureus (methicillin susceptible) (MSSA) B95.61
- - - - - methicillin resistant (MRSA) B95.62
- - - - specified NEC B95.7
- - - Streptococcus B95.5
- - - - group A B95.0
- - - - group B B95.1
- - - - pneumoniae B95.3
- - - - specified NEC B95.4
- - - Vibrio vulnificus B96.82
- - specified NEC A48.8
- Bacterium
- - paratyphosum A01.4
- - - A A01.1
- - - B A01.2
- - - C A01.3
- - typhosum A01.00
- Bacteroides NEC A49.8
- - fragilis, as cause of disease classified elsewhere B96.6
- Balantidium coli A07.0
- Bartholin's gland N75.8
- Basidiobolus B46.8
- bile duct (common) (hepatic) -*see* Cholangitis
- bladder -*see* Cystitis
- Blastomyces, blastomycotic -*see also* Blastomycosis
- - brasiliensis -*see* Paracoccidioidomycosis
- - dermatitidis -*see* Blastomycosis
- - European -*see* Cryptococcosis
- - Loboi B48.0
- - North American B40.9
- - South American -*see* Paracoccidioidomycosis
- bleb, postprocedure -*see* Blebitis
- bone -*see* Osteomyelitis
- Bordetella -*see* Whooping cough
- Borrelia bergdorfi A69.20
- brain -*see also* Encephalitis G04.90
- - membranes -*see* Meningitis
- - septic G06.0
- - - meninges -*see* Meningitis, bacterial
- branchial cyst Q18.0
- breast -*see* Mastitis
- bronchus -*see* Bronchitis
- Brucella A23.9
- - abortus A23.1
- - canis A23.3
- - melitensis A23.0
- - mixed A23.8
- - specified NEC A23.8
- - suis A23.2

- Brugia (malayi) B74.1
- - timori B74.2
- bursa -*see* Bursitis, infective
- buttocks (skin) L08.9
- Campylobacter, intestinal A04.5
- - as cause of disease classified elsewhere B96.81
- Candida (albicans) (tropicalis) -*see* Candidiasis
- candiru B88.8
- Capillaria (intestinal) B81.1
- - hepatica B83.8
- - philippinensis B81.1
- cartilage -*see* Disorder, cartilage, specified type NEC
- catheter-related bloodstream (CRBSI) T80.211
- cat liver fluke B66.0
- cellulitis - code by site under Cellulitis
- central line-associated T80.219
- - bloodstream (CLABSI) T80.211
- - specified NEC T80.218
- Cephalosporium falciforme B47.0
- cerebrospinal -*see* Meningitis
- cervical gland (lymph) L04.0
- cervix -*see* Cervicitis
- cesarean delivery wound (puerperal) O86.00
- cestodes -*see* Infestation, cestodes
- chest J22
- Chilomastix (intestinal) A07.8
- Chlamydia, chlamydial A74.9
- - anus A56.3
- - genitourinary tract A56.2
- - - lower A56.00
- - - specified NEC A56.19
- - lymphogranuloma A55
- - pharynx A56.4
- - psittaci A70
- - rectum A56.3
- - sexually transmitted NEC A56.8
- cholera -*see* Cholera
- Cladosporium
- - bantianum (brain abscess) B43.1
- - carrionii B43.0
- - castellanii B36.1
- - trichoides (brain abscess) B43.1
- - werneckii B36.1
- Clonorchis (sinensis) (liver) B66.1
- Clostridioides
- - difficile
- - - as cause of disease classified elsewhere B96.89
- - - foodborne (disease)
- - - - not specified as recurrent A04.72
- - - - recurrent A04.71
- - - gas gangrene A48.0
- - - necrotizing enterocolitis
- - - - not specified as recurrent A04.72
- - - - recurrent A04.71
- - - sepsis A41.4
- Clostridium NEC
- - bifermentans A48.0
- - botulinum (food poisoning) A05.1
- - - infant A48.51
- - - wound A48.52

- - difficile
- - - as cause of disease classified elsewhere B96.89
- - - foodborne (disease)
- - - - not specified as recurrent A04.72
- - - - recurrent A04.71
- - - gas gangrene A48.0
- - - necrotizing enterocolitis
- - - - not specified as recurrent A04.72
- - - - recurrent A04.71
- - - sepsis A41.4
- - gas-forming NEC A48.0
- - histolyticum A48.0
- - novyi, causing gas gangrene A48.0
- - oedematiens A48.0
- - perfringens
- - - as cause of disease classified elsewhere B96.7
- - - due to food A05.2
- - - foodborne (disease) A05.2
- - - gas gangrene A48.0
- - - sepsis A41.4
- - septicum, causing gas gangrene A48.0
- - sordellii, causing gas gangrene A48.0
- - welchii
- - - as cause of disease classified elsewhere B96.7
- - - foodborne (disease) A05.2
- - - gas gangrene A48.0
- - - necrotizing enteritis A05.2
- - - sepsis A41.4
- Coccidioides (immitis) -*see* Coccidioidomycosis
- colon -*see* Enteritis, infectious
- colostomy K94.02
- common duct -*see* Cholangitis
- congenital P39.9
- - Candida (albicans) P37.5
- - cytomegalovirus P35.1
- - hepatitis, viral P35.3
- - herpes simplex P35.2
- - infectious or parasitic disease P37.9
- - - specified NEC P37.8
- - listeriosis (disseminated) P37.2
- - malaria NEC P37.4
- - - falciparum P37.3
- - Plasmodium falciparum P37.3
- - poliomyelitis P35.8
- - rubella P35.0
- - skin P39.4
- - toxoplasmosis (acute) (subacute) (chronic) P37.1
- - tuberculosis P37.0
- - urinary (tract) P39.3
- - vaccinia P35.8
- - virus P35.9
- - - specified type NEC P35.8
- Conidiobolus B46.8
- coronavirus-2019 U07.1
- coronavirus NEC B34.2
- - as cause of disease classified elsewhere B97.29
- - severe acute respiratory syndrome (SARS associated) B97.21
- corpus luteum -*see* Salpingo-oophoritis
- Corynebacterium diphtheriae -*see* Diphtheria
- cotia virus B08.8

- COVID-19 -*see also* COVID-19 U07.1
- Coxiella burnetii A78
- coxsackie -*see* Coxsackie
- Cronobacter (sakazakii) A49.8
- - as cause of disease classified elsewhere B96.89
- - generalized A41.59
- Cryptococcus neoformans -*see* Cryptococcosis
- Cryptosporidium A07.2
- Cunninghamella -*see* Mucormycosis
- cyst -*see* Cyst
- cystic duct -*see also* Cholecystitis K81.9
- Cysticercus cellulosae -*see* Cysticercosis
- cytomegalovirus, cytomegaloviral B25.9
- - congenital P35.1
- - maternal, maternal care for (suspected) damage to fetus O35.3
- - mononucleosis B27.10
- - - with
- - - - complication NEC B27.19
- - - - meningitis B27.12
- - - - polyneuropathy B27.11
- delta-agent (acute), in hepatitis B carrier B17.0
- dental (pulpal origin) K04.7
- Deuteromycetes B47.0
- Dicrocoelium dendriticum B66.2
- Dipetalonema (perstans) (streptocerca) B74.4
- diphtherial -*see* Diphtheria
- Diphyllobothrium (adult) (latum) (pacificum) B70.0
- - larval B70.1
- Diplogonoporus (grandis) B71.8
- Dipylidium caninum B67.4
- Dirofilaria B74.8
- Dracunculus medinensis B72
- Drechslera (hawaiiensis) B43.8
- ducreyi Haemophilus (any location) A57
- due to or resulting from
- - artificial insemination N98.0
- - Babesia
- - - divergens (-like) strain B60.03
- - - duncani (-type) species B60.02
- - - microti B60.01
- - - species
- - - - specified NEC B60.09
- - central venous catheter T80.219
- - - bloodstream T80.211
- - - exit or insertion site T80.212
- - - localized T80.212
- - - port or reservoir T80.212
- - - specified NEC T80.218
- - - tunnel T80.212
- - device, implant or graft -*see also* Complications, by site and type, infection or inflammation T85.79
- - - arterial graft NEC T82.7
- - - breast (implant) T85.79
- - - catheter NEC T85.79
- - - - dialysis (renal) T82.7
- - - - - central line T80.211
- - - - - intraperitoneal T85.71
- - - - infusion NEC T82.7
- - - - - cranial T85.735
- - - - - intrathecal T85.735
- - - - - spinal (epidural) (subdural) T85.735

- - - - - subarachnoid T85.735
- - - - urinary T83.518
- - - - - cystostomy T83.510
- - - - - Hopkins T83.518
- - - - - ileostomy T83.518
- - - - - nephrostomy T83.512
- - - - - specified NEC T83.518
- - - - - urethral indwelling T83.511
- - - - - urostomy T83.518
- - - electronic (electrode) (pulse generator) (stimulator)
- - - - bone T84.7
- - - - cardiac T82.7
- - - - nervous system T85.738
- - - - - brain T85.731
- - - - - cranial nerve T85.732
- - - - - gastric nerve T85.732
- - - - - generator pocket T85.734
- - - - - neurostimulator generator T85.734
- - - - - peripheral nerve T85.732
- - - - - sacral nerve T85.732
- - - - - spinal cord T85.733
- - - - - vagal nerve T85.732
- - - - urinary T83.590
- - - fixation, internal (orthopedic) NEC -*see* Complication, fixation device, infection
- - - gastrointestinal (bile duct) (esophagus) T85.79
- - - - neurostimulator electrode (lead) T85.732
- - - genital NEC T83.69
- - - heart NEC T82.7
- - - - valve (prosthesis) T82.6
- - - - - graft T82.7
- - - joint prosthesis -*see* Complication, joint prosthesis, infection
- - - ocular (corneal graft) (orbital implant) NEC T85.79
- - - orthopedic NEC T84.7
- - - penile (cylinder) (pump) (reservoir) T83.61
- - - specified NEC T85.79
- - - testicular T83.62
- - - urinary NEC T83.598
- - - - ileal conduit stent T83.593
- - - - implanted neurostimulation T83.590
- - - - implanted sphincter T83.591
- - - - indwelling ureteral stent T83.592
- - - - nephroureteral stent T83.593
- - - - specified stent NEC T83.593
- - - vascular NEC T82.7
- - - ventricular intracranial (communicating) shunt T85.730
- - Hickman catheter T80.219
- - - bloodstream T80.211
- - - localized T80.212
- - - specified NEC T80.218
- - immunization or vaccination T88.0
- - infusion, injection or transfusion NEC T80.29
- - - acute T80.22
- - injury NEC - code by site under Wound, open
- - peripherally inserted central catheter (PICC) T80.219
- - - bloodstream T80.211
- - - localized T80.212
- - - specified NEC T80.218
- - portacath (port-a-cath) T80.219
- - - bloodstream T80.211
- - - localized T80.212

- - - specified NEC T80.218
- - protozoa of the order Piroplasmida NEC B60.09
- - pulmonary artery catheter *-see* Infection, due to or resulting from, central venous catheter
- - surgery T81.40
- - Swan Ganz catheter *-see* Infection, due to or resulting from, central venous catheter
- - triple lumen catheter T80.219
- - - bloodstream T80.211
- - - localized T80.212
- - - specified NEC T80.218
- - umbilical venous catheter T80.219
- - - bloodstream T80.211
- - - localized T80.212
- - - specified NEC T80.218
- during labor NEC O75.3
- ear (middle) *-see also* Otitis media
- - external *-see* Otitis, externa, infective
- - inner -see subcategory H83.0
- Eberthella typhosa A01.00
- Echinococcus *-see* Echinococcus
- echovirus
- - as cause of disease classified elsewhere B97.12
- - unspecified nature or site B34.1
- endocardium I33.0
- endocervix *-see* Cervicitis
- Entamoeba *-see* Amebiasis
- enteric *-see* Enteritis, infectious
- Enterobacter sakazakii B96.89
- Enterobius vermicularis B80
- enterostomy K94.12
- enterovirus B34.1
- - as cause of disease classified elsewhere B97.10
- - - coxsackievirus B97.11
- - - echovirus B97.12
- - - specified NEC B97.19
- Entomophthora B46.8
- Epidermophyton *-see* Dermatophytosis
- epididymis *-see* Epididymitis
- episiotomy (puerperal) O86.09
- Erysipelothrix (insidiosa) (rhusiopathiae) *-see* Erysipeloid
- erythema infectiosum B08.3
- Escherichia (E.) coli NEC A49.8
- - as cause of disease classified elsewhere *-see also* Escherichia coli B96.20
- - congenital P39.8
- - - sepsis P36.4
- - generalized A41.51
- - intestinal *-see* Enteritis, infectious, due to, Escherichia coli
- ethmoidal (chronic) (sinus) *-see* Sinusitis, ethmoidal
- eustachian tube (ear) *-see* Salpingitis, eustachian
- external auditory canal (meatus) NEC *-see* Otitis, externa, infective
- eye (purulent) *-see* Endophthalmitis, purulent
- eyelid *-see* Inflammation, eyelid
- fallopian tube *-see* Salpingo-oophoritis
- Fasciola (gigantica) (hepatica) (indica) B66.3
- Fasciolopsis (buski) B66.5
- filarial *-see* Infestation, filarial
- finger (skin) L08.9
- - nail L03.01-
- - - fungus B35.1
- fish tapeworm B70.0
- - larval B70.1

- flagellate, intestinal A07.9
- fluke -*see* Infestation, fluke
- focal
- - teeth (pulpal origin) K04.7
- - tonsils J35.01
- Fonsecaea (compactum) (pedrosoi) B43.0
- food -*see* Intoxication, foodborne
- foot (skin) L08.9
- - dermatophytic fungus B35.3
- Francisella tularensis -*see* Tularemia
- frontal (sinus) (chronic) -*see* Sinusitis, frontal
- fungus NOS B49
- - beard B35.0
- - dermatophytic -*see* Dermatophytosis
- - foot B35.3
- - groin B35.6
- - hand B35.2
- - nail B35.1
- - pathogenic to compromised host only B48.8
- - perianal (area) B35.6
- - scalp B35.0
- - skin B36.9
- - - foot B35.3
- - - hand B35.2
- - - toenails B35.1
- Fusarium B48.8
- gallbladder -*see* Cholecystitis
- gas bacillus -*see* Gangrene, gas
- gastrointestinal -*see* Enteritis, infectious
- generalized NEC -*see* Sepsis
- generator pocket, implanted electronic neurostimulator T85.734
- genital organ or tract
- - female -*see* Disease, pelvis, inflammatory
- - male N49.9
- - - multiple sites N49.8
- - - specified NEC N49.8
- Ghon tubercle, primary A15.7
- Giardia lamblia A07.1
- gingiva (chronic) K05.10
- - acute K05.00
- - - nonplaque induced K05.01
- - - plaque induced K05.00
- - nonplaque induced K05.11
- - plaque induced K05.10
- glanders A24.0
- glenosporopsis B48.0
- Gnathostoma (spinigerum) B83.1
- Gongylonema B83.8
- gonococcal -*see* Gonococcus
- gram-negative bacilli NOS A49.9
- guinea worm B72
- gum (chronic) K05.10
- - acute K05.00
- - - nonplaque induced K05.01
- - - plaque induced K05.00
- - nonplaque induced K05.11
- - plaque induced K05.10
- Haemophilus -*see* Infection, Hemophilus
- heart -*see* Carditis
- Helicobacter pylori A04.8

- - as cause of disease classified elsewhere B96.81
- helminths B83.9
- - intestinal B82.0
- - - mixed (types classifiable to more than one of the titles B65.0-B81.3 and B81.8) B81.4
- - - specified type NEC B81.8
- - specified type NEC B83.8
- Hemophilus
- - aegyptius, systemic A48.4
- - ducreyi (any location) A57
- - influenzae NEC A49.2
- - - as cause of disease classified elsewhere B96.3
- - generalized A41.3
- herpes (simplex) -*see also* Herpes
- - congenital P35.2
- - disseminated B00.7
- - zoster B02.9
- herpesvirus, herpesviral -*see* Herpes
- hip (joint) NEC M00.9
- - due to internal joint prosthesis
- - - left T84.52
- - - right T84.51
- - skin NEC L08.9
- Heterophyes (heterophyes) B66.8
- Histoplasma -*see* Histoplasmosis
- - American B39.4
- - capsulatum B39.4
- hookworm B76.9
- human
- - papilloma virus A63.0
- - T-cell lymphotropic virus type-1 (HTLV-1) B33.3
- hydrocele N43.0
- Hymenolepis B71.0
- hypopharynx -*see* Pharyngitis
- inguinal (lymph) glands L04.1
- - due to soft chancre A57
- intervertebral disc, pyogenic M46.30
- - cervical region M46.32
- - cervicothoracic region M46.33
- - lumbar region M46.36
- - lumbosacral region M46.37
- - multiple sites M46.39
- - occipito-atlanto-axial region M46.31
- - sacrococcygeal region M46.38
- - thoracic region M46.34
- - thoracolumbar region M46.35
- intestine, intestinal -*see* Enteritis, infectious
- - specified NEC A08.8
- intra-amniotic affecting newborn NEC P39.2
- intrauterine inflammation O41.12-
- Isospora belli or hominis A07.3
- Japanese B encephalitis A83.0
- jaw (bone) (lower) (upper) M27.2
- joint NEC M00.9
- - due to internal joint prosthesis T84.50
- kidney (cortex) (hematogenous) N15.9
- - with calculus N20.0
- - - with hydronephrosis N13.6
- - following ectopic gestation O08.83
- - pelvis and ureter (cystic) N28.85
- - puerperal (postpartum) O86.21

- - specified NEC N15.8
- Klebsiella (K.) pneumoniae NEC A49.8
- - as cause of disease classified elsewhere B96.1
- knee (joint) NEC M00.9
- - joint M00.9
- - due to internal joint prosthesis
- - - left T84.54
- - - right T84.53
- - skin L08.9
- Koch's -*see* Tuberculosis
- labia (majora) (minora) (acute) -*see* Vulvitis
- lacrimal
- - gland -*see* Dacryoadenitis
- - passages (duct) (sac) -*see* Inflammation, lacrimal, passages
- lancet fluke B66.2
- larynx NEC J38.7
- leg (skin) NOS L08.9
- Legionella pneumophila A48.1
- - nonpneumonic A48.2
- Leishmania -*see also* Leishmaniasis
- - aethiopica B55.1
- - braziliensis B55.2
- - chagasi B55.0
- - donovani B55.0
- - infantum B55.0
- - major B55.1
- - mexicana B55.1
- - tropica B55.1
- lentivirus, as cause of disease classified elsewhere B97.31
- Leptosphaeria senegalensis B47.0
- Leptospira interrogans A27.9
- - autumnalis A27.89
- - canicola A27.89
- - hebdomadis A27.89
- - icterohaemorrhagiae A27.0
- - pomona A27.89
- - specified type NEC A27.89
- leptospirochetal NEC -*see* Leptospirosis
- Listeria monocytogenes -*see also* Listeriosis
- - congenital P37.2
- Loa loa B74.3
- - with conjunctival infestation B74.3
- - eyelid B74.3
- Loboa loboi B48.0
- local, skin (staphylococcal) (streptococcal) L08.9
- - abscess - code by site under Abscess
- - cellulitis - code by site under Cellulitis
- - specified NEC L08.89
- - ulcer -*see* Ulcer, skin
- Loefflerella mallei A24.0
- lung -*see also* Pneumonia J18.9
- - atypical Mycobacterium A31.0
- - spirochetal A69.8
- - tuberculous -*see* Tuberculosis, pulmonary
- - virus -*see* Pneumonia, viral
- lymph gland -*see also* Lymphadenitis, acute
- - mesenteric I88.0
- lymphoid tissue, base of tongue or posterior pharynx, NEC (chronic) J35.03
- Madurella (grisea) (mycetomii) B47.0
- major

- - following ectopic or molar pregnancy O08.0
- - puerperal, postpartum, childbirth O85
- Malassezia furfur B36.0
- Malleomyces
- - mallei A24.0
- - pseudomallei (whitmori) -*see* Melioidosis
- mammary gland N61.0
- Mansonella (ozzardi) (perstans) (streptocerca) B74.4
- mastoid -*see* Mastoiditis
- maxilla, maxillary M27.2
- - sinus (chronic) -*see* Sinusitis, maxillary
- mediastinum J98.51
- Medina (worm) B72
- meibomian cyst or gland -*see* Hordeolum
- meninges -*see* Meningitis, bacterial
- meningococcal -*see also* condition A39.9
- - adrenals A39.1
- - brain A39.81
- - cerebrospinal A39.0
- - conjunctiva A39.89
- - endocardium A39.51
- - heart A39.50
- - - endocardium A39.51
- - - myocardium A39.52
- - - pericardium A39.53
- - joint A39.83
- - meninges A39.0
- - meningococcemia A39.4
- - - acute A39.2
- - - chronic A39.3
- - myocardium A39.52
- - pericardium A39.53
- - retrobulbar neuritis A39.82
- - specified site NEC A39.89
- mesenteric lymph nodes or glands NEC I88.0
- Metagonimus B66.8
- metatarsophalangeal M00.9
- methicillin
- - resistant Staphylococcus aureus (MRSA) A49.02
- - susceptible Staphylococcus aureus (MSSA) A49.01
- Microsporum, microsporic -*see* Dermatophytosis
- mixed flora (bacterial) NEC A49.8
- Monilia -*see* Candidiasis
- Monosporium apiospermum B48.2
- mouth, parasitic B37.0
- Mucor -*see* Mucormycosis
- muscle NEC -*see* Myositis, infective
- mycelium NOS B49
- mycetoma B47.9
- - actinomycotic NEC B47.1
- - mycotic NEC B47.0
- Mycobacterium, mycobacterial -*see* Mycobacterium
- Mycoplasma NEC A49.3
- - pneumoniae, as cause of disease classified elsewhere B96.0
- mycotic NOS B49
- - pathogenic to compromised host only B48.8
- - skin NOS B36.9
- myocardium NEC I40.0
- nail (chronic)
- - with lymphangitis -*see* Lymphangitis, acute, digit

- - finger L03.01-
- - - fungus B35.1
- - ingrowing L60.0
- - toe L03.03-
- - - fungus B35.1
- nasal sinus (chronic) -*see* Sinusitis
- nasopharynx -*see* Nasopharyngitis
- navel L08.82
- Necator americanus B76.1
- Neisseria -*see* Gonococcus
- Neotestudina rosatii B47.0
- newborn P39.9
- - intra-amniotic NEC P39.2
- - skin P39.4
- - specified type NEC P39.8
- nipple N61.0
- - associated with
- - - lactation O91.03
- - - pregnancy O91.01-
- - - puerperium O91.02
- Nocardia -*see* Nocardiosis
- obstetrical surgical wound (puerperal) O86.00
- - incisional site
- - - deep O86.02
- - - superficial O86.01
- - organ and space site O86.03
- - surgical site specified NEC O86.09
- Oesophagostomum (apiostomum) B81.8
- Oestrus ovis -*see* Myiasis
- Oidium albicans B37.9
- Onchocerca (volvulus) -*see* Onchocerciasis
- oncovirus, as cause of disease classified elsewhere B97.32
- operation wound T81.49
- Opisthorchis (felineus) (viverrini) B66.0
- orbit, orbital -*see* Inflammation, orbit
- orthopoxvirus NEC B08.09
- ovary -*see* Salpingo-oophoritis
- Oxyuris vermicularis B80
- pancreas (acute) -*see* Pancreatitis, acute
- - abscess -*see* Pancreatitis, acute
- - specified NEC -*see also* Pancreatitis, acute K85.80
- papillomavirus, as cause of disease classified elsewhere B97.7
- papovavirus NEC B34.4
- Paracoccidioides brasiliensis -*see* Paracoccidioidomycosis
- Paragonimus (westermani) B66.4
- parainfluenza virus B34.8
- parameningococcus NOS A39.9
- parapoxvirus B08.60
- - specified NEC B08.69
- parasitic B89
- Parastrongylus
- - cantonensis B83.2
- - costaricensis B81.3
- - paratyphoid A01.4
- - - Type A A01.1
- - - Type B A01.2
- - - Type C A01.3
- paraurethral ducts N34.2
- parotid gland -*see* Sialoadenitis
- parvovirus NEC B34.3

- - as cause of disease classified elsewhere B97.6
- Pasteurella NEC A28.0
- - multocida A28.0
- - pestis -*see* Plague
- - pseudotuberculosis A28.0
- - septica (cat bite) (dog bite) A28.0
- - tularensis -*see* Tularemia
- pelvic, female -*see* Disease, pelvis, inflammatory
- Penicillium (marneffei) B48.4
- penis (glans) (retention) NEC N48.29
- periapical K04.5
- peridental, periodontal K05.20
- - generalized -*see* Periodontitis, aggressive, generalized
- - localized -*see* Periodontitis, aggressive, localized
- perinatal period P39.9
- - specified type NEC P39.8
- perineal repair (puerperal) O86.09
- periorbital -*see* Inflammation, orbit
- perirectal K62.89
- perirenal -*see* Infection, kidney
- peritoneal -*see* Peritonitis
- periureteral N28.89
- Petriellidium boydii B48.2
- pharynx -*see also* Pharyngitis
- - coxsackievirus B08.5
- - posterior, lymphoid (chronic) J35.03
- Phialophora
- - gougerotii (subcutaneous abscess or cyst) B43.2
- - jeanselmei (subcutaneous abscess or cyst) B43.2
- - verrucosa (skin) B43.0
- Piedraia hortae B36.3
- pinta A67.9
- - intermediate A67.1
- - late A67.2
- - mixed A67.3
- - primary A67.0
- pinworm B80
- pityrosporum furfur B36.0
- pleuro-pneumonia-like organism (PPLO) NEC A49.3
- - as cause of disease classified elsewhere B96.0
- pneumococcus, pneumococcal NEC A49.1
- - as cause of disease classified elsewhere B95.3
- - generalized (purulent) A40.3
- - - with pneumonia J13
- Pneumocystis carinii (pneumonia) B59
- Pneumocystis jirovecii (pneumonia) B59
- port or reservoir T80.212
- postoperative T81.40
- postoperative wound T81.49
- - surgical site
- - - deep incisional T81.42
- - - organ and space T81.43
- - - specified NEC T81.49
- - - superficial incisional T81.41
- postprocedural T81.40
- postvaccinal T88.0
- prepuce NEC N47.7
- - with penile inflammation N47.6
- prion -*see* Disease, prion, central nervous system
- prostate (capsule) -*see* Prostatitis

- Proteus (mirabilis) (morganii) (vulgaris) NEC A49.8
- - as cause of disease classified elsewhere B96.4
- protozoal NEC B64
- - intestinal A07.9
- - - specified NEC A07.8
- - specified NEC B60.8
- Pseudoallescheria boydii B48.2
- Pseudomonas NEC A49.8
- - as cause of disease classified elsewhere B96.5
- - generalized A41.52
- - mallei A24.0
- - pneumonia J15.1
- - pseudomallei -*see* Melioidosis
- puerperal O86.4
- - genitourinary tract NEC O86.89
- - major or generalized O85
- - minor O86.4
- - specified NEC O86.89
- pulmonary -*see* Infection, lung
- purulent -*see* Abscess
- Pyrenochaeta romeroi B47.0
- Q fever A78
- rectum (sphincter) K62.89
- renal -*see also* Infection, kidney
- - pelvis and ureter (cystic) N28.85
- reovirus, as cause of disease classified elsewhere B97.5
- respiratory (tract) NEC J98.8
- - acute J22
- - chronic J98.8
- - influenzal (upper) (acute) -*see* Influenza, with, respiratory manifestations NEC
- - lower (acute) J22
- - - chronic -*see* Bronchitis, chronic
- - rhinovirus J00
- - syncytial virus (RSV) -*see* Infection, virus, respiratory syncytial (RSV)
- - upper (acute) NOS J06.9
- - - chronic J39.8
- - - streptococcal J06.9
- - - viral NOS J06.9
- - - - due to respiratory syncytial virus (RSV) J06.9 *[B97.4]*
- resulting from
- - presence of internal prosthesis, implant, graft -*see* Complications, by site and type, infection
- retortamoniasis A07.8
- retroperitoneal NEC K68.9
- retrovirus B33.3
- - as cause of disease classified elsewhere B97.30
- - - human
- - - - immunodeficiency, type 2 (HIV 2) B97.35
- - - - T-cell lymphotropic
- - - - - type I (HTLV-I) B97.33
- - - - - type II (HTLV-II) B97.34
- - - lentivirus B97.31
- - - oncovirus B97.32
- - - specified NEC B97.39
- Rhinosporidium (seeberi) B48.1
- rhinovirus
- - as cause of disease classified elsewhere B97.89
- - unspecified nature or site B34.8
- Rhizopus -*see* Mucormycosis
- rickettsial NOS A79.9
- roundworm (large) NEC B82.0

- - Ascariasis -*see also* Ascariasis B77.9
- rubella -*see* Rubella
- Saccharomyces -*see* Candidiasis
- salivary duct or gland (any) -*see* Sialoadenitis
- Salmonella (aertrycke) (arizonae) (cholerae-suis) (enteritidis) (gallinarum) (suipestifer) (typhimurium) A02.9
- - with
- - - (gastro) enteritis A02.0
- - - sepsis A02.1
- - - specified manifestation NEC A02.8
- - due to food (poisoning) A02.9
- - hirschfeldii A01.3
- - localized A02.20
- - - arthritis A02.23
- - - meningitis A02.21
- - - osteomyelitis A02.24
- - - pneumonia A02.22
- - - pyelonephritis A02.25
- - - specified NEC A02.29
- - paratyphi A01.4
- - - A A01.1
- - - B A01.2
- - - C A01.3
- - schottmuelleri A01.2
- - typhi, typhosa -*see* Typhoid
- Sarcocystis A07.8
- SARS-CoV-2 -*see* Infection, COVID-19
- scabies B86
- Schistosoma -*see* Infestation, Schistosoma
- scrotum (acute) NEC N49.2
- seminal vesicle -*see* Vesiculitis
- septic
- - localized, skin -*see* Abscess
- Serratia NEC A49.8
- - as cause of disease classified elsewhere B96.89
- - generalized A41.53
- sheep liver fluke B66.3
- Shigella A03.9
- - boydii A03.2
- - dysenteriae A03.0
- - flexneri A03.1
- - group
- - - A A03.0
- - - B A03.1
- - - C A03.2
- - - D A03.3
- - Schmitz (-Stutzer) A03.0
- - schmitzii A03.0
- - shigae A03.0
- - sonnei A03.3
- - specified NEC A03.8
- shoulder (joint) NEC M00.9
- - due to internal joint prosthesis T84.59
- - skin NEC L08.9
- sinus (accessory) (chronic) (nasal) -*see also* Sinusitis
- - pilonidal -*see* Sinus, pilonidal
- - skin NEC L08.89
- Skene's duct or gland -*see* Urethritis
- skin (local) (staphylococcal) (streptococcal) L08.9
- - abscess - code by site under Abscess
- - cellulitis - code by site under Cellulitis

- - due to fungus B36.9
- - - specified type NEC B36.8
- - mycotic B36.9
- - - specified type NEC B36.8
- - newborn P39.4
- - ulcer -*see* Ulcer, skin
- slow virus A81.9
- - specified NEC A81.89
- Sparganum (mansoni) (proliferum) (baxteri) B70.1
- specific -*see also* Syphilis
- - to perinatal period -*see* Infection, congenital
- specified NEC B99.8
- spermatic cord NEC N49.1
- sphenoidal (sinus) -*see* Sinusitis, sphenoidal
- spinal cord NOS -*see also* Myelitis G04.91
- - abscess G06.1
- - meninges -*see* Meningitis
- - streptococcal G04.89
- Spirillum A25.0
- spirochetal NOS A69.9
- - lung A69.8
- - specified NEC A69.8
- Spirometra larvae B70.1
- spleen D73.89
- Sporotrichum, Sporothrix (schenckii) -*see* Sporotrichosis
- staphylococcal, unspecified site
- - aureus (methicillin susceptible) (MSSA) A49.01
- - - methicillin resistant (MRSA) A49.02
- - as cause of disease classified elsewhere B95.8
- - - aureus (methicillin susceptible) (MSSA) B95.61
- - - - methicillin resistant (MRSA) B95.62
- - - specified NEC B95.7
- - food poisoning A05.0
- - generalized (purulent) A41.2
- - pneumonia -*see* Pneumonia, staphylococcal
- Stellantchasmus falcatus B66.8
- streptobacillus moniliformis A25.1
- streptococcal NEC A49.1
- - as cause of disease classified elsewhere B95.5
- - B genitourinary complicating
- - - childbirth O98.82
- - - pregnancy O98.81-
- - - puerperium O98.83
- - congenital
- - - sepsis P36.10
- - - - group B P36.0
- - - - specified NEC P36.19
- - generalized (purulent) A40.9
- Streptomyces B47.1
- Strongyloides (stercoralis) -*see* Strongyloidiasis
- stump (amputation) (surgical) -*see* Complication, amputation stump, infection
- subcutaneous tissue, local L08.9
- suipestifer -*see* Infection, salmonella
- swimming pool bacillus A31.1
- Taenia -*see* Infestation, Taenia
- Taeniarhynchus saginatus B68.1
- tapeworm -*see* Infestation, tapeworm
- tendon (sheath) -*see* Tenosynovitis, infective NEC
- Ternidens diminutus B81.8
- testis -*see* Orchitis

- threadworm B80
- throat -*see* Pharyngitis
- thyroglossal duct K14.8
- toe (skin) L08.9
- - cellulitis L03.03-
- - - fungus B35.1
- - nail L03.03-
- - - fungus B35.1
- tongue NEC K14.0
- - parasitic B37.0
- tonsil (and adenoid) (faucial) (lingual) (pharyngeal) -*see* Tonsillitis
- tooth, teeth K04.7
- - periapical K04.7
- - peridental, periodontal K05.20
- - - generalized -*see* Periodontitis, aggressive, generalized
- - - localized -*see* Periodontitis, aggressive, localized
- - pulp K04.01
- - - irreversible K04.02
- - - reversible K04.01
- - socket M27.3
- TORCH -*see* Infection, congenital
- - without active infection P00.2
- Torula histolytica -*see* Cryptococcosis
- Toxocara (canis) (cati) (felis) B83.0
- Toxoplasma gondii -*see* Toxoplasma
- trachea, chronic J42
- trematode NEC -*see* Infestation, fluke
- trench fever A79.0
- Treponema pallidum -*see* Syphilis
- Trichinella (spiralis) B75
- Trichomonas A59.9
- - cervix A59.09
- - intestine A07.8
- - prostate A59.02
- - specified site NEC A59.8
- - urethra A59.03
- - urogenitalis A59.00
- - vagina A59.01
- - vulva A59.01
- Trichophyton, trichophytic -*see* Dermatophytosis
- Trichosporon (beigelii) cutaneum B36.2
- Trichostrongylus B81.2
- Trichuris (trichiura) B79
- Trombicula (irritans) B88.0
- Trypanosoma
- - brucei
- - - gambiense B56.0
- - - rhodesiense B56.1
- - cruzi -*see* Chagas' disease
- tubal -*see* Salpingo-oophoritis
- tuberculous
- - latent (LTBI) Z22.7
- - NEC -*see* Tuberculosis
- tubo-ovarian -*see* Salpingo-oophoritis
- tunnel T80.212
- tunica vaginalis N49.1
- tympanic membrane NEC -*see* Myringitis
- typhoid (abortive) (ambulant) (bacillus) -*see* Typhoid
- typhus A75.9
- - flea-borne A75.2

- - mite-borne A75.3
- - recrudescent A75.1
- - tick-borne A77.9
- - - African A77.1
- - - North Asian A77.2
- umbilicus L08.82
- ureter -*see* Ureteritis
- urethra -*see* Urethritis
- urinary (tract) N39.0
- - bladder -*see* Cystitis
- - complicating
- - - pregnancy O23.4-
- - - - specified type NEC O23.3-
- - kidney -*see* Infection, kidney
- - newborn P39.3
- - puerperal (postpartum) O86.20
- - tuberculous A18.13
- - urethra -*see* Urethritis
- uterus, uterine -*see* Endometritis
- vaccination T88.0
- vaccinia not from vaccination B08.011
- vagina (acute) -*see* Vaginitis
- varicella B01.9
- varicose veins -*see* Varix
- vas deferens NEC N49.1
- vesical -*see* Cystitis
- Vibrio
- - cholerae A00.0
- - - El Tor A00.1
- - parahaemolyticus (food poisoning) A05.3
- - vulnificus
- - - as cause of disease classified elsewhere B96.82
- - - foodborne intoxication A05.5
- Vincent's (gum) (mouth) (tonsil) A69.1
- virus, viral NOS B34.9
- - adenovirus
- - - as cause of disease classified elsewhere B97.0
- - - unspecified nature or site B34.0
- - arborvirus, arbovirus arthropod-borne A94
- - as cause of disease classified elsewhere B97.89
- - - adenovirus B97.0
- - - coronavirus B97.29
- - - - SARS-associated B97.21
- - - coxsackievirus B97.11
- - - echovirus B97.12
- - - enterovirus B97.10
- - - - coxsackievirus B97.11
- - - - echovirus B97.12
- - - - specified NEC B97.19
- - - human
- - - - immunodeficiency, type 2 (HIV 2) B97.35
- - - - T-cell lymphotropic,
- - - - - type I (HTLV-I) B97.33
- - - - - type II (HTLV-II) B97.34
- - - - metapneumovirus B97.81
- - - papillomavirus B97.7
- - - parvovirus B97.6
- - - reovirus B97.5
- - - respiratory syncytial (RSV) -*see* Infection, virus, respiratory syncytial (RSV)
- - - retrovirus B97.30

- - - - human
- - - - - immunodeficiency, type 2 (HIV 2) B97.35
- - - - - T-cell lymphotropic,
- - - - - - type I (HTLV-I) B97.33
- - - - - - type II (HTLV-II) B97.34
- - - - lentivirus B97.31
- - - - oncovirus B97.32
- - - - specified NEC B97.39
- - - specified NEC B97.89
- - central nervous system A89
- - - atypical A81.9
- - - - specified NEC A81.89
- - - enterovirus NEC A88.8
- - - - meningitis A87.0
- - - slow virus A81.9
- - - - specified NEC A81.89
- - - specified NEC A88.8
- - chest J98.8
- - cotia B08.8
- - COVID-19 U07.1
- - coxsackie -*see also* Infection, coxsackie B34.1
- - - as cause of disease classified elsewhere B97.11
- - ECHO
- - - as cause of disease classified elsewhere B97.12
- - - unspecified nature or site B34.1
- - encephalitis, tick-borne A84.9
- - enterovirus, as cause of disease classified elsewhere B97.10
- - - coxsackievirus B97.11
- - - echovirus B97.12
- - - specified NEC B97.19
- - exanthem NOS B09
- - human papilloma as cause of disease classified elsewhere B97.7
- - human metapneumovirus as cause of disease classified elsewhere B97.81
- - intestine -*see* Enteritis, viral
- - respiratory syncytial (RSV)
- - - as cause of disease classified elsewhere B97.4
- - - bronchiolitis J21.0
- - - bronchitis J20.5
- - - bronchopneumonia J12.1
- - - otitis media H65.- *[B97.4]*
- - - pneumonia J12.1
- - - upper respiratory infection J06.9 *[B97.4]*
- - rhinovirus
- - - as cause of disease classified elsewhere B97.89
- - - unspecified nature or site B34.8
- - slow A81.9
- - - specified NEC A81.89
- - specified type NEC B33.8
- - - as cause of disease classified elsewhere B97.89
- - - unspecified nature or site B34.8
- - unspecified nature or site B34.9
- - West Nile -*see* Virus, West Nile
- vulva (acute) -*see* Vulvitis
- West Nile -*see* Virus, West Nile
- whipworm B79
- worms B83.9
- - specified type NEC B83.8
- Wuchereria (bancrofti) B74.0
- - malayi B74.1
- yatapoxvirus B08.70

- - specified NEC B08.79
- yeast -*see also* Candidiasis B37.9
- yellow fever -*see* Fever, yellow
- Yersinia
- - enterocolitica (intestinal) A04.6
- - pestis -*see* Plague
- - pseudotuberculosis A28.2
- Zeis' gland -*see* Hordeolum
- Zika virus A92.5
- - congenital P35.4
- zoonotic bacterial NOS A28.9
- Zopfia senegalensis B47.0

Infective, infectious -*see* condition

Infertility

- female N97.9
- - age-related N97.8
- - associated with
- - - anovulation N97.0
- - - cervical (mucus) disease or anomaly N88.3
- - - congenital anomaly
- - - - cervix N88.3
- - - - fallopian tube N97.1
- - - - uterus N97.2
- - - - vagina N97.8
- - - dysmucorrhea N88.3
- - - fallopian tube disease or anomaly N97.1
- - - pituitary-hypothalamic origin E23.0
- - - specified origin NEC N97.8
- - - Stein-Leventhal syndrome E28.2
- - - uterine disease or anomaly N97.2
- - - vaginal disease or anomaly N97.8
- - due to
- - - cervical anomaly N88.3
- - - fallopian tube anomaly N97.1
- - - ovarian failure E28.39
- - - Stein-Leventhal syndrome E28.2
- - - uterine anomaly N97.2
- - - vaginal anomaly N97.8
- - nonimplantation N97.2
- - origin
- - - cervical N88.3
- - - tubal (block) (occlusion) (stenosis) N97.1
- - - uterine N97.2
- - - vaginal N97.8
- male N46.9
- - azoospermia N46.01
- - - extratesticular cause N46.029
- - - - drug therapy N46.021
- - - - efferent duct obstruction N46.023
- - - - infection N46.022
- - - - radiation N46.024
- - - - specified cause NEC N46.029
- - - - systemic disease N46.025
- - oligospermia N46.11
- - - extratesticular cause N46.129
- - - - drug therapy N46.121
- - - - efferent duct obstruction N46.123
- - - - infection N46.122
- - - - radiation N46.124
- - - - specified cause NEC N46.129

- - - - systemic disease N46.125
- - specified type NEC N46.8
Infestation B88.9
- Acanthocheilonema (perstans) (streptocerca) B74.4
- Acariasis B88.0
- - demodex folliculorum B88.0
- - sarcoptes scabiei B86
- - trombiculae B88.0
- Agamofilaria streptocerca B74.4
- Ancylostoma, ankylostoma (braziliense) (caninum) (ceylanicum) (duodenale) B76.0
- - americanum B76.1
- - new world B76.1
- Anisakis larvae, anisakiasis B81.0
- arthropod NEC B88.2
- Ascaris lumbricoides -*see* Ascariasis
- Balantidium coli A07.0
- beef tapeworm B68.1
- Bothriocephalus (latus) B70.0
- - larval B70.1
- broad tapeworm B70.0
- - larval B70.1
- Brugia (malayi) B74.1
- - timori B74.2
- candiru B88.8
- Capillaria
- - hepatica B83.8
- - philippinensis B81.1
- cat liver fluke B66.0
- cestodes B71.9
- - diphyllobothrium -*see* Infestation, diphyllobothrium
- - dipylidiasis B71.1
- - hymenolepiasis B71.0
- - specified type NEC B71.8
- chigger B88.0
- chigo, chigoe B88.1
- Clonorchis (sinensis) (liver) B66.1
- coccidial A07.3
- crab-lice B85.3
- Cysticercus cellulosae -*see* Cysticercosis
- Demodex (folliculorum) B88.0
- Dermanyssus gallinae B88.0
- Dermatobia (hominis) -*see* Myiasis
- Dibothriocephalus (latus) B70.0
- - larval B70.1
- Dicrocoelium dendriticum B66.2
- Diphyllobothrium (adult) (latum) (intestinal) (pacificum) B70.0
- - larval B70.1
- Diplogonoporus (grandis) B71.8
- Dipylidium caninum B67.4
- Distoma hepaticum B66.3
- dog tapeworm B67.4
- Dracunculus medinensis B72
- dragon worm B72
- dwarf tapeworm B71.0
- Echinococcus -*see* Echinococcus
- Echinostomum ilocanum B66.8
- Entamoeba (histolytica) -*see* Infection, Ameba
- Enterobius vermicularis B80
- eyelid
- - in (due to)

- - - leishmaniasis B55.1
- - - loiasis B74.3
- - - onchocerciasis B73.09
- - - phthiriasis B85.3
- - parasitic NOS B89
- eyeworm B74.3
- Fasciola (gigantica) (hepatica) (indica) B66.3
- Fasciolopsis (buski) (intestine) B66.5
- filarial B74.9
- - bancroftian B74.0
- - conjunctiva B74.9
- - due to
- - - Acanthocheilonema (perstans) (streptocerca) B74.4
- - - Brugia (malayi) B74.1
- - - - timori B74.2
- - - Dracunculus medinensis B72
- - - guinea worm B72
- - - loa loa B74.3
- - - Mansonella (ozzardi) (perstans) (streptocerca) B74.4
- - - Onchocerca volvulus B73.00
- - - - eye B73.00
- - - - eyelid B73.09
- - - Wuchereria (bancrofti) B74.0
- - Malayan B74.1
- - ozzardi B74.4
- - specified type NEC B74.8
- fish tapeworm B70.0
- - larval B70.1
- fluke B66.9
- - blood NOS -*see* Schistosomiasis
- - cat liver B66.0
- - intestinal B66.5
- - liver (sheep) B66.3
- - - cat B66.0
- - - Chinese B66.1
- - - due to clonorchiasis B66.1
- - - oriental B66.1
- - lancet B66.2
- - lung (oriental) B66.4
- - sheep liver B66.3
- - specified type NEC B66.8
- fly larvae -*see* Myiasis
- Gasterophilus (intestinalis) -*see* Myiasis
- Gastrodiscoides hominis B66.8
- Giardia lamblia A07.1
- Gnathostoma (spinigerum) B83.1
- Gongylonema B83.8
- guinea worm B72
- helminth B83.9
- - angiostrongyliasis B83.2
- - - intestinal B81.3
- - gnathostomiasis B83.1
- - hirudiniasis, internal B83.4
- - intestinal B82.0
- - - angiostrongyliasis B81.3
- - - anisakiasis B81.0
- - - ascariasis -*see* Ascariasis
- - - capillariasis B81.1
- - - cysticercosis -*see* Cysticercosis
- - - diphyllobothriasis -*see* Infestation, diphyllobothriasis

- - - dracunculiasis B72
- - - echinococcus -*see* Echinococcosis
- - - enterobiasis B80
- - - filariasis -*see* Infestation, filarial
- - - fluke -*see* Infestation, fluke
- - - hookworm -*see* Infestation, hookworm
- - - mixed (types classifiable to more than one of the titles B65.0-B81.3 and B81.8) B81.4
- - - onchocerciasis -*see* Onchocerciasis
- - - schistosomiasis -*see* Infestation, schistosoma
- - - specified
- - - - cestode NEC -*see* Infestation, cestode
- - - - type NEC B81.8
- - - strongyloidiasis -*see* Strongyloidiasis
- - - taenia -*see* Infestation, taenia
- - - trichinellosis B75
- - - trichostrongyliasis B81.2
- - - trichuriasis B79
- - specified type NEC B83.8
- - syngamiasis B83.3
- - visceral larva migrans B83.0
- Heterophyes (heterophyes) B66.8
- hookworm B76.9
- - ancylostomiasis B76.0
- - necatoriasis B76.1
- - specified type NEC B76.8
- Hymenolepis (diminuta) (nana) B71.0
- intestinal NEC B82.9
- leeches (aquatic) (land) -*see* Hirudiniasis
- Leishmania -*see* Leishmaniasis
- lice, louse -*see* Infestation, Pediculus
- Linguatula B88.8
- Liponyssoides sanguineus B88.0
- Loa loa B74.3
- - conjunctival B74.3
- - eyelid B74.3
- louse -*see* Infestation, Pediculus
- maggots -*see* Myiasis
- Mansonella (ozzardi) (perstans) (streptocerca) B74.4
- Medina (worm) B72
- Metagonimus (yokogawai) B66.8
- microfilaria streptocerca -*see* Onchocerciasis
- - eye B73.00
- - eyelid B73.09
- mites B88.9
- - scabic B86
- Monilia (albicans) -*see* Candidiasis
- mouth B37.0
- Necator americanus B76.1
- nematode NEC (intestinal) B82.0
- - Ancylostoma B76.0
- - conjunctiva NEC B83.9
- - Enterobius vermicularis B80
- - Gnathostoma spinigerum B83.1
- - physaloptera B80
- - specified NEC B81.8
- - trichostrongylus B81.2
- - trichuris (trichuria) B79
- Oesophagostomum (apiostomum) B81.8
- Oestrus ovis -*see also* Myiasis B87.9
- Onchocerca (volvulus) -*see* Onchocerciasis

- Opisthorchis (felineus) (viverrini) B66.0
- orbit, parasitic NOS B89
- Oxyuris vermicularis B80
- Paragonimus (westermani) B66.4
- parasite, parasitic B89
- - eyelid B89
- - intestinal NOS B82.9
- - mouth B37.0
- - skin B88.9
- - tongue B37.0
- Parastrongylus
- - cantonensis B83.2
- - costaricensis B81.3
- Pediculus B85.2
- - body B85.1
- - capitis (humanus) (any site) B85.0
- - corporis (humanus) (any site) B85.1
- - head B85.0
- - mixed (classifiable to more than one of the titles B85.0-B85.3) B85.4
- - pubis (any site) B85.3
- Pentastoma B88.8
- pest Z59.19
- Phthirus (pubis) (any site) B85.3
- - with any infestation classifiable to B85.0-B85.2 B85.4
- pinworm B80
- pork tapeworm (adult) B68.0
- protozoal NEC B64
- - intestinal A07.9
- - - specified NEC A07.8
- - specified NEC B60.8
- pubic, louse B85.3
- rat tapeworm B71.0
- red bug B88.0
- roundworm (large) NEC B82.0
- - Ascariasis *-see also* Ascariasis B77.9
- sandflea B88.1
- Sarcoptes scabiei B86
- scabies B86
- Schistosoma B65.9
- - bovis B65.8
- - cercariae B65.3
- - haematobium B65.0
- - intercalatum B65.8
- - japonicum B65.2
- - mansoni B65.1
- - mattheei B65.8
- - mekongi B65.8
- - specified type NEC B65.8
- - spindale B65.8
- screw worms *-see* Myiasis
- skin NOS B88.9
- Sparganum (mansoni) (proliferum) (baxteri) B70.1
- - larval B70.1
- specified type NEC B88.8
- Spirometra larvae B70.1
- Stellantchasmus falcatus B66.8
- Strongyloides stercoralis *-see* Strongyloidiasis
- Taenia B68.9
- - diminuta B71.0
- - echinococcus *-see* Echinococcus

- - mediocanellata B68.1
- - nana B71.0
- - saginata B68.1
- - solium (intestinal form) B68.0
- - - larval form -*see* Cysticercosis
- Taeniarhynchus saginatus B68.1
- tapeworm B71.9
- - beef B68.1
- - broad B70.0
- - - larval B70.1
- - dog B67.4
- - dwarf B71.0
- - fish B70.0
- - - larval B70.1
- - pork B68.0
- - rat B71.0
- Ternidens diminutus B81.8
- Tetranychus molestissimus B88.0
- threadworm B80
- tongue B37.0
- Toxocara (canis) (cati) (felis) B83.0
- trematode(s) NEC -*see* Infestation, fluke
- Trichinella (spiralis) B75
- Trichocephalus B79
- Trichomonas -*see* Trichomoniasis
- Trichostrongylus B81.2
- Trichuris (trichiura) B79
- Trombicula (irritans) B88.0
- Tunga penetrans B88.1
- Uncinaria americana B76.1
- Vandellia cirrhosa B88.8
- whipworm B79
- worms B83.9
- - intestinal B82.0
- Wuchereria (bancrofti) B74.0

Infiltrate, infiltration

- amyloid (generalized) (localized) -*see* Amyloidosis
- calcareous NEC R89.7
- - localized -*see* Degeneration, by site
- calcium salt R89.7
- cardiac
- - fatty -*see* Degeneration, myocardial
- - glycogenic E74.02 *[I43]*
- corneal -*see* Edema, cornea
- eyelid -*see* Inflammation, eyelid
- glycogen, glycogenic -*see* Disease, glycogen storage
- heart, cardiac
- - fatty -*see* Degeneration, myocardial
- - glycogenic E74.02 *[I43]*
- inflammatory in vitreous H43.89
- kidney N28.89
- leukemic -*see* Leukemia
- liver K76.89
- - fatty -*see* Fatty, liver NEC
- - glycogen -*see also* Disease, glycogen storage E74.03 *[K77]*
- lung R91.8
- - eosinophilic -*see* Eosinophilia, pulmonary
- lymphatic -*see also* Leukemia, lymphatic C91.9-
- - gland I88.9
- muscle, fatty M62.89

- myocardium, myocardial
- - fatty -*see* Degeneration, myocardial
- - glycogenic E74.02 *[I43]*
- on chest x-ray R91.8
- pulmonary R91.8
- - with eosinophilia -*see* Eosinophilia, pulmonary
- skin (lymphocytic) L98.6
- thymus (gland) (fatty) E32.8
- urine R39.0
- vesicant agent
- - antineoplastic chemotherapy T80.810
- - other agent NEC T80.818
- vitreous body H43.89

Infirmity R68.89
- senile R54

Inflammation, inflamed, inflammatory (with exudation)
- abducent (nerve) -*see* Strabismus, paralytic, sixth nerve
- accessory sinus (chronic) -*see* Sinusitis
- adrenal (gland) E27.8
- alveoli, teeth M27.3
- - scorbutic E54
- anal canal, anus K62.89
- antrum (chronic) -*see* Sinusitis, maxillary
- appendix -*see* Appendicitis
- arachnoid -*see* Meningitis
- areola N61.0
- - puerperal, postpartum or gestational -*see* Infection, nipple
- areolar tissue NOS L08.9
- artery -*see* Arteritis
- auditory meatus (external) -*see* Otitis, externa
- Bartholin's gland N75.8
- bile duct (common) (hepatic) or passage -*see* Cholangitis
- bladder -*see* Cystitis
- bone -*see* Osteomyelitis
- brain -*see also* Encephalitis
- - membrane -*see* Meningitis
- breast N61.0
- - puerperal, postpartum, gestational -*see* Mastitis, obstetric
- broad ligament -*see* Disease, pelvis, inflammatory
- bronchi -*see* Bronchitis
- catarrhal J00
- cecum -*see* Appendicitis
- cerebral -*see also* Encephalitis
- - membrane -*see* Meningitis
- cerebrospinal
- - meningococcal A39.0
- cervix (uteri) -*see* Cervicitis
- chest J98.8
- chorioretinal H30.9-
- - cyclitis -*see* Cyclitis
- - disseminated H30.10-
- - - generalized H30.13-
- - - peripheral H30.12-
- - - posterior pole H30.11-
- - epitheliopathy -*see* Epitheliopathy
- - focal H30.00-
- - - juxtapapillary H30.01-
- - - macular H30.04-
- - - paramacular -*see* Inflammation, chorioretinal, focal, macular
- - - peripheral H30.03-

- - - posterior pole H30.02-
- - specified type NEC H30.89-
- choroid -*see* Inflammation, chorioretinal
- chronic, postmastoidectomy cavity -*see* Complications, postmastoidectomy, inflammation
- colon -*see* Enteritis
- connective tissue (diffuse) NEC -*see* Disorder, soft tissue, specified type NEC
- cornea -*see* Keratitis
- corpora cavernosa N48.29
- cranial nerve -*see* Disorder, nerve, cranial
- Douglas' cul-de-sac or pouch (chronic) N73.0
- due to device, implant or graft -*see also* Complications, by site and type, infection or inflammation
- - arterial graft T82.7
- - breast (implant) T85.79
- - catheter T85.79
- - - dialysis (renal) T82.7
- - - - intraperitoneal T85.71
- - - infusion T82.7
- - - - cranial T85.735
- - - - intrathecal T85.735
- - - - spinal (epidural) (subdural) T85.735
- - - - subarachnoid T85.735
- - - urinary T83.518
- - - - cystostomy T83.510
- - - - Hopkins T83.518
- - - - ileostomy T83.518
- - - - nephrostomy T83.512
- - - - specified NEC T83.518
- - - - urethral indwelling T83.511
- - - - urostomy T83.518
- - electronic (electrode) (pulse generator) (stimulator)
- - - bone T84.7
- - - cardiac T82.7
- - - nervous system T85.738
- - - - brain T85.731
- - - - cranial nerve T85.732
- - - - gastric nerve T85.732
- - - - neurostimulator generator T85.734
- - - - peripheral nerve T85.732
- - - - sacral nerve T85.732
- - - - spinal cord T85.733
- - - - vagal nerve T85.732
- - - urinary T83.590
- - fixation, internal (orthopedic) NEC -*see* Complication, fixation device, infection
- - gastrointestinal (bile duct) (esophagus) T85.79
- - - neurostimulator electrode (lead) T85.732
- - genital NEC T83.69
- - heart NEC T82.7
- - - valve (prosthesis) T82.6
- - - - graft T82.7
- - joint prosthesis -*see* Complication, joint prosthesis, infection
- - ocular (corneal graft) (orbital implant) NEC T85.79
- - orthopedic NEC T84.7
- - penile (cylinder) (pump) (reservoir) T83.61
- - specified NEC T85.79
- - testicular T83.62
- - urinary NEC T83.598
- - - ileal conduit stent T83.593
- - - implanted neurostimulation T83.590
- - - implanted sphincter T83.591
- - - indwelling ureteral stent T83.592

- - - nephroureteral stent T83.593
- - - specified stent NEC T83.593
- - vascular NEC T82.7
- - ventricular intracranial (communicating) shunt T85.730
- duodenum K29.80
- - with bleeding K29.81
- dura mater -*see* Meningitis
- ear (middle) -*see also* Otitis, media
- - external -*see* Otitis, externa
- - inner -see subcategory H83.0
- epididymis -*see* Epididymitis
- esophagus -*see* Esophagitis
- ethmoidal (sinus) (chronic) -*see* Sinusitis, ethmoidal
- eustachian tube (catarrhal) -*see* Salpingitis, eustachian
- eyelid H01.9
- - abscess -*see* Abscess, eyelid
- - blepharitis -*see* Blepharitis
- - chalazion -*see* Chalazion
- - dermatosis (noninfectious) -*see* Dermatosis, eyelid
- - hordeolum -*see* Hordeolum
- - specified NEC H01.8
- fallopian tube -*see* Salpingo-oophoritis
- fascia -*see* Myositis
- follicular, pharynx J31.2
- frontal (sinus) (chronic) -*see* Sinusitis, frontal
- gallbladder -*see* Cholecystitis
- gastric -*see* Gastritis
- gastrointestinal -*see* Enteritis
- genital organ (internal) (diffuse)
- - female -*see* Disease, pelvis, inflammatory
- - male N49.9
- - - multiple sites N49.8
- - - specified NEC N49.8
- gland (lymph) -*see* Lymphadenitis
- glottis -*see* Laryngitis
- granular, pharynx J31.2
- gum K05.10
- - nonplaque induced K05.11
- - plaque induced K05.10
- heart -*see* Carditis
- hepatic duct -*see* Cholangitis
- ileoanal (internal) pouch K91.850
- ileum -*see also* Enteritis
- - regional or terminal -*see* Enteritis, regional
- intestine (any part) -*see* Enteritis
- intestinal pouch K91.850
- jaw (acute) (bone) (chronic) (lower) (suppurative) (upper) M27.2
- joint NEC -*see* Arthritis
- - sacroiliac M46.1
- kidney -*see* Nephritis
- knee (joint) M13.169
- - tuberculous A18.02
- labium (majus) (minus) -*see* Vulvitis
- lacrimal
- - gland -*see* Dacryoadenitis
- - passages (duct) (sac) -*see also* Dacryocystitis
- - - canaliculitis -*see* Canaliculitis, lacrimal
- larynx -*see* Laryngitis
- leg NOS L08.9
- lip K13.0

- liver (capsule) -*see also* Hepatitis
- - chronic K73.9
- - suppurative K75.0
- lung (acute) -*see also* Pneumonia
- - chronic J98.4
- lymph gland or node -*see* Lymphadenitis
- lymphatic vessel -*see* Lymphangitis
- maxilla, maxillary M27.2
- - sinus (chronic) -*see* Sinusitis, maxillary
- membranes of brain or spinal cord -*see* Meningitis
- meninges -*see* Meningitis
- mouth K12.1
- muscle -*see* Myositis
- myocardium -*see* Myocarditis
- nasal sinus (chronic) -*see* Sinusitis
- nasopharynx -*see* Nasopharyngitis
- navel L08.82
- nerve NEC -*see* Neuritis
- nipple N61.0
- - puerperal, postpartum or gestational -*see* Infection, nipple
- nose -*see* Rhinitis
- oculomotor (nerve) -*see* Strabismus, paralytic, third nerve
- optic nerve -*see* Neuritis, optic
- orbit (chronic) H05.10
- - acute H05.00
- - - abscess -*see* Abscess, orbit
- - - cellulitis -*see* Cellulitis, orbit
- - - osteomyelitis -*see* Osteomyelitis, orbit
- - - periostitis -*see* Periostitis, orbital
- - - tenonitis -*see* Tenonitis, eye
- - granuloma -*see* Granuloma, orbit
- - myositis -*see* Myositis, orbital
- ovary -*see* Salpingo-oophoritis
- oviduct -*see* Salpingo-oophoritis
- pancreas (acute) -*see* Pancreatitis
- parametrium N73.0
- parotid region L08.9
- pelvis, female -*see* Disease, pelvis, inflammatory
- penis (corpora cavernosa) N48.29
- perianal K62.89
- pericardium -*see* Pericarditis
- perineum (female) (male) L08.9
- perirectal K62.89
- peritoneum -*see* Peritonitis
- periuterine -*see* Disease, pelvis, inflammatory
- perivesical -*see* Cystitis
- petrous bone (acute) (chronic) -*see* Petrositis
- pharynx (acute) -*see* Pharyngitis
- pia mater -*see* Meningitis
- pleura -*see* Pleurisy
- polyp, colon -*see also* Polyp, colon, inflammatory K51.40
- prostate -*see also* Prostatitis
- - specified type NEC N41.8
- rectosigmoid -*see* Rectosigmoiditis
- rectum -*see also* Proctitis K62.89
- respiratory, upper -*see also* Infection, respiratory, upper J06.9
- - acute, due to radiation J70.0
- - chronic, due to external agent -*see* condition, respiratory, chronic, due to
- - due to
- - - chemicals, gases, fumes or vapors (inhalation) J68.2

- - - radiation J70.1
- retina -*see* Chorioretinitis
- retrocecal -*see* Appendicitis
- retroperitoneal -*see* Peritonitis
- salivary duct or gland (any) (suppurative) -*see* Sialoadenitis
- scorbutic, alveoli, teeth E54
- scrotum N49.2
- seminal vesicle -*see* Vesiculitis
- sigmoid -*see* Enteritis
- sinus -*see* Sinusitis
- Skene's duct or gland -*see* Urethritis
- skin L08.9
- spermatic cord N49.1
- sphenoidal (sinus) -*see* Sinusitis, sphenoidal
- spinal
- - cord -*see* Encephalitis
- - membrane -*see* Meningitis
- - nerve -*see* Disorder, nerve
- spine -*see* Spondylopathy, inflammatory
- spleen (capsule) D73.89
- stomach -*see* Gastritis
- subcutaneous tissue L08.9
- suprarenal (gland) E27.8
- synovial -*see* Tenosynovitis
- tendon (sheath) NEC -*see* Tenosynovitis
- testis -*see* Orchitis
- throat (acute) -*see* Pharyngitis
- thymus (gland) E32.8
- thyroid (gland) -*see* Thyroiditis
- tongue K14.0
- tonsil -*see* Tonsillitis
- trachea -*see* Tracheitis
- trochlear (nerve) -*see* Strabismus, paralytic, fourth nerve
- tubal -*see* Salpingo-oophoritis
- tuberculous NEC -*see* Tuberculosis
- tubo-ovarian -*see* Salpingo-oophoritis
- tunica vaginalis N49.1
- tympanic membrane -*see* Tympanitis
- umbilicus, umbilical L08.82
- uterine ligament -*see* Disease, pelvis, inflammatory
- uterus (catarrhal) -*see* Endometritis
- uveal tract (anterior) NOS -*see also* Iridocyclitis
- - posterior -*see* Chorioretinitis
- vagina -*see* Vaginitis
- vas deferens N49.1
- vein -*see also* Phlebitis
- - intracranial or intraspinal (septic) G08
- - thrombotic I80.9
- - - leg -*see* Phlebitis, leg
- - - lower extremity -*see* Phlebitis, leg
- vocal cord J38.3
- vulva -*see* Vulvitis
- Wharton's duct (suppurative) -*see* Sialoadenitis

Inflation, lung, imperfect (newborn) -*see* Atelectasis

Influenza (bronchial) (epidemic) (respiratory (upper)) (unidentified influenza virus) J11.1
- with
- - digestive manifestations J11.2
- - encephalopathy J11.81
- - enteritis J11.2
- - gastroenteritis J11.2

- - gastrointestinal manifestations J11.2
- - laryngitis J11.1
- - myocarditis J11.82
- - otitis media J11.83
- - pharyngitis J11.1
- - pneumonia J11.00
- - - specified type J11.08
- - respiratory manifestations NEC J11.1
- - specified manifestation NEC J11.89
- A (non-novel) J10-
- A/H5N1 -*see also* Influenza, due to, identified novel influenza A virus J09.X2
- avian -*see also* Influenza, due to, identified novel influenza A virus J09.X2
- B J10-
- bird -*see also* Influenza, due to, identified novel influenza A virus J09.X2
- C J10-
- due to
- - avian -*see also* Influenza, due to, identified novel influenza A virus J09.X2
- - identified influenza virus NEC J10.1
- - - with
- - - - digestive manifestations J10.2
- - - - encephalopathy J10.81
- - - - enteritis J10.2
- - - - gastroenteritis J10.2
- - - - gastrointestinal manifestations J10.2
- - - - laryngitis J10.1
- - - - myocarditis J10.82
- - - - otitis media J10.83
- - - - pharyngitis J10.1
- - - - pneumonia (unspecified type) J10.00
- - - - - with same identified influenza virus J10.01
- - - - - specified type NEC J10.08
- - - - respiratory manifestations NEC J10.1
- - - - specified manifestation NEC J10.89
- - identified novel influenza A virus J09.X2
- - - with
- - - - digestive manifestations J09.X3
- - - - encephalopathy J09.X9
- - - - enteritis J09.X3
- - - - gastroenteritis J09.X3
- - - - gastrointestinal manifestations J09.X3
- - - - laryngitis J09.X2
- - - - myocarditis J09.X9
- - - - otitis media J09.X9
- - - - pharyngitis J09.X2
- - - - pneumonia J09.X1
- - - - respiratory manifestations NEC J09.X2
- - - - specified manifestation NEC J09.X9
- - - - upper respiratory symptoms J09.X2
- novel (2009) H1N1 influenza -*see also* Influenza, due to, identified influenza virus NEC J10.1
- novel influenza A/H1N1 -*see also* Influenza, due to, identified influenza virus NEC J10.1
- of other animal origin, not bird or swine -*see also* Influenza, due to, identified novel influenza A virus J09.X2
- swine (viruses that normally cause infections in pigs) -*see also* Influenza, due to, identified novel influenza A virus J09.X2

Influenza-like disease -*see* Influenza

Influenzal -*see* Influenza

Infraction, Freiberg's (metatarsal head) -*see* Osteochondrosis, juvenile, metatarsus

Infraeruption of tooth (teeth) M26.34

Infusion complication, misadventure, or reaction -*see* Complications, infusion

Ingestion
- chemical -*see* Table of Drugs and Chemicals, by substance, poisoning

- drug or medicament
- - correct substance properly administered -*see* Table of Drugs and Chemicals, by drug, adverse effect
- - overdose or wrong substance given or taken -*see* Table of Drugs and Chemicals, by drug, poisoning
- foreign body -*see* Foreign body, alimentary tract
- multiple drug -*see* Table of Drugs and Chemicals, multiple
- tularemia A21.3

Ingrowing
- hair (beard) L73.1
- nail (finger) (toe) L60.0

Inguinal -*see also* condition
- testicle Q53.9
- - bilateral Q53.212
- - unilateral Q53.112

Inhalant-induced
- anxiety disorder F18.980
- depressive disorder F18.94
- major neurocognitive disorder F18.97
- mild neurocognitive disorder F18.988
- psychotic disorder F18.959

Inhalation
- anthrax A22.1
- flame T27.3
- food or foreign body -*see* Foreign body, by site
- gases, fumes, or vapors T59.9-
- - specified agent NEC -*see* Table of Drugs and Chemicals, by substance T59.89-
- liquid or vomitus -*see* Asphyxia
- meconium (newborn) P24.00
- - with
- - - pneumonia (pneumonitis) P24.01
- - - with respiratory symptoms P24.01
- mucus -*see* Asphyxia, mucus
- oil or gasoline (causing suffocation) -*see* Foreign body, by site
- smoke T59.81-
- - with respiratory conditions J70.5
- - - due to chemicals, gases, fumes and vapors J68.9
- steam -*see also* Burn, respiratory tract T59.9-
- stomach contents or secretions -*see* Foreign body, by site
- - due to anesthesia (general) (local) or other sedation T88.59
- - - in labor and delivery O74.0
- - - in pregnancy O29.01-
- - - postpartum, puerperal O89.01

Inhibition, orgasm
- female F52.31
- male F52.32

Inhibitor, systemic lupus erythematosus (presence of) D68.62

Iniencephalus, iniencephaly Q00.2

Injection, traumatic jet (air) (industrial) (water) (paint or dye) T70.4

Injury -*see also* specified injury type T14.90
- abdomen, abdominal S39.91
- - blood vessel -*see* Injury, blood vessel, abdomen
- - cavity -*see* Injury, intra-abdominal
- - contusion S30.1
- - internal -*see* Injury, intra-abdominal
- - intra-abdominal organ -*see* Injury, intra-abdominal
- - nerve -*see* Injury, nerve, abdomen
- - open -*see* Wound, open, abdomen
- - specified NEC S39.81
- - superficial -*see* Injury, superficial, abdomen
- Achilles tendon S86.00-
- - laceration S86.02-

- - specified type NEC S86.09-
- - strain S86.01-
- acoustic, resulting in deafness -*see* Injury, nerve, acoustic
- adrenal (gland) S37.819
- - contusion S37.812
- - laceration S37.813
- - specified type NEC S37.818
- alveolar (process) S09.93
- ankle S99.91-
- - contusion -*see* Contusion, ankle
- - dislocation -*see* Dislocation, ankle
- - fracture -*see* Fracture, ankle
- - nerve -*see* Injury, nerve, ankle
- - open -*see* Wound, open, ankle
- - specified type NEC S99.81-
- - sprain -*see* Sprain, ankle
- - superficial -*see* Injury, superficial, ankle
- anterior chamber, eye -*see* Injury, eye, specified site NEC
- anus -*see* Injury, abdomen
- aorta (thoracic) S25.00
- - abdominal S35.00
- - - laceration (minor) (superficial) S35.01
- - - - major S35.02
- - - specified type NEC S35.09
- - laceration (minor) (superficial) S25.01
- - - major S25.02
- - specified type NEC S25.09
- arm (upper) S49.9-
- - blood vessel -*see* Injury, blood vessel, arm
- - contusion -*see* Contusion, arm, upper
- - fracture -*see* Fracture, humerus
- - lower -*see* Injury, forearm
- - muscle -*see* Injury, muscle, shoulder
- - nerve -*see* Injury, nerve, arm
- - open -*see* Wound, open, arm
- - specified type NEC S49.8-
- - superficial -*see* Injury, superficial, arm
- artery (complicating trauma) -*see also* Injury, blood vessel, by site
- - cerebral or meningeal -*see* Injury, intracranial
- auditory canal (external) (meatus) S09.91
- auricle, auris, ear S09.91
- axilla -*see* Injury, shoulder
- back -*see* Injury, back, lower
- bile duct S36.13
- birth -*see also* Birth, injury P15.9
- bladder (sphincter) S37.20
- - at delivery O71.5
- - contusion S37.22
- - laceration S37.23
- - obstetrical trauma O71.5
- - specified type NEC S37.29
- blast (air) (hydraulic) (immersion) (underwater) NEC T14.8
- - acoustic nerve trauma -*see* Injury, nerve, acoustic
- - bladder -*see* Injury, bladder
- - brain -*see* Concussion
- - - primary, specified NEC S06.8A-
- - colon -*see* Injury, intestine, large, blast injury
- - ear (primary) S09.31-
- - - secondary S09.39-
- - generalized T70.8

- - lung -*see* Injury, intrathoracic, lung, blast injury
- - multiple body organs T70.8
- - peritoneum S36.81
- - rectum S36.61
- - retroperitoneum S36.898
- - small intestine S36.419
- - - duodenum S36.410
- - - specified site NEC S36.418
- - specified
- - - intra-abdominal organ NEC S36.898
- - - pelvic organ NEC S37.899
- blood vessel NEC T14.8
- - abdomen S35.9-
- - - aorta -*see* Injury, aorta, abdominal
- - - celiac artery -*see* Injury, blood vessel, celiac artery
- - - iliac vessel -*see* Injury, blood vessel, iliac
- - - laceration S35.91
- - - mesenteric vessel -*see* Injury, mesenteric
- - - portal vein -*see* Injury, blood vessel, portal vein
- - - renal vessel -*see* Injury, blood vessel, renal
- - - specified vessel NEC S35.8X-
- - - splenic vessel -*see* Injury, blood vessel, splenic
- - - vena cava -*see* Injury, vena cava, inferior
- - ankle -*see* Injury, blood vessel, foot
- - aorta (abdominal) (thoracic) -*see* Injury, aorta
- - arm (upper) NEC S45.90-
- - - forearm -*see* Injury, blood vessel, forearm
- - - laceration S45.91-
- - - specified
- - - - site NEC S45.80-
- - - - - laceration S45.81-
- - - - - specified type NEC S45.89-
- - - - type NEC S45.99-
- - - superficial vein S45.30-
- - - - laceration S45.31-
- - - - specified type NEC S45.39-
- - axillary
- - - artery S45.00-
- - - - laceration S45.01-
- - - - specified type NEC S45.09-
- - - vein S45.20-
- - - - laceration S45.21-
- - - - specified type NEC S45.29-
- - azygos vein -*see* Injury, blood vessel, thoracic, specified site NEC
- - brachial
- - - artery S45.10-
- - - - laceration S45.11-
- - - - specified type NEC S45.19-
- - - vein S45.20-
- - - - laceration S45.219
- - - - specified type NEC S45.29-
- - carotid artery (common) (external) (internal, extracranial) S15.00-
- - - internal, intracranial S06.8-
- - - laceration (minor) (superficial) S15.01-
- - - - major S15.02-
- - - specified type NEC S15.09-
- - celiac artery S35.219
- - - branch S35.299
- - - - laceration (minor) (superficial) S35.291
- - - - - major S35.292

- - - - specified NEC S35.298
- - - laceration (minor) (superficial) S35.211
- - - - major S35.212
- - - specified type NEC S35.218
- - cerebral -*see* Injury, intracranial
- - deep plantar -*see* Injury, blood vessel, plantar artery
- - digital (hand) -*see* Injury, blood vessel, finger
- - dorsal
- - - artery (foot) S95.00-
- - - - laceration S95.01-
- - - - specified type NEC S95.09-
- - - vein (foot) S95.20-
- - - - laceration S95.21-
- - - - specified type NEC S95.29-
- - due to accidental laceration during procedure -*see* Laceration, accidental complicating surgery
- - extremity -*see* Injury, blood vessel, limb
- - femoral
- - - artery (common) (superficial) S75.00-
- - - - laceration (minor) (superficial) S75.01-
- - - - - major S75.02-
- - - - specified type NEC S75.09-
- - - vein (hip level) (thigh level) S75.10-
- - - - laceration (minor) (superficial) S75.11-
- - - - - major S75.12-
- - - - specified type NEC S75.19-
- - finger S65.50-
- - - index S65.50-
- - - - laceration S65.51-
- - - - specified type NEC S65.59-
- - - laceration S65.51-
- - - little S65.50-
- - - - laceration S65.51-
- - - - specified type NEC S65.59-
- - - middle S65.50-
- - - - laceration S65.51-
- - - - specified type NEC S65.59-
- - - specified type NEC S65.59-
- - - thumb -*see* Injury, blood vessel, thumb
- - foot S95.90-
- - - dorsal
- - - - artery -*see* Injury, blood vessel, dorsal, artery
- - - - vein -*see* Injury, blood vessel, dorsal, vein
- - - laceration S95.91-
- - - plantar artery -*see* Injury, blood vessel, plantar artery
- - - specified
- - - - site NEC S95.80-
- - - - - laceration S95.81-
- - - - - specified type NEC S95.89-
- - - - specified type NEC S95.99-
- - forearm S55.90-
- - - laceration S55.91-
- - - radial artery -*see* Injury, blood vessel, radial artery
- - - specified
- - - - site NEC S55.80-
- - - - - laceration S55.81-
- - - - - specified type NEC S55.89-
- - - - type NEC S55.99-
- - - ulnar artery -*see* Injury, blood vessel, ulnar artery
- - - vein S55.20-
- - - - laceration S55.21-

- - - - specified type NEC S55.29-
- - gastric
- - - artery -*see* Injury, mesenteric, artery, branch
- - - vein -*see* Injury, blood vessel, abdomen
- - gastroduodenal artery -*see* Injury, mesenteric, artery, branch
- - greater saphenous vein (lower leg level) S85.30-
- - - hip (and thigh) level S75.20-
- - - - laceration (minor) (superficial) S75.21-
- - - - - major S75.22-
- - - - specified type NEC S75.29-
- - - laceration S85.31-
- - - specified type NEC S85.39-
- - hand (level) S65.90-
- - - finger -*see* Injury, blood vessel, finger
- - - laceration S65.91-
- - - palmar arch -*see* Injury, blood vessel, palmar arch
- - - radial artery -*see* Injury, blood vessel, radial artery, hand
- - - specified
- - - - site NEC S65.80-
- - - - - laceration S65.81-
- - - - - specified type NEC S65.89-
- - - - type NEC S65.99-
- - - thumb -*see* Injury, blood vessel, thumb
- - - ulnar artery -*see* Injury, blood vessel, ulnar artery, hand
- - head S09.0
- - - intracranial -*see* Injury, intracranial
- - - multiple S09.0
- - hepatic
- - - artery -*see* Injury, mesenteric, artery
- - - vein -*see* Injury, vena cava, inferior
- - hip S75.90-
- - - femoral artery -*see* Injury, blood vessel, femoral, artery
- - - femoral vein -*see* Injury, blood vessel, femoral, vein
- - - greater saphenous vein -*see* Injury, blood vessel, greater saphenous, hip level
- - - laceration S75.91-
- - - specified
- - - - site NEC S75.80-
- - - - - laceration S75.81-
- - - - - specified type NEC S75.89-
- - - - type NEC S75.99-
- - hypogastric (artery) (vein) -*see* Injury, blood vessel, iliac
- - iliac S35.5-
- - - artery S35.51-
- - - specified vessel NEC S35.5-
- - - uterine vessel -*see* Injury, blood vessel, uterine
- - - vein S35.51-
- - innominate -*see* Injury, blood vessel, thoracic, innominate
- - intercostal (artery) (vein) -*see* Injury, blood vessel, thoracic, intercostal
- - jugular vein (external) S15.20-
- - - internal S15.30-
- - - - laceration (minor) (superficial) S15.31-
- - - - - major S15.32-
- - - - specified type NEC S15.39-
- - - laceration (minor) (superficial) S15.21-
- - - - major S15.22-
- - - specified type NEC S15.29-
- - leg (level) (lower) S85.90-
- - - greater saphenous -*see* Injury, blood vessel, greater saphenous
- - - laceration S85.91-
- - - lesser saphenous -*see* Injury, blood vessel, lesser saphenous

- - - peroneal artery -*see* Injury, blood vessel, peroneal artery
- - - popliteal
- - - - artery -*see* Injury, blood vessel, popliteal, artery
- - - - vein -*see* Injury, blood vessel, popliteal, vein
- - - specified
- - - - site NEC S85.80-
- - - - - laceration S85.81-
- - - - - specified type NEC S85.89-
- - - - type NEC S85.99-
- - - thigh -*see* Injury, blood vessel, hip
- - - tibial artery -*see* Injury, blood vessel, tibial artery
- - lesser saphenous vein (lower leg level) S85.40-
- - - laceration S85.41-
- - - specified type NEC S85.49-
- - limb
- - - lower -*see* Injury, blood vessel, leg
- - - upper -*see* Injury, blood vessel, arm
- - lower back -*see* Injury, blood vessel, abdomen
- - - specified NEC -*see* Injury, blood vessel, abdomen, specified, site NEC
- - mammary (artery) (vein) -*see* Injury, blood vessel, thoracic, specified site NEC
- - mesenteric (inferior) (superior)
- - - artery -*see* Injury, mesenteric, artery
- - - vein -*see* Injury, mesenteric, vein
- - neck S15.9
- - - specified site NEC S15.8
- - ovarian (artery) (vein) -see subcategory S35.8
- - palmar arch (superficial) S65.20-
- - - deep S65.30-
- - - - laceration S65.31-
- - - - specified type NEC S65.39-
- - - laceration S65.21-
- - - specified type NEC S65.29-
- - pelvis -*see* Injury, blood vessel, abdomen
- - - specified NEC -*see* Injury, blood vessel, abdomen, specified, site NEC
- - peroneal artery S85.20-
- - - laceration S85.21-
- - - specified type NEC S85.29-
- - plantar artery (deep) (foot) S95.10-
- - - laceration S95.11-
- - - specified type NEC S95.19-
- - popliteal
- - - artery S85.00-
- - - - laceration S85.01-
- - - - specified type NEC S85.09-
- - - vein S85.50-
- - - - laceration S85.51-
- - - - specified type NEC S85.59-
- - portal vein S35.319
- - - laceration S35.311
- - - specified type NEC S35.318
- - precerebral -*see* Injury, blood vessel, neck
- - pulmonary (artery) (vein) -*see* Injury, blood vessel, thoracic, pulmonary
- - radial artery (forearm level) S55.10-
- - - hand and wrist (level) S65.10-
- - - - laceration S65.11-
- - - - specified type NEC S65.19-
- - - laceration S55.11-
- - - specified type NEC S55.19-
- - renal
- - - artery S35.40-

- - - - laceration S35.41-
- - - - specified NEC S35.49-
- - - vein S35.40-
- - - - laceration S35.41-
- - - - specified NEC S35.49-
- - saphenous vein (greater) (lower leg level) -*see* Injury, blood vessel, greater saphenous
- - - hip and thigh level -*see* Injury, blood vessel, greater saphenous, hip level
- - - lesser -*see* Injury, blood vessel, lesser saphenous
- - shoulder
- - - specified NEC -*see* Injury, blood vessel, arm, specified site NEC
- - - superficial vein -*see* Injury, blood vessel, arm, superficial vein
- - specified NEC T14.8
- - splenic
- - - artery -*see* Injury, blood vessel, celiac artery, branch
- - - vein S35.329
- - - - laceration S35.321
- - - - specified NEC S35.328
- - subclavian -*see* Injury, blood vessel, thoracic, innominate
- - thigh -*see* Injury, blood vessel, hip
- - thoracic S25.90
- - - aorta S25.00
- - - - laceration (minor) (superficial) S25.01
- - - - - major S25.02
- - - - specified type NEC S25.09
- - - azygos vein -*see* Injury, blood vessel, thoracic, specified, site NEC
- - - innominate
- - - - artery S25.10-
- - - - - laceration (minor) (superficial) S25.11-
- - - - - - major S25.12-
- - - - - specified type NEC S25.19-
- - - - vein S25.30-
- - - - - laceration (minor) (superficial) S25.31-
- - - - - - major S25.32-
- - - - - specified type NEC S25.39-
- - - intercostal S25.50-
- - - - laceration S25.51-
- - - - specified type NEC S25.59-
- - - laceration S25.91
- - - mammary vessel -*see* Injury, blood vessel, thoracic, specified, site NEC
- - - pulmonary S25.40-
- - - - laceration (minor) (superficial) S25.41-
- - - - - major S25.42-
- - - - specified type NEC S25.49-
- - - specified
- - - - site NEC S25.80-
- - - - - laceration S25.81-
- - - - - specified type NEC S25.89-
- - - - type NEC S25.99
- - - subclavian -*see* Injury, blood vessel, thoracic, innominate
- - - vena cava (superior) S25.20
- - - - laceration (minor) (superficial) S25.21
- - - - - major S25.22
- - - - specified type NEC S25.29
- - thumb S65.40-
- - - laceration S65.41-
- - - specified type NEC S65.49-
- - tibial artery S85.10-
- - - anterior S85.13-
- - - - laceration S85.14-
- - - - specified injury NEC S85.15-

- - - laceration S85.11-
- - - posterior S85.16-
- - - - laceration S85.17-
- - - - specified injury NEC S85.18-
- - - specified injury NEC S85.12-
- - ulnar artery (forearm level) S55.00-
- - - hand and wrist (level) S65.00-
- - - - laceration S65.01-
- - - - specified type NEC S65.09-
- - - laceration S55.01-
- - - specified type NEC S55.09-
- - upper arm (level) -*see* Injury, blood vessel, arm
- - - superficial vein -*see* Injury, blood vessel, arm, superficial vein
- - uterine S35.5-
- - - artery S35.53-
- - - vein S35.53-
- - vena cava -*see* Injury, vena cava
- - vertebral artery S15.10-
- - - laceration (minor) (superficial) S15.11-
- - - - major S15.12-
- - - specified type NEC S15.19-
- - wrist (level) -*see* Injury, blood vessel, hand
- brachial plexus S14.3
- - newborn P14.3
- brain (traumatic) S06.9-
- - diffuse (axonal) S06.2X-
- - focal S06.30-
- brainstem S06.38-
- breast NOS S29.9
- broad ligament -*see* Injury, pelvic organ, specified site NEC
- bronchus, bronchi -*see* Injury, intrathoracic, bronchus
- brow S09.90
- buttock S39.92
- canthus, eye S05.90
- cardiac plexus -*see* Injury, nerve, thorax, sympathetic
- cauda equina S34.3
- cavernous sinus -*see* Injury, intracranial
- cecum -*see* Injury, colon
- celiac ganglion or plexus -*see* Injury, nerve, lumbosacral, sympathetic
- cerebellum -*see* Injury, intracranial
- cerebral -*see* Injury, intracranial
- cervix (uteri) -*see* Injury, uterus
- cheek (wall) S09.93
- chest -*see* Injury, thorax
- childbirth (newborn) -*see also* Birth, injury
- - maternal NEC O71.9
- chin S09.93
- choroid (eye) -*see* Injury, eye, specified site NEC
- clitoris S39.94
- coccyx -*see also* Injury, back, lower
- - complicating delivery O71.6
- colon -*see* Injury, intestine, large
- common bile duct -*see* Injury, liver
- conjunctiva (superficial) -*see* Injury, eye, conjunctiva
- conus medullaris -*see* Injury, spinal, sacral
- cord
- - spermatic (pelvic region) S37.898
- - - scrotal region S39.848
- - spinal -*see* Injury, spinal cord, by region
- cornea -*see* Injury, eye, specified site NEC

- - abrasion -*see* Injury, eye, cornea, abrasion
- cortex (cerebral) -*see also* Injury, intracranial
- - visual -*see* Injury, nerve, optic
- costal region NEC S29.9
- costochondral NEC S29.9
- cranial
- - cavity -*see* Injury, intracranial
- - nerve -*see* Injury, nerve, cranial
- crushing -*see* Crush
- cutaneous sensory nerve
- cystic duct -*see* Injury, liver
- deep tissue -*see* Contusion, by site
- - meaning pressure ulcer -*see* Ulcer, pressure L89 with final character .6
- delivery (newborn) P15.9
- - maternal NEC O71.9
- Descemet's membrane -*see* Injury, eyeball, penetrating
- diaphragm -*see* Injury, intrathoracic, diaphragm
- duodenum -*see* Injury, intestine, small, duodenum
- ear (auricle) (external) (canal) S09.91
- - abrasion -*see* Abrasion, ear
- - bite -*see* Bite, ear
- - blister -*see* Blister, ear
- - bruise -*see* Contusion, ear
- - contusion -*see* Contusion, ear
- - external constriction -*see* Constriction, external, ear
- - hematoma -*see* Hematoma, ear
- - inner -*see* Injury, ear, middle
- - laceration -*see* Laceration, ear
- - middle S09.30-
- - - blast -*see* Injury, blast, ear
- - - specified NEC S09.39-
- - puncture -*see* Puncture, ear
- - superficial -*see* Injury, superficial, ear
- eighth cranial nerve (acoustic or auditory) -*see* Injury, nerve, acoustic
- elbow S59.90-
- - contusion -*see* Contusion, elbow
- - dislocation -*see* Dislocation, elbow
- - fracture -*see* Fracture, ulna, upper end
- - open -*see* Wound, open, elbow
- - specified NEC S59.80-
- - sprain -*see* Sprain, elbow
- - superficial -*see* Injury, superficial, elbow
- eleventh cranial nerve (accessory) -*see* Injury, nerve, accessory
- epididymis S39.94
- epigastric region S39.91
- epiglottis NEC S19.89
- esophageal plexus -*see* Injury, nerve, thorax, sympathetic
- esophagus (thoracic part) -*see also* Injury, intrathoracic, esophagus
- - cervical NEC S19.85
- eustachian tube S09.30-
- eye S05.9-
- - avulsion S05.7-
- - ball -*see* Injury, eyeball
- - conjunctiva S05.0-
- - cornea
- - - abrasion S05.0-
- - laceration S05.3-
- - - with prolapse S05.2-
- - lacrimal apparatus S05.8X-
- - orbit penetration S05.4-

- - specified site NEC S05.8X-
- eyeball S05.8X-
- - contusion S05.1-
- - penetrating S05.6-
- - - with
- - - - foreign body S05.5-
- - - - prolapse or loss of intraocular tissue S05.2-
- - - without prolapse or loss of intraocular tissue S05.3-
- - specified type NEC S05.8-
- eyebrow S09.93
- eyelid S09.93
- - abrasion -*see* Abrasion, eyelid
- - contusion -*see* Contusion, eyelid
- - open -*see* Wound, open, eyelid
- face S09.93
- fallopian tube S37.509
- - bilateral S37.502
- - - blast injury S37.512
- - - contusion S37.522
- - - laceration S37.532
- - - specified type NEC S37.592
- - blast injury (primary) S37.519
- - - bilateral S37.512
- - - secondary -*see* Injury, fallopian tube, specified type NEC
- - - unilateral S37.511
- - contusion S37.529
- - - bilateral S37.522
- - - unilateral S37.521
- - laceration S37.539
- - - bilateral S37.532
- - - unilateral S37.531
- - specified type NEC S37.599
- - - bilateral S37.592
- - - unilateral S37.591
- - unilateral S37.501
- - - blast injury S37.511
- - - contusion S37.521
- - - laceration S37.531
- - - specified type NEC S37.591
- fascia -*see* Injury, muscle
- fifth cranial nerve (trigeminal) -*see* Injury, nerve, trigeminal
- finger (nail) S69.9-
- - blood vessel -*see* Injury, blood vessel, finger
- - contusion -*see* Contusion, finger
- - dislocation -*see* Dislocation, finger
- - fracture -*see* Fracture, finger
- - muscle -*see* Injury, muscle, finger
- - nerve -*see* Injury, nerve, digital, finger
- - open -*see* Wound, open, finger
- - specified NEC S69.8-
- - sprain -*see* Sprain, finger
- - superficial -*see* Injury, superficial, finger
- first cranial nerve (olfactory) -*see* Injury, nerve, olfactory
- flank -*see* Injury, abdomen
- foot S99.92-
- - blood vessel -*see* Injury, blood vessel, foot
- - contusion -*see* Contusion, foot
- - dislocation -*see* Dislocation, foot
- - fracture -*see* Fracture, foot
- - muscle -*see* Injury, muscle, foot

- - open -*see* Wound, open, foot
- - specified type NEC S99.82-
- - sprain -*see* Sprain, foot
- - superficial -*see* Injury, superficial, foot
- forceps NOS P15.9
- forearm S59.91-
- - blood vessel -*see* Injury, blood vessel, forearm
- - contusion -*see* Contusion, forearm
- - fracture -*see* Fracture, forearm
- - muscle -*see* Injury, muscle, forearm
- - nerve -*see* Injury, nerve, forearm
- - open -*see* Wound, open, forearm
- - specified NEC S59.81-
- - superficial -*see* Injury, superficial, forearm
- forehead S09.90
- fourth cranial nerve (trochlear) -*see* Injury, nerve, trochlear
- gallbladder S36.129
- - contusion S36.122
- - laceration S36.123
- - specified NEC S36.128
- ganglion
- - celiac, coeliac -*see* Injury, nerve, lumbosacral, sympathetic
- - gasserian -*see* Injury, nerve, trigeminal
- - stellate -*see* Injury, nerve, thorax, sympathetic
- - thoracic sympathetic -*see* Injury, nerve, thorax, sympathetic
- gasserian ganglion -*see* Injury, nerve, trigeminal
- gastric artery -*see* Injury, blood vessel, celiac artery, branch
- gastroduodenal artery -*see* Injury, blood vessel, celiac artery, branch
- gastrointestinal tract -*see* Injury, intra-abdominal
- - with open wound into abdominal cavity -*see* Wound, open, with penetration into peritoneal cavity
- - colon -*see* Injury, intestine, large
- - rectum -*see* Injury, intestine, large, rectum
- - - with open wound into abdominal cavity S36.61
- - specified site NEC -*see* Injury, intra-abdominal, specified, site NEC
- - stomach -*see* Injury, stomach
- - small intestine -*see* Injury, intestine, small
- genital organ(s)
- - external S39.94
- - - specified NEC S39.848
- - internal S37.90
- - - fallopian tube -*see* Injury, fallopian tube
- - - ovary -*see* Injury, ovary
- - - prostate -*see* Injury, prostate
- - - seminal vesicle -*see* Injury, pelvis, organ, specified site NEC
- - - uterus -*see* Injury, uterus
- - - vas deferens -*see* Injury, pelvis, organ, specified site NEC
- - obstetrical trauma O71.9
- gland
- - lacrimal laceration -*see* Injury, eye, specified site NEC
- - salivary S09.93
- - thyroid NEC S19.84
- globe (eye) S05.90
- - specified NEC S05.8X-
- groin -*see* Injury, abdomen
- gum S09.90
- hand S69.9-
- - blood vessel -*see* Injury, blood vessel, hand
- - contusion -*see* Contusion, hand
- - fracture -*see* Fracture, hand
- - muscle -*see* Injury, muscle, hand

- - nerve -*see* Injury, nerve, hand
- - open -*see* Wound, open, hand
- - specified NEC S69.8-
- - sprain -*see* Sprain, hand
- - superficial -*see* Injury, superficial, hand
- head S09.90
- - with loss of consciousness S06.9-
- - specified NEC S09.8
- heart (traumatic) S26.90
- - with hemopericardium S26.00
- - - contusion S26.01
- - - laceration (mild) S26.020
- - - - moderate S26.021
- - - - major S26.022
- - - specified type NEC S26.09
- - contusion S26.91
- - laceration S26.92
- - non-traumatic (acute) (chronic) (non-ischemic) I5A
- - specified type NEC S26.99
- - without hemopericardium S26.10
- - - contusion S26.11
- - - laceration S26.12
- - - specified type NEC S26.19
- heel -*see* Injury, foot
- hepatic
- - artery -*see* Injury, blood vessel, celiac artery, branch
- - duct -*see* Injury, liver
- - vein -*see* Injury, vena cava, inferior
- hip S79.91-
- - blood vessel -*see* Injury, blood vessel, hip
- - contusion -*see* Contusion, hip
- - dislocation -*see* Dislocation, hip
- - fracture -*see* Fracture, femur, neck
- - muscle -*see* Injury, muscle, hip
- - nerve -*see* Injury, nerve, hip
- - open -*see* Wound, open, hip
- - sprain -*see* Sprain, hip
- - superficial -*see* Injury, superficial, hip
- - specified NEC S79.81-
- hymen S39.94
- hypogastric
- - blood vessel -*see* Injury, blood vessel, iliac
- - plexus -*see* Injury, nerve, lumbosacral, sympathetic
- ileum -*see* Injury, intestine, small
- iliac region S39.91
- instrumental (during surgery) -*see* Laceration, accidental complicating surgery
- - birth injury -*see* Birth, injury
- - nonsurgical -*see* Injury, by site
- - obstetrical O71.9
- - - bladder O71.5
- - - cervix O71.3
- - - high vaginal O71.4
- - - perineal NOS O70.9
- - - urethra O71.5
- - - uterus O71.5
- - - - with rupture or perforation O71.1
- internal T14.8
- - aorta -*see* Injury, aorta
- - bladder (sphincter) -*see* Injury, bladder
- - - with

- - - - ectopic or molar pregnancy O08.6
- - - following ectopic or molar pregnancy O08.6
- - - obstetrical trauma O71.5
- - bronchus, bronchi -*see* Injury, intrathoracic, bronchus
- - cecum -*see* Injury, intestine, large
- - cervix (uteri) -*see also* Injury, uterus
- - - with ectopic or molar pregnancy O08.6
- - - following ectopic or molar pregnancy O08.6
- - - obstetrical trauma O71.3
- - chest -*see* Injury, intrathoracic
- - gastrointestinal tract -*see* Injury, intra-abdominal
- - heart -*see* Injury, heart
- - intestine NEC -*see* Injury, intestine
- - intrauterine -*see* Injury, uterus
- - mesentery -*see* Injury, intra-abdominal, specified, site NEC
- - pelvis, pelvic (organ) S37.90
- - - following ectopic or molar pregnancy (subsequent episode) O08.6
- - - obstetrical trauma NEC O71.5
- - - - rupture or perforation O71.1
- - - specified NEC S39.83
- - rectum -*see* Injury, intestine, large, rectum
- - stomach -*see* Injury, stomach
- - ureter -*see* Injury, ureter
- - urethra (sphincter) following ectopic or molar pregnancy O08.6
- - uterus -*see* Injury, uterus
- interscapular area -*see* Injury, thorax
- intestine
- - large S36.509
- - - ascending (right) S36.500
- - - - blast injury (primary) S36.510
- - - - - secondary S36.590
- - - - contusion S36.520
- - - - laceration S36.530
- - - - specified type NEC S36.590
- - - blast injury (primary) S36.519
- - - - ascending (right) S36.510
- - - - descending (left) S36.512
- - - - rectum S36.61
- - - - sigmoid S36.513
- - - - specified site NEC S36.518
- - - - transverse S36.511
- - - contusion S36.529
- - - - ascending (right) S36.520
- - - - descending (left) S36.522
- - - - rectum S36.62
- - - - sigmoid S36.523
- - - - specified site NEC S36.528
- - - - transverse S36.521
- - - descending (left) S36.502
- - - - blast injury (primary) S36.512
- - - - - secondary S36.592
- - - - contusion S36.522
- - - - laceration S36.532
- - - - specified type NEC S36.592
- - - laceration S36.539
- - - - ascending (right) S36.530
- - - - descending (left) S36.532
- - - - rectum S36.63
- - - - sigmoid S36.533
- - - - specified site NEC S36.538

- - - - transverse S36.531
- - - rectum S36.60
- - - - blast injury (primary) S36.61
- - - - - secondary S36.69
- - - - contusion S36.62
- - - - laceration S36.63
- - - - specified type NEC S36.69
- - - sigmoid S36.503
- - - - blast injury (primary) S36.513
- - - - - secondary S36.593
- - - - contusion S36.523
- - - - laceration S36.533
- - - - specified type NEC S36.593
- - - specified
- - - - site NEC S36.508
- - - - - blast injury (primary) S36.518
- - - - - - secondary S36.598
- - - - - contusion S36.528
- - - - - laceration S36.538
- - - - - specified type NEC S36.598
- - - - type NEC S36.599
- - - - - ascending (right) S36.590
- - - - - descending (left) S36.592
- - - - - rectum S36.69
- - - - - sigmoid S36.593
- - - - - specified site NEC S36.598
- - - - - transverse S36.591
- - - transverse S36.501
- - - - blast injury (primary) S36.511
- - - - - secondary S36.591
- - - - contusion S36.521
- - - - laceration S36.531
- - - - specified type NEC S36.591
- - small S36.409
- - - blast injury (primary) S36.419
- - - - duodenum S36.410
- - - - secondary S36.499
- - - - - duodenum S36.490
- - - - - specified site NEC S36.498
- - - - specified site NEC S36.418
- - - contusion S36.429
- - - - duodenum S36.420
- - - - specified site NEC S36.428
- - - duodenum S36.400
- - - - blast injury (primary) S36.410
- - - - - secondary S36.490
- - - - contusion S36.420
- - - - laceration S36.430
- - - - specified NEC S36.490
- - - laceration S36.439
- - - - duodenum S36.430
- - - - specified site NEC S36.438
- - - specified
- - - - type NEC S36.499
- - - - - duodenum S36.490
- - - - - specified site NEC S36.498
- - - - site NEC S36.408
- intra-abdominal S36.90
- - adrenal gland -*see* Injury, adrenal gland
- - bladder -*see* Injury, bladder

- - colon -*see* Injury, intestine, large
- - contusion S36.92
- - fallopian tube -*see* Injury, fallopian tube
- - gallbladder -*see* Injury, gallbladder
- - intestine -*see* Injury, intestine
- - laceration S36.93
- - liver -*see* Injury, liver
- - kidney -*see* Injury, kidney
- - ovary -*see* Injury, ovary
- - pancreas -*see* Injury, pancreas
- - pelvic NOS S37.90
- - peritoneum -*see* Injury, intra-abdominal, specified, site NEC
- - prostate -*see* Injury, prostate
- - rectum -*see* Injury, intestine, large, rectum
- - retroperitoneum -*see* Injury, intra-abdominal, specified, site NEC
- - seminal vesicle -*see* Injury, pelvis, organ, specified site NEC
- - small intestine -*see* Injury, intestine, small
- - specified
- - - site NEC S36.899
- - - - contusion S36.892
- - - - laceration S36.893
- - - - specified type NEC S36.898
- - - type NEC S36.99
- - - pelvic S37.90
- - - - specified
- - - - - site NEC S37.899
- - - - - - specified type NEC S37.898
- - - - - type NEC S37.99
- - spleen -*see* Injury, spleen
- - stomach -*see* Injury, stomach
- - ureter -*see* Injury, ureter
- - urethra -*see* Injury, urethra
- - uterus -*see* Injury, uterus
- - vas deferens -*see* Injury, pelvis, organ, specified site NEC
- intracranial (traumatic) (see also, if applicable, Compression, brain, traumatic) S06.9-
- - cerebellar hemorrhage, traumatic -*see* Injury, intracranial, focal
- - cerebral edema, traumatic S06.1X-
- - - diffuse S06.1X-
- - - focal S06.1X-
- - diffuse (axonal) S06.2X-
- - epidural hemorrhage (traumatic) S06.4X-
- - focal brain injury S06.30-
- - - contusion -*see* Contusion, cerebral
- - - laceration -*see* Laceration, cerebral
- - intracerebral hemorrhage, traumatic S06.36-
- - - left side S06.35-
- - - right side S06.34-
- - specified NEC S06.89-
- - subarachnoid hemorrhage, traumatic S06.6X-
- - subdural hemorrhage, traumatic S06.5X-
- intraocular -*see* Injury, eyeball, penetrating
- intrathoracic S27.9
- - bronchus S27.409
- - - bilateral S27.402
- - - blast injury (primary) S27.419
- - - - bilateral S27.412
- - - - secondary -*see* Injury, intrathoracic, bronchus, specified type NEC
- - - - unilateral S27.411
- - - contusion S27.429
- - - - bilateral S27.422

- - - - unilateral S27.421
- - - laceration S27.439
- - - - bilateral S27.432
- - - - unilateral S27.431
- - - specified type NEC S27.499
- - - - bilateral S27.492
- - - - unilateral S27.491
- - - unilateral S27.401
- - diaphragm S27.809
- - - contusion S27.802
- - - laceration S27.803
- - - specified type NEC S27.808
- - esophagus (thoracic) S27.819
- - - contusion S27.812
- - - laceration S27.813
- - - specified type NEC S27.818
- - heart -*see* Injury, heart
- - hemopneumothorax S27.2
- - hemothorax S27.1
- - lung S27.309
- - - aspiration J69.0
- - - bilateral S27.302
- - - blast injury (primary) S27.319
- - - - bilateral S27.312
- - - - secondary -*see* Injury, intrathoracic, lung, specified type NEC
- - - - unilateral S27.311
- - - contusion S27.329
- - - - bilateral S27.322
- - - - unilateral S27.321
- - - laceration S27.339
- - - - bilateral S27.332
- - - - unilateral S27.331
- - - specified type NEC S27.399
- - - - bilateral S27.392
- - - - unilateral S27.391
- - - unilateral S27.301
- - pleura S27.60
- - - laceration S27.63
- - - specified type NEC S27.69
- - pneumothorax S27.0
- - specified organ NEC S27.899
- - - contusion S27.892
- - - laceration S27.893
- - - specified type NEC S27.898
- - thoracic duct -*see* Injury, intrathoracic, specified organ NEC
- - thymus gland -*see* Injury, intrathoracic, specified organ NEC
- - trachea, thoracic S27.50
- - - blast (primary) S27.51
- - - contusion S27.52
- - - laceration S27.53
- - - specified type NEC S27.59
- iris -*see* Injury, eye, specified site NEC
- - penetrating -*see* Injury, eyeball, penetrating
- jaw S09.93
- jejunum -*see* Injury, intestine, small
- joint NOS T14.8
- - old or residual -*see* Disorder, joint, specified type NEC
- kidney S37.00-
- - acute (nontraumatic) N17.9
- - contusion -*see* Contusion, kidney

- - laceration -*see* Laceration, kidney
- - specified NEC S37.09-
- knee S89.9-
- - contusion -*see* Contusion, knee
- - dislocation -*see* Dislocation, knee
- - meniscus (lateral) (medial) -*see* Sprain, knee, specified site NEC
- - - old injury or tear -*see* Derangement, knee, meniscus, due to old injury
- - open -*see* Wound, open, knee
- - specified NEC S89.8-
- - sprain -*see* Sprain, knee
- - superficial -*see* Injury, superficial, knee
- labium (majus) (minus) S39.94
- labyrinth, ear S09.30-
- lacrimal apparatus, duct, gland, or sac -*see* Injury, eye, specified site NEC
- larynx NEC S19.81
- leg (lower) S89.9-
- - blood vessel -*see* Injury, blood vessel, leg
- - contusion -*see* Contusion, leg
- - fracture -*see* Fracture, leg
- - muscle -*see* Injury, muscle, leg
- - nerve -*see* Injury, nerve, leg
- - open -*see* Wound, open, leg
- - specified NEC S89.8-
- - superficial -*see* Injury, superficial, leg
- lens, eye -*see* Injury, eye, specified site NEC
- - penetrating -*see* Injury, eyeball, penetrating
- limb NEC T14.8
- lip S09.93
- liver S36.119
- - contusion S36.112
- - laceration S36.113
- - - major (stellate) S36.116
- - - minor S36.114
- - - moderate S36.115
- - specified NEC S36.118
- lower back S39.92
- - specified NEC S39.82
- lumbar, lumbosacral (region) S39.92
- - plexus -*see* Injury, lumbosacral plexus
- lumbosacral plexus S34.4
- lung -*see also* Injury, intrathoracic, lung
- - aspiration J69.0
- - dabbing (related) U07.0
- - electronic cigarette (related) U07.0
- - EVALI - [e-cigarette, or vaping, product use associated] U07.0
- - transfusion-related (TRALI) J95.84
- - vaping (associated) (device) (product) (use) U07.0
- lymphatic thoracic duct -*see* Injury, intrathoracic, specified organ NEC
- malar region S09.93
- mastoid region S09.90
- maxilla S09.93
- mediastinum -*see* Injury, intrathoracic, specified organ NEC
- membrane, brain -*see* Injury, intracranial
- meningeal artery -*see* Injury, intracranial, subdural hemorrhage
- meninges (cerebral) -*see* Injury, intracranial
- mesenteric
- - artery
- - - branch S35.299
- - - - laceration (minor) (superficial) S35.291
- - - - - major S35.292

- - - - specified NEC S35.298
- - - inferior S35.239
- - - - laceration (minor) (superficial) S35.231
- - - - - major S35.232
- - - - specified NEC S35.238
- - - superior S35.229
- - - - laceration (minor) (superficial) S35.221
- - - - - major S35.222
- - - - specified NEC S35.228
- - plexus (inferior) (superior) -*see* Injury, nerve, lumbosacral, sympathetic
- - vein
- - - inferior S35.349
- - - - laceration S35.341
- - - - specified NEC S35.348
- - - superior S35.339
- - - - laceration S35.331
- - - - specified NEC S35.338
- mesentery -*see* Injury, intra-abdominal, specified site NEC
- mesosalpinx -*see* Injury, pelvic organ, specified site NEC
- middle ear S09.30-
- midthoracic region NOS S29.9
- mouth S09.93
- multiple NOS T07
- muscle (and fascia) (and tendon)
- - abdomen S39.001
- - - laceration S39.021
- - - specified type NEC S39.091
- - - strain S39.011
- - abductor
- - - thumb, forearm level -*see* Injury, muscle, thumb, abductor
- - adductor
- - - thigh S76.20-
- - - - laceration S76.22-
- - - - specified type NEC S76.29-
- - - - strain S76.21-
- - ankle -*see* Injury, muscle, foot
- - anterior muscle group, at leg level (lower) S86.20-
- - - laceration S86.22-
- - - specified type NEC S86.29-
- - - strain S86.21-
- - arm (upper) -*see* Injury, muscle, shoulder
- - biceps (parts NEC) S46.20-
- - - laceration S46.22-
- - - long head S46.10-
- - - - laceration S46.12-
- - - - strain S46.11-
- - - - specified type NEC S46.19-
- - - specified type NEC S46.29-
- - - strain S46.21-
- - extensor
- - - finger(s) (other than thumb) -*see* Injury, muscle, finger by site, extensor
- - - forearm level, specified NEC -*see* Injury, muscle, forearm, extensor
- - - thumb -*see* Injury, muscle, thumb, extensor
- - - toe (large) (ankle level) (foot level) -*see* Injury, muscle, toe, extensor
- - finger
- - - extensor (forearm level) S56.40-
- - - - hand level S66.309
- - - - - laceration S66.329
- - - - - specified type NEC S66.399
- - - - - strain S66.319

- - - - laceration S56.429
- - - - specified type NEC S56.499
- - - - strain S56.419
- - - flexor (forearm level) S56.10-
- - - - hand level S66.109
- - - - - laceration S66.129
- - - - - specified type NEC S66.199
- - - - - strain S66.119
- - - - laceration S56.129
- - - - specified type NEC S56.199
- - - - strain S56.119
- - - intrinsic S66.509
- - - - laceration S66.529
- - - - specified type NEC S66.599
- - - - strain S66.519
- - - index
- - - - extensor (forearm level)
- - - - - hand level S66.308
- - - - - - laceration S66.32-
- - - - - - specified type NEC S66.39-
- - - - - - strain S66.31-
- - - - - specified type NEC S56.492-
- - - - flexor (forearm level)
- - - - - hand level S66.108
- - - - - - laceration S66.12-
- - - - - - specified type NEC S66.19-
- - - - - - strain S66.11-
- - - - - specified type NEC S56.19-
- - - - - strain S56.11-
- - - - intrinsic S66.50-
- - - - - laceration S66.52-
- - - - - specified type NEC S66.59-
- - - - - strain S66.51-
- - - little
- - - - extensor (forearm level)
- - - - - hand level S66.30-
- - - - - - laceration S66.32-
- - - - - - specified type NEC S66.39-
- - - - - - strain S66.31-
- - - - - laceration S56.42-
- - - - - specified type NEC S56.49-
- - - - - strain S56.41-
- - - - flexor (forearm level)
- - - - - hand level S66.10-
- - - - - - laceration S66.12-
- - - - - - specified type NEC S66.19-
- - - - - - strain S66.11-
- - - - - laceration S56.12-
- - - - - specified type NEC S56.19-
- - - - - strain S56.11-
- - - - intrinsic S66.50-
- - - - - laceration S66.52-
- - - - - specified type NEC S66.59-
- - - - - strain S66.51-
- - - middle
- - - - extensor (forearm level)
- - - - - hand level S66.30-
- - - - - - laceration S66.32-
- - - - - - specified type NEC S66.39-
- - - - - - strain S66.31-

- - - - - laceration S56.42-
- - - - - specified type NEC S56.49-
- - - - - strain S56.41-
- - - - flexor (forearm level)
- - - - - hand level S66.10-
- - - - - - laceration S66.12-
- - - - - - specified type NEC S66.19-
- - - - - - strain S66.11-
- - - - - laceration S56.12-
- - - - - specified type NEC S56.19-
- - - - - strain S56.11-
- - - - intrinsic S66.50-
- - - - - laceration S66.52-
- - - - - specified type NEC S66.59-
- - - - - strain S66.51-
- - - ring
- - - - extensor (forearm level)
- - - - - hand level S66.30-
- - - - - - laceration S66.32-
- - - - - - specified type NEC S66.39-
- - - - - - strain S66.31-
- - - - - laceration S56.42-
- - - - - specified type NEC S56.49-
- - - - - strain S56.41-
- - - - flexor (forearm level)
- - - - - hand level S66.10-
- - - - - - laceration S66.12-
- - - - - - specified type NEC S66.19-
- - - - - - strain S66.11-
- - - - - laceration S56.12-
- - - - - specified type NEC S56.19-
- - - - - strain S56.11-
- - - - intrinsic S66.50-
- - - - - laceration S66.52-
- - - - - specified type NEC S66.59-
- - - - - strain S66.51-
- - flexor
- - - finger(s) (other than thumb) -*see* Injury, muscle, finger
- - - forearm level, specified NEC -*see* Injury, muscle, forearm, flexor
- - - thumb -*see* Injury, muscle, thumb, flexor
- - - toe (long) (ankle level) (foot level) -*see* Injury, muscle, toe, flexor
- - foot S96.90-
- - - intrinsic S96.20-
- - - - laceration S96.22-
- - - - specified type NEC S96.29-
- - - - strain S96.21-
- - - laceration S96.92-
- - - long extensor, toe -*see* Injury, muscle, toe, extensor
- - - long flexor, toe -*see* Injury, muscle, toe, flexor
- - - specified
- - - - site NEC S96.80-
- - - - - laceration S96.82-
- - - - - specified type NEC S96.89-
- - - - - strain S96.81-
- - - - type NEC S96.99-
- - - strain S96.91-
- - forearm (level) S56.90-
- - - extensor S56.50-
- - - - laceration S56.52-
- - - - specified type NEC S56.59-

- - - - strain S56.51-
- - - flexor S56.20-
- - - - laceration S56.22-
- - - - specified type NEC S56.29-
- - - - strain S56.21-
- - - laceration S56.92-
- - - specified S56.99-
- - - - site NEC S56.80-
- - - - - laceration S56.82-
- - - - - strain S56.81-
- - - - - type NEC S56.89-
- - - strain S56.91-
- - hand (level) S66.90-
- - - laceration S66.92-
- - - specified
- - - - site NEC S66.80-
- - - - - laceration S66.82-
- - - - - specified type NEC S66.89-
- - - - - strain S66.81-
- - - - type NEC S66.99-
- - - strain S66.91-
- - head S09.10
- - - laceration S09.12
- - - specified type NEC S09.19
- - - strain S09.11
- - hip NEC S76.00-
- - - laceration S76.02-
- - - specified type NEC S76.09-
- - - strain S76.01-
- - intrinsic
- - - ankle and foot level -*see* Injury, muscle, foot, intrinsic
- - - finger (other than thumb) -*see* Injury, muscle, finger by site, intrinsic
- - - foot (level) -*see* Injury, muscle, foot, intrinsic
- - - thumb -*see* Injury, muscle, thumb, intrinsic
- - leg (level) (lower) S86.90-
- - - Achilles tendon -*see* Injury, Achilles tendon
- - - anterior muscle group -*see* Injury, muscle, anterior muscle group
- - - laceration S86.92-
- - - peroneal muscle group -*see* Injury, muscle, peroneal muscle group
- - - posterior muscle group -*see* Injury, muscle, posterior muscle group, leg level
- - - specified
- - - - site NEC S86.80-
- - - - - laceration S86.82-
- - - - - specified type NEC S86.89-
- - - - - strain S86.81-
- - - - type NEC S86.99-
- - - strain S86.91-
- - long
- - - extensor toe, at ankle and foot level -*see* Injury, muscle, toe, extensor
- - - flexor, toe, at ankle and foot level -*see* Injury, muscle, toe, flexor
- - - head, biceps -*see* Injury, muscle, biceps, long head
- - lower back S39.002
- - - laceration S39.022
- - - specified type NEC S39.092
- - - strain S39.012
- - neck (level) S16.9
- - - laceration S16.2
- - - specified type NEC S16.8
- - - strain S16.1
- - pelvis S39.003

- - - laceration S39.023
- - - specified type NEC S39.093
- - - strain S39.013
- - peroneal muscle group, at leg level (lower) S86.30-
- - - laceration S86.32-
- - - specified type NEC S86.39-
- - - strain S86.31-
- - posterior muscle (group)
- - - leg level (lower) S86.10-
- - - - laceration S86.12-
- - - - specified type NEC S86.19-
- - - - strain S86.11-
- - - thigh level S76.30-
- - - - laceration S76.32-
- - - - specified type NEC S76.39-
- - - - strain S76.31-
- - quadriceps (thigh) S76.10-
- - - laceration S76.12-
- - - specified type NEC S76.19-
- - - strain S76.11-
- - shoulder S46.90-
- - - laceration S46.92-
- - - rotator cuff -*see* Injury, rotator cuff
- - - specified site NEC S46.80-
- - - - laceration S46.82-
- - - - strain S46.81-
- - - - specified type NEC S46.89-
- - - strain S46.91-
- - - specified type NEC S46.99-
- - thigh NEC (level) S76.90-
- - - adductor -*see* Injury, muscle, adductor, thigh
- - - laceration S76.92-
- - - posterior muscle (group) -*see* Injury, muscle, posterior muscle, thigh level
- - - quadriceps -*see* Injury, muscle, quadriceps
- - - specified
- - - - site NEC S76.80-
- - - - - laceration S76.82-
- - - - - specified type NEC S76.89-
- - - - - strain S76.81-
- - - - type NEC S76.99-
- - - strain S76.91-
- - thorax (level) S29.009
- - - back wall S29.002
- - - front wall S29.001
- - - laceration S29.029
- - - - back wall S29.022
- - - - front wall S29.021
- - - specified type NEC S29.099
- - - - back wall S29.092
- - - - front wall S29.091
- - - strain S29.019
- - - - back wall S29.012
- - - - front wall S29.011
- - thumb
- - - abductor (forearm level) S56.30-
- - - - laceration S56.32-
- - - - specified type NEC S56.39-
- - - - strain S56.31-
- - - extensor (forearm level) S56.30-
- - - - hand level S66.20-

- - - - - laceration S66.22-
- - - - - specified type NEC S66.29-
- - - - - strain S66.21-
- - - - laceration S56.32-
- - - - specified type NEC S56.39-
- - - - strain S56.31-
- - - flexor (forearm level) S56.00-
- - - - hand level S66.00-
- - - - - laceration S66.02-
- - - - - specified type NEC S66.09-
- - - - - strain S66.01-
- - - - laceration S56.02-
- - - - specified type NEC S56.09-
- - - - strain S56.01-
- - - - wrist level -*see* Injury, muscle, thumb, flexor, hand level
- - - intrinsic S66.40-
- - - - laceration S66.42-
- - - - specified type NEC S66.49-
- - - - strain S66.41-
- - toe -*see also* Injury, muscle, foot
- - - extensor, long S96.10-
- - - - laceration S96.12-
- - - - specified type NEC S96.19-
- - - - strain S96.11-
- - - flexor, long S96.00-
- - - - laceration S96.02-
- - - - specified type NEC S96.09-
- - - - strain S96.01-
- - triceps S46.30-
- - - laceration S46.32-
- - - specified type NEC S46.39-
- - - strain S46.31-
- - wrist (and hand) level -*see* Injury, muscle, hand
- musculocutaneous nerve -*see* Injury, nerve, musculocutaneous
- myocardial (acute) (chronic) (non-ischemic) (non-traumatic) I5A
- - traumatic -*see* Injury, heart
- myocardium -*see also* Injury, heart
- - non-traumatic -*see* Injury, myocardial
- nape -*see* Injury, neck
- nasal (septum) (sinus) S09.92
- nasopharynx S09.92
- neck S19.9
- - specified NEC S19.80
- - - specified site NEC S19.89
- nerve NEC T14.8
- - abdomen S34.9
- - - peripheral S34.6
- - - specified site NEC S34.8
- - abducens S04.4-
- - - contusion S04.4-
- - - laceration S04.4-
- - - specified type NEC S04.4-
- - abducent -*see* Injury, nerve, abducens
- - accessory S04.7-
- - - contusion S04.7-
- - - laceration S04.7-
- - - specified type NEC S04.7-
- - acoustic S04.6-
- - - contusion S04.6-
- - - laceration S04.6-

- - - specified type NEC S04.6-
- - ankle S94.9-
- - - cutaneous sensory S94.3-
- - - specified site NEC -see subcategory S94.8
- - anterior crural, femoral -*see* Injury, nerve, femoral
- - arm (upper) S44.9-
- - - axillary -*see* Injury, nerve, axillary
- - - cutaneous -*see* Injury, nerve, cutaneous, arm
- - - median -*see* Injury, nerve, median, upper arm
- - - musculocutaneous -*see* Injury, nerve, musculocutaneous
- - - radial -*see* Injury, nerve, radial, upper arm
- - - specified site NEC -see subcategory S44.8
- - - ulnar -*see* Injury, nerve, ulnar, arm
- - auditory -*see* Injury, nerve, acoustic
- - axillary S44.3-
- - brachial plexus -*see* Injury, brachial plexus
- - cervical sympathetic S14.5
- - cranial S04.9
- - - contusion S04.9
- - - eighth (acoustic or auditory) -*see* Injury, nerve, acoustic
- - - eleventh (accessory) -*see* Injury, nerve, accessory
- - - fifth (trigeminal) -*see* Injury, nerve, trigeminal
- - - first (olfactory) -*see* Injury, nerve, olfactory
- - - fourth (trochlear) -*see* Injury, nerve, trochlear
- - - laceration S04.9
- - - ninth (glossopharyngeal) -*see* Injury, nerve, glossopharyngeal
- - - second (optic) -*see* Injury, nerve, optic
- - - seventh (facial) -*see* Injury, nerve, facial
- - - sixth (abducent) -*see* Injury, nerve, abducens
- - - specified
- - - - nerve NEC S04.89-
- - - - - contusion S04.89-
- - - - - laceration S04.89-
- - - - - specified type NEC S04.89-
- - - - type NEC S04.9
- - - tenth (pneumogastric or vagus) -*see* Injury, nerve, vagus
- - - third (oculomotor) -*see* Injury, nerve, oculomotor
- - - twelfth (hypoglossal) -*see* Injury, nerve, hypoglossal
- - cutaneous sensory
- - - ankle (level) S94.3-
- - - arm (upper) (level) S44.5-
- - - foot (level) -*see* Injury, nerve, cutaneous sensory, ankle
- - - forearm (level) S54.3-
- - - hip (level) S74.2-
- - - leg (lower level) S84.2-
- - - shoulder (level) -*see* Injury, nerve, cutaneous sensory, arm
- - - thigh (level) -*see* Injury, nerve, cutaneous sensory, hip
- - deep peroneal -*see* Injury, nerve, peroneal, foot
- - digital
- - - finger S64.4-
- - - - index S64.49-
- - - - little S64.49-
- - - - middle S64.49-
- - - - ring S64.49-
- - - thumb S64.3-
- - - toe -*see* Injury, nerve, ankle, specified site NEC
- - eighth cranial (acoustic or auditory) -*see* Injury, nerve, acoustic
- - eleventh cranial (accessory) -*see* Injury, nerve, accessory
- - facial S04.5-
- - - contusion S04.5-

- - - laceration S04.5-
- - - newborn P11.3
- - - specified type NEC S04.5-
- - femoral (hip level) (thigh level) S74.1-
- - fifth cranial (trigeminal) -*see* Injury, nerve, trigeminal
- - finger (digital) -*see* Injury, nerve, digital, finger
- - first cranial (olfactory) -*see* Injury, nerve, olfactory
- - foot S94.9-
- - - cutaneous sensory S94.3-
- - - deep peroneal S94.2-
- - - lateral plantar S94.0-
- - - medial plantar S94.1-
- - - specified site NEC -see subcategory S94.8
- - forearm (level) S54.9-
- - - cutaneous sensory -*see* Injury, nerve, cutaneous sensory, forearm
- - - median -*see* Injury, nerve, median
- - - radial -*see* Injury, nerve, radial
- - - specified site NEC -see subcategory S54.8
- - - ulnar -*see* Injury, nerve, ulnar
- - fourth cranial (trochlear) -*see* Injury, nerve, trochlear
- - glossopharyngeal S04.89-
- - - specified type NEC S04.89-
- - hand S64.9-
- - - median -*see* Injury, nerve, median, hand
- - - radial -*see* Injury, nerve, radial, hand
- - - specified NEC -see subcategory S64.8
- - - ulnar -*see* Injury, nerve, ulnar, hand
- - hip (level) S74.9-
- - - cutaneous sensory -*see* Injury, nerve, cutaneous sensory, hip
- - - femoral -*see* Injury, nerve, femoral
- - - sciatic -*see* Injury, nerve, sciatic
- - - specified site NEC -see subcategory S74.8
- - hypoglossal S04.89-
- - - specified type NEC S04.89-
- - lateral plantar S94.0-
- - leg (lower) S84.9-
- - - cutaneous sensory -*see* Injury, nerve, cutaneous sensory, leg
- - - peroneal -*see* Injury, nerve, peroneal
- - - specified site NEC -see subcategory S84.8
- - - tibial -*see* Injury, nerve, tibial
- - - upper -*see* Injury, nerve, thigh
- - lower
- - - back -*see* Injury, nerve, abdomen, specified site NEC
- - - - peripheral -*see* Injury, nerve, abdomen, peripheral
- - - limb -*see* Injury, nerve, leg
- - lumbar spinal -*see* Injury, spinal, lumbar
- - - peripheral S34.6
- - - root S34.21
- - - sympathetic S34.5
- - lumbar plexus -*see* Injury, nerve, lumbosacral, sympathetic
- - lumbosacral
- - - plexus -*see* Injury, nerve, lumbosacral, sympathetic
- - - sympathetic S34.5
- - medial plantar S94.1-
- - median (forearm level) S54.1-
- - - hand (level) S64.1-
- - - upper arm (level) S44.1-
- - - wrist (level) -*see* Injury, nerve, median, hand
- - musculocutaneous S44.4-
- - musculospiral (upper arm level) -*see* Injury, nerve, radial, upper arm

- - neck S14.9
- - - peripheral S14.4
- - - specified site NEC S14.8
- - - sympathetic S14.5
- - ninth cranial (glossopharyngeal) -*see* Injury, nerve, glossopharyngeal
- - oculomotor S04.1-
- - - contusion S04.1-
- - - laceration S04.1-
- - - specified type NEC S04.1-
- - olfactory S04.81-
- - - specified type NEC S04.81-
- - optic S04.01-
- - - contusion S04.01-
- - - laceration S04.01-
- - - specified type NEC S04.01-
- - pelvic girdle -*see* Injury, nerve, hip
- - pelvis -*see* Injury, nerve, abdomen, specified site NEC
- - - peripheral -*see* Injury, nerve, abdomen, peripheral
- - peripheral NEC T14.8
- - - abdomen -*see* Injury, nerve, abdomen, peripheral
- - - lower back -*see* Injury, nerve, abdomen, peripheral
- - - neck -*see* Injury, nerve, neck, peripheral
- - - pelvis -*see* Injury, nerve, abdomen, peripheral
- - - specified NEC T14.8
- - peroneal (lower leg level) S84.1-
- - - foot S94.2-
- - plexus
- - - brachial -*see* Injury, brachial plexus
- - - celiac, coeliac -*see* Injury, nerve, lumbosacral, sympathetic
- - - mesenteric, inferior -*see* Injury, nerve, lumbosacral, sympathetic
- - - sacral -*see* Injury, lumbosacral plexus
- - - spinal
- - - - brachial -*see* Injury, brachial plexus
- - - - lumbosacral -*see* Injury, lumbosacral plexus
- - pneumogastric -*see* Injury, nerve, vagus
- - radial (forearm level) S54.2-
- - - hand (level) S64.2-
- - - upper arm (level) S44.2-
- - - wrist (level) -*see* Injury, nerve, radial, hand
- - root -*see* Injury, nerve, spinal, root
- - sacral plexus -*see* Injury, lumbosacral plexus
- - sacral spinal -*see* Injury, spinal, sacral
- - - peripheral S34.6
- - - root S34.22
- - - sympathetic S34.5
- - sciatic (hip level) (thigh level) S74.0-
- - second cranial (optic) -*see* Injury, nerve, optic
- - seventh cranial (facial) -*see* Injury, nerve, facial
- - shoulder -*see* Injury, nerve, arm
- - sixth cranial (abducent) -*see* Injury, nerve, abducens
- - spinal
- - - plexus -*see* Injury, nerve, plexus, spinal
- - - root
- - - - cervical S14.2
- - - - dorsal S24.2
- - - - lumbar S34.21
- - - - sacral S34.22
- - - - thoracic -*see* Injury, nerve, spinal, root, dorsal
- - splanchnic -*see* Injury, nerve, lumbosacral, sympathetic
- - sympathetic NEC -*see* Injury, nerve, lumbosacral, sympathetic

- - - cervical -*see* Injury, nerve, cervical sympathetic
- - tenth cranial (pneumogastric or vagus) -*see* Injury, nerve, vagus
- - thigh (level) -*see* Injury, nerve, hip
- - - cutaneous sensory -*see* Injury, nerve, cutaneous sensory, hip
- - - femoral -*see* Injury, nerve, femoral
- - - sciatic -*see* Injury, nerve, sciatic
- - - specified NEC -*see* Injury, nerve, hip
- - third cranial (oculomotor) -*see* Injury, nerve, oculomotor
- - thorax S24.9
- - - peripheral S24.3
- - - specified site NEC S24.8
- - - sympathetic S24.4
- - thumb, digital -*see* Injury, nerve, digital, thumb
- - tibial (lower leg level) (posterior) S84.0-
- - toe -*see* Injury, nerve, ankle
- - trigeminal S04.3-
- - - contusion S04.3-
- - - laceration S04.3-
- - - specified type NEC S04.3-
- - trochlear S04.2-
- - - contusion S04.2-
- - - laceration S04.2-
- - - specified type NEC S04.2-
- - twelfth cranial (hypoglossal) -*see* Injury, nerve, hypoglossal
- - ulnar (forearm level) S54.0-
- - - arm (upper) (level) S44.0-
- - - hand (level) S64.0-
- - - wrist (level) -*see* Injury, nerve, ulnar, hand
- - vagus S04.89-
- - - specified type NEC S04.89-
- - wrist (level) -*see* Injury, nerve, hand
- ninth cranial nerve (glossopharyngeal) -*see* Injury, nerve, glossopharyngeal
- nose (septum) S09.92
- obstetrical O71.9
- - specified NEC O71.89
- occipital (region) (scalp) S09.90
- - lobe -*see* Injury, intracranial
- optic chiasm S04.02
- optic radiation S04.03-
- optic tract and pathways S04.03-
- orbit, orbital (region) -*see* Injury, eye
- - penetrating (with foreign body) -*see* Injury, eye, orbit, penetrating
- - specified NEC -*see* Injury, eye, specified site NEC
- ovary, ovarian S37.409
- - bilateral S37.402
- - - contusion S37.422
- - - laceration S37.432
- - - specified type NEC S37.492
- - blood vessel -*see* Injury, blood vessel, ovarian
- - contusion S37.429
- - - bilateral S37.422
- - - unilateral S37.421
- - laceration S37.439
- - - bilateral S37.432
- - - unilateral S37.431
- - specified type NEC S37.499
- - - bilateral S37.492
- - - unilateral S37.491
- - unilateral S37.401
- - - contusion S37.421

- - - laceration S37.431
- - - specified type NEC S37.491
- palate (hard) (soft) S09.93
- pancreas S36.209
- - body S36.201
- - - contusion S36.221
- - - laceration S36.231
- - - - major S36.261
- - - - minor S36.241
- - - - moderate S36.251
- - - specified type NEC S36.291
- - contusion S36.229
- - head S36.200
- - - contusion S36.220
- - - laceration S36.230
- - - - major S36.260
- - - - minor S36.240
- - - - moderate S36.250
- - - specified type NEC S36.290
- - laceration S36.239
- - - major S36.269
- - - minor S36.249
- - - moderate S36.259
- - specified type NEC S36.299
- - tail S36.202
- - - contusion S36.222
- - - laceration S36.232
- - - - major S36.262
- - - - minor S36.242
- - - - moderate S36.252
- - - specified type NEC S36.292
- parietal (region) (scalp) S09.90
- - lobe *-see* Injury, intracranial
- patellar ligament (tendon) S76.10-
- - laceration S76.12-
- - specified NEC S76.19-
- - strain S76.11-
- pelvis, pelvic (floor) S39.93
- - complicating delivery O70.1
- - joint or ligament, complicating delivery O71.6
- - organ S37.90
- - - with ectopic or molar pregnancy O08.6
- - - complication of abortion *-see* Abortion
- - - contusion S37.92
- - - following ectopic or molar pregnancy O08.6
- - - laceration S37.93
- - - obstetrical trauma NEC O71.5
- - - specified
- - - - site NEC S37.899
- - - - - contusion S37.892
- - - - - laceration S37.893
- - - - - specified type NEC S37.898
- - - - type NEC S37.99
- - specified NEC S39.83
- penis S39.94
- perineum S39.94
- peritoneum S36.81
- - laceration S36.893
- periurethral tissue *-see* Injury, urethra
- - complicating delivery O71.82

- phalanges
- - foot -*see* Injury, foot
- - hand -*see* Injury, hand
- pharynx NEC S19.85
- pleura -*see* Injury, intrathoracic, pleura
- plexus
- - brachial -*see* Injury, brachial plexus
- - cardiac -*see* Injury, nerve, thorax, sympathetic
- - celiac, coeliac -*see* Injury, nerve, lumbosacral, sympathetic
- - esophageal -*see* Injury, nerve, thorax, sympathetic
- - hypogastric -*see* Injury, nerve, lumbosacral, sympathetic
- - lumbar, lumbosacral -*see* Injury, lumbosacral plexus
- - mesenteric -*see* Injury, nerve, lumbosacral, sympathetic
- - pulmonary -*see* Injury, nerve, thorax, sympathetic
- postcardiac surgery (syndrome) I97.0
- prepuce S39.94
- pressure
- - injury -*see* Ulcer, pressure, by site
- prostate S37.829
- - contusion S37.822
- - laceration S37.823
- - specified type NEC S37.828
- pubic region S39.94
- pudendum S39.94
- pulmonary plexus -*see* Injury, nerve, thorax, sympathetic
- rectovaginal septum NEC S39.83
- rectum -*see* Injury, intestine, large, rectum
- retina -*see* Injury, eye, specified site NEC
- - penetrating -*see* Injury, eyeball, penetrating
- retroperitoneal -*see* Injury, intra-abdominal, specified site NEC
- rotator cuff (muscle(s)) (tendon(s)) S46.00-
- - laceration S46.02-
- - specified type NEC S46.09-
- - strain S46.01-
- round ligament -*see* Injury, pelvic organ, specified site NEC
- sacral plexus -*see* Injury, lumbosacral plexus
- salivary duct or gland S09.93
- scalp S09.90
- - newborn (birth injury) P12.9
- - - due to monitoring (electrode) (sampling incision) P12.4
- - - specified NEC P12.89
- - - - caput succedaneum P12.81
- scapular region -*see* Injury, shoulder
- sclera -*see* Injury, eye, specified site NEC
- - penetrating -*see* Injury, eyeball, penetrating
- scrotum S39.94
- second cranial nerve (optic) -*see* Injury, nerve, optic
- self-inflicted, without suicidal intent R45.88
- seminal vesicle -*see* Injury, pelvic organ, specified site NEC
- seventh cranial nerve (facial) -*see* Injury, nerve, facial
- shoulder S49.9-
- - blood vessel -*see* Injury, blood vessel, arm
- - contusion -*see* Contusion, shoulder
- - dislocation -*see* Dislocation, shoulder
- - fracture -*see* Fracture, shoulder
- - muscle -*see* Injury, muscle, shoulder
- - nerve -*see* Injury, nerve, shoulder
- - open -*see* Wound, open, shoulder
- - specified type NEC S49.8-
- - sprain -*see* Sprain, shoulder girdle

- - superficial -*see* Injury, superficial, shoulder
- sinus
- - cavernous -*see* Injury, intracranial
- - nasal S09.92
- sixth cranial nerve (abducent) -*see* Injury, nerve, abducens
- skeleton, birth injury P13.9
- - specified part NEC P13.8
- skin NEC T14.8
- - surface intact -*see* Injury, superficial
- skull NEC S09.90
- specified NEC T14.8
- spermatic cord (pelvic region) S37.898
- - scrotal region S39.848
- spinal (cord)
- - cervical (neck) S14.109
- - - anterior cord syndrome S14.139
- - - - C1 level S14.131
- - - - C2 level S14.132
- - - - C3 level S14.133
- - - - C4 level S14.134
- - - - C5 level S14.135
- - - - C6 level S14.136
- - - - C7 level S14.137
- - - - C8 level S14.138
- - - Brown-Séquard syndrome S14.149
- - - - C1 level S14.141
- - - - C2 level S14.142
- - - - C3 level S14.143
- - - - C4 level S14.144
- - - - C5 level S14.145
- - - - C6 level S14.146
- - - - C7 level S14.147
- - - - C8 level S14.148
- - - C1 level S14.101
- - - C2 level S14.102
- - - C3 level S14.103
- - - C4 level S14.104
- - - C5 level S14.105
- - - C6 level S14.106
- - - C7 level S14.107
- - - C8 level S14.108
- - - central cord syndrome S14.129
- - - - C1 level S14.121
- - - - C2 level S14.122
- - - - C3 level S14.123
- - - - C4 level S14.124
- - - - C5 level S14.125
- - - - C6 level S14.126
- - - - C7 level S14.127
- - - - C8 level S14.128
- - - complete lesion S14.119
- - - - C1 level S14.111
- - - - C2 level S14.112
- - - - C3 level S14.113
- - - - C4 level S14.114
- - - - C5 level S14.115
- - - - C6 level S14.116
- - - - C7 level S14.117
- - - - C8 level S14.118
- - - concussion S14.0

- - - edema S14.0
- - - incomplete lesion specified NEC S14.159
- - - - C1 level S14.151
- - - - C2 level S14.152
- - - - C3 level S14.153
- - - - C4 level S14.154
- - - - C5 level S14.155
- - - - C6 level S14.156
- - - - C7 level S14.157
- - - - C8 level S14.158
- - - posterior cord syndrome S14.159
- - - - C1 level S14.151
- - - - C2 level S14.152
- - - - C3 level S14.153
- - - - C4 level S14.154
- - - - C5 level S14.155
- - - - C6 level S14.156
- - - - C7 level S14.157
- - - - C8 level S14.158
- - dorsal -*see* Injury, spinal, thoracic
- - lumbar S34.109
- - - complete lesion S34.119
- - - - L1 level S34.111
- - - - L2 level S34.112
- - - - L3 level S34.113
- - - - L4 level S34.114
- - - - L5 level S34.115
- - - concussion S34.01
- - - edema S34.01
- - - incomplete lesion S34.129
- - - - L1 level S34.121
- - - - L2 level S34.122
- - - - L3 level S34.123
- - - - L4 level S34.124
- - - - L5 level S34.125
- - - L1 level S34.101
- - - L2 level S34.102
- - - L3 level S34.103
- - - L4 level S34.104
- - - L5 level S34.105
- - nerve root NEC
- - - cervical -*see* Injury, nerve, spinal, root, cervical
- - - dorsal -*see* Injury, nerve, spinal, root, dorsal
- - - lumbar S34.21
- - - sacral S34.22
- - - thoracic -*see* Injury, nerve, spinal, root, dorsal
- - plexus
- - - brachial -*see* Injury, brachial plexus
- - - lumbosacral -*see* Injury, lumbosacral plexus
- - sacral S34.139
- - - complete lesion S34.131
- - - incomplete lesion S34.132
- - thoracic S24.109
- - - anterior cord syndrome S24.139
- - - - T1 level S24.131
- - - - T2-T6 level S24.132
- - - - T7-T10 level S24.133
- - - - T11-T12 level S24.134
- - - Brown-Séquard syndrome S24.149
- - - - T1 level S24.141

- - - - T2-T6 level S24.142
- - - - T7-T10 level S24.143
- - - - T11-T12 level S24.144
- - - complete lesion S24.119
- - - - T1 level S24.111
- - - - T2-T6 level S24.112
- - - - T7-T10 level S24.113
- - - - T11-T12 level S24.114
- - - concussion S24.0
- - - edema S24.0
- - - incomplete lesion specified NEC S24.159
- - - - T1 level S24.151
- - - - T2-T6 level S24.152
- - - - T7-T10 level S24.153
- - - - T11-T12 level S24.154
- - - posterior cord syndrome S24.159
- - - - T1 level S24.151
- - - - T2-T6 level S24.152
- - - - T7-T10 level S24.153
- - - - T11-T12 level S24.154
- - - T1 level S24.101
- - - T2-T6 level S24.102
- - - T7-T10 level S24.103
- - - T11-T12 level S24.104
- splanchnic nerve -*see* Injury, nerve, lumbosacral, sympathetic
- spleen S36.00
- - contusion S36.029
- - - major S36.021
- - - minor S36.020
- - laceration S36.039
- - - major (massive) (stellate) S36.032
- - - moderate S36.031
- - - superficial (capsular) (minor) S36.030
- - specified type NEC S36.09
- splenic artery -*see* Injury, blood vessel, celiac artery, branch
- stellate ganglion -*see* Injury, nerve, thorax, sympathetic
- sternal region S29.9
- stomach S36.30
- - contusion S36.32
- - laceration S36.33
- - specified type NEC S36.39
- subconjunctival -*see* Injury, eye, conjunctiva
- subcutaneous NEC T14.8
- submaxillary region S09.93
- submental region S09.93
- subungual
- - fingers -*see* Injury, hand
- - toes -*see* Injury, foot
- superficial NEC T14.8
- - abdomen, abdominal (wall) S30.92
- - - abrasion S30.811
- - - bite S30.871
- - - - insect S30.861
- - - contusion S30.1
- - - external constriction S30.841
- - - foreign body S30.851
- - abrasion -*see* Abrasion, by site
- - adnexa, eye NEC -*see* Injury, eye, specified site NEC
- - alveolar process -*see* Injury, superficial, oral cavity
- - ankle S90.91-

- - - abrasion -*see* Abrasion, ankle
- - - blister -*see* Blister, ankle
- - - bite -*see* Bite, ankle
- - - contusion -*see* Contusion, ankle
- - - external constriction -*see* Constriction, external, ankle
- - - foreign body -*see* Foreign body, superficial, ankle
- - anus S30.98
- - arm (upper) S40.92-
- - - abrasion -*see* Abrasion, arm
- - - bite -*see* Bite, superficial, arm
- - - blister -*see* Blister, arm (upper)
- - - contusion -*see* Contusion, arm
- - - external constriction -*see* Constriction, external, arm
- - - foreign body -*see* Foreign body, superficial, arm
- - auditory canal (external) (meatus) -*see* Injury, superficial, ear
- - auricle -*see* Injury, superficial, ear
- - axilla -*see* Injury, superficial, arm
- - back -*see also* Injury, superficial, thorax, back
- - - lower S30.91
- - - - abrasion S30.810
- - - - contusion S30.0
- - - - external constriction S30.840
- - - - superficial
- - - - - bite NEC S30.870
- - - - - - insect S30.860
- - - - - foreign body S30.850
- - bite NEC -*see* Bite, superficial NEC, by site
- - blister -*see* Blister, by site
- - breast S20.10-
- - - abrasion -*see* Abrasion, breast
- - - bite -*see* Bite, superficial, breast
- - - contusion -*see* Contusion, breast
- - - external constriction -*see* Constriction, external, breast
- - - foreign body -*see* Foreign body, superficial, breast
- - brow -*see* Injury, superficial, head, specified NEC
- - buttock S30.91
- - calf -*see* Injury, superficial, leg
- - canthus, eye -*see* Injury, superficial, periocular area
- - cheek (external) -*see* Injury, superficial, head, specified NEC
- - - internal -*see* Injury, superficial, oral cavity
- - chest wall -*see* Injury, superficial, thorax
- - chin -*see* Injury, superficial, head NEC
- - clitoris S30.95
- - conjunctiva -*see* Injury, eye, conjunctiva
- - - with foreign body (in conjunctival sac) -*see* Foreign body, conjunctival sac
- - contusion -*see* Contusion, by site
- - costal region -*see* Injury, superficial, thorax
- - digit(s)
- - - hand -*see* Injury, superficial, finger
- - ear (auricle) (canal) (external) S00.40-
- - - abrasion -*see* Abrasion, ear
- - - bite -*see* Bite, superficial, ear
- - - contusion -*see* Contusion, ear
- - - external constriction -*see* Constriction, external, ear
- - - foreign body -*see* Foreign body, superficial, ear
- - elbow S50.90-
- - - abrasion -*see* Abrasion, elbow
- - - bite -*see* Bite, superficial, elbow
- - - blister -*see* Blister, elbow
- - - contusion -*see* Contusion, elbow

- - - external constriction -*see* Constriction, external, elbow
- - - foreign body -*see* Foreign body, superficial, elbow
- - epididymis S30.94
- - epigastric region S30.92
- - epiglottis -*see* Injury, superficial, throat
- - esophagus
- - - cervical -*see* Injury, superficial, throat
- - external constriction -*see* Constriction, external, by site
- - extremity NEC T14.8
- - eyeball NEC -*see* Injury, eye, specified site NEC
- - eyebrow -*see* Injury, superficial, periocular area
- - eyelid S00.20-
- - - abrasion -*see* Abrasion, eyelid
- - - bite -*see* Bite, superficial, eyelid
- - - contusion -*see* Contusion, eyelid
- - - external constriction -*see* Constriction, external, eyelid
- - - foreign body -*see* Foreign body, superficial, eyelid
- - face NEC -*see* Injury, superficial, head, specified NEC
- - finger(s) S60.949
- - - abrasion -*see* Abrasion, finger
- - - bite -*see* Bite, superficial, finger
- - - blister -*see* Blister, finger
- - - contusion -*see* Contusion, finger
- - - external constriction -*see* Constriction, external, finger
- - - foreign body -*see* Foreign body, superficial, finger
- - - insect bite -*see* Bite, by site, superficial, insect
- - - index S60.94-
- - - little S60.94-
- - - middle S60.94-
- - - ring S60.94-
- - flank S30.92
- - foot S90.92-
- - - abrasion -*see* Abrasion, foot
- - - bite -*see* Bite, foot
- - - blister -*see* Blister, foot
- - - contusion -*see* Contusion, foot
- - - external constriction -*see* Constriction, external, foot
- - - foreign body -*see* Foreign body, superficial, foot
- - forearm S50.91-
- - - abrasion -*see* Abrasion, forearm
- - - bite -*see* Bite, forearm, superficial
- - - blister -*see* Blister, forearm
- - - contusion -*see* Contusion, forearm
- - - elbow only -*see* Injury, superficial, elbow
- - - external constriction -*see* Constriction, external, forearm
- - - foreign body -*see* Foreign body, superficial, forearm
- - forehead -*see* Injury, superficial, head NEC
- - foreign body -*see* Foreign body, superficial
- - genital organs, external
- - - female S30.97
- - - male S30.96
- - globe (eye) -*see* Injury, eye, specified site NEC
- - groin S30.92
- - gum -*see* Injury, superficial, oral cavity
- - hand S60.92-
- - - abrasion -*see* Abrasion, hand
- - - bite -*see* Bite, superficial, hand
- - - contusion -*see* Contusion, hand
- - - external constriction -*see* Constriction, external, hand
- - - foreign body -*see* Foreign body, superficial, hand

- - head S00.90
- - - ear -*see* Injury, superficial, ear
- - - eyelid -*see* Injury, superficial, eyelid
- - - nose S00.30
- - - oral cavity S00.502
- - - scalp S00.00
- - - specified site NEC S00.80
- - heel -*see* Injury, superficial, foot
- - hip S70.91-
- - - abrasion -*see* Abrasion, hip
- - - bite -*see* Bite, superficial, hip
- - - blister -*see* Blister, hip
- - - contusion -*see* Contusion, hip
- - - external constriction -*see* Constriction, external, hip
- - - foreign body -*see* Foreign body, superficial, hip
- - iliac region -*see* Injury, superficial, abdomen
- - inguinal region -*see* Injury, superficial, abdomen
- - insect bite -*see* Bite, by site, superficial, insect
- - interscapular region -*see* Injury, superficial, thorax, back
- - jaw -*see* Injury, superficial, head, specified NEC
- - knee S80.91-
- - - abrasion -*see* Abrasion, knee
- - - bite -*see* Bite, superficial, knee
- - - blister -*see* Blister, knee
- - - contusion -*see* Contusion, knee
- - - external constriction -*see* Constriction, external, knee
- - - foreign body -*see* Foreign body, superficial, knee
- - labium (majus) (minus) S30.95
- - lacrimal (apparatus) (gland) (sac) -*see* Injury, eye, specified site NEC
- - larynx -*see* Injury, superficial, throat
- - leg (lower) S80.92-
- - - abrasion -*see* Abrasion, leg
- - - bite -*see* Bite, superficial, leg
- - - contusion -*see* Contusion, leg
- - - external constriction -*see* Constriction, external, leg
- - - foreign body -*see* Foreign body, superficial, leg
- - - knee -*see* Injury, superficial, knee
- - limb NEC T14.8
- - lip S00.501
- - lower back S30.91
- - lumbar region S30.91
- - malar region -*see* Injury, superficial, head, specified NEC
- - mammary -*see* Injury, superficial, breast
- - mastoid region -*see* Injury, superficial, head, specified NEC
- - mouth -*see* Injury, superficial, oral cavity
- - muscle NEC T14.8
- - nail NEC T14.8
- - - finger -*see* Injury, superficial, finger
- - - toe -*see* Injury, superficial, toe
- - nasal (septum) -*see* Injury, superficial, nose
- - neck S10.90
- - - specified site NEC S10.80
- - nose (septum) S00.30
- - occipital region -*see* Injury, superficial, scalp
- - oral cavity S00.502
- - orbital region -*see* Injury, superficial, periocular area
- - palate -*see* Injury, superficial, oral cavity
- - palm -*see* Injury, superficial, hand
- - parietal region -*see* Injury, superficial, scalp
- - pelvis S30.91

- - - girdle -*see* Injury, superficial, hip
- - penis S30.93
- - perineum
- - - female S30.95
- - - male S30.91
- - periocular area S00.20-
- - - abrasion -*see* Abrasion, eyelid
- - - bite -*see* Bite, superficial, eyelid
- - - contusion -*see* Contusion, eyelid
- - - external constriction -*see* Constriction, external, eyelid
- - - foreign body -*see* Foreign body, superficial, eyelid
- - phalanges
- - - finger -*see* Injury, superficial, finger
- - - toe -*see* Injury, superficial, toe
- - pharynx -*see* Injury, superficial, throat
- - pinna -*see* Injury, superficial, ear
- - popliteal space -*see* Injury, superficial, knee
- - prepuce S30.93
- - pubic region S30.91
- - pudendum
- - - female S30.97
- - - male S30.96
- - sacral region S30.91
- - scalp S00.00
- - scapular region -*see* Injury, superficial, shoulder
- - sclera -*see* Injury, eye, specified site NEC
- - scrotum S30.94
- - shin -*see* Injury, superficial, leg
- - shoulder S40.91-
- - - abrasion -*see* Abrasion, shoulder
- - - bite -*see* Bite, superficial, shoulder
- - - blister -*see* Blister, shoulder
- - - contusion -*see* Contusion, shoulder
- - - external constriction -*see* Constriction, external, shoulder
- - - foreign body -*see* Foreign body, superficial, shoulder
- - skin NEC T14.8
- - sternal region -*see* Injury, superficial, thorax, front
- - subconjunctival -*see* Injury, eye, specified site NEC
- - subcutaneous NEC T14.8
- - submaxillary region -*see* Injury, superficial, head, specified NEC
- - submental region -*see* Injury, superficial, head, specified NEC
- - subungual
- - - finger(s) -*see* Injury, superficial, finger
- - - toe(s) -*see* Injury, superficial, toe
- - supraclavicular fossa -*see* Injury, superficial, neck
- - supraorbital -*see* Injury, superficial, head, specified NEC
- - temple -*see* Injury, superficial, head, specified NEC
- - temporal region -*see* Injury, superficial, head, specified NEC
- - testis S30.94
- - thigh S70.92-
- - - abrasion -*see* Abrasion, thigh
- - - bite -*see* Bite, superficial, thigh
- - - blister -*see* Blister, thigh
- - - contusion -*see* Contusion, thigh
- - - external constriction -*see* Constriction, external, thigh
- - - foreign body -*see* Foreign body, superficial, thigh
- - thorax, thoracic (wall) S20.90
- - - abrasion -*see* Abrasion, thorax
- - - back S20.40-
- - - bite -*see* Bite, thorax, superficial

- - - blister -*see* Blister, thorax
- - - contusion -*see* Contusion, thorax
- - - external constriction -*see* Constriction, external, thorax
- - - foreign body -*see* Foreign body, superficial, thorax
- - - front S20.30-
- - throat S10.10
- - - abrasion S10.11
- - - bite S10.17
- - - - insect S10.16
- - - blister S10.12
- - - contusion S10.0
- - - external constriction S10.14
- - - foreign body S10.15
- - thumb S60.93-
- - - abrasion -*see* Abrasion, thumb
- - - bite -*see* Bite, superficial, thumb
- - - blister -*see* Blister, thumb
- - - contusion -*see* Contusion, thumb
- - - external constriction -*see* Constriction, external, thumb
- - - foreign body -*see* Foreign body, superficial, thumb
- - - insect bite -*see* Bite, by site, superficial, insect
- - - specified type NEC S60.39-
- - toe(s) S90.93-
- - - abrasion -*see* Abrasion, toe
- - - bite -*see* Bite, toe
- - - blister -*see* Blister, toe
- - - contusion -*see* Contusion, toe
- - - external constriction -*see* Constriction, external, toe
- - - foreign body -*see* Foreign body, superficial, toe
- - - great S90.93-
- - tongue -*see* Injury, superficial, oral cavity
- - tooth, teeth -*see* Injury, superficial, oral cavity
- - trachea S10.10
- - tunica vaginalis S30.94
- - tympanum, tympanic membrane -*see* Injury, superficial, ear
- - uvula -*see* Injury, superficial, oral cavity
- - vagina S30.95
- - vocal cords -*see* Injury, superficial, throat
- - vulva S30.95
- - wrist S60.91-
- supraclavicular region -*see* Injury, neck
- supraorbital S09.93
- suprarenal gland (multiple) -*see* Injury, adrenal
- surgical complication (external or internal site) -*see* Laceration, accidental complicating surgery
- temple S09.90
- temporal region S09.90
- tendon -*see also* Injury, muscle, by site
- - abdomen -*see* Injury, muscle, abdomen
- - Achilles -*see* Injury, Achilles tendon
- - lower back -*see* Injury, muscle, lower back
- - pelvic organs -*see* Injury, muscle, pelvis
- tenth cranial nerve (pneumogastric or vagus) -*see* Injury, nerve, vagus
- testis S39.94
- thigh S79.92-
- - blood vessel -*see* Injury, blood vessel, hip
- - contusion -*see* Contusion, thigh
- - fracture -*see* Fracture, femur
- - muscle -*see* Injury, muscle, thigh
- - nerve -*see* Injury, nerve, thigh
- - open -*see* Wound, open, thigh

- - specified NEC S79.82-
- - superficial -*see* Injury, superficial, thigh
- third cranial nerve (oculomotor) -*see* Injury, nerve, oculomotor
- thorax, thoracic S29.9
- - blood vessel -*see* Injury, blood vessel, thorax
- - cavity -*see* Injury, intrathoracic
- - dislocation -*see* Dislocation, thorax
- - external (wall) S29.9
- - - contusion -*see* Contusion, thorax
- - - nerve -*see* Injury, nerve, thorax
- - - open -*see* Wound, open, thorax
- - - specified NEC S29.8
- - - sprain -*see* Sprain, thorax
- - - superficial -*see* Injury, superficial, thorax
- - fracture -*see* Fracture, thorax
- - internal -*see* Injury, intrathoracic
- - intrathoracic organ -*see* Injury, intrathoracic
- - sympathetic ganglion -*see* Injury, nerve, thorax, sympathetic
- throat -*see also* Injury, neck S19.9
- thumb S69.9-
- - blood vessel -*see* Injury, blood vessel, thumb
- - contusion -*see* Contusion, thumb
- - dislocation -*see* Dislocation, thumb
- - fracture -*see* Fracture, thumb
- - muscle -*see* Injury, muscle, thumb
- - nerve -*see* Injury, nerve, digital, thumb
- - open -*see* Wound, open, thumb
- - specified NEC S69.8-
- - sprain -*see* Sprain, thumb
- - superficial -*see* Injury, superficial, thumb
- thymus (gland) -*see* Injury, intrathoracic, specified organ NEC
- thyroid (gland) NEC S19.84
- toe S99.92-
- - contusion -*see* Contusion, toe
- - dislocation -*see* Dislocation, toe
- - fracture -*see* Fracture, toe
- - muscle -*see* Injury, muscle, toe
- - open -*see* Wound, open, toe
- - specified type NEC S99.82-
- - sprain -*see* Sprain, toe
- - superficial -*see* Injury, superficial, toe
- tongue S09.93
- tonsil S09.93
- tooth S09.93
- trachea (cervical) NEC S19.82
- - thoracic -*see* Injury, intrathoracic, trachea, thoracic
- transfusion-related acute lung (TRALI) J95.84
- tunica vaginalis S39.94
- twelfth cranial nerve (hypoglossal) -*see* Injury, nerve, hypoglossal
- ureter S37.10
- - contusion S37.12
- - laceration S37.13
- - specified type NEC S37.19
- urethra (sphincter) S37.30
- - at delivery O71.5
- - contusion S37.32
- - laceration S37.33
- - specified type NEC S37.39
- urinary organ S37.90
- - contusion S37.92

- - laceration S37.93
- - specified
- - - site NEC S37.899
- - - - contusion S37.892
- - - - laceration S37.893
- - - - specified type NEC S37.898
- - - type NEC S37.99
- uterus, uterine S37.60
- - with ectopic or molar pregnancy O08.6
- - blood vessel -*see* Injury, blood vessel, iliac
- - contusion S37.62
- - laceration S37.63
- - - cervix at delivery O71.3
- - rupture associated with obstetrics -*see* Rupture, uterus
- - specified type NEC S37.69
- uvula S09.93
- vagina S39.93
- - abrasion S30.814
- - bite S31.45
- - - insect S30.864
- - - superficial NEC S30.874
- - contusion S30.23
- - crush S38.03
- - during delivery -*see* Laceration, vagina, during delivery
- - external constriction S30.844
- - insect bite S30.864
- - laceration S31.41
- - - with foreign body S31.42
- - open wound S31.40
- - puncture S31.43
- - - with foreign body S31.44
- - superficial S30.95
- - - foreign body S30.854
- vas deferens -*see* Injury, pelvic organ, specified site NEC
- vascular NEC T14.8
- vein -*see* Injury, blood vessel
- vena cava (superior) S25.20
- - inferior S35.10
- - - laceration (minor) (superficial) S35.11
- - - - major S35.12
- - - specified type NEC S35.19
- - laceration (minor) (superficial) S25.21
- - - major S25.22
- - specified type NEC S25.29
- vesical (sphincter) -*see* Injury, bladder
- visual cortex S04.04-
- vitreous (humor) S05.90
- - specified NEC S05.8X-
- vocal cord NEC S19.83
- vulva S39.94
- - abrasion S30.814
- - bite S31.45
- - - insect S30.864
- - - superficial NEC S30.874
- - contusion S30.23
- - crush S38.03
- - during delivery -*see* Laceration, perineum, female, during delivery
- - external constriction S30.844
- - insect bite S30.864
- - laceration S31.41

- - - with foreign body S31.42
- - open wound S31.40
- - puncture S31.43
- - - with foreign body S31.44
- - superficial S30.95
- - - foreign body S30.854
- whiplash (cervical spine) S13.4
- wrist S69.9-
- - blood vessel -*see* Injury, blood vessel, hand
- - contusion -*see* Contusion, wrist
- - dislocation -*see* Dislocation, wrist
- - fracture -*see* Fracture, wrist
- - muscle -*see* Injury, muscle, hand
- - nerve -*see* Injury, nerve, hand
- - open -*see* Wound, open, wrist
- - specified NEC S69.8-
- - sprain -*see* Sprain, wrist
- - superficial -*see* Injury, superficial, wrist

Inoculation -*see also* Vaccination
- complication or reaction -*see* Complications, vaccination

Insanity, insane -*see also* Psychosis
- adolescent -*see* Schizophrenia
- confusional F28
- - acute or subacute F05
- delusional F22
- senile F03

Insect
- bite -*see* Bite, by site, superficial, insect
- venomous, poisoning NEC (by) -*see* Venom, arthropod

Insecurity
- financial Z59.86
- food Z59.41
- transportation Z59.82

Insensitivity
- adrenocorticotropin hormone (ACTH) E27.49
- androgen E34.50
- - complete E34.51
- - partial E34.52

Insertion
- cord (umbilical) lateral or velamentous O43.12-
- intrauterine contraceptive device (encounter for) -*see* Intrauterine contraceptive device

Insolation (sunstroke) T67.01

Insomnia (organic) G47.00
- adjustment F51.02
- adjustment disorder F51.02
- behavioral, of childhood Z73.819
- - combined type Z73.812
- - limit setting type Z73.811
- - sleep-onset association type Z73.810
- childhood Z73.819
- chronic F51.04
- - somatized tension F51.04
- conditioned F51.04
- due to
- - alcohol
- - - abuse F10.182
- - - dependence F10.282
- - - use F10.982
- - amphetamines
- - - abuse F15.182

- - - dependence F15.282
- - - use F15.982
- - anxiety disorder F51.05
- - caffeine
- - - abuse F15.182
- - - dependence F15.282
- - - use F15.982
- - cocaine
- - - abuse F14.182
- - - dependence F14.282
- - - use F14.982
- - depression F51.05
- - drug NEC
- - - abuse F19.182
- - - dependence F19.282
- - - use F19.982
- - medical condition G47.01
- - mental disorder NEC F51.05
- - opioid
- - - abuse F11.182
- - - dependence F11.282
- - - use F11.982
- - psychoactive substance NEC
- - - abuse F19.182
- - - dependence F19.282
- - - use F19.982
- - sedative, hypnotic, or anxiolytic
- - - abuse F13.182
- - - dependence F13.282
- - - use F13.982
- - stimulant NEC
- - - abuse F15.182
- - - dependence F15.282
- - - use F15.982
- fatal familial (FFI) A81.83
- idiopathic F51.01
- learned F51.3
- nonorganic origin F51.01
- not due to a substance or known physiological condition F51.01
- - specified NEC F51.09
- paradoxical F51.03
- primary F51.01
- psychiatric F51.05
- psychophysiologic F51.04
- related to psychopathology F51.05
- short-term F51.02
- specified NEC G47.09
- stress-related F51.02
- transient F51.02
- without objective findings F51.02

Inspiration
- food or foreign body -*see* Foreign body, by site
- mucus -*see* Asphyxia, mucus

Inspissated bile syndrome (newborn) P59.1

Instability
- emotional (excessive) F60.3
- housing
- - housed Z59.819
- - - with risk of homelessness Z59.811
- - - homelessness in past 12 months Z59.812

- joint (post-traumatic) M25.30
- - ankle M25.37-
- - due to old ligament injury -*see* Disorder, ligament
- - elbow M25.32-
- - flail -*see* Flail, joint
- - foot M25.37-
- - hand M25.34-
- - hip M25.35-
- - knee M25.36-
- - lumbosacral -see subcategory M53.2
- - prosthesis -*see* Complications, joint prosthesis, mechanical, displacement, by site
- - sacroiliac -see subcategory M53.2
- - secondary to
- - - old ligament injury -*see* Disorder, ligament
- - - removal of joint prosthesis M96.89
- - shoulder (region) M25.31-
- - specified site NEC M25.39
- - spine -see subcategory M53.2
- - wrist M25.33-
- knee (chronic) M23.5-
- lumbosacral -see subcategory M53.2
- nervous F48.8
- personality (emotional) F60.3
- spine -*see* Instability, joint, spine
- vasomotor R55

Institutional syndrome (childhood) F94.2

Institutionalization, affecting child Z62.22
- disinhibited attachment F94.2

Insufficiency, insufficient
- accommodation, old age H52.4
- adrenal (gland) E27.40
- - primary E27.1
- adrenocortical E27.40
- - drug-induced E27.3
- - iatrogenic E27.3
- - primary E27.1
- anatomic crown height K08.89
- anterior (occlusal) guidance M26.54
- anus K62.89
- aortic (valve) I35.1
- - with
- - - mitral (valve) disease I08.0
- - - - with tricuspid (valve) disease I08.3
- - - stenosis I35.2
- - - tricuspid (valve) disease I08.2
- - - - with mitral (valve) disease I08.3
- - congenital Q23.1
- - rheumatic I06.1
- - - with
- - - - mitral (valve) disease I08.0
- - - - - with tricuspid (valve) disease I08.3
- - - - stenosis I06.2
- - - - - with mitral (valve) disease I08.0
- - - - - - with tricuspid (valve) disease I08.3
- - - - tricuspid (valve) disease I08.2
- - - - - with mitral (valve) disease I08.3
- - specified cause NEC I35.1
- - syphilitic A52.03
- arterial I77.1
- - basilar G45.0

- - carotid (hemispheric) G45.1
- - cerebral I67.81
- - coronary (acute or subacute) I24.89
- - mesenteric K55.1
- - peripheral I73.9
- - precerebral (multiple) (bilateral) G45.2
- - vertebral G45.0
- arteriovenous I99.8
- biliary K83.8
- cardiac -*see also* Insufficiency, myocardial
- - due to presence of (cardiac) prosthesis I97.11-
- - postprocedural I97.11-
- cardiorenal, hypertensive I13.2
- cardiovascular -*see* Disease, cardiovascular
- cerebrovascular (acute) I67.81
- - with transient focal neurological signs and symptoms G45.8
- circulatory NEC I99.8
- - newborn P29.89
- clinical crown length K08.89
- convergence H51.11
- coronary (acute or subacute) I24.89
- - chronic or with a stated duration of over 4 weeks I25.89
- corticoadrenal E27.40
- - primary E27.1
- dietary E63.9
- divergence H51.8
- food T73.0
- gastroesophageal K22.89
- gonadal
- - ovary E28.39
- - testis E29.1
- health insurance coverage Z59.71
- heart -*see also* Insufficiency, myocardial
- - newborn P29.0
- - valve -*see* Endocarditis
- hepatic -*see* Failure, hepatic
- idiopathic autonomic G90.09
- interocclusal distance of fully erupted teeth (ridge) M26.36
- kidney N28.9
- - acute N28.9
- - chronic N18.9
- lacrimal (secretion) H04.12-
- - passages -*see* Stenosis, lacrimal
- liver -*see* Failure, hepatic
- lung -*see* Insufficiency, pulmonary
- mental (congenital) -*see* Disability, intellectual
- mesenteric K55.1
- mitral (valve) I34.0
- - with
- - - aortic valve disease I08.0
- - - - with tricuspid (valve) disease I08.3
- - - obstruction or stenosis I05.2
- - - - with aortic valve disease I08.0
- - - tricuspid (valve) disease I08.1
- - - - with aortic (valve) disease I08.3
- - congenital Q23.3
- - rheumatic I05.1
- - - with
- - - - aortic valve disease I08.0
- - - - - with tricuspid (valve) disease I08.3

- - - - obstruction or stenosis I05.2
- - - - - with aortic valve disease I08.0
- - - - - - with tricuspid (valve) disease I08.3
- - - - tricuspid (valve) disease I08.1
- - - - - with aortic (valve) disease I08.3
- - - active or acute I01.1
- - - - with chorea, rheumatic (Sydenham's) I02.0
- - specified cause, except rheumatic I34.0
- muscle -*see also* Disease, muscle
- - heart -*see* Insufficiency, myocardial
- - ocular NEC H50.9
- myocardial, myocardium (with arteriosclerosis) -*see also* Failure, heart I50.9
- - with
- - - rheumatic fever (conditions in I00) I09.0
- - - - active, acute or subacute I01.2
- - - - - with chorea I02.0
- - - - inactive or quiescent (with chorea) I09.0
- - congenital Q24.8
- - hypertensive -*see* Hypertension, heart
- - newborn P29.0
- - rheumatic I09.0
- - - active, acute, or subacute I01.2
- - syphilitic A52.06
- nourishment -*see also* Nutrition deficient T73.0
- pancreatic K86.89
- - exocrine K86.81
- parathyroid (gland) E20.9
- peripheral vascular (arterial) I73.9
- pituitary E23.0
- placental (mother) O36.51-
- platelets D69.6
- prenatal care affecting management of pregnancy O09.3-
- progressive pluriglandular E31.0
- pulmonary J98.4
- - acute, following surgery (nonthoracic) J95.2
- - - thoracic J95.1
- - chronic, following surgery J95.3
- - following
- - - shock J98.4
- - - trauma J98.4
- - newborn P28.89
- - valve I37.1
- - - with stenosis I37.2
- - - congenital Q22.2
- - - rheumatic I09.89
- - - - with aortic, mitral or tricuspid (valve) disease I08.8
- pyloric K31.89
- renal (acute) N28.9
- - chronic N18.9
- respiratory R06.89
- - newborn P28.5
- rotation -*see* Malrotation
- sleep syndrome F51.12
- social insurance Z59.71
- suprarenal E27.40
- - primary E27.1
- tarso-orbital fascia, congenital Q10.3
- testis E29.1
- thyroid (gland) (acquired) E03.9
- - congenital E03.1

- tricuspid (valve) (rheumatic) I07.1
- - with
- - - aortic (valve) disease I08.2
- - - - with mitral (valve) disease I08.3
- - - mitral (valve) disease I08.1
- - - - with aortic (valve) disease I08.3
- - - obstruction or stenosis I07.2
- - - - with aortic (valve) disease I08.2
- - - - - with mitral (valve) disease I08.3
- - congenital Q22.8
- - nonrheumatic I36.1
- - - with stenosis I36.2
- urethral sphincter R32
- valve, valvular (heart) I38
- - aortic *-see* Insufficiency, aortic (valve)
- - mitral *-see* Insufficiency, mitral (valve)
- - pulmonary *-see* Insufficiency, pulmonary, valve
- - tricuspid *-see* Insufficiency, tricuspid (valve)
- - congenital Q24.8
- vascular I99.8
- - intestine K55.9
- - - acute *-see also* Ischemia, intestine, acute K55.059
- - mesenteric K55.1
- - peripheral I73.9
- - renal *-see* Hypertension, kidney
- velopharyngeal
- - acquired K13.79
- - congenital Q38.8
- venous (chronic) (peripheral) I87.2
- ventricular *-see* Insufficiency, myocardial
- welfare support Z59.72

Insufflation, fallopian Z31.41

Insular *-see* condition

Insulinoma
- pancreas
- - benign D13.7
- - malignant C25.4
- - uncertain behavior D37.8
- specified site
- - benign *-see* Neoplasm, by site, benign
- - malignant *-see* Neoplasm, by site, malignant
- - uncertain behavior *-see* Neoplasm, by site, uncertain behavior
- unspecified site
- - benign D13.7
- - malignant C25.4
- - uncertain behavior D37.8

Insuloma *-see* Insulinoma

Interference
- balancing side M26.56
- non-working side M26.56

Intermenstrual *-see* condition

Intermittent *-see* condition

Internal *-see* condition

Interrogation
- cardiac defibrillator (automatic) (implantable) Z45.02
- cardiac pacemaker Z45.018
- cardiac (event) (loop) recorder Z45.09
- infusion pump (implanted) (intrathecal) Z45.1
- neurostimulator Z46.2

Interruption

- aortic arch Q25.21
- bundle of His I44.30
- phase-shift, sleep cycle *-see* Disorder, sleep, circadian rhythm
- sleep phase-shift, or 24 hour sleep-wake cycle *-see* Disorder, sleep, circadian rhythm

Interstitial *-see* condition

Intertrigo L30.4
- labialis K13.0

Intervertebral disc *-see* condition

Intestine, intestinal *-see* condition

Intolerance
- carbohydrate K90.49
- disaccharide, hereditary E73.0
- fat NEC K90.49
- - pancreatic K90.3
- food K90.49
- - dietary counseling and surveillance Z71.3
- fructose E74.10
- - hereditary E74.12
- glucose (-galactose) E74.39
- gluten K90.41
- lactose E73.9
- - specified NEC E73.8
- lysine E72.3
- milk NEC K90.49
- - lactose E73.9
- orthostatic, chronic G90.A
- protein K90.49
- starch NEC K90.49
- sucrose (-isomaltose) E74.31

Intoxicated NEC (without dependence) *-see* Alcohol, intoxication

Intoxication
- acid *-see also* Acidosis E87.29
- alcoholic (acute) (without dependence) *-see* Alcohol, intoxication
- alimentary canal K52.1
- amphetamine (without dependence) *-see also* Abuse, drug, stimulant, with intoxication
- - with dependence *-see* Dependence, drug, stimulant, with intoxication
- - stimulant NEC F15.10
- - - with
- - - - anxiety disorder F15.180
- - - - intoxication F15.129
- - - - - with
- - - - - - delirium F15.121
- - - - - - perceptual disturbance F15.122
- anxiolytic (acute) (without dependence) *-see* Abuse, drug, sedative, with intoxication
- - with dependence *-see* Dependence, drug, sedative, with intoxication
- caffeine F15.929
- - with dependence *-see* Dependence, drug, stimulant, with intoxication
- cannabinoids (acute) (without dependence) *-see* Use, cannabis, with intoxication
- - with
- - - abuse *-see* Abuse, drug, cannabis, with intoxication
- - - dependence *-see* Dependence, drug, cannabis, with intoxication
- chemical *-see* Table of Drugs and Chemicals
- - via placenta or breast milk *-see* - Absorption, chemical, through placenta
- cocaine (acute) (without dependence) *-see* Abuse, drug, cocaine, with intoxication
- - with dependence *-see* Dependence, drug, cocaine, with intoxication
- drug
- - acute (without dependence) *-see* Abuse, drug, by type with intoxication
- - - with dependence *-see* Dependence, drug, by type with intoxication
- - addictive
- - - via placenta or breast milk *-see* Absorption, drug, addictive, through placenta

- - newborn P93.8
- - - gray baby syndrome P93.0
- - overdose or wrong substance given or taken -*see* Table of Drugs and Chemicals, by drug, poisoning
- enteric K52.1
- foodborne A05.9
- - bacterial A05.9
- - classical (Clostridium botulinum) A05.1
- - due to
- - - Bacillus cereus A05.4
- - - bacterium A05.9
- - - - specified NEC A05.8
- - - Clostridium
- - - - botulinum A05.1
- - - - perfringens A05.2
- - - - welchii A05.2
- - - Salmonella A02.9
- - - - with
- - - - - (gastro) enteritis A02.0
- - - - - localized infection(s) A02.20
- - - - - - arthritis A02.23
- - - - - - meningitis A02.21
- - - - - - osteomyelitis A02.24
- - - - - - pneumonia A02.22
- - - - - - pyelonephritis A02.25
- - - - - - specified NEC A02.29
- - - - - sepsis A02.1
- - - - - specified manifestation NEC A02.8
- - - Staphylococcus A05.0
- - - Vibrio
- - - - parahaemolyticus A05.3
- - - - vulnificus A05.5
- - enterotoxin, staphylococcal A05.0
- - noxious -*see* Poisoning, food, noxious
- gastrointestinal K52.1
- hallucinogenic (without dependence) -*see* Abuse, drug, hallucinogen, with intoxication
- - with dependence -*see* Dependence, drug, hallucinogen, with intoxication
- hepatocerebral K76.82
- hypnotic (acute) (without dependence) -*see* Abuse, drug, sedative, with intoxication
- - with dependence -*see* Dependence, drug, sedative, with intoxication
- inhalant (acute) (without dependence) -*see* Abuse, drug, inhalant, with intoxication
- - with dependence -*see* Dependence, drug, inhalant, with intoxication
- meaning
- - inebriation -see category F10
- - poisoning -*see* Table of Drugs and Chemicals
- methyl alcohol (acute) (without dependence) -*see* Alcohol, intoxication
- opioid (acute) (without dependence) -*see* Abuse, drug, opioid, with intoxication
- - with dependence -*see* Dependence, drug, opioid, with intoxication
- pathologic NEC (without dependence) -*see* Alcohol, intoxication
- phencyclidine (without dependence) -*see* Abuse, drug, hallucinogen, with intoxication
- - with dependence -*see* Dependence, drug, hallucinogen, with intoxication
- potassium (K) E87.5
- psychoactive substance NEC (without dependence) -*see* Abuse, drug, psychoactive NEC, with intoxication
- - with dependence -*see* Dependence, drug, psychoactive NEC, with intoxication
- sedative (acute) (without dependence) -*see* Abuse, drug, sedative, with intoxication
- - with dependence -*see* Dependence, drug, sedative, with intoxication
- serum -*see also* Reaction, serum T80.69
- uremic -*see* Uremia
- volatile solvents (acute) (without dependence) -*see* Abuse, drug, inhalant, with intoxication
- - with dependence -*see* Dependence, drug, inhalant, with intoxication
- water E87.79

Intraabdominal testis, testes
- bilateral Q53.211
- unilateral Q53.111
Intracranial -*see* condition
Intrahepatic gallbladder Q44.1
Intraligamentous -*see* condition
Intrathoracic -*see also* condition
- kidney Q63.2
Intrauterine contraceptive device
- checking Z30.431
- insertion Z30.430
- - immediately following removal Z30.433
- in situ Z97.5
- management Z30.431
- reinsertion Z30.433
- removal Z30.432
- replacement Z30.433
- retention in pregnancy O26.3-
Intraventricular -*see* condition
Intrinsic deformity -*see* Deformity
Intubation, difficult or failed T88.4
Intumescence, lens (eye) (cataract) -*see* Cataract
Intussusception (bowel) (colon) (enteric) (ileocecal) (ileocolic) (intestine) (rectum) K56.1
- appendix K38.8
- congenital Q43.8
- ureter (with obstruction) N13.5
Invagination (bowel, colon, intestine or rectum) K56.1
Inversion
- albumin-globulin (A-G) ratio E88.09
- bladder N32.89
- cecum -*see* Intussusception
- cervix N88.8
- chromosome in normal individual Q95.1
- circadian rhythm -*see* Disorder, sleep, circadian rhythm
- nipple N64.59
- - congenital Q83.8
- - gestational -*see* Retraction, nipple
- - puerperal, postpartum -*see* Retraction, nipple
- nyctohemeral rhythm -*see* Disorder, sleep, circadian rhythm
- optic papilla Q14.2
- organ or site, congenital NEC -*see* Anomaly, by site
- sleep rhythm -*see* Disorder, sleep, circadian rhythm
- testis (congenital) Q55.29
- uterus (chronic) (postinfectional) (postpartal, old) N85.5
- - postpartum O71.2
- vagina (posthysterectomy) N99.3
- ventricular Q20.5
Investigation -*see also* Examination Z04.9
- clinical research subject (control) (normal comparison) (participant) Z00.6
Involuntary movement, abnormal R25.9
Involution, involutional -*see also* condition
- breast, cystic -*see* Dysplasia, mammary, specified type NEC
- depression (single episode) F32.89
- - recurrent episode F33.9
- melancholia (single episode) F32.89
- - recurrent episode F33.8
- ovary, senile -*see* Atrophy, ovary
- thymus failure E32.8
I.Q.
- under 20 F73

- 20-34 F72
- 35-49 F71
- 50-69 F70
IRDS (type I) P22.0
- type II P22.1
Irideremia Q13.1
Iridis rubeosis -*see* Disorder, iris, vascular
Iridochoroiditis (panuveitis) -*see* Panuveitis
Iridocyclitis H20.9
- acute H20.0-
- - hypopyon H20.05-
- - primary H20.01-
- - recurrent H20.02-
- - secondary (noninfectious) H20.04-
- - - infectious H20.03-
- chronic H20.1-
- due to allergy -*see* Iridocyclitis, acute, secondary
- endogenous -*see* Iridocyclitis, acute, primary
- Fuchs' -*see* Cyclitis, Fuchs' heterochromic
- gonococcal A54.32
- granulomatous -*see* Iridocyclitis, chronic
- herpes, herpetic (simplex) B00.51
- - zoster B02.32
- hypopyon -*see* Iridocyclitis, acute, hypopyon
- in (due to)
- - ankylosing spondylitis M45.9
- - gonococcal infection A54.32
- - herpes (simplex) virus B00.51
- - - zoster B02.32
- - infectious disease NOS B99
- - parasitic disease NOS B89 *[H22]*
- - sarcoidosis D86.83
- - syphilis A51.43
- - tuberculosis A18.54
- - zoster B02.32
- lens-induced H20.2-
- nongranulomatous -*see* Iridocyclitis, acute
- recurrent -*see* Iridocyclitis, acute, recurrent
- rheumatic -*see* Iridocyclitis, chronic
- subacute -*see* Iridocyclitis, acute
- sympathetic -*see* Uveitis, sympathetic
- syphilitic (secondary) A51.43
- tuberculous (chronic) A18.54
- Vogt-Koyanagi H20.82-
Iridocyclochoroiditis (panuveitis) -*see* Panuveitis
Iridodialysis H21.53-
Iridodonesis H21.89
Iridoplegia (complete) (partial) (reflex) H57.09
Iridoschisis H21.25-
Iris -*see also* condition
- bombé -*see* Membrane, pupillary
Iritis -*see also* Iridocyclitis
- chronic -*see* Iridocyclitis, chronic
- diabetic -*see* E08-E13 with .39
- due to
- - herpes simplex B00.51
- - leprosy A30.9 *[H22]*
- gonococcal A54.32
- gouty -*see also* Gout, by type M10.9 *[H22]*
- granulomatous -*see* Iridocyclitis, chronic

- lens induced *-see* Iridocyclitis, lens-induced
- papulosa (syphilitic) A52.71
- rheumatic *-see* Iridocyclitis, chronic
- syphilitic (secondary) A51.43
- - congenital (early) A50.01
- - late A52.71
- tuberculous A18.54

Iron *-see* condition

Iron-miner's lung J63.4

Irradiated enamel (tooth, teeth) K03.89

Irradiation effects, adverse T66

Irreducible, irreducibility *-see* condition

Irregular, irregularity
- action, heart I49.9
- alveolar process K08.89
- bleeding N92.6
- breathing R06.89
- contour of cornea (acquired) *-see* Deformity, cornea
- - congenital Q13.4
- contour, reconstructed breast N65.0
- dentin (in pulp) K04.3
- eye movements H55.89
- - deficient
- - - saccadic H55.81
- - - smooth H55.82
- - nystagmus *-see* Nystagmus
- labor O62.2
- menstruation (cause unknown) N92.6
- periods N92.6
- prostate N42.9
- pupil *-see* Abnormality, pupillary
- reconstructed breast N65.0
- respiratory R06.89
- septum (nasal) J34.2
- shape, organ or site, congenital NEC *-see* Distortion
- sleep-wake pattern (rhythm) G47.23

Irritable, irritability R45.4
- bladder N32.89
- bowel (syndrome) K58.9
- - with
- - - constipation K58.1
- - - diarrhea K58.0
- - mixed K58.2
- - psychogenic F45.8
- - specified NEC K58.8
- without diarrhea K58.9
- bronchial *-see* Bronchitis
- cerebral, in newborn P91.3
- colon *-see also* Irritable, bowel K58.9
- - with diarrhea K58.0
- - psychogenic F45.8
- duodenum K59.89
- heart (psychogenic) F45.8
- hip *-see* Derangement, joint, specified type NEC, hip
- ileum K59.89
- infant R68.12
- jejunum K59.89
- rectum K59.89
- stomach K31.89
- - psychogenic F45.8

- sympathetic G90.89
- urethra N36.8

Irritation
- anus K62.89
- axillary nerve G54.0
- bladder N32.89
- brachial plexus G54.0
- bronchial -*see* Bronchitis
- cervical plexus G54.2
- cervix -*see* Cervicitis
- choroid, sympathetic -*see* Endophthalmitis
- cranial nerve -*see* Disorder, nerve, cranial
- gastric K31.89
- - psychogenic F45.8
- globe, sympathetic -*see* Uveitis, sympathetic
- labyrinth -see subcategory H83.2
- lumbosacral plexus G54.1
- meninges (traumatic) -*see* Injury, intracranial
- - nontraumatic -*see* Meningismus
- nerve -*see* Disorder, nerve
- nervous R45.0
- penis N48.89
- perineum NEC L29.3
- peripheral autonomic nervous system G90.89
- peritoneum -*see* Peritonitis
- pharynx J39.2
- plantar nerve -*see* Lesion, nerve, plantar
- spinal (cord) (traumatic) -*see also* Injury, spinal cord, by region
- - nerve G58.9
- - - root NEC -*see* Radiculopathy
- - nontraumatic -*see* Myelopathy
- stomach K31.89
- - psychogenic F45.8
- sympathetic nerve NEC G90.89
- ulnar nerve -*see* Lesion, nerve, ulnar
- vagina N89.8

Ischemia, ischemic I99.8
- brain -*see* Ischemia, cerebral
- bowel (transient)
- - acute -*see also* Ischemia, intestine, acute K55.059
- - chronic K55.1
- - due to mesenteric artery insufficiency K55.1
- cardiac (see Disease, heart, ischemic)
- cardiomyopathy I25.5
- cerebral (chronic) (generalized) I67.82
- - arteriosclerotic I67.2
- - intermittent G45.9
- - newborn P91.0
- - recurrent focal G45.8
- - transient G45.9
- colon chronic (due to mesenteric artery insufficiency) K55.1
- coronary -*see* Disease, heart, ischemic
- demand (coronary) -*see also* Angina I24.89
- - with myocardial infarction I21.A1
- - resulting in myocardial infarction I21.A1
- heart (chronic or with a stated duration of over 4 weeks) I25.9
- - acute or with a stated duration of 4 weeks or less I24.9
- - subacute I24.9
- infarction, muscle -*see* Infarct, muscle
- intestine (large) (small) (transient) K55.9

- - acute K55.059
- - - diffuse K55.052
- - - focal K55.051
- - - large K55.039
- - - - diffuse K55.032
- - - - focal K55.031
- - - small K55.019
- - - - diffuse K55.012
- - - - focal K55.011
- - chronic K55.1
- - due to mesenteric artery insufficiency K55.1
- kidney N28.0
- limb, critical -*see* Arteriosclerosis, with critical limb ischemia
- limb-threatening, chronic -*see* Arteriosclerosis, with critical limb ischemia
- mesenteric, acute -*see also* Ischemia, intestine, acute K55.059
- muscle, traumatic T79.6
- myocardium, myocardial (chronic or with a stated duration of over 4 weeks) I25.9
- - acute, without myocardial infarction I51.3
- - silent (asymptomatic) I25.6
- - transient of newborn P29.4
- renal N28.0
- retina, retinal -*see* Occlusion, artery, retina
- small bowel
- - acute K55.019
- - - diffuse K55.012
- - - focal K55.011
- - chronic K55.1
- - due to mesenteric artery insufficiency K55.1
- spinal cord G95.11
- subendocardial -*see* Insufficiency, coronary
- supply (coronary) -*see also* Angina I25.9
- - due to vasospasm I20.1

Ischial spine -*see* condition

Ischialgia -*see* Sciatica

Ischiopagus Q89.4

Ischium, ischial -*see* condition

Ischuria R34

Iselin's disease or osteochondrosis -*see* Osteochondrosis, juvenile, metatarsus

Islands of
- parotid tissue in
- - lymph nodes Q38.6
- - neck structures Q38.6
- submaxillary glands in
- - fascia Q38.6
- - lymph nodes Q38.6
- - neck muscles Q38.6

Islet cell tumor, pancreas D13.7

Isoimmunization NEC -*see also* Incompatibility
- affecting management of pregnancy (ABO) (with hydrops fetalis) O36.11-
- - anti-A sensitization O36.11-
- - anti-B sensitization O36.19-
- - anti-c sensitization O36.09-
- - anti-C sensitization O36.09-
- - anti-e sensitization O36.09-
- - anti-E sensitization O36.09-
- - Rh NEC O36.09-
- - - anti-D antibody O36.01-
- - specified NEC O36.19-
- newborn P55.9
- - with

- - - hydrops fetalis P56.0
- - - kernicterus P57.0
- - ABO (blood groups) P55.1
- - Rhesus (Rh) factor P55.0
- - specified type NEC P55.8
Isolation, isolated
- dwelling Z59.89
- family Z63.79
- social Z60.4
Isoleucinosis E71.19
Isomerism atrial appendages (with asplenia or polysplenia) Q20.6
Isosporiasis, isosporosis A07.3
Isovaleric acidemia E71.110
Issue of
- medical certificate Z02.79
- - for disability determination Z02.71
- repeat prescription (appliance) (glasses) (medicinal substance, medicament, medicine) Z76.0
- - contraception *-see* Contraception
IST (inappropriate sinus tachycardia, so stated) I47.11
Itch, itching *-see also* Pruritus
- baker's L23.6
- barber's B35.0
- bricklayer's L24.5
- cheese B88.0
- clam digger's B65.3
- coolie B76.9
- copra B88.0
- dew B76.9
- dhobi B35.6
- filarial *-see* Infestation, filarial
- grain B88.0
- grocer's B88.0
- ground B76.9
- harvest B88.0
- jock B35.6
- Malabar B35.5
- - beard B35.0
- - foot B35.3
- - scalp B35.0
- meaning scabies B86
- Norwegian B86
- perianal L29.0
- poultrymen's B88.0
- sarcoptic B86
- scabies B86
- scrub B88.0
- straw B88.0
- swimmer's B65.3
- water B76.9
- winter L29.89
Ivemark's syndrome (asplenia with congenital heart disease) Q89.01
Ivory bones Q78.2
Ixodiasis NEC B88.8

J

Jaccoud's syndrome *-see* Arthropathy, postrheumatic, chronic
Jackson's
- membrane Q43.3
- paralysis or syndrome G83.89

- veil Q43.3
Jacquet's dermatitis (diaper dermatitis) L22
Jadassohn-Pellizari's disease or anetoderma L90.2
Jadassohn's
- blue nevus -*see* Nevus
- intraepidermal epithelioma -*see* Neoplasm, skin, benign
Jaffe-Lichtenstein (-Uehlinger) syndrome -*see* Dysplasia, fibrous, bone NEC
Jakob-Creutzfeldt disease or syndrome -*see* Creutzfeldt-Jakob disease or syndrome
Jaksch-Luzet disease D64.89
Jamaican
- neuropathy G92.8
- paraplegic tropical ataxic-spastic syndrome G92.8
Janet's disease F48.8
Janiceps Q89.4
Jansky-Bielschowsky amaurotic idiocy E75.4
Japanese
- B-type encephalitis A83.0
- river fever A75.3
Jaundice (yellow) R17
- acholuric (familial) (splenomegalic) -*see also* Spherocytosis
- - acquired D59.8
- breast-milk (inhibitor) P59.3
- catarrhal (acute) B15.9
- - with hepatic coma B15.0
- cholestatic (benign) R17
- due to or associated with
- - delayed conjugation P59.8
- - - associated with (due to) preterm delivery P59.0
- - preterm delivery P59.0
- epidemic (catarrhal) B15.9
- - with hepatic coma B15.0
- - leptospiral A27.0
- - spirochetal A27.0
- familial nonhemolytic (congenital) (Gilbert) E80.4
- - Crigler-Najjar E80.5
- febrile (acute) B15.9
- - with hepatic coma B15.0
- - leptospiral A27.0
- - spirochetal A27.0
- hematogenous D59.9
- hemolytic (acquired) D59.9
- - congenital -*see* Spherocytosis
- hemorrhagic (acute) (leptospiral) (spirochetal) A27.0
- infectious (acute) (subacute) B15.9
- - with hepatic coma B15.0
- - leptospiral A27.0
- - spirochetal A27.0
- leptospiral (hemorrhagic) A27.0
- malignant (without coma) K72.90
- - with coma K72.91
- newborn P59.9
- - due to or associated with
- - - ABO
- - - - antibodies P55.1
- - - - incompatibility, maternal/fetal P55.1
- - - - isoimmunization P55.1
- - - absence or deficiency of enzyme system for bilirubin conjugation (congenital) P59.8
- - - bleeding P58.1
- - - breast milk inhibitors to conjugation P59.3
- - - - associated with preterm delivery P59.0

- - - bruising P58.0
- - - Crigler-Najjar syndrome E80.5
- - - delayed conjugation P59.8
- - - - associated with preterm delivery P59.0
- - - drugs or toxins
- - - - given to newborn P58.42
- - - - transmitted from mother P58.41
- - - excessive hemolysis P58.9
- - - - due to
- - - - - bleeding P58.1
- - - - - bruising P58.0
- - - - - drugs or toxins
- - - - - - given to newborn P58.42
- - - - - - transmitted from mother P58.41
- - - - - infection P58.2
- - - - - polycythemia P58.3
- - - - - swallowed maternal blood P58.5
- - - - specified type NEC P58.8
- - - galactosemia E74.21
- - - Gilbert syndrome E80.4
- - - hemolytic disease P55.9
- - - - ABO isoimmunization P55.1
- - - - Rh isoimmunization P55.0
- - - - specified NEC P55.8
- - - hepatocellular damage P59.20
- - - - specified NEC P59.29
- - - hereditary hemolytic anemia P58.8
- - - hypothyroidism, congenital E03.1
- - - incompatibility, maternal/fetal NOS P55.9
- - - infection P58.2
- - - inspissated bile syndrome P59.1
- - - isoimmunization NOS P55.9
- - - mucoviscidosis E84.9
- - - polycythemia P58.3
- - - preterm delivery P59.0
- - - Rh
- - - - antibodies P55.0
- - - - incompatibility, maternal/fetal P55.0
- - - - isoimmunization P55.0
- - - specified cause NEC P59.8
- - - swallowed maternal blood P58.5
- - spherocytosis (congenital) D58.0
- neonatal -*see* Jaundice, newborn
- nonhemolytic congenital familial (Gilbert) E80.4
- nuclear, newborn -*see also* Kernicterus of newborn P57.9
- obstructive -*see also* Obstruction, bile duct K83.1
- post-immunization -*see* Hepatitis, viral, type, B
- post-transfusion -*see* Hepatitis, viral, type, B
- regurgitation -*see also* Obstruction, bile duct K83.1
- serum (homologous) (prophylactic) (therapeutic) -*see* Hepatitis, viral, type, B
- spirochetal (hemorrhagic) A27.0
- symptomatic R17
- - newborn P59.9

Jaw -*see* condition

Jaw-winking phenomenon or syndrome Q07.8

Jealousy
- alcoholic F10.988
- childhood F93.8
- sibling F93.8

Jejunitis -*see* Enteritis

Jejunostomy status Z93.4
Jejunum, jejunal -*see* condition
Jensen's disease -*see* Inflammation, chorioretinal, focal, juxtapapillary
Jerks, myoclonic G25.3
Jervell-Lange-Nielsen syndrome I45.81
Jeune's disease Q77.2
Jigger disease B88.1
Job's syndrome (chronic granulomatous disease) D71
Joint -*see also* condition
- mice -*see* Loose, body, joint
- - knee M23.4-
Jordan's anomaly or syndrome D72.0
Joseph-Diamond-Blackfan anemia (congenital hypoplastic) D61.01
Jungle yellow fever A95.0
Jüngling's disease -*see* Sarcoidosis
Juvenile -*see* condition

K

Kahler's disease C90.0-
Kakke E51.11
Kala-azar B55.0
Kallmann's syndrome E23.0
Kanner's syndrome (autism) -*see* Psychosis, childhood
Kaposi's
- dermatosis (xeroderma pigmentosum) Q82.1
- lichen ruber L44.0
- - acuminatus L44.0
- sarcoma
- - colon C46.4
- - connective tissue C46.1
- - gastrointestinal organ C46.4
- - lung C46.5-
- - lymph node (multiple) C46.3
- - palate (hard) (soft) C46.2
- - rectum C46.4
- - skin (multiple sites) C46.0
- - specified site NEC C46.7
- - stomach C46.4
- - unspecified site C46.9
- varicelliform eruption B00.0
- - vaccinia T88.1
Kartagener's syndrome or triad (sinusitis, bronchiectasis, situs inversus) Q89.3
Karyotype
- with abnormality except iso (Xq) Q96.2
- 45,X Q96.0
- 46,X
- - iso (Xq) Q96.1
- 46,XX Q98.3
- - with streak gonads Q50.32
- - hermaphrodite (true) Q99.1
- - male Q98.3
- 46,XY
- - with streak gonads Q56.1
- - female Q97.3
- - hermaphrodite (true) Q99.1
- 47,XXX Q97.0
- 47,XXY Q98.0
- 47,XYY Q98.5
Kaschin-Beck disease -*see* Disease, Kaschin-Beck

Katayama's disease or fever B65.2
Kawasaki's syndrome M30.3
Kayser-Fleischer ring (cornea) (pseudosclerosis) H18.04-
Kaznelson's syndrome (congenital hypoplastic anemia) D61.01
Kearns-Sayre syndrome H49.81-
Kedani fever A75.3
Kelis L91.0
Kelly (-Patterson) syndrome (sideropenic dysphagia) D50.1
Keloid, cheloid L91.0
- acne L73.0
- Addison's L94.0
- cornea -*see* Opacity, cornea
- Hawkin's L91.0
- scar L91.0
Keloma L91.0
Kenya fever A77.1
Keratectasia -*see also* Ectasia, cornea
- congenital Q13.4
Keratinization of alveolar ridge mucosa
- excessive K13.23
- minimal K13.22
Keratinized residual ridge mucosa
- excessive K13.23
- minimal K13.22
Keratitis (nodular) (nonulcerative) (simple) (zonular) H16.9
- with ulceration (central) (marginal) (perforated) (ring) -*see* Ulcer, cornea
- actinic -*see* Photokeratitis
- arborescens (herpes simplex) B00.52
- areolar H16.11-
- bullosa H16.8
- deep H16.309
- - specified type NEC H16.399
- dendritic (a) (herpes simplex) B00.52
- disciform (is) (herpes simplex) B00.52
- - varicella B01.81
- filamentary H16.12-
- gonococcal (congenital or prenatal) A54.33
- herpes, herpetic (simplex) B00.52
- - zoster B02.33
- in (due to)
- - acanthamebiasis B60.13
- - adenovirus B30.0
- - exanthema -*see also* Exanthem B09
- - herpes (simplex) virus B00.52
- - measles B05.81
- - syphilis A50.31
- - tuberculosis A18.52
- - zoster B02.33
- interstitial (nonsyphilitic) H16.30-
- - diffuse H16.32-
- - herpes, herpetic (simplex) B00.52
- - - zoster B02.33
- - sclerosing H16.33-
- - specified type NEC H16.39-
- - syphilitic (congenital) (late) A50.31
- - tuberculous A18.52
- macular H16.11-
- nummular H16.11-
- oyster shuckers' H16.8
- parenchymatous -*see* Keratitis, interstitial

- petrificans H16.8
- postmeasles B05.81
- punctata
- - leprosa A30.9 *[H16.14-]*
- - syphilitic (profunda) A50.31
- punctate H16.14-
- purulent H16.8
- rosacea L71.8
- sclerosing H16.33-
- specified type NEC H16.8
- stellate H16.11-
- striate H16.11-
- superficial H16.10-
- - with conjunctivitis *-see* Keratoconjunctivitis
- - due to light *-see* Photokeratitis
- suppurative H16.8
- syphilitic (congenital) (prenatal) A50.31
- trachomatous A71.1
- - sequelae B94.0
- tuberculous A18.52
- vesicular H16.8
- xerotic *-see also* Keratomalacia H16.8
- - vitamin A deficiency E50.4

Keratoacanthoma L85.8

Keratocele *-see* Descemetocele

Keratoconjunctivitis H16.20-
- Acanthamoeba B60.13
- adenoviral B30.0
- epidemic B30.0
- exposure H16.21-
- herpes, herpetic (simplex) B00.52
- - zoster B02.33
- in exanthema *-see also* Exanthem B09
- infectious B30.0
- lagophthalmic *-see* Keratoconjunctivitis, specified type NEC
- neurotrophic H16.23-
- phlyctenular H16.25-
- postmeasles B05.81
- shipyard B30.0
- sicca (Sjögren's) M35.0-
- - not Sjögren's H16.22-
- specified type NEC H16.29-
- tuberculous (phlyctenular) A18.52
- vernal H16.26-

Keratoconus H18.60-
- congenital Q13.4
- stable H18.61-
- unstable H18.62-

Keratocyst (dental) (odontogenic) *-see* Cyst, calcifying odontogenic

Keratoderma, keratodermia (congenital) (palmaris et plantaris) (symmetrical) Q82.8
- acquired L85.1
- - in diseases classified elsewhere L86
- climactericum L85.1
- gonococcal A54.89
- gonorrheal A54.89
- punctata L85.2
- Reiter's *-see* Reiter's disease

Keratodermatocele *-see* Descemetocele

Keratoglobus H18.79
- congenital Q15.8

- - with glaucoma Q15.0
Keratohemia -*see* Pigmentation, cornea, stromal
Keratoiritis -*see also* Iridocyclitis
- syphilitic A50.39
- tuberculous A18.54
Keratoma L57.0
- palmaris and plantaris hereditarium Q82.8
- senile L57.0
Keratomalacia H18.44-
- vitamin A deficiency E50.4
Keratomegaly Q13.4
Keratomycosis B49
- nigrans, nigricans (palmaris) B36.1
Keratopathy H18.9
- band H18.42-
- bullous H18.1-
- bullous (aphakic), following cataract surgery H59.01-
Keratoscleritis, tuberculous A18.52
Keratosis L57.0
- actinic L57.0
- arsenical L85.8
- congenital, specified NEC Q80.8
- female genital NEC N94.89
- follicularis Q82.8
- - acquired L11.0
- - congenita Q82.8
- - et parafollicularis in cutem penetrans L87.0
- - spinulosa (decalvans) Q82.8
- - vitamin A deficiency E50.8
- gonococcal A54.89
- lichenoid L82.0
- male genital (external) N50.89
- nigricans L83
- obturans, external ear (canal) -*see* Cholesteatoma, external ear
- palmaris et plantaris (inherited) (symmetrical) Q82.8
- - acquired L85.1
- penile N48.89
- pharynx J39.2
- pilaris, acquired L85.8
- punctata (palmaris et plantaris) L85.2
- scrotal N50.89
- seborrheic L82.1
- - inflamed L82.0
- senile L57.0
- solar L57.0
- tonsillaris J35.8
- vagina N89.4
- vegetans Q82.8
- vitamin A deficiency E50.8
- vocal cord J38.3
Kerato-uveitis -*see* Iridocyclitis
Keraunoparalysis T75.09
Kerion (celsi) B35.0
Kernicterus of newborn (not due to isoimmunization) P57.9
- due to isoimmunization (conditions in P55.0-P55.9) P57.0
- specified type NEC P57.8
Keshan disease E59
Ketoacidosis E87.29
- diabetic -*see* Diabetes, by type, with ketoacidosis
Ketonuria R82.4

Ketosis NEC E88.89
- diabetic -*see* Diabetes, by type, with ketoacidosis
Kew Garden fever A79.1
Kidney -*see* condition
Kienböck's disease -*see also* Osteochondrosis, juvenile, hand, carpal lunate
- adult M93.1
Kimmelstiel (-Wilson) disease -*see* Diabetes, Kimmelstiel (-Wilson) disease
Kimura disease D21.9
- specified site (see Neoplasm, connective tissue benign)
Kink, kinking
- artery I77.1
- hair (acquired) L67.8
- ileum or intestine -*see* Obstruction, intestine
- Lane's -*see* Obstruction, intestine
- organ or site, congenital NEC -*see* Anomaly, by site
- ureter (pelvic junction) N13.5
- - with
- - - hydronephrosis N13.1
- - - - with infection N13.6
- - - pyelonephritis (chronic) N11.1
- - congenital Q62.39
- vein(s) I87.8
- - caval I87.1
- - peripheral I87.1
Kinnier Wilson's disease (hepatolenticular degeneration) E83.01
Kissing spine M48.20
- cervical region M48.22
- cervicothoracic region M48.23
- lumbar region M48.26
- lumbosacral region M48.27
- occipito-atlanto-axial region M48.21
- thoracic region M48.24
- thoracolumbar region M48.25
Klatskin's tumor C24.0
Klauder's disease A26.8
Klebs' disease -*see also* Glomerulonephritis N05.-
Klebsiella (K.) pneumoniae, as cause of disease classified elsewhere B96.1
Kleeblattschaedel skull Q75.051
Klein (e) -Levin syndrome G47.13
Kleptomania F63.2
Klinefelter's syndrome Q98.4
- karyotype 47,XXY Q98.0
- male with more than two X chromosomes Q98.1
Klippel-Feil deficiency, disease, or syndrome (brevicollis) Q76.1
Klippel's disease I67.2
Klippel-Trenaunay (-Weber) syndrome Q87.2
Klumpke (-Déjerine) palsy, paralysis (birth) (newborn) P14.1
Knee -*see* condition
Knock knee (acquired) M21.06-
- congenital Q74.1
Knot(s)
- intestinal, syndrome (volvulus) K56.2
- surfer S89.8-
- umbilical cord (true) O69.2
Knotting (of)
- hair L67.8
- intestine K56.2
Knuckle pad (Garrod's) M72.1
Koch's
- infection -*see* Tuberculosis

- relapsing fever A68.9
Koch-Weeks' conjunctivitis -*see* Conjunctivitis, acute, mucopurulent
Köebner's syndrome Q81.8
Köenig's disease (osteochondritis dissecans) -*see* Osteochondritis, dissecans
Köhler-Pellegrini-Stieda disease or syndrome (calcification, knee joint) -*see* Bursitis, tibial collateral
Köhler's disease
- patellar -*see* Osteochondrosis, juvenile, patella
- tarsal navicular -*see* Osteochondrosis, juvenile, tarsus
Koilonychia L60.3
- congenital Q84.6
Kojevnikov's, epilepsy -*see* Kozhevnikof's epilepsy
Koplik's spots B05.9
Kopp's asthma E32.8
Korsakoff's (Wernicke) disease, psychosis or syndrome (alcoholic) F10.96
- with dependence F10.26
- drug-induced
- - due to drug abuse -*see* Abuse, drug, by type, with amnestic disorder
- - due to drug dependence -*see* Dependence, drug, by type, with amnestic disorder
- nonalcoholic F04
Korsakov's disease, psychosis or syndrome -*see* Korsakoff's disease
Korsakow's disease, psychosis or syndrome -*see* Korsakoff's disease
Kostmann's disease or syndrome (infantile genetic agranulocytosis) -*see* Agranulocytosis
Kozhevnikof's epilepsy G40.109
- intractable G40.119
- - with status epilepticus G40.111
- - without status epilepticus G40.119
- not intractable G40.109
- - with status epilepticus G40.101
- - without status epilepticus G40.109
Krabbe's
- disease E75.23
- syndrome, congenital muscle hypoplasia Q79.8
Kraepelin-Morel disease -*see* Schizophrenia
Kraft-Weber-Dimitri disease Q85.89
Kraurosis
- ani K62.89
- penis N48.0
- vagina N89.8
- vulva N90.4
Kreotoxism A05.9
Krukenberg's
- spindle -*see* Pigmentation, cornea, posterior
- tumor C79.6-
Kufs' disease E75.4
Kugelberg-Welander disease G12.1
Kuhnt-Junius degeneration -*see also* Degeneration, macula H35.32-
Kümmell's disease or spondylitis -*see* Spondylopathy, traumatic
Kupffer cell sarcoma C22.3
Kuru A81.81
Kussmaul's
- disease M30.0
- respiration E87.29
- - in diabetic acidosis -*see* Diabetes, by type, with ketoacidosis
Kwashiorkor E40
- marasmic, marasmus type E42
Kyasanur Forest disease A98.2
Kyphoscoliosis, kyphoscoliotic (acquired) -*see also* Scoliosis M41.9
- congenital Q67.5
- heart (disease) I27.1
- sequelae of rickets E64.3

- tuberculous A18.01
Kyphosis, kyphotic (acquired) M40.209
- cervical region M40.202
- cervicothoracic region M40.203
- congenital Q76.419
- - cervical region Q76.412
- - cervicothoracic region Q76.413
- - occipito-atlanto-axial region Q76.411
- - thoracic region Q76.414
- - thoracolumbar region Q76.415
- Morquio-Brailsford type (spinal) -*see also* subcategory M49.8 E76.219
- postlaminectomy M96.3
- postradiation therapy M96.2
- postural (adolescent) M40.00
- - cervicothoracic region M40.03
- - thoracic region M40.04
- - thoracolumbar region M40.05
- secondary NEC M40.10
- - cervical region M40.12
- - cervicothoracic region M40.13
- - thoracic region M40.14
- - thoracolumbar region M40.15
- sequelae of rickets E64.3
- specified type NEC M40.299
- - cervical region M40.292
- - cervicothoracic region M40.293
- - thoracic region M40.294
- - thoracolumbar region M40.295
- syphilitic, congenital A50.56
- thoracic region M40.204
- thoracolumbar region M40.205
- tuberculous A18.01
Kyrle disease L87.0

L

Labia, labium -*see* condition
Labile
- blood pressure R09.89
- vasomotor system I73.9
Labioglossal paralysis G12.29
Labium leporinum -*see* Cleft, lip
Labor -*see* Delivery
Labored breathing -*see* Hyperventilation
Labyrinthitis (circumscribed) (destructive) (diffuse) (inner ear) (latent) (purulent) (suppurative) -*see also* subcategory H83.0
- syphilitic A52.79
Laceration
- with abortion -*see* Abortion, by type, complicated by laceration of pelvic organs
- abdomen, abdominal
- - wall S31.119
- - - with
- - - - foreign body S31.129
- - - - penetration into peritoneal cavity S31.619
- - - - - with foreign body S31.629
- - - epigastric region S31.112
- - - - with
- - - - - foreign body S31.122
- - - - - penetration into peritoneal cavity S31.612
- - - - - - with foreign body S31.622

- - - left
- - - - lower quadrant S31.114
- - - - - with
- - - - - - foreign body S31.124
- - - - - - penetration into peritoneal cavity S31.614
- - - - - - - with foreign body S31.624
- - - - upper quadrant S31.111
- - - - - with
- - - - - - foreign body S31.121
- - - - - - penetration into peritoneal cavity S31.611
- - - - - - - with foreign body S31.621
- - - periumbilic region S31.115
- - - - with
- - - - - foreign body S31.125
- - - - - penetration into peritoneal cavity S31.615
- - - - - - with foreign body S31.625
- - - right
- - - - lower quadrant S31.113
- - - - - with
- - - - - - foreign body S31.123
- - - - - - penetration into peritoneal cavity S31.613
- - - - - - - with foreign body S31.623
- - - - upper quadrant S31.110
- - - - - with
- - - - - - foreign body S31.120
- - - - - - penetration into peritoneal cavity S31.610
- - - - - - - with foreign body S31.620
- accidental, complicating surgery -*see* Complications, surgical, accidental puncture or laceration
- Achilles tendon S86.02-
- adrenal gland S37.813
- alveolar (process) -*see* Laceration, oral cavity
- ankle S91.01-
- - with
- - - foreign body S91.02-
- antecubital space -*see* Laceration, elbow
- anus (sphincter) S31.831
- - with
- - - ectopic or molar pregnancy O08.6
- - - foreign body S31.832
- - complicating delivery -*see* Delivery, complicated, by, laceration, anus (sphincter)
- - following ectopic or molar pregnancy O08.6
- - nontraumatic, nonpuerperal -*see* Fissure, anus
- arm (upper) S41.11-
- - with foreign body S41.12-
- - lower -*see* Laceration, forearm
- auditory canal (external) (meatus) -*see* Laceration, ear
- auricle, ear -*see* Laceration, ear
- axilla -*see* Laceration, arm
- back -*see also* Laceration, thorax, back
- - lower S31.010
- - - with
- - - - foreign body S31.020
- - - - - with penetration into retroperitoneal space S31.021
- - - - penetration into retroperitoneal space S31.011
- bile duct S36.13
- bladder S37.23
- - with ectopic or molar pregnancy O08.6
- - following ectopic or molar pregnancy O08.6
- - obstetrical trauma O71.5
- blood vessel -*see* Injury, blood vessel

- bowel -*see also* Laceration, intestine
- - with ectopic or molar pregnancy O08.6
- - complicating abortion -*see* Abortion, by type, complicated by, specified condition NEC
- - following ectopic or molar pregnancy O08.6
- - obstetrical trauma O71.5
- brain (any part) (cortex) (diffuse) (membrane) -*see also* Injury, intracranial, diffuse
- - during birth P10.8
- - - with hemorrhage P10.1
- - focal -*see* Injury, intracranial, focal brain injury
- brainstem S06.38-
- breast S21.01-
- - with foreign body S21.02-
- broad ligament S37.893
- - with ectopic or molar pregnancy O08.6
- - following ectopic or molar pregnancy O08.6
- - laceration syndrome N83.8
- - obstetrical trauma O71.6
- - syndrome (laceration) N83.8
- buttock S31.801
- - with foreign body S31.802
- - left S31.821
- - - with foreign body S31.822
- - right S31.811
- - - with foreign body S31.812
- calf -*see* Laceration, leg
- canaliculus lacrimalis -*see* Laceration, eyelid
- canthus, eye -*see* Laceration, eyelid
- capsule, joint -*see* Sprain
- causing eversion of cervix uteri (old) N86
- central (perineal), complicating delivery O70.9
- cerebellum, traumatic S06.37-
- cerebral S06.33-
- - left side S06.32-
- - during birth P10.8
- - - with hemorrhage P10.1
- - right side S06.31-
- cervix (uteri)
- - with ectopic or molar pregnancy O08.6
- - following ectopic or molar pregnancy O08.6
- - nonpuerperal, nontraumatic N88.1
- - obstetrical trauma (current) O71.3
- - old (postpartal) N88.1
- - traumatic S37.63
- cheek (external) S01.41-
- - with foreign body S01.42-
- - internal -*see* Laceration, oral cavity
- chest wall -*see* Laceration, thorax
- chin -*see* Laceration, head, specified site NEC
- chordae tendinae NEC I51.1
- - concurrent with acute myocardial infarction -*see* Infarct, myocardium
- - following acute myocardial infarction (current complication) I23.4
- clitoris -*see* Laceration, vulva
- colon -*see* Laceration, intestine, large, colon
- common bile duct S36.13
- cortex (cerebral) -*see* Injury, intracranial, diffuse
- costal region -*see* Laceration, thorax
- cystic duct S36.13
- diaphragm S27.803
- digit(s)
- - hand -*see* Laceration, finger

- - foot -*see* Laceration, toe
- duodenum S36.430
- ear (canal) (external) S01.31-
- - with foreign body S01.32-
- - drum S09.2-
- elbow S51.01-
- - with
- - - foreign body S51.02-
- epididymis -*see* Laceration, testis
- epigastric region -*see* Laceration, abdomen, wall, epigastric region
- esophagus K22.89
- - traumatic
- - - cervical S11.21
- - - - with foreign body S11.22
- - - thoracic S27.813
- eye (ball) S05.3-
- - with prolapse or loss of intraocular tissue S05.2-
- - penetrating S05.6-
- eyebrow -*see* Laceration, eyelid
- eyelid S01.11-
- - with foreign body S01.12-
- face NEC -*see* Laceration, head, specified site NEC
- fallopian tube S37.539
- - bilateral S37.532
- - unilateral S37.531
- finger(s) S61.219
- - with
- - - damage to nail S61.319
- - - - with
- - - - - foreign body S61.329
- - - foreign body S61.229
- - index S61.218
- - - with
- - - - damage to nail S61.318
- - - - - with
- - - - - - foreign body S61.328
- - - - foreign body S61.228
- - - left S61.211
- - - - with
- - - - - damage to nail S61.311
- - - - - - with
- - - - - - - foreign body S61.321
- - - - - foreign body S61.221
- - - right S61.210
- - - - with
- - - - - damage to nail S61.310
- - - - - - with
- - - - - - - foreign body S61.320
- - - - - foreign body S61.220
- - little S61.218
- - - with
- - - - damage to nail S61.318
- - - - - with
- - - - - - foreign body S61.328
- - - - foreign body S61.228
- - - left S61.217
- - - - with
- - - - - damage to nail S61.317
- - - - - - with
- - - - - - - foreign body S61.327

- - - - - foreign body S61.227
- - - right S61.216
- - - - with
- - - - - damage to nail S61.316
- - - - - - with
- - - - - - - foreign body S61.326
- - - - - foreign body S61.226
- - middle S61.218
- - - with
- - - - damage to nail S61.318
- - - - - with
- - - - - - foreign body S61.328
- - - - foreign body S61.228
- - - left S61.213
- - - - with
- - - - - damage to nail S61.313
- - - - - - with
- - - - - - - foreign body S61.323
- - - - - foreign body S61.223
- - - right S61.212
- - - - with
- - - - - damage to nail S61.312
- - - - - - with
- - - - - - - foreign body S61.322
- - - - - foreign body S61.222
- - ring S61.218
- - - with
- - - - damage to nail S61.318
- - - - - with
- - - - - - foreign body S61.328
- - - - foreign body S61.228
- - - left S61.215
- - - - with
- - - - - damage to nail S61.315
- - - - - - with
- - - - - - - foreign body S61.325
- - - - - foreign body S61.225
- - - right S61.214
- - - - with
- - - - - damage to nail S61.314
- - - - - - with
- - - - - - - foreign body S61.324
- - - - - foreign body S61.224
- flank S31.119
- - with foreign body S31.129
- foot (except toe(s) alone) S91.319
- - with foreign body S91.329
- - left S91.312
- - - with foreign body S91.322
- - right S91.311
- - - with foreign body S91.321
- - toe -*see* Laceration, toe
- forearm S51.819
- - with
- - - foreign body S51.829
- - elbow only -*see* Laceration, elbow
- - left S51.812
- - - with
- - - - foreign body S51.822
- - right S51.811

- - - with
- - - - foreign body S51.821
- forehead S01.81
- - with foreign body S01.82
- fourchette O70.0
- - with ectopic or molar pregnancy O08.6
- - complicating delivery O70.0
- - following ectopic or molar pregnancy O08.6
- gallbladder S36.123
- genital organs, external
- - female S31.512
- - - with foreign body S31.522
- - - vagina *-see* Laceration, vagina
- - - vulva *-see* Laceration, vulva
- - male S31.511
- - - with foreign body S31.521
- - - penis *-see* Laceration, penis
- - - scrotum *-see* Laceration, scrotum
- - - testis *-see* Laceration, testis
- groin *-see* Laceration, abdomen, wall
- gum *-see* Laceration, oral cavity
- hand S61.419
- - with
- - - foreign body S61.429
- - finger *-see* Laceration, finger
- - left S61.412
- - - with
- - - - foreign body S61.422
- - right S61.411
- - - with
- - - - foreign body S61.421
- - thumb *-see* Laceration, thumb
- head S01.91
- - with foreign body S01.92
- - cheek *-see* Laceration, cheek
- - ear *-see* Laceration, ear
- - eyelid *-see* Laceration, eyelid
- - lip *-see* Laceration, lip
- - nose *-see* Laceration, nose
- - oral cavity *-see* Laceration, oral cavity
- - scalp S01.01
- - - with foreign body S01.02
- - specified site NEC S01.81
- - - with foreign body S01.82
- - temporomandibular area *-see* Laceration, cheek
- heart *-see* Injury, heart, laceration
- heel *-see* Laceration, foot
- hepatic duct S36.13
- hip S71.019
- - with foreign body S71.029
- - left S71.012
- - - with foreign body S71.022
- - right S71.011
- - - with foreign body S71.021
- hymen *-see* Laceration, vagina
- hypochondrium *-see* Laceration, abdomen, wall
- hypogastric region *-see* Laceration, abdomen, wall
- ileum S36.438
- inguinal region *-see* Laceration, abdomen, wall
- instep *-see* Laceration, foot

- internal organ -*see* Injury, by site
- interscapular region -*see* Laceration, thorax, back
- intestine
- - large
- - - colon S36.539
- - - - ascending S36.530
- - - - descending S36.532
- - - - sigmoid S36.533
- - - - specified site NEC S36.538
- - - rectum S36.63
- - - - transverse S36.531
- - small S36.439
- - - duodenum S36.430
- - - specified site NEC S36.438
- intra-abdominal organ S36.93
- - intestine -*see* Laceration, intestine
- - liver -*see* Laceration, liver
- - pancreas -*see* Laceration, pancreas
- - peritoneum S36.81
- - specified site NEC S36.893
- - spleen -*see* Laceration, spleen
- - stomach -*see* Laceration, stomach
- intracranial NEC -*see also* Injury, intracranial, diffuse
- - birth injury P10.9
- jaw -*see* Laceration, head, specified site NEC
- jejunum S36.438
- joint capsule -*see* Sprain, by site
- kidney S37.03-
- - major (greater than 3 cm) (massive) (stellate) S37.06-
- - minor (less than 1 cm) S37.04-
- - moderate (1 to 3 cm) S37.05-
- - - multiple S37.06-
- knee S81.01-
- - with foreign body S81.02-
- labium (majus) (minus) -*see* Laceration, vulva
- lacrimal duct -*see* Laceration, eyelid
- large intestine -*see* Laceration, intestine, large
- larynx S11.011
- - with foreign body S11.012
- leg (lower) S81.819
- - with foreign body S81.829
- - foot -*see* Laceration, foot
- - knee -*see* Laceration, knee
- - left S81.812
- - - with foreign body S81.822
- - right S81.811
- - - with foreign body S81.821
- - upper -*see* Laceration, thigh
- ligament -*see* Sprain
- lip S01.511
- - with foreign body S01.521
- liver S36.113
- - major (stellate) S36.116
- - minor S36.114
- - moderate S36.115
- loin -*see* Laceration, abdomen, wall
- lower back -*see* Laceration, back, lower
- lumbar region -*see* Laceration, back, lower
- lung S27.339
- - bilateral S27.332

- - unilateral S27.331
- malar region -*see* Laceration, head, specified site NEC
- mammary -*see* Laceration, breast
- mastoid region -*see* Laceration, head, specified site NEC
- meninges -*see* Injury, intracranial, diffuse
- meniscus -*see* Tear, meniscus
- mesentery S36.893
- mesosalpinx S37.893
- mouth -*see* Laceration, oral cavity
- muscle -*see* Injury, muscle, by site, laceration
- nail
- - finger -*see* Laceration, finger, with damage to nail
- - toe -*see* Laceration, toe, with damage to nail
- nasal (septum) (sinus) -*see* Laceration, nose
- nasopharynx -*see* Laceration, head, specified site NEC
- neck S11.91
- - with foreign body S11.92
- - involving
- - - cervical esophagus S11.21
- - - - with foreign body S11.22
- - - larynx -*see* Laceration, larynx
- - - pharynx -*see* Laceration, pharynx
- - - thyroid gland -*see* Laceration, thyroid gland
- - - trachea -*see* Laceration, trachea
- - specified site NEC S11.81
- - - with foreign body S11.82
- nerve -*see* Injury, nerve
- nose (septum) (sinus) S01.21
- - with foreign body S01.22
- ocular NOS S05.3-
- - adnexa NOS S01.11-
- oral cavity S01.512
- - with foreign body S01.522
- orbit (eye) -*see* Wound, open, ocular, orbit
- ovary S37.439
- - bilateral S37.432
- - unilateral S37.431
- palate -*see* Laceration, oral cavity
- palm -*see* Laceration, hand
- pancreas S36.239
- - body S36.231
- - - major S36.261
- - - minor S36.241
- - - moderate S36.251
- - head S36.230
- - - major S36.260
- - - minor S36.240
- - - moderate S36.250
- - major S36.269
- - minor S36.249
- - moderate S36.259
- - tail S36.232
- - - major S36.262
- - - minor S36.242
- - - moderate S36.252
- pelvic S31.010
- - with
- - - foreign body S31.020
- - - - penetration into retroperitoneal cavity S31.021
- - - penetration into retroperitoneal cavity S31.011

- - floor -*see also* Laceration, back, lower
- - - with ectopic or molar pregnancy O08.6
- - - complicating delivery O70.1
- - - following ectopic or molar pregnancy O08.6
- - - old (postpartal) N81.89
- - organ S37.93
- - - with ectopic or molar pregnancy O08.6
- - - adrenal gland S37.813
- - - bladder S37.23
- - - fallopian tube -*see* Laceration, fallopian tube
- - - following ectopic or molar pregnancy O08.6
- - - kidney -*see* Laceration, kidney
- - - obstetrical trauma O71.5
- - - ovary -*see* Laceration, ovary
- - - prostate S37.823
- - - specified site NEC S37.893
- - - ureter S37.13
- - - urethra S37.33
- - - uterus S37.63
- penis S31.21
- - with foreign body S31.22
- perineum
- - female S31.41
- - - with
- - - - ectopic or molar pregnancy O08.6
- - - - foreign body S31.42
- - - during delivery O70.9
- - - - first degree O70.0
- - - - fourth degree O70.3
- - - - second degree O70.1
- - - - third degree -*see also* Delivery, complicated, by, laceration, perineum, third degree O70.20
- - - old (postpartal) N81.89
- - - postpartal N81.89
- - - secondary (postpartal) O90.1
- - male S31.119
- - - with foreign body S31.129
- periocular area (with or without lacrimal passages) -*see* Laceration, eyelid
- peritoneum S36.893
- periumbilic region -*see* Laceration, abdomen, wall, periumbilic
- periurethral tissue -*see* Laceration, urethra
- phalanges
- - finger -*see* Laceration, finger
- - toe -*see* Laceration, toe
- pharynx S11.21
- - with foreign body S11.22
- pinna -*see* Laceration, ear
- popliteal space -*see* Laceration, knee
- prepuce -*see* Laceration, penis
- prostate S37.823
- pubic region S31.119
- - with foreign body S31.129
- pudendum -*see* Laceration, genital organs, external
- rectovaginal septum -*see* Laceration, vagina
- rectum S36.63
- retroperitoneum S36.893
- round ligament S37.893
- sacral region -*see* Laceration, back, lower
- sacroiliac region -*see* Laceration, back, lower
- salivary gland -*see* Laceration, oral cavity
- scalp S01.01

- - with foreign body S01.02
- scapular region -*see* Laceration, shoulder
- scrotum S31.31
- - with foreign body S31.32
- seminal vesicle S37.893
- shin -*see* Laceration, leg
- shoulder S41.019
- - with foreign body S41.029
- - left S41.012
- - - with foreign body S41.022
- - right S41.011
- - - with foreign body S41.021
- small intestine -*see* Laceration, intestine, small
- spermatic cord -*see* Laceration, testis
- spinal cord (meninges) -*see also* Injury, spinal cord, by region
- - due to injury at birth P11.5
- - newborn (birth injury) P11.5
- spleen S36.039
- - major (massive) (stellate) S36.032
- - moderate S36.031
- - superficial (minor) S36.030
- sternal region -*see* Laceration, thorax, front
- stomach S36.33
- submaxillary region -*see* Laceration, head, specified site NEC
- submental region -*see* Laceration, head, specified site NEC
- subungual
- - finger(s) -*see* Laceration, finger, with damage to nail
- - toe(s) -*see* Laceration, toe, with damage to nail
- suprarenal gland -*see* Laceration, adrenal gland
- temple, temporal region -*see* Laceration, head, specified site NEC
- temporomandibular area -*see* Laceration, cheek
- tendon -*see* Injury, muscle, by site, laceration
- - Achilles S86.02-
- tentorium cerebelli -*see* Injury, intracranial, diffuse
- testis S31.31
- - with foreign body S31.32
- thigh S71.11-
- - with foreign body S71.12-
- thorax, thoracic (wall) S21.91
- - with foreign body S21.92
- - - back S21.22-
- - - - with penetration into thoracic cavity S21.42-
- - - front S21.12-
- - - - with penetration into thoracic cavity S21.32-
- - back S21.21-
- - - with
- - - - foreign body S21.22-
- - - - - with penetration into thoracic cavity S21.42-
- - - - penetration into thoracic cavity S21.41-
- - breast -*see* Laceration, breast
- - front S21.11-
- - - with
- - - - foreign body S21.12-
- - - - - with penetration into thoracic cavity S21.32-
- - - - penetration into thoracic cavity S21.31-
- thumb S61.019
- - with
- - - damage to nail S61.119
- - - - with
- - - - - foreign body S61.129

- - - foreign body S61.029
- - left S61.012
- - - with
- - - - damage to nail S61.112
- - - - - with
- - - - - - foreign body S61.122
- - - - foreign body S61.022
- - right S61.011
- - - with
- - - - damage to nail S61.111
- - - - - with
- - - - - - foreign body S61.121
- - - - foreign body S61.021
- thyroid gland S11.11
- - with foreign body S11.12
- toe(s) S91.119
- - with
- - - damage to nail S91.219
- - - - with
- - - - - foreign body S91.229
- - - foreign body S91.129
- - great S91.113
- - - with
- - - - damage to nail S91.213
- - - - - with
- - - - - - foreign body S91.223
- - - - foreign body S91.123
- - - left S91.112
- - - - with
- - - - - damage to nail S91.212
- - - - - - with
- - - - - - - foreign body S91.222
- - - - - foreign body S91.122
- - - right S91.111
- - - - with
- - - - - damage to nail S91.211
- - - - - - with
- - - - - - - foreign body S91.221
- - - - - foreign body S91.121
- - lesser S91.116
- - - with
- - - - damage to nail S91.216
- - - - - with
- - - - - - foreign body S91.226
- - - - foreign body S91.126
- - - left S91.115
- - - - with
- - - - - damage to nail S91.215
- - - - - - with
- - - - - - - foreign body S91.225
- - - - - foreign body S91.125
- - - right S91.114
- - - - with
- - - - - damage to nail S91.214
- - - - - - with
- - - - - - - foreign body S91.224
- - - - - foreign body S91.124
- tongue -*see* Laceration, oral cavity
- trachea S11.021
- - with foreign body S11.022

- tunica vaginalis -*see* Laceration, testis
- tympanum, tympanic membrane -*see* Laceration, ear, drum
- umbilical region S31.115
- - with foreign body S31.125
- ureter S37.13
- urethra S37.33
- - with or following ectopic or molar pregnancy O08.6
- - obstetrical trauma O71.5
- urinary organ NEC S37.893
- uterus S37.63
- - with ectopic or molar pregnancy O08.6
- - following ectopic or molar pregnancy O08.6
- - nonpuerperal, nontraumatic N85.8
- - obstetrical trauma NEC O71.81
- - old (postpartal) N85.8
- uvula -*see* Laceration, oral cavity
- vagina S31.41
- - with
- - - ectopic or molar pregnancy O08.6
- - - foreign body S31.42
- - during delivery O71.4
- - - with perineal laceration -*see* Laceration, perineum, female, during delivery
- - following ectopic or molar pregnancy O08.6
- - nonpuerperal, nontraumatic N89.8
- - old (postpartal) N89.8
- vas deferens S37.893
- vesical -*see* Laceration, bladder
- vocal cords S11.031
- - with foreign body S11.032
- vulva S31.41
- - with
- - - ectopic or molar pregnancy O08.6
- - - foreign body S31.42
- - complicating delivery O70.0
- - following ectopic or molar pregnancy O08.6
- - nonpuerperal, nontraumatic N90.89
- - old (postpartal) N90.89
- wrist S61.519
- - with
- - - foreign body S61.529
- - left S61.512
- - - with
- - - - foreign body S61.522
- - right S61.511
- - - with
- - - - foreign body S61.521

Lack of

- achievement in school Z55.3
- adequate
- - food Z59.48
- - intermaxillary vertical dimension of fully erupted teeth M26.36
- - sleep Z72.820
- air conditioning Z59.11
- appetite (see Anorexia) R63.0
- awareness R41.9
- basic services in physical environment Z58.81
- care
- - in home Z74.2
- - of infant (at or after birth) T76.02
- - - confirmed T74.02

- cognitive functions R41.9
- coordination R27.9
- - ataxia R27.0
- - specified type NEC R27.8
- development (physiological) R62.50
- - failure to thrive (child over 28 days old) R62.51
- - - adult R62.7
- - - newborn P92.6
- - short stature R62.52
- - specified type NEC R62.59
- electricity services Z59.12
- emotional support Z60.8
- energy R53.83
- financial resources Z59.6
- food Z59.48
- gas services Z59.12
- growth R62.52
- heating Z59.11
- housing (permanent) (temporary) Z59.00
- - adequate Z59.10
- learning experiences in childhood Z62.898
- leisure time (affecting life-style) Z73.2
- material resources due to limited financial resources, specified NEC Z59.87
- memory -*see also* Amnesia
- - mild, following organic brain damage F06.8
- oil services Z59.12
- ovulation N97.0
- parental supervision or control of child Z62.0
- person able to render necessary care Z74.2
- physical exercise Z72.3
- play experience in childhood Z62.898
- posterior occlusal support M26.57
- relaxation (affecting life-style) Z73.2
- safe drinking water Z58.6
- sexual
- - desire F52.0
- - enjoyment F52.1
- shelter Z59.02
- sleep (adequate) Z72.820
- supervision of child by parent Z62.0
- support, posterior occlusal M26.57
- transportation Z59.82
- water T73.1
- - safe drinking Z58.6
- - services Z59.12

Lacrimal -*see* condition

Lacrimation, abnormal -*see* Epiphora

Lacrimonasal duct -*see* condition

Lactate, elevated -*see* Acidosis, lactic

Lactation, lactating (breast) (puerperal, postpartum)
- associated
- - cracked nipple O92.13
- - retracted nipple O92.03
- defective O92.4
- disorder NEC O92.79
- excessive O92.6
- failed (complete) O92.3
- - partial O92.4
- mastitis NEC -*see* Mastitis, obstetric
- mother (care and/or examination) Z39.1

- nonpuerperal N64.3
Lacticemia, excessive -*see also* Acidosis E87.20
Lacunar skull Q75.8
Laennec's cirrhosis K70.30
- with ascites K70.31
- nonalcoholic K74.69
Lafora disease -*see also* Epilepsy, progressive, Lafora G40.C09
Lag, lid (nervous) -*see* Retraction, lid
Lagophthalmos (eyelid) (nervous) H02.209
- bilateral, upper and lower eyelids H02.20C
- cicatricial H02.219
- - bilateral, upper and lower eyelids H02.21C
- - left H02.216
- - - lower H02.215
- - - upper H02.214
- - - upper and lower eyelids H02.21B
- - right H02.213
- - - lower H02.212
- - - upper H02.211
- - - upper and lower eyelids H02.21A
- keratoconjunctivitis -*see* Keratoconjunctivitis
- left H02.206
- - lower H02.205
- - upper H02.204
- - upper and lower eyelids H02.20B
- mechanical H02.229
- - bilateral, upper and lower eyelids H02.22C
- - left H02.226
- - - lower H02.225
- - - upper H02.224
- - - upper and lower eyelids H02.22B
- - right H02.223
- - - lower H02.222
- - - upper H02.221
- - - upper and lower eyelids H02.22A
- paralytic H02.239
- - bilateral, upper and lower eyelids H02.23C
- - left H02.236
- - - lower H02.235
- - - upper H02.234
- - - upper and lower eyelids H02.23B
- - right H02.233
- - - lower H02.232
- - - upper H02.231
- - - upper and lower eyelids H02.23A
- right H02.203
- - lower H02.202
- - upper H02.201
- - upper and lower eyelids H02.20A
Laki-Lorand factor deficiency -*see* Defect, coagulation, specified type NEC
Lalling F80.0
Lambert-Eaton syndrome -*see* Syndrome, Lambert-Eaton
Lambliasis, lambliosis A07.1
Landau-Kleffner syndrome -*see* Epilepsy, specified NEC
Landouzy-Déjérine dystrophy or facioscapulohumeral atrophy G71.02
Landouzy's disease (icterohemorrhagic leptospirosis) A27.0
Landry-Guillain-Barré, syndrome or paralysis G61.0
Landry's disease or paralysis G61.0
Lane's
- band Q43.3

- kink -*see* Obstruction, intestine
- syndrome K90.2
Langdon Down syndrome -*see* Trisomy, 21
Lapsed immunization schedule status Z28.39
Large
- baby (regardless of gestational age) (4000g to 4499g) P08.1
- ear, congenital Q17.1
- physiological cup Q14.2
- stature R68.89
Large-for-dates NEC (infant) (4000g to 4499g) P08.1
- affecting management of pregnancy O36.6-
- exceptionally (4500g or more) P08.0
Larsen-Johansson disease or osteochondrosis -*see* Osteochondrosis, juvenile, patella
Larsen's syndrome (flattened facies and multiple congenital dislocations) Q74.8
Larva migrans
- cutaneous B76.9
- - Ancylostoma B76.0
- visceral B83.0
Laryngeal -*see* condition
Laryngismus (stridulus) J38.5
- congenital P28.89
- diphtheritic A36.2
Laryngitis (acute) (edematous) (fibrinous) (infective) (infiltrative) (malignant) (membranous) (phlegmonous) (pneumococcal) (pseudomembranous) (septic) (subglottic) (suppurative) (ulcerative) J04.0
- with
- - influenza, flu, or grippe -*see* Influenza, with, laryngitis
- - tracheitis (acute) -*see* Laryngotracheitis
- atrophic J37.0
- catarrhal J37.0
- chronic J37.0
- - with tracheitis (chronic) J37.1
- diphtheritic A36.2
- due to external agent -*see* Inflammation, respiratory, upper, due to
- Hemophilus influenzae J04.0
- H. influenzae J04.0
- hypertrophic J37.0
- influenzal -*see* Influenza, with, respiratory manifestations NEC
- obstructive J05.0
- sicca J37.0
- spasmodic J05.0
- - acute J04.0
- streptococcal J04.0
- stridulous J05.0
- syphilitic (late) A52.73
- - congenital A50.59 *[J99]*
- - - early A50.03 *[J99]*
- tuberculous A15.5
- Vincent's A69.1
Laryngocele (congenital) (ventricular) Q31.3
Laryngofissure J38.7
- congenital Q31.8
Laryngomalacia (congenital) Q31.5
Laryngopharyngitis (acute) J06.0
- chronic J37.0
- due to external agent -*see* Inflammation, respiratory, upper, due to
Laryngoplegia J38.00
- bilateral J38.02
- unilateral J38.01
Laryngoptosis J38.7
Laryngospasm J38.5

Laryngostenosis J38.6
Laryngotracheitis (acute) (Infectional) (infective) (viral) J04.2
- atrophic J37.1
- catarrhal J37.1
- chronic J37.1
- diphtheritic A36.2
- due to external agent *-see* Inflammation, respiratory, upper, due to
- Hemophilus influenzae J04.2
- hypertrophic J37.1
- influenzal *-see* Influenza, with, respiratory manifestations NEC
- pachydermic J38.7
- sicca J37.1
- spasmodic J38.5
- - acute J05.0
- streptococcal J04.2
- stridulous J38.5
- syphilitic (late) A52.73
- - congenital A50.59 *[J99]*
- - - early A50.03 *[J99]*
- tuberculous A15.5
- Vincent's A69.1
Laryngotracheobronchitis *-see* Bronchitis
Larynx, laryngeal *-see* condition
Lassa fever A96.2
Lassitude *-see* Weakness
Late
- talker R62.0
- walker R62.0
Late effect(s) *-see* Sequelae
Latent *-see* condition
Laterocession *-see* Lateroversion
Lateroflexion *-see* Lateroversion
Lateroversion
- cervix *-see* Lateroversion, uterus
- uterus, uterine (cervix) (postinfectional) (postpartal, old) N85.4
- - congenital Q51.818
- - in pregnancy or childbirth O34.59-
Lathyrism *-see* Poisoning, food, noxious, plant
Launois' syndrome (pituitary gigantism) E22.0
Launois-Bensaude adenolipomatosis E88.89
Laurence-Moon syndrome Q87.84
Lax, laxity *-see also* Relaxation
- ligament (ous) *-see also* Disorder, ligament
- - familial M35.7
- - knee *-see* Derangement, knee
- skin (acquired) L57.4
- - congenital Q82.8
Laxative habit F55.2
Lazy leukocyte syndrome D70.8
LTBI (latent tuberculosis infection) Z22.7
Lead miner's lung J63.6
Leak, leakage
- air NEC J93.82
- - postprocedural J95.812
- amniotic fluid *-see* Rupture, membranes, premature
- blood (microscopic), fetal, into maternal circulation affecting management of pregnancy *-see* Pregnancy, complicated by
- cerebrospinal fluid G96.00
- - cranial
- - - postoperative G96.08
- - - specified NEC G96.08

- - - spontaneous G96.01
- - - traumatic G96.08
- - from spinal (lumbar) puncture G97.0
- - spinal
- - - postoperative G96.09
- - - post-traumatic G96.09
- - - specified NEC G96.09
- - - spontaneous G96.02
- - spontaneous
- - - from
- - - - skull base G96.01
- - - - spine G96.02
- CSF -*see* Leak, cerebrospinal fluid
- device, implant or graft -*see also* Complications, by site and type, mechanical
- - arterial graft NEC -*see* Complication, vascular, graft, mechanical, leakage T82.838
- - breast (implant) T85.43
- - catheter NEC T85.638
- - - urinary T83.038
- - - - cystostomy T83.030
- - - - Hopkins T83.038
- - - - ileostomy T83.038
- - - - indwelling T83.031
- - - - nephrostomy T83.032
- - - - specified NEC T83.038
- - - - urostomy T83.038
- - - dialysis (renal) T82.43
- - - - intraperitoneal T85.631
- - - infusion NEC T82.534
- - - - spinal (epidural) (subdural) T85.630
- - gastrointestinal -*see* Complications, prosthetic device, mechanical, gastrointestinal device
- - genital NEC T83.498
- - - penile prosthesis (cylinder) (implanted) (pump) (reservoir) T83.490
- - - testicular prosthesis T83.491
- - heart NEC -*see* Complication, cardiovascular device, mechanical
- - joint prosthesis -*see* Complications, joint prosthesis, mechanical, specified NEC, by site
- - ocular NEC -*see* Complications, prosthetic device, mechanical, ocular device
- - orthopedic NEC -*see* Complication, orthopedic, device, mechanical
- - persistent air J93.82
- - specified NEC T85.638
- - urinary NEC -*see also* Complication, genitourinary, device, urinary, mechanical
- - - graft T83.23
- - vascular NEC -*see* Complication, cardiovascular device, mechanical
- - ventricular intracranial shunt T85.03
- urine -*see* Incontinence

Leaky heart -*see* Endocarditis

Learning defect (specific) F81.9

Leather bottle stomach C16.9

Leber's
- congenital amaurosis H35.50
- optic atrophy (hereditary) H47.22

Lederer's anemia D59.19

Leeches (external) -*see* Hirudiniasis

Leg -*see* condition

Legg (-Calvé) -Perthes disease, syndrome or osteochondrosis M91.1-

Legionellosis A48.1
- nonpneumonic A48.2

Legionnaires'
- disease A48.1
- - nonpneumonic A48.2
- pneumonia A48.1

Leigh's disease G31.82
Leiner's disease L21.1
Leiofibromyoma -*see* Leiomyoma
Leiomyoblastoma -*see* Neoplasm, connective tissue, benign
Leiomyofibroma -*see also* Neoplasm, connective tissue, benign
- uterus (cervix) (corpus) D25.9
Leiomyoma -*see also* Neoplasm, connective tissue, benign
- bizarre -*see* Neoplasm, connective tissue, benign
- cellular -*see* Neoplasm, connective tissue, benign
- epithelioid -*see* Neoplasm, connective tissue, benign
- uterus (cervix) (corpus) D25.9
- - intramural D25.1
- - submucous D25.0
- - subserosal D25.2
- vascular -*see* Neoplasm, connective tissue, benign
Leiomyoma, leiomyomatosis (intravascular) -*see* Neoplasm, connective tissue, uncertain behavior
Leiomyosarcoma -*see also* Neoplasm, connective tissue, malignant
- epithelioid -*see* Neoplasm, connective tissue, malignant
- myxoid -*see* Neoplasm, connective tissue, malignant
Leishmaniasis B55.9
- American (mucocutaneous) B55.2
- - cutaneous B55.1
- Asian Desert B55.1
- Brazilian B55.2
- cutaneous (any type) B55.1
- dermal -*see also* Leishmaniasis, cutaneous
- - post-kala-azar B55.0
- eyelid B55.1
- infantile B55.0
- Mediterranean B55.0
- mucocutaneous (American) (New World) B55.2
- naso-oral B55.2
- nasopharyngeal B55.2
- old world B55.1
- tegumentaria diffusa B55.1
- visceral B55.0
Leishmanoid, dermal -*see also* Leishmaniasis, cutaneous
- post-kala-azar B55.0
Lenegre's disease I44.2
Lengthening, leg -*see* Deformity, limb, unequal length
Lennert's lymphoma -*see* Lymphoma, Lennert's
Lennox-Gastaut syndrome G40.812
- intractable G40.814
- - with status epilepticus G40.813
- - without status epilepticus G40.814
- not intractable G40.812
- - with status epilepticus G40.811
- - without status epilepticus G40.812
Lens -*see* condition
Lenticonus (anterior) (posterior) (congenital) Q12.8
Lenticular degeneration, progressive E83.01
Lentiglobus (posterior) (congenital) Q12.8
Lentigo (congenital) L81.4
- maligna -*see also* Melanoma, in situ
- - melanoma -*see* Melanoma
Lentivirus, as cause of disease classified elsewhere B97.31
Leontiasis
- ossium M85.2
- syphilitic (late) A52.78
- - congenital A50.59

Lepothrix A48.8
Lepra -*see* Leprosy
Leprechaunism E34.8
Leprosy A30.-
- with muscle disorder A30.9 *[M63.80]*
- - ankle A30.9 *[M63.87-]*
- - foot A30.9 *[M63.87-]*
- - forearm A30.9 *[M63.83-]*
- - hand A30.9 *[M63.84-]*
- - lower leg A30.9 *[M63.86-]*
- - multiple sites A30.9 *[M63.89]*
- - pelvic region A30.9 *[M63.85-]*
- - shoulder region A30.9 *[M63.81-]*
- - specified site NEC A30.9 *[M63.88]*
- - thigh A30.9 *[M63.85-]*
- - upper arm A30.9 *[M63.82-]*
- anesthetic A30.9
- BB A30.3
- BL A30.4
- borderline (infiltrated) (neuritic) A30.3
- - lepromatous A30.4
- - tuberculoid A30.2
- BT A30.2
- dimorphous (infiltrated) (neuritic) A30.3
- I A30.0
- indeterminate (macular) (neuritic) A30.0
- lepromatous (diffuse) (infiltrated) (macular) (neuritic) (nodular) A30.5
- LL A30.5
- macular (early) (neuritic) (simple) A30.9
- maculoanesthetic A30.9
- mixed A30.3
- neural A30.9
- nodular A30.5
- primary neuritic A30.3
- specified type NEC A30.8
- TT A30.1
- tuberculoid (major) (minor) A30.1
Leptocytosis, hereditary D56.9
Leptomeningitis (chronic) (circumscribed) (hemorrhagic) (nonsuppurative) -*see* Meningitis
Leptomeningopathy G96.198
Leptospiral -*see* condition
Leptospirochetal -*see* condition
Leptospirosis A27.9
- canicola A27.89
- due to Leptospira interrogans serovar icterohaemorrhagiae A27.0
- icterohemorrhagica A27.0
- pomona A27.89
- Weil's disease A27.0
Leptus dermatitis B88.0
Leriche's syndrome (aortic bifurcation occlusion) I74.09
Leri's pleonosteosis Q78.8
Leri-Weill syndrome Q77.8
Lermoyez' syndrome -*see* Vertigo, peripheral NEC
Lesch-Nyhan syndrome E79.1
Leser-Trélat disease L82.1
- inflamed L82.0
Lesion(s) (nontraumatic)
- abducens nerve -*see* Strabismus, paralytic, sixth nerve
- alveolar process K08.9
- angiocentric immunoproliferative D47.Z9

- anorectal K62.9
- aortic (valve) I35.9
- auditory nerve -see subcategory H93.3
- basal ganglion G25.9
- bile duct -*see* Disease, bile duct
- biomechanical M99.9
- - specified type NEC M99.89
- - - abdomen M99.89
- - - acromioclavicular M99.87
- - - cervical region M99.81
- - - cervicothoracic M99.81
- - - costochondral M99.88
- - - costovertebral M99.88
- - - head region M99.80
- - - hip M99.85
- - - lower extremity M99.86
- - - lumbar region M99.83
- - - lumbosacral M99.83
- - - occipitocervical M99.80
- - - pelvic region M99.85
- - - pubic M99.85
- - - rib cage M99.88
- - - sacral region M99.84
- - - sacrococcygeal M99.84
- - - sacroiliac M99.84
- - - specified NEC M99.89
- - - sternochondral M99.88
- - - sternoclavicular M99.87
- - - thoracic region M99.82
- - - thoracolumbar M99.82
- - - upper extremity M99.87
- bladder N32.9
- bone -*see* Disorder, bone
- brachial plexus G54.0
- brain G93.9
- - congenital Q04.9
- - vascular I67.9
- - - degenerative I67.9
- - - hypertensive I67.4
- buccal cavity K13.79
- calcified -*see* Calcification
- cameron -*see* Ulcer, stomach
- canthus -*see* Disorder, eyelid
- carate -*see* Pinta, lesions
- cardia K31.9
- cardiac -*see also* Disease, heart I51.9
- - congenital Q24.9
- - valvular -*see* Endocarditis
- cauda equina G83.4
- cecum K63.9
- cerebral -*see* Lesion, brain
- cerebrovascular I67.9
- - degenerative I67.9
- - hypertensive I67.4
- cervical (nerve) root NEC G54.2
- chiasmal -*see* Disorder, optic, chiasm
- chorda tympani G51.8
- coin, lung R91.1
- colon K63.9
- combined periodontic - endodontic K05.5

- congenital -*see* Anomaly, by site
- conjunctiva H11.9
- conus medullaris -*see* Injury, conus medullaris
- coronary artery -*see* Ischemia, heart
- cranial nerve G52.9
- - eighth -*see* Disorder, ear
- - eleventh G52.9
- - fifth G50.9
- - first G52.0
- - fourth -*see* Strabismus, paralytic, fourth nerve
- - seventh G51.9
- - sixth -*see* Strabismus, paralytic, sixth nerve
- - tenth G52.2
- - twelfth G52.3
- cystic -*see* Cyst
- degenerative -*see* Degeneration
- duodenum K31.9
- edentulous (alveolar) ridge, associated with trauma, due to traumatic occlusion K06.2
- en coup de sabre L94.1
- eyelid -*see* Disorder, eyelid
- gasserian ganglion G50.8
- gastric K31.9
- gastroduodenal K31.9
- gastrointestinal K63.9
- gingiva, associated with trauma K06.2
- glomerular
- - focal and segmental -*see also* N00-N07 with fourth character .1 N05.1
- - minimal change -*see also* N00-N07 with fourth character .0 N05.0
- heart (organic) -*see* Disease, heart
- hyperchromic, due to pinta (carate) A67.1
- hyperkeratotic -*see* Hyperkeratosis
- hypothalamic E23.7
- ileocecal K63.9
- ileum K63.9
- iliohypogastric nerve G57.8-
- inflammatory -*see* Inflammation
- intestine K63.9
- intracerebral -*see* Lesion, brain
- intrachiasmal (optic) -*see* Disorder, optic, chiasm
- intracranial, space-occupying R90.0
- joint -*see* Disorder, joint
- - sacroiliac (old) M53.3
- keratotic -*see* Keratosis
- kidney -*see* Disease, renal
- laryngeal nerve (recurrent) G52.2
- lip K13.0
- liver K76.9
- lumbosacral
- - plexus G54.1
- - root (nerve) NEC G54.4
- lung (coin) R91.1
- maxillary sinus J32.0
- mitral I05.9
- Morel-Lavallée -*see* Hematoma, by site
- motor cortex NEC G93.89
- mouth K13.79
- nerve G58.9
- - femoral G57.2-
- - median G56.1-
- - - carpal tunnel syndrome -*see* Syndrome, carpal tunnel

- - plantar G57.6-
- - popliteal (lateral) G57.3-
- - - medial G57.4-
- - radial G56.3-
- - sciatic G57.0-
- - spinal -*see* Injury, nerve, spinal
- - ulnar G56.2-
- nervous system, congenital Q07.9
- nonallopathic -*see* Lesion, biomechanical
- nose (internal) J34.89
- obstructive -*see* Obstruction
- obturator nerve G57.8-
- oral mucosa K13.70
- organ or site NEC -*see* Disease, by site
- osteolytic -*see* Osteolysis
- peptic K27.9
- periodontal, due to traumatic occlusion K05.5
- pharynx J39.2
- pigment, pigmented (skin) L81.9
- pinta -*see* Pinta, lesions
- polypoid -*see* Polyp
- prechiasmal (optic) -*see* Disorder, optic, chiasm
- primary -*see also* Syphilis, primary A51.0
- - carate A67.0
- - pinta A67.0
- - yaws A66.0
- pulmonary J98.4
- - valve I37.9
- pylorus K31.9
- rectosigmoid K63.9
- retina, retinal H35.9
- sacroiliac (joint) (old) M53.3
- salivary gland K11.9
- - benign lymphoepithelial K11.8
- saphenous nerve G57.8-
- sciatic nerve G57.0-
- secondary -*see* Syphilis, secondary
- shoulder (region) M75.9-
- - specified NEC M75.8-
- sigmoid K63.9
- sinus (accessory) (nasal) J34.89
- skin L98.9
- - suppurative L08.0
- SLAP S43.43-
- spinal cord G95.9
- - congenital Q06.9
- spleen D73.89
- stomach K31.9
- superior glenoid labrum S43.43-
- syphilitic -*see* Syphilis
- tertiary -*see* Syphilis, tertiary
- thoracic root (nerve) NEC G54.3
- tonsillar fossa J35.9
- tooth, teeth K08.9
- - white spot
- - - chewing surface K02.51
- - - pit and fissure surface K02.51
- - - smooth surface K02.61
- traumatic -*see* specific type of injury by site
- tricuspid (valve) I07.9

- - nonrheumatic I36.9
- trigeminal nerve G50.9
- ulcerated or ulcerative -*see* Ulcer, skin
- uterus N85.9
- vagina N89.8
- vulva N90.89
- vagus nerve G52.2
- valvular -*see* Endocarditis
- vascular I99.9
- - affecting central nervous system I67.9
- - following trauma NEC T14.8
- - umbilical cord, complicating delivery O69.5
- warty -*see* Verruca
- white spot (tooth)
- - chewing surface K02.51
- - pit and fissure surface K02.51
- - smooth surface K02.61

Less than a high school diploma Z55.5

Lethargic -*see* condition

Lethargy R53.83

Letterer-Siwe's disease C96.0

Leukemia, leukemic C95.9-
- acute basophilic C94.8-
- acute bilineal C95.0-
- acute erythroid C94.0-
- acute lymphoblastic C91.0-
- acute megakaryoblastic C94.2-
- acute megakaryocytic C94.2-
- acute mixed lineage C95.0-
- acute monoblastic (monoblastic/monocytic) C93.0-
- acute monocytic (monoblastic/monocytic) C93.0-
- acute myeloblastic (minimal differentiation) (with maturation) C92.0-
- acute myeloid, NOS C92.0-
- - with
- - - 11q23-abnormality C92.6-
- - - dysplasia of remaining hematopoesis and/or myelodysplastic disease in its history C92.A-
- - - multilineage dysplasia C92.A-
- - - variation of MLL-gene C92.6-
- - M6 (a)(b) C94.0-
- - M7 C94.2-
- acute myelomonocytic C92.5-
- acute promyelocytic C92.4-
- adult T-cell (HTLV-1-associated) (acute variant) (chronic variant) (lymphomatoid variant) (smouldering variant) C91.5-
- aggressive NK-cell C94.8-
- AML (1/ETO) (M0) (M1) (M2) (without a FAB classification) C92.0-
- AML M3 C92.4-
- AML M4 (Eo with inv(16) or t(16;16)) C92.5-
- AML M5 C93.0-
- AML M5a C93.0-
- AML M5b C93.0-
- AML Me with t (15;17) and variants C92.4-
- atypical chronic myeloid, BCR/ABL-negative C92.2-
- biphenotypic acute C95.0-
- blast cell C95.0-
- Burkitt-type, mature B-cell C91.A-
- chronic eosinophilic -*see also* Syndrome, hypereosinophilic, myeloid C94.8-
- chronic lymphocytic, of B-cell type C91.1-
- chronic monocytic C93.1-
- chronic myelogenous (Philadelphia chromosome (Ph1) positive) (t(9;22)) (q34;q11) (with crisis of blast cells) C92.1-
- chronic myeloid, BCR/ABL-positive C92.1-

- - atypical, BCR/ABL-negative C92.2-
- chronic myelomonocytic C93.1-
- chronic neutrophilic D47.1
- CMML (-1) (-2) (with eosinophilia) C93.1-
- granulocytic -*see also* Category C92 C92.9-
- hairy cell C91.4-
- juvenile myelomonocytic C93.3-
- lymphoid C91.9-
- - specified NEC C91.Z-
- mast cell C94.3-
- mature B-cell, Burkitt-type C91.A-
- monocytic (subacute) C93.9-
- - specified NEC C93.Z-
- myelogenous -*see also* Category C92 C92.9-
- myeloid C92.9-
- - acute C92.0-
- - specified NEC C92.Z-
- plasma cell C90.1-
- plasmacytic C90.1-
- prolymphocytic
- - of B-cell type C91.3-
- - of T-cell type C91.6-
- specified NEC C94.8-
- stem cell, of unclear lineage C95.0-
- subacute lymphocytic C91.9-
- T-cell large granular lymphocytic C91.Z-
- unspecified cell type C95.9-
- - acute C95.0-
- - chronic C95.1-

Leukemoid reaction -*see also* Reaction, leukemoid D72.823-

Leukoaraiosis (hypertensive) I67.81

Leukoariosis -*see* Leukoaraiosis

Leukocoria -*see* Disorder, globe, degenerated condition, leucocoria

Leukocytopenia D72.819

Leukocytosis D72.829
- eosinophilic D72.19

Leukoderma, leukodermia NEC L81.5
- syphilitic A51.39
- - late A52.79

Leukodystrophy G31.80
- with vanishing white matter disease G11.6
- LMNB1-related autosomal dominant G90.B
- metachromatic E75.25
- pol III-related G11.5

Leukoedema, oral epithelium K13.29

Leukoencephalitis G04.81
- acute (subacute) hemorrhagic G36.1
- - postimmunization or postvaccinal G04.02
- postinfectious G04.01
- subacute sclerosing A81.1
- van Bogaert's (sclerosing) A81.1

Leukoencephalopathy -*see also* Encephalopathy G93.49
- with calcifications and cysts G93.43
- adult-onset, with axonal spheroids (and pigmented glia) G93.44
- Binswanger's I67.3
- heroin vapor G92.8
- megalencephalic, with subcortical cysts G93.42
- metachromatic E75.25
- multifocal (progressive) A81.2
- postimmunization and postvaccinal G04.02

- progressive multifocal A81.2
- reversible, posterior G93.6
- van Bogaert's (sclerosing) A81.1
- vascular, progressive I67.3

Leukoerythroblastosis D75.9

Leukokeratosis -*see also* Leukoplakia
- mouth K13.21
- nicotina palati K13.24
- oral mucosa K13.21
- tongue K13.21
- vocal cord J38.3

Leukokraurosis vulva (e) N90.4

Leukoma (cornea) -*see also* Opacity, cornea
- adherent H17.0-
- interfering with central vision -*see* Opacity, cornea, central

Leukomalacia, cerebral, newborn P91.2
- periventricular P91.2

Leukomelanopathy, hereditary D72.0

Leukonychia (punctata) (striata) L60.8
- congenital Q84.4

Leukopathia unguium L60.8
- congenital Q84.4

Leukopenia D72.819
- basophilic D72.818
- chemotherapy (cancer) induced D70.1
- congenital D70.0
- cyclic D70.0
- drug induced NEC D70.2
- - due to cytoreductive cancer chemotherapy D70.1
- eosinophilic D72.818
- familial D70.0
- infantile genetic D70.0
- malignant D70.9
- periodic D70.0
- transitory neonatal P61.5

Leukopenic -*see* condition

Leukoplakia
- anus K62.89
- bladder (postinfectional) N32.89
- buccal K13.21
- cervix (uteri) N88.0
- esophagus K22.89
- gingiva K13.21
- hairy (oral mucosa) (tongue) K13.3
- kidney (pelvis) N28.89
- larynx J38.7
- lip K13.21
- mouth K13.21
- oral epithelium, including tongue (mucosa) K13.21
- palate K13.21
- pelvis (kidney) N28.89
- penis (infectional) N48.0
- rectum K62.89
- syphilitic (late) A52.79
- tongue K13.21
- ureter (postinfectional) N28.89
- urethra (postinfectional) N36.8
- uterus N85.8
- vagina N89.4
- vocal cord J38.3

- vulva N90.4
Leukorrhea N89.8
- due to Trichomonas (vaginalis) A59.00
- trichomonal A59.00
Leukosarcoma C85.9-
Levocardia (isolated) Q24.1
- with situs inversus Q89.3
Levotransposition Q20.5
Lev's disease or syndrome (acquired complete heart block) I44.2
Levulosuria -*see* Fructosuria
Levurid L30.2
Lewy body (ies) (disease) G31.83
Leyden-Möbius dystrophy -*see* Dystrophy, Leyden-Möbius
Leydig cell
- carcinoma
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site
- - - female C56.9
- - - male C62.9-
- tumor
- - benign
- - - specified site -*see* Neoplasm, benign, by site
- - - unspecified site
- - - - female D27.-
- - - - male D29.2-
- - malignant
- - - specified site -*see* Neoplasm, malignant, by site
- - - unspecified site
- - - - female C56.-
- - - - male C62.9-
- - specified site -*see* Neoplasm, uncertain behavior, by site
- - unspecified site
- - - female D39.1-
- - - male D40.1-
Leydig-Sertoli cell tumor
- specified site -*see* Neoplasm, benign, by site
- unspecified site
- - female D27.-
- - male D29.2-
LGMD -*see* Dystrophy, muscular, limb-girdle
LGSIL (Low grade squamous intraepithelial lesion on cytologic smear of)
- anus R85.612
- cervix R87.612
- vagina R87.622
Liar, pathologic F60.2
Libido
- decreased R68.82
Libman-Sacks disease M32.11
Lice (infestation) B85.2
- body (Pediculus corporis) B85.1
- crab B85.3
- head (Pediculus capitis) B85.0
- mixed (classifiable to more than one of the titles B85.0-B85.3) B85.4
- pubic (Phthirus pubis) B85.3
Lichen L28.0
- albus L90.0
- - penis N48.0
- - vulva N90.4
- amyloidosis E85.4 *[L99]*
- atrophicus L90.0

- - penis N48.0
- - vulva N90.4
- congenital Q82.8
- myxedematosus L98.5
- nitidus L44.1
- pilaris Q82.8
- - acquired L85.8
- planopilaris L66.10
- - classic L66.11
- - follicular L66.11
- - specified NEC L66.19
- planus (chronicus) L43.9
- - annularis L43.8
- - bullous L43.1
- - follicular L66.11
- - hypertrophic L43.0
- - moniliformis L44.3
- - of Wilson L43.9
- - specified NEC L43.8
- - subacute (active) L43.3
- - tropicus L43.3
- ruber
- - acuminatus L44.0
- - moniliformis L44.3
- - planus L43.9
- sclerosus (et atrophicus) L90.0
- - penis N48.0
- - vulva N90.4
- scrofulosus (primary) (tuberculous) A18.4
- simplex (chronicus) (circumscriptus) L28.0
- striatus L44.2
- urticatus L28.2

Lichenification L28.0

Lichenoid keratosis -*see* Keratosis, lichenoid

Lichenoides tuberculosis (primary) A18.4

Lichtheim's disease or syndrome D51.0

Lien migrans D73.89

Ligament -*see* condition

Light
- for gestational age -*see* Light for dates
- headedness R42

Light-for-dates (infant) P05.00
- with weight of
- - 499 grams or less P05.01
- - 500-749 grams P05.02
- - 750-999 grams P05.03
- - 1000-1249 grams P05.04
- - 1250-1499 grams P05.05
- - 1500-1749 grams P05.06
- - 1750-1999 grams P05.07
- - 2000-2499 grams P05.08
- - 2500 grams and over P05.09
- specified NEC P05.09
- and small-for-dates -*see* Small for dates
- affecting management of pregnancy O36.59-

Lightning (effects) (stroke) (struck by) T75.00
- burn -*see* Burn
- foot E53.8
- shock T75.01
- specified effect NEC T75.09

Lightwood-Albright syndrome N25.89
Lightwood's disease or syndrome (renal tubular acidosis) N25.89
Lignac (-de Toni) (-Fanconi) (-Debré) disease or syndrome E72.09
- with cystinosis E72.04
Ligneous thyroiditis E06.5
Likoff's syndrome I20.89
Limb -*see* condition
Limbic epilepsy personality syndrome F07.0
Limitation, limited
- activities due to disability Z73.6
- cardiac reserve -*see* Disease, heart
- eye muscle duction, traumatic -*see* Strabismus, mechanical
- mandibular range of motion M26.52
Lindau (-von Hippel) disease Q85.83
Line(s)
- Beau's L60.4
- Harris' -*see* Arrest, epiphyseal
- Hudson's (cornea) -*see* Pigmentation, cornea, anterior
- Stähli's (cornea) -*see* Pigmentation, cornea, anterior
Linea corneae senilis -*see* Change, cornea, senile
Lingua
- geographica K14.1
- nigra (villosa) K14.3
- plicata K14.5
- tylosis K13.29
Lingual -*see* condition
Linguatulosis B88.8
Linitis (gastric) plastica C16.9
Lip -*see* condition
Lipedema -*see* Edema
Lipemia -*see also* Hyperlipidemia
- retina, retinalis E78.3
Lipidosis E75.6
- cerebral (infantile) (juvenile) (late) E75.4
- cerebroretinal E75.4
- cerebroside E75.22
- cholesterol (cerebral) E75.5
- glycolipid E75.21
- hepatosplenomegalic E78.3
- sphingomyelin -*see* Niemann-Pick disease or syndrome
- sulfatide E75.29
Lipoadenoma -*see* Neoplasm, benign, by site
Lipoblastoma -*see* Lipoma
Lipoblastomatosis -*see* Lipoma
Lipochondrodystrophy E76.01
Lipodermatosclerosis -*see also* Insufficiency, venous M79.3
- with
- - varicose veins -*see* Varix, leg, with, inflammation
- - - ulcerated -*see* Varix, leg, with, ulcer, with inflammation by site
- ulcerated -*see* Ulcer, by site
Lipochrome histiocytosis (familial) D71
Lipodystrophia progressiva E88.1
Lipodystrophy (progressive) E88.1
- insulin E88.1
- intestinal K90.81
- mesenteric K65.4
Lipofibroma -*see* Lipoma
Lipofuscinosis, neuronal (with ceroidosis) E75.4
Lipogranuloma, sclerosing L92.8
Lipogranulomatosis E78.89

Lipoid -*see also* condition
- histiocytosis D76.3
- - essential E75.29
- nephrosis N04.9
- proteinosis of Urbach E78.89
Lipoidemia -*see* Hyperlipidemia
Lipoidosis -*see* Lipidosis
Lipoma D17.9
- fetal D17.9
- - fat cell D17.9
- infiltrating D17.9
- intramuscular D17.9
- pleomorphic D17.9
- site classification
- - arms (skin) (subcutaneous) D17.2-
- - connective tissue D17.30
- - - intra-abdominal D17.5
- - - intrathoracic D17.4
- - - peritoneum D17.79
- - - retroperitoneum D17.79
- - - specified site NEC D17.39
- - - spermatic cord D17.6
- - face (skin) (subcutaneous) D17.0
- - genitourinary organ NEC D17.72
- - head (skin) (subcutaneous) D17.0
- - intra-abdominal D17.5
- - intrathoracic D17.4
- - kidney D17.71
- - legs (skin) (subcutaneous) D17.2-
- - neck (skin) (subcutaneous) D17.0
- - peritoneum D17.79
- - retroperitoneum D17.79
- - skin D17.30
- - - specified site NEC D17.39
- - specified site NEC D17.79
- - spermatic cord D17.6
- - subcutaneous D17.30
- - - specified site NEC D17.39
- - trunk (skin) (subcutaneous) D17.1
- - unspecified D17.9
- spindle cell D17.9
Lipomatosis E88.2
- dolorosa (Dercum) E88.2
- fetal -*see* Lipoma
- Launois-Bensaude E88.89
Lipomyoma -*see* Lipoma
Lipomyxoma -*see* Lipoma
Lipomyxosarcoma -*see* Neoplasm, connective tissue, malignant
Lipoprotein metabolism disorder E78.9
Lipoproteinemia E78.5
- broad-beta E78.2
- floating-beta E78.2
- hyper-pre-beta E78.1
Liposarcoma -*see also* Neoplasm, connective tissue, malignant
- dedifferentiated -*see* Neoplasm, connective tissue, malignant
- differentiated type -*see* Neoplasm, connective tissue, malignant
- embryonal -*see* Neoplasm, connective tissue, malignant
- mixed type -*see* Neoplasm, connective tissue, malignant
- myxoid -*see* Neoplasm, connective tissue, malignant
- pleomorphic -*see* Neoplasm, connective tissue, malignant

- round cell -*see* Neoplasm, connective tissue, malignant
- well differentiated type -*see* Neoplasm, connective tissue, malignant
Liposynovitis prepatellaris E88.89
Lipping, cervix N86
Lipschütz disease or ulcer N76.6
Lipuria R82.0
- schistosomiasis (bilharziasis) B65.0
Lisping F80.0
Lissauer's paralysis A52.17
Lissencephalia, lissencephaly Q04.3
Listeriosis, listerellosis A32.9
- congenital (disseminated) P37.2
- cutaneous A32.0
- neonatal, newborn (disseminated) P37.2
- oculoglandular A32.81
- specified NEC A32.89
Lithemia E79.0
Lithiasis -*see* Calculus
Lithosis J62.8
Lithuria R82.998
Litigation, anxiety concerning Z65.3
Little leaguer's elbow -*see* Epicondylitis, medial
Little's disease G80.9
Littre's
- gland -*see* condition
- hernia -*see* Hernia, abdomen
Littritis -*see* Urethritis
Livedo (annularis) (racemosa) (reticularis) R23.1
Liver -*see* condition
Living alone (problems with) Z60.2
- with handicapped person Z74.2
Living in a shelter (motel) (scattered site housing) (temporary or transitional living situation) Z59.01
Lloyd's syndrome -*see* Adenomatosis, endocrine
Loa loa (loiasis) B74.3
Lobar -*see* condition
Lobomycosis B48.0
Lobo's disease B48.0
Lobotomy syndrome F07.0
Lobstein (-Ekman) disease or syndrome Q78.0
Lobster-claw hand Q71.6-
Lobulation (congenital) -*see also* Anomaly, by site
- kidney, Q63.1
- liver, abnormal Q44.79
- spleen Q89.09
Lobule, lobular -*see* condition
Local, localized -*see* condition
Locked-in state G83.5
Locked twins causing obstructed labor O66.1
Locking
- joint -*see* Derangement, joint, specified type NEC
- - knee -*see* Derangement, knee
Lockjaw -*see* Tetanus
Löffler's
- endocarditis I42.3
- eosinophilia J82.89
- pneumonia J82.89
- syndrome (eosinophilic pneumonitis) J82.89
Loiasis (with conjunctival infestation) (eyelid) B74.3
Lone Star fever A77.0
Long

- COVID (-19) -*see also* COVID-19 U09.9
- labor O63.9
- - first stage O63.0
- - second stage O63.1
- QT syndrome I45.81

Long-term (current) (prophylactic) drug therapy (use of)
- 5-fluorouracil Z79.631
- 6-mercaptopurine Z79.631
- adalimumab Z79.620
- agents affecting estrogen receptors and estrogen levels NEC Z79.818
- alkylating agent Z79.630
- anastrozole (Arimidex) Z79.811
- antibiotics Z79.2
- - short-term use - omit code
- anticoagulants Z79.01
- antidiabetic drugs, injectable, non-insulin Z79.85
- anti-inflammatory, non-steroidal (NSAID) Z79.1
- antimetabolite agent Z79.631
- antiplatelet Z79.02
- antithrombotics Z79.02
- antitumor antibiotic Z79.632
- apremilast Z79.61
- aromatase inhibitors Z79.811
- aspirin Z79.82
- azathioprine Z79.624
- birth control pill or patch Z79.3
- bisphosphonates Z79.83
- bleomycin Z79.632
- calcineurin inhibitor Z79.621
- chlorambucil Z79.630
- cisplatin Z79.630
- contraceptive, oral Z79.3
- cyclophosphamide Z79.630
- cyclosporine Z79.621
- cytarabine Z79.631
- doxorubicin Z79.632
- drug, specified NEC Z79.899
- estrogen receptor downregulators Z79.818
- etanercept Z79.620
- etoposide Z79.634
- Evista Z79.810
- exemestane (Aromasin) Z79.811
- Fareston Z79.810
- fulvestrant (Faslodex) Z79.818
- gonadotropin-releasing hormone (GnRH) agonist Z79.818
- goserelin acetate (Zoladex) Z79.818
- hormone replacement Z79.890
- hydroxyurea Z79.64
- immunomodulators, unspecified Z79.60
- - specified NEC Z79.69
- immunomodulatory imide drug Z79.61
- immunosuppressants, unspecified Z79.60
- - specified NEC Z79.69
- immunosuppressive biologic Z79.620
- infliximab Z79.620
- inhibitors of nucleotide synthesis Z79.624
- insulin Z79.4
- irinotecan Z79.634
- Janus kinase inhibitor Z79.622
- lenalidomide Z79.61

- letrozole (Femara) Z79.811
- leuprolide acetate (leuprorelin) (Lupron) Z79.818
- mammalian target of rapamycin (mTOR) inhibitor Z79.623
- megestrol acetate (Megace) Z79.818
- methadone for pain management Z79.891
- mitomycin C Z79.632
- mitotic inhibitor Z79.633
- monoclonal antibodies Z79.620
- mycophenolate Z79.624
- myelosuppressive agent Z79.64
- Nolvadex Z79.810
- non-insulin antidiabetic drug, injectable Z79.85
- non-steroidal anti-inflammatories (NSAID) Z79.1
- opiate analgesic Z79.891
- oral
- - antidiabetic Z79.84
- - contraceptive Z79.3
- - hypoglycemic Z79.84
- paclitaxel Z79.633
- plant alkaloids Z79.633
- pomalidomide Z79.61
- purine synthesis (IMDH) inhibitors Z79.624
- raloxifene (Evista) Z79.810
- selective estrogen receptor modulators (SERMs) Z79.810
- sirolimus Z79.623
- steroids
- - inhaled Z79.51
- - systemic Z79.52
- tacrolimus Z79.621
- tamoxifen (Nolvadex) Z79.810
- tofacitinib Z79.622
- topoisomerase inhibitor Z79.634
- topotecan Z79.634
- toremifene (Fareston) Z79.810
- vinblastine Z79.633
- vincristine Z79.633

Longitudinal stripes or grooves, nails L60.8
- congenital Q84.6

Loneliness R45.89

Loop
- intestine -*see* Volvulus
- vascular on papilla (optic) Q14.2

Loose -*see also* condition
- body
- - joint M24.00
- - - ankle M24.07-
- - - elbow M24.02-
- - - hand M24.04-
- - - hip M24.05-
- - - knee M23.4-
- - - shoulder (region) M24.01-
- - - specified site NEC M24.08
- - - temporomandibular M24.08
- - - vertebra M24.08
- - - toe M24.07-
- - - wrist M24.03-
- - knee M23.4-
- - sheath, tendon -*see* Disorder, tendon, specified type NEC
- cartilage -*see* Loose, body, joint
- skin and subcutaneous tissue (following bariatric surgery weight loss) (following dietary weight loss) L98.7

- tooth, teeth K08.89
Loosening
- aseptic
- - joint prosthesis -*see* Complications, joint prosthesis, mechanical, loosening, by site
- epiphysis -*see* Osteochondropathy
- mechanical
- - joint prosthesis -*see* Complications, joint prosthesis, mechanical, loosening, by site
Looser-Milkman (-Debray) syndrome M83.8
Lop ear (deformity) Q17.3
Lorain (-Levi) short stature syndrome E23.0
Lordosis M40.50
- acquired -*see* Lordosis, specified type NEC
- congenital Q76.429
- - lumbar region Q76.426
- - lumbosacral region Q76.427
- - sacral region Q76.428
- - sacrococcygeal region Q76.428
- - thoracolumbar region Q76.425
- lumbar region M40.56
- lumbosacral region M40.57
- postsurgical M96.4
- postural -*see* Lordosis, specified type NEC
- rachitic (late effect) (sequelae) E64.3
- sequelae of rickets E64.3
- specified type NEC M40.40
- - lumbar region M40.46
- - lumbosacral region M40.47
- - thoracolumbar region M40.45
- thoracolumbar region M40.55
- tuberculous A18.01
Loss (of)
- appetite (see Anorexia) R63.0
- - hysterical F50.89
- - nonorganic origin F50.89
- - psychogenic F50.89
- blood -*see* Hemorrhage
- bone -*see* Loss, substance of, bone
- control, sphincter, rectum R15.9
- - nonorganic origin F98.1
- consciousness, transient R55
- - traumatic -*see* Injury, intracranial
- elasticity, skin R23.4
- family (member) in childhood Z62.898
- fluid (acute) E86.9
- function of labyrinth -see subcategory H83.2
- hair, nonscarring -*see* Alopecia
- hearing -*see also* Deafness
- - central NOS H90.5
- - conductive H90.2
- - - bilateral H90.0
- - - unilateral
- - - - with
- - - - - restricted hearing on the contralateral side H90.A1-
- - - - - unrestricted hearing on the contralateral side H90.1-
- - mixed conductive and sensorineural hearing loss H90.8
- - - bilateral H90.6
- - - unilateral
- - - - with
- - - - - restricted hearing on the contralateral side H90.A3-
- - - - - unrestricted hearing on the contralateral side H90.7-

- - neural NOS H90.5
- - perceptive NOS H90.5
- - sensorineural NOS H90.5
- - - bilateral H90.3
- - - unilateral
- - - - with
- - - - - restricted hearing on the contralateral side H90.A2-
- - - - - unrestricted hearing on the contralateral side H90.4-
- - sensory NOS H90.5
- height R29.890
- limb or member, traumatic, current -*see* Amputation, traumatic
- love relationship in childhood Z62.898
- memory -*see also* Amnesia
- - mild, following organic brain damage F06.8
- mind -*see* Psychosis
- occlusal vertical dimension of fully erupted teeth M26.37
- organ or part -*see* Absence, by site, acquired
- ossicles, ear (partial) H74.32-
- parent in childhood Z63.4
- pregnancy, recurrent N96
- - care in current pregnancy O26.2-
- - without current pregnancy N96
- recurrent pregnancy -*see* Loss, pregnancy, recurrent
- self-esteem, in childhood Z62.898
- sense of
- - smell -*see* Disturbance, sensation, smell
- - taste -*see* Disturbance, sensation, taste
- - touch R20.8
- sensory R44.9
- - dissociative F44.6
- sexual desire F52.0
- sight (acquired) (complete) (congenital) -*see* Blindness
- substance of
- - bone -*see* Disorder, bone, density and structure, specified NEC
- - - horizontal alveolar K06.3
- - cartilage -*see* Disorder, cartilage, specified type NEC
- - - auricle (ear) -*see* Disorder, pinna, specified type NEC
- - vitreous (humor) H15.89
- tooth, teeth -*see* Absence, teeth, acquired
- vision, visual H54.7
- - both eyes H54.3
- - one eye H54.60
- - - left (normal vision on right) H54.62
- - - right (normal vision on left) H54.61
- - specified as blindness -*see* Blindness
- - subjective
- - - sudden H53.13-
- - - transient H53.12-
- vitreous -*see* Prolapse, vitreous
- voice -*see* Aphonia
- weight (abnormal) (cause unknown) R63.4

Louis-Bar syndrome (ataxia-telangiectasia) G11.3

Louping ill (encephalitis) A84.89

Louse, lousiness -*see* Lice

Low

- achiever, school Z55.3
- back syndrome M54.50
- basal metabolic rate R94.8
- birthweight (2499 grams or less) P07.10
- - with weight of

- - - 1000-1249 grams P07.14
- - - 1250-1499 grams P07.15
- - - 1500-1749 grams P07.16
- - - 1750-1999 grams P07.17
- - - 2000-2499 grams P07.18
- - extreme (999 grams or less) P07.00
- - - with weight of
- - - - 499 grams or less P07.01
- - - - 500-749 grams P07.02
- - - - 750-999 grams P07.03
- - for gestational age *-see* Light for dates
- blood pressure *-see also* Hypotension
- - reading (incidental) (isolated) (nonspecific) R03.1
- cardiac reserve *-see* Disease, heart
- function *-see also* Hypofunction
- - kidney N28.9
- hematocrit D64.9
- hemoglobin D64.9
- income Z59.6
- level of literacy Z55.0
- lying
- - kidney N28.89
- - organ or site, congenital *-see* Malposition, congenital
- output syndrome (cardiac) *-see* Failure, heart
- platelets (blood) *-see* Thrombocytopenia
- reserve, kidney N28.89
- salt syndrome E87.1
- self esteem R45.81
- set ears Q17.4
- vision H54.2X-
- - one eye (other eye normal) H54.50
- - - left (normal vision on right)
- - - - category 1 H54.52A1
- - - - category 2 H54.52A2
- - - other eye blind *-see* Blindness
- - - right (normal vision on left)
- - - - category 1 H54.511A
- - - - category 2 H54.512A
- von Willebrand factor R79.1

Low-density-lipoprotein-type (LDL) hyperlipoproteinemia E78.00
Lowe's syndrome E72.03
Lown-Ganong-Levine syndrome I45.6
LSD reaction (acute) (without dependence) F16.90
- with dependence F16.20

L-shaped kidney Q63.8
Ludwig's angina or disease K12.2
Lues (venerea), luetic *-see* Syphilis
Luetscher's syndrome (dehydration) E86.0
Lumbago, lumbalgia M54.50
- with sciatica M54.4-
- - due to intervertebral disc disorder M51.17
- due to displacement, intervertebral disc M51.27
- - with sciatica M51.17

Lumbar *-see* condition
Lumbarization, vertebra, congenital Q76.49
Lumbermen's itch B88.0
Lump *-see also* Mass
- breast N63.0
- - axillary tail
- - - left N63.32

- - - right N63.31
- - left
- - - lower inner quadrant N63.24
- - - lower outer quadrant N63.23
- - - overlapping quadrants N63.25
- - - unspecified quadrant N63.20
- - - upper inner quadrant N63.22
- - - upper outer quadrant N63.21
- - right
- - - lower inner quadrant N63.14
- - - lower outer quadrant N63.13
- - - overlapping quadrants N63.15
- - - unspecified quadrant N63.10
- - - upper inner quadrant N63.12
- - - upper outer quadrant N63.11
- - subareolar
- - - left N63.42
- - - right N63.41

Lunacy -*see* Psychosis

Lung -*see* condition

Lupoid (miliary) of Boeck D86.3

Lupus

- anticoagulant D68.62
- - with
- - - hemorrhagic disorder D68.312
- - - hypercoagulable state D68.62
- - finding without diagnosis R76.0
- discoid (local) L93.0
- erythematosus (discoid) (local) L93.0
- - disseminated -*see* Lupus, erythematosus, systemic
- - eyelid H01.129
- - - left H01.126
- - - - lower H01.125
- - - - upper H01.124
- - - right H01.123
- - - - lower H01.122
- - - - upper H01.121
- - profundus L93.2
- - specified NEC L93.2
- - subacute cutaneous L93.1
- - systemic M32.9
- - - with organ or system involvement M32.10
- - - - endocarditis M32.11
- - - - lung M32.13
- - - - pericarditis M32.12
- - - - renal (glomerular) M32.14
- - - - - tubulo-interstitial M32.15
- - - - specified organ or system NEC M32.19
- - - drug-induced M32.0
- - - inhibitor (presence of) D68.62
- - - - with
- - - - - hemorrhagic disorder D68.312
- - - - - hypercoagulable state D68.62
- - - - finding without diagnosis R76.0
- - - specified NEC M32.8
- exedens A18.4
- hydralazine M32.0
- - correct substance properly administered -*see* Table of Drugs and Chemicals, by drug, adverse effect
- - overdose or wrong substance given or taken -*see* Table of Drugs and Chemicals, by drug, poisoning
- nephritis (chronic) M32.14

- nontuberculous, not disseminated L93.0
- panniculitis L93.2
- pernio (Besnier) D86.3
- systemic -*see* Lupus, erythematosus, systemic
- tuberculous A18.4
- - eyelid A18.4
- vulgaris A18.4
- - eyelid A18.4

Luteinoma D27.-

Lutembacher's disease or syndrome (atrial septal defect with mitral stenosis) Q21.19

Luteoma D27.-

Lutz (-Splendore-de Almeida) disease -*see* Paracoccidioidomycosis

Luxation -*see also* Dislocation
- eyeball (nontraumatic) -*see* Luxation, globe
- - birth injury P15.3
- globe, nontraumatic H44.82-
- lacrimal gland -*see* Dislocation, lacrimal gland
- lens (old) (partial) (spontaneous)
- - congenital Q12.1
- - - syphilitic A50.39

Lycanthropy F22

Lyell's syndrome L51.2
- due to drug L51.2
- - correct substance properly administered -*see* Table of Drugs and Chemicals, by drug, adverse effect
- - overdose or wrong substance given or taken -*see* Table of Drugs and Chemicals, by drug, poisoning

Lyme disease A69.20

Lymph
- gland or node -*see* condition
- scrotum -*see* Infestation, filarial

Lymphadenitis I88.9
- with ectopic or molar pregnancy O08.0
- acute L04.9
- - axilla L04.2
- - face L04.0
- - head L04.0
- - hip L04.3
- - limb
- - - lower L04.3
- - - upper L04.2
- - neck L04.0
- - shoulder L04.2
- - specified site NEC L04.8
- - trunk L04.1
- anthracosis (occupational) J60
- any site, except mesenteric I88.9
- - chronic I88.1
- - subacute I88.1
- breast
- - gestational -*see* Mastitis, obstetric
- - puerperal, postpartum (nonpurulent) O91.22
- chancroidal (congenital) A57
- chronic I88.1
- - mesenteric I88.0
- due to
- - Brugia (malayi) B74.1
- - - timori B74.2
- - chlamydial lymphogranuloma A55
- - diphtheria (toxin) A36.89
- - lymphogranuloma venereum A55
- - Wuchereria bancrofti B74.0

- following ectopic or molar pregnancy O08.0
- gonorrheal A54.89
- infective -*see* Lymphadenitis, acute
- mesenteric (acute) (chronic) (nonspecific) (subacute) I88.0
- - due to Salmonella typhi A01.09
- - tuberculous A18.39
- mycobacterial A31.8
- purulent -*see* Lymphadenitis, acute
- pyogenic -*see* Lymphadenitis, acute
- regional, nonbacterial I88.8
- septic -*see* Lymphadenitis, acute
- subacute, unspecified site I88.1
- suppurative -*see* Lymphadenitis, acute
- syphilitic (early) (secondary) A51.49
- - late A52.79
- tuberculous -*see* Tuberculosis, lymph gland
- venereal (chlamydial) A55

Lymphadenoid goiter E06.3

Lymphadenopathy (generalized) R59.1
- angioimmunoblastic, with dysproteinemia (AILD) C86.5-
- due to toxoplasmosis (acquired) B58.89
- - congenital (acute) (subacute) (chronic) P37.1
- localized R59.0
- syphilitic (early) (secondary) A51.49

Lymphadenosis R59.1

Lymphangiectasis I89.0
- conjunctiva H11.89
- postinfectional I89.0
- scrotum I89.0

Lymphangiectatic elephantiasis, nonfilarial I89.0

Lymphangioendothelioma D18.1
- malignant -*see* Neoplasm, connective tissue, malignant

Lymphangioleiomyomatosis J84.81

Lymphangioma D18.1
- capillary D18.1
- cavernous D18.1
- cystic D18.1
- malignant -*see* Neoplasm, connective tissue, malignant

Lymphangiomyoma D18.1

Lymphangiomyomatosis J84.81

Lymphangiosarcoma -*see* Neoplasm, connective tissue, malignant

Lymphangitis I89.1
- with
- - abscess - code by site under Abscess
- - cellulitis - code by site under Cellulitis
- - ectopic or molar pregnancy O08.0
- acute L03.91
- - abdominal wall L03.321
- - ankle -*see* Lymphangitis, acute, lower limb
- - arm -*see* Lymphangitis, acute, upper limb
- - auricle (ear) -*see* Lymphangitis, acute, ear
- - axilla L03.12-
- - back (any part) L03.322
- - buttock L03.327
- - cervical (meaning neck) L03.222
- - cheek (external) L03.212
- - chest wall L03.323
- - digit
- - - finger -*see* Lymphangitis, acute, finger
- - - toe -*see* Lymphangitis, acute, toe

- - ear (external) H60.1-
- - external auditory canal -*see* Lymphangitis, acute, ear
- - eyelid -*see* Abscess, eyelid
- - face NEC L03.212
- - finger (intrathecal) (periosteal) (subcutaneous) (subcuticular) L03.02-
- - foot -*see* Lymphangitis, acute, lower limb
- - gluteal (region) L03.327
- - groin L03.324
- - hand -*see* Lymphangitis, acute, upper limb
- - head NEC L03.891
- - - face (any part, except ear, eye and nose) L03.212
- - heel -*see* Lymphangitis, acute, lower limb
- - hip -*see* Lymphangitis, acute, lower limb
- - jaw (region) L03.212
- - knee -*see* Lymphangitis, acute, lower limb
- - leg -*see* Lymphangitis, acute, lower limb
- - lower limb L03.12-
- - - toe -*see* Lymphangitis, acute, toe
- - navel L03.326
- - neck (region) L03.222
- - orbit, orbital -*see* Cellulitis, orbit
- - pectoral (region) L03.323
- - perineal, perineum L03.325
- - scalp (any part) L03.891
- - shoulder -*see* Lymphangitis, acute, upper limb
- - specified site NEC L03.898
- - thigh -*see* Lymphangitis, acute, lower limb
- - thumb (intrathecal) (periosteal) (subcutaneous) (subcuticular) -*see* Lymphangitis, acute, finger
- - toe (intrathecal) (periosteal) (subcutaneous) (subcuticular) L03.04-
- - trunk L03.329
- - - abdominal wall L03.321
- - - back (any part) L03.322
- - - buttock L03.327
- - - chest wall L03.323
- - - groin L03.324
- - - perineal, perineum L03.325
- - - umbilicus L03.326
- - umbilicus L03.326
- - upper limb L03.12-
- - - axilla -*see* Lymphangitis, acute, axilla
- - - finger -*see* Lymphangitis, acute, finger
- - - thumb -*see* Lymphangitis, acute, finger
- - wrist -*see* Lymphangitis, acute, upper limb
- breast
- - gestational -*see* Mastitis, obstetric
- chancroidal A57
- chronic (any site) I89.1
- due to
- - Brugia (malayi) B74.1
- - - timori B74.2
- - Wuchereria bancrofti B74.0
- following ectopic or molar pregnancy O08.89
- penis
- - acute N48.29
- - gonococcal (acute) (chronic) A54.09
- puerperal, postpartum, childbirth O86.89
- strumous, tuberculous A18.2
- subacute (any site) I89.1
- tuberculous -*see* Tuberculosis, lymph gland

Lymphatic (vessel) -*see* condition

Lymphatism E32.8
Lymphectasia I89.0
Lymphedema (acquired) -*see also* Elephantiasis
- congenital Q82.0
- hereditary (chronic) (idiopathic) Q82.0
- postmastectomy I97.2
- praecox I89.0
- secondary I89.0
- surgical NEC I97.89
- - postmastectomy (syndrome) I97.2
Lymphoblastic -*see* condition
Lymphoblastoma (diffuse) -*see* Lymphoma, lymphoblastic (diffuse)
- giant follicular -*see* Lymphoma, lymphoblastic (diffuse)
- macrofollicular -*see* Lymphoma, lymphoblastic (diffuse)
Lymphocele I89.8
Lymphocytic
- chorioencephalitis (acute) (serous) A87.2
- choriomeningitis (acute) (serous) A87.2
- meningoencephalitis A87.2
Lymphocytoma, benign cutis L98.8
Lymphocytopenia D72.810
Lymphocytosis (symptomatic) D72.820
- infectious (acute) B33.8
Lymphoepithelioma -*see* Neoplasm, malignant, by site
Lymphogranuloma (malignant) -*see also* Lymphoma, Hodgkin
- chlamydial A55
- inguinale A55
- venereum (any site) (chlamydial) (with stricture of rectum) A55
Lymphogranulomatosis (malignant) -*see also* Lymphoma, Hodgkin
- benign (Boeck's sarcoid) (Schaumann's) D86.1
Lymphohistiocytosis, hemophagocytic (familial) D76.1
Lymphoid -*see* condition
Lymphoma (of) (malignant) C85.90
- adult T-cell (HTLV-1-associated) (acute variant) (chronic variant) (lymphomatoid variant) (smouldering variant) C91.5-
- anaplastic large cell
- - ALK-negative C84.7-
- - ALK-positive C84.6-
- - breast implant associated (BIA-ALCL) C84.7A
- - CD30-positive C84.6-
- - primary cutaneous C86.6-
- angioimmunoblastic T-cell C86.5-
- BALT C88.4-
- B-cell C85.1-
- B-precursor C83.5-
- blastic NK-cell C86.4-
- blastic plasmacytoid dendritic cell neoplasm (BPDCN) C86.4-
- brain, primary -*see* Lymphoma, primary central nervous system
- bronchial-associated lymphoid tissue [BALT-lymphoma] C88.4-
- Burkitt (atypical) C83.7-
- Burkitt-like C83.7-
- central nervous system, primary -*see* Lymphoma, primary central nervous system
- centrocytic C83.1-
- cutaneous follicle center C82.6-
- cutaneous T-cell C84.A-
- diffuse follicle center C82.5-
- diffuse large cell C83.3-
- - anaplastic C83.3-
- - B-cell C83.3-
- - CD30-positive C83.3-
- - centroblastic C83.3-

- - extranodal and solid organ sites NEC C83.398
- - immunoblastic C83.3-
- - plasmablastic C83.3-
- - primary central nervous system (brain) (meninges) (PCNSL) (spinal cord) C83.390
- - subtype not specified C83.3-
- - T-cell rich C83.3-
- enteropathy-type (associated) (intestinal) T-cell C86.2-
- extranodal NK/T-cell, nasal type C86.0-
- extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma] C88.4-
- follicular C82.9-
- - grade
- - - I C82.0-
- - - II C82.1-
- - - III C82.2-
- - - IIIa C82.3-
- - - IIIb C82.4-
- - specified NEC C82.8-
- hepatosplenic T-cell (alpha-beta) (gamma-delta) C86.1-
- histiocytic C85.9-
- - true C96.A
- Hodgkin C81.9-
- - lymphocyte-rich (classical) C81.4-
- - lymphocyte depleted (classical) C81.3-
- - mixed cellularity (classical) C81.2-
- - nodular sclerosis (classical) C81.1-
- - specified NEC (classical) C81.7-
- - lymphocyte-rich classical C81.4-
- - lymphocyte depleted classical C81.3-
- - mixed cellularity classical C81.2-
- - nodular
- - - lymphocyte predominant C81.0-
- - - sclerosis (classical) C81.1-
- intravascular large B-cell C83.8-
- Lennert's C84.4-
- lymphoblastic B-cell C83.5-
- lymphoblastic (diffuse) C83.5-
- lymphoblastic T-cell C83.5-
- lymphoepithelioid C84.4-
- lymphoplasmacytic C83.0-
- - with IgM-production C88.0-
- MALT C88.4-
- mantle cell C83.1-
- mature T-cell NEC C84.4-
- mature T/NK-cell C84.9-
- - specified NEC C84.Z-
- mediastinal (thymic) large B-cell C85.2-
- Mediterranean C88.3-
- meninges, primary -*see* Lymphoma, primary central nervous system
- mucosa-associated lymphoid tissue [MALT-lymphoma] C88.4-
- NK/T cell C84.9-
- nodal marginal zone C83.0-
- non-follicular (diffuse) C83.9-
- - specified NEC C83.8-
- non-Hodgkin -*see also* Lymphoma, by type C85.9-
- - specified NEC C85.8-
- non-leukemic variant of B-CLL C83.0-
- peripheral T-cell NEC C84.4-
- primary central nervous system (brain) (meninges) (PCNSL) (spinal cord) C83.390
- - Burkitt C83.79
- - diffuse large B-cell C83.390

- - lymphoblastic C83.59
- - peripheral T-cell C84.49
- primary cutaneous
- - anaplastic large cell C86.6-
- - CD30-positive large T-cell C86.6-
- primary effusion B-cell C83.8-
- SALT C88.4-
- skin-associated lymphoid tissue [SALT-lymphoma] C88.4-
- small cell B-cell C83.0-
- spinal cord, primary -*see* Lymphoma, primary central nervous system
- splenic marginal zone C83.0-
- subcutaneous panniculitis-like T-cell C86.3-
- T-precursor C83.5-
- true histiocytic C96.A

Lymphomatosis -*see* Lymphoma
Lymphopathia venereum, veneris A55
Lymphopenia D72.810
Lymphoplasmacytic leukemia -*see* Leukemia, chronic lymphocytic, B-cell type
Lymphoproliferation, X-linked disease D82.3
Lymphoreticulosis, benign (of inoculation) A28.1
Lymphorrhea I89.8
Lymphosarcoma (diffuse) -*see also* Lymphoma C85.9-
Lymphostasis I89.8
Lypemania -*see* Melancholia
Lysine and hydroxylysine metabolism disorder E72.3
Lyssa -*see* Rabies

M

Macacus ear Q17.3
Maceration, wet feet, tropical (syndrome) T69.02-
MacLeod's syndrome J43.0
Macrocephalia, macrocephaly Q75.3
Macrocheilia, macrochilia (congenital) Q18.6
Macrocolon -*see also* Megacolon Q43.1
Macrocornea Q15.8
- with glaucoma Q15.0

Macrocytic -*see* condition
Macrocytosis D75.89
Macrodactylia, macrodactylism (fingers) (thumbs) Q74.0
- toes Q74.2

Macrodontia K00.2
Macrogenia M26.05
Macrogenitosomia (adrenal) (male) (praecox) E25.9
- congenital E25.0

Macroglobulinemia (idiopathic) (primary) C88.0-
- monoclonal (essential) D47.2
- Waldenström C88.0-

Macroglossia (congenital) Q38.2
- acquired K14.8

Macrognathia, macrognathism (congenital) (mandibular) (maxillary) M26.09
Macrogyria (congenital) Q04.8
Macrohydrocephalus -*see* Hydrocephalus
Macromastia -*see* Hypertrophy, breast
Macrophthalmos Q11.3
- in congenital glaucoma Q15.0

Macropsia H53.15
Macrosigmoid K59.39
- congenital Q43.2

Macrospondylitis , acromegalic E22.0

Macrostomia (congenital) Q18.4
Macrotia (external ear) (congenital) Q17.1
Macula
- cornea, corneal -*see* Opacity, cornea
- degeneration (atrophic) (exudative) (senile) -*see also* Degeneration, macula
- - hereditary -*see* Dystrophy, retina
Maculae ceruleae -- B85.1
Maculopathy, toxic -*see* Degeneration, macula, toxic
Madarosis (eyelid) H02.729
- left H02.726
- - lower H02.725
- - upper H02.724
- right H02.723
- - lower H02.722
- - upper H02.721
Madelung's
- deformity (radius) Q74.0
- disease
- - radial deformity Q74.0
- - symmetrical lipomas, neck E88.89
Madness -*see* Psychosis
Madura
- foot B47.9
- - actinomycotic B47.1
- - mycotic B47.0
Maduromycosis B47.0
Maffucci's syndrome Q78.4
Magnesium metabolism disorder -*see* Disorder, metabolism, magnesium
Main en griffe (acquired) -*see also* Deformity, limb, clawhand
- congenital Q68.1
Maintenance (encounter for)
- antineoplastic chemotherapy Z51.11
- antineoplastic radiation therapy Z51.0
- methadone F11.20
Majocchi's
- disease L81.7
- granuloma B35.8
Major -*see* condition
Malabar itch (any site) B35.5
Malabsorption K90.9
- calcium K90.89
- carbohydrate K90.49
- disaccharide E73.9
- fat K90.49
- galactose E74.20
- glucose (-galactose) E74.39
- intestinal K90.9
- - specified NEC K90.89
- isomaltose E74.31
- lactose E73.9
- methionine E72.19
- monosaccharide E74.39
- postgastrectomy K91.2
- postsurgical K91.2
- protein K90.49
- starch K90.49
- sucrose E74.39
- syndrome K90.9
- - postsurgical K91.2
Malacia, bone (adult) M83.9

- juvenile -*see* Rickets
Malacoplakia
- bladder N32.89
- pelvis (kidney) N28.89
- ureter N28.89
- urethra N36.8
Malacosteon, juvenile -*see* Rickets
Maladaptation -*see* Maladjustment
Maladie de Roger Q21.0
Maladjustment
- conjugal Z63.0
- - involving divorce or estrangement Z63.5
- educational Z55.4
- family Z63.9
- marital Z63.0
- - involving divorce or estrangement Z63.5
- occupational NEC Z56.89
- simple, adult -*see* Disorder, adjustment
- situational -*see* Disorder, adjustment
- social Z60.9
- - due to
- - - acculturation difficulty Z60.3
- - - discrimination and persecution (perceived) Z60.5
- - - exclusion and isolation Z60.4
- - - life-cycle (phase of life) transition Z60.0
- - - rejection Z60.4
- - - specified reason NEC Z60.8
Malaise R53.81
Malakoplakia -*see* Malacoplakia
Malaria, malarial (fever) B54
- with
- - blackwater fever B50.8
- - - hemoglobinuric (bilious) B50.8
- - hemoglobinuria B50.8
- accidentally induced (therapeutically) - code by type under Malaria
- algid B50.9
- cerebral B50.0 *[G94]*
- clinically diagnosed (without parasitological confirmation) B54
- congenital NEC P37.4
- - falciparum P37.3
- congestion, congestive B54
- continued (fever) B50.9
- estivo-autumnal B50.9
- falciparum B50.9
- - with complications NEC B50.8
- - - cerebral B50.0 *[G94]*
- - severe B50.8
- hemorrhagic B54
- malariae B52.9
- - with
- - - complications NEC B52.8
- - - glomerular disorder B52.0
- malignant (tertian) -*see* Malaria, falciparum
- mixed infections - code to first listed type in B50-B53
- ovale B53.0
- parasitologically confirmed NEC B53.8
- pernicious, acute -*see* Malaria, falciparum
- Plasmodium (P.)
- - falciparum NEC -*see* Malaria, falciparum
- - malariae NEC B52.9

- - - with Plasmodium
- - - - falciparum (and or vivax) -*see* Malaria, falciparum
- - - - vivax -*see also* Malaria, vivax
- - - - - and falciparum -*see* Malaria, falciparum
- - ovale B53.0
- - - with Plasmodium malariae -*see also* Malaria, malariae
- - - - and vivax -*see also* Malaria, vivax
- - - - - and falciparum -*see* Malaria, falciparum
- - simian B53.1
- - - with Plasmodium malariae -*see also* Malaria, malariae
- - - - and vivax -*see also* Malaria, vivax
- - - - - and falciparum -*see* Malaria, falciparum
- - vivax NEC B51.9
- - - with Plasmodium falciparum -*see* Malaria, falciparum
- quartan -*see* Malaria, malariae
- quotidian -*see* Malaria, falciparum
- recurrent B54
- remittent B54
- specified type NEC (parasitologically confirmed) B53.8
- spleen B54
- subtertian (fever) -*see* Malaria, falciparum
- tertian (benign) -*see also* Malaria, vivax
- - malignant B50.9
- tropical B50.9
- typhoid B54
- vivax B51.9
- - with
- - - complications NEC B51.8
- - - ruptured spleen B51.0

Malassimilation K90.9

Malassez's disease (cystic) N50.89

Mal de los pintos -*see* Pinta

Mal de mer T75.3

Maldescent, testis Q53.9
- bilateral Q53.20
- - abdominal Q53.211
- - perineal Q53.22
- unilateral Q53.10
- - abdominal Q53.111
- - perineal Q53.12

Maldevelopment -*see also* Anomaly
- brain Q07.9
- colon Q43.9
- hip Q74.2
- - congenital dislocation Q65.2
- - - bilateral Q65.1
- - - unilateral Q65.0-
- mastoid process Q75.8
- middle ear Q16.4
- - except ossicles Q16.4
- - ossicles Q16.3
- ossicles Q16.3
- spine Q76.49
- toe Q74.2

Male type pelvis Q74.2
- with disproportion (fetopelvic) O33.3
- - causing obstructed labor O65.3

Malformation (congenital) -*see also* Anomaly
- adrenal gland Q89.1
- affecting multiple systems with skeletal changes NEC Q87.5

- alimentary tract Q45.9
- - specified type NEC Q45.8
- - upper Q40.9
- - - specified type NEC Q40.8
- aorta Q25.40
- - absence Q25.41
- - aneurysm, congenital Q25.43
- - aplasia Q25.41
- - atresia Q25.29
- - - aortic arch Q25.21
- - coarctation (preductal) (postductal) Q25.1
- - dilatation, congenital Q25.44
- - hypoplasia Q25.42
- - patent ductus arteriosus Q25.0
- - specified type NEC Q25.49
- - stenosis Q25.1
- - - supravalvular Q25.3
- aortic valve Q23.9
- - specified NEC Q23.88
- arteriovenous, aneurysmatic (congenital) Q27.30
- - brain Q28.2
- - - ruptured I60.8
- - - - intracerebral I61.8
- - - - intraparenchymal I61.8
- - - - intraventricular I61.5
- - - - subarachnoid I60.8
- - cerebral -*see also* Malformation, arteriovenous, brain Q28.2
- - peripheral Q27.30
- - - digestive system -*see* Angiodysplasia
- - - - congenital Q27.33
- - - lower limb Q27.32
- - - other specified site Q27.39
- - - renal vessel Q27.34
- - - upper limb Q27.31
- - precerebral vessels (nonruptured) Q28.0
- auricle
- - ear (congenital) Q17.3
- - - acquired H61.119
- - - - left H61.112
- - - - - with right H61.113
- - - - right H61.111
- - - - - with left H61.113
- bile duct Q44.5
- bladder Q64.79
- - aplasia Q64.5
- - diverticulum Q64.6
- - exstrophy -*see* Exstrophy, bladder
- - neck obstruction Q64.31
- bone Q79.9
- - face Q75.9
- - - specified type NEC Q75.8
- - skull Q75.9
- - - specified type NEC Q75.8
- brain (multiple) Q04.9
- - arteriovenous Q28.2
- - specified type NEC Q04.8
- branchial cleft Q18.2
- breast Q83.9
- - specified type NEC Q83.8
- broad ligament Q50.6

- bronchus Q32.4
- bursa Q79.9
- cardiac
- - chambers Q20.9
- - - specified type NEC Q20.8
- - septum Q21.9
- - - specified type NEC Q21.8
- cerebral Q04.9
- - vessels Q28.3
- cervix uteri Q51.9
- - specified type NEC Q51.828
- Chiari
- - Type I G93.5
- - Type II Q07.01
- choroid (congenital) Q14.3
- - plexus Q07.8
- circulatory system Q28.9
- cochlea Q16.5
- cornea Q13.4
- coronary vessels Q24.5
- corpus callosum (congenital) Q04.0
- diaphragm Q79.1
- digestive system NEC, specified type NEC Q45.8
- dura Q07.9
- - brain Q04.9
- - spinal Q06.9
- ear Q17.9
- - causing impairment of hearing Q16.9
- - external Q17.9
- - - accessory auricle Q17.0
- - - causing impairment of hearing Q16.9
- - - - absence of
- - - - - auditory canal Q16.1
- - - - - auricle Q16.0
- - - macrotia Q17.1
- - - microtia Q17.2
- - - misplacement Q17.4
- - - misshapen NEC Q17.3
- - - prominence Q17.5
- - - specified type NEC Q17.8
- - inner Q16.5
- - middle Q16.4
- - - absence of eustachian tube Q16.2
- - - ossicles (fusion) Q16.3
- - ossicles Q16.3
- - specified type NEC Q17.8
- epididymis Q55.4
- esophagus Q39.9
- - specified type NEC Q39.8
- eye Q15.9
- - lid Q10.3
- - specified NEC Q15.8
- fallopian tube Q50.6
- genital organ -*see* Anomaly, genitalia
- great
- - artery Q25.9
- - - aorta -*see* Malformation, aorta
- - - pulmonary artery -*see* Malformation, pulmonary, artery
- - - specified type NEC Q25.8
- - vein Q26.9

- - - anomalous
- - - - portal venous connection Q26.5
- - - - pulmonary venous connection Q26.4
- - - - - partial Q26.3
- - - - - total Q26.2
- - - persistent left superior vena cava Q26.1
- - - portal vein-hepatic artery fistula Q26.6
- - - specified type NEC Q26.8
- - - vena cava stenosis, congenital Q26.0
- gum Q38.6
- hair Q84.2
- heart Q24.9
- - specified type NEC Q24.8
- integument Q84.9
- - specified type NEC Q84.8
- internal ear Q16.5
- intestine Q43.9
- - specified type NEC Q43.8
- iris Q13.2
- joint Q74.9
- - ankle Q74.2
- - lumbosacral Q76.49
- - sacroiliac Q74.2
- - specified type NEC Q74.8
- kidney Q63.9
- - accessory Q63.0
- - giant Q63.3
- - horseshoe Q63.1
- - hydronephrosis Q62.0
- - malposition Q63.2
- - specified type NEC Q63.8
- lacrimal apparatus Q10.6
- lip Q38.0
- lingual Q38.3
- liver Q44.70
- lung Q33.9
- meninges or membrane (congenital) Q07.9
- - cerebral Q04.8
- - spinal (cord) Q06.9
- middle ear Q16.4
- - ossicles Q16.3
- mitral valve Q23.9
- - specified NEC Q23.88
- Mondini's (congenital) (malformation, cochlea) Q16.5
- mouth (congenital) Q38.6
- multiple types NEC Q89.7
- musculoskeletal system Q79.9
- myocardium Q24.8
- nail Q84.6
- nervous system (central) Q07.9
- nose Q30.9
- - specified type NEC Q30.8
- optic disc Q14.2
- orbit Q10.7
- ovary Q50.39
- palate Q38.5
- parathyroid gland Q89.2
- pelvic organs or tissues NEC
- - in pregnancy or childbirth O34.8-
- - - causing obstructed labor O65.5

- penis Q55.69
- - aplasia Q55.5
- - curvature (lateral) Q55.61
- - hypoplasia Q55.62
- pericardium Q24.8
- peripheral vascular system Q27.9
- - specified type NEC Q27.8
- pharynx Q38.8
- precerebral vessels Q28.1
- prostate Q55.4
- pulmonary
- - arteriovenous Q25.72
- - artery Q25.9
- - - atresia Q25.5
- - - specified type NEC Q25.79
- - - stenosis Q25.6
- - valve Q22.3
- renal artery Q27.2
- respiratory system Q34.9
- retina Q14.1
- scrotum -*see* Malformation, testis and scrotum
- seminal vesicles Q55.4
- sense organs NEC Q07.9
- skin Q82.9
- specified NEC Q89.8
- spinal
- - cord Q06.9
- - nerve root Q07.8
- spine Q76.49
- - kyphosis -*see* Kyphosis, congenital
- - lordosis -*see* Lordosis, congenital
- spleen Q89.09
- stomach Q40.3
- - specified type NEC Q40.2
- teeth, tooth K00.9
- tendon Q79.9
- testis and scrotum Q55.20
- - aplasia Q55.0
- - hypoplasia Q55.1
- - polyorchism Q55.21
- - retractile testis Q55.22
- - scrotal transposition Q55.23
- - specified NEC Q55.29
- throat Q38.8
- thorax, bony Q76.9
- thyroid gland Q89.2
- tongue (congenital) Q38.3
- - hypertrophy Q38.2
- - tie Q38.1
- trachea Q32.1
- tricuspid valve Q22.9
- - specified type NEC Q22.8
- umbilical cord NEC (complicating delivery) O69.89
- umbilicus Q89.9
- ureter Q62.8
- - agenesis Q62.4
- - duplication Q62.5
- - malposition -*see* Malposition, congenital, ureter
- - obstructive defect -*see* Defect, obstructive, ureter
- - vesico-uretero-renal reflux Q62.7

- urethra Q64.79
- - aplasia Q64.5
- - duplication Q64.74
- - posterior valves Q64.2
- - prolapse Q64.71
- - stricture Q64.32
- urinary system Q64.9
- uterus Q51.9
- - specified type NEC Q51.818
- vagina Q52.4
- vascular system, peripheral Q27.9
- vas deferens Q55.4
- - atresia Q55.3
- venous -*see* Anomaly, vein(s)
- vulva Q52.70

Malfunction -*see also* Dysfunction
- cardiac electronic device T82.119
- - electrode T82.110
- - pulse generator T82.111
- - specified type NEC T82.118
- catheter device NEC T85.618
- - cystostomy T83.010
- - dialysis (renal) (vascular) T82.41
- - - intraperitoneal T85.611
- - infusion NEC T82.514
- - - cranial -*see also* Complication(s), catheter, cranial infusion, mechanical T85.690
- - - epidural -*see also* Complication(s), catheter, cranial infusion, mechanical T85.690
- - - intrathecal -*see also* Complication(s), catheter, cranial infusion, mechanical T85.690
- - - spinal -*see also* Complication(s), catheter, cranial infusion, mechanical T85.690
- - - subarachnoid -*see also* Complication(s), catheter, cranial infusion, mechanical T85.690
- - - subdural -*see also* Complication(s), catheter, cranial infusion, mechanical T85.690
- - urinary -*see also* Breakdown, device, catheter T83.018
- colostomy K94.03
- - valve K94.03
- cystostomy (stoma) N99.512
- - catheter T83.010
- enteric stoma K94.13
- enterostomy K94.13
- esophagostomy K94.33
- gastroenteric K31.89
- gastrostomy K94.23
- ileostomy K94.13
- - valve K94.13
- intrathecal infusion pump T85.615
- jejunostomy K94.13
- nervous system device, implant or graft, specified NEC T85.615
- pacemaker -*see* Malfunction, cardiac electronic device
- prosthetic device, internal -*see* Complications, prosthetic device, by site, mechanical
- tracheostomy J95.03
- urinary device NEC -*see* Complication, genitourinary, device, urinary, mechanical
- valve
- - colostomy K94.03
- - heart T82.09
- - ileostomy K94.13
- vascular graft or shunt NEC -*see* Complication, cardiovascular device, mechanical, vascular
- ventricular (communicating shunt) T85.01

Malherbe's tumor -*see* Neoplasm, skin, benign

Malibu disease L98.8

Malignancy -*see also* Neoplasm, malignant, by site
- unspecified site (primary) C80.1

Malignant -*see* condition
Malingerer, malingering Z76.5
Mallet finger (acquired) -*see* Deformity, finger, mallet finger
- congenital Q74.0
- sequelae of rickets E64.3
Malleus A24.0
Mallory's bodies R89.7
Mallory-Weiss syndrome K22.6
Malnutrition E46
- degree
- - first E44.1
- - mild (protein) E44.1
- - moderate (protein) E44.0
- - second E44.0
- - severe (protein-energy) E43
- - - with
- - - - kwashiorkor E40
- - - - marasmus E41
- - - intermediate form E42
- - - - with
- - - - - kwashiorkor E42
- - third E43
- following gastrointestinal surgery K91.2
- intrauterine
- - light-for-dates -*see* Light for dates
- - small-for-dates -*see* Small for dates
- lack of care, or neglect (child) (infant) T76.02
- - confirmed T74.02
- malignant E40
- protein E46
- - calorie E46
- - - mild E44.1
- - - moderate E44.0
- - - severe E43
- - - - with
- - - - - kwashiorkor E40
- - - - - marasmus E41
- - - - intermediate form E42
- - - - - with
- - - - - - kwashiorkor (and marasmus) E42
- - energy E46
- - - mild E44.1
- - - moderate E44.0
- - - severe E43
- - - - with
- - - - - kwashiorkor E40
- - - - - marasmus E41
- - - - intermediate form E42
- - - - - with
- - - - - - kwashiorkor (and marasmus) E42
- severe (protein-energy) E43
- - with
- - - kwashiorkor E40
- - - - with marasmus E42
- - intermediate form E42
- - - with
- - - - kwashiorkor (and marasmus) E42
- - - marasmus E41
Malocclusion (teeth) M26.4
- Angle's M26.219

- - class I M26.211
- - class II M26.212
- - class III M26.213
- due to
- - abnormal swallowing M26.59
- - mouth breathing M26.59
- - tongue, lip or finger habits M26.59
- temporomandibular (joint) M26.69

Malposition

- cervix -*see* Malposition, uterus
- congenital
- - adrenal (gland) Q89.1
- - alimentary tract Q45.8
- - - lower Q43.8
- - - upper Q40.8
- - aorta Q25.49
- - appendix Q43.8
- - arterial trunk Q20.0
- - artery (peripheral) Q27.8
- - - coronary Q24.5
- - - digestive system Q27.8
- - - lower limb Q27.8
- - - pulmonary Q25.79
- - - specified site NEC Q27.8
- - - upper limb Q27.8
- - auditory canal Q17.8
- - - causing impairment of hearing Q16.9
- - auricle (ear) Q17.4
- - - causing impairment of hearing Q16.9
- - - cervical Q18.2
- - biliary duct or passage Q44.5
- - bladder (mucosa) -*see* Exstrophy, bladder
- - brachial plexus Q07.8
- - brain tissue Q04.8
- - breast Q83.8
- - bronchus Q32.4
- - cecum Q43.8
- - clavicle Q74.0
- - colon Q43.8
- - digestive organ or tract NEC Q45.8
- - - lower Q43.8
- - - upper Q40.8
- - ear (auricle) (external) Q17.4
- - - ossicles Q16.3
- - endocrine (gland) NEC Q89.2
- - epiglottis Q31.8
- - eustachian tube Q17.8
- - eye Q15.8
- - facial features Q18.8
- - fallopian tube Q50.6
- - finger(s) Q68.1
- - - supernumerary Q69.0
- - foot Q66.9-
- - gallbladder Q44.1
- - gastrointestinal tract Q45.8
- - genitalia, genital organ(s) or tract
- - - female Q52.8
- - - - external Q52.79
- - - - internal NEC Q52.8
- - - male Q55.8

- - glottis Q31.8
- - hand Q68.1
- - heart Q24.8
- - - dextrocardia Q24.0
- - - - with complete transposition of viscera Q89.3
- - hepatic duct Q44.5
- - hip (joint) Q65.89
- - intestine (large) (small) Q43.8
- - - with anomalous adhesions, fixation or malrotation Q43.3
- - joint NEC Q68.8
- - kidney Q63.2
- - larynx Q31.8
- - limb Q68.8
- - - lower Q68.8
- - - upper Q68.8
- - liver Q44.79
- - lung (lobe) Q33.8
- - nail(s) Q84.6
- - nerve Q07.8
- - nervous system NEC Q07.8
- - nose, nasal (septum) Q30.8
- - organ or site not listed -*see* Anomaly, by site
- - ovary Q50.39
- - pancreas Q45.3
- - parathyroid (gland) Q89.2
- - patella Q74.1
- - peripheral vascular system Q27.8
- - pituitary (gland) Q89.2
- - respiratory organ or system NEC Q34.8
- - rib (cage) Q76.6
- - - supernumerary in cervical region Q76.5
- - scapula Q74.0
- - shoulder Q74.0
- - spinal cord Q06.8
- - spleen Q89.09
- - sternum NEC Q76.7
- - stomach Q40.2
- - symphysis pubis Q74.2
- - thymus (gland) Q89.2
- - thyroid (gland) (tissue) Q89.2
- - - cartilage Q31.8
- - toe(s) Q66.9-
- - - supernumerary Q69.2
- - tongue Q38.3
- - trachea Q32.1
- - ureter Q62.60
- - - deviation Q62.61
- - - displacement Q62.62
- - - ectopia Q62.63
- - - specified type NEC Q62.69
- - uterus Q51.818
- - vein(s) (peripheral) Q27.8
- - - great Q26.8
- - vena cava (inferior) (superior) Q26.8
- device, implant or graft -*see also* Complications, by site and type, mechanical T85.628
- - arterial graft NEC -*see* Complication, cardiovascular device, mechanical, vascular
- - breast (implant) T85.42
- - catheter NEC T85.628
- - - cystostomy T83.020
- - - dialysis (renal) T82.42

- - - - intraperitoneal T85.621
- - - infusion NEC T82.524
- - - - spinal (epidural) (subdural) T85.620
- - - urinary *-see also* Displacement, device, catheter, urinary T83.028
- - electronic (electrode) (pulse generator) (stimulator)
- - - bone T84.320
- - - cardiac T82.129
- - - - electrode T82.120
- - - - pulse generator T82.121
- - - - specified type NEC T82.128
- - - nervous system *-see* Complication, prosthetic device, mechanical, electronic nervous system stimulator
- - - urinary *-see* Complication, genitourinary, device, urinary, mechanical
- - fixation, internal (orthopedic) NEC *-see* Complication, fixation device, mechanical
- - gastrointestinal *-see* Complications, prosthetic device, mechanical, gastrointestinal device
- - genital NEC T83.428
- - - intrauterine contraceptive device (string) T83.32
- - - penile prosthesis (cylinder) (implanted) (pump) (reservoir) T83.420
- - - testicular prosthesis T83.421
- - heart NEC *-see* Complication, cardiovascular device, mechanical
- - joint prosthesis *-see* Complication, joint prosthesis, mechanical
- - ocular NEC *-see* Complications, prosthetic device, mechanical, ocular device
- - orthopedic NEC *-see* Complication, orthopedic, device, mechanical
- - specified NEC T85.628
- - urinary NEC *-see also* Complication, genitourinary, device, urinary, mechanical
- - - graft T83.22
- - vascular NEC *-see* Complication, cardiovascular device, mechanical
- - ventricular intracranial shunt T85.02
- fetus *-see* Pregnancy, complicated by (management affected by), presentation, fetal
- gallbladder K82.8
- gastrointestinal tract, congenital Q45.8
- heart, congenital NEC Q24.8
- joint prosthesis *-see* Complications, joint prosthesis, mechanical, displacement, by site
- stomach K31.89
- - congenital Q40.2
- tooth, teeth, fully erupted M26.30
- uterus (acute) (acquired) (adherent) (asymptomatic) (postinfectional) (postpartal, old) N85.4
- - anteflexion or anteversion N85.4
- - - congenital Q51.818
- - flexion N85.4
- - - lateral *-see* Lateroversion, uterus
- - inversion N85.5
- - lateral (flexion) (version) *-see* Lateroversion, uterus
- - - in pregnancy or childbirth -see subcategory O34.5
- - retroflexion or retroversion *-see* Retroversion, uterus

Malposture R29.3

Malrotation
- cecum Q43.3
- colon Q43.3
- intestine Q43.3
- kidney Q63.2

Maltreatment
- adult
- - abandonment
- - - confirmed T74.01
- - - suspected T76.01
- - bullying
- - - confirmed T74.31
- - - suspected T76.31
- - confirmed T74.91
- - financial

- - - confirmed T74.A1
- - - suspected T76.A1
- - history of Z91.419
- - intimidation (through social media)
- - - confirmed T74.31
- - - suspected T76.31
- - neglect
- - - confirmed T74.01
- - - suspected T76.01
- - physical abuse
- - - confirmed T74.11
- - - suspected T76.11
- - psychological abuse
- - - confirmed T74.31
- - - suspected T76.31
- - - history of Z91.411
- - sexual abuse
- - - confirmed T74.21
- - - suspected T76.21
- - suspected T76.91
- - threatened abuse (harm) (physical violence) (sexual abuse)
- - - confirmed T74.31
- - - suspected T76.31
- child
- - abandonment
- - - confirmed T74.02
- - - suspected T76.02
- - bullying
- - - confirmed T74.32
- - - suspected T76.32
- - confirmed T74.92
- - financial
- - - confirmed T74.A2
- - - suspected T76.A2
- - history of -*see* History, personal (of), abuse
- - intimidation (through social media)
- - - confirmed T74.32
- - - suspected T76.32
- - neglect
- - - confirmed T74.02
- - - history of -*see* History, personal (of), abuse
- - - suspected T76.02
- - physical abuse
- - - confirmed T74.12
- - - history of -*see* History, personal (of), abuse
- - - suspected T76.12
- - psychological abuse
- - - confirmed T74.32
- - - history of -*see* History, personal (of), abuse
- - - suspected T76.32
- - sexual abuse
- - - confirmed T74.22
- - - history of -*see* History, personal (of), abuse
- - - suspected T76.22
- - suspected T76.92
- - threatened abuse (harm) (physical violence) (sexual abuse)
- - - confirmed T74.32
- - - suspected T76.32
- personal history of Z91.89

Malta fever -*see* Brucellosis

Maltworker's lung J67.4
Malunion, fracture -*see* Fracture, by site
Mammillitis N61.0
- puerperal, postpartum O91.02
Mammitis -*see* Mastitis
Mammogram (examination) Z12.39
- routine Z12.31
Mammoplasia N62
Management (of)
- bone conduction hearing device (implanted) Z45.320
- cardiac pacemaker NEC Z45.018
- cerebrospinal fluid drainage device Z45.41
- cochlear device (implanted) Z45.321
- contraceptive Z30.9
- - specified NEC Z30.8
- implanted device Z45.9
- - specified NEC Z45.89
- infusion pump Z45.1
- procreative Z31.9
- - male factor infertility in female Z31.81
- - specified NEC Z31.89
- prosthesis (external) -*see also* Fitting Z44.9
- - implanted Z45.9
- - - specified NEC Z45.89
- renal dialysis catheter Z49.01
- vascular access device Z45.2
Mangled -*see* specified injury by site
Mania (monopolar) -*see also* Disorder, mood, manic episode
- with psychotic symptoms F30.2
- without psychotic symptoms F30.10
- - mild F30.11
- - moderate F30.12
- - severe F30.13
- Bell's F30.8
- chronic (recurrent) F31.89
- hysterical F44.89
- puerperal F30.8
- recurrent F31.89
Manic depression F31.9
Manic-depressive insanity, psychosis, or syndrome -*see* Disorder, bipolar
Mannosidosis E77.1
Mansonelliasis, mansonellosis B74.4
Manson's
- disease B65.1
- schistosomiasis B65.1
Manual -*see* condition
Maple-bark-stripper's lung (disease) J67.6
Maple-syrup-urine disease E71.0
Marable's syndrome (celiac artery compression) I77.4
Marasmus E41
- due to malnutrition E41
- intestinal E41
- nutritional E41
- senile R54
- tuberculous NEC -*see* Tuberculosis
Marble
- bones Q78.2
- skin R23.8
Marburg virus disease A98.3
March

- fracture -*see* Fracture, traumatic, stress, by site
- hemoglobinuria D59.6
Marchesani (-Weill) syndrome Q87.0
Marchiafava (-Bignami) syndrome or disease G37.1
Marchiafava-Micheli syndrome D59.5
Marcus Gunn's syndrome Q07.8
Marfan syndrome -*see* Syndrome, Marfan
Marie-Bamberger disease -*see* Osteoarthropathy, hypertrophic, specified NEC
Marie-Charcot-Tooth neuropathic muscular atrophy G60.0
Marie's
- cerebellar ataxia (late-onset) G11.2
- disease or syndrome (acromegaly) E22.0
Marie-Strümpell arthritis, disease or spondylitis -*see* Spondylitis, ankylosing
Marion's disease (bladder neck obstruction) N32.0
Marital conflict Z63.0
Mark
- port wine Q82.5
- raspberry Q82.5
- strawberry Q82.5
- stretch L90.6
- tattoo L81.8
Marker heterochromatin -*see* Extra, marker chromosomes
Maroteaux-Lamy syndrome (mild) (severe) E76.29
Marrow (bone)
- arrest D61.9
- poor function D75.89
Marseilles fever A77.1
Marsh fever -*see* Malaria
Marshall's (hidrotic) ectodermal dysplasia Q82.4
Marsh's disease (exophthalmic goiter) E05.00
- with storm E05.01
Masculinization (female) with adrenal hyperplasia E25.9
- congenital E25.0
Masculinovoblastoma D27.-
Masochism (sexual) F65.51
Mason's lung J62.8
Mass
- abdominal R19.00
- - epigastric R19.06
- - generalized R19.07
- - left lower quadrant R19.04
- - left upper quadrant R19.02
- - periumbilic R19.05
- - right lower quadrant R19.03
- - right upper quadrant R19.01
- - specified site NEC R19.09
- breast -*see also* Lump, breast N63.0
- chest R22.2
- cystic -*see* Cyst
- ear H93.8-
- head R22.0
- intra-abdominal (diffuse) (generalized) -*see* Mass, abdominal
- kidney N28.89
- liver R16.0
- localized (skin) R22.9
- - chest R22.2
- - head R22.0
- - limb
- - - lower R22.4-
- - - upper R22.3-

- - neck R22.1
- - trunk R22.2
- lung R91.8
- malignant -*see* Neoplasm, malignant, by site
- neck R22.1
- pelvic (diffuse) (generalized) -*see* Mass, abdominal
- specified organ NEC -*see* Disease, by site
- splenic R16.1
- substernal thyroid -*see* Goiter
- superficial (localized) R22.9
- umbilical (diffuse) (generalized) R19.09

Massive -*see* condition

Mast cell
- disease, systemic tissue D47.02
- leukemia C94.3-
- neoplasm
- - malignant C96.20
- - - specified type NEC C96.29
- - of uncertain behavior NEC D47.09
- sarcoma C96.22
- tumor D47.09

Mastalgia N64.4

Masters-Allen syndrome N83.8

Mastitis (acute) (diffuse) (nonpuerperal) (subacute) N61.0
- with abscess N61.1
- chronic (cystic) -*see* Mastopathy, cystic
- cystic (Schimmelbusch's type) -*see* Mastopathy, cystic
- fibrocystic -*see* Mastopathy, cystic
- granulomatous N61.2-
- infective N61.0
- - newborn P39.0
- interstitial, gestational or puerperal -*see* Mastitis, obstetric
- neonatal (noninfective) P83.4
- - infective P39.0
- obstetric (interstitial) (nonpurulent)
- - associated with
- - - lactation O91.23
- - - pregnancy O91.21-
- - - puerperium O91.22
- - purulent
- - - associated with
- - - - lactation O91.13
- - - - pregnancy O91.11-
- - - - puerperium O91.12
- periductal -*see* Ectasia, mammary duct
- phlegmonous -*see* Mastopathy, cystic
- plasma cell -*see* Ectasia, mammary duct
- without abscess N61.0

Mastocytoma (extracutaneous) D47.09
- malignant C96.29
- solitary D47.01

Mastocytosis D47.09
- aggressive systemic C96.21
- cutaneous (diffuse) (maculopapular) D47.01
- - congenital Q82.2
- - of neonatal onset Q82.2
- - of newborn onset Q82.2
- indolent systemic D47.02
- isolated bone marrow D47.02
- malignant C96.29

- systemic (indolent) (smoldering)
- - with an associated hematological non-mast cell lineage disease (SM-AHNMD) D47.02
Mastodynia N64.4
Mastoid -*see* condition
Mastoidalgia -see subcategory H92.0
Mastoiditis (coalescent) (hemorrhagic) (suppurative) H70.9-
- acute, subacute H70.00-
- - complicated NEC H70.09-
- - subperiosteal H70.01-
- chronic (necrotic) (recurrent) H70.1-
- in (due to)
- - infectious disease NEC B99 *[H75.0-]*
- - parasitic disease NEC B89 *[H75.0-]*
- - tuberculosis A18.03
- petrositis -*see* Petrositis
- postauricular fistula -*see* Fistula, postauricular
- specified NEC H70.89-
- tuberculous A18.03
Mastopathy, mastopathia N64.9
- chronica cystica -*see* Mastopathy, cystic
- cystic (chronic) (diffuse) N60.1-
- - with epithelial proliferation N60.3-
- diffuse cystic -*see* Mastopathy, cystic
- estrogenic, oestrogenica, oestrogenic N64.89
- ovarian origin N64.89
Mastoplasia, mastoplastia N62
Masturbation (excessive) F98.8
Maternal care (for) -*see* Pregnancy (complicated by) (management affected by)
Matheiu's disease (leptospiral jaundice) A27.0
Mauclaire's disease or osteochondrosis -*see* Osteochondrosis, juvenile, hand, metacarpal
Maxcy's disease A75.2
Maxilla, maxillary -*see* condition
May (-Hegglin) anomaly or syndrome D72.0
McArdle (-Schmid)(-Pearson) disease (glycogen storage) E74.04
McCune-Albright syndrome Q78.1
McQuarrie's syndrome (idiopathic familial hypoglycemia) E16.2
Meadow's syndrome Q86.1
Measles (black) (hemorrhagic) (suppressed) B05.9
- with
- - complications NEC B05.89
- - encephalitis B05.0
- - intestinal complications B05.4
- - keratitis (keratoconjunctivitis) B05.81
- - meningitis B05.1
- - otitis media B05.3
- - pneumonia B05.2
- French -*see* Rubella
- German -*see* Rubella
- Liberty -*see* Rubella
Meatitis, urethral -*see* Urethritis
Meatus, meatal -*see* condition
Meat-wrappers' asthma J68.9
ME/CFS (myalgic encephalomyelitis/chronic fatigue syndrome) G93.32
Meckel-Gruber syndrome Q61.9
Meckel's diverticulitis, diverticulum (displaced) (hypertrophic) Q43.0
- malignant -*see* Table of Neoplasms, small intestine, malignant
Meconium
- ileus, newborn P76.0
- - in cystic fibrosis E84.11
- - meaning meconium plug (without cystic fibrosis) P76.0

- obstruction, newborn P76.0
- - due to fecaliths P76.0
- - in mucoviscidosis E84.11
- peritonitis P78.0
- plug syndrome (newborn) NEC P76.0
MED13L (mediator complex subunit 13L) syndrome Q87.85
Median -*see also* condition
- arcuate ligament syndrome I77.4
- bar (prostate) (vesical orifice) -*see* Hyperplasia, prostate
- rhomboid glossitis K14.2
Mediastinal shift R93.89
Mediastinitis (acute) (chronic) J98.51
- syphilitic A52.73
- tuberculous A15.8
Mediastinopericarditis -*see also* Pericarditis
- acute I30.9
- adhesive I31.0
- chronic I31.8
- - rheumatic I09.2
Mediastinum, mediastinal -*see* condition
Mediator complex subunit 13L (MED13L) syndrome Q87.85
Medicine poisoning -*see* Table of Drugs and Chemicals, by drug, poisoning
Mediterranean
- fever -*see* Brucellosis
- - familial M04.1
- - tick A77.1
- kala-azar B55.0
- leishmaniasis B55.0
- tick fever A77.1
Medulla -*see* condition
Medullary cystic kidney Q61.5
Medullated fibers
- optic (nerve) Q14.8
- retina Q14.1
Medulloblastoma
- desmoplastic C71.6
- specified site -*see* Neoplasm, malignant, by site
- unspecified site C71.6
Medulloepithelioma -*see also* Neoplasm, malignant, by site
- teratoid -*see* Neoplasm, malignant, by site
Medullomyoblastoma
- specified site -*see* Neoplasm, malignant, by site
- unspecified site C71.6
Meekeren-Ehlers-Danlos syndrome -*see also* Syndrome, Ehlers-Danlos Q79.69
Megacolon (acquired) (functional) (not Hirschsprung's disease) (in) K59.39
- Chagas' disease B57.32
- congenital, congenitum (aganglionic) Q43.1
- Hirschsprung's (disease) Q43.1
- toxic NEC K59.31
- - due to
- - - Clostridioides difficile
- - - - not specified as recurrent A04.72
- - - - recurrent A04.71
- - - Clostridium difficile
- - - - not specified as recurrent A04.72
- - - - recurrent A04.71
Megaesophagus (functional) K22.0
- congenital Q39.5
- in (due to) Chagas' disease B57.31
Megalencephaly Q04.5

Megalerythema (epidemic) B08.3
Megaloappendix Q43.8
Megalocephalus, megalocephaly NEC Q75.3
Megalocornea Q15.8
- with glaucoma Q15.0
Megalocytic anemia D53.1
Megalodactylia (fingers) (thumbs) (congenital) Q74.0
- toes Q74.2
Megaloduodenum Q43.8
Megaloesophagus (functional) K22.0
- congenital Q39.5
Megalogastria (acquired) K31.89
- congenital Q40.2
Megalophthalmos Q11.3
Megalopsia H53.15
Megalosplenia -*see* Splenomegaly
Megaloureter N28.82
- congenital Q62.2
Megarectum K62.89
Megasigmoid K59.39
- congenital Q43.2
Megaureter N28.82
- congenital Q62.2
Megavitamin-B6 syndrome E67.2
Megrim -*see* Migraine
Meibomian
- cyst, infected -*see* Hordeolum
- gland -*see* condition
- sty, stye -*see* Hordeolum
Meibomitis -*see* Hordeolum
Meige-Milroy disease (chronic hereditary edema) Q82.0
Meige's syndrome Q82.0
Melalgia, nutritional E53.8
Melancholia F32.A
- climacteric (single episode) F32.89
- - recurrent episode F33.8
- hypochondriac F45.29
- intermittent (single episode) F32.89
- - recurrent episode F33.8
- involutional (single episode) F32.89
- - recurrent episode F33.8
- menopausal (single episode) F32.89
- - recurrent episode F33.8
- puerperal F32.89
- reactive (emotional stress or trauma) F32.3
- recurrent F33.9
- senile F03
- stuporous (single episode) F32.89
- - recurrent episode F33.8
Melanemia R79.89
Melanoameloblastoma -*see* Neoplasm, bone, benign
Melanoblastoma -*see* Melanoma
Melanocarcinoma -*see* Melanoma
Melanocytoma, eyeball D31.9-
Melanocytosis, neurocutaneous Q82.8
Melanoderma, melanodermia L81.4
Melanodontia, infantile K03.89
Melanodontoclasia K03.89
Melanoepithelioma -*see* Melanoma
Melanoma (malignant) C43.9

- acral lentiginous, malignant -*see* Melanoma, skin, by site
- amelanotic -*see* Melanoma, skin, by site
- balloon cell -*see* Melanoma, skin, by site
- benign -*see* Nevus
- desmoplastic, malignant -*see* Melanoma, skin, by site
- epithelioid cell -*see* Melanoma, skin, by site
- - with spindle cell, mixed -*see* Melanoma, skin, by site
- in
- - giant pigmented nevus -*see* Melanoma, skin, by site
- - Hutchinson's melanotic freckle -*see* Melanoma, skin, by site
- - junctional nevus -*see* Melanoma, skin, by site
- - precancerous melanosis -*see* Melanoma, skin, by site
- in situ D03.9
- - abdominal wall D03.59
- - ala nasi D03.39
- - ankle D03.7-
- - anus, anal (margin) (skin) D03.51
- - arm D03.6-
- - auditory canal D03.2-
- - auricle (ear) D03.2-
- - auricular canal (external) D03.2-
- - axilla, axillary fold D03.59
- - back D03.59
- - breast D03.52
- - brow D03.39
- - buttock D03.59
- - canthus (eye) D03.1-
- - cheek (external) D03.39
- - chest wall D03.59
- - chin D03.39
- - choroid D03.8
- - conjunctiva D03.8
- - ear (external) D03.2-
- - external meatus (ear) D03.2-
- - eye D03.8
- - eyebrow D03.39
- - eyelid (lower) (upper) D03.1-
- - face D03.30
- - - specified NEC D03.39
- - female genital organ (external) NEC D03.8
- - finger D03.6-
- - flank D03.59
- - foot D03.7-
- - forearm D03.6-
- - forehead D03.39
- - foreskin D03.8
- - gluteal region D03.59
- - groin D03.59
- - hand D03.6-
- - heel D03.7-
- - helix D03.2-
- - hip D03.7-
- - interscapular region D03.59
- - iris D03.8
- - jaw D03.39
- - knee D03.7-
- - labium (majus) (minus) D03.8
- - lacrimal gland D03.8
- - leg D03.7-
- - lip (lower) (upper) D03.0

- - lower limb NEC D03.7-
- - male genital organ (external) NEC D03.8
- - nail D03.9
- - - finger D03.6-
- - - toe D03.7-
- - neck D03.4
- - nose (external) D03.39
- - orbit D03.8
- - penis D03.8
- - perianal skin D03.51
- - perineum D03.51
- - pinna D03.2-
- - popliteal fossa or space D03.7-
- - prepuce D03.8
- - pudendum D03.8
- - retina D03.8
- - retrobulbar D03.8
- - scalp D03.4
- - scrotum D03.8
- - shoulder D03.6-
- - specified site NEC D03.8
- - submammary fold D03.52
- - temple D03.39
- - thigh D03.7-
- - toe D03.7-
- - trunk NEC D03.59
- - umbilicus D03.59
- - upper limb NEC D03.6-
- - vulva D03.8
- juvenile -*see* Nevus
- malignant, of soft parts except skin -*see* Neoplasm, connective tissue, malignant
- metastatic
- - breast C79.81
- - genital organ C79.82
- - specified site NEC C79.89
- neurotropic, malignant -*see* Melanoma, skin, by site
- nodular -*see* Melanoma, skin, by site
- regressing, malignant -*see* Melanoma, skin, by site
- skin C43.9
- - abdominal wall C43.59
- - ala nasi C43.31
- - ankle C43.7-
- - anus, anal (skin) C43.51
- - arm C43.6-
- - auditory canal (external) C43.2-
- - auricle (ear) C43.2-
- - auricular canal (external) C43.2-
- - axilla, axillary fold C43.59
- - back C43.59
- - breast (female) (male) C43.52
- - brow C43.39
- - buttock C43.59
- - canthus (eye) C43.1-
- - cheek (external) C43.39
- - chest wall C43.59
- - chin C43.39
- - ear (external) C43.2-
- - elbow C43.6-
- - external meatus (ear) C43.2-
- - eyebrow C43.39

- - eyelid (lower) (upper) C43.1-
- - face C43.30
- - - specified NEC C43.39
- - female genital organ (external) NEC C51.9
- - finger C43.6-
- - flank C43.59
- - foot C43.7-
- - forearm C43.6-
- - forehead C43.39
- - foreskin C60.0
- - glabella C43.39
- - gluteal region C43.59
- - groin C43.59
- - hand C43.6-
- - heel C43.7-
- - helix C43.2-
- - hip C43.7-
- - interscapular region C43.59
- - jaw (external) C43.39
- - knee C43.7-
- - labium C51.9
- - - majus C51.0
- - - minus C51.1
- - leg C43.7-
- - lip (lower) (upper) C43.0
- - lower limb NEC C43.7-
- - male genital organ (external) NEC C63.9
- - nail
- - - finger C43.6-
- - - toe C43.7-
- - nasolabial groove C43.39
- - nates C43.59
- - neck C43.4
- - nose (external) C43.31
- - overlapping site C43.8
- - palpebra C43.1-
- - penis C60.9
- - perianal skin C43.51
- - perineum C43.51
- - pinna C43.2-
- - popliteal fossa or space C43.7-
- - prepuce C60.0
- - pudendum C51.9
- - scalp C43.4
- - scrotum C63.2
- - shoulder C43.6-
- - skin NEC C43.9
- - submammary fold C43.52
- - temple C43.39
- - thigh C43.7-
- - toe C43.7-
- - trunk NEC C43.59
- - umbilicus C43.59
- - upper limb NEC C43.6-
- - vulva C51.9
- - - overlapping sites C51.8
- spindle cell
- - with epithelioid, mixed -*see* Melanoma, skin, by site
- - type A C69.4-
- - type B C69.4-

- superficial spreading -*see* Melanoma, skin, by site
Melanosarcoma -*see also* Melanoma
- epithelioid cell -*see* Melanoma
Melanosis L81.4
- addisonian E27.1
- - tuberculous A18.7
- adrenal E27.1
- colon K63.89
- conjunctiva -*see* Pigmentation, conjunctiva
- - congenital Q13.89
- cornea (presenile) (senile) -*see also* Pigmentation, cornea
- - congenital Q13.4
- eye NEC H57.89
- - congenital Q15.8
- lenticularis progressiva Q82.1
- liver K76.89
- precancerous -*see also* Melanoma, in situ
- - malignant melanoma in -*see* Melanoma
- Riehl's L81.4
- sclera H15.89
- - congenital Q13.89
- suprarenal E27.1
- tar L81.4
- toxic L81.4
Melanuria R82.998
MELAS syndrome E88.41
Melasma L81.1
- adrenal (gland) E27.1
- suprarenal (gland) E27.1
Melena K92.1
- with ulcer - code by site under Ulcer, with hemorrhage K27.4
- due to swallowed maternal blood P78.2
- newborn, neonatal P54.1
- - due to swallowed maternal blood P78.2
Meleney's
- gangrene (cutaneous) -*see* Ulcer, skin
- ulcer (chronic undermining) -*see* Ulcer, skin
Melioidosis A24.9
- acute A24.1
- chronic A24.2
- fulminating A24.1
- pneumonia A24.1
- pulmonary (chronic) A24.2
- - acute A24.1
- - subacute A24.2
- sepsis A24.1
- specified NEC A24.3
- subacute A24.2
Melitensis, febris A23.0
Melkersson (-Rosenthal) syndrome G51.2
Mellitus, diabetes -*see* Diabetes
Melorheostosis (bone) -*see* Disorder, bone, density and structure, specified NEC
Meloschisis Q18.4
Melotia Q17.4
Membrana
- capsularis lentis posterior Q13.89
- epipapillaris Q14.2
Membranacea placenta O43.19-
Membranaceous uterus N85.8
Membrane(s), membranous -*see also* condition

- cyclitic -*see* Membrane, pupillary
- folds, congenital -*see* Web
- Jackson's Q43.3
- over face of newborn P28.9
- premature rupture -*see* Rupture, membranes, premature
- pupillary H21.4-
- - persistent Q13.89
- retained (with hemorrhage) (complicating delivery) O72.2
- - without hemorrhage O73.1
- secondary cataract -*see* Cataract, secondary
- unruptured (causing asphyxia) -*see* Asphyxia, newborn
- vitreous -*see* Opacity, vitreous, membranes and strands

Membranitis -*see* Chorioamnionitis

Memory disturbance, lack or loss -*see also* Amnesia
- mild, following organic brain damage F06.8

Menadione deficiency E56.1

Menarche
- delayed E30.0
- precocious E30.1

Mendacity, pathologic F60.2

Mendelson's syndrome (due to anesthesia) J95.4
- in labor and delivery O74.0
- in pregnancy O29.01-
- obstetric O74.0
- postpartum, puerperal O89.01

Ménétrier's disease or syndrome K29.60
- with bleeding K29.61

Ménière's disease, syndrome or vertigo H81.0-

Meninges, meningeal -*see* condition

Meningioma -*see also* Neoplasm, meninges, benign
- angioblastic -*see* Neoplasm, meninges, benign
- angiomatous -*see* Neoplasm, meninges, benign
- atypical -*see* Neoplasm, meninges, uncertain behavior
- endotheliomatous -*see* Neoplasm, meninges, benign
- fibroblastic -*see* Neoplasm, meninges, benign
- fibrous -*see* Neoplasm, meninges, benign
- hemangioblastic -*see* Neoplasm, meninges, benign
- hemangiopericytic -*see* Neoplasm, meninges, benign
- malignant -*see* Neoplasm, meninges, malignant
- meningiothelial -*see* Neoplasm, meninges, benign
- meningotheliomatous -*see* Neoplasm, meninges, benign
- mixed -*see* Neoplasm, meninges, benign
- multiple -*see* Neoplasm, meninges, uncertain behavior
- papillary -*see* Neoplasm, meninges, uncertain behavior
- psammomatous -*see* Neoplasm, meninges, benign
- syncytial -*see* Neoplasm, meninges, benign
- transitional -*see* Neoplasm, meninges, benign

Meningiomatosis (diffuse) -*see* Neoplasm, meninges, uncertain behavior

Meningism -*see* Meningismus

Meningismus (infectional) (pneumococcal) R29.1
- due to serum or vaccine R29.1
- influenzal -*see* Influenza, with, manifestations NEC

Meningitis (basal) (basic) (brain) (cerebral) (cervical) (congestive) (diffuse) (hemorrhagic) (infantile) (membranous) (metastatic) (nonspecific) (pontine) (progressive) (simple) (spinal) (subacute) (sympathetic) (toxic) G03.9
- abacterial G03.0
- actinomycotic A42.81
- adenoviral A87.1
- arbovirus A87.8
- aseptic (acute) G03.0

- bacterial G00.9
- - Escherichia coli (E. coli) G00.8
- - Friedländer (bacillus) G00.8
- - gram-negative G00.9
- - H. influenzae G00.0
- - Klebsiella G00.8
- - pneumococcal G00.1
- - specified organism NEC G00.8
- - staphylococcal G00.3
- - streptococcal (acute) G00.2
- benign recurrent (Mollaret) G03.2
- candidal B37.5
- caseous (tuberculous) A17.0
- cerebrospinal A39.0
- chronic NEC G03.1
- clear cerebrospinal fluid NEC G03.0
- coxsackievirus A87.0
- cryptococcal B45.1
- diplococcal (gram positive) A39.0
- echovirus A87.0
- enteroviral A87.0
- eosinophilic B83.2
- epidemic NEC A39.0
- Escherichia coli (E. coli) G00.8
- fibrinopurulent G00.9
- - specified organism NEC G00.8
- Friedländer (bacillus) G00.8
- gonococcal A54.81
- gram-negative cocci G00.9
- gram-positive cocci G00.9
- Haemophilus (influenzae) G00.0
- H. influenzae G00.0
- in (due to)
- - adenovirus A87.1
- - African trypanosomiasis B56.9 *[G02]*
- - anthrax A22.8
- - bacterial disease NEC A48.8 *[G01]*
- - Chagas' disease (chronic) B57.41
- - chickenpox B01.0
- - coccidioidomycosis B38.4
- - Diplococcus pneumoniae G00.1
- - enterovirus A87.0
- - herpes (simplex) virus B00.3
- - - zoster B02.1
- - infectious mononucleosis B27.92
- - leptospirosis A27.81
- - Listeria monocytogenes A32.11
- - Lyme disease A69.21
- - measles B05.1
- - mumps (virus) B26.1
- - neurosyphilis (late) A52.13
- - parasitic disease NEC B89 *[G02]*
- - poliovirus A80.9 *[G02]*
- - preventive immunization, inoculation or vaccination G03.8
- - rubella B06.02
- - Salmonella infection A02.21
- - specified cause NEC G03.8
- - Streptococcal pneumoniae G00.1
- - typhoid fever A01.01
- - varicella B01.0

- - viral disease NEC A87.8
- - whooping cough A37.90
- - zoster B02.1
- infectious G00.9
- influenzal (H. influenzae) G00.0
- Klebsiella G00.8
- leptospiral (aseptic) A27.81
- lymphocytic (acute) (benign) (serous) A87.2
- meningococcal A39.0
- Mima polymorpha G00.8
- Mollaret (benign recurrent) G03.2
- monilial B37.5
- mycotic NEC B49 *[G02]*
- Neisseria A39.0
- nonbacterial G03.0
- nonpyogenic NEC G03.0
- ossificans G96.198
- pneumococcal streptococcus pneumoniae G00.1
- poliovirus A80.9 *[G02]*
- postmeasles B05.1
- purulent G00.9
- - specified organism NEC G00.8
- pyogenic G00.9
- - specified organism NEC G00.8
- Salmonella (arizonae) (Cholerae-Suis) (enteritidis) (typhimurium) A02.21
- septic G00.9
- - specified organism NEC G00.8
- serosa circumscripta NEC G03.0
- serous NEC G93.2
- specified organism NEC G00.8
- sporotrichosis B42.81
- staphylococcal G00.3
- sterile G03.0
- Streptococcal (acute) G00.2
- - pneumoniae G00.1
- suppurative G00.9
- - specified organism NEC G00.8
- syphilitic (late) (tertiary) A52.13
- - acute A51.41
- - congenital A50.41
- - secondary A51.41
- Torula histolytica (cryptococcal) B45.1
- traumatic (complication of injury) T79.8
- tuberculous A17.0
- typhoid A01.01
- viral NEC A87.9
- Yersinia pestis A20.3

Meningocele (spinal) *-see also* Spina bifida
- with hydrocephalus *-see* Spina bifida, by site, with hydrocephalus
- acquired (traumatic) G96.198
- cerebral *-see* Encephalocele

Meningocerebritis *-see* Meningoencephalitis

Meningococcemia A39.4
- acute A39.2
- chronic A39.3

Meningococcus, meningococcal *-see also* condition A39.9
- adrenalitis, hemorrhagic A39.1
- carrier (suspected) of Z22.31
- meningitis (cerebrospinal) A39.0

Meningoencephalitis *-see also* Encephalitis G04.90

- acute NEC -*see also* Encephalitis, viral A86
- bacterial NEC G04.2
- California A83.5
- diphasic A84.1
- eosinophilic B83.2
- epidemic A39.81
- herpesviral, herpetic B00.4
- - due to herpesvirus 6 B10.01
- - due to herpesvirus 7 B10.09
- - specified NEC B10.09
- in (due to)
- - blastomycosis NEC B40.81
- - diseases classified elsewhere G05.3
- - free-living amebae B60.2
- - Hemophilus influenzae (H .influenzae) G00.0
- - herpes B00.4
- - - due to herpesvirus 6 B10.01
- - - due to herpesvirus 7 B10.09
- - - specified NEC B10.09
- - H. influenzae G00.0
- - Lyme disease A69.22
- - mercury -see subcategory T56.1
- - mumps B26.2
- - Naegleria (amebae) (organisms) (fowleri) B60.2
- - Parastrongylus cantonensis B83.2
- - toxoplasmosis (acquired) B58.2
- - - congenital P37.1
- infectious (acute) (viral) A86
- influenzal (H. influenzae) G00.0
- Listeria monocytogenes A32.12
- lymphocytic (serous) A87.2
- mumps B26.2
- parasitic NEC B89 *[G05.3]*
- pneumococcal G04.2
- primary amebic B60.2
- specific (syphilitic) A52.14
- specified organism NEC G04.81
- staphylococcal G04.2
- streptococcal G04.2
- syphilitic A52.14
- toxic NEC G92.8
- - due to mercury -see subcategory T56.1
- tuberculous A17.82
- virus NEC A86

Meningoencephalocele -*see also* Encephalocele
- syphilitic A52.19
- - congenital A50.49

Meningoencephalomyelitis -*see also* Meningoencephalitis
- acute NEC (viral) A86
- - disseminated G04.00
- - - postimmunization or postvaccination G04.02
- - - postinfectious G04.01
- due to
- - actinomycosis A42.82
- - Torula B45.1
- - Toxoplasma or toxoplasmosis (acquired) B58.2
- - - congenital P37.1
- postimmunization or postvaccination G04.02

Meningoencephalomyelopathy G96.9

Meningoencephalopathy G96.9

Meningomyelitis *-see also* Meningoencephalitis
- bacterial NEC G04.2
- blastomycotic NEC B40.81
- cryptococcal B45.1
- in diseases classified elsewhere G05.4
- meningococcal A39.81
- syphilitic A52.14
- tuberculous A17.82

Meningomyelocele *-see also* Spina bifida
- syphilitic A52.19

Meningomyeloneuritis *-see* Meningoencephalitis
Meningoradiculitis *-see* Meningitis
Meningovascular *-see* condition
Menkes' disease or syndrome E83.09
- meaning maple-syrup-urine disease E71.0

Menometrorrhagia N92.1
Menopause, menopausal (asymptomatic) (state) Z78.0
- arthritis (any site) NEC *-see* Arthritis, specified form NEC
- bleeding N92.4
- depression (single episode) F32.89
- - agitated (single episode) F32.2
- - - recurrent episode F33.9
- - psychotic (single episode) F32.89
- - - recurrent episode F33.9
- - recurrent episode F33.8
- melancholia (single episode) F32.89
- - recurrent episode F33.8
- paranoid state F22
- postirradiation (postprocedural)
- - asymptomatic E89.40
- - symptomatic E89.41
- premature E28.319
- - asymptomatic E28.319
- - - postirradiation E89.40
- - - postsurgical E89.40
- - symptomatic E28.310
- - - postirradiation E89.41
- - - postsurgical E89.41
- psychosis NEC F28
- symptomatic N95.1
- toxic polyarthritis NEC *-see* Arthritis, specified form NEC

Menorrhagia (primary) N92.0
- climacteric N92.4
- - menopausal N92.4
- menopausal N92.4
- perimenopausal N92.4
- postclimacteric N95.0
- postmenopausal N95.0
- preclimacteric or premenopausal N92.4
- pubertal (menses retained) N92.2

Menostaxis N92.0
Menses, retention N94.89
Menstrual *-see* Menstruation
Menstruation
- absent *-see* Amenorrhea
- anovulatory N97.0
- cycle, irregular N92.6
- delayed N91.0
- disorder N93.9
- - psychogenic F45.8

- during pregnancy O20.8
- excessive (with regular cycle) N92.0
- - with irregular cycle N92.1
- - at puberty N92.2
- frequent N92.0
- infrequent -*see* Oligomenorrhea
- irregular N92.6
- - specified NEC N92.5
- latent N92.5
- membranous N92.5
- painful -*see also* Dysmenorrhea N94.6
- - primary N94.4
- - psychogenic F45.8
- - secondary N94.5
- passage of clots N92.0
- precocious E30.1
- protracted N92.5
- rare -*see* Oligomenorrhea
- retained N94.89
- retrograde N92.5
- scanty -*see* Oligomenorrhea
- suppression N94.89
- vicarious (nasal) N94.89

Mental -*see also* condition
- deficiency -*see* Disability, intellectual
- deterioration -*see* Psychosis
- disorder -*see* Disorder, mental
- exhaustion F48.8
- insufficiency (congenital) -*see* Disability, intellectual
- observation without need for further medical care Z03.89
- retardation -*see* Disability, intellectual
- subnormality -*see* Disability, intellectuall
- upset -*see* Disorder, mental

Meralgia paresthetica G57.1-

Mercurial -*see* condition

Mercurialism -see subcategory T56.1

MERRF syndrome (myoclonic epilepsy associated with ragged-red fiber) E88.42

Merkel cell tumor -*see* Carcinoma, Merkel cell

Merocele -*see* Hernia, femoral

Meromelia
- lower limb -*see* Defect, reduction, lower limb
- - intercalary
- - - femur -*see* Defect, reduction, lower limb, specified type NEC
- - - - tibiofibular (complete) (incomplete) -*see* Defect, reduction, lower limb
- upper limb -*see* Defect, reduction, upper limb
- - intercalary, humeral, radioulnar -*see* Agenesis, arm, with hand present

Merzbacher-Pelizaeus disease E75.27

Mesaortitis -*see* Aortitis

Mesarteritis -*see* Arteritis

Mesencephalitis -*see* Encephalitis

Mesenchymoma -*see also* Neoplasm, connective tissue, uncertain behavior
- benign -*see* Neoplasm, connective tissue, benign
- malignant -*see* Neoplasm, connective tissue, malignant

Mesenteritis
- retractile K65.4
- sclerosing K65.4

Mesentery, mesenteric -*see* condition

Mesiodens, mesiodentes K00.1

Mesio-occlusion M26.213

Mesocolon -*see* condition

Mesonephroma (malignant) -*see* Neoplasm, malignant, by site
- benign -*see* Neoplasm, benign, by site
Mesophlebitis -*see* Phlebitis
Mesostromal dysgenesia Q13.89
Mesothelioma (malignant) C45.9
- benign
- - mesentery D19.1
- - mesocolon D19.1
- - omentum D19.1
- - peritoneum D19.1
- - pleura D19.0
- - specified site NEC D19.7
- - unspecified site D19.9
- biphasic C45.9
- - benign
- - - mesentery D19.1
- - - mesocolon D19.1
- - - omentum D19.1
- - - peritoneum D19.1
- - - pleura D19.0
- - - specified site NEC D19.7
- - - unspecified site D19.9
- cystic D48.4
- epithelioid C45.9
- - benign
- - - mesentery D19.1
- - - mesocolon D19.1
- - - omentum D19.1
- - - peritoneum D19.1
- - - pleura D19.0
- - - specified site NEC D19.7
- - - unspecified site D19.9
- fibrous C45.9
- - benign
- - - mesentery D19.1
- - - mesocolon D19.1
- - - omentum D19.1
- - - peritoneum D19.1
- - - pleura D19.0
- - - specified site NEC D19.7
- - - unspecified site D19.9
- site classification
- - liver C45.7
- - lung C45.7
- - mediastinum C45.7
- - mesentery C45.1
- - mesocolon C45.1
- - omentum C45.1
- - pericardium C45.2
- - peritoneum C45.1
- - pleura C45.0
- - - parietal C45.0
- - retroperitoneum C45.7
- - specified site NEC C45.7
- - unspecified C45.9
Metabolic syndrome E88.810
Metagonimiasis B66.8
Metagonimus infestation (intestine) B66.8
Metal
- pigmentation L81.8

- polisher's disease J62.8
Metamorphopsia H53.15
Metaplasia
- apocrine (breast) -*see* Dysplasia, mammary, specified type NEC
- cervix (squamous) -*see* Dysplasia, cervix
- endometrium (squamous) (uterus) N85.8
- esophagus K22.7-
- gastric intestinal K31.A0
- - with dysplasia K31.A29
- - - high grade K31.A22
- - - low grade K31.A21
- - indefinite for dysplasia K31.A0
- - without dysplasia K31.A19
- - - involving
- - - - antrum K31.A11
- - - - body (corpus) K31.A12
- - - - cardia K31.A14
- - - - fundus K31.A13
- - - - multiple sites K31.A15
- kidney (pelvis) (squamous) N28.89
- myelogenous D73.1
- myeloid (agnogenic) (megakaryocytic) D73.1
- spleen D73.1
- squamous cell, bladder N32.89
Metastasis, metastatic
- abscess -*see* Abscess
- calcification E83.59
- cancer
- - from specified site -*see* Neoplasm, malignant, by site
- - to specified site -*see* Neoplasm, secondary, by site
- deposits (in) -*see* Neoplasm, secondary, by site
- disease -*see also* Neoplasm, secondary, by site C79.9
- spread (to) -*see* Neoplasm, secondary, by site
Metastrongyliasis B83.8
Metatarsalgia M77.4-
- anterior G57.6-
- Morton's G57.6-
Metatarsus, metatarsal -*see also* condition
- adductus, congenital Q66.22-
- valgus (abductus), congenital Q66.6
- varus (congenital) Q66.22-
- - primus Q66.21-
Methadone use -*see* Use, opioid
Methemoglobinemia D74.9
- acquired (with sulfhemoglobinemia) D74.8
- congenital D74.0
- enzymatic (congenital) D74.0
- Hb M disease D74.0
- hereditary D74.0
- toxic D74.8
Methemoglobinuria -*see* Hemoglobinuria
Methioninemia E72.19
Methylmalonic acidemia E71.120
Metritis (catarrhal) (hemorrhagic) (septic) (suppurative) -*see also* Endometritis
- cervical -*see* Cervicitis
Metropathia hemorrhagica N93.8
Metroperitonitis -*see* Peritonitis, pelvic, female
Metrorrhagia N92.1
- climacteric N92.4
- menopausal N92.4

- perimenopausal N92.4
- postpartum NEC (atonic) (following delivery of placenta) O72.1
- - delayed or secondary O72.2
- preclimacteric or premenopausal N92.4
- psychogenic F45.8
Metrorrhexis -*see* Rupture, uterus
Metrosalpingitis N70.91
Metrostaxis N93.8
Metrovaginitis -*see* Endometritis
Meyer-Schwickerath and Weyers syndrome Q87.0
Meynert's amentia (nonalcoholic) F04
- alcoholic F10.96
- - with dependence F10.26
Mibelli's disease (porokeratosis) Q82.8
Mice, joint -*see* Loose, body, joint
- knee M23.4-
Micrencephalon, micrencephaly Q02
Microalbuminuria R80.9
Microaneurysm, retinal -*see also* Disorder, retina, microaneurysms
- diabetic -*see* E08-E13 with .31
Microangiopathy (peripheral) I73.9
- thrombotic M31.10
- - hematopoietic stem cell transplantation-associated [HSCT-TMA] M31.11
Microcalcifications, breast R92.0
Microcephalus, microcephalic, microcephaly Q02
- due to toxoplasmosis (congenital) P37.1
Microcheilia Q18.7
Microcolon (congenital) Q43.8
Microcornea (congenital) Q13.4
Microcytic -*see* condition
Microdeletions NEC Q93.88
Microdontia K00.2
Microdrepanocytosis D57.40
- with
- - acute chest syndrome D57.411
- - cerebral vascular involvement D57.413
- - crisis (painful) D57.419
- - - with specified complication NEC D57.418
- - pain (vaso-occlusive) D57.419
- - splenic sequestration D57.412
Microembolism
- atherothrombotic -*see* Atheroembolism
- retinal -*see* Occlusion, artery, retina
Microencephalon Q02
Microfilaria streptocerca infestation -*see* Onchocerciasis
Microgastria (congenital) Q40.2
Microgenia M26.06
Microgenitalia, congenital
- female Q52.8
- male Q55.8
Microglioma -*see* Lymphoma, non-Hodgkin, specified NEC
Microglossia (congenital) Q38.3
Micrognathia, micrognathism (congenital) (mandibular) (maxillary) M26.09
Microgyria (congenital) Q04.3
Microinfarct of heart -*see* Insufficiency, coronary
Microlentia (congenital) Q12.8
Microlithiasis, alveolar, pulmonary J84.02
Micromastia N64.82
Micromyelia (congenital) Q06.8
Micropenis Q55.62

Microphakia (congenital) Q12.8
Microphthalmos, microphthalmia (congenital) Q11.2
- due to toxoplasmosis P37.1
Micropsia H53.15
Microscopic polyangiitis (polyarteritis) M31.7
Microsporidiosis B60.8
- intestinal A07.8
Microsporon furfur infestation B36.0
Microsporosis -*see also* Dermatophytosis
- nigra B36.1
Microstomia (congenital) Q18.5
Microtia (congenital) (external ear) Q17.2
Microtropia H50.40
Microvillus inclusion disease (MVD) (MVID) Q43.8
Micturition
- disorder NEC -*see also* Difficulty, micturition R39.198
- - psychogenic F45.8
- frequency R35.0
- - psychogenic F45.8
- hesitancy R39.11
- incomplete emptying R39.14
- nocturnal R35.1
- painful R30.9
- - dysuria R30.0
- - psychogenic F45.8
- - tenesmus R30.1
- poor stream R39.12
- position dependent R39.192
- split stream R39.13
- straining R39.16
- urgency R39.15
Mid plane -*see* condition
Middle
- ear -*see* condition
- lobe (right) syndrome J98.19
Miescher's elastoma L87.2
Mietens' syndrome Q87.2
Migraine (idiopathic) G43.909
- with refractory migraine G43.919
- - with status migrainosus G43.911
- - without status migrainosus G43.919
- with aura (acute-onset) (prolonged) (typical) (without headache) G43.109
- - with refractory migraine G43.119
- - - with status migrainosus G43.111
- - - without status migrainosus G43.119
- - chronic G43.E09
- - - with refractory migraine G43.E19
- - - - with status migrainosus G43.E11
- - - - without status migrainosus G43.E19
- - - intractable
- - - - with status migrainosus G43.E11
- - - - without status migrainosus G43.E19
- - - not intractable
- - - - with status migrainosus G43.E01
- - - - without status migrainosus G43.E09
- - - without refractory migraine G43.E09
- - - - with status migrainosus G43.E01
- - - - without status migrainosus G43.E09
- - intractable G43.119
- - - with status migrainosus G43.111

- - - without status migrainosus G43.119
- - not intractable G43.109
- - - with status migrainosus G43.101
- - - without status migrainosus G43.109
- - persistent G43.509
- - - with cerebral infarction G43.609
- - - - with refractory migraine G43.619
- - - - - with status migrainosus G43.611
- - - - - without status migrainosus G43.619
- - - - intractable G43.619
- - - - - with status migrainosus G43.611
- - - - - without status migrainosus G43.619
- - - - not intractable G43.609
- - - - - with status migrainosus G43.601
- - - - - without status migrainosus G43.609
- - - - without refractory migraine G43.609
- - - - - with status migrainosus G43.601
- - - - - without status migrainosus G43.609
- - - without cerebral infarction G43.509
- - - - with refractory migraine G43.519
- - - - - with status migrainosus G43.511
- - - - - without status migrainosus G43.519
- - - - intractable G43.519
- - - - - with status migrainosus G43.511
- - - - - without status migrainosus G43.519
- - - - not intractable G43.509
- - - - - with status migrainosus G43.501
- - - - - without status migrainosus G43.509
- - - - without refractory migraine G43.509
- - - - - with status migrainosus G43.501
- - - - - without status migrainosus G43.509
- - without mention of refractory migraine G43.109
- - - with status migrainosus G43.101
- - - without status migrainosus G43.109
- abdominal G43.D0
- - with refractory migraine G43.D1
- - intractable G43.D1
- - not intractable G43.D0
- - without refractory migraine G43.D0
- basilar -*see* Migraine, with aura
- classical -*see* Migraine, with aura
- common -*see* Migraine, without aura
- complicated G43.109
- equivalents -*see* Migraine, with aura
- familiar -*see* Migraine, hemiplegic
- hemiplegic G43.409
- - with refractory migraine G43.419
- - - with status migrainosus G43.411
- - - without status migrainosus G43.419
- - intractable G43.419
- - - with status migrainosus G43.411
- - - without status migrainosus G43.419
- - not intractable G43.409
- - - with status migrainosus G43.401
- - - without status migrainosus G43.409
- - without refractory migraine G43.409
- - - with status migrainosus G43.401
- - - without status migrainosus G43.409
- intractable G43.919
- - with status migrainosus G43.911

- - without status migrainosus G43.919
- menstrual G43.829
- - with refractory migraine G43.839
- - - with status migrainosus G43.831
- - - without status migrainosus G43.839
- - intractable G43.839
- - - with status migrainosus G43.831
- - - without status migrainosus G43.839
- - not intractable G43.829
- - - with status migrainosus G43.821
- - - without status migrainosus G43.829
- - without refractory migraine G43.829
- - - with status migrainosus G43.821
- - - without status migrainosus G43.829
- menstrually related *-see* Migraine, menstrual
- not intractable G43.909
- - with status migrainosus G43.901
- - without status migrainosus G43.909
- ophthalmoplegic G43.B0
- - with refractory migraine G43.B1
- - intractable G43.B1
- - not intractable G43.B0
- - without refractory migraine G43.B0
- persistent aura (with, without) cerebral infarction *-see* Migraine, with aura, persistent
- preceded or accompanied by transient focal neurological phenomena *-see* Migraine, with aura
- pre-menstrual *-see* Migraine, menstrual
- pure menstrual *-see* Migraine, menstrual
- retinal *-see* Migraine, with aura
- specified NEC G43.809
- - intractable G43.819
- - - with status migrainosus G43.811
- - - without status migrainosus G43.819
- - not intractable G43.809
- - - with status migrainosus G43.801
- - - without status migrainosus G43.809
- sporadic *-see* Migraine, hemiplegic
- transformed *-see* Migraine, without aura, chronic
- triggered seizures *-see* Migraine, with aura
- without aura G43.009
- - with refractory migraine G43.019
- - - with status migrainosus G43.011
- - - without status migrainosus G43.019
- - chronic G43.709
- - - with refractory migraine G43.719
- - - - with status migrainosus G43.711
- - - - without status migrainosus G43.719
- - - intractable
- - - - with status migrainosus G43.711
- - - - without status migrainosus G43.719
- - - not intractable
- - - - with status migrainosus G43.701
- - - - without status migrainosus G43.709
- - - without refractory migraine G43.709
- - - - with status migrainosus G43.701
- - - - without status migrainosus G43.709
- - intractable
- - - with status migrainosus G43.011
- - - without status migrainosus G43.019
- - not intractable
- - - with status migrainosus G43.001

- - - without status migrainosus G43.009
- - without mention of refractory migraine G43.009
- - - with status migrainosus G43.001
- - - without status migrainosus G43.009
- without refractory migraine G43.909
- - with status migrainosus G43.901
- - without status migrainosus G43.909
Migrant, social Z59.00
Migration, anxiety concerning Z60.3
Migratory, migrating -*see also* condition
- person Z59.00
- testis Q55.29
Mikity-Wilson disease or syndrome P27.0
Mikulicz' disease or syndrome K11.8
Miliaria L74.3
- alba L74.1
- apocrine L75.2
- crystallina L74.1
- profunda L74.2
- rubra L74.0
- tropicalis L74.2
Miliary -*see* condition
Milium L72.0
- colloid L57.8
Milk
- crust L21.0
- excessive secretion O92.6
- poisoning -*see* Poisoning, food, noxious
- retention O92.79
- sickness -*see* Poisoning, food, noxious
- spots I31.0
Milk-alkali disease or syndrome E83.52
Milk-leg (deep vessels) (nonpuerperal) -*see* Embolism, vein, lower extremity
- complicating pregnancy O22.3-
- puerperal, postpartum, childbirth O87.1
Milkman's disease or syndrome M83.8
Milky urine -*see* Chyluria
Millard-Gubler (-Foville) paralysis or syndrome G46.3
Millar's asthma J38.5
Miller Fisher syndrome G61.0
Mills' disease -*see* Hemiplegia
Millstone maker's pneumoconiosis J62.8
Milroy's disease (chronic hereditary edema) Q82.0
Minamata disease T56.1
Miners' asthma or lung J60
Minkowski-Chauffard syndrome -*see* Spherocytosis
Minor -*see* condition
Minor's disease (hematomyelia) G95.19
Minot's disease (hemorrhagic disease), newborn P53
Minot-von Willebrand-Jurgens disease or syndrome (angiohemophilia) -*see* Disease, von Willebrand
Minus (and plus) hand (intrinsic) -*see* Deformity, limb, specified type NEC, forearm
Miosis (pupil) H57.03
Mirizzi's syndrome (hepatic duct stenosis) K83.1
Mirror writing F81.0
MIS-A M35.81
MIS-C M35.81
Misadventure (of) (prophylactic) (therapeutic) -*see also* Complications T88.9
- administration of insulin (by accident) -see subcategory T38.3
- infusion -*see* Complications, infusion
- local applications (of fomentations, plasters, etc.) T88.9

- - burn or scald -*see* Burn
- - specified NEC T88.8
- medical care (early) (late) T88.9
- - adverse effect of drugs or chemicals -*see* Table of Drugs and Chemicals
- - burn or scald -*see* Burn
- - specified NEC T88.8
- specified NEC T88.8
- surgical procedure (early) (late) -*see* Complications, surgical procedure
- transfusion -*see* Complications, transfusion
- vaccination or other immunological procedure -*see* Complications, vaccination

Miscarriage O03.9
Misdirection, aqueous H40.83-
Misperception, sleep state F51.02
Misplaced, misplacement
- ear Q17.4
- kidney (acquired) N28.89
- - congenital Q63.2
- organ or site, congenital NEC -*see* Malposition, congenital

Missed
- abortion O02.1
- delivery O36.4

Missing -*see also* Absence
- string of intrauterine contraceptive device T83.32

Misuse of drugs F19.99
Mitchell's disease (erythromelalgia) I73.81
Mite(s) (infestation) B88.9
- diarrhea B88.0
- grain (itch) B88.0
- hair follicle (itch) B88.0
- in sputum B88.0

Mitral -*see* condition
Mittelschmerz N94.0
Mixed -*see* condition
MMN (multifocal motor neuropathy) G61.82
MNGIE (Mitochondrial Neurogastrointestinal Encephalopathy) syndrome E88.49
Mobile, mobility
- cecum Q43.3
- excessive -*see* Hypermobility
- gallbladder, congenital Q44.1
- kidney N28.89
- organ or site, congenital NEC -*see* Malposition, congenital

Mobitz heart block (atrioventricular) I44.1
Moebius, Möbius
- disease (ophthalmoplegic migraine) -*see* Migraine, ophthalmoplegic
- syndrome Q87.0
- - congenital oculofacial paralysis (with other anomalies) Q87.0
- - ophthalmoplegic migraine -*see* Migraine, ophthalmoplegic

Moeller's glossitis K14.0
MOGAD (myelin oligodendrocyte glycoprotein antibody disease) G37.81
Mohr's syndrome (Types I and II) Q87.0
Mola destruens D39.2
Molar pregnancy O02.0
Molarization of premolars K00.2
Molding, head (during birth) - omit code
Mole (pigmented) -*see also* Nevus
- blood O02.0
- Breus' O02.0
- cancerous -*see* Melanoma
- carneous O02.0
- destructive D39.2

- fleshy O02.0
- hydatid, hydatidiform (benign) (complicating pregnancy) (delivered) (undelivered) O01.9
- - classical O01.0
- - complete O01.0
- - incomplete O01.1
- - invasive D39.2
- - malignant D39.2
- - partial O01.1
- intrauterine O02.0
- invasive (hydatidiform) D39.2
- malignant
- - meaning
- - - malignant hydatidiform mole D39.2
- - - melanoma *-see* Melanoma
- nonhydatidiform O02.0
- nonpigmented *-see* Nevus
- pregnancy NEC O02.0
- skin *-see* Nevus
- tubal O00.10-
- - with intrauterine pregnancy O00.11-
- vesicular *-see* Mole, hydatidiform

Molimen, molimina (menstrual) N94.3
Molluscum contagiosum (epitheliale) B08.1
Mönckeberg's arteriosclerosis, disease, or sclerosis *-see* Arteriosclerosis, extremities
Mondini's malformation (cochlea) Q16.5
Mondor's disease I80.8
Monge's disease T70.29
Monilethrix (congenital) Q84.1
Moniliasis *-see also* Candidiasis B37.9
- neonatal P37.5

Monitoring (encounter for)
- therapeutic drug level Z51.81

Monkey malaria B53.1
Monkeypox B04
Monoarthritis M13.10
- ankle M13.17-
- elbow M13.12-
- foot joint M13.17-
- hand joint M13.14-
- hip M13.15-
- knee M13.16-
- shoulder M13.11-
- wrist M13.13-

Monoblastic *-see* condition
Monochromat (ism), monochromatopsia (acquired) (congenital) H53.51
Monocytic *-see* condition
Monocytopenia D72.818
Monocytosis (symptomatic) D72.821
Monomania *-see* Psychosis
Mononeuritis G58.9
- cranial nerve *-see* Disorder, nerve, cranial
- femoral nerve G57.2-
- lateral
- - cutaneous nerve of thigh G57.1-
- - popliteal nerve G57.3-
- lower limb G57.9-
- - specified nerve NEC G57.8-
- medial popliteal nerve G57.4-
- median nerve G56.1-
- multiplex G58.7

- plantar nerve G57.6-
- posterior tibial nerve G57.5-
- radial nerve G56.3-
- sciatic nerve G57.0-
- specified NEC G58.8
- tibial nerve G57.4-
- ulnar nerve G56.2-
- upper limb G56.9-
- - specified nerve NEC G56.8-
- vestibular -see subcategory H93.3

Mononeuropathy G58.9
- carpal tunnel syndrome -*see* Syndrome, carpal tunnel
- diabetic NEC -*see* E08-E13 with .41
- femoral nerve -*see* Lesion, nerve, femoral
- ilioinguinal nerve G57.8-
- in diseases classified elsewhere -see category G59
- intercostal G58.0
- lower limb G57.9-
- - causalgia -*see* Causalgia, lower limb
- - femoral nerve -*see* Lesion, nerve, femoral
- - meralgia paresthetica G57.1-
- - plantar nerve -*see* Lesion, nerve, plantar
- - popliteal nerve -*see* Lesion, nerve, popliteal
- - sciatic nerve -*see* Lesion, nerve, sciatic
- - specified NEC G57.8-
- - tarsal tunnel syndrome -*see* Syndrome, tarsal tunnel
- median nerve -*see* Lesion, nerve, median
- multiplex G58.7
- obturator nerve G57.8-
- popliteal nerve -*see* Lesion, nerve, popliteal
- radial nerve -*see* Lesion, nerve, radial
- saphenous nerve G57.8-
- specified NEC G58.8
- tarsal tunnel syndrome -*see* Syndrome, tarsal tunnel
- tuberculous A17.83
- ulnar nerve -*see* Lesion, nerve, ulnar
- upper limb G56.9-
- - carpal tunnel syndrome -*see* Syndrome, carpal tunnel
- - causalgia -*see* Causalgia
- - median nerve -*see* Lesion, nerve, median
- - radial nerve -*see* Lesion, nerve, radial
- - specified site NEC G56.8-
- - ulnar nerve -*see* Lesion, nerve, ulnar

Mononucleosis, infectious B27.90
- with
- - complication NEC B27.99
- - meningitis B27.92
- - polyneuropathy B27.91
- cytomegaloviral B27.10
- - with
- - - complication NEC B27.19
- - - meningitis B27.12
- - - polyneuropathy B27.11
- Epstein-Barr (virus) B27.00
- - with
- - - complication NEC B27.09
- - - meningitis B27.02
- - - polyneuropathy B27.01
- gammaherpesviral B27.00
- - with

- - - complication NEC B27.09
- - - meningitis B27.02
- - - polyneuropathy B27.01
- specified NEC B27.80
- - with
- - - complication NEC B27.89
- - - meningitis B27.82
- - - polyneuropathy B27.81
Monoparesis -*see* Monoplegia
Monoplegia G83.3-
- congenital (cerebral) G80.8
- - spastic G80.1
- embolic (current episode) I63.4-
- following
- - cerebrovascular disease
- - - cerebral infarction
- - - - lower limb I69.34-
- - - - upper limb I69.33-
- - - intracerebral hemorrhage
- - - - lower limb I69.14-
- - - - upper limb I69.13-
- - - lower limb I69.94-
- - - nontraumatic intracranial hemorrhage NEC
- - - - lower limb I69.24-
- - - - upper limb I69.23-
- - - specified disease NEC
- - - - lower limb I69.84-
- - - - upper limb I69.83-
- - - stroke NOS
- - - - lower limb I69.34-
- - - - upper limb I69.33-
- - - subarachnoid hemorrhage
- - - - lower limb I69.04-
- - - - upper limb I69.03-
- - - upper limb I69.93-
- hysterical (transient) F44.4
- lower limb G83.1-
- psychogenic (conversion reaction) F44.4
- thrombotic (current episode) I63.3-
- transient R29.818
- upper limb G83.2-
Monorchism, monorchidism Q55.0
Monosomy -*see also* Deletion, chromosome Q93.9
- specified NEC Q93.89
- whole chromosome
- - meiotic nondisjunction Q93.0
- - mitotic nondisjunction Q93.1
- - mosaicism Q93.1
- X Q96.9
Monster, monstrosity (single) Q89.7
- acephalic Q00.0
- twin Q89.4
Monteggia's fracture (-dislocation) S52.27-
Mooren's ulcer (cornea) -*see* Ulcer, cornea, Mooren's
Moore's syndrome -*see* Epilepsy, specified NEC
Mooser-Neill reaction A75.2
Mooser's bodies A75.2
Morbidity not stated or unknown R69
Morbilli -*see* Measles
Morbus -*see also* Disease

- angelicus, anglorum E55.0
- Beigel B36.2
- caducus -*see* Epilepsy
- celiacus K90.0
- comitialis -*see* Epilepsy
- cordis -*see also* Disease, heart I51.9
- - valvulorum -*see* Endocarditis
- coxae senilis M16.9
- - tuberculous A18.02
- hemorrhagicus neonatorum P53
- maculosus neonatorum P54.5

Morel (-Stewart)(-Morgagni) syndrome M85.2
Morel-Kraepelin disease -*see* Schizophrenia
Morel-Moore syndrome M85.2
Morgagni's
- cyst, organ, hydatid, or appendage
- - female Q50.5
- - male (epididymal) Q55.4
- - - testicular Q55.29
- syndrome M85.2

Morgagni-Stokes-Adams syndrome I45.9
Morgagni-Stewart-Morel syndrome M85.2
Morgagni-Turner (-Albright) syndrome Q96.9
Moria F07.0
Moron (I.Q.50-69) F70
Morphea L94.0
Morphinism (without remission) F11.20
- with remission F11.21

Morphinomania (without remission) F11.20
- with remission F11.21

Morquio (-Ullrich)(-Brailsford) disease or syndrome -*see* Mucopolysaccharidosis
Mortification (dry) (moist) -*see* Gangrene
Morton's metatarsalgia (neuralgia)(neuroma) (syndrome) G57.6-
Morvan's disease or syndrome G60.8
Mosaicism, mosaic (autosomal) (chromosomal)
- 45,X/other cell lines NEC with abnormal sex chromosome Q96.4
- 45,X/46,XX Q96.3
- sex chromosome
- - female Q97.8
- - lines with various numbers of X chromosomes Q97.2
- - male Q98.7
- XY Q96.3

Moschowitz' disease M31.19
Mother yaw A66.0
Motion sickness (from travel, any vehicle) (from roundabouts or swings) T75.3
Mottled, mottling, teeth (enamel) (endemic) (nonendemic) K00.3
Mounier-Kuhn syndrome Q32.4
- with bronchiectasis J47.9
- - exacerbation (acute) J47.1
- - lower respiratory infection J47.0
- acquired J98.09
- - with bronchiectasis J47.9
- - - with
- - - - exacerbation (acute) J47.1
- - - - lower respiratory infection J47.0

Mountain
- sickness T70.29
- - with polycythemia , acquired (acute) D75.1
- tick fever A93.2

Mouse, joint -*see* Loose, body, joint

- knee M23.4-
Mouth -*see* condition
Movable
- coccyx -see subcategory M53.2
- kidney N28.89
- - congenital Q63.8
- spleen D73.89
Movements, dystonic R25.8
Moyamoya disease I67.5
Mpox B04
MRSA (Methicillin resistant Staphylococcus aureus)
- infection A49.02
- - as the cause of diseases classified elsewhere B95.62
- sepsis A41.02
MSD (multiple sulfatase deficiency) E75.26
MSSA (Methicillin susceptible Staphylococcus aureus)
- infection A49.01
- - as the cause of diseases classified elsewhere B95.61
- sepsis A41.01
Mucha-Habermann disease L41.0
Mucinosis (cutaneous) (focal) (papular) (reticular erythematous) (skin) L98.5
- oral K13.79
Mucocele
- appendix K38.8
- buccal cavity K13.79
- gallbladder K82.1
- lacrimal sac, chronic H04.43-
- nasal sinus J34.1
- nose J34.1
- salivary gland (any) K11.6
- sinus (accessory) (nasal) J34.1
- turbinate (bone) (middle) (nasal) J34.1
- uterus N85.8
Mucolipidosis
- I E77.1
- II, III E77.0
- IV E75.11
Mucopolysaccharidosis E76.3
- beta-gluduronidase deficiency E76.29
- cardiopathy E76.3 *[I52]*
- Hunter's syndrome E76.1
- Hurler's syndrome E76.01
- Hurler-Scheie syndrome E76.02
- Maroteaux-Lamy syndrome E76.29
- Morquio syndrome E76.219
- - A E76.210
- - B E76.211
- - classic E76.210
- Sanfilippo syndrome E76.22
- Scheie's syndrome E76.03
- specified NEC E76.29
- type
- - I
- - - Hurler's syndrome E76.01
- - - Hurler-Scheie syndrome E76.02
- - - Scheie's syndrome E76.03
- - II E76.1
- - III E76.22
- - IV E76.219
- - IVA E76.210

- - IVB E76.211
- - VI E76.29
- - VII E76.29
Mucormycosis B46.5
- cutaneous B46.3
- disseminated B46.4
- gastrointestinal B46.2
- generalized B46.4
- pulmonary B46.0
- rhinocerebral B46.1
- skin B46.3
- subcutaneous B46.3
Mucositis (ulcerative) K12.30
- due to drugs NEC K12.32
- gastrointestinal K92.81
- mouth (oral) (oropharyngeal) K12.30
- - due to antineoplastic therapy K12.31
- - due to drugs NEC K12.32
- - due to radiation K12.33
- - specified NEC K12.39
- - viral K12.39
- nasal J34.81
- oral cavity -*see* Mucositis, mouth
- oral soft tissues -*see* Mucositis, mouth
- vagina and vulva N76.81
Mucositis necroticans agranulocytica -*see* Agranulocytosis
Mucous -*see also* condition
- patches (syphilitic) A51.39
- - congenital A50.07
Mucoviscidosis E84.9
- with meconium obstruction E84.11
Mucus
- asphyxia or suffocation -*see* Asphyxia, mucus
- in stool R19.5
- plug -*see* Asphyxia, mucus
Muguet B37.0
Mulberry molars (congenital syphilis) A50.52
Müllerian mixed tumor
- specified site -*see* Neoplasm, malignant, by site
- unspecified site C54.9
Multicystic kidney (development) Q61.4
Multiparity (grand) Z64.1
- affecting management of pregnancy, labor and delivery (supervision only) O09.4-
- requiring contraceptive management -*see* Contraception
Multipartita placenta O43.19-
Multiple, multiplex -*see also* condition
- digits (congenital) Q69.9
- endocrine neoplasia -*see* Neoplasia, endocrine, multiple (MEN)
- personality F44.81
Multisystem inflammatory syndrome (in adult) (in children) M35.81
Mumps B26.9
- arthritis B26.85
- complication NEC B26.89
- encephalitis B26.2
- hepatitis B26.81
- meningitis (aseptic) B26.1
- meningoencephalitis B26.2
- myocarditis B26.82
- oophoritis B26.89
- orchitis B26.0

- pancreatitis B26.3
- polyneuropathy B26.84
Mumu -*see also* Infestation, filarial B74.9 *[N51]*
Münchhausen's syndrome -*see* Disorder, factitious
Münchmeyer's syndrome -*see* Myositis, ossificans, progressiva
Mural -*see* condition
Murmur (cardiac) (heart) (organic) R01.1
- abdominal R19.15
- aortic (valve) -*see* Endocarditis, aortic
- benign R01.0
- diastolic -*see* Endocarditis
- Flint I35.1
- functional R01.0
- Graham Steell I37.1
- innocent R01.0
- mitral (valve) -*see* Insufficiency, mitral
- nonorganic R01.0
- presystolic, mitral -*see* Insufficiency, mitral
- pulmonic (valve) I37.8
- systolic R01.1
- tricuspid (valve) I07.9
- valvular -*see* Endocarditis
Murri's disease (intermittent hemoglobinuria) D59.6
Muscle, muscular -*see also* condition
- carnitine (palmityltransferase) deficiency E71.314
Musculoneuralgia -*see* Neuralgia
Mushroom-workers' (pickers') disease or lung J67.5
Mushrooming hip -*see* Derangement, joint, specified NEC, hip
Mutation(s)
- factor V Leiden D68.51
- surfactant, of lung J84.83
- prothrombin gene D68.52
Mutism -*see also* Aphasia
- deaf (acquired) (congenital) NEC H91.3
- elective (adjustment reaction) (childhood) F94.0
- hysterical F44.4
- selective (childhood) F94.0
MVD (microvillus inclusion disease) Q43.8
MVID (microvillus inclusion disease) Q43.8
Myalgia M79.10
- auxiliary muscles, head and neck M79.12
- epidemic (cervical) B33.0
- mastication muscle M79.11
- site specified NEC M79.18
- traumatic NEC T14.8
Myasthenia G70.9
- congenital G70.2
- cordis -*see* Failure, heart
- developmental G70.2
- gravis G70.00
- - with exacerbation (acute) G70.01
- - in crisis G70.01
- - neonatal, transient P94.0
- - pseudoparalytica G70.00
- - - with exacerbation (acute) G70.01
- - - in crisis G70.01
- stomach, psychogenic F45.8
- syndrome
- - in
- - - diabetes mellitus -*see* E08-E13 with .44

- - - neoplastic disease -*see also* Neoplasm D49.9 *[G73.3]*
- - - pernicious anemia D51.0 *[G73.3]*
- - - thyrotoxicosis E05.90 *[G73.3]*
- - - - with thyroid storm E05.91 *[G73.3]*
Myasthenic M62.81
Mycelium infection B49
Mycetismus -*see* Poisoning, food, noxious, mushroom
Mycetoma B47.9
- actinomycotic B47.1
- bone (mycotic) B47.9 *[M90.80]*
- eumycotic B47.0
- foot B47.9
- - actinomycotic B47.1
- - mycotic B47.0
- madurae NEC B47.9
- - mycotic B47.0
- maduromycotic B47.0
- mycotic B47.0
- nocardial B47.1
Mycobacteriosis -*see* Mycobacterium
Mycobacterium, mycobacterial (infection) A31.9
- anonymous A31.9
- atypical A31.9
- - cutaneous A31.1
- - pulmonary A31.0
- - - tuberculous -*see* Tuberculosis, pulmonary
- - specified site NEC A31.8
- avium (intracellulare complex) A31.0
- balnei A31.1
- Battey A31.0
- chelonei A31.8
- cutaneous A31.1
- extrapulmonary systemic A31.8
- fortuitum A31.8
- intracellulare (Battey bacillus) A31.0
- kansasii (yellow bacillus) A31.0
- kakaferifu A31.8
- kasongo A31.8
- leprae -*see also* Leprosy A30.9
- luciflavum A31.1
- marinum (M. balnei) A31.1
- nonspecific -*see* Mycobacterium, atypical
- pulmonary (atypical) A31.0
- - tuberculous -*see* Tuberculosis, pulmonary
- scrofulaceum A31.8
- simiae A31.8
- systemic, extrapulmonary A31.8
- szulgai A31.8
- terrae A31.8
- triviale A31.8
- tuberculosis (human, bovine) -*see* Tuberculosis
- ulcerans A31.1
- xenopi A31.8
Mycoplasma (M.) pneumoniae, as cause of disease classified elsewhere B96.0
Mycosis, mycotic B49
- cutaneous NEC B36.9
- ear B36.9
- - in
- - - aspergillosis B44.89
- - - candidiasis B37.84

- - - moniliasis B37.84
- fungoides (extranodal) (solid organ) C84.0-
- mouth B37.0
- nails B35.1
- opportunistic B48.8
- skin NEC B36.9
- specified NEC B48.8
- stomatitis B37.0
- vagina, vaginitis (candidal) (acute) B37.31
- - chronic (recurrent) B37.32
Mydriasis (pupil) H57.04
Myelatelia Q06.1
Myelinolysis, pontine, central G37.2
Myelitis (acute) (ascending) (childhood) (chronic) (descending) (diffuse) (disseminated) (idiopathic) (pressure) (progressive) (spinal cord) (subacute) -*see also* Encephalitis G04.91
- flaccid G04.82
- herpes simplex B00.82
- herpes zoster B02.24
- in diseases classified elsewhere G05.4
- necrotizing, subacute G37.4
- optic neuritis in G36.0
- postchickenpox B01.12
- postherpetic B02.24
- postimmunization G04.02
- postinfectious NEC G04.89
- postvaccinal G04.02
- specified NEC G04.89
- syphilitic (transverse) A52.14
- toxic G92.9
- transverse (in demyelinating diseases of central nervous system) G37.3
- tuberculous A17.82
- varicella B01.12
Myeloblastic -*see* condition
Myeloblastoma
- granular cell -*see also* Neoplasm, connective tissue
- - malignant -*see* Neoplasm, connective tissue, malignant
- - tongue D10.1
Myelocele -*see* Spina bifida
Myelocystocele -*see* Spina bifida
Myelocytic -*see* condition
Myelodysplasia D46.9
- specified NEC D46.Z
- spinal cord (congenital) Q06.1
Myelodysplastic syndrome -*see also* Syndrome, myelodysplastic D46.9
- with
- - 5q deletion D46.C
- - isolated del (5q) chromosomal abnormality D46.C
- - pancytopenia, acquired -*see* Syndrome, myelodysplastic, pancytopenia
- specified NEC D46.Z
Myeloencephalitis -*see* Encephalitis
Myelofibrosis D75.81
- with myeloid metaplasia D47.4
- acute C94.4-
- idiopathic (chronic) D47.4
- primary D47.1
- secondary D75.81
- - in myeloproliferative disease D47.4
Myelogenous -*see* condition
Myeloid -*see* condition
Myelokathexis D70.9

Myeloleukodystrophy E75.29
Myelolipoma -*see* Lipoma
Myeloma (multiple) C90.0-
- monostotic C90.3
- - plasma cell C90.0-
- plasma cell C90.0-
- solitary -*see also* Plasmacytoma, solitary C90.3-
Myelomalacia G95.89
Myelomatosis C90.0-
Myelomeningitis -*see* Meningoencephalitis
Myelomeningocele (spinal cord) -*see* Spina bifida
Myelo-osteo-musculodysplasia hereditaria Q79.8
Myelopathic
- anemia D64.89
- muscle atrophy -*see* Atrophy, muscle, spinal
- pain syndrome G89.0
Myelopathy (spinal cord) G95.9
- drug-induced G95.89
- in (due to)
- - degeneration or displacement, intervertebral disc NEC -*see* Disorder, disc, with, myelopathy
- - disease classified elsewhere G99.2
- - infection -*see* Encephalitis
- - intervertebral disc disorder -*see also* Disorder, disc, with, myelopathy
- - mercury -see subcategory T56.1
- - neoplastic disease -*see also* Neoplasm D49.9 *[G99.2]*
- - pernicious anemia D51.0 *[G99.2]*
- - spondylosis -*see* Spondylosis, with myelopathy NEC
- necrotic (subacute) (vascular) G95.19
- radiation-induced G95.89
- spondylogenic NEC -*see* Spondylosis, with myelopathy NEC
- toxic G95.89
- transverse, acute G37.3
- vascular G95.19
- vitamin B12 E53.8 *[G32.0]*
Myelophthisis D61.82
Myeloradiculitis G04.91
Myeloradiculodysplasia (spinal) Q06.1
Myelosarcoma C92.3-
Myelosclerosis D75.89
- with myeloid metaplasia D47.4
- disseminated, of nervous system G35
- megakaryocytic D47.4
- - with myeloid metaplasia D47.4
Myelosis
- acute C92.0-
- aleukemic C92.9-
- chronic D47.1
- erythremic (acute) C94.0-
- megakaryocytic C94.2-
- nonleukemic D72.828
- subacute C92.9-
Myiasis (cavernous) B87.9
- aural B87.4
- creeping B87.0
- cutaneous B87.0
- dermal B87.0
- ear (external) (middle) B87.4
- eye B87.2
- genitourinary B87.81
- intestinal B87.82

- laryngeal B87.3
- nasopharyngeal B87.3
- ocular B87.2
- orbit B87.2
- skin B87.0
- specified site NEC B87.89
- traumatic B87.1
- wound B87.1

Myoadenoma, prostate -*see* Hyperplasia, prostate

Myoblastoma
- granular cell -*see also* Neoplasm, connective tissue, benign
- - malignant -*see* Neoplasm, connective tissue, malignant
- tongue D10.1

Myocardial -*see* condition

Myocardiopathy (congestive) (constrictive) (familial) (hypertrophic nonobstructive) (idiopathic) (infiltrative) (obstructive) (primary) (restrictive) (sporadic) -*see also* Cardiomyopathy I42.9
- alcoholic I42.6
- cobalt-beer I42.6
- glycogen storage E74.02 *[I43]*
- hypertrophic obstructive I42.1
- in (due to)
- - beriberi E51.12
- - cardiac glycogenosis E74.02 *[I43]*
- - Friedreich's ataxia G11.11 *[I43]*
- - myotonia atrophica G71.11 *[I43]*
- - progressive muscular dystrophy -*see also* Dystrophy, muscular, by type G71.09 *[I43]*
- obscure (African) I42.8
- secondary I42.9
- thyrotoxic E05.90 *[I43]*
- - with storm E05.91 *[I43]*
- toxic NEC I42.7

Myocarditis (with arteriosclerosis)(chronic)(fibroid) (interstitial) (old) (progressive) (senile) I51.4
- with
- - rheumatic fever (conditions in I00) I09.0
- - - active -*see* Myocarditis, acute, rheumatic
- - - inactive or quiescent (with chorea) I09.0
- active I40.9
- - rheumatic I01.2
- - - with chorea (acute) (rheumatic) (Sydenham's) I02.0
- acute or subacute (interstitial) I40.9
- - due to
- - - streptococcus (beta-hemolytic) I01.2
- - idiopathic I40.1
- - rheumatic I01.2
- - - with chorea (acute) (rheumatic) (Sydenham's) I02.0
- - specified NEC I40.8
- aseptic of newborn B33.22
- bacterial (acute) I40.0
- Coxsackie (virus) B33.22
- diphtheritic A36.81
- eosinophilic I40.1
- epidemic of newborn (Coxsackie) B33.22
- Fiedler's (acute) (isolated) I40.1
- giant cell (acute) (subacute) I40.1
- gonococcal A54.83
- granulomatous (idiopathic) (isolated) (nonspecific) I40.1
- hypertensive -*see* Hypertension, heart
- idiopathic (granulomatous) I40.1
- in (due to)
- - diphtheria A36.81

- - epidemic louse-borne typhus A75.0 *[I41]*
- - Lyme disease A69.29
- - sarcoidosis D86.85
- - scarlet fever A38.1
- - toxoplasmosis (acquired) B58.81
- - typhoid A01.02
- - typhus NEC A75.9 *[I41]*
- infective I40.0
- influenzal *-see* Influenza, with, myocarditis
- isolated (acute) I40.1
- meningococcal A39.52
- mumps B26.82
- nonrheumatic, active I40.9
- parenchymatous I40.9
- pneumococcal I40.0
- rheumatic (chronic) (inactive) (with chorea) I09.0
- - active or acute I01.2
- - - with chorea (acute) (rheumatic) (Sydenham's) I02.0
- rheumatoid *-see* Rheumatoid, carditis
- septic I40.0
- staphylococcal I40.0
- suppurative I40.0
- syphilitic (chronic) A52.06
- toxic I40.8
- - rheumatic *-see* Myocarditis, acute, rheumatic
- tuberculous A18.84
- typhoid A01.02
- valvular *-see* Endocarditis
- virus, viral B33.22
- - of newborn (Coxsackie) B33.22

Myocardium, myocardial *-see* condition

Myocardosis *-see* Cardiomyopathy

Myoclonus, myoclonic, myoclonia (familial) (essential) (multifocal) (simplex) G25.3
- drug-induced G25.3
- epilepsy *-see also* Epilepsy, generalized, specified NEC G40.4-
- - familial (progressive) *-see* Epilepsy, myoclonus
- - Lafora *-see* Epilepsy, myoclonus, progressive, Lafora
- epileptica *-see also* Epilepsy, myoclonus G40.409
- - with status epilepticus G40.401
- facial G51.3-
- familial progressive G25.3
- - epilepsy *-see* Epilepsy, myoclonus, progressive
- Friedreich's G25.3
- jerks G25.3
- massive G25.3
- palatal G25.3
- pharyngeal G25.3

Myocytolysis I51.5

Myodiastasis *-see* Diastasis, muscle

Myoendocarditis *-see* Endocarditis

Myoepithelioma *-see* Neoplasm, benign, by site

Myofasciitis (acute) *-see* Myositis

Myofibroma *-see also* Neoplasm, connective tissue, benign
- uterus (cervix) (corpus) *-see* Leiomyoma

Myofibromatosis D48.19
- infantile Q89.8

Myofibrosis M62.89
- heart *-see* Myocarditis
- scapulohumeral *-see* Lesion, shoulder, specified NEC

Myofibrositis M79.7

- scapulohumeral -*see* Lesion, shoulder, specified NEC
Myoglobulinuria, myoglobinuria (primary) R82.1
Myokymia, facial G51.4
Myolipoma -*see* Lipoma
Myoma -*see also* Neoplasm, connective tissue, benign
- malignant -*see* Neoplasm, connective tissue, malignant
- prostate D29.1
- uterus (cervix) (corpus) -*see* Leiomyoma
Myomalacia M62.89
Myometritis -*see* Endometritis
Myometrium -*see* condition
Myonecrosis, clostridial A48.0
Myopathy G72.9
- acute
- - necrotizing G72.81
- - quadriplegic G72.81
- alcoholic G72.1
- benign congenital G71.20
- central core G71.29
- centronuclear G71.228
- - autosomal (dominant) (recessive) G71.228
- - other specified NEC G71.228
- congenital (benign) G71.20
- critical illness G72.81
- distal G71.09
- drug-induced G72.0
- endocrine NEC E34.9 *[G73.7]*
- extraocular muscles H05.82-
- facioscapulohumeral G71.02
- hereditary G71.9
- - specified NEC G71.8
- hyaline body G71.29
- immune NEC G72.49
- in (due to)
- - Addison's disease E27.1 *[G73.7]*
- - alcohol G72.1
- - amyloidosis E85.0 *[G73.7]*
- - cretinism E00.9 *[G73.7]*
- - Cushing's syndrome E24.9 *[G73.7]*
- - drugs G72.0
- - endocrine disease NEC E34.9 *[G73.7]*
- - giant cell arteritis M31.6 *[G73.7]*
- - glycogen storage disease E74.00 *[G73.7]*
- - hyperadrenocorticism E24.9 *[G73.7]*
- - hyperparathyroidism NEC E21.3 *[G73.7]*
- - hypoparathyroidism E20.9 *[G73.7]*
- - hypopituitarism E23.0 *[G73.7]*
- - hypothyroidism E03.9 *[G73.7]*
- - infectious disease NEC B99 *[G73.7]*
- - lipid storage disease E75.6 *[G73.7]*
- - metabolic disease NEC E88.9 *[G73.7]*
- - myxedema E03.9 *[G73.7]*
- - parasitic disease NEC B89 *[G73.7]*
- - polyarteritis nodosa M30.0 *[G73.7]*
- - rheumatoid arthritis -*see* Rheumatoid, myopathy
- - sarcoidosis D86.87
- - scleroderma M34.82
- - sicca syndrome M35.03
- - Sjögren's syndrome M35.03
- - systemic lupus erythematosus M32.19

- - thyrotoxicosis (hyperthyroidism) E05.90 *[G73.7]*
- - - with thyroid storm E05.91 *[G73.7]*
- - toxic agent NEC G72.2
- inflammatory NEC G72.49
- intensive care (ICU) G72.81
- limb-girdle *-see* Dystrophy, muscular, limb-girdle
- mitochondrial NEC G71.3
- Miyoshi, type 3 G71.035
- myosin storage G71.29
- mytonic, proximal (PROMM) G71.11
- myotubular (centronuclear) G71.220
- - X-linked G71.220
- nemaline G71.21
- ocular G71.09
- oculopharyngeal G71.09
- of critical illness G72.81
- primary G71.9
- - specified NEC G71.8
- progressive NEC G72.89
- proximal myotonic (PROMM) G71.11
- rod (body) G71.21
- scapulohumeral G71.02
- specified NEC G72.89
- toxic G72.2

Myopericarditis *-see also* Pericarditis
- chronic rheumatic I09.2

Myopia (axial) (congenital) H52.1-
- degenerative (malignant) H44.20
- - with
- - - choroidal neovascularization H44.2A-
- - - foveoschisis H44.2D-
- - - macular hole H44.2B-
- - - retinal detachment H44.2C-
- - - specified maculopathy NEC H44.2E-
- - bilateral H44.23
- - left eye H44.22
- - right eye H44.21
- malignant *-see also* Myopia, degenerative H44.2-
- pernicious *-see also* Myopia, degenerative H44.2-
- progressive high (degenerative) *-see also* Myopia, degenerative H44.2-

Myosarcoma *-see* Neoplasm, connective tissue, malignant

Myosis (pupil) H57.03
- stromal (endolymphatic) D39.0

Myositis M60.9
- clostridial A48.0
- due to posture *-see* Myositis, specified type NEC
- epidemic B33.0
- fibrosa or fibrous (chronic), Volkmann's T79.6
- foreign body granuloma *-see* Granuloma, foreign body
- in (due to)
- - bilharziasis B65.9 *[M63.8-]*
- - cysticercosis B69.81
- - leprosy A30.9 *[M63.8-]*
- - mycosis B49 *[M63.8-]*
- - sarcoidosis D86.87
- - schistosomiasis B65.9 *[M63.8-]*
- - syphilis
- - - late A52.78
- - - secondary A51.49
- - toxoplasmosis (acquired) B58.82

- - trichinellosis B75 *[M63.8-]*
- - tuberculosis A18.09
- inclusion body [IBM] G72.41
- infective M60.009
- - arm M60.002
- - - left M60.001
- - - right M60.000
- - leg M60.005
- - - left M60.004
- - - right M60.003
- - lower limb M60.005
- - - ankle M60.07-
- - - foot M60.07-
- - - lower leg M60.06-
- - - thigh M60.05-
- - - toe M60.07-
- - multiple sites M60.09
- - specified site NEC M60.08
- - upper limb M60.002
- - - finger M60.04-
- - - forearm M60.03-
- - - hand M60.04-
- - - shoulder region M60.01-
- - - upper arm M60.02-
- interstitial M60.10
- - ankle M60.17-
- - foot M60.17-
- - forearm M60.13-
- - hand M60.14-
- - lower leg M60.16-
- - multiple sites M60.19
- - shoulder region M60.11-
- - specified site NEC M60.18
- - thigh M60.15-
- - upper arm M60.12-
- mycotic B49 *[M63.8-]*
- orbital, chronic H05.12-
- ossificans or ossifying (circumscripta) *-see also* Ossification, muscle, specified NEC
- - in (due to)
- - - burns M61.30
- - - - ankle M61.37-
- - - - foot M61.37-
- - - - forearm M61.33-
- - - - hand M61.34-
- - - - lower leg M61.36-
- - - - multiple sites M61.39
- - - - pelvic region M61.35-
- - - - shoulder region M61.31-
- - - - specified site NEC M61.38
- - - - thigh M61.35-
- - - - upper arm M61.32-
- - - quadriplegia or paraplegia M61.20
- - - - ankle M61.27-
- - - - foot M61.27-
- - - - forearm M61.23-
- - - - hand M61.24-
- - - - lower leg M61.26-
- - - - multiple sites M61.29
- - - - pelvic region M61.25-
- - - - shoulder region M61.21-

- - - - specified site NEC M61.28
- - - - thigh M61.25-
- - - - upper arm M61.22-
- - progressiva M61.10
- - - ankle M61.17-
- - - finger M61.14-
- - - foot M61.17-
- - - forearm M61.13-
- - - hand M61.14-
- - - lower leg M61.16-
- - - multiple sites M61.19
- - - pelvic region M61.15-
- - - shoulder region M61.11-
- - - specified site NEC M61.18
- - - thigh M61.15-
- - - toe M61.17-
- - - upper arm M61.12-
- - traumatica M61.00
- - - ankle M61.07-
- - - foot M61.07-
- - - forearm M61.03-
- - - hand M61.04-
- - - lower leg M61.06-
- - - multiple sites M61.09
- - - pelvic region M61.05-
- - - shoulder region M61.01-
- - - specified site NEC M61.08
- - - thigh M61.05-
- - - upper arm M61.02-
- purulent -*see* Myositis, infective
- specified type NEC M60.80
- - ankle M60.87-
- - foot M60.87-
- - forearm M60.83-
- - hand M60.84-
- - lower leg M60.86-
- - multiple sites M60.89
- - pelvic region M60.85-
- - shoulder region M60.81-
- - specified site NEC M60.88
- - thigh M60.85-
- - upper arm M60.82-
- suppurative -*see* Myositis, infective
- traumatic (old) -*see* Myositis, specified type NEC

Myospasia impulsiva F95.2

Myotonia (acquisita) (intermittens) M62.89
- atrophica G71.11
- chondrodystrophic G71.13
- congenita (acetazolamide responsive) (dominant) (recessive) G71.12
- drug-induced G71.14
- dystrophica G71.11
- fluctuans G71.19
- levior G71.12
- permanens G71.19
- symptomatic G71.19

Myotonic pupil -*see* Anomaly, pupil, function, tonic pupil

Myriapodiasis B88.2

Myringitis H73.2-
- with otitis media -*see* Otitis, media
- acute H73.00-

- - bullous H73.01-
- - specified NEC H73.09-
- bullous -*see* Myringitis, acute, bullous
- chronic H73.1-
Mysophobia F40.228
Mytilotoxism -*see* Poisoning, fish
Myxadenitis labialis K13.0
Myxedema (adult) (idiocy) (infantile) (juvenile) -*see also* Hypothyroidism E03.9
- circumscribed E05.90
- - with storm E05.91
- coma E03.5
- congenital E00.1
- cutis L98.5
- localized (pretibial) E05.90
- - with storm E05.91
- papular L98.5
Myxochondrosarcoma -*see* Neoplasm, cartilage, malignant
Myxofibroma -*see* Neoplasm, connective tissue, benign
- odontogenic -*see* Cyst, calcifying odontogenic
Myxofibrosarcoma -*see* Neoplasm, connective tissue, malignant
Myxolipoma D17.9
Myxoliposarcoma -*see* Neoplasm, connective tissue, malignant
Myxoma -*see also* Neoplasm, connective tissue, benign
- nerve sheath -*see* Neoplasm, nerve, benign
- odontogenic -*see* Cyst, calcifying odontogenic
Myxosarcoma -*see* Neoplasm, connective tissue, malignant

N

Naegeli's
- disease Q82.8
- leukemia, monocytic C93.1-
Naegleriasis (with meningoencephalitis) B60.2
Naffziger's syndrome G54.0
Naga sore -*see* Ulcer, skin
Nägele's pelvis M95.5
- with disproportion (fetopelvic) O33.0
- - causing obstructed labor O65.0
Nail -*see also* condition
- biting F98.8
- patella syndrome Q87.2
Nanism, nanosomia -*see* Dwarfism
Nanophyetiasis B66.8
Nanukayami A27.89
Napkin rash L22
Narcolepsy G47.419
- with cataplexy G47.411
- in conditions classified elsewhere G47.429
- - with cataplexy G47.421
Narcosis R06.89
Narcotism -*see* Dependence
NARP (Neuropathy, Ataxia and Retinitis pigmentosa) syndrome E88.49
Narrow
- anterior chamber angle H40.03-
- gingival width (of periodontal soft tissue) K05.5
- pelvis -*see* Contraction, pelvis
Narrowing -*see also* Stenosis
- artery I77.1
- - auditory, internal I65.8
- - basilar -*see* Occlusion, artery, basilar

- - carotid -*see* Occlusion, artery, carotid
- - cerebellar -*see* Occlusion, artery, cerebellar
- - cerebral -*see* Occlusion artery, cerebral
- - choroidal -*see* Occlusion, artery, precerebral, specified NEC
- - communicating posterior -*see* Occlusion, artery, precerebral, specified NEC
- - coronary -*see also* Disease, heart, ischemic, atherosclerotic
- - - congenital Q24.5
- - - - syphilitic A50.54 *[I52]*
- - - due to syphilis NEC A52.06
- - hypophyseal -*see* Occlusion, artery, precerebral, specified NEC
- - pontine -*see* Occlusion, artery, precerebral, specified NEC
- - precerebral -*see* Occlusion, artery, precerebral
- - vertebral -*see* Occlusion, artery, vertebral
- auditory canal (external) -*see* Stenosis, external ear canal
- caudal septum, fixed, lower lateral cartilage, alar rim and nasal sill J34.8211
- eustachian tube -*see* Obstruction, eustachian tube
- eyelid -*see* Disorder, eyelid function
- larynx J38.6
- mesenteric artery -*see also* Ischemia, intestine, acute K55.059
- nasal septum, head of the inferior turbinate and the upper lateral cartilage J34.8201
- palate M26.89
- palpebral fissure -*see* Disorder, eyelid function
- ureter N13.5
- - with infection N13.6
- urethra -*see* Stricture, urethra

Narrowness, abnormal, eyelid Q10.3

Nasal -*see* condition

Nasolachrymal, nasolacrimal -*see* condition

Nasopharyngeal -*see also* condition
- pituitary gland Q89.2
- torticollis M43.6

Nasopharyngitis (acute) (infective) (streptococcal) (subacute) J00
- chronic (suppurative) (ulcerative) J31.1

Nasopharynx, nasopharyngeal -*see* condition

Natal tooth, teeth K00.6

Nausea (without vomiting) R11.0
- with vomiting R11.2
- gravidarum -*see* Hyperemesis, gravidarum
- marina T75.3
- navalis T75.3

Navel -*see* condition

Neapolitan fever -*see* Brucellosis

Near drowning T75.1

Nearsightedness -*see* Myopia

Near-syncope R55

Nebula, cornea -*see* Opacity, cornea

Necator americanus infestation B76.1

Necatoriasis B76.1

Neck -*see* condition

Necrobiosis R68.89
- lipoidica NEC L92.1
- - with diabetes -*see* E08-E13 with .620

Necrolysis, toxic epidermal L51.2
- due to drug
- - correct substance properly administered -*see* Table of Drugs and Chemicals, by drug, adverse effect
- - overdose or wrong substance given or taken -*see* Table of Drugs and Chemicals, by drug, poisoning

Necrophilia F65.89

Necrosis, necrotic (ischemic) -*see also* Gangrene
- adrenal (capsule) (gland) E27.49
- amputation stump (surgical) (late) T87.50

- - arm T87.5-
- - leg T87.5-
- antrum J32.0
- aorta (hyaline) -*see also* Aneurysm, aorta
- - cystic medial -*see* Dissection, aorta
- artery I77.5
- bladder (aseptic) (sphincter) N32.89
- bone -*see also* Osteonecrosis M87.9
- - aseptic or avascular -*see* Osteonecrosis
- - - idiopathic M87.00
- - ethmoid J32.2
- - jaw M27.2
- - tuberculous -*see* Tuberculosis, bone
- brain I67.89
- breast (aseptic) (fat) (segmental) N64.1
- bronchus J98.09
- central nervous system NEC I67.89
- cerebellar I67.89
- cerebral I67.89
- colon -*see also* Infarct, intestine K55.049
- cornea H18.89-
- cortical (acute) (renal) N17.1
- cystic medial (aorta) -*see* Dissection, aorta
- dental pulp K04.1
- esophagus K22.89
- ethmoid (bone) J32.2
- eyelid -*see* Disorder, eyelid, degenerative
- fat, fatty (generalized) -*see also* Disorder, soft tissue, specified type NEC
- - abdominal wall K65.4
- - breast (aseptic) (segmental) N64.1
- - localized -*see* Degeneration, by site, fatty
- - mesentery K65.4
- - omentum K65.4
- - pancreas K86.89
- - peritoneum K65.4
- - skin (subcutaneous), newborn P83.0
- - subcutaneous, due to birth injury P15.6
- gallbladder -*see* Cholecystitis, acute
- heart -*see* Infarct, myocardium
- hip, aseptic or avascular -*see* Osteonecrosis, by type, femur
- intestine (acute) (hemorrhagic) (massive) -*see also* Infarct, intestine K55.069
- jaw M27.2
- kidney (bilateral) N28.0
- - acute N17.9
- - cortical (acute) (bilateral) N17.1
- - - with ectopic or molar pregnancy O08.4
- - medullary (bilateral) (in acute renal failure) (papillary) N17.2
- - papillary (bilateral) (in acute renal failure) N17.2
- - tubular N17.0
- - - with ectopic or molar pregnancy O08.4
- - - complicating
- - - - abortion -*see* Abortion, by type, complicated by, tubular necrosis
- - - - ectopic or molar pregnancy O08.4
- - - - pregnancy -*see* Pregnancy, complicated by, diseases of, specified type or system NEC
- - - following ectopic or molar pregnancy O08.4
- - - traumatic T79.5
- larynx J38.7
- liver (with hepatic failure) (cell) -*see* Failure, hepatic
- - hemorrhagic, central K76.2
- lung J85.0

- lymphatic gland *-see* Lymphadenitis, acute
- mammary gland (fat) (segmental) N64.1
- mastoid (chronic) *-see* Mastoiditis, chronic
- medullary (acute) (renal) N17.2
- mesentery *-see also* Infarct, intestine K55.069
- - fat K65.4
- mitral valve *-see* Insufficiency, mitral
- myocardium, myocardial *-see* Infarct, myocardium
- nose J34.0
- omentum (with mesenteric infarction) *-see also* Infarct, intestine K55.069
- - fat K65.4
- orbit, orbital *-see* Osteomyelitis, orbit
- ossicles, ear *-see* Abnormal, ear ossicles
- ovary N70.92
- pancreas (aseptic) (duct) (fat) K86.89
- - acute (infective) *-see* Pancreatitis, acute
- - infective *-see* Pancreatitis, acute
- papillary (acute) (renal) N17.2
- perineum N90.89
- peritoneum (with mesenteric infarction) *-see also* Infarct, intestine K55.069
- - fat K65.4
- pharynx J02.9
- - in granulocytopenia *-see* Neutropenia
- - Vincent's A69.1
- phosphorus -see subcategory T54.2
- pituitary (gland) E23.0
- - postpartum O99.285
- - Sheehan O99.285
- pressure *-see* Ulcer, pressure, by site
- pulmonary J85.0
- pulp (dental) K04.1
- radiation *-see* Necrosis, by site
- radium *-see* Necrosis, by site
- renal *-see* Necrosis, kidney
- sclera H15.89
- scrotum N50.89
- skin or subcutaneous tissue NEC I96
- spine, spinal (column) *-see also* Osteonecrosis, by type, vertebra
- - cord G95.19
- spleen D73.5
- stomach K31.89
- stomatitis (ulcerative) A69.0
- subcutaneous fat, newborn P83.88
- subendocardial (acute) I21.4
- - chronic I25.89
- suprarenal (capsule) (gland) E27.49
- testis N50.89
- thymus (gland) E32.8
- tonsil J35.8
- trachea J39.8
- tuberculous NEC *-see* Tuberculosis
- tubular (acute) (anoxic) (renal) (toxic) N17.0
- - postprocedural N99.0
- vagina N89.8
- vertebra *-see also* Osteonecrosis, by type, vertebra
- - tuberculous A18.01
- vulva N90.89
- X-ray *-see* Necrosis, by site

Necrospermia *-see* Infertility, male

Need (for)

- care provider because (of)
- - assistance with personal care Z74.1
- - continuous supervision required Z74.3
- - impaired mobility Z74.09
- - no other household member able to render care Z74.2
- - specified reason NEC Z74.8
- immunization *-see* Vaccination
- vaccination *-see* Vaccination

Neglect
- adult
- - confirmed T74.01
- - history of Z91.412
- - suspected T76.01
- child (childhood)
- - confirmed T74.02
- - history of Z62.812
- - suspected T76.02
- emotional, in childhood Z62.898
- hemispatial R41.4
- left-sided R41.4
- sensory R41.4
- visuospatial R41.4

Neisserian infection NEC *-see* Gonococcus

Nelaton's syndrome G60.8

Nelson's syndrome E24.1

Nematodiasis (intestinal) B82.0
- Ancylostoma B76.0

Neonatal *-see also* Newborn
- acne L70.4
- bradycardia P29.12
- tachycardia P29.11
- screening, abnormal findings on *-see* Abnormal, neonatal screening
- tooth, teeth K00.6

Neonatorum *-see* condition

Neoplasia
- endocrine, multiple (MEN) E31.20
- - type I E31.21
- - type IIA E31.22
- - type IIB E31.23
- intraepithelial (histologically confirmed)
- - anal (AIN) (histologically confirmed) K62.82
- - - grade I K62.82
- - - grade II K62.82
- - - severe D01.3
- - cervical glandular (histologically confirmed) D06.9
- - cervix (uteri) (CIN) (histologically confirmed) N87.9
- - - glandular D06.9
- - - grade I N87.0
- - - grade II N87.1
- - - grade III (severe dysplasia) *-see also* Carcinoma, cervix uteri, in situ D06.9
- - prostate (histologically confirmed) (PIN) N42.31
- - - grade I N42.31
- - - grade II N42.31
- - - grade III (severe dysplasia) D07.5
- - vagina (histologically confirmed) (VAIN) N89.3
- - - grade I N89.0
- - - grade II N89.1
- - - grade III (severe dysplasia) D07.2
- - vulva (histologically confirmed) (VIN) N90.3
- - - grade I N90.0

- - - grade II N90.1
- - - grade III (severe dysplasia) D07.1
Neoplasm, neoplastic -*see also* Table of Neoplasms
- lipomatous, benign -*see* Lipoma
- malignant mast cell C96.20
- - specified type NEC C96.29
- mast cell, of uncertain behavior NEC D47.09
- myelodysplastic/myeloproliferative, unclassifiable C94.6
Neovascularization
- ciliary body -*see* Disorder, iris, vascular
- cornea H16.40-
- - deep H16.44-
- - ghost vessels -*see* Ghost, vessels
- - localized H16.43-
- - pannus -*see* Pannus
- iris -*see* Disorder, iris, vascular
- retina H35.05-
Nephralgia N23
Nephritis, nephritic (albuminuric) (azotemic) (congenital) (disseminated) (epithelial) (familial) (focal) (granulomatous) (hemorrhagic) (infantile) (nonsuppurative, excretory) (uremic) N05.9
- with
- - C3
- - - glomerulonephritis N05.A
- - - glomerulopathy N05.A
- - - - with dense deposit disease N05.6
- - dense deposit disease N05.6
- - diffuse
- - - crescentic glomerulonephritis N05.7
- - - endocapillary proliferative glomerulonephritis N05.4
- - - membranous glomerulonephritis N05.2
- - - mesangial proliferative glomerulonephritis N05.3
- - - mesangiocapillary glomerulonephritis N05.5
- - edema -*see* Nephrosis
- - focal and segmental glomerular lesions N05.1
- - foot process disease N04.9
- - glomerular lesion
- - - diffuse sclerosing N05.8
- - - hypocomplementemic -*see* Nephritis, membranoproliferative
- - - IgA -*see* Nephropathy, IgA
- - - lobular, lobulonodular -*see* Nephritis, membranoproliferative
- - - nodular -*see* Nephritis, membranoproliferative
- - lesion of
- - - glomerulonephritis, proliferative N05.8
- - - renal necrosis N05.9
- - minor glomerular abnormality N05.0
- - specified morphological changes NEC N05.8
- acute N00.9
- - with
- - - C3
- - - - glomerulonephritis N00.A
- - - - glomerulopathy N00.A
- - - - - with dense deposit disease N00.6
- - - dense deposit disease N00.6
- - - diffuse
- - - - crescentic glomerulonephritis N00.7
- - - - endocapillary proliferative glomerulonephritis N00.4
- - - - membranous glomerulonephritis N00.2
- - - - mesangial proliferative glomerulonephritis N00.3
- - - - mesangiocapillary glomerulonephritis N00.5
- - - focal and segmental glomerular lesions N00.1

- - - minor glomerular abnormality N00.0
- - - specified morphological changes NEC N00.8
- amyloid E85.4 *[N08]*
- antiglomerular basement membrane (anti-GBM) antibody NEC
- - in Goodpasture's syndrome M31.0
- antitubular basement membrane (tubulo-interstitial) NEC N12
- - toxic -*see* Nephropathy, toxic
- arteriolar -*see* Hypertension, kidney
- arteriosclerotic -*see* Hypertension, kidney
- ascending -*see* Nephritis, tubulo-interstitial
- atrophic N03.9
- Balkan (endemic) N15.0
- calculous, calculus -*see* Calculus, kidney
- cardiac -*see* Hypertension, kidney
- cardiovascular -*see* Hypertension, kidney
- chronic N03.9
- - with
- - - C3
- - - - glomerulonephritis N03.A
- - - - glomerulopathy N03.A
- - - - - with dense deposit disease N03.6
- - - dense deposit disease N03.6
- - - diffuse
- - - - crescentic glomerulonephritis N03.7
- - - - endocapillary proliferative glomerulonephritis N03.4
- - - - membranous glomerulonephritis N03.2
- - - - mesangial proliferative glomerulonephritis N03.3
- - - - mesangiocapillary glomerulonephritis N03.5
- - - focal and segmental glomerular lesions N03.1
- - - minor glomerular abnormality N03.0
- - - specified morphological changes NEC N03.8
- - arteriosclerotic -*see* Hypertension, kidney
- cirrhotic N26.9
- complicating pregnancy O26.83-
- croupous N00.9
- degenerative -*see* Nephrosis
- diffuse sclerosing N05.8
- due to
- - diabetes mellitus -*see* E08-E13 with .21
- - subacute bacterial endocarditis I33.0
- - systemic lupus erythematosus (chronic) M32.14
- - typhoid fever A01.09
- gonococcal (acute) (chronic) A54.21
- hypocomplementemic -*see* Nephritis, membranoproliferative
- IgA -*see* Nephropathy, IgA
- immune complex (circulating) NEC N05.8
- infective -*see* Nephritis, tubulo-interstitial
- interstitial -*see* Nephritis, tubulo-interstitial
- lead N14.3
- membranoproliferative (diffuse) (type 1 or 3) -*see also* N00-N07 with fourth character .5 N05.5
- - type 2 -*see also* N00-N07 with fourth character .6 N05.6
- minimal change N05.0
- necrotic, necrotizing NEC -*see also* N00-N07 with fourth character .8 N05.8
- nephrotic -*see* Nephrosis
- nodular -*see* Nephritis, membranoproliferative
- polycystic Q61.3
- - adult type Q61.2
- - autosomal
- - - dominant Q61.2
- - - recessive NEC Q61.19

- - childhood type NEC Q61.19
- - infantile type NEC Q61.19
- poststreptococcal N05.9
- - acute N00.9
- - chronic N03.9
- - rapidly progressive N01.9
- proliferative NEC -*see also* N00-N07 with fourth character .8 N05.8
- purulent -*see* Nephritis, tubulo-interstitial
- rapidly progressive N01.9
- - with
- - - C3
- - - - glomerulonephritis N01.A
- - - - glomerulopathy N01.A
- - - - - with dense deposit disease N01.6
- - - dense deposit disease N01.6
- - - diffuse
- - - - crescentic glomerulonephritis N01.7
- - - - endocapillary proliferative glomerulonephritis N01.4
- - - - membranous glomerulonephritis N01.2
- - - - mesangial proliferative glomerulonephritis N01.3
- - - - mesangiocapillary glomerulonephritis N01.5
- - - focal and segmental glomerular lesions N01.1
- - - minor glomerular abnormality N01.0
- - - specified morphological changes NEC N01.8
- salt losing or wasting NEC N28.89
- saturnine N14.3
- sclerosing, diffuse N05.8
- septic -*see* Nephritis, tubulo-interstitial
- specified pathology NEC -*see also* N00-N07 with fourth character .8 N05.8
- subacute N01.9
- suppurative -*see* Nephritis, tubulo-interstitial
- syphilitic (late) A52.75
- - congenital A50.59 *[N08]*
- - early (secondary) A51.44
- toxic -*see* Nephropathy, toxic
- tubal, tubular -*see* Nephritis, tubulo-interstitial
- tuberculous A18.11
- tubulo-interstitial (in) N12
- - acute (infectious) N10
- - chronic (infectious) N11.9
- - - nonobstructive N11.8
- - - - reflux-associated N11.0
- - - obstructive N11.1
- - - specified NEC N11.8
- - due to
- - - brucellosis A23.9 *[N16]*
- - - cryoglobulinemia D89.1 *[N16]*
- - - glycogen storage disease E74.00 *[N16]*
- - Sjögren's syndrome M35.04
- vascular -*see* Hypertension, kidney
- war N00.9

Nephroblastoma (epithelial) (mesenchymal) C64-

Nephrocalcinosis E83.59 *[N29]*

Nephrocystitis, pustular -*see* Nephritis, tubulo-interstitial

Nephrolithiasis (congenital) (pelvis) (recurrent) -*see also* Calculus, kidney

Nephroma C64-
- mesoblastic D41.0-

Nephronephritis -*see* Nephrosis

Nephronophthisis Q61.5

Nephropathia epidemica A98.5

Nephropathy *-see also* Nephritis N28.9
- with
- - edema *-see* Nephrosis
- - glomerular lesion *-see* Glomerulonephritis
- amyloid, hereditary E85.0
- analgesic N14.0
- - with medullary necrosis, acute N17.2
- Balkan (endemic) N15.0
- chemical *-see* Nephropathy, toxic
- contrast-induced N14.11
- contrast medium, radiography N14.11
- diabetic *-see* E08-E13 with .21
- drug-induced N14.2
- - contrast-induced N14.11
- - specified NEC N14.19
- focal and segmental hyalinosis or sclerosis N02.1
- heavy metal-induced N14.3
- hereditary NEC N07.9
- - with
- - - C3
- - - - glomerulonephritis N07.A
- - - - glomerulopathy N07.A
- - - - - with dense deposit disease N07.6
- - - dense deposit disease N07.6
- - - diffuse
- - - - crescentic glomerulonephritis N07.7
- - - - endocapillary proliferative glomerulonephritis N07.4
- - - - membranous glomerulonephritis N07.2
- - - - mesangial proliferative glomerulonephritis N07.3
- - - - mesangiocapillary glomerulonephritis N07.5
- - - focal and segmental glomerular lesions N07.1
- - - minor glomerular abnormality N07.0
- - - specified morphological changes NEC N07.8
- hypercalcemic N25.89
- hypertensive *-see* Hypertension, kidney
- hypokalemic (vacuolar) N25.89
- IgA N02.B-
- - with glomerular lesion N02.B1
- - - focal and segmental hyalinosis or sclerosis N02.B2
- - - membranoproliferative (diffuse) N02.B3
- - - membranous (diffuse) N02.B4
- - - mesangial proliferative (diffuse) N02.B5
- - - mesangiocapillary (diffuse) N02.B6
- - - proliferative NEC N02.B9
- - - specified pathology NEC N02.B9
- lead N14.3
- membranoproliferative (diffuse) N02.5
- membranous (diffuse) N06.20
- - with
- - - nephrotic syndrome N04.20
- - - - primary N04.21
- - - - secondary N04.22
- - idiopathic, with nephrotic syndrome N04.21
- - primary N06.21
- - - with nephrotic syndrome N04.21
- - secondary N06.22
- - - with nephrotic syndrome N04.22
- mesangial (IgA/IgG) *-see* Nephropathy, IgA
- - proliferative (diffuse) N02.3
- mesangiocapillary (diffuse) N02.5

- obstructive N13.8
- phenacetin N17.2
- phosphate-losing N25.0
- potassium depletion N25.89
- pregnancy-related O26.83-
- proliferative NEC -*see also* N00-N07 with fourth character .8 N05.8
- protein-losing N25.89
- saturnine N14.3
- sickle-cell D57.- *[N08]*
- toxic NEC N14.4
- - due to
- - - drugs N14.2
- - - - analgesic N14.0
- - - - specified NEC N14.19
- - - heavy metals N14.3
- vasomotor N17.0
- water-losing N25.89

Nephroptosis N28.83

Nephropyosis -*see* Abscess, kidney

Nephrorrhagia N28.89

Nephrosclerosis (arteriolar)(arteriosclerotic) (chronic) (hyaline) -*see also* Hypertension, kidney
- hyperplastic -*see* Hypertension, kidney
- senile N26.9

Nephrosis, nephrotic (Epstein's) (syndrome) (congenital) N04.9
- with
- - foot process disease N04.9
- - glomerular lesion N04.1
- - hypocomplementemic N04.5
- acute N04.9
- anoxic -*see* Nephrosis, tubular
- chemical -*see* Nephrosis, tubular
- cholemic K76.7
- diabetic -*see* E08-E13 with .21
- Finnish type (congenital) Q89.8
- hemoglobin N10
- hemoglobinuric -*see* Nephrosis, tubular
- in
- - amyloidosis E85.4 *[N08]*
- - diabetes mellitus -*see* E08-E13 with .21
- - epidemic hemorrhagic fever A98.5
- - malaria (malariae) B52.0
- ischemic -*see* Nephrosis, tubular
- lipoid N04.9
- lower nephron -*see* Nephrosis, tubular
- malarial (malariae) B52.0
- minimal change N04.0
- myoglobin N10
- necrotizing -*see* Nephrosis, tubular
- osmotic (sucrose) N25.89
- radiation N04.9
- syphilitic (late) A52.75
- toxic -*see* Nephrosis, tubular
- tubular (acute) N17.0
- - postprocedural N99.0
- - radiation N04.9

Nephrosonephritis, hemorrhagic (endemic) A98.5

Nephrostomy
- attention to Z43.6
- status Z93.6

Nerve -*see also* condition

- injury -*see* Injury, nerve, by body site
Nerves R45.0
Nervous -*see also* condition R45.0
- heart F45.8
- stomach F45.8
- tension R45.0
Nervousness R45.0
Nesidioblastoma
- pancreas D13.7
- specified site NEC -*see* Neoplasm, benign, by site
- unspecified site D13.7
Nettleship's syndrome -*see* Urticaria pigmentosa
Neumann's disease or syndrome L10.1
Neuralgia, neuralgic (acute) M79.2
- accessory (nerve) G52.8
- acoustic (nerve) -see subcategory H93.3
- auditory (nerve) -see subcategory H93.3
- ciliary G44.009
- - intractable G44.001
- - not intractable G44.009
- cranial
- - nerve -*see also* Disorder, nerve, cranial
- - - fifth or trigeminal -*see* Neuralgia, trigeminal
- - postherpetic, postzoster B02.29
- ear -see subcategory H92.0
- facialis vera G51.1
- Fothergill's -*see* Neuralgia, trigeminal
- glossopharyngeal (nerve) G52.1
- Horton's G44.099
- - intractable G44.091
- - not intractable G44.099
- Hunt's B02.21
- hypoglossal (nerve) G52.3
- infraorbital -*see* Neuralgia, trigeminal
- malarial -*see* Malaria
- migrainous G44.009
- - intractable G44.001
- - not intractable G44.009
- Morton's G57.6-
- nerve, cranial -*see* Disorder, nerve, cranial
- nose G52.0
- occipital M54.81
- olfactory G52.0
- penis N48.9
- perineum R10.2
- postherpetic NEC B02.29
- - trigeminal B02.22
- pubic region R10.2
- scrotum R10.2
- Sluder's G44.89
- specified nerve NEC G58.8
- spermatic cord R10.2
- sphenopalatine (ganglion) G90.09
- trifacial -*see* Neuralgia, trigeminal
- trigeminal G50.0
- - postherpetic, postzoster B02.22
- vagus (nerve) G52.2
- writer's F48.8
- - organic G25.89
Neurapraxia -*see* Injury, nerve

Neurasthenia F48.8
- cardiac F45.8
- gastric F45.8
- heart F45.8
Neurilemmoma -*see also* Neoplasm, nerve, benign
- acoustic (nerve) D33.3
- malignant -*see also* Neoplasm, nerve, malignant
- - acoustic (nerve) C72.4-
Neurilemmosarcoma -*see* Neoplasm, nerve, malignant
Neurinoma -*see* Neoplasm, nerve, benign
Neurinomatosis -*see* Neoplasm, nerve, uncertain behavior
Neuritis (rheumatoid) M79.2
- abducens (nerve) -*see* Strabismus, paralytic, sixth nerve
- accessory (nerve) G52.8
- acoustic (nerve) -*see also* subcategory H93.3
- - in (due to)
- - - infectious disease NEC B99 *[H94.0-]*
- - - parasitic disease NEC B89 *[H94.0-]*
- - syphilitic A52.15
- alcoholic G62.1
- - with psychosis -*see* Psychosis, alcoholic
- amyloid, any site E85.4 *[G63]*
- auditory (nerve) -see subcategory H93.3
- brachial -*see* Radiculopathy
- - due to displacement, intervertebral disc -*see* Disorder, disc, cervical, with neuritis
- cranial nerve
- - due to Lyme disease A69.22
- - eighth or acoustic or auditory -see subcategory H93.3
- - eleventh or accessory G52.8
- - fifth or trigeminal G50.-
- - first or olfactory G52.0
- - fourth or trochlear -*see* Strabismus, paralytic, fourth nerve
- - second or optic -*see* Neuritis, optic
- - seventh or facial G51.8
- - - newborn (birth injury) P11.3
- - sixth or abducent -*see* Strabismus, paralytic, sixth nerve
- - tenth or vagus G52.2
- - third or oculomotor -*see* Strabismus, paralytic, third nerve
- - twelfth or hypoglossal G52.3
- Déjérine-Sottas G60.0
- diabetic (mononeuropathy) -*see* E08-E13 with .41
- - polyneuropathy -*see* E08-E13 with .42
- due to
- - beriberi E51.11
- - displacement, prolapse or rupture, intervertebral disc -*see* Disorder, disc, with, radiculopathy
- - herniation, nucleus pulposus M51.9 *[G55]*
- endemic E51.11
- facial G51.8
- - newborn (birth injury) P11.3
- general -*see* Polyneuropathy
- geniculate ganglion G51.1
- - due to herpes (zoster) B02.21
- gouty -*see also* Gout, by type M10.9 *[G63]*
- hypoglossal (nerve) G52.3
- ilioinguinal (nerve) G57.9-
- infectious (multiple) NEC G61.0
- interstitial hypertrophic progressive G60.0
- lumbar M54.16
- lumbosacral M54.17
- multiple -*see also* Polyneuropathy

- - endemic E51.11
- - infective, acute G61.0
- multiplex endemica E51.11
- nerve root -*see* Radiculopathy
- oculomotor (nerve) -*see* Strabismus, paralytic, third nerve
- olfactory nerve G52.0
- optic (nerve) (hereditary) (sympathetic) H46.9
- - with demyelination G36.0
- - in myelitis G36.0
- - nutritional H46.2
- - papillitis -*see* Papillitis, optic
- - retrobulbar H46.1-
- - specified type NEC H46.8
- - toxic H46.3
- peripheral (nerve) G62.9
- - multiple -*see* Polyneuropathy
- - single -*see* Mononeuritis
- pneumogastric (nerve) G52.2
- postherpetic, postzoster B02.29
- progressive hypertrophic interstitial G60.0
- retrobulbar -*see also* Neuritis, optic, retrobulbar
- - in (due to)
- - - late syphilis A52.15
- - - meningococcal infection A39.82
- - meningococcal A39.82
- - syphilitic A52.15
- sciatic (nerve) -*see also* Sciatica
- - due to displacement of intervertebral disc -*see* Disorder, disc, with, radiculopathy
- serum -*see also* Reaction, serum T80.69
- shoulder-girdle G54.5
- specified nerve NEC G58.8
- spinal (nerve) root -*see* Radiculopathy
- syphilitic A52.15
- thenar (median) G56.1-
- thoracic M54.14
- toxic NEC G62.2
- trochlear (nerve) -*see* Strabismus, paralytic, fourth nerve
- vagus (nerve) G52.2

Neuroastrocytoma -*see* Neoplasm, uncertain behavior, by site

Neuroavitaminosis E56.9 *[G99.8]*

Neuroblastoma
- olfactory C30.0
- specified site -*see* Neoplasm, malignant, by site
- unspecified site C74.90

Neurochorioretinitis -*see* Chorioretinitis

Neurocirculatory asthenia F45.8

Neurocysticercosis B69.0

Neurocytoma -*see* Neoplasm, benign, by site

Neurodermatitis (circumscribed) (circumscripta) (local) L28.0
- atopic L20.81
- diffuse (Brocq) L20.81
- disseminated L20.81

Neuroencephalomyelopathy, optic G36.0

Neuroepithelioma -*see also* Neoplasm, malignant, by site
- olfactory C30.0

Neurofibroma -*see also* Neoplasm, nerve, benign
- melanotic -*see* Neoplasm, nerve, benign
- multiple -*see* Neurofibromatosis
- plexiform -*see* Neoplasm, nerve, benign

Neurofibromatosis (multiple) (nonmalignant) Q85.00

- acoustic Q85.02
- malignant -*see* Neoplasm, nerve, malignant
- specified NEC Q85.09
- type 1 (von Recklinghausen) Q85.01
- type 2 Q85.02

Neurofibrosarcoma -*see* Neoplasm, nerve, malignant

Neurogenic -*see also* condition
- bladder -*see also* Dysfunction, bladder, neuromuscular N31.9
- - cauda equina syndrome G83.4
- bowel NEC K59.2
- heart F45.8

Neuroglioma -*see* Neoplasm, uncertain behavior, by site

Neurolabyrinthitis (of Dix and Hallpike) -*see* Neuronitis, vestibular

Neurolathyrism -*see* Poisoning, food, noxious, plant

Neuroleprosy A30.9

Neuroma -*see also* Neoplasm, nerve, benign
- acoustic (nerve) D33.3
- amputation (stump) (traumatic) (surgical complication) (late) T87.3-
- - arm T87.3-
- - leg T87.3-
- digital (toe) G57.6-
- interdigital G58.8
- - lower limb (toe) G57.8-
- - upper limb G56.8-
- intermetatarsal G57.8-
- Morton's G57.6-
- nonneoplastic
- - arm G56.9-
- - leg G57.9-
- - lower extremity G57.9-
- - upper extremity G56.9-
- optic (nerve) D33.3
- plantar G57.6-
- plexiform -*see* Neoplasm, nerve, benign
- surgical (nonneoplastic)
- - arm G56.9-
- - leg G57.9-
- - lower extremity G57.9-
- - upper extremity G56.9-

Neuromyalgia -*see* Neuralgia

Neuromyasthenia (epidemic) (postinfectious) G93.39

Neuromyelitis G36.9
- ascending G61.0
- optica G36.0

Neuromyopathy G70.9
- paraneoplastic (see also, Neoplasm, by site, if known) D49.9 *[G13.0]*

Neuromyotonia (Isaacs) G71.19

Neuronevus -*see* Nevus

Neuronitis G58.9
- ascending (acute) G57.2-
- vestibular H81.2-

Neuroparalytic -*see* condition

Neuropathy, neuropathic G62.9
- acute motor G62.81
- alcoholic G62.1
- - with psychosis -*see* Psychosis, alcoholic
- arm G56.9-
- autonomic, peripheral -*see* Neuropathy, peripheral, autonomic
- axillary G56.9-
- bladder N31.9

- - atonic (motor) (sensory) N31.2
- - autonomous N31.2
- - flaccid N31.2
- - nonreflex N31.2
- - reflex N31.1
- - uninhibited N31.0
- brachial plexus G54.0
- cervical plexus G54.2
- chronic
- - progressive segmentally demyelinating G62.89
- - relapsing demyelinating G62.89
- Déjérine-Sottas G60.0
- diabetic -*see* E08-E13 with .40
- - mononeuropathy -*see* E08-E13 with .41
- - polyneuropathy -*see* E08-E13 with .42
- entrapment G58.9
- - iliohypogastric nerve G57.8-
- - ilioinguinal nerve G57.8-
- - lateral cutaneous nerve of thigh G57.1-
- - median nerve G56.0-
- - obturator nerve G57.8-
- - peroneal nerve G57.3-
- - posterior tibial nerve G57.5-
- - saphenous nerve G57.8-
- - ulnar nerve G56.2-
- facial nerve G51.9
- hereditary G60.9
- - motor and sensory (types I-IV) G60.0
- - sensory G60.8
- - specified NEC G60.8
- hypertrophic G60.0
- - Charcot-Marie-Tooth G60.0
- - Déjérine-Sottas G60.0
- - interstitial progressive G60.0
- - of infancy G60.0
- - Refsum G60.1
- idiopathic G60.9
- - progressive G60.3
- - specified NEC G60.8
- in association with hereditary ataxia G60.2
- intercostal G58.0
- ischemic -*see* Disorder, nerve
- Jamaica (ginger) G62.2
- leg NEC G57.9-
- lower extremity G57.9-
- lumbar plexus G54.1
- median nerve G56.1-
- motor and sensory -*see also* Polyneuropathy
- - hereditary (types I-IV) G60.0
- multifocal motor (MMN) G61.82
- multiple (acute) (chronic) -*see* Polyneuropathy
- optic (nerve) -*see also* Neuritis, optic
- - ischemic H47.01-
- paraneoplastic (sensorial) (Denny Brown) (see also, Neoplasm, by site, if known) D49.9 *[G13.0]*
- peripheral (nerve) -*see also* Polyneuropathy G62.9
- - autonomic G90.9
- - - idiopathic G90.09
- - - in (due to)
- - - - amyloidosis E85.4 *[G99.0]*
- - - - diabetes mellitus -*see* E08-E13 with .43

- - - - endocrine disease NEC E34.9 *[G99.0]*
- - - - gout M10.00 *[G99.0]*
- - - - hyperthyroidism E05.90 *[G99.0]*
- - - - - with thyroid storm E05.91 *[G99.0]*
- - - - metabolic disease NEC E88.9 *[G99.0]*
- - idiopathic G60.9
- - - progressive G60.3
- - in (due to)
- - - antitetanus serum G62.0
- - - arsenic G62.2
- - - drugs NEC G62.0
- - - lead G62.2
- - - organophosphate compounds G62.2
- - - toxic agent NEC G62.2
- plantar nerves G57.6-
- progressive
- - hypertrophic interstitial G60.0
- - inflammatory G62.81
- radicular NEC -*see* Radiculopathy
- sacral plexus G54.1
- sciatic G57.0-
- serum G61.1
- toxic NEC G62.2
- trigeminal sensory G50.8
- ulnar nerve G56.2-
- uremic N18.9 *[G63]*
- vitamin B12 E53.8 *[G63]*
- - with anemia (pernicious) D51.0 *[G63]*
- - - due to dietary deficiency D51.3 *[G63]*

Neurophthisis -*see also* Disorder, nerve
- peripheral, diabetic -*see* E08-E13 with .42

Neuroretinitis -*see* Chorioretinitis

Neuroretinopathy, hereditary optic H47.22

Neurosarcoma -*see* Neoplasm, nerve, malignant

Neurosclerosis -*see* Disorder, nerve

Neurosis, neurotic F48.9
- anankastic F42.8
- anxiety (state) F41.1
- - panic type F41.0
- asthenic F48.8
- bladder F45.8
- cardiac (reflex) F45.8
- cardiovascular F45.8
- character F60.9
- colon F45.8
- compensation F68.10
- compulsive, compulsion F42.8
- conversion F44.9
- craft F48.8
- cutaneous F45.8
- depersonalization F48.1
- depressive (reaction) (type) F34.1
- environmental F48.8
- excoriation L98.1
- fatigue F48.8
- functional -*see* Disorder, somatoform
- gastric F45.8
- gastrointestinal F45.8
- heart F45.8
- hypochondriacal F45.21

- hysterical F44.9
- incoordination F45.8
- - larynx F45.8
- - vocal cord F45.8
- intestine F45.8
- larynx (sensory) F45.8
- - hysterical F44.4
- mixed NEC F48.8
- musculoskeletal F45.8
- obsessional F42.8
- obsessive-compulsive F42.8
- occupational F48.8
- ocular NEC F45.8
- organ -*see* Disorder, somatoform
- pharynx F45.8
- phobic F40.9
- posttraumatic (situational) F43.10
- - acute F43.11
- - chronic F43.12
- psychasthenic (type) F48.8
- railroad F48.8
- rectum F45.8
- respiratory F45.8
- rumination F45.8
- sexual F65.9
- situational F48.8
- social F40.10
- - generalized F40.11
- specified type NEC F48.8
- state F48.9
- - with depersonalization episode F48.1
- stomach F45.8
- traumatic F43.10
- - acute F43.11
- - chronic F43.12
- vasomotor F45.8
- visceral F45.8
- war F48.8

Neurospongioblastosis diffusa Q85.1

Neurosyphilis (arrested) (early) (gumma) (late) (latent) (recurrent) (relapse) A52.3
- with ataxia (cerebellar) (locomotor) (spastic) (spinal) A52.19
- aneurysm (cerebral) A52.05
- arachnoid (adhesive) A52.13
- arteritis (any artery) (cerebral) A52.04
- asymptomatic A52.2
- congenital A50.40
- dura (mater) A52.13
- general paresis A52.17
- hemorrhagic A52.05
- juvenile (asymptomatic) (meningeal) A50.40
- leptomeninges (aseptic) A52.13
- meningeal, meninges (adhesive) A52.13
- meningitis A52.13
- meningovascular (diffuse) A52.13
- optic atrophy A52.15
- parenchymatous (degenerative) A52.19
- paresis, paretic A52.17
- - juvenile A50.45
- remission in (sustained) A52.3
- serological (without symptoms) A52.2

- specified nature or site NEC A52.19
- tabes, tabetic (dorsalis) A52.11
- - juvenile A50.45
- taboparesis (taboparetic) A52.17
- - juvenile A50.45
- thrombosis (cerebral) A52.05
- vascular (cerebral) NEC A52.05

Neurothekeoma -*see* Neoplasm, nerve, benign

Neurotic -*see* Neurosis

Neurotoxemia -*see* Toxemia

Neutroclusion M26.211

Neutropenia, neutropenic (chronic) (genetic) (idiopathic) (immune) (infantile) (malignant) (pernicious) (splenic) D70.9
- benign ethnic -*see* Phenotype, Duffy, null
- congenital (primary) D70.0
- cyclic D70.4
- cytoreductive cancer chemotherapy sequela D70.1
- drug-induced D70.2
- - due to cytoreductive cancer chemotherapy D70.1
- due to infection D70.3
- fever D70.9
- neonatal, transitory (isoimmune) (maternal transfer) P61.5
- periodic D70.4
- secondary (cyclic) (periodic) (splenic) D70.4
- - drug-induced D70.2
- - - due to cytoreductive cancer chemotherapy D70.1
- specified NEC D70.8
- toxic D70.8

Neutrophilia, hereditary giant D72.0

Nevocarcinoma -*see* Melanoma

Nevus D22.9
- achromic -*see* Neoplasm, skin, benign
- amelanotic -*see* Neoplasm, skin, benign
- angiomatousD18.00
- - intra-abdominal D18.03
- - intracranial D18.02
- - skin D18.01
- - specified site NEC D18.09
- araneus I78.1
- balloon cell -*see* Neoplasm, skin, benign
- bathing trunk D48.5
- blue -*see* Neoplasm, skin, benign
- - cellular -*see* Neoplasm, skin, benign
- - giant -*see* Neoplasm, skin, benign
- - Jadassohn's -*see* Neoplasm, skin, benign
- - malignant -*see* Melanoma
- capillary D18.00
- - intra-abdominal D18.03
- - intracranial D18.02
- - skin D18.01
- - specified site NEC D18.09
- cavernous D18.00
- - intra-abdominal D18.03
- - intracranial D18.02
- - skin D18.01
- - specified site NEC D18.09
- cellular -*see* Neoplasm, skin, benign
- - blue -*see* Neoplasm, skin, benign
- choroid D31.3-
- comedonicus Q82.5

- conjunctiva D31.0-
- dermal -*see* Neoplasm, skin, benign
- - with epidermal nevus -*see* Neoplasm, skin, benign
- dysplastic -*see* Neoplasm, skin, benign
- eye D31.9-
- flammeus Q82.5
- hemangiomatous D18.00
- - intra-abdominal D18.03
- - intracranial D18.02
- - skin D18.01
- - specified site NEC D18.09
- iris D31.4-
- lacrimal gland D31.5-
- lymphatic D18.1
- magnocellular
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D31.40
- malignant -*see* Melanoma
- meaning hemangioma D18.00
- - intra-abdominal D18.03
- - intracranial D18.02
- - skin D18.01
- - specified site NEC D18.09
- mouth (mucosa) D10.30
- - specified site NEC D10.39
- - white sponge Q38.6
- multiplex Q85.1
- non-neoplastic I78.1
- oral mucosa D10.30
- - specified site NEC D10.39
- - white sponge Q38.6
- orbit D31.6-
- pigmented
- - giant -*see also* Neoplasm, skin, uncertain behavior D48.5
- - - malignant melanoma in -*see* Melanoma
- portwine Q82.5
- retina D31.2-
- retrobulbar D31.6-
- sanguineous Q82.5
- senile I78.1
- skin D22.9
- - abdominal wall D22.5
- - ala nasi D22.39
- - ankle D22.7-
- - anus, anal D22.5
- - arm D22.6-
- - auditory canal (external) D22.2-
- - auricle (ear) D22.2-
- - auricular canal (external) D22.2-
- - axilla, axillary fold D22.5
- - back D22.5
- - breast D22.5
- - brow D22.39
- - buttock D22.5
- - canthus (eye) D22.1-
- - cheek (external) D22.39
- - chest wall D22.5
- - chin D22.39
- - ear (external) D22.2-
- - external meatus (ear) D22.2-

- - eyebrow D22.39
- - eyelid (lower) (upper) D22.1-
- - face D22.30
- - - specified NEC D22.39
- - female genital organ (external) NEC D28.0
- - finger D22.6-
- - flank D22.5
- - foot D22.7-
- - forearm D22.6-
- - forehead D22.39
- - foreskin D29.0
- - genital organ (external) NEC
- - - female D28.0
- - - male D29.9
- - gluteal region D22.5
- - groin D22.5
- - hand D22.6-
- - heel D22.7-
- - helix D22.2-
- - hip D22.7-
- - interscapular region D22.5
- - jaw D22.39
- - knee D22.7-
- - labium (majus) (minus) D28.0
- - leg D22.7-
- - lip (lower) (upper) D22.0
- - lower limb D22.7-
- - male genital organ (external) D29.9
- - nail D22.9
- - - finger D22.6-
- - - toe D22.7-
- - nasolabial groove D22.39
- - nates D22.5
- - neck D22.4
- - nose (external) D22.39
- - palpebra D22.1-
- - penis D29.0
- - perianal skin D22.5
- - perineum D22.5
- - pinna D22.2-
- - popliteal fossa or space D22.7-
- - prepuce D29.0
- - pudendum D28.0
- - scalp D22.4
- - scrotum D29.4
- - shoulder D22.6-
- - submammary fold D22.5
- - temple D22.39
- - thigh D22.7-
- - toe D22.7-
- - trunk NEC D22.5
- - umbilicus D22.5
- - upper limb D22.6-
- - vulva D28.0
- specified site NEC -*see* Neoplasm, by site, benign
- spider I78.1
- stellar I78.1
- strawberry Q82.5
- Sutton's benign D22.9
- unius lateris Q82.5

- Unna's Q82.5
- vascular Q82.5
- verrucous Q82.5

Newborn (infant) (liveborn) (singleton) Z38.2
- acne L70.4
- abstinence syndrome P96.1
- affected by
- - abnormalities of membranes P02.9
- - - specified NEC P02.8
- - abruptio placenta P02.1
- - amino-acid metabolic disorder, transitory P74.8
- - amniocentesis (while in utero) P00.6
- - amnionitis P02.78
- - apparent life threatening event (ALTE) R68.13
- - bleeding (into)
- - - cerebral cortex P52.22
- - - germinal matrix P52.0
- - - ventricles P52.1
- - breech delivery P03.0
- - cardiac arrest P29.81
- - cardiomyopathy I42.8
- - - congenital I42.4
- - cerebral ischemia P91.0
- - Cesarean delivery P03.4
- - chemotherapy agents P04.11
- - chorioamnionitis P02.78
- - cocaine (crack) P04.41
- - complications of labor and delivery P03.9
- - - specified NEC P03.89
- - compression of umbilical cord NEC P02.5
- - contracted pelvis P03.1
- - cyanosis P28.2
- - delivery P03.9
- - - Cesarean P03.4
- - - forceps P03.2
- - - vacuum extractor P03.3
- - drugs of addiction P04.40
- - - cocaine P04.41
- - - hallucinogens P04.42
- - - specified drug NEC P04.49
- - environmental chemicals P04.6
- - entanglement (knot) in umbilical cord P02.5
- - fetal (intrauterine)
- - - growth retardation P05.9
- - - inflammatory response syndrome (FIRS) P02.70
- - - malnutrition not light or small for gestational age P05.2
- - FIRS (fetal inflammatory response syndrome) P02.70
- - forceps delivery P03.2
- - heart rate abnormalities
- - - bradycardia P29.12
- - - intrauterine P03.819
- - - - before onset of labor P03.810
- - - - during labor P03.811
- - - tachycardia P29.11
- - hemorrhage (antepartum) P02.1
- - - cerebellar (nontraumatic) P52.6
- - - intracerebral (nontraumatic) P52.4
- - - intracranial (nontraumatic) P52.9
- - - - specified NEC P52.8
- - - intraventricular (nontraumatic) P52.3

- - - - grade 1 P52.0
- - - - grade 2 P52.1
- - - - grade 3 P52.21
- - - - grade 4 P52.22
- - - posterior fossa (nontraumatic) P52.6
- - - subarachnoid (nontraumatic) P52.5
- - - subependymal P52.0
- - - - with intracerebral extension P52.22
- - - - with intraventricular extension P52.1
- - - - - with enlargment of ventricles P52.21
- - - - without intraventricular extension P52.0
- - hypoxic ischemic encephalopathy [HIE] P91.60
- - - mild P91.61
- - - moderate P91.62
- - - severe P91.63
- - induction of labor P03.89
- - intestinal perforation P78.0
- - intrauterine (fetal) blood loss P50.9
- - - due to (from)
- - - - cut end of co-twin cord P50.5
- - - - hemorrhage into
- - - - - co-twin P50.3
- - - - - maternal circulation P50.4
- - - - placenta P50.2
- - - - ruptured cord blood P50.1
- - - - vasa previa P50.0
- - - specified NEC P50.8
- - intrauterine (fetal) hemorrhage P50.9
- - intrauterine (in utero) procedure P96.5
- - malpresentation (malposition) NEC P03.1
- - maternal (complication of) (use of)
- - - alcohol P04.3
- - - amphetamines P04.16
- - - analgesia (maternal) P04.0
- - - anesthesia (maternal) P04.0
- - - anticonvulsants P04.13
- - - antidepressants P04.15
- - - antineoplastic chemotherapy P04.11
- - - anxiolytics P04.1A
- - - blood loss P02.1
- - - cannabis P04.81
- - - circulatory disease P00.3
- - - condition P00.9
- - - - specified NEC P00.89
- - - cytotoxic drugs P04.12
- - - delivery P03.9
- - - - Cesarean P03.4
- - - - forceps P03.2
- - - - vacuum extractor P03.3
- - - diabetes mellitus (pre-existing) P70.1
- - - disorder P00.9
- - - - specified NEC P00.89
- - - drugs (addictive) (illegal) NEC P04.49
- - - ectopic pregnancy P01.4
- - - gestational diabetes P70.0
- - - group B streptococcus (GBS) colonization (positive) P00.82
- - - hemorrhage P02.1
- - - hypertensive disorder P00.0
- - - incompetent cervix P01.0
- - - infectious disease P00.2

- - - injury P00.5
- - - labor and delivery P03.9
- - - malpresentation before labor P01.7
- - - maternal death P01.6
- - - medical procedure P00.7
- - - medication P04.19
- - - - specified type NEC P04.18
- - - multiple pregnancy P01.5
- - - nutritional disorder P00.4
- - - oligohydramnios P01.2
- - - opiates P04.14
- - - - administered for procedures during pregnancy or labor and delivery P04.0
- - - parasitic disease P00.2
- - - periodontal disease P00.81
- - - placenta previa P02.0
- - - polyhydramnios P01.3
- - - precipitate delivery P03.5
- - - pregnancy P01.9
- - - - specified P01.8
- - - premature rupture of membranes P01.1
- - - renal disease P00.1
- - - respiratory disease P00.3
- - - sedative-hypnotics P04.17
- - - surgical procedure P00.6
- - - tranquilizers administered for procedures during pregnancy or labor and delivery P04.0
- - - urinary tract disease P00.1
- - - uterine contraction (abnormal) P03.6
- - meconium peritonitis P78.0
- - medication (legal) (maternal use) (prescribed) P04.19
- - membrane abnormalities P02.9
- - - specified NEC P02.8
- - membranitis P02.78
- - methamphetamine(s) P04.49
- - mixed metabolic and respiratory acidosis P84
- - neonatal abstinence syndrome P96.1
- - noxious substances transmitted via placenta or breast milk P04.9
- - - cannabis P04.81
- - - specified NEC P04.89
- - nutritional supplements P04.5
- - placenta previa P02.0
- - placental
- - - abnormality (functional) (morphological) P02.20
- - - - specified NEC P02.29
- - - dysfunction P02.29
- - - infarction P02.29
- - - insufficiency P02.29
- - - separation NEC P02.1
- - - transfusion syndromes P02.3
- - placentitis P02.78
- - precipitate delivery P03.5
- - prolapsed cord P02.4
- - respiratory arrest P28.81
- - slow intrauterine growth P05.9
- - tobacco P04.2
- - twin to twin transplacental transfusion P02.3
- - umbilical cord (tightly) around neck P02.5
- - umbilical cord condition P02.60
- - - short cord P02.69
- - - specified NEC P02.69
- - uterine contractions (abnormal) P03.6

- - vasa previa P02.69
- - - from intrauterine blood loss P50.0
- apnea -*see also* Apnea, newborn P28.40
- - primary -*see also* Apnea, newborn, sleep, primary P28.30
- - obstructive P28.42
- - sleep (central) (obstructive) (primary) -*see also* Apnea, newborn, sleep, primary P28.30
- born in hospital Z38.00
- - by cesarean Z38.01
- born outside hospital Z38.1
- breast buds P96.89
- breast engorgement P83.4
- check-up -*see* Newborn, examination
- convulsion P90
- dehydration P74.1
- examination
- - 8 to 28 days old Z00.111
- - under 8 days old Z00.110
- fever P81.9
- - environmentally-induced P81.0
- hyperbilirubinemia P59.9
- - of prematurity P59.0
- hypernatremia P74.21
- hyponatremia P74.22
- infection P39.9
- - candidal P37.5
- - specified NEC P39.8
- - urinary tract P39.3
- jaundice P59.9
- - due to
- - - breast milk inhibitor P59.3
- - - hepatocellular damage P59.20
- - - - specified NEC P59.29
- - - preterm delivery P59.0
- - of prematurity P59.0
- - specified NEC P59.8
- late metabolic acidosis P74.0
- mastitis P39.0
- - infective P39.0
- - noninfective P83.4
- multiple born NEC Z38.8
- - born in hospital Z38.68
- - - by cesarean Z38.69
- - born outside hospital Z38.7
- omphalitis P38.9
- - with mild hemorrhage P38.1
- - without hemorrhage P38.9
- post-term P08.21
- prolonged gestation (over 42 completed weeks) P08.22
- quadruplet Z38.8
- - born in hospital Z38.63
- - - by cesarean Z38.64
- - born outside hospital Z38.7
- quintuplet Z38.8
- - born in hospital Z38.65
- - - by cesarean Z38.66
- - born outside hospital Z38.7
- seizure P90
- sepsis (congenital) P36.9
- - due to
- - - anaerobes NEC P36.5

- - - Escherichia coli P36.4
- - - Staphylococcus P36.30
- - - - aureus P36.2
- - - - specified NEC P36.39
- - - Streptococcus P36.10
- - - - group B P36.0
- - - - specified NEC P36.19
- - specified NEC P36.8
- triplet Z38.8
- - born in hospital Z38.61
- - - by cesarean Z38.62
- - born outside hospital Z38.7
- twin Z38.5
- - born in hospital Z38.30
- - - by cesarean Z38.31
- - born outside hospital Z38.4
- vomiting P92.09
- - bilious P92.01
- weight check Z00.111
Newcastle conjunctivitis or disease B30.8
Nezelof's syndrome (pure alymphocytosis) D81.4
Niacin (amide) deficiency E52
Nicolas (-Durand) -Favre disease A55
Nicotine -*see* Tobacco
Nicotinic acid deficiency E52
Niemann-Pick disease or syndrome E75.249
- specified NEC E75.248
- type
- - A E75.240
- - A/B E75.244
- - B E75.241
- - C E75.242
- - D E75.243
Night
- blindness -*see* Blindness, night
- sweats R61
- terrors (child) F51.4
Nightmares (REM sleep type) F51.5
NIHSS (National Institutes of Health Stroke Scale) score R29.7-
Nipple -*see* condition
Nisbet's chancre A57
Nishimoto (-Takeuchi) disease I67.5
Nitritoid crisis or reaction -*see* Crisis, nitritoid
Nitrosohemoglobinemia D74.8
Njovera A65
No
- general equivalence degree (GED) Z55.5
- health insurance coverage Z59.71
Nocardiosis, nocardiasis A43.9
- cutaneous A43.1
- lung A43.0
- pneumonia A43.0
- pulmonary A43.0
- specified site NEC A43.8
Nocturia R35.1
- psychogenic F45.8
Nocturnal -*see* condition
Nodal rhythm I49.8
Node(s) -*see also* Nodule
- Bouchard's (with arthropathy) M15.2

- Haygarth's M15.8
- Heberden's (with arthropathy) M15.1
- larynx J38.7
- lymph -*see* condition
- milker's B08.03
- Osler's I33.0
- Schmorl's -*see* Schmorl's disease
- singer's J38.2
- teacher's J38.2
- tuberculous -*see* Tuberculosis, lymph gland
- vocal cord J38.2

Nodule(s), nodular
- actinomycotic -*see* Actinomycosis
- breast NEC -*see also* Lump, breast N63.0
- colloid (cystic), thyroid E04.1
- cutaneous -*see* Swelling, localized
- endometrial (stromal) D26.1
- Haygarth's M15.8
- inflammatory -*see* Inflammation
- juxta-articular
- - syphilitic A52.77
- - yaws A66.7
- larynx J38.7
- lung, solitary (subsegmental branch of the bronchial tree) R91.1
- - multiple R91.8
- milker's B08.03
- prostate N40.2
- - with lower urinary tract symptoms (LUTS) N40.3
- - without lower urinary tract symptoms (LUTS) N40.2
- pulmonary, solitary (subsegmental branch of the bronchial tree) R91.1
- retrocardiac R09.89
- rheumatoid M06.30
- - ankle M06.37-
- - elbow M06.32-
- - foot joint M06.37-
- - hand joint M06.34-
- - hip M06.35-
- - knee M06.36-
- - multiple site M06.39
- - shoulder M06.31-
- - vertebra M06.38
- - wrist M06.33-
- scrotum (inflammatory) N49.2
- singer's J38.2
- solitary, lung (subsegmental branch of the bronchial tree) R91.1
- - multiple R91.8
- subcutaneous -*see* Swelling, localized
- teacher's J38.2
- thyroid (cold) (gland) (nontoxic) E04.1
- - with thyrotoxicosis E05.20
- - - with thyroid storm E05.21
- - toxic or with hyperthyroidism E05.20
- - - with thyroid storm E05.21
- vocal cord J38.2

Noma (gangrenous) (hospital) (infective) A69.0
- auricle I96
- mouth A69.0
- pudendi N76.89
- vulvae N76.89

Nomad, nomadism Z59.00

NOMID (neonatal onset multisystemic inflammatory disorder) M04.2
Non-accidental trauma -*see* Abuse, physical
Nonadherence to medical treatment, specified NEC Z91.199
- due to
- - financial hardship Z91.190
- - specified reason NEC Z91.198
Nonautoimmune hemolytic anemia D59.4
- drug-induced D59.2
Nonclosure -*see also* Imperfect, closure
- ductus arteriosus (Botallo's) Q25.0
- foramen
- - botalli Q21.12
- - ovale Q21.12
Noncompliance Z91.199
- with
- - dietary regimen Z91.119
- - - due to
- - - - financial hardship Z91.110
- - - - specified reason NEC Z91.118
- - dialysis Z91.158
- - - due to financial hardship Z91.151
- - medical treatment, specified NEC Z91.199
- - - due to
- - - - financial hardship Z91.190
- - - - specified reason NEC Z91.198
- - medication regimen NEC Z91.148
- - - due to financial hardship Z91.141
- - - underdosing -*see also* Table of Drugs and Chemicals, categories T36-T50, with final character 6 Z91.148
- - - - intentional NEC Z91.128
- - - - - by caregiver
- - - - - - due to
- - - - - - - financial hardship Z91.A20
- - - - - - - specified reason NEC Z91.A28
- - - - - due to financial hardship of patient Z91.120
- - - - unintentional NEC Z91.138
- - - - - by caregiver Z91.A3
- - - - - due to patient's age related debility Z91.130
- - renal dialysis Z91.158
- - - due to financial hardship Z91.151
- caregiver
- - with patient's
- - - dietary regimen
- - - - due to
- - - - - financial hardship Z91.A10
- - - - - specified reason NEC Z91.A18
- - - medical treatment and regimen
- - - - due to financial hardship Z91.A91
- - - - specified reason NEC Z91.A98
- - - medication regimen
- - - - due to financial hardship Z91.A41
- - - - specified reason NEC Z91.A48
- - - renal dialysis
- - - - due to financial hardship Z91.A51
- - - - specified reason NEC Z91.A58
Nondescent (congenital) -*see also* Malposition, congenital
- cecum Q43.3
- colon Q43.3
- testicle Q53.9
- - bilateral Q53.20
- - - abdominal Q53.211

- - - perineal Q53.22
- - unilateral Q53.10
- - - abdominal Q53.111
- - - perineal Q53.12
Nondevelopment
- brain Q02
- - part of Q04.3
- heart Q24.8
- organ or site, congenital NEC -*see* Hypoplasia
Nonengagement
- head NEC O32.4
- - in labor, causing obstructed labor O64.8
Nonexanthematous tick fever A93.2
Nonexpansion, lung (newborn) P28.0
Nonfunctioning
- cystic duct -*see also* Disease, gallbladder K82.8
- gallbladder -*see also* Disease, gallbladder K82.8
- kidney N28.9
- labyrinth -see subcategory H83.2
Non-Hodgkin lymphoma NEC -*see* Lymphoma, non-Hodgkin
Non-working side interference M26.56
Nonimplantation, ovum N97.2
Noninsufflation, fallopian tube N97.1
Non-ketotic hyperglycinemia E72.51
Nonne-Milroy syndrome Q82.0
Nonovulation N97.0
Non-palpable testicle(s)
- bilateral R39.84
- unilateral R39.83
Nonpatent fallopian tube N97.1
Nonpneumatization, lung NEC P28.0
Nonrotation -*see* Malrotation
Nonsecretion, urine -*see* Anuria
Nonunion
- fracture -*see* Fracture, by site
- joint, following fusion or arthrodesis M96.0
- organ or site, congenital NEC -*see* Imperfect, closure
- symphysis pubis, congenital Q74.2
Nonvisualization, gallbladder R93.2
Nonvital, nonvitalized tooth K04.99
Noonan's syndrome Q87.19
Normocytic anemia (infectional) due to blood loss (chronic) D50.0
- acute D62
Norrie's disease (congenital) Q15.8
North American blastomycosis B40.9
Norwegian itch B86
Nose, nasal -*see* condition
Nosebleed R04.0
Nose-picking F98.8
Nosomania F45.21
Nosophobia F45.22
Nostalgia F43.20
Notch of iris Q13.2
Notching nose, congenital (tip) Q30.2
Nothnagel's
- syndrome -*see* Strabismus, paralytic, third nerve
- vasomotor acroparesthesia I73.89
Novy's relapsing fever A68.9
- louse-borne A68.0
- tick-borne A68.1

Noxious
- foodstuffs, poisoning by -*see* Poisoning, food, noxious, plant
- substances transmitted through placenta or breast milk P04.9
Nucleus pulposus -*see* condition
Numbness R20.0
Nuns' knee -*see* Bursitis, prepatellar
Nursemaid's elbow S53.03-
Nutcracker esophagus K22.4
Nutmeg liver K76.1
Nutrient element deficiency E61.9
- specified NEC E61.8
Nutrition deficient or insufficient -*see also* Malnutrition E63.9
- due to
- - insufficient food T73.0
- - lack of
- - - care (child) T76.02
- - - - adult T76.01
- - - food T73.0
- - specific element deficiency -*see* Nutrient element deficiency, or by element
- sequelae -*see* Sequelae, nutritional deficiency
- specified NEC E63.8
Nutritional stunting E45
Nyctalopia (night blindness) -*see* Blindness, night
Nycturia R35.1
- psychogenic F45.8
Nymphomania F52.8
Nystagmus H55.00
- benign paroxysmal -*see* Vertigo, benign paroxysmal
- central positional H81.4
- congenital H55.01
- dissociated H55.04
- latent H55.02
- miners' H55.09
- positional
- - benign paroxysmal H81.4
- - central H81.4
- specified form NEC H55.09
- visual deprivation H55.03

O

Obermeyer's relapsing fever (European) A68.0
Obesity E66.9
- with alveolar hypoventilation E66.2
- adrenal E27.8
- class
- - 1 E66.811
- - 2 E66.812
- - 3 E66.813
- complicating
- - childbirth O99.214
- - pregnancy O99.21-
- - puerperium O99.215
- constitutional E66.89
- dietary counseling and surveillance Z71.3
- drug-induced E66.1
- due to
- - disruption of MC4R pathway E88.82
- - drug E66.1
- - excess calories E66.09

- - - morbid E66.01
- - - severe E66.01
- - gene mutation
- - - leptin (LEP) E88.82
- - - leptin receptor (LEPR) E88.82
- - - melanocortin 4 Receptor (MC4R) E88.82
- - - nuclear receptor coactivator 1 (NCOA1) E88.82
- - - proopiomelanocortin (POMC) E88.82
- - - proprotein convertase subtilisin/kexin type 1 (PCSK1) E88.82
- - - src homology 2B adaptor signaling protein (SH2B1) E88.82
- endocrine E66.89
- endogenous E66.89
- exogenous E66.09
- familial E66.89
- glandular E66.89
- hypothyroid *-see* Hypothyroidism
- hypoventilation syndrome (OHS) E66.2
- morbid E66.01
- - with
- - - alveolar hypoventilation E66.2
- - - obesity hypoventilation syndrome (OHS) E66.2
- - due to excess calories E66.01
- nutritional E66.09
- pituitary E23.6
- severe E66.01
- specified type NEC E66.89

Oblique *-see* condition

Obliteration
- appendix (lumen) K38.8
- artery I77.1
- bile duct (noncalculous) K83.1
- common duct (noncalculous) K83.1
- cystic duct *-see* Obstruction, gallbladder
- disease, arteriolar I77.1
- endometrium N85.8
- eye, anterior chamber *-see* Disorder, globe, hypotony
- fallopian tube N97.1
- lymphatic vessel I89.0
- - due to mastectomy I97.2
- organ or site, congenital NEC *-see* Atresia, by site
- ureter N13.5
- - with infection N13.6
- urethra *-see* Stricture, urethra
- vein I87.8
- vestibule (oral) K08.89

Observation (following) (for) (without need for further medical care) Z04.9
- accident NEC Z04.3
- - at work Z04.2
- - transport Z04.1
- adverse effect of drug Z03.6
- alleged rape or sexual assault (victim), ruled out
- - adult Z04.41
- - child Z04.42
- criminal assault Z04.89
- development state
- - adolescent Z00.3
- - period of rapid growth in childhood Z00.2
- - puberty Z00.3
- disease, specified NEC Z03.89
- following work accident Z04.2

- forced sexual exploitation Z04.81
- forced labor exploitation Z04.82
- growth and development state *-see* Observation, development state
- injuries (accidental) NEC *-see also* Observation, accident
- newborn (for)
- - suspected condition, related to exposure from the mother or birth process *-see* - Newborn, affected by, maternal
- - - ruled out Z05.9
- - - - cardiac Z05.0
- - - - connective tissue Z05.73
- - - - gastrointestinal Z05.5
- - - - genetic Z05.41
- - - - genitourinary Z05.6
- - - - immunologic Z05.43
- - - - infectious Z05.1
- - - - metabolic Z05.42
- - - - musculoskeletal Z05.72
- - - - neurological Z05.2
- - - - respiratory Z05.3
- - - - skin and subcutaneous tissue Z05.71
- - - - specified condition NEC Z05.89
- postpartum
- - immediately after delivery Z39.0
- - routine follow-up Z39.2
- pregnancy (normal) (without complication) Z34.9-
- - high risk O09.9-
- suicide attempt, alleged NEC Z03.89
- - self-poisoning Z03.6
- suspected, ruled out *-see also* Suspected condition, ruled out
- - abuse, physical
- - - adult Z04.71
- - - child Z04.72
- - accident at work Z04.2
- - adult battering victim Z04.71
- - child battering victim Z04.72
- - condition NEC Z03.89
- - - newborn *-see also* Observation, newborn (for), suspected condition, ruled out Z05.9
- - drug poisoning or adverse effect Z03.6
- - exposure (to)
- - - anthrax Z03.810
- - - biological agent NEC Z03.818
- - inflicted injury NEC Z04.89
- - foreign body
- - - aspirated (inhaled) Z03.822
- - - ingested Z03.821
- - - inserted (injected), in (eye) (orifice) (skin) Z03.823
- - suicide attempt, alleged Z03.89
- - - self-poisoning Z03.6
- - toxic effects from ingested substance (drug) (poison) Z03.6
- toxic effects from ingested substance (drug) (poison) Z03.6

Obsession, obsessional state F42.8
- mixed thoughts and acts F42.2

Obsessive-compulsive neurosis or reaction F42.8

Obstetric embolism, septic *-see* Embolism, obstetric, septic

Obstetrical trauma (complicating delivery) O71.9
- with or following ectopic or molar pregnancy O08.6
- specified type NEC O71.89

Obstipation *-see* Constipation

Obstruction, obstructed, obstructive
- airway J98.8
- - with

- - - allergic alveolitis J67.9
- - - asthma J45.909
- - - - with
- - - - - exacerbation (acute) J45.901
- - - - - status asthmaticus J45.902
- - - bronchiectasis J47.9
- - - - with
- - - - - exacerbation (acute) J47.1
- - - - - lower respiratory infection J47.0
- - - bronchitis (chronic) J44.89
- - - emphysema J43.9
- - chronic J44.9
- - - with
- - - - allergic alveolitis -*see* Pneumonitis, hypersensitivity
- - - - bronchiectasis J47.9
- - - - - with
- - - - - - exacerbation (acute) J47.1
- - - - - - lower respiratory infection J47.0
- - due to
- - - foreign body -*see* Foreign body, by site, causing asphyxia
- - - inhalation of fumes or vapors J68.9
- - - laryngospasm J38.5
- ampulla of Vater K83.1
- aortic (heart) (valve) -*see* Stenosis, aortic
- aortoiliac I74.09
- aqueduct of Sylvius G91.1
- - congenital Q03.0
- - - with spina bifida -*see* Spina bifida, by site, with hydrocephalus
- Arnold-Chiari -*see* Arnold-Chiari disease
- artery -*see also* Atherosclerosis, artery I70.9
- - stent -*see* Restenosis, stent
- - basilar (complete) (partial) -*see* Occlusion, artery, basilar
- - carotid (complete) (partial) -*see* Occlusion, artery, carotid
- - cerebellar -*see* Occlusion, artery, cerebellar
- - cerebral (anterior) (middle) (posterior) -*see* Occlusion, artery, cerebral
- - precerebral -*see* Occlusion, artery, precerebral
- - renal N28.0
- - retinal NEC -*see* Occlusion, artery, retina
- - vertebral (complete) (partial) -*see* Occlusion, artery, vertebral
- band (intestinal) -*see also* Obstruction, intestine, specified NEC K56.699
- bile duct or passage (common) (hepatic) (noncalculous) K83.1
- - with calculus K80.51
- - congenital (causing jaundice) Q44.3
- biliary (duct) (tract) K83.1
- - gallbladder K82.0
- bladder-neck (acquired) N32.0
- - congenital Q64.31
- - due to hyperplasia (hypertrophy) of prostate -*see* Hyperplasia, prostate
- bowel -*see* Obstruction, intestine
- bronchus J98.09
- canal, ear -*see* Stenosis, external ear canal
- cardia K22.2
- caval veins (inferior) (superior) I87.1
- cecum -*see* Obstruction, intestine
- circulatory I99.8
- colon -*see* Obstruction, intestine
- common duct (noncalculous) K83.1
- coronary (artery) -*see* Occlusion, coronary
- cystic duct -*see also* Obstruction, gallbladder
- - with calculus K80.21

- device, implant or graft -*see also* Complications, by site and type, mechanical T85.698
- - arterial graft NEC -*see* Complication, cardiovascular device, mechanical, vascular
- - catheter NEC T85.628
- - - cystostomy T83.090
- - - dialysis (renal) T82.49
- - - - intraperitoneal T85.691
- - - Hopkins T83.098
- - - ileostomy T83.098
- - - infusion NEC T82.594
- - - - spinal (epidural) (subdural) T85.690
- - - nephrostomy T83.092
- - - urethral indwelling T83.091
- - - urinary T83.098
- - - urostomy T83.098
- - due to infection T85.79
- - gastrointestinal -*see* Complications, prosthetic device, mechanical, gastrointestinal device
- - genital NEC T83.498
- - - intrauterine contraceptive device T83.39
- - - penile prosthesis (cylinder) (implanted) (pump) (reservoir) T83.490
- - - testicular prosthesis T83.491
- - heart NEC -*see* Complication, cardiovascular device, mechanical
- - joint prosthesis -*see* Complications, joint prosthesis, mechanical, specified NEC, by site
- - orthopedic NEC -*see* Complication, orthopedic, device, mechanical
- - specified NEC T85.628
- - urinary NEC -*see also* Complication, genitourinary, device, urinary, mechanical
- - - graft T83.29
- - vascular NEC -*see* Complication, cardiovascular device, mechanical
- - ventricular intracranial shunt T85.09
- due to foreign body accidentally left in operative wound T81.529
- duodenum K31.5
- ejaculatory duct N50.89
- esophagus K22.2
- eustachian tube (complete) (partial) H68.10-
- - cartilagenous (extrinsic) H68.13-
- - - intrinsic H68.12-
- - osseous H68.11-
- fallopian tube (bilateral) N97.1
- fecal K56.41
- - with hernia -*see* Hernia, by site, with obstruction
- foramen of Monro (congenital) Q03.8
- - with spina bifida -*see* Spina bifida, by site, with hydrocephalus
- foreign body -*see* Foreign body
- gallbladder K82.0
- - with calculus, stones K80.21
- - congenital Q44.1
- gastric outlet K31.1
- gastrointestinal -*see* Obstruction, intestine
- hepatic K76.89
- - duct (noncalculous) K83.1
- hepatobiliary K83.1
- ileum -*see* Obstruction, intestine
- iliofemoral (artery) I74.5
- intestine K56.609
- - complete K56.601
- - incomplete K56.600
- - partial K56.600
- - with
- - - adhesions (intestinal) (peritoneal) K56.50
- - - - complete K56.52
- - - - incomplete K56.51

- - - - partial K56.51
- - adynamic K56.0
- - by gallstone K56.3
- - congenital (small) Q41.9
- - - large Q42.9
- - - - specified part NEC Q42.8
- - neurogenic K56.0
- - - Hirschsprung's disease or megacolon Q43.1
- - newborn P76.9
- - - due to
- - - - fecaliths P76.8
- - - - inspissated milk P76.2
- - - - meconium (plug) P76.0
- - - - - in mucoviscidosis E84.11
- - - specified NEC P76.8
- - postoperative K91.30
- - - complete K91.32
- - - incomplete K91.31
- - - partial K91.31
- - reflex K56.0
- - specified NEC K56.699
- - - complete K56.691
- - - incomplete K56.690
- - - partial K56.690
- - volvulus K56.2
- intracardiac ball valve prosthesis T82.09
- jejunum *-see* Obstruction, intestine
- joint prosthesis *-see* Complications, joint prosthesis, mechanical, specified NEC, by site
- kidney (calices) *-see also* Hydronephrosis N28.89
- labor *-see* Delivery
- lacrimal (passages) (duct)
- - by
- - - dacryolith *-see* Dacryolith
- - - stenosis *-see* Stenosis, lacrimal
- - congenital Q10.5
- - neonatal H04.53-
- lacrimonasal duct *-see* Obstruction, lacrimal
- lacteal, with steatorrhea K90.2
- laryngitis *-see* Laryngitis
- larynx NEC J38.6
- - congenital Q31.8
- lung J98.4
- - disease, chronic J44.9
- lymphatic I89.0
- meconium (plug)
- - newborn P76.0
- - - due to fecaliths P76.0
- - - in mucoviscidosis E84.11
- mitral *-see* Stenosis, mitral
- nasal J34.89
- nasolacrimal duct *-see also* Obstruction, lacrimal
- - congenital Q10.5
- nasopharynx J39.2
- nose J34.89
- organ or site, congenital NEC *-see* Atresia, by site
- pancreatic duct K86.89
- parotid duct or gland K11.8
- pelviureteral junction N13.5
- - with hydronephrosis N13.0
- - congenital Q62.39

- pharynx J39.2
- portal (circulation) (vein) I81
- prostate -*see also* Hyperplasia, prostate
- - valve (urinary) N32.0
- pulmonary valve (heart) I37.0
- pyelonephritis (chronic) N11.1
- pylorus
- - adult K31.1
- - congenital or infantile Q40.0
- rectosigmoid -*see* Obstruction, intestine
- rectum K62.4
- renal -*see also* Hydronephrosis N28.89
- - outflow N13.8
- - pelvis, congenital Q62.39
- respiratory J98.8
- - chronic J44.9
- retinal (vessels) H34.9
- salivary duct (any) K11.8
- - with calculus K11.5
- sigmoid -*see* Obstruction, intestine
- sinus (accessory) (nasal) J34.89
- Stensen's duct K11.8
- stomach NEC K31.89
- - acute K31.0
- - congenital Q40.2
- - due to pylorospasm K31.3
- submandibular duct K11.8
- submaxillary gland K11.8
- - with calculus K11.5
- thoracic duct I89.0
- thrombotic -*see* Thrombosis
- trachea J39.8
- tracheostomy airway J95.03
- tricuspid (valve) -*see* Stenosis, tricuspid
- upper respiratory, congenital Q34.8
- ureter (functional) (pelvic junction) NEC N13.5
- - with
- - - hydronephrosis N13.1
- - - - with infection N13.6
- - - - congenital Q62.39
- - - pyelonephritis (chronic) N11.1
- - congenital Q62.39
- - due to calculus -*see* Calculus, ureter
- urethra NEC N36.8
- - congenital Q64.39
- urinary (moderate) N13.9
- - due to hyperplasia (hypertrophy) of prostate -*see* Hyperplasia, prostate
- - organ or tract (lower) N13.9
- - prostatic valve N32.0
- - specified NEC N13.8
- uropathy N13.9
- uterus N85.8
- vagina N89.5
- valvular -*see* Endocarditis
- vein, venous I87.1
- - caval (inferior) (superior) I87.1
- - thrombotic -*see* Thrombosis
- vena cava (inferior) (superior) I87.1
- vesical NEC N32.0
- vesicourethral orifice N32.0

- - congenital Q64.31
- vessel NEC I99.8
- - stent *-see* Restenosis, stent
Obturator *-see* condition
Occlusal wear, teeth K03.0
Occlusio pupillae *-see* Membrane, pupillary
Occlusion, occluded
- anus K62.4
- - congenital Q42.3
- - - with fistula Q42.2
- aortoiliac (chronic) I74.09
- aqueduct of Sylvius G91.1
- - congenital Q03.0
- - - with spina bifida *-see* Spina bifida, by site, with hydrocephalus
- artery *-see also* Atherosclerosis, artery I70.9
- - auditory, internal I65.8
- - basilar I65.1
- - - with
- - - - infarction I63.22
- - - - - due to
- - - - - - embolism I63.12
- - - - - - thrombosis I63.02
- - brain or cerebral I66.9
- - - with infarction (due to) I63.5-
- - - - embolism I63.4-
- - - - thrombosis I63.3-
- - carotid I65.2-
- - - with
- - - - infarction I63.23-
- - - - - due to
- - - - - - embolism I63.13-
- - - - - - thrombosis I63.03-
- - cerebellar (anterior inferior) (posterior inferior) (superior) I66.3
- - - with infarction I63.54-
- - - - due to
- - - - - embolism I63.44-
- - - - - thrombosis I63.34-
- - cerebral I66.9
- - - with infarction I63.50
- - - - due to
- - - - - embolism I63.40
- - - - - - specified NEC I63.49
- - - - - thrombosis I63.30
- - - - - - specified NEC I63.39
- - - anterior I66.1-
- - - - with infarction I63.52-
- - - - - due to
- - - - - - embolism I63.42-
- - - - - - thrombosis I63.32-
- - - middle I66.0-
- - - - with infarction I63.51-
- - - - - due to
- - - - - - embolism I63.41-
- - - - - - thrombosis I63.31-
- - - posterior I66.2-
- - - - with infarction I63.53-
- - - - - due to
- - - - - - embolism I63.43-
- - - - - - thrombosis I63.33-
- - - specified NEC I66.8

- - - - with infarction I63.59
- - - - - due to
- - - - - - embolism I63.4-
- - - - - - thrombosis I63.3-
- - choroidal (anterior) -*see* Occlusion, artery, precerebral, specified NEC
- - communicating posterior -*see* Occlusion, artery, precerebral, specified NEC
- - complete
- - - coronary I25.82
- - - extremities I70.92
- - coronary (acute) (thrombotic) (without myocardial infarction) I24.0
- - - with myocardial infarction -*see* Infarction, myocardium
- - - chronic total I25.82
- - - complete I25.82
- - - healed or old I25.2
- - - total (chronic) I25.82
- - hypophyseal -*see* Occlusion, artery, precerebral, specified NEC
- - iliac I74.5
- - lower extremities due to stenosis or stricture I77.1
- - mesenteric (embolic) (thrombotic) -*see also* Infarct, intestine K55.069
- - perforating -*see* Occlusion, artery, cerebral, specified NEC
- - peripheral I77.9
- - - thrombotic or embolic I74.4
- - pontine -*see* Occlusion, artery, precerebral, specified NEC
- - precerebral I65.9
- - - with infarction I63.20
- - - - specified NEC I63.29
- - - - due to
- - - - - embolism I63.10
- - - - - - specified NEC I63.19
- - - - - thrombosis I63.00
- - - - - - specified NEC I63.09
- - - basilar -*see* Occlusion, artery, basilar
- - - carotid -*see* Occlusion, artery, carotid
- - - puerperal O88.23
- - - specified NEC I65.8
- - - - with infarction I63.29
- - - - - due to
- - - - - - embolism I63.19
- - - - - - thrombosis I63.09
- - - vertebral -*see* Occlusion, artery, vertebral
- - renal N28.0
- - retinal
- - - central H34.1-
- - - partial H34.21-
- - - branch H34.23-
- - - transient H34.0-
- - spinal -*see* Occlusion, artery, precerebral, vertebral
- - total (chronic)
- - - coronary I25.82
- - - extremities I70.92
- - vertebral I65.0-
- - - with
- - - - infarction I63.21-
- - - - - due to
- - - - - - embolism I63.11-
- - - - - - thrombosis I63.01-
- basilar artery -*see* Occlusion, artery, basilar
- bile duct (common) (hepatic) (noncalculous) K83.1
- bowel -*see* Obstruction, intestine
- carotid (artery) (common) (internal) -*see* Occlusion, artery, carotid

- centric (of teeth) M26.59
- - maximum intercuspation discrepancy M26.55
- cerebellar (artery) -*see* Occlusion, artery, cerebellar
- cerebral (artery) -*see* Occlusion, artery, cerebral
- cerebrovascular -*see also* Occlusion, artery, cerebral
- - with infarction I63.5-
- cervical canal -*see* Stricture, cervix
- cervix (uteri) -*see* Stricture, cervix
- choanal Q30.0
- choroidal (artery) -*see* Occlusion, artery, precerebral, specified NEC
- colon -*see* Obstruction, intestine
- communicating posterior artery -*see* Occlusion, artery, precerebral, specified NEC
- coronary (artery) (vein) (thrombotic) -*see also* Infarct, myocardium
- - chronic total I25.82
- - healed or old I25.2
- - not resulting in infarction I24.0
- - total (chronic) I25.82
- cystic duct -*see* Obstruction, gallbladder
- embolic -*see* Embolism
- fallopian tube N97.1
- - congenital Q50.6
- gallbladder -*see also* Obstruction, gallbladder
- - congenital (causing jaundice) Q44.1
- gingiva, traumatic K06.2
- hymen N89.6
- - congenital Q52.3
- hypophyseal (artery) -*see* Occlusion, artery, precerebral, specified NEC
- iliac artery I74.5
- intestine -*see* Obstruction, intestine
- lacrimal passages -*see* Obstruction, lacrimal
- lung J98.4
- lymph or lymphatic channel I89.0
- mammary duct N64.89
- mesenteric artery (embolic) (thrombotic) -*see also* Infarct, intestine K55.069
- nose J34.89
- - congenital Q30.0
- organ or site, congenital NEC -*see* Atresia, by site
- oviduct N97.1
- - congenital Q50.6
- peripheral arteries
- - due to stricture or stenosis I77.1
- - upper extremity I74.2
- pontine (artery) -*see* Occlusion, artery, precerebral, specified NEC
- posterior lingual, of mandibular teeth M26.29
- precerebral artery -*see* Occlusion, artery, precerebral
- punctum lacrimale -*see* Obstruction, lacrimal
- pupil -*see* Membrane, pupillary
- pylorus, adult -*see also* Stricture, pylorus K31.1
- renal artery N28.0
- retina, retinal
- - artery -*see* Occlusion, artery, retinal
- - vein (central) H34.81-
- - - engorgement H34.82-
- - - tributary H34.83-
- - vessels H34.9
- spinal artery -*see* Occlusion, artery, precerebral, vertebral
- teeth (mandibular) (posterior lingual) M26.29
- thoracic duct I89.0
- thrombotic -*see* Thrombosis, artery
- traumatic

- - edentulous (alveolar) ridge K06.2
- - gingiva K06.2
- - periodontal K05.5
- tubal N97.1
- ureter (complete) (partial) N13.5
- - congenital Q62.10
- ureteropelvic junction N13.5
- - congenital Q62.11
- ureterovesical orifice N13.5
- - congenital Q62.12
- urethra -*see* Stricture, urethra
- uterus N85.8
- vagina N89.5
- vascular NEC I99.8
- vein -*see* Thrombosis
- - retinal -*see* Occlusion, retinal, vein
- vena cava (inferior) (superior) -*see* Embolism, vena cava
- ventricle (brain) NEC G91.1
- vertebral (artery) -*see* Occlusion, artery, vertebral
- vessel (blood) I99.8
- vulva N90.5

Occult
- blood in feces (stools) R19.5

Occupational
- problems NEC Z56.89

Ochlophobia -*see* Agoraphobia

Ochronosis (endogenous) E70.29

Ocular muscle -*see* condition

Oculogyric crisis or disturbance H51.8
- psychogenic F45.8

Oculomotor syndrome H51.9

Oculopathy
- syphilitic NEC A52.71
- - congenital
- - - early A50.01
- - - late A50.30
- - early (secondary) A51.43
- - late A52.71

Oddi's sphincter spasm K83.4

Odontalgia K08.89

Odontoameloblastoma -*see* Cyst, calcifying odontogenic

Odontoclasia K03.89

Odontodysplasia, regional K00.4

Odontogenesis imperfecta K00.5

Odontoma (ameloblastic) (complex) (compound) (fibroameloblastic) -*see* Cyst, calcifying odontogenic

Odontomyelitis (closed) (open) K04.01
- irreversible K04.02
- reversible K04.01

Odontorrhagia K08.89

Odontosarcoma, ameloblastic C41.1
- upper jaw (bone) C41.0

Oestriasis -*see* Myiasis

Oguchi's disease H53.63

Ohara's disease -*see* Tularemia

OHS (obesity hypoventilation syndrome) E66.2

Oidiomycosis -*see* Candidiasis

Oidium albicans infection -*see* Candidiasis

Old age (without mention of debility) R54
- dementia F03

Old (previous) myocardial infarction I25.2

Olfactory -*see* condition
Oligemia -*see* Anemia
Oligoastrocytoma
- specified site -*see* Neoplasm, malignant, by site
- unspecified site C71.9
Oligocythemia D64.9
Oligodendroblastoma
- specified site -*see* Neoplasm, malignant
- unspecified site C71.9
Oligodendroglioma
- anaplastic type
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C71.9
- specified site -*see* Neoplasm, malignant, by site
- unspecified site C71.9
Oligodontia -*see* Anodontia
Oligoencephalon Q02
Oligohidrosis L74.4
Oligohydramnios O41.0-
Oligohydrosis L74.4
Oligomenorrhea N91.5
- primary N91.3
- secondary N91.4
Oligophrenia -*see also* Disability, intellectual
- phenylpyruvic E70.0
Oligospermia N46.11
- due to
- - drug therapy N46.121
- - efferent duct obstruction N46.123
- - infection N46.122
- - radiation N46.124
- - specified cause NEC N46.129
- - systemic disease N46.125
Oligotrichia -*see* Alopecia
Oliguria R34
- with, complicating or following ectopic or molar pregnancy O08.4
- postprocedural N99.0
- puerperal O90.49
Ollier's disease Q78.4
Omentitis -*see* Peritonitis
Omentocele -*see* Hernia, abdomen, specified site NEC
Omentum, omental -*see* condition
Omphalitis (congenital) (newborn) P38.9
- with mild hemorrhage P38.1
- without hemorrhage P38.9
- not of newborn L08.82
- tetanus A33
Omphalocele Q79.2
Omphalomesenteric duct, persistent Q43.0
Omphalorrhagia, newborn P51.9
Omsk hemorrhagic fever A98.1
Onanism (excessive) F98.8
Onchocerciasis, onchocercosis B73.1
- with
- - eye disease B73.00
- - - endophthalmitis B73.01
- - - eyelid B73.09
- - - glaucoma B73.02
- - - specified NEC B73.09
- eye NEC B73.00

- eyelid B73.09
Oncocytoma -*see* Neoplasm, benign, by site
Oncovirus, as cause of disease classified elsewhere B97.32
Ondine's curse -*see* Apnea, sleep
Oneirophrenia F23
Onychauxis L60.2
- congenital Q84.5
Onychia -*see also* Cellulitis, digit
- with lymphangitis -*see* Lymphangitis, acute, digit
- candidal B37.2
- dermatophytic B35.1
Onychitis -*see also* Cellulitis, digit
- with lymphangitis -*see* Lymphangitis, acute, digit
Onychocryptosis L60.0
Onychodystrophy L60.3
- congenital Q84.6
Onychogryphosis, onychogryposis L60.2
Onycholysis L60.1
Onychomadesis L60.8
Onychomalacia L60.3
Onychomycosis (finger) (toe) B35.1
Onycho-osteodysplasia Q87.2
Onychophagia F98.8
Onychophosis L60.8
Onychoptosis L60.8
Onychorrhexis L60.3
- congenital Q84.6
Onychoschizia L60.3
Onyxis (finger) (toe) L60.0
Onyxitis -*see also* Cellulitis, digit
- with lymphangitis -*see* Lymphangitis, acute, digit
Oophoritis (cystic) (infectional) (interstitial) N70.92
- with salpingitis N70.93
- acute N70.02
- - with salpingitis N70.03
- chronic N70.12
- - with salpingitis N70.13
- complicating abortion -*see* Abortion, by type, complicated by, oophoritis
Oophorocele N83.4-
Opacity, opacities
- cornea H17.-
- - central H17.1-
- - congenital Q13.3
- - degenerative -*see* Degeneration, cornea
- - hereditary -*see* Dystrophy, cornea
- - inflammatory -*see* Keratitis
- - minor H17.81-
- - peripheral H17.82-
- - sequelae of trachoma (healed) B94.0
- - specified NEC H17.89
- enamel (teeth) (fluoride) (nonfluoride) K00.3
- lens -*see* Cataract
- snowball -*see* Deposit, crystalline
- vitreous (humor) NEC H43.39-
- - congenital Q14.0
- - membranes and strands H43.31-
Opalescent dentin (hereditary) K00.5
Open, opening
- abnormal, organ or site, congenital -*see* Imperfect, closure
- angle with

- - borderline
- - - findings
- - - - high risk H40.02-
- - - - low risk H40.01-
- - - intraocular pressure H40.00-
- - cupping of discs H40.01-
- - glaucoma (primary) -*see* Glaucoma, open angle
- bite
- - anterior M26.220
- - posterior M26.221
- false -*see* Imperfect, closure
- margin on tooth restoration K08.51
- restoration margins of tooth K08.51
- wound -*see* Wound, open

Operational fatigue F48.8

Operative -*see* condition

Operculitis -*see* Periodontitis

Operculum -*see* Break, retina

Ophiasis L63.2

Ophthalmia -*see also* Conjunctivitis H10.9
- actinic rays -*see* Photokeratitis
- allergic (acute) -*see* Conjunctivitis, acute, atopic
- blennorrhagic (gonococcal) (neonatorum) A54.31
- diphtheritic A36.86
- Egyptian A71.1
- electrica -*see* Photokeratitis
- gonococcal (neonatorum) A54.31
- metastatic -*see* Endophthalmitis, purulent
- migraine -*see* Migraine, ophthalmoplegic
- neonatorum, newborn P39.1
- - gonococcal A54.31
- nodosa H16.24-
- purulent -*see* Conjunctivitis, acute, mucopurulent
- spring -*see* Conjunctivitis, acute, atopic
- sympathetic -*see* Uveitis, sympathetic

Ophthalmitis -*see* Ophthalmia

Ophthalmocele (congenital) Q15.8

Ophthalmoneuromyelitis G36.0

Ophthalmoplegia -*see also* Strabismus, paralytic
- anterior internuclear -*see* Ophthalmoplegia, internuclear
- ataxia-areflexia G61.0
- diabetic -*see* E08-E13 with .39
- exophthalmic E05.00
- - with thyroid storm E05.01
- external H49.88-
- - progressive H49.4-
- - - with pigmentary retinopathy -*see* Kearns-Sayre syndrome
- - total H49.3-
- internal (complete) (total) H52.51-
- internuclear H51.2-
- migraine -*see* Migraine, ophthalmoplegic
- Parinaud's H49.88-
- progressive external -*see* Ophthalmoplegia, external, progressive
- supranuclear, progressive G23.1
- total (external) -*see* Ophthalmoplegia, external, total

Opioid(s)
- abuse -*see* Abuse, drug, opioids
- dependence -*see* Dependence, drug, opioids
- induced, without use disorder
- - anxiety disorder F11.988

- - delirium F11.921
- - depressive disorder F11.94
- - sexual dysfunction F11.981
- - sleep disorder F11.982
Opisthognathism M26.09
Opisthorchiasis (felineus) (viverrini) B66.0
Opitz' disease D73.2
Opiumism -*see* Dependence, drug, opioid
Oppenheim's disease G70.2
Oppenheim-Urbach disease (necrobiosis lipoidica diabeticorum) -*see* E08-E13 with .620
Optic nerve -*see* condition
Orbit -*see* condition
Orchioblastoma C62.9-
Orchitis (gangrenous) (nonspecific) (septic) (suppurative) N45.2
- blennorrhagic (gonococcal) (acute) (chronic) A54.23
- chlamydial A56.19
- filarial -*see also* Infestation, filarial B74.9 *[N51]*
- gonococcal (acute) (chronic) A54.23
- mumps B26.0
- syphilitic A52.76
- tuberculous A18.15
Orf (virus disease) B08.02
Organic -*see also* condition
- brain syndrome F09
- heart -*see* Disease, heart
- mental disorder F09
- psychosis F09
Orgasm
- anejaculatory N53.13
Oriental
- bilharziasis B65.2
- schistosomiasis B65.2
Orifice -*see* condition
Origin of both great vessels from right ventricle Q20.1
Ormond's disease (with ureteral obstruction) N13.5
- with infection N13.6
Ornithine metabolism disorder E72.4
Ornithinemia (Type I) (Type II) E72.4
Ornithosis A70
Orotaciduria, oroticaciduria (congenital) (hereditary) (pyrimidine deficiency) E79.89
- anemia D53.0
Orthodontics
- adjustment Z46.4
- fitting Z46.4
Orthopnea R06.01
Orthopoxvirus B08.09
Os, uterus -*see* condition
Osgood-Schlatter disease or osteochondrosis M92.52-
Osler (-Weber) -Rendu disease I78.0
Osler's nodes I33.0
Osmidrosis L75.0
Osseous -*see* condition
Ossification
- artery -*see* Arteriosclerosis
- auricle (ear) -*see* Disorder, pinna, specified type NEC
- bronchial J98.09
- cardiac -*see* Degeneration, myocardial
- cartilage (senile) -*see* Disorder, cartilage, specified type NEC
- coronary (artery) -*see* Disease, heart, ischemic, atherosclerotic
- diaphragm J98.6

- ear, middle -*see* Otosclerosis
- falx cerebri G96.198
- fontanel, premature Q75.009
- heart -*see also* Degeneration, myocardial
- - valve -*see* Endocarditis
- larynx J38.7
- ligament -*see* Disorder, tendon, specified type NEC
- - posterior longitudinal -*see* Spondylopathy, specified NEC
- meninges (cerebral) (spinal) G96.198
- multiple, eccentric centers -*see* Disorder, bone, development or growth
- muscle -*see also* Calcification, muscle
- - due to burns -*see* Myositis, ossificans, in, burns
- - paralytic -*see* Myositis, ossificans, in, quadriplegia
- - progressive -*see* Myositis, ossificans, progressiva
- - specified NEC M61.50
- - - ankle M61.57-
- - - foot M61.57-
- - - forearm M61.53-
- - - hand M61.54-
- - - lower leg M61.56-
- - - multiple sites M61.59
- - - pelvic region M61.55-
- - - shoulder region M61.51-
- - - specified site NEC M61.58
- - - thigh M61.55-
- - - upper arm M61.52-
- - traumatic -*see* Myositis, ossificans, traumatica
- myocardium, myocardial -*see* Degeneration, myocardial
- penis N48.89
- periarticular -*see* Disorder, joint, specified type NEC
- pinna -*see* Disorder, pinna, specified type NEC
- rider's bone -*see* Ossification, muscle, specified NEC
- sclera H15.89
- subperiosteal, post-traumatic M89.8X-
- tendon -*see* Disorder, tendon, specified type NEC
- trachea J39.8
- tympanic membrane -*see* Disorder, tympanic membrane, specified NEC
- vitreous (humor) -*see* Deposit, crystalline

Osteitis -*see also* Osteomyelitis
- alveolar M27.3
- condensans M85.30
- - ankle M85.37-
- - foot M85.37-
- - forearm M85.33-
- - hand M85.34-
- - lower leg M85.36-
- - multiple site M85.39
- - neck M85.38
- - rib M85.38
- - shoulder M85.31-
- - skull M85.38
- - specified site NEC M85.38
- - thigh M85.35-
- - toe M85.37-
- - upper arm M85.32-
- - vertebra M85.38
- deformans -*see also* Paget's disease, bone M88.9
- - in (due to)
- - - malignant neoplasm of bone (see also, Neoplasm, malignant, by site) C41.9 *[M90.60]*
- - - neoplastic disease -*see also* Neoplasm, by type and site D49.9 *[M90.60]*

- - - - carpus D49.2 *[M90.64-]*
- - - - clavicle D49.2 *[M90.61-]*
- - - - femur D49.2 *[M90.65-]*
- - - - fibula D49.2 *[M90.66-]*
- - - - finger D49.2 *[M90.64-]*
- - - - humerus D49.2 *[M90.62-]*
- - - - ilium D49.2 *[M90.68]*
- - - - ischium D49.2 *[M90.68]*
- - - - metacarpus D49.2 *[M90.64-]*
- - - - metatarsus D49.2 *[M90.67-]*
- - - - multiple sites D49.89 *[M90.69]*
- - - - neck D49.2 *[M90.68]*
- - - - pubic ramus D49.2 *[M90.68]*
- - - - radius D49.2 *[M90.63-]*
- - - - rib D49.2 *[M90.68]*
- - - - scapula D49.2 *[M90.61-]*
- - - - skull D49.2 *[M90.68]*
- - - - tarsus D49.2 *[M90.67-]*
- - - - tibia D49.2 *[M90.66-]*
- - - - toe D49.2 *[M90.67-]*
- - - - ulna D49.2 *[M90.63-]*
- - - - vertebra D49.2 *[M90.68]*
- - skull M88.0
- - specified NEC *-see* Paget's disease, bone, by site
- - vertebra M88.1
- due to yaws A66.6
- fibrosa NEC *-see* Cyst, bone, by site
- - circumscripta *-see* Dysplasia, fibrous, bone NEC
- - cystica (generalisata) E21.0
- - disseminata Q78.1
- - osteoplastica E21.0
- fragilitans Q78.0
- Garr's (sclerosing) *-see* Osteomyelitis, specified type NEC
- jaw (acute) (chronic) (lower) (suppurative) (upper) M27.2
- parathyroid E21.0
- petrous bone (acute) (chronic) *-see* Petrositis
- sclerotic, nonsuppurative *-see* Osteomyelitis, specified type NEC
- tuberculosa A18.09
- - cystica D86.89
- - multiplex cystoides D86.89

Osteoarthritis M19.90
- ankle M19.07-
- - post-traumatic M19.17-
- - primary M19.07-
- - secondary M19.27-
- elbow M19.02-
- - post-traumatic M19.12-
- - primary M19.02-
- - secondary M19.22-
- foot joint M19.07-
- - post-traumatic M19.17-
- - primary M19.07-
- - secondary M19.27-
- generalized (multiple joints) M15.9
- - erosive M15.4
- - primary M15.0
- - specified NEC M15.8
- hand joint M19.04-
- - first carpometacarpal joint M18.9
- - - post-traumatic *-see* Osteoarthritis, post-traumatic NEC, hand joint, first carpometacarpal joint

- - - primary -*see* Osteoarthritis, primary, hand joint, first carpometacarpal joint
- - - secondary -*see* Osteoarthritis, secondary, hand joint, first carpometacarpal joint
- - post-traumatic M19.14-
- - primary M19.04-
- - secondary M19.24-
- hip M16.9
- - bilateral M16.0
- - - due to hip dysplasia M16.2
- - - post-traumatic M16.4
- - - secondary M16.6
- - due to hip dysplasia (unilateral) M16.3-
- - - bilateral M16.2
- - post-traumatic -*see* Osteoarthritis, post-traumatic, hip
- - primary M16.1-
- - - bilateral M16.0
- - secondary -*see* Osteoarthritis, secondary, hip
- - unilateral M16.1-
- - - due to hip dysplasia M16.3-
- - - post-traumatic M16.5-
- - - primary M16.1-
- - - secondary NEC M16.7
- interphalangeal
- - distal (Heberden) M15.1
- - proximal (Bouchard) M15.2
- knee M17.9
- - bilateral M17.0
- - - post-traumatic M17.2
- - - secondary M17.4
- - post-traumatic -*see* Osteoarthritis, post-traumatic, knee
- - primary M17.1-
- - - bilateral M17.0
- - secondary -*see* Osteoarthritis, secondary, knee
- - unilateral M17.1-
- - - post-traumatic M17.3-
- - - primary M17.1-
- - - secondary NEC M17.5
- post-traumatic NEC M19.92
- - ankle M19.17-
- - elbow M19.12-
- - foot joint M19.17-
- - hand joint M19.14-
- - - first carpometacarpal joint M18.3-
- - - - bilateral M18.2
- - hip M16.5-
- - - bilateral M16.4
- - knee M17.3-
- - - bilateral M17.2
- - shoulder M19.11-
- - specified site NEC M19.19
- - wrist M19.13-
- primary M19.91
- - ankle M19.07-
- - elbow M19.02-
- - foot joint M19.07-
- - hand joint M19.04-
- - - first carpometacarpal joint M18.1-
- - - - bilateral M18.0
- - hip M16.1-
- - - bilateral M16.0
- - knee M17.1-

- - - bilateral M17.0
- - multiple sites M15.9
- - shoulder M19.01-
- - specified site NEC M19.09
- - spine *-see* Spondylosis
- - wrist M19.03-
- secondary M19.93
- - ankle M19.27-
- - elbow M19.22-
- - foot joint M19.27-
- - hand joint M19.24-
- - - first carpometacarpal joint M18.5-
- - - - bilateral M18.4
- - hip M16.7-
- - - bilateral M16.6
- - knee M17.5-
- - - bilateral M17.4
- - multiple M15.3
- - shoulder M19.21-
- - specified site NEC M19.29
- - spine *-see* Spondylosis
- - wrist M19.23-
- shoulder M19.01-
- - post-traumatic M19.11-
- - primary M19.01-
- - secondary M19.21-
- specified site NEC M19.09
- spine *-see* Spondylosis
- wrist M19.03-
- - first carpometacarpal joint *-see* Osteoarthritis, hand joint, first carpometacarpal joint
- - post-traumatic M19.13-
- - primary M19.03-
- - secondary M19.23-

Osteoarthropathy (hypertrophic) M19.90
- ankle *-see* Osteoarthritis, primary, ankle
- elbow *-see* Osteoarthritis, primary, elbow
- foot joint *-see* Osteoarthritis, primary, foot
- hand joint *-see* Osteoarthritis, primary, hand joint
- knee joint *-see* Osteoarthritis, primary, knee
- multiple site *-see* Osteoarthritis, primary, multiple joint
- pulmonary *-see also* Osteoarthropathy, specified type NEC
- - hypertrophic *-see* Osteoarthropathy, hypertrophic, specified type NEC
- secondary hypertrophic *-see* Osteoarthropathy, specified type NEC
- shoulder *-see* Osteoarthritis, primary, shoulder
- specified joint NEC *-see* Osteoarthritis, primary, specified joint NEC
- specified type NEC M89.40
- - carpus M89.44-
- - clavicle M89.41-
- - femur M89.45-
- - fibula M89.46-
- - finger M89.44-
- - humerus M89.42-
- - ilium M89.48
- - ischium M89.48
- - metacarpus M89.44-
- - metatarsus M89.47-
- - multiple sites M89.49
- - neck M89.48
- - pubic ramus M89.48
- - radius M89.43-

- - rib M89.48
- - scapula M89.41-
- - skull M89.48
- - tarsus M89.47-
- - tibia M89.46-
- - toe M89.47-
- - ulna M89.43-
- - vertebra M89.48
- secondary -*see* Osteoarthropathy, specified type NEC
- spine -*see* Spondylosis
- wrist -*see* Osteoarthritis, primary, wrist

Osteoarthrosis (degenerative) (hypertrophic) (joint) -*see also* Osteoarthritis
- deformans alkaptonurica E70.29 *[M36.8]*
- erosive M15.4
- generalized M15.9
- - primary M15.0
- polyarticular M15.9
- spine -*see* Spondylosis

Osteoblastoma -*see* Neoplasm, bone, benign
- aggressive -*see* Neoplasm, bone, uncertain behavior

Osteochondroarthrosis deformans endemica -*see* Disease, Kaschin-Beck

Osteochondritis -*see also* Osteochondropathy, by site
- Brailsford's -*see* Osteochondrosis, juvenile, radius
- dissecans M93.20
- - ankle M93.27-
- - elbow M93.22-
- - foot M93.27-
- - hand M93.24-
- - hip M93.25-
- - knee M93.26-
- - multiple sites M93.29
- - shoulder joint M93.21-
- - specified site NEC M93.28
- - wrist M93.23-
- juvenile M92.9
- - patellar -*see* Osteochondrosis, juvenile, patella
- syphilitic (congenital) (early) A50.02 *[M90.80]*
- - ankle A50.02 *[M90.87-]*
- - elbow A50.02 *[M90.82-]*
- - foot A50.02 *[M90.87-]*
- - forearm A50.02 *[M90.83-]*
- - hand A50.02 *[M90.84-]*
- - hip A50.02 *[M90.85-]*
- - knee A50.02 *[M90.86-]*
- - multiple sites A50.02 *[M90.89]*
- - shoulder joint A50.02 *[M90.81-]*
- - specified site NEC A50.02 *[M90.88]*

Osteochondrodysplasia Q78.9
- with defects of growth of tubular bones and spine Q77.9
- - specified NEC Q77.8
- specified NEC Q78.8

Osteochondrodystrophy E78.9

Osteochondrolysis -*see* Osteochondritis, dissecans

Osteochondroma -*see* Neoplasm, bone, benign

Osteochondromatosis D16.9
- syndrome Q78.4

Osteochondromyxosarcoma -*see* Neoplasm, bone, malignant

Osteochondropathy M93.90
- ankle M93.97-
- elbow M93.92-

- foot M93.97-
- hand M93.94-
- hip M93.95-
- Kienböck's disease of adults M93.1
- knee M93.96-
- multiple joints M93.99
- osteochondritis dissecans *-see* Osteochondritis, dissecans
- osteochondrosis *-see* Osteochondrosis
- shoulder region M93.91-
- slipped upper femoral epiphysis *-see* Slipped, epiphysis, upper femoral
- specified joint NEC M93.98
- specified type NEC M93.80
- - ankle M93.87-
- - elbow M93.82-
- - foot M93.87-
- - hand M93.84-
- - hip M93.85-
- - knee M93.86-
- - multiple joints M93.89
- - shoulder region M93.81-
- - specified joint NEC M93.88
- - wrist M93.83-
- syphilitic, congenital
- - early A50.02 *[M90.80]*
- - late A50.56 *[M90.80]*
- wrist M93.93-

Osteochondrosarcoma *-see* Neoplasm, bone, malignant

Osteochondrosis *-see also* Osteochondropathy, by site
- acetabulum (juvenile) M91.0
- adult *-see* Osteochondropathy, specified type NEC, by site
- astragalus (juvenile) *-see* Osteochondrosis, juvenile, tarsus
- Blount M92.51-
- Buchanan's M91.0
- Burns' *-see* Osteochondrosis, juvenile, ulna
- calcaneus (juvenile) *-see* Osteochondrosis, juvenile, tarsus
- capitular epiphysis (femur) (juvenile) *-see* Legg-Calvé-Perthes disease
- carpal (juvenile) (lunate) (scaphoid) *-see* Osteochondrosis, juvenile, hand, carpal lunate
- - adult M93.1
- coxae juvenilis *-see* Legg-Calvé-Perthes disease
- deformans juvenilis, coxae *-see* Legg-Calvé-Perthes disease
- Diaz's *-see* Osteochondrosis, juvenile, tarsus
- dissecans (knee) (shoulder) *-see* Osteochondritis, dissecans
- femoral capital epiphysis (juvenile) *-see* Legg-Calvé-Perthes disease
- femur (head), juvenile *-see* Legg-Calvé-Perthes disease
- fibula (juvenile) *-see* Osteochondrosis, juvenile, fibula
- foot NEC (juvenile) M92.8
- Freiberg's *-see* Osteochondrosis, juvenile, metatarsus
- Haas' (juvenile) *-see* Osteochondrosis, juvenile, humerus
- Haglund's *-see* Osteochondrosis, juvenile, tarsus
- hip (juvenile) *-see* Legg-Calvé-Perthes disease
- humerus (capitulum) (head) (juvenile) *-see* Osteochondrosis, juvenile, humerus
- ilium, iliac crest (juvenile) M91.0
- ischiopubic synchondrosis M91.0
- Iselin's *-see* Osteochondrosis, juvenile, metatarsus
- juvenile, juvenilis M92.9
- - after congenital dislocation of hip reduction *-see* Osteochondrosis, juvenile, hip, specified NEC
- - arm *-see* Osteochondrosis, juvenile, upper limb NEC
- - capitular epiphysis (femur) *-see* Legg-Calvé-Perthes disease
- - clavicle, sternal epiphysis *-see* Osteochondrosis, juvenile, upper limb NEC
- - coxae *-see* Legg-Calvé-Perthes disease

- - deformans M92.9
- - fibula M92.50-
- - foot NEC M92.8
- - hand M92.20-
- - - carpal lunate M92.21-
- - - metacarpal head M92.22-
- - - specified site NEC M92.29-
- - head of femur -*see* Legg-Calvé-Perthes disease
- - hip and pelvis M91.9-
- - - coxa plana -*see* Coxa, plana
- - - femoral head -*see* Legg-Calvé-Perthes disease
- - - pelvis M91.0
- - - pseudocoxalgia -*see* Pseudocoxalgia
- - - specified NEC M91.8-
- - humerus M92.0-
- - limb
- - - lower NEC M92.8
- - - upper NEC -*see* Osteochondrosis, juvenile, upper limb NEC
- - medial cuneiform bone -*see* Osteochondrosis, juvenile, tarsus
- - metatarsus M92.7-
- - patella M92.4-
- - radius M92.1-
- - specified
- - - site NEC M92.8
- - - type NEC M92.8
- - - - tibia and fibula M92.59-
- - spine M42.00
- - - cervical region M42.02
- - - cervicothoracic region M42.03
- - - lumbar region M42.06
- - - lumbosacral region M42.07
- - - multiple sites M42.09
- - - occipito-atlanto-axial region M42.01
- - - sacrococcygeal region M42.08
- - - thoracic region M42.04
- - - thoracolumbar region M42.05
- - tarsus M92.6-
- - tibia M92.50-
- - - proximal M92.51-
- - - tubercle M92.52-
- - ulna M92.1-
- - upper limb NEC M92.3-
- - vertebra (body) (epiphyseal plates) (Calvé's) (Scheuermann's) -*see* Osteochondrosis, juvenile, spine
- Kienböck's -*see* Osteochondrosis, juvenile, hand, carpal lunate
- - adult M93.1
- Köhler's
- - patellar -*see* Osteochondrosis, juvenile, patella
- - tarsal navicular -*see* Osteochondrosis, juvenile, tarsus
- Legg-Perthes (-Calvé)(-Waldenström) -*see* Legg-Calvé-Perthes disease
- limb
- - lower NEC (juvenile) M92.8
- - - tibia and fibula M92.59-
- - upper NEC (juvenile) -*see* Osteochondrosis, juvenile, upper limb NEC
- lunate bone (carpal) (juvenile) -*see also* Osteochondrosis, juvenile, hand, carpal lunate
- - adult M93.1
- Mauclaire's -*see* Osteochondrosis, juvenile, hand, metacarpal
- metacarpal (head) (juvenile) -*see* Osteochondrosis, juvenile, hand, metacarpal
- metatarsus (fifth) (head) (juvenile) (second) -*see* Osteochondrosis, juvenile, metatarsus
- navicular (juvenile) -*see* Osteochondrosis, juvenile, tarsus
- os

- - calcis (juvenile) -*see* Osteochondrosis, juvenile, tarsus
- - tibiale externum (juvenile) -*see* Osteochondrosis, juvenile, tarsus
- Osgood-Schlatter M92.52-
- Panner's -*see* Osteochondrosis, juvenile, humerus
- patellar center (juvenile) (primary) (secondary) -*see* Osteochondrosis, juvenile, patella
- pelvis (juvenile) M91.0
- Pierson's M91.0
- radius (head) (juvenile) -*see* Osteochondrosis, juvenile, radius
- Scheuermann's -*see* Osteochondrosis, juvenile, spine
- Sever's -*see* Osteochondrosis, juvenile, tarsus
- Sinding-Larsen -*see* Osteochondrosis, juvenile, patella
- spine M42.9
- - adult M42.10
- - - cervical region M42.12
- - - cervicothoracic region M42.13
- - - lumbar region M42.16
- - - lumbosacral region M42.17
- - - multiple sites M42.19
- - - occipito-atlanto-axial region M42.11
- - - sacrococcygeal region M42.18
- - - thoracic region M42.14
- - - thoracolumbar region M42.15
- - juvenile -*see* Osteochondrosis, juvenile, spine
- symphysis pubis (juvenile) M91.0
- syphilitic (congenital) A50.02
- talus (juvenile) -*see* Osteochondrosis, juvenile, tarsus
- tarsus (navicular) (juvenile) -*see* Osteochondrosis, juvenile, tarsus
- tibia (proximal) (tubercle) (juvenile) -*see* Osteochondrosis, juvenile, tibia
- tuberculous -*see* Tuberculosis, bone
- ulna (lower) (juvenile) -*see* Osteochondrosis, juvenile, ulna
- van Neck's M91.0
- vertebral -*see* Osteochondrosis, spine

Osteoclastoma D48.0
- malignant -*see* Neoplasm, bone, malignant

Osteodynia -*see* Disorder, bone, specified type NEC

Osteodystrophy Q78.9
- azotemic N25.0
- congenital Q78.9
- parathyroid, secondary E21.1
- renal N25.0

Osteofibroma -*see* Neoplasm, bone, benign

Osteofibrosarcoma -*see* Neoplasm, bone, malignant

Osteogenesis imperfecta Q78.0

Osteogenic -*see* condition

Osteolysis M89.50
- carpus M89.54-
- clavicle M89.51-
- femur M89.55-
- fibula M89.56-
- finger M89.54-
- humerus M89.52-
- ilium M89.58
- ischium M89.58
- joint prosthesis (periprosthetic) -*see* Complications, joint prosthesis, mechanical, periprosthetic, osteolysis, by site
- metacarpus M89.54-
- metatarsus M89.57-
- multiple sites M89.59
- neck M89.58
- periprosthetic -*see* Complications, joint prosthesis, mechanical, periprosthetic, osteolysis, by site
- pubic ramus M89.58

- radius M89.53-
- rib M89.58
- scapula M89.51-
- skull M89.58
- tarsus M89.57-
- tibia M89.56-
- toe M89.57-
- ulna M89.53-
- vertebra M89.58

Osteoma -*see also* Neoplasm, bone, benign
- osteoid -*see also* Neoplasm, bone, benign
- - giant -*see* Neoplasm, bone, benign

Osteomalacia M83.9
- adult M83.9
- - drug-induced NEC M83.5
- - due to
- - - malabsorption (postsurgical) M83.2
- - - malnutrition M83.3
- - specified NEC M83.8
- aluminium-induced M83.4
- infantile -*see* Rickets
- juvenile -*see* Rickets
- oncogenic E83.89
- pelvis M83.8
- puerperal M83.0
- senile M83.1
- vitamin-D-resistant in adults E83.31 *[M90.8-]*
- - carpus E83.31 *[M90.84-]*
- - clavicle E83.31 *[M90.81-]*
- - femur E83.31 *[M90.85-]*
- - fibula E83.31 *[M90.86-]*
- - finger E83.31 *[M90.84-]*
- - humerus E83.31 *[M90.82-]*
- - ilium E83.31 *[M90.88]*
- - ischium E83.31 *[M90.88]*
- - metacarpus E83.31 *[M90.84-]*
- - metatarsus E83.31 *[M90.87-]*
- - multiple sites E83.31 *[M90.89]*
- - neck E83.31 *[M90.88]*
- - pubic ramus E83.31 *[M90.88]*
- - radius E83.31 *[M90.83-]*
- - rib E83.31 *[M90.88]*
- - scapula E83.31 *[M90.819]*
- - skull E83.31 *[M90.88]*
- - tarsus E83.31 *[M90.879]*
- - tibia E83.31 *[M90.869]*
- - toe E83.31 *[M90.879]*
- - ulna E83.31 *[M90.839]*
- - vertebra E83.31 *[M90.88]*

Osteomyelitis (general) (infective) (localized) (neonatal) (purulent) (septic) (staphylococcal) (streptococcal) (suppurative) (with periostitis) M86.9
- acute M86.10
- - carpus M86.14-
- - clavicle M86.11-
- - femur M86.15-
- - fibula M86.16-
- - finger M86.14-
- - hematogenous M86.00
- - - carpus M86.04-
- - - clavicle M86.01-

- - - femur M86.05-
- - - fibula M86.06-
- - - finger M86.04-
- - - humerus M86.02-
- - - ilium M86.08
- - - ischium M86.08
- - - mandible M27.2
- - - metacarpus M86.04-
- - - metatarsus M86.07-
- - - multiple sites M86.09
- - - neck M86.08
- - - orbit H05.02-
- - - petrous bone -*see* Petrositis
- - - radius M86.03-
- - - rib M86.08
- - - scapula M86.01-
- - - skull M86.08
- - - tarsus M86.07-
- - - tibia M86.06-
- - - toe M86.07-
- - - ulna M86.03-
- - - vertebra -*see* Osteomyelitis, vertebra
- - humerus M86.12-
- - ilium M86.18
- - ischium M86.18
- - mandible M27.2
- - metacarpus M86.14-
- - metatarsus M86.17-
- - multiple sites M86.19
- - neck M86.18
- - orbit H05.02-
- - petrous bone -*see* Petrositis
- - radius M86.13-
- - rib M86.18
- - scapula M86.11-
- - skull M86.18
- - tarsus M86.17-
- - tibia M86.16-
- - toe M86.17-
- - ulna M86.13-
- - vertebra -*see* Osteomyelitis, vertebra
- chronic (or old) M86.60
- - with draining sinus M86.40
- - - carpus M86.44-
- - - clavicle M86.41-
- - - femur M86.45-
- - - fibula M86.46-
- - - finger M86.44-
- - - humerus M86.42-
- - - ilium M86.48
- - - ischium M86.48
- - - mandible M27.2
- - - metacarpus M86.44-
- - - metatarsus M86.47-
- - - multiple sites M86.49
- - - neck M86.48
- - - pubic ramus M86.48
- - - orbit H05.02-
- - - petrous bone -*see* Petrositis
- - - radius M86.43-

- - - rib M86.48
- - - scapula M86.41-
- - - skull M86.48
- - - tarsus M86.47-
- - - tibia M86.46-
- - - toe M86.47-
- - - ulna M86.43-
- - - vertebra -*see* Osteomyelitis, vertebra
- - carpus M86.64-
- - clavicle M86.61-
- - femur M86.65-
- - fibula M86.66-
- - finger M86.64-
- - hematogenous NEC M86.50
- - - carpus M86.54-
- - - clavicle M86.51-
- - - femur M86.55-
- - - fibula M86.56-
- - - finger M86.54-
- - - humerus M86.52-
- - - ilium M86.58
- - - ischium M86.58
- - - mandible M27.2
- - - metacarpus M86.54-
- - - metatarsus M86.57-
- - - multifocal M86.30
- - - - carpus M86.34-
- - - - clavicle M86.31-
- - - - femur M86.35-
- - - - fibula M86.36-
- - - - finger M86.34-
- - - - humerus M86.32-
- - - - ilium M86.38
- - - - ischium M86.38
- - - - metacarpus M86.34-
- - - - metatarsus M86.37-
- - - - multiple sites M86.39
- - - - neck M86.38
- - - - pubic ramus M86.38
- - - - radius M86.33-
- - - - rib M86.38
- - - - scapula M86.31-
- - - - skull M86.38
- - - - tarsus M86.37-
- - - - tibia M86.36-
- - - - toe M86.37-
- - - - ulna M86.33-
- - - - vertebra -*see* Osteomyelitis, vertebra
- - - multiple sites M86.59
- - - neck M86.58
- - - orbit H05.02-
- - - petrous bone -*see* Petrositis
- - - pubic ramus M86.58
- - - radius M86.53-
- - - rib M86.58
- - - scapula M86.51-
- - - skull M86.58
- - - tarsus M86.57-
- - - tibia M86.56-
- - - toe M86.57-

- - - ulna M86.53-
- - - vertebra -*see* Osteomyelitis, vertebra
- - humerus M86.62-
- - ilium M86.659
- - ischium M86.659
- - mandible M27.2
- - metacarpus M86.64-
- - metatarsus M86.67-
- - multifocal -*see* Osteomyelitis, chronic, hematogenous, multifocal
- - multiple sites M86.69
- - neck M86.68
- - orbit H05.02-
- - petrous bone -*see* Petrositis
- - radius M86.63-
- - rib M86.68
- - scapula M86.61-
- - skull M86.68
- - tarsus M86.67-
- - tibia M86.66-
- - toe M86.67-
- - ulna M86.63-
- - vertebra -*see* Osteomyelitis, vertebra
- echinococcal B67.2
- Garr's -*see* Osteomyelitis, specified type NEC
- in diabetes mellitus -*see* E08-E13 with .69
- jaw (acute) (chronic) (lower) (neonatal) (suppurative) (upper) M27.2
- nonsuppurating -*see* Osteomyelitis, specified type NEC
- orbit H05.02-
- petrous bone -*see* Petrositis
- Salmonella (arizonae) (cholerae-suis) (enteritidis) (typhimurium) A02.24
- sclerosing, nonsuppurative -*see* Osteomyelitis, specified type NEC
- specified type NEC -*see also* subcategory M86.8X-
- - mandible M27.2
- - orbit H05.02-
- - petrous bone -*see* Petrositis
- - vertebra -*see* Osteomyelitis, vertebra
- subacute M86.20
- - carpus M86.24-
- - clavicle M86.21-
- - femur M86.25-
- - fibula M86.26-
- - finger M86.24-
- - humerus M86.22-
- - mandible M27.2
- - metacarpus M86.24-
- - metatarsus M86.27-
- - multiple sites M86.29
- - neck M86.28
- - orbit H05.02-
- - petrous bone -*see* Petrositis
- - radius M86.23-
- - rib M86.28
- - scapula M86.21-
- - skull M86.28
- - tarsus M86.27-
- - tibia M86.26-
- - toe M86.27-
- - ulna M86.23-
- - vertebra -*see* Osteomyelitis, vertebra
- syphilitic A52.77

- - congenital (early) A50.02 *[M90.80]*
- tuberculous -*see* Tuberculosis, bone
- typhoid A01.05
- vertebra M46.20
- - cervical region M46.22
- - cervicothoracic region M46.23
- - lumbar region M46.26
- - lumbosacral region M46.27
- - occipito-atlanto-axial region M46.21
- - sacrococcygeal region M46.28
- - thoracic region M46.24
- - thoracolumbar region M46.25

Osteomyelofibrosis D47.4

Osteomyelosclerosis D75.89

Osteonecrosis M87.9
- due to
- - drugs -*see* Osteonecrosis, secondary, due to, drugs
- - trauma -*see* Osteonecrosis, secondary, due to, trauma
- idiopathic aseptic M87.00
- - ankle M87.07-
- - carpus M87.03-
- - clavicle M87.01-
- - femur M87.05-
- - fibula M87.06-
- - finger M87.04-
- - humerus M87.02-
- - ilium M87.050
- - ischium M87.050
- - metacarpus M87.04-
- - metatarsus M87.07-
- - multiple sites M87.09
- - neck M87.08
- - pelvis M87.050
- - pubic ramus M87.050
- - radius M87.03-
- - rib M87.08
- - scapula M87.01-
- - skull M87.08
- - tarsus M87.07-
- - tibia M87.06-
- - toe M87.07-
- - ulna M87.03-
- - vertebra M87.08
- secondary NEC M87.30
- - carpus M87.33-
- - clavicle M87.31-
- - due to
- - - drugs M87.10
- - - - carpus M87.13-
- - - - clavicle M87.11-
- - - - femur M87.15-
- - - - fibula M87.16-
- - - - finger M87.14-
- - - - humerus M87.12-
- - - - ilium M87.150
- - - - ischium M87.150
- - - - jaw M87.180
- - - - metacarpus M87.14-
- - - - metatarsus M87.17-
- - - - multiple sites M87.19

- - - - neck M87.18
- - - - pubic ramus M87.150
- - - - radius M87.13-
- - - - rib M87.18
- - - - scapula M87.11-
- - - - skull M87.18
- - - - tarsus M87.17-
- - - - tibia M87.16-
- - - - toe M87.17-
- - - - ulna M87.13-
- - - - vertebra M87.18
- - - hemoglobinopathy NEC D58.2 *[M90.50]*
- - - - carpus D58.2 *[M90.54-]*
- - - - clavicle D58.2 *[M90.51-]*
- - - - femur D58.2 *[M90.55-]*
- - - - fibula D58.2 *[M90.56-]*
- - - - finger D58.2 *[M90.54-]*
- - - - humerus D58.2 *[M90.52-]*
- - - - ilium D58.2 *[M90.58]*
- - - - ischium D58.2 *[M90.58]*
- - - - metacarpus D58.2 *[M90.54-]*
- - - - metatarsus D58.2 *[M90.57-]*
- - - - multiple sites D58.2 *[M90.59]*
- - - - neck D58.2 *[M90.58]*
- - - - pubic ramus D58.2 *[M90.58]*
- - - - radius D58.2 *[M90.53-]*
- - - - rib D58.2 *[M90.58]*
- - - - scapula D58.2 *[M90.51-]*
- - - - skull D58.2 *[M90.58]*
- - - - specified NEC D58.2 *[M90.58]*
- - - - tarsus D58.2 *[M90.57-]*
- - - - tibia D58.2 *[M90.56-]*
- - - - toe D58.2 *[M90.57-]*
- - - - ulna D58.2 *[M90.53-]*
- - - - vertebra D58.2 *[M90.58]*
- - - trauma (previous) M87.20
- - - - carpus M87.23-
- - - - clavicle M87.21-
- - - - femur M87.25-
- - - - fibula M87.26-
- - - - finger M87.24-
- - - - humerus M87.22-
- - - - ilium M87.250
- - - - ischium M87.250
- - - - metacarpus M87.24-
- - - - metatarsus M87.27-
- - - - multiple sites M87.29
- - - - neck M87.28
- - - - pubic ramus M87.250
- - - - radius M87.23-
- - - - rib M87.28
- - - - scapula M87.21-
- - - - skull M87.28
- - - - tarsus M87.27-
- - - - tibia M87.26-
- - - - toe M87.27-
- - - - ulna M87.23-
- - - - vertebra M87.28
- - femur M87.35-
- - fibula M87.36-

- - finger M87.34-
- - humerus M87.32-
- - ilium M87.350
- - in
- - - caisson disease T70.3 *[M90.50]*
- - - - carpus T70.3 *[M90.54-]*
- - - - clavicle T70.3 *[M90.51-]*
- - - - femur T70.3 *[M90.55-]*
- - - - fibula T70.3 *[M90.56-]*
- - - - finger T70.3 *[M90.54-]*
- - - - humerus T70.3 *[M90.52-]*
- - - - ilium T70.3 *[M90.58]*
- - - - ischium T70.3 *[M90.58]*
- - - - metacarpus T70.3 *[M90.54-]*
- - - - metatarsus T70.3 *[M90.57-]*
- - - - multiple sites T70.3 *[M90.59]*
- - - - neck T70.3 *[M90.58]*
- - - - pubic ramus T70.3 *[M90.58]*
- - - - radius T70.3 *[M90.53-]*
- - - - rib T70.3 *[M90.58]*
- - - - scapula T70.3 *[M90.51-]*
- - - - skull T70.3 *[M90.58]*
- - - - tarsus T70.3 *[M90.57-]*
- - - - tibia T70.3 *[M90.56-]*
- - - - toe T70.3 *[M90.57-]*
- - - - ulna T70.3 *[M90.53-]*
- - - - vertebra T70.3 *[M90.58]*
- - ischium M87.350
- - metacarpus M87.34-
- - metatarsus M87.37-
- - multiple site M87.39
- - neck M87.38
- - pubic ramus M87.350
- - radius M87.33-
- - rib M87.38
- - scapula M87.319
- - skull M87.38
- - tarsus M87.379
- - tibia M87.366
- - toe M87.379
- - ulna M87.33-
- - vertebra M87.38
- specified type NEC M87.80
- - carpus M87.83-
- - clavicle M87.81-
- - femur M87.85-
- - fibula M87.86-
- - finger M87.84-
- - humerus M87.82-
- - ilium M87.850
- - ischium M87.850
- - metacarpus M87.84-
- - metatarsus M87.87-
- - multiple sites M87.89
- - neck M87.88
- - pubic ramus M87.850
- - radius M87.83-
- - rib M87.88
- - scapula M87.81-
- - skull M87.88

- - tarsus M87.87-
- - tibia M87.86-
- - toe M87.87-
- - ulna M87.83-
- - vertebra M87.88
Osteo-onycho-arthro-dysplasia Q87.2
Osteo-onychodysplasia, hereditary Q87.2
Osteopathia condensans disseminata Q78.8
Osteopathy -*see also* Osteomyelitis, Osteonecrosis, Osteoporosis
- after poliomyelitis M89.60
- - carpus M89.64-
- - clavicle M89.61-
- - femur M89.65-
- - fibula M89.66-
- - finger M89.64-
- - humerus M89.62-
- - ilium M89.68
- - ischium M89.68
- - metacarpus M89.64-
- - metatarsus M89.67-
- - multiple sites M89.69
- - neck M89.68
- - pubic ramus M89.68
- - radius M89.63-
- - rib M89.68
- - scapula M89.61-
- - skull M89.68
- - tarsus M89.67-
- - tibia M89.66-
- - toe M89.67-
- - ulna M89.63-
- - vertebra M89.68
- in (due to)
- - renal osteodystrophy N25.0
- - specified diseases classified elsewhere -see subcategory M90.8
Osteopenia M85.8-
- borderline M85.8-
Osteoperiostitis -*see* Osteomyelitis, specified type NEC
Osteopetrosis (familial) Q78.2
Osteophyte M25.70
- ankle M25.77-
- elbow M25.72-
- foot joint M25.77-
- hand joint M25.74-
- hip M25.75-
- knee M25.76-
- shoulder M25.71-
- spine M25.78
- vertebrae M25.78
- wrist M25.73-
Osteopoikilosis Q78.8
Osteoporosis (female) (male) M81.0
- with current pathological fracture M80.00
- age-related M81.0
- - with current pathologic fracture M80.00
- - - carpus M80.04-
- - - clavicle M80.01-
- - - femur M80.05-
- - - fibula M80.06-
- - - finger M80.04-

- - - hip M80.05-
- - - humerus M80.02-
- - - ilium M80.0A
- - - ischium M80.0A
- - - metacarpus M80.04-
- - - metatarsus M80.07-
- - - pelvis M80.0B-
- - - pubis ramus M80.0A
- - - radius M80.03-
- - - rib(s) M80.0A
- - - scapula M80.01-
- - - site specified NEC M80.0A
- - - specified site NEC M80.0A
- - - tarsus M80.07-
- - - tibia M80.06-
- - - toe M80.07-
- - - ulna M80.03-
- - - vertebra M80.08
- disuse M81.8
- - with current pathological fracture M80.80
- - - carpus M80.84-
- - - clavicle M80.81-
- - - femur M80.85-
- - - fibula M80.86-
- - - finger M80.84-
- - - hip M80.85-
- - - humerus M80.82-
- - - ilium M80.8A
- - - ischium M80.8A
- - - metacarpus M80.84-
- - - metatarsus M80.87-
- - - pelvis M80.8B-
- - - pubis ramus M80.8A
- - - radius M80.83-
- - - scapula M80.81-
- - - site specified NEC M80.8A
- - - tarsus M80.87-
- - - tibia M80.86-
- - - toe M80.87-
- - - ulna M80.83-
- - - vertebra M80.88
- drug-induced -*see* Osteoporosis, specified type NEC
- idiopathic -*see* Osteoporosis, specified type NEC
- involutional -*see* Osteoporosis, age-related
- Lequesne M81.6
- localized M81.6
- postmenopausal M81.0
- - with pathological fracture M80.00
- - - carpus M80.04-
- - - clavicle M80.01-
- - - femur M80.05-
- - - fibula M80.06-
- - - finger M80.04-
- - - hip M80.05-
- - - humerus M80.02-
- - - ilium M80.0A
- - - ischium M80.0A
- - - metacarpus M80.04-
- - - metatarsus M80.07-
- - - pelvis M80.0B-

- - - pubis ramus M80.0A
- - - radius M80.03-
- - - scapula M80.01-
- - - site specified NEC M80.0A
- - - tarsus M80.07-
- - - tibia M80.06-
- - - toe M80.07-
- - - ulna M80.03-
- - - vertebra M80.08
- postoophorectomy -*see* Osteoporosis, specified type NEC
- postsurgical malabsorption -*see* Osteoporosis, specified type NEC
- post-traumatic -*see* Osteoporosis, specified type NEC
- senile -*see* Osteoporosis, age-related
- specified type NEC M81.8
- - with pathological fracture M80.80
- - - carpus M80.84-
- - - clavicle M80.81-
- - - femur M80.85-
- - - fibula M80.86-
- - - finger M80.84-
- - - hip M80.85-
- - - humerus M80.82-
- - - ilium M80.8A
- - - ischium M80.8A
- - - metacarpus M80.84-
- - - metatarsus M80.87-
- - - pelvis M80.8B-
- - - pubis ramus M80.8A
- - - radius M80.83-
- - - scapula M80.81-
- - - site specified NEC M80.8A
- - - tarsus M80.87-
- - - tibia M80.86-
- - - toe M80.87-
- - - ulna M80.83-
- - - vertebra M80.88

Osteopsathyrosis (idiopathica) Q78.0

Osteoradionecrosis, jaw (acute) (chronic) (lower) (suppurative) (upper) M27.2

Osteosarcoma (any form) -*see* Neoplasm, bone, malignant

Osteosclerosis Q78.2
- acquired M85.8-
- congenita Q77.4
- fragilitas (generalisata) Q78.2
- myelofibrosis D75.81

Osteosclerotic anemia D64.89

Osteosis
- cutis L94.2
- renal fibrocystic N25.0

Österreicher-Turner syndrome Q87.2

Ostium
- atrioventriculare commune Q21.23
- primum (arteriosum) (defect) (persistent) Q21.20
- secundum (arteriosum) (defect) (patent) (persistent) Q21.11

Ostrum-Furst syndrome Q75.8

Otalgia -see subcategory H92.0

Otitis (acute) H66.90
- with effusion -*see also* Otitis, media, nonsuppurative
- - purulent -*see* Otitis, media, suppurative
- adhesive -see subcategory H74.1
- chronic -*see also* Otitis, media, chronic

- - with effusion *-see also* Otitis, media, nonsuppurative, chronic
- externa H60.9-
- - abscess *-see* Abscess, ear, external
- - acute (noninfective) H60.50-
- - - actinic H60.51-
- - - chemical H60.52-
- - - contact H60.53-
- - - eczematoid H60.54-
- - - infective *-see* Otitis, externa, infective
- - - reactive H60.55-
- - - specified NEC H60.59-
- - cellulitis *-see* Cellulitis, ear
- - chronic H60.6-
- - diffuse *-see* Otitis, externa, infective, diffuse
- - hemorrhagic *-see* Otitis, externa, infective, hemorrhagic
- - in (due to)
- - - aspergillosis B44.89
- - - candidiasis B37.84
- - - erysipelas A46 *[H62.40]*
- - - herpes (simplex) virus infection B00.1
- - - - zoster B02.8
- - - impetigo L01.00 *[H62.40]*
- - - infectious disease NEC B99 *[H62.4-]*
- - - mycosis NEC B36.9 *[H62.40]*
- - - parasitic disease NEC B89 *[H62.40]*
- - - viral disease NEC B34.9 *[H62.40]*
- - - zoster B02.8
- - infective NEC H60.39-
- - - abscess *-see* Abscess, ear, external
- - - cellulitis *-see* Cellulitis, ear
- - - diffuse H60.31-
- - - hemorrhagic H60.32-
- - - swimmer's ear *-see* Swimmer's, ear
- - malignant H60.2-
- - mycotic NEC B36.9 *[H62.40]*
- - - in
- - - - aspergillosis B44.89
- - - - candidiasis B37.84
- - - - moniliasis B37.84
- - necrotizing *-see* Otitis, externa, malignant
- - Pseudomonas aeruginosa *-see* Otitis, externa, malignant
- - reactive *-see* Otitis, externa, acute, reactive
- - specified NEC -see subcategory H60.8
- - tropical NEC B36.9 *[H62.40]*
- - - in
- - - - aspergillosis B44.89
- - - - candidiasis B37.84
- - - - moniliasis B37.84
- insidiosa *-see* Otosclerosis
- interna -see subcategory H83.0
- media (hemorrhagic) (staphylococcal) (streptococcal) H66.9-
- - with effusion (nonpurulent) *-see* Otitis, media, nonsuppurative
- - acute, subacute H66.90
- - - allergic *-see* Otitis, media, nonsuppurative, acute, allergic
- - - exudative *-see* Otitis, media, suppurative, acute
- - - mucoid *-see* Otitis, media, nonsuppurative, acute
- - - necrotizing *-see also* Otitis, media, suppurative, acute
- - - - in
- - - - - measles B05.3
- - - - - scarlet fever A38.0

- - - nonsuppurative NEC -*see* Otitis, media, nonsuppurative, acute
- - - purulent -*see* Otitis, media, suppurative, acute
- - - sanguinous -*see* Otitis, media, nonsuppurative, acute
- - - secretory -*see* Otitis, media, nonsuppurative, acute, serous
- - - seromucinous -*see* Otitis, media, nonsuppurative, acute
- - - serous -*see* Otitis, media, nonsuppurative, acute, serous
- - - suppurative -*see* Otitis, media, suppurative, acute
- - allergic -*see* Otitis, media, nonsuppurative
- - catarrhal -*see* Otitis, media, nonsuppurative
- - chronic H66.90
- - - with effusion (nonpurulent) -*see* Otitis, media, nonsuppurative, chronic
- - - allergic -*see* Otitis, media, nonsuppurative, chronic, allergic
- - - benign suppurative -*see* Otitis, media, suppurative, chronic, tubotympanic
- - - catarrhal -*see* Otitis, media, nonsuppurative, chronic, serous
- - - exudative -*see* Otitis, media, nonsuppurative, chronic
- - - mucinous -*see* Otitis, media, nonsuppurative, chronic, mucoid
- - - mucoid -*see* Otitis, media, nonsuppurative, chronic, mucoid
- - - nonsuppurative NEC -*see* Otitis, media, nonsuppurative, chronic
- - - purulent -*see* Otitis, media, suppurative, chronic
- - - secretory -*see* Otitis, media, nonsuppurative, chronic, mucoid
- - - seromucinous -*see* Otitis, media, nonsuppurative, chronic
- - - serous -*see* Otitis, media, nonsuppurative, chronic, serous
- - - suppurative -*see* Otitis, media, suppurative, chronic
- - - transudative -*see* Otitis, media, nonsuppurative, chronic, mucoid
- - exudative -*see* Otitis, media, suppurative
- - in (due to) (with)
- - - influenza -*see* Influenza, with, otitis media
- - - measles B05.3
- - - scarlet fever A38.0
- - - tuberculosis A18.6
- - - viral disease NEC B34.- *[H67.-]*
- - mucoid -*see* Otitis, media, nonsuppurative
- - nonsuppurative H65.9-
- - - acute or subacute NEC H65.19-
- - - - allergic H65.11-
- - - - - recurrent H65.11-
- - - - recurrent H65.19-
- - - - secretory -*see* Otitis, media, nonsuppurative, serous
- - - - serous H65.0-
- - - - - recurrent H65.0-
- - - chronic H65.49-
- - - - allergic H65.41-
- - - - mucoid H65.3-
- - - - serous H65.2-
- - postmeasles B05.3
- - purulent -*see* Otitis, media, suppurative
- - secretory -*see* Otitis, media, nonsuppurative
- - seromucinous -*see* Otitis, media, nonsuppurative
- - serous -*see* Otitis, media, nonsuppurative
- - suppurative H66.4-
- - - acute H66.00-
- - - - with rupture of ear drum H66.01-
- - - - recurrent H66.00-
- - - - - with rupture of ear drum H66.01-
- - - chronic -*see also* subcategory H66.3
- - - - atticoantral H66.2-
- - - - benign -*see* Otitis, media, suppurative, chronic, tubotympanic
- - - - tubotympanic H66.1-
- - transudative -*see* Otitis, media, nonsuppurative
- - tuberculous A18.6

Otocephaly Q18.2
Otolith syndrome -see subcategory H81.8
Otomycosis (diffuse) NEC B36.9 *[H62.40]*
- in
- - aspergillosis B44.89
- - candidiasis B37.84
- - moniliasis B37.84
Otoporosis -*see* Otosclerosis
Otorrhagia (nontraumatic) H92.2-
- traumatic - code by Type of injury
Otorrhea H92.1-
- cerebrospinal (fluid) G96.01
- - postoperative G96.08
- - specified NEC G96.08
- - spontaneous G96.01
- - traumatic G96.08
Otosclerosis (general) H80.9-
- cochlear (endosteal) H80.2-
- involving
- - otic capsule -*see* Otosclerosis, cochlear
- - oval window
- - - nonobliterative H80.0-
- - - obliterative H80.1-
- - round window -*see* Otosclerosis, cochlear
- nonobliterative -*see* Otosclerosis, involving, oval window, nonobliterative
- obliterative -*see* Otosclerosis, involving, oval window, obliterative
- specified NEC H80.8-
Otospongiosis -*see* Otosclerosis
Otto's disease or pelvis M24.7
Outcome of delivery Z37.9
- multiple births Z37.9
- - all liveborn Z37.50
- - - quadruplets Z37.52
- - - quintuplets Z37.53
- - - sextuplets Z37.54
- - - specified number NEC Z37.59
- - - triplets Z37.51
- - all stillborn Z37.7
- - some liveborn Z37.60
- - - quadruplets Z37.62
- - - quintuplets Z37.63
- - - sextuplets Z37.64
- - - specified number NEC Z37.69
- - - triplets Z37.61
- single NEC Z37.9
- - liveborn Z37.0
- - stillborn Z37.1
- twins NEC Z37.9
- - both liveborn Z37.2
- - both stillborn Z37.4
- - one liveborn, one stillborn Z37.3
Outlet -*see* condition
Ovalocytosis (congenital) (hereditary) -*see* Elliptocytosis
Ovarian -*see* Condition
Ovariocele N83.4-
Ovaritis (cystic) -*see* Oophoritis
Ovary, ovarian -*see also* condition
- resistant syndrome E28.39
- vein syndrome N13.8
Overactive -*see also* Hyperfunction

- adrenal cortex NEC E27.0
- bladder N32.81
- hypothalamus E23.3
- thyroid -*see* Hyperthyroidism
Overactivity R46.3
- child -*see* Disorder, attention-deficit hyperactivity
Overbite (deep) (excessive) (horizontal) (vertical) M26.29
Overbreathing -*see* Hyperventilation
Overconscientious personality F60.5
Overdevelopment -*see* Hypertrophy
Overdistension -*see* Distension
Overdose, overdosage (drug) -*see* Table of Drugs and Chemicals, by drug, poisoning
Overeating R63.2
- nonorganic origin F50.89
- psychogenic F50.89
Overexertion (effects) (exhaustion) T73.3
Overexposure (effects) T73.9
- exhaustion T73.2
Overfeeding -*see* Overeating
- newborn P92.4
Overfill, endodontic M27.52
Overgrowth
- bacterial
- - small intestinal K63.8219
- - - fungal K63.822
- - - hydrogen-subtype K63.8211
- - - hydrogen sulfide-subtype K63.8212
- bone -*see* Hypertrophy, bone
- intestinal methanogen K63.829
Overhanging of dental restorative material (unrepairable) K08.52
Overheated (places) (effects) -*see* Heat
Overjet (excessive horizontal) M26.23
Overlaid, overlying (suffocation) -*see* Asphyxia, traumatic, due to mechanical threat
Overlap, excessive horizontal (teeth) M26.23
Overlapping toe (acquired) -*see also* Deformity, toe, specified NEC
- congenital (fifth toe) Q66.89
Overload
- circulatory, due to transfusion (blood) (blood components) (TACO) E87.71
- fluid E87.70
- - due to transfusion (blood) (blood components) E87.71
- - specified NEC E87.79
- iron, due to repeated red blood cell transfusions E83.111
- potassium (K) E87.5
- sodium (Na) E87.0
Overnutrition -*see* Hyperalimentation
Overproduction -*see also* Hypersecretion
- ACTH E27.0
- catecholamine E27.5
- growth hormone E22.0
Overprotection, child by parent Z62.1
Overriding
- aorta Q25.49
- finger (acquired) -*see* Deformity, finger
- - congenital Q68.1
- toe (acquired) -*see also* Deformity, toe, specified NEC
- - congenital Q66.89
Overstrained R53.83
- heart -*see* Hypertrophy, cardiac
Overuse, muscle NEC M70.8-
Overweight E66.3

Overworked R53.83
Oviduct -*see* condition
Ovotestis Q56.0
Ovulation (cycle)
- failure or lack of N97.0
- pain N94.0
Ovum -*see* condition
Owren's disease or syndrome (parahemophilia) D68.2
Ox heart -*see* Hypertrophy, cardiac
Oxalosis E72.53
Oxaluria E72.53
Oxycephaly, oxycephalic Q75.009
- syphilitic, congenital A50.02
Oxyuriasis B80
Oxyuris vermicularis (infestation) B80
Ozena J31.0

P

Pachyderma, pachydermia L85.9
- larynx (verrucosa) J38.7
Pachydermatocele (congenital) Q82.8
Pachydermoperiostosis -*see also* Osteoarthropathy, hypertrophic, specified type NEC
- clubbed nail M89.40 *[L62]*
Pachygyria Q04.3
Pachymeningitis (adhesive) (basal) (brain) (cervical) (chronic)(circumscribed) (external) (fibrous) (hemorrhagic) (hypertrophic) (internal) (purulent) (spinal) (suppurative) -*see* Meningitis
Pachyonychia (congenital) Q84.5
Pacinian tumor -*see* Neoplasm, skin, benign
Pad, knuckle or Garrod's M72.1
Paget-Schroetter syndrome I82.890
Paget's disease
- with infiltrating duct carcinoma -*see* Neoplasm, breast, malignant
- bone M88.9
- - carpus M88.84-
- - clavicle M88.81-
- - femur M88.85-
- - fibula M88.86-
- - finger M88.84-
- - humerus M88.82-
- - ilium M88.88
- - in neoplastic disease -*see* Osteitis, deformans, in neoplastic disease
- - ischium M88.88
- - metacarpus M88.84-
- - metatarsus M88.87-
- - multiple sites M88.89
- - neck M88.88
- - pubic ramus M88.88
- - radius M88.83-
- - rib M88.88
- - scapula M88.81-
- - skull M88.0
- - specified NEC M88.88
- - tarsus M88.87-
- - tibia M88.86-
- - toe M88.87-
- - ulna M88.83-
- - vertebra M88.1
- breast (female) C50.01-
- - male C50.02-

- extramammary *-see also* Neoplasm, skin, malignant
- - anus C21.0
- - - margin C44.590
- - - skin C44.590
- intraductal carcinoma *-see* Neoplasm, breast, malignant
- malignant *-see* Neoplasm, skin, malignant
- - breast (female) C50.01-
- - - male C50.02-
- - unspecified site (female) C50.01-
- - - male C50.02-
- mammary *-see* Paget's disease, breast
- nipple *-see* Paget's disease, breast
- osteitis deformans *-see* Paget's disease, bone

Pain(s) *-see also* Painful R52
- abdominal R10.9
- - colic R10.83
- - generalized R10.84
- - - with acute abdomen R10.0
- - lower R10.30
- - - left quadrant R10.32
- - - pelvic or perineal R10.2
- - - periumbilical R10.33
- - - right quadrant R10.31
- - rebound *-see* Tenderness, abdominal, rebound
- - severe with abdominal rigidity R10.0
- - tenderness *-see* Tenderness, abdominal
- - upper R10.10
- - - epigastric R10.13
- - - left quadrant R10.12
- - - right quadrant R10.11
- acute R52
- - due to trauma G89.11
- - neoplasm related G89.3
- - postprocedural NEC G89.18
- - post-thoracotomy G89.12
- - specified by site - code to Pain, by site
- adnexa (uteri) R10.2
- anginoid *-see* Pain, precordial
- anus K62.89
- arm *-see* Pain, limb, upper
- axillary (axilla) M79.62-
- back (postural) M54.9
- bladder R39.89
- - associated with micturition *-see* Micturition, painful
- - chronic R39.82
- bone *-see* Disorder, bone, specified type NEC
- breast N64.4
- broad ligament R10.2
- cancer associated (acute) (chronic) G89.3
- cecum *-see* Pain, abdominal
- cervicobrachial M53.1
- chest (central) R07.9
- - anterior wall R07.89
- - atypical R07.89
- - ischemic I20.9
- - musculoskeletal R07.89
- - non-cardiac R07.89
- - on breathing R07.1
- - pleurodynia R07.81
- - precordial R07.2

- - wall (anterior) R07.89
- chronic G89.29
- - associated with significant psychosocial dysfunction G89.4
- - due to trauma G89.21
- - neoplasm related G89.3
- - postoperative NEC G89.28
- - postprocedural NEC G89.28
- - post-thoracotomy G89.22
- - specified NEC G89.29
- coccyx M53.3
- colon -*see* Pain, abdominal
- coronary -*see* Angina
- costochondral R07.1
- diaphragm R07.1
- due to cancer G89.3
- due to device, implant or graft -*see also* Complications, by site and type, specified NEC T85.848
- - arterial graft NEC T82.848
- - breast (implant) T85.848
- - catheter NEC T85.848
- - - dialysis (renal) T82.848
- - - - intraperitoneal T85.848
- - - infusion NEC T82.848
- - - - spinal (epidural) (subdural) T85.840
- - - urinary (indwelling) T83.84
- - electronic (electrode) (pulse generator) (stimulator)
- - - bone T84.84
- - - cardiac T82.847
- - - nervous system (brain) (peripheral nerve) (spinal) T85.840
- - - urinary T83.84
- - fixation, internal (orthopedic) NEC T84.84
- - gastrointestinal (bile duct) (esophagus) T85.848
- - genital NEC T83.84
- - heart NEC T82.847
- - infusion NEC T85.848
- - joint prosthesis T84.84
- - ocular (corneal graft) (orbital implant) NEC T85.848
- - orthopedic NEC T84.84
- - specified NEC T85.848
- - urinary NEC T83.84
- - vascular NEC T82.848
- - ventricular intracranial shunt T85.840
- due to malignancy (primary) (secondary) G89.3
- ear -see subcategory H92.0
- epigastric, epigastrium R10.13
- eye -*see* Pain, ocular
- face, facial R51.9
- - atypical G50.1
- female genital organs NEC N94.89
- finger -*see* Pain, limb, upper
- flank -*see* Pain, abdominal
- foot -*see* Pain, limb, lower
- gallbladder K82.9
- gas (intestinal) R14.1
- gastric -*see* Pain, abdominal
- generalized NOS R52
- genital organ
- - female N94.89
- - male N50.89
- groin -*see* Pain, abdominal, lower
- hand -*see* Pain, limb, upper

- head -*see* Headache
- heart -*see* Pain, precordial
- infra-orbital -*see* Neuralgia, trigeminal
- intercostal R07.82
- intermenstrual N94.0
- jaw R68.84
- joint M25.50
- - ankle M25.57-
- - elbow M25.52-
- - finger M25.54-
- - foot M25.57-
- - hand M25.54-
- - hip M25.55-
- - knee M25.56-
- - shoulder M25.51-
- - specified site NEC M25.59
- - toe M25.57-
- - wrist M25.53-
- kidney N23
- laryngeal R07.0
- leg -*see* Pain, limb, lower
- limb M79.609
- - lower M79.60-
- - - foot M79.67-
- - - lower leg M79.66-
- - - thigh M79.65-
- - - toe M79.67-
- - upper M79.60-
- - - axilla M79.62-
- - - finger M79.64-
- - - forearm M79.63-
- - - hand M79.64-
- - - upper arm M79.62-
- loin M54.50
- low back M54.50
- - specified NEC M54.59
- - vertebral end plate M54.51
- - vertebrogenic M54.51
- lumbar region M54.50
- - vertebral end plate M54.51
- - vertebrogenic M54.51
- mandibular R68.84
- mastoid -see subcategory H92.0
- maxilla R68.84
- menstrual -*see also* Dysmenorrhea N94.6
- metacarpophalangeal (joint) -*see* Pain, joint, hand
- metatarsophalangeal (joint) -*see* Pain, joint, foot
- mouth K13.79
- muscle -*see* Myalgia
- musculoskeletal -*see also* Pain, by site M79.18
- myofascial M79.18
- nasal J34.89
- nasopharynx J39.2
- neck NEC M54.2
- nerve NEC -*see* Neuralgia
- neuromuscular -*see* Neuralgia
- nose J34.89
- ocular H57.1-
- ophthalmic -*see* Pain, ocular
- orbital region -*see* Pain, ocular

- ovary N94.89
- over heart -*see* Pain, precordial
- ovulation N94.0
- pelvic (female) R10.2
- penis N48.89
- pericardial -*see* Pain, precordial
- perineal, perineum R10.2
- pharynx J39.2
- pleura, pleural, pleuritic R07.81
- postoperative NOS G89.18
- postprocedural NOS G89.18
- post-thoracotomy G89.12
- precordial (region) R07.2
- premenstrual N94.3
- psychogenic (persistent) (any site) F45.41
- radicular (spinal) -*see* Radiculopathy
- rectum K62.89
- respiration R07.1
- retrosternal R07.2
- rheumatoid, muscular -*see* Myalgia
- rib R07.81
- root (spinal) -*see* Radiculopathy
- round ligament (stretch) R10.2
- sacroiliac M53.3
- sciatic -*see* Sciatica
- scrotum N50.82
- seminal vesicle N50.89
- shoulder M25.51-
- spermatic cord N50.89
- spinal root -*see* Radiculopathy
- spine M54.9
- - cervical M54.2
- - low back M54.50
- - - with sciatica M54.4-
- - thoracic M54.6
- stomach -*see* Pain, abdominal
- substernal R07.2
- temporomandibular (joint) M26.62-
- testis N50.81-
- thoracic spine M54.6
- - with radicular and visceral pain M54.14
- throat R07.0
- tibia -*see* Pain, limb, lower
- toe -*see* Pain, limb, lower
- tongue K14.6
- tooth K08.89
- trigeminal -*see* Neuralgia, trigeminal
- tumor associated G89.3
- ureter N23
- urinary (organ) (system) N23
- uterus NEC N94.89
- vagina R10.2
- vertebral end plate -*see* Pain, vertebrogenic
- vertebrogenic M54.89
- - low back M54.51
- - lumbar M54.51
- - syndrome M54.89
- vesical R39.89
- - associated with micturition -*see* Micturition, painful
- vulva R10.2

Painful -*see also* Pain
- coitus
- - female N94.10
- - male N53.12
- - psychogenic F52.6
- ejaculation (semen) N53.12
- - psychogenic F52.6
- erection -*see* Priapism
- feet syndrome E53.8
- joint replacement (hip) (knee) T84.84
- menstruation -*see* Dysmenorrhea
- - psychogenic F45.8
- micturition -*see* Micturition, painful
- respiration R07.1
- scar NEC L90.5
- wire sutures T81.89
Painter's colic -see subcategory T56.0
Palate -*see* condition
Palatoplegia K13.79
Palatoschisis -*see* Cleft, palate
Palilalia R48.8
Palliative care Z51.5
Pallor R23.1
- optic disc, temporal -*see* Atrophy, optic
Palmar -*see also* condition
- fascia -*see* condition
Palpable
- cecum K63.89
- kidney N28.89
- ovary N83.8
- prostate N42.9
- spleen -*see* Splenomegaly
Palpitations (heart) R00.2
- psychogenic F45.8
Palsy -*see also* Paralysis G83.9
- atrophic diffuse (progressive) G12.22
- Bell's -*see also* Palsy, facial
- - newborn P11.3
- brachial plexus NEC G54.0
- - newborn (birth injury) P14.3
- brain -*see* Palsy, cerebral
- bulbar (progressive) (chronic) G12.22
- - of childhood (Fazio-Londe) G12.1
- - pseudo NEC G12.29
- - supranuclear (progressive) G23.1
- cerebral (congenital) G80.9
- - ataxic G80.4
- - athetoid G80.3
- - choreathetoid G80.3
- - diplegic G80.8
- - - spastic G80.1
- - dyskinetic G80.3
- - - athetoid G80.3
- - - choreathetoid G80.3
- - - distonic G80.3
- - dystonic G80.3
- - hemiplegic G80.8
- - - spastic G80.2
- - mixed G80.8
- - monoplegic G80.8

- - - spastic G80.1
- - paraplegic G80.8
- - - spastic G80.1
- - quadriplegic G80.8
- - - spastic G80.0
- - spastic G80.1
- - - diplegic G80.1
- - - hemiplegic G80.2
- - - monoplegic G80.1
- - - quadriplegic G80.0
- - - specified NEC G80.1
- - - tetrapelgic G80.0
- - specified NEC G80.8
- - syphilitic A52.12
- - - congenital A50.49
- - tetraplegic G80.8
- - - spastic G80.0
- cranial nerve -*see also* Disorder, nerve, cranial
- - multiple G52.7
- - - in
- - - - infectious disease B99 *[G53]*
- - - - neoplastic disease -*see also* Neoplasm D49.9 *[G53]*
- - - - parasitic disease B89 *[G53]*
- - - - sarcoidosis D86.82
- creeping G12.22
- diver's T70.3
- Erb's P14.0
- facial G51.0
- - newborn (birth injury) P11.3
- glossopharyngeal G52.1
- Klumpke (-Déjérine) P14.1
- lead -see subcategory T56.0
- median nerve (tardy) G56.1-
- nerve G58.9
- - specified NEC G58.8
- peroneal nerve (acute) (tardy) G57.3-
- progressive supranuclear G23.1
- pseudobulbar NEC G12.29
- radial nerve (acute) G56.3-
- seventh nerve -*see also* Palsy, facial
- - newborn P11.3
- shaking -*see* Parkinsonism
- spastic (cerebral) (spinal) G80.1
- ulnar nerve (tardy) G56.2-
- wasting G12.29

Paludism -*see* Malaria

Panangiitis M30.0

Panaris, panaritium -*see also* Cellulitis, digit
- with lymphangitis -*see* Lymphangitis, acute, digit

Panarteritis nodosa M30.0
- brain or cerebral I67.7

Pancake heart R93.1
- with cor pulmonale (chronic) I27.81

Pancarditis (acute) (chronic) I51.89
- rheumatic I09.89
- - active or acute I01.8

Pancoast's syndrome or tumor C34.1-

Pancolitis -*see also* Colitis
- ulcerative (chronic) K51.00
- - with

- - - complication K51.019
- - - abscess K51.014
- - - fistula K51.013
- - - obstruction K51.012
- - - rectal bleeding K51.011
- - - specified complication NEC K51.018
Pancreas, pancreatic -*see* condition
Pancreatitis (annular) (apoplectic) (calcareous) (edematous) (hemorrhagic) (malignant) (subacute) (suppurative) K85.90
- with necrosis (uninfected) K85.91
- - infected K85.92
- acute (without necrosis or infection) K85.90
- - with necrosis (uninfected) K85.91
- - - infected K85.92
- - alcohol induced (without necrosis or infection) K85.20
- - - with necrosis (uninfected) K85.21
- - - - infected K85.22
- - biliary (without necrosis or infection) K85.10
- - - with necrosis (uninfected) K85.11
- - - - infected K85.12
- - drug induced (without necrosis or infection) K85.30
- - - with necrosis (uninfected) K85.31
- - - - infected K85.32
- - gallstone (without necrosis or infection) K85.10
- - - with necrosis (uninfected) K85.11
- - - - infected K85.12
- - idiopathic (without necrosis or infection) K85.00
- - - with necrosis (uninfected) K85.01
- - - - infected K85.02
- - specified NEC (without necrosis or infection) K85.80
- - - with necrosis (uninfected) K85.81
- - - - infected K85.82
- chronic (infectious) K86.1
- - alcohol-induced K86.0
- - recurrent K86.1
- - relapsing K86.1
- cystic (chronic) K86.1
- cytomegaloviral B25.2
- fibrous (chronic) K86.1
- gangrenous -*see* Pancreatitis, acute
- gallstone (without necrosis or infection) K85.10
- - with necrosis (uninfected) K85.11
- - - infected K85.12
- interstitial (chronic) K86.1
- - acute -*see also* Pancreatitis, acute K85.80
- mumps B26.3
- recurrent
- - acute -*see* Pancreatitis, acute by type
- - chronic K86.1
- relapsing, chronic K86.1
- syphilitic A52.74
Pancreatoblastoma -*see* Neoplasm, pancreas, malignant
Pancreolithiasis K86.89
Pancytolysis D75.89
Pancytopenia (acquired) D61.818
- with
- - malformations D61.09
- - myelodysplastic syndrome -*see* Syndrome, myelodysplastic, pancytopenia (acquired)
- antineoplastic chemotherapy induced D61.810
- congenital D61.09

- drug-induced NEC D61.811
- Fanconi D61.03
PANDAS (pediatric autoimmune neuropsychiatric disorders associated with streptococcal infections syndrome) D89.89
Panencephalitis, subacute, sclerosing A81.1
Panhematopenia D61.9
- congenital D61.09
- constitutional D61.09
- splenic, primary D73.1
Panhemocytopenia D61.9
- congenital D61.09
- constitutional D61.09
Panhypogonadism E29.1
Panhypopituitarism E23.0
- prepubertal E23.0
Panic (attack) (state) F41.0
- reaction to exceptional stress (transient) F43.0
Panmyelopathy, familial, constitutional D61.09
Panmyelophthisis D61.82
- congenital D61.09
Panmyelosis (acute) (with myelofibrosis) C94.4-
Panner's disease -*see* Osteochondrosis, juvenile, humerus
Panneuritis endemica E51.11
Panniculitis (nodular) (nonsuppurative) M79.3
- back M54.00
- - cervical region M54.02
- - cervicothoracic region M54.03
- - lumbar region M54.06
- - lumbosacral region M54.07
- - multiple sites M54.09
- - occipito-atlanto-axial region M54.01
- - sacrococcygeal region M54.08
- - thoracic region M54.04
- - thoracolumbar region M54.05
- lupus L93.2
- mesenteric K65.4
- neck M54.02
- - cervicothoracic region M54.03
- - occipito-atlanto-axial region M54.01
- relapsing M35.6
Panniculus adiposus (abdominal) E65
Pannus (allergic) (cornea) (degenerativus) (keratic) H16.42-
- abdominal (symptomatic) E65
- trachomatosus, trachomatous (active) A71.1
Panophthalmitis H44.01-
Pansynostosis Q75.052
Pansinusitis (chronic) (hyperplastic) (nonpurulent) (purulent) J32.4
- acute J01.40
- - recurrent J01.41
- tuberculous A15.8
Panuveitis (sympathetic) H44.11-
Panvalvular disease I08.9
- specified NEC I08.8
PAPA (pyogenic arthritis, pyoderma gangrenosum, and acne syndrome) M04.8
Papanicolaou smear, cervix Z12.4
- as part of routine gynecological examination Z01.419
- - with abnormal findings Z01.411
- for suspected neoplasm Z12.4
- nonspecific abnormal finding R87.619
- routine Z01.419

- - with abnormal findings Z01.411
Papilledema (choked disc) H47.10
- associated with
- - decreased ocular pressure H47.12
- - increased intracranial pressure H47.11
- - retinal disorder H47.13
- Foster-Kennedy syndrome H47.14-
Papillitis H46.00
- anus K62.89
- chronic lingual K14.4
- necrotizing, kidney N17.2
- optic H46.0-
- rectum K62.89
- renal, necrotizing N17.2
- tongue K14.0
Papilloma -*see also* Neoplasm, benign, by site
- acuminatum (female) (male) (anogenital) A63.0
- basal cell L82.1
- - inflamed L82.0
- benign pinta (primary) A67.0
- bladder (urinary) (transitional cell) D41.4
- choroid plexus (lateral ventricle) (third ventricle) D33.0
- - anaplastic C71.5
- - fourth ventricle D33.1
- - malignant C71.5
- renal pelvis (transitional cell) D41.1-
- - benign D30.1-
- Schneiderian
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D14.0
- serous surface
- - borderline malignancy
- - - specified site -*see* Neoplasm, uncertain behavior, by site
- - - unspecified site D39.10
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D27.9
- transitional (cell)
- - bladder (urinary) D41.4
- - inverted type -*see* Neoplasm, uncertain behavior, by site
- - renal pelvis D41.1-
- - ureter D41.2-
- ureter (transitional cell) D41.2-
- - benign D30.2-
- urothelial -*see* Neoplasm, uncertain behavior, by site
- villous -*see* Neoplasm, uncertain behavior, by site
- - adenocarcinoma in -*see* Neoplasm, malignant, by site
- - - in situ -*see* Neoplasm, in situ
- yaws, plantar or palmar A66.1
Papillomata, multiple, of yaws A66.1
Papillomatosis -*see also* Neoplasm, benign, by site
- confluent and reticulated L83
- cystic, breast -*see* Mastopathy, cystic
- ductal, breast -*see* Mastopathy, cystic
- intraductal (diffuse) -*see* Neoplasm, benign, by site
- subareolar duct D24-
Papillomavirus, as cause of disease classified elsewhere B97.7
Papillon-Léage and Psaume syndrome Q87.0
Papule(s) R23.8
- carate (primary) A67.0
- fibrous, of nose D22.39

- Gottron's L94.4
- pinta (primary) A67.0
Papulosis
- lymphomatoid C86.6-
- malignant I77.89
Papyraceous fetus O31.0-
Para-albuminemia E88.09
Paracephalus Q89.7
Parachute mitral valve Q23.2
Paracoccidioidomycosis B41.9
- disseminated B41.7
- generalized B41.7
- mucocutaneous-lymphangitic B41.8
- pulmonary B41.0
- specified NEC B41.8
- visceral B41.8
Paradentosis K05.4
Paraffinoma T88.8
Paraganglioma D44.7
- adrenal D35.0-
- - malignant C74.1-
- aortic body D44.7
- - malignant C75.5
- carotid body D44.6
- - malignant C75.4
- chromaffin -*see also* Neoplasm, benign, by site
- - malignant -*see* Neoplasm, malignant, by site
- extra-adrenal D44.7
- - malignant C75.5
- - - specified site -*see* Neoplasm, malignant, by site
- - - unspecified site C75.5
- - specified site -*see* Neoplasm, uncertain behavior, by site
- - unspecified site D44.7
- gangliocytic D13.2
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D13.2
- glomus jugulare D44.7
- - malignant C75.5
- jugular D44.7
- malignant C75.5
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C75.5
- nonchromaffin D44.7
- - malignant C75.5
- - - specified site -*see* Neoplasm, malignant, by site
- - - unspecified site C75.5
- - specified site -*see* Neoplasm, uncertain behavior, by site
- - unspecified site D44.7
- parasympathetic D44.7
- - specified site -*see* Neoplasm, uncertain behavior, by site
- - unspecified site D44.7
- specified site -*see* Neoplasm, uncertain behavior, by site
- sympathetic D44.7
- - specified site -*see* Neoplasm, uncertain behavior, by site
- - unspecified site D44.7
- unspecified site D44.7
Parageusia R43.2
- psychogenic F45.8
Paragonimiasis B66.4
Paragranuloma, Hodgkin -*see* Lymphoma, Hodgkin, specified NEC

Parahemophilia *-see also* Defect, coagulation D68.2
Parakeratosis R23.4
- variegata L41.0
Paralysis, paralytic (complete) (incomplete) G83.9
- with
- - syphilis A52.17
- abducens, abducent (nerve) *-see* Strabismus, paralytic, sixth nerve
- abductor, lower extremity G57.9-
- accessory nerve G52.8
- accommodation *-see also* Paresis, of accommodation
- - hysterical F44.89
- acoustic nerve (except Deafness) -see subcategory H93.3
- agitans *-see also* Parkinsonism G20.C
- - arteriosclerotic G21.4
- alternating (oculomotor) G83.89
- amyotrophic G12.21
- ankle G57.9-
- anus (sphincter) K62.89
- arm *-see* Monoplegia, upper limb
- ascending (spinal), acute G61.0
- association G12.29
- asthenic bulbar G70.00
- - with exacerbation (acute) G70.01
- - in crisis G70.01
- ataxic (hereditary) G11.9
- - general (syphilitic) A52.17
- atrophic G58.9
- - infantile, acute *-see* Poliomyelitis, paralytic
- - progressive G12.22
- - spinal (acute) *-see* Poliomyelitis, paralytic
- axillary G54.0
- Babinski-Nageotte's G83.89
- Bell's G51.0
- - newborn P11.3
- Benedikt's G46.3
- birth injury P14.9
- - spinal cord P11.5
- bladder (neurogenic) (sphincter) N31.2
- bowel, colon or intestine K56.0
- brachial plexus G54.0
- - birth injury P14.3
- - newborn (birth injury) P14.3
- brain G83.9
- - diplegia G83.0
- - triplegia G83.89
- bronchial J98.09
- Brown-Séquard G83.81
- bulbar (chronic) (progressive) G12.22
- - infantile *-see* Poliomyelitis, paralytic
- - poliomyelitic *-see* Poliomyelitis, paralytic
- - pseudo G12.29
- bulbospinal G70.00
- - with exacerbation (acute) G70.01
- - in crisis G70.01
- cardiac *-see also* Failure, heart I50.9
- cerebrocerebellar, diplegic G80.1
- cervical
- - plexus G54.2
- - sympathetic G90.09
- Céstan-Chenais G46.3

- Charcot-Marie-Tooth type G60.0
- Clark's G80.9
- colon K56.0
- compressed air T70.3
- compression
- - arm G56.9-
- - leg G57.9-
- - lower extremity G57.9-
- - upper extremity G56.9-
- congenital (cerebral) -*see* Palsy, cerebral
- conjugate movement (gaze) (of eye) H51.0
- - cortical (nuclear) (supranuclear) H51.0
- cordis -*see* Failure, heart
- cranial or cerebral nerve G52.9
- creeping G12.22
- crossed leg G83.89
- crutch -*see* Injury, brachial plexus
- deglutition R13.0
- - hysterical F44.4
- dementia A52.17
- descending (spinal) NEC G12.29
- diaphragm (flaccid) J98.6
- - due to accidental dissection of phrenic nerve during procedure -*see* Puncture, accidental complicating surgery
- digestive organs NEC K59.89
- diplegic -*see* Diplegia
- divergence (nuclear) H51.8
- diver's T70.3
- Duchenne's
- - birth injury P14.0
- - due to or associated with
- - - motor neuron disease G12.22
- - - muscular dystrophy G71.01
- due to intracranial or spinal birth injury -*see* Palsy, cerebral
- embolic (current episode) I63.4-
- Erb (-Duchenne) (birth) (newborn) P14.0
- Erb's syphilitic spastic spinal A52.17
- esophagus K22.89
- eye muscle (extrinsic) H49.9
- - intrinsic -*see also* Paresis, of accommodation
- facial (nerve) G51.0
- - birth injury P11.3
- - congenital P11.3
- - following operation NEC -*see* Puncture, accidental complicating surgery
- - newborn (birth injury) P11.3
- familial (recurrent) (periodic) G72.3
- - spastic G11.4
- fauces J39.2
- finger G56.9-
- gait R26.1
- gastric nerve (nondiabetic) G52.2
- gaze, conjugate H51.0
- general (progressive) (syphilitic) A52.17
- - juvenile A50.45
- glottis J38.00
- - bilateral J38.02
- - unilateral J38.01
- gluteal G54.1
- Gubler (-Millard) G46.3
- hand -*see* Monoplegia, upper limb
- heart -*see* Arrest, cardiac

- hemiplegic -*see* Hemiplegia
- hyperkalemic periodic (familial) G72.3
- hypoglossal (nerve) G52.3
- hypokalemic periodic G72.3
- hysterical F44.4
- ileus K56.0
- infantile -*see also* Poliomyelitis, paralytic A80.30
- - bulbar -*see* Poliomyelitis, paralytic
- - cerebral -*see* Palsy, cerebral
- - spastic -*see* Palsy, cerebral, spastic
- infective -*see* Poliomyelitis, paralytic
- inferior nuclear G83.9
- internuclear -*see* Ophthalmoplegia, internuclear
- intestine K56.0
- iris H57.09
- - due to diphtheria (toxin) A36.89
- ischemic, Volkmann's (complicating trauma) T79.6
- Jackson's G83.89
- jake -*see* Poisoning, food, noxious, plant
- Jamaica ginger (jake) G62.2
- juvenile general A50.45
- Klumpke (-Déjérine) (birth) (newborn) P14.1
- labioglossal (laryngeal) (pharyngeal) G12.29
- Landry's G61.0
- laryngeal nerve (recurrent) (superior) (unilateral) J38.00
- - bilateral J38.02
- - unilateral J38.01
- larynx J38.00
- - bilateral J38.02
- - due to diphtheria (toxin) A36.2
- - unilateral J38.01
- lateral G12.23
- lead -see subcategory T56.0
- left side -*see* Hemiplegia
- leg G83.1-
- - both -*see* Paraplegia
- - crossed G83.89
- - hysterical F44.4
- - psychogenic F44.4
- - transient or transitory R29.818
- - - traumatic NEC -*see* Injury, nerve, leg
- levator palpebrae superioris -*see* Blepharoptosis, paralytic
- limb -*see* Monoplegia
- lip K13.0
- Lissauer's A52.17
- lower limb -*see* Monoplegia, lower limb
- - both -*see* Paraplegia
- lung J98.4
- median nerve G56.1-
- medullary (tegmental) G83.89
- mesencephalic NEC G83.89
- - tegmental G83.89
- middle alternating G83.89
- Millard-Gubler-Foville G46.3
- monoplegic -*see* Monoplegia
- motor G83.9
- muscle, muscular NEC G72.89
- - due to nerve lesion G58.9
- - eye (extrinsic) H49.9
- - - intrinsic -*see* Paresis, of accommodation

- - - oblique -*see* Strabismus, paralytic, fourth nerve
- - iris sphincter H21.9
- - ischemic (Volkmann's) (complicating trauma) T79.6
- - progressive G12.21
- - progressive, spinal G12.25
- - spinal progressive G12.25
- - pseudohypertrophic G71.02
- musculocutaneous nerve G56.9-
- musculospiral G56.9-
- nerve -*see also* Disorder, nerve
- - abducent -*see* Strabismus, paralytic, sixth nerve
- - accessory G52.8
- - auditory (except Deafness) -see subcategory H93.3
- - birth injury P14.9
- - cranial or cerebral G52.9
- - facial G51.0
- - - birth injury P11.3
- - - congenital P11.3
- - - newborn (birth injury) P11.3
- - fourth or trochlear -*see* Strabismus, paralytic, fourth nerve
- - newborn (birth injury) P14.9
- - oculomotor -*see* Strabismus, paralytic, third nerve
- - phrenic (birth injury) P14.2
- - radial G56.3-
- - seventh or facial G51.0
- - - newborn (birth injury) P11.3
- - sixth or abducent -*see* Strabismus, paralytic, sixth nerve
- - syphilitic A52.15
- - third or oculomotor -*see* Strabismus, paralytic, third nerve
- - trigeminal G50.9
- - trochlear -*see* Strabismus, paralytic, fourth nerve
- - ulnar G56.2-
- normokalemic periodic G72.3
- ocular H49.9
- - alternating G83.89
- oculofacial, congenital (Moebius) Q87.0
- oculomotor (external bilateral) (nerve) -*see* Strabismus, paralytic, third nerve
- palate (soft) K13.79
- paratrigeminal G50.9
- periodic (familial) (hyperkalemic) (hypokalemic) (myotonic) (normokalemic) (potassium sensitive) (secondary) G72.3
- peripheral autonomic nervous system -*see* Neuropathy, peripheral, autonomic
- peroneal (nerve) G57.3-
- pharynx J39.2
- phrenic nerve G56.8-
- plantar nerve(s) G57.6-
- pneumogastric nerve G52.2
- poliomyelitis (current) -*see* Poliomyelitis, paralytic
- popliteal nerve G57.3-
- postepileptic transitory G83.84
- progressive (atrophic) (bulbar) (spinal) G12.22
- - general A52.17
- - infantile acute -*see* Poliomyelitis, paralytic
- - supranuclear G23.1
- pseudobulbar G12.29
- pseudohypertrophic (muscle) -*see also* Dystrophy, muscular, by type, if applicable G71.09
- psychogenic F44.4
- quadriceps G57.9-
- quadriplegic -*see* Tetraplegia
- radial nerve G56.3-
- rectus muscle (eye) H49.9

- recurrent isolated sleep G47.53
- respiratory (muscle) (system) (tract) R06.81
- - center NEC G93.89
- - congenital P28.89
- - newborn P28.89
- right side *-see* Hemiplegia
- saturnine -see subcategory T56.0
- sciatic nerve G57.0-
- senile G83.9
- shaking *-see* Parkinsonism
- shoulder G56.9-
- sleep, recurrent isolated G47.53
- spastic G83.9
- - cerebral *-see* Palsy, cerebral, spastic
- - congenital (cerebral) *-see* Palsy, cerebral, spastic
- - familial G11.4
- - hereditary G11.4
- - quadriplegic G80.0
- - syphilitic (spinal) A52.17
- sphincter, bladder *-see* Paralysis, bladder
- spinal (cord) G83.9
- - accessory nerve G52.8
- - acute *-see* Poliomyelitis, paralytic
- - ascending acute G61.0
- - atrophic (acute) *-see also* Poliomyelitis, paralytic
- - - spastic, syphilitic A52.17
- - congenital NEC *-see* Palsy, cerebral
- - infantile *-see* Poliomyelitis, paralytic
- - hereditary G95.89
- - progressive G12.21
- - - muscle G12.25
- - sequelae NEC G83.89
- sternomastoid G52.8
- stomach K31.84
- - diabetic *-see* Diabetes, by type, with gastroparesis
- - nerve G52.2
- - - diabetic *-see* Diabetes, by type, with gastroparesis
- stroke *-see* Infarct, brain
- subscapularis G56.8-
- supranuclear (progressive) G23.1
- sympathetic G90.89
- - cervical G90.09
- - nervous system *-see* Neuropathy, peripheral, autonomic
- syndrome G83.9
- - specified NEC G83.89
- syphilitic spastic spinal (Erb's) A52.17
- thigh G57.9-
- throat J39.2
- - diphtheritic A36.0
- - muscle J39.2
- thrombotic (current episode) I63.3-
- thumb G56.9-
- tick *-see* Toxicity, venom, arthropod, specified NEC
- Todd's (postepileptic transitory paralysis) G83.84
- toe G57.6-
- tongue K14.8
- transient R29.5
- - arm or leg NEC R29.818
- - traumatic NEC *-see* Injury, nerve
- trapezius G52.8

- traumatic, transient NEC -*see* Injury, nerve
- trembling -*see* Parkinsonism
- triceps brachii G56.9-
- trigeminal nerve G50.9
- trochlear (nerve) -*see* Strabismus, paralytic, fourth nerve
- ulnar nerve G56.2-
- upper limb -*see* Monoplegia, upper limb
- uremic N18.9 *[G99.8]*
- uveoparotitic D86.89
- uvula K13.79
- - postdiphtheritic A36.0
- vagus nerve G52.2
- vasomotor NEC G90.89
- velum palati K13.79
- vesical -*see* Paralysis, bladder
- vestibular nerve (except Vertigo) -see subcategory H93.3
- vocal cords J38.00
- - bilateral J38.02
- - unilateral J38.01
- Volkmann's (complicating trauma) T79.6
- wasting G12.29
- Weber's G46.3
- wrist G56.9-

Paramedial urethrovesical orifice Q64.79

Paramenia N92.6

Parametritis -*see also* Disease, pelvis, inflammatory N73.2
- acute N73.0
- complicating abortion -*see* Abortion, by type, complicated by, parametritis

Parametrium, parametric -*see* condition

Paramnesia -*see* Amnesia

Paramolar K00.1

Paramyloidosis E85.89

Paramyoclonus multiplex G25.3

Paramyotonia (congenita) G71.19

Parangi -*see* Yaws

Paranoia (querulans) F22
- senile F03

Paranoid
- dementia (senile) F03
- - praecox -*see* Schizophrenia
- personality F60.0
- psychosis (climacteric) (involutional) (menopausal) F22
- - psychogenic (acute) F23
- - senile F03
- reaction (acute) F23
- - chronic F22
- schizophrenia F20.0
- state (climacteric) (involutional) (menopausal) (simple) F22
- - senile F03
- tendencies F60.0
- traits F60.0
- trends F60.0
- type, psychopathic personality F60.0

Paraparesis -*see* Paraplegia

Paraphasia R47.02

Paraphilia F65.9

Paraphimosis (congenital) N47.2
- chancroidal A57

Paraphrenia, paraphrenic (late) F22
- schizophrenia F20.0

Paraplegia (lower) G82.20
- ataxic -*see* Degeneration, combined, spinal cord
- complete G82.21
- congenital (cerebral) G80.8
- - spastic G80.1
- familial spastic G11.4
- functional (hysterical) F44.4
- hereditary, spastic G11.4
- hysterical F44.4
- incomplete G82.22
- Pott's A18.01
- psychogenic F44.4
- spastic
- - Erb's spinal, syphilitic A52.17
- - hereditary G11.4
- - tropical G04.1
- syphilitic (spastic) A52.17
- traumatic
- - current injury - code to injury with seventh character A
- - - sequela of previous injury - code to injury with seventh character S
- tropical spastic G04.1
Parapoxvirus B08.60
- specified NEC B08.69
Paraproteinemia D89.2
- benign (familial) D89.2
- monoclonal D47.2
- secondary to malignant disease D47.2
Parapsoriasis L41.9
- en plaques L41.4
- guttata L41.1
- large plaque L41.4
- retiform, retiformis L41.5
- small plaque L41.3
- specified NEC L41.8
- varioliformis (acuta) L41.0
Parasitic -*see also* condition
- disease NEC B89
- stomatitis B37.0
- sycosis (beard) (scalp) B35.0
- twin Q89.4
Parasitism B89
- intestinal B82.9
- skin B88.9
- specified -*see* Infestation
Parasitophobia F40.218
Parasomnia G47.50
- due to
- - alcohol
- - - abuse F10.182
- - - dependence F10.282
- - - use F10.982
- - amphetamines
- - - abuse F15.182
- - - dependence F15.282
- - - use F15.982
- - caffeine
- - - abuse F15.182
- - - dependence F15.282
- - - use F15.982
- - cocaine

- - - abuse F14.182
- - - dependence F14.282
- - - use F14.982
- - drug NEC
- - - abuse F19.182
- - - dependence F19.282
- - - use F19.982
- - opioid
- - - abuse F11.182
- - - dependence F11.282
- - - use F11.982
- - psychoactive substance NEC
- - - abuse F19.182
- - - dependence F19.282
- - - use F19.982
- - sedative, hypnotic, or anxiolytic
- - - abuse F13.182
- - - dependence F13.282
- - - use F13.982
- - stimulant NEC
- - - abuse F15.182
- - - dependence F15.282
- - - use F15.982
- in conditions classified elsewhere G47.54
- nonorganic origin F51.8
- organic G47.50
- specified NEC G47.59
Paraspadias Q54.9
Paraspasmus facialis G51.8
Parasuicide (attempt)
- history of (personal) Z91.51
- - in family Z81.8
Parathyroid gland -*see* condition
Parathyroid tetany E20.9
Paratrachoma A74.0
Paratyphilitis -*see* Appendicitis
Paratyphoid (fever) -*see* Fever, paratyphoid
Paratyphus -*see* Fever, paratyphoid
Paraurethral duct Q64.79
Paraurethritis -*see also* Urethritis
- gonococcal (acute) (chronic) (with abscess) A54.1
Paravaccinia NEC B08.04
Paravaginitis -*see* Vaginitis
Parencephalitis -*see also* Encephalitis
- sequelae G09
Parent-child conflict -*see* Conflict, parent-child
- estrangement NEC Z62.890
Paresis -*see also* Paralysis
- accommodation -*see* Paresis, of accommodation
- Bernhardt's G57.1-
- bladder (sphincter) -*see also* Paralysis, bladder
- - tabetic A52.17
- bowel, colon or intestine K56.0
- extrinsic muscle, eye H49.9
- general (progressive) (syphilitic) A52.17
- - juvenile A50.45
- heart -*see* Failure, heart
- insane (syphilitic) A52.17
- juvenile (general) A50.45
- of accommodation H52.52-

- peripheral progressive (idiopathic) G60.3
- pseudohypertrophic -*see also* Dystrophy, muscular, by type, if applicable G71.09
- senile G83.9
- syphilitic (general) A52.17
- - congenital A50.45
- vesical NEC N31.2
Paresthesia -*see also* Disturbance, sensation, skin R20.2
- Bernhardt G57.1-
Paretic -*see* condition
Parinaud's
- conjunctivitis H10.89
- oculoglandular syndrome H10.89
- ophthalmoplegia H49.88-
Parkinsonism (idiopathic) (primary) G20.C
- with neurogenic orthostatic hypotension (symptomatic) G90.3
- arteriosclerotic G21.4
- dementia -*see also* Dementia, in, diseases specified elsewhere G20.C *[F02.80]*
- - with behavioral disturbance -*see also* Dementia, in, diseases specified elsewhere G20.C *[F02.81-]*
- due to
- - drugs NEC G21.19
- - - neuroleptic G21.11
- medication-induced NEC G21.19
- neuroleptic induced G21.11
- postencephalitic G21.3
- secondary G21.9
- - due to
- - - arteriosclerosis G21.4
- - - drugs NEC G21.19
- - - - neuroleptic G21.11
- - - encephalitis G21.3
- - - external agents NEC G21.2
- - - syphilis A52.19
- - specified NEC G21.8
- syphilitic A52.19
- treatment-induced NEC G21.19
- vascular G21.4
Parkinson's disease, syndrome or tremor -*see* Parkinsonism
Parodontitis -*see* Periodontitis
Parodontosis K05.4
Paronychia -*see also* Cellulitis, digit
- with lymphangitis -*see* Lymphangitis, acute, digit
- candidal (chronic) B37.2
- tuberculous (primary) A18.4
Parorexia (psychogenic) F50.89
Parosmia R43.1
- psychogenic F45.8
Parotid gland -*see* condition
Parotitis, parotiditis (allergic)(nonspecific toxic) (purulent) (septic) (suppurative) -*see also* Sialoadenitis
- epidemic -*see* Mumps
- infectious -*see* Mumps
- postoperative K91.89
- surgical K91.89
Parrot fever A70
Parrot's disease (early congenital syphilitic pseudoparalysis) A50.02
Parry-Romberg syndrome G51.8
Parry's disease or syndrome E05.00
- with thyroid storm E05.01
Pars planitis -*see* Cyclitis
Parsonage (-Aldren) -Turner syndrome G54.5
Parson's disease (exophthalmic goiter) E05.00

- with thyroid storm E05.01
Particolored infant Q82.8
Parturition -*see* Delivery
Parulis K04.7
- with sinus K04.6
Parvovirus, as cause of disease classified elsewhere B97.6
Pasini and Pierini's atrophoderma L90.3
Passage
- false, urethra N36.5
- meconium (newborn) during delivery P03.82
- of sounds or bougies -*see* Attention to, artificial, opening
Passive -*see* condition
- smoking Z77.22
Past due on rent or mortgage Z59.81-
Pasteurella septica A28.0
Pasteurellosis -*see* Infection, Pasteurella
PAT (paroxysmal atrial tachycardia) I47.19
Patau's syndrome -*see* Trisomy, 13
Patches
- mucous (syphilitic) A51.39
- - congenital A50.07
- smokers' (mouth) K13.24
Patellar -*see* condition
Patent -*see also* Imperfect, closure
- canal of Nuck Q52.4
- cervix N88.3
- ductus arteriosus or Botallo's Q25.0
- foramen
- - botalli Q21.12
- - ovale Q21.12
- interauricular septum Q21.19
- interventricular septum Q21.0
- omphalomesenteric duct Q43.0
- os (uteri) -*see* Patent, cervix
- ostium secundum (type II) Q21.11
- urachus Q64.4
- vitelline duct Q43.0
Paterson (-Brown)(-Kelly) syndrome or web D50.1
Pathologic, pathological -*see also* condition
- asphyxia R09.01
- fire-setting F63.1
- gambling F63.0
- ovum O02.0
- resorption, tooth K03.3
- stealing F63.2
Pathology (of) -*see* Disease
- periradicular, associated with previous endodontic treatment NEC M27.59
Pattern, sleep-wake, irregular G47.23
Patulous -*see also* Imperfect, closure (congenital)
- alimentary tract Q45.8
- - lower Q43.8
- - upper Q40.8
- eustachian tube H69.0-
Pause, sinoatrial I49.5
Paxton's disease B36.2
Pearl(s)
- enamel K00.2
- Epstein's K09.8
Pearl-worker's disease -*see* Osteomyelitis, specified type NEC
Pectenosis K62.4

Pectoral -*see* condition
Pectus
- carinatum (congenital) Q67.7
- - acquired M95.4
- - rachitic sequelae (late effect) E64.3
- excavatum (congenital) Q67.6
- - acquired M95.4
- - rachitic sequelae (late effect) E64.3
- recurvatum (congenital) Q67.6
Pedatrophia E41
Pederosis F65.4
Pediatric inflammatory multisystem syndrome M35.81
Pediculosis (infestation) B85.2
- capitis (head-louse) (any site) B85.0
- corporis (body-louse) (any site) B85.1
- eyelid B85.0
- mixed (classifiable to more than one of the titles B85.0-B85.3) B85.4
- pubis (pubic louse) (any site) B85.3
- vestimenti B85.1
- vulvae B85.3
Pediculus (infestation) -*see* Pediculosis
Pedophilia F65.4
Peg-shaped teeth K00.2
Pelade -*see* Alopecia, areata
Pelger-Huët anomaly or syndrome D72.0
Peliosis (rheumatica) D69.0
- hepatis K76.4
- - with toxic liver disease K71.8
Pelizaeus-Merzbacher disease E75.27
Pellagra (alcoholic) E52
- with
- - polyneuropathy E52 *[G63]*
Pellagra-cerebellar-ataxia-renal aminoaciduria syndrome E72.02
Pellegrini (-Stieda) disease or syndrome -*see* Bursitis, tibial collateral
Pellizzi's syndrome E34.8
Pel's crisis A52.11
Pelvic -*see also* condition
- examination (periodic) (routine) Z01.419
- - with abnormal findings Z01.411
- kidney, congenital Q63.2
Pelviolithiasis -*see* Calculus, kidney
Pelviperitonitis -*see also* Peritonitis, pelvic
- gonococcal A54.24
- puerperal O85
Pelvis -*see* condition or type
Pemphigoid L12.9
- benign, mucous membrane L12.1
- bullous L12.0
- cicatricial L12.1
- juvenile L12.2
- ocular L12.1
- specified NEC L12.8
Pemphigus L10.9
- benign familial (chronic) Q82.8
- Brazilian L10.3
- circinatus L13.0
- conjunctiva L12.1
- drug-induced L10.5
- erythematosus L10.4
- foliaceous L10.2

- gangrenous -*see* Gangrene
- neonatorum L01.03
- ocular L12.1
- paraneoplastic L10.81
- specified NEC L10.89
- syphilitic (congenital) A50.06
- vegetans L10.1
- vulgaris L10.0
- wildfire L10.3

Pendred's syndrome E07.1

Pendulous
- abdomen, in pregnancy -*see* Pregnancy, complicated by, abnormal, pelvic organs or tissues NEC
- breast N64.89

Penetrating wound -*see also* Puncture
- with internal injury -*see* Injury, by site
- eyeball -*see* Puncture, eyeball
- orbit (with or without foreign body) -*see* Puncture, orbit
- uterus by instrument with or following ectopic or molar pregnancy O08.6

Penicillosis B48.4

Penis -*see* condition

Penitis N48.29

Pentalogy of Fallot Q21.8

Pentasomy X syndrome Q97.1

Pentosuria (essential) E74.89

Percreta placenta O43.23-

Peregrinating patient -*see* Disorder, factitious

Perforation, perforated (nontraumatic) (of)
- accidental during procedure (blood vessel) (nerve) (organ) -*see* Complication, accidental puncture or laceration
- antrum -*see* Sinusitis, maxillary
- appendix K35.32
- - with localized peritonitis K35.32
- atrial septum, multiple Q21.19
- attic, ear -*see* Perforation, tympanum, attic
- bile duct (common) (hepatic) K83.2
- - cystic K82.2
- bladder (urinary)
- - with or following ectopic or molar pregnancy O08.6
- - obstetrical trauma O71.5
- - traumatic S37.29
- - - at delivery O71.5
- bowel K63.1
- - with or following ectopic or molar pregnancy O08.6
- - newborn P78.0
- - obstetrical trauma O71.5
- - traumatic -*see* Laceration, intestine
- broad ligament N83.8
- - with or following ectopic or molar pregnancy O08.6
- - obstetrical trauma O71.6
- by
- - device, implant or graft -*see also* Complications, by site and type, mechanical T85.628
- - - arterial graft NEC -*see* Complication, cardiovascular device, mechanical, vascular
- - - breast (implant) T85.49
- - - catheter NEC T85.698
- - - - cystostomy T83.090
- - - - dialysis (renal) T82.49
- - - - - intraperitoneal T85.691
- - - - infusion NEC T82.594
- - - - - spinal (epidural) (subdural) T85.690
- - - - urinary -*see also* Complications, catheter, urinary T83.098
- - - electronic (electrode) (pulse generator) (stimulator)

- - - - bone T84.390
- - - - cardiac T82.199
- - - - - electrode T82.190
- - - - - pulse generator T82.191
- - - - - specified type NEC T82.198
- - - - nervous system *-see* Complication, prosthetic device, mechanical, electronic nervous system stimulator
- - - - urinary *-see* Complication, genitourinary, device, urinary, mechanical
- - - fixation, internal (orthopedic) NEC *-see* Complication, fixation device, mechanical
- - - gastrointestinal *-see* Complications, prosthetic device, mechanical, gastrointestinal device
- - - genital NEC T83.498
- - - - intrauterine contraceptive device T83.39
- - - - penile prosthesis T83.490
- - - heart NEC *-see* Complication, cardiovascular device, mechanical
- - - joint prosthesis *-see* Complications, joint prosthesis, mechanical, specified NEC, by site
- - - ocular NEC *-see* Complications, prosthetic device, mechanical, ocular device
- - - orthopedic NEC *-see* Complication, orthopedic, device, mechanical
- - - specified NEC T85.628
- - - urinary NEC *-see also* Complication, genitourinary, device, urinary, mechanical
- - - - graft T83.29
- - - vascular NEC *-see* Complication, cardiovascular device, mechanical
- - - ventricular intracranial shunt T85.09
- - foreign body left accidentally in operative wound T81.539
- - instrument (any) during a procedure, accidental *-see* Puncture, accidental complicating surgery
- cecum K35.32
- - with localized peritonitis K35.32
- cervix (uteri) N88.8
- - with or following ectopic or molar pregnancy O08.6
- - obstetrical trauma O71.3
- colon K63.1
- - newborn P78.0
- - obstetrical trauma O71.5
- - traumatic *-see* Laceration, intestine, large
- common duct (bile) K83.2
- cornea (due to ulceration) *-see* Ulcer, cornea, perforated
- cystic duct K82.2
- diverticulum (intestine) K57.80
- - with bleeding K57.81
- - large intestine K57.20
- - - with
- - - - bleeding K57.21
- - - - small intestine K57.40
- - - - - with bleeding K57.41
- - small intestine K57.00
- - - with
- - - - bleeding K57.01
- - - - large intestine K57.40
- - - - - with bleeding K57.41
- ear drum *-see* Perforation, tympanum
- esophagus K22.3
- ethmoidal sinus *-see* Sinusitis, ethmoidal
- frontal sinus *-see* Sinusitis, frontal
- gallbladder K82.2
- heart valve *-see* Endocarditis
- ileum K63.1
- - newborn P78.0
- - obstetrical trauma O71.5
- - traumatic *-see* Laceration, intestine, small
- instrumental, surgical (accidental) (blood vessel) (nerve) (organ) *-see* Puncture, accidental complicating surgery
- intestine NEC K63.1
- - with ectopic or molar pregnancy O08.6

- - newborn P78.0
- - obstetrical trauma O71.5
- - traumatic -*see* Laceration, intestine
- - ulcerative NEC K63.1
- - - newborn P78.0
- jejunum, jejunal K63.1
- - obstetrical trauma O71.5
- - traumatic -*see* Laceration, intestine, small
- - ulcer -*see* Ulcer, gastrojejunal, with perforation
- joint prosthesis -*see* Complications, joint prosthesis, mechanical, specified NEC, by site
- mastoid (antrum) (cell) -*see* Disorder, mastoid, specified NEC
- maxillary sinus -*see* Sinusitis, maxillary
- membrana tympani -*see* Perforation, tympanum
- nasal
- - septum J34.89
- - - congenital Q30.3
- - - syphilitic A52.73
- - sinus J34.89
- - - congenital Q30.8
- - - due to sinusitis -*see* Sinusitis
- palate -*see also* Cleft, palate Q35.9
- - syphilitic A52.79
- palatine vault -*see also* Cleft, palate, hard Q35.1
- - syphilitic A52.79
- - - congenital A50.59
- pars flaccida (ear drum) -*see* Perforation, tympanum, attic
- pelvic
- - floor S31.030
- - - with
- - - - ectopic or molar pregnancy O08.6
- - - - penetration into retroperitoneal space S31.031
- - - - retained foreign body S31.040
- - - - - with penetration into retroperitoneal space S31.041
- - - following ectopic or molar pregnancy O08.6
- - - obstetrical trauma O70.1
- - organ S37.99
- - - adrenal gland S37.818
- - - bladder -*see* Perforation, bladder
- - - fallopian tube S37.599
- - - - bilateral S37.592
- - - - unilateral S37.591
- - - kidney S37.09-
- - - obstetrical trauma O71.5
- - - ovary S37.499
- - - - bilateral S37.492
- - - - unilateral S37.491
- - - prostate S37.828
- - - specified organ NEC S37.898
- - - ureter -*see* Perforation, ureter
- - - urethra -*see* Perforation, urethra
- - - uterus -*see* Perforation, uterus
- perineum -*see* Laceration, perineum
- pharynx J39.2
- rectum K63.1
- - newborn P78.0
- - obstetrical trauma O71.5
- - traumatic S36.63
- root canal space due to endodontic treatment M27.51
- sigmoid K63.1
- - newborn P78.0

- - obstetrical trauma O71.5
- - traumatic S36.533
- sinus (accessory) (chronic) (nasal) J34.89
- sphenoidal sinus -*see* Sinusitis, sphenoidal
- surgical (accidental) (by instrument) (blood vessel) (nerve) (organ) -*see* Puncture, accidental complicating surgery
- traumatic
- - external -*see* Puncture
- - eye -*see* Puncture, eyeball
- - internal organ -*see* Injury, by site
- tympanum, tympanic (membrane) (persistent post-traumatic) (postinflammatory) H72.9-
- - attic H72.1-
- - - multiple -*see* Perforation, tympanum, multiple
- - - total -*see* Perforation, tympanum, total
- - central H72.0-
- - - multiple -*see* Perforation, tympanum, multiple
- - - total -*see* Perforation, tympanum, total
- - marginal NEC -see subcategory H72.2
- - multiple H72.81-
- - pars flaccida -*see* Perforation, tympanum, attic
- - total H72.82-
- - traumatic, current episode S09.2-
- typhoid, gastrointestinal -*see* Typhoid
- ulcer -*see* Ulcer, by site, with perforation
- ureter N28.89
- - traumatic S37.19
- urethra N36.8
- - with ectopic or molar pregnancy O08.6
- - following ectopic or molar pregnancy O08.6
- - obstetrical trauma O71.5
- - traumatic S37.39
- - - at delivery O71.5
- uterus
- - with ectopic or molar pregnancy O08.6
- - by intrauterine contraceptive device T83.39
- - following ectopic or molar pregnancy O08.6
- - obstetrical trauma O71.1
- - traumatic S37.69
- - - obstetric O71.1
- uvula K13.79
- - syphilitic A52.79
- vagina
- - obstetrical trauma O71.4
- - other trauma -*see* Puncture, vagina

Periadenitis mucosa necrotica recurrens K12.0

Periappendicitis (acute) -*see* Appendicitis

Periarteritis nodosa (disseminated) (infectious) (necrotizing) M30.0

Periarthritis (joint) -*see also* Enthesopathy
- Duplay's M75.0-
- gonococcal A54.42
- humeroscapularis -*see* Capsulitis, adhesive
- scapulohumeral -*see* Capsulitis, adhesive
- shoulder -*see* Capsulitis, adhesive
- wrist M77.2-

Periarthrosis (angioneural) -*see* Enthesopathy

Pericapsulitis, adhesive (shoulder) -*see* Capsulitis, adhesive

Pericarditis (with decompensation) (with effusion) I31.9
- with rheumatic fever (conditions in I00)
- - active -*see* Pericarditis, rheumatic
- - inactive or quiescent I09.2
- acute (hemorrhagic) (nonrheumatic) (Sicca) I30.9

- - with chorea (acute) (rheumatic) (Sydenham's) I02.0
- - benign I30.8
- - nonspecific I30.0
- - rheumatic I01.0
- - - with chorea (acute) (Sydenham's) I02.0
- adhesive or adherent (chronic) (external) (internal) I31.0
- - acute *-see* Pericarditis, acute
- - rheumatic I09.2
- bacterial (acute) (subacute) (with serous or seropurulent effusion) I30.1
- calcareous I31.1
- cholesterol (chronic) I31.8
- - acute I30.9
- chronic (nonrheumatic) I31.9
- - rheumatic I09.2
- constrictive (chronic) I31.1
- coxsackie B33.23
- fibrinocaseous (tuberculous) A18.84
- fibrinopurulent I30.1
- fibrinous I30.8
- fibrous I31.0
- gonococcal A54.83
- idiopathic I30.0
- in systemic lupus erythematosus M32.12
- infective I30.1
- meningococcal A39.53
- neoplastic (chronic) I31.8
- - acute I30.9
- obliterans, obliterating I31.0
- plastic I31.0
- pneumococcal I30.1
- postinfarction I24.1
- purulent I30.1
- rheumatic (active) (acute) (with effusion) (with pneumonia) I01.0
- - with chorea (acute) (rheumatic) (Sydenham's) I02.0
- - chronic or inactive (with chorea) I09.2
- rheumatoid *-see* Rheumatoid, carditis
- septic I30.1
- serofibrinous I30.8
- staphylococcal I30.1
- streptococcal I30.1
- suppurative I30.1
- syphilitic A52.06
- tuberculous A18.84
- uremic N18.9 *[I32]*
- viral I30.1

Pericardium, pericardial *-see* condition

Pericellulitis *-see* Cellulitis

Pericementitis (chronic) (suppurative) *-see also* Periodontitis
- acute K05.20
- - generalized *-see* Periodontitis, aggressive, generalized
- - localized *-see* Periodontitis, aggressive, localized

Perichondritis
- auricle *-see* Perichondritis, ear
- bronchus J98.09
- ear (external) H61.00-
- - acute H61.01-
- - chronic H61.02-
- external auditory canal *-see* Perichondritis, ear
- larynx J38.7
- - syphilitic A52.73

- - typhoid A01.09
- nose J34.89
- pinna -*see* Perichondritis, ear
- trachea J39.8
Periclasia K05.4
Pericoronitis -*see* Periodontitis
Pericystitis N30.90
- with hematuria N30.91
Peridiverticulitis (intestine) K57.92
- cecum -*see* Diverticulitis, intestine, large
- colon -*see* Diverticulitis, intestine, large
- duodenum -*see* Diverticulitis, intestine, small
- intestine -*see* Diverticulitis, intestine
- jejunum -*see* Diverticulitis, intestine, small
- rectosigmoid -*see* Diverticulitis, intestine, large
- rectum -*see* Diverticulitis, intestine, large
- sigmoid -*see* Diverticulitis, intestine, large
Periendocarditis -*see* Endocarditis
Periepididymitis N45.1
Perifolliculitis L01.02
- abscedens, caput, scalp L66.3
- capitis, abscedens (et suffodiens) L66.3
- superficial pustular L01.02
Perihepatitis K65.8
Perilabyrinthitis (acute) -see subcategory H83.0
Perimeningitis -*see* Meningitis
Perimetritis -*see* Endometritis
Perimetrosalpingitis -*see* Salpingo-oophoritis
Perineocele N81.81
Perinephric, perinephritic -*see* condition
Perinephritis -*see also* Infection, kidney
- purulent -*see* Abscess, kidney
Perineum, perineal -*see* condition
Perineuritis NEC -*see* Neuralgia
Periodic -*see* condition
Periodontitis (chronic) (complex) (compound) (local) (simplex) K05.30
- acute K05.20
- - generalized K05.229
- - - moderate K05.222
- - - severe K05.223
- - - slight K05.221
- - localized K05.219
- - - moderate K05.212
- - - severe K05.213
- - - slight K05.211
- aggressive K05.20
- - generalized K05.229
- - - moderate K05.222
- - - severe K05.223
- - - slight K05.221
- - localized K05.219
- - - moderate K05.212
- - - severe K05.213
- - - slight K05.211
- apical K04.5
- - acute (pulpal origin) K04.4
- generalized K05.329
- - moderate K05.322
- - severe K05.323
- - slight K05.321

- localized K05.319
- - moderate K05.312
- - severe K05.313
- - slight K05.311
Periodontoclasia K05.4
Periodontosis (juvenile) K05.4
Periods -*see also* Menstruation
- heavy N92.0
- irregular N92.6
- shortened intervals (irregular) N92.1
Perionychia -*see also* Cellulitis, digit
- with lymphangitis -*see* Lymphangitis, acute, digit
Perioophoritis -*see* Salpingo-oophoritis
Periorchitis N45.2
Periosteum, periosteal -*see* condition
Periostitis (albuminosa) (circumscribed) (diffuse) (infective) (monomelic) -*see also* Osteomyelitis
- alveolar M27.3
- alveolodental M27.3
- dental M27.3
- gonorrheal A54.43
- jaw (lower) (upper) M27.2
- orbit H05.03-
- syphilitic A52.77
- - congenital (early) A50.02 *[M90.80]*
- - secondary A51.46
- tuberculous -*see* Tuberculosis, bone
- yaws (hypertrophic) (early) (late) A66.6 *[M90.80]*
Periostosis (hyperplastic) -*see also* Disorder, bone, specified type NEC
- with osteomyelitis -*see* Osteomyelitis, specified type NEC
Peripartum
- cardiomyopathy O90.3
Periphlebitis -*see* Phlebitis
Periproctitis K62.89
Periprostatitis -*see* Prostatitis
Perirectal -*see* condition
Perirenal -*see* condition
Perisalpingitis -*see* Salpingo-oophoritis
Perisplenitis (infectional) D73.89
Peristalsis, visible or reversed R19.2
Peritendinitis -*see* Enthesopathy
Peritoneum, peritoneal -*see* condition
Peritonitis (adhesive) (bacterial) (fibrinous) (hemorrhagic) (idiopathic) (localized) (perforative) (primary) (with adhesions) (with effusion) K65.9
- with or following
- - abscess K65.1
- - appendicitis
- - - with perforation or rupture K35.32
- - - generalized -*see also* Appendicitis K35.209
- - - localized -*see also* Appendicitis K35.30
- - diverticular disease (intestine) K57.80
- - - with bleeding K57.81
- - - large intestine K57.20
- - - - with
- - - - - bleeding K57.21
- - - - - small intestine K57.40
- - - - - - with bleeding K57.41
- - - small intestine K57.00
- - - - with
- - - - - bleeding K57.01
- - - - - large intestine K57.40

- - - - - - with bleeding K57.41
- - - ectopic or molar pregnancy O08.0
- acute (generalized) K65.0
- aseptic T81.61
- bile, biliary K65.3
- chemical T81.61
- chlamydial A74.81
- complicating abortion -*see* Abortion, by type, complicated by, pelvic peritonitis
- congenital P78.1
- chronic proliferative K65.8
- diaphragmatic K65.0
- diffuse K65.0
- diphtheritic A36.89
- disseminated K65.0
- due to
- - bile K65.3
- - foreign
- - - body or object accidentally left during a procedure (instrument) (sponge) (swab) T81.599
- - - substance accidentally left during a procedure (chemical) (powder) (talc) T81.61
- - talc T81.61
- - urine K65.8
- eosinophilic K65.8
- - acute K65.0
- fibrocaseous (tuberculous) A18.31
- fibropurulent K65.0
- following ectopic or molar pregnancy O08.0
- general (ized) K65.0
- gonococcal A54.85
- meconium (newborn) P78.0
- neonatal P78.1
- - meconium P78.0
- pancreatic K65.0
- paroxysmal, familial E85.0
- - benign E85.0
- pelvic
- - female N73.5
- - - acute N73.3
- - - chronic N73.4
- - - - with adhesions N73.6
- - male K65.0
- periodic, familial E85.0
- proliferative, chronic K65.8
- puerperal, postpartum, childbirth O85
- purulent K65.0
- septic K65.0
- specified NEC K65.8
- spontaneous bacterial K65.2
- subdiaphragmatic K65.0
- subphrenic K65.0
- suppurative K65.0
- syphilitic A52.74
- - congenital (early) A50.08 *[K67]*
- talc T81.61
- tuberculous A18.31
- urine K65.8

Peritonsillar -*see* condition
Peritonsillitis J36
Perityphlitis -*see also* Cecitis K37
Periureteritis N28.89
Periurethral -*see* condition

Periurethritis (gangrenous) -*see* Urethritis
Periuterine -*see* condition
Perivaginitis -*see* Vaginitis
Perivasculitis, retinal H35.06-
Perivasitis (chronic) N49.1
Perivesiculitis (seminal) -*see* Vesiculitis
Perlèche NEC K13.0
- due to
- - candidiasis B37.83
- - moniliasis B37.83
- - riboflavin deficiency E53.0
- - vitamin B2 (riboflavin) deficiency E53.0
Pernicious -*see* condition
Pernio, perniosis T69.1
Perpetrator (of abuse) -*see* Index to External Causes of Injury, Perpetrator
Persecution
- delusion F22
- social Z60.5
Perseveration (tonic) R48.8
Persistence, persistent (congenital)
- anal membrane Q42.3
- - with fistula Q42.2
- arteria stapedia Q16.3
- atrioventricular canal Q21.20
- branchial cleft NOS Q18.2
- - cyst Q18.0
- - fistula Q18.0
- - sinus Q18.0
- bulbus cordis in left ventricle Q21.8
- canal of Cloquet Q14.0
- capsule (opaque) Q12.8
- cilioretinal artery or vein Q14.8
- cloaca Q43.7
- communication -*see* Fistula, congenital
- convolutions
- - aortic arch Q25.46
- - fallopian tube Q50.6
- - oviduct Q50.6
- - uterine tube Q50.6
- double aortic arch Q25.45
- ductus arteriosus (Botalli) Q25.0
- fetal
- - circulation P29.38
- - form of cervix (uteri) Q51.828
- - hemoglobin, hereditary (HPFH) D56.4
- foramen
- - Botalli Q21.12
- - ovale Q21.12
- Gartner's duct Q52.4
- hemoglobin, fetal (hereditary) (HPFH) D56.4
- hyaloid
- - artery (generally incomplete) Q14.0
- - system Q14.8
- hymen, in pregnancy or childbirth -*see* Pregnancy, complicated by, abnormal, vulva
- lanugo Q84.2
- left
- - posterior cardinal vein Q26.8
- - root with right arch of aorta Q25.49
- - superior vena cava Q26.1
- Meckel's diverticulum Q43.0

- - malignant -*see* Table of Neoplasms, small intestine, malignant
- mucosal disease (middle ear) -*see* Otitis, media, suppurative, chronic, tubotympanic
- nail(s), anomalous Q84.6
- omphalomesenteric duct Q43.0
- organ or site not listed -*see* Anomaly, by site
- ostium
- - atrioventriculare commune Q21.23
- - primum Q21.20
- - secundum Q21.11
- ovarian rests in fallopian tube Q50.6
- pancreatic tissue in intestinal tract Q43.8
- primary (deciduous)
- - teeth K00.6
- - vitreous hyperplasia Q14.0
- pupillary membrane Q13.89
- right aortic arch Q25.47
- rhesus (Rh) titer -*see* Complication(s), transfusion, incompatibility reaction, Rh (factor)
- sinus
- - urogenitalis
- - - female Q52.8
- - - male Q55.8
- - venosus with imperfect incorporation in right auricle Q26.8
- thymus (gland) (hyperplasia) E32.0
- thyroglossal duct Q89.2
- thyrolingual duct Q89.2
- truncus arteriosus or communis Q20.0
- tunica vasculosa lentis Q12.2
- umbilical sinus Q64.4
- urachus Q64.4
- vitelline duct Q43.0

Person (with)
- admitted for clinical research, as a control subject (normal comparison) (participant) Z00.6
- awaiting admission to adequate facility elsewhere Z75.1
- concern (normal) about sick person in family Z63.6
- consulting on behalf of another Z71.0
- feigning illness Z76.5
- living (in)
- - alone Z60.2
- - boarding school Z59.3
- - residential institution Z59.3
- - without
- - - adequate housing Z59.10
- - - - air conditioning Z59.11
- - - - environmental temperature Z59.11
- - - - heating Z59.11
- - - - space Z59.19
- - - housing (permanent) (temporary) Z59.00
- - - person able to render necessary care Z74.2
- - - shelter Z59.02
- on waiting list Z75.1
- sick or handicapped in family Z63.6

Personality (disorder) F60.9
- accentuation of traits (type A pattern) Z73.1
- affective F34.0
- aggressive F60.3
- amoral F60.2
- anacastic, anankastic F60.5
- antisocial F60.2
- anxious F60.6
- asocial F60.2

- asthenic F60.7
- avoidant F60.6
- borderline F60.3
- change due to organic condition (enduring) F07.0
- compulsive F60.5
- cycloid F34.0
- cyclothymic F34.0
- dependent F60.7
- depressive F34.1
- dissocial F60.2
- dual F44.81
- eccentric F60.89
- emotionally unstable F60.3
- expansive paranoid F60.0
- explosive F60.3
- fanatic F60.0
- haltlose type F60.89
- histrionic F60.4
- hyperthymic F34.0
- hypothymic F34.1
- hysterical F60.4
- immature F60.89
- inadequate F60.7
- labile (emotional) F60.3
- mixed (nonspecific) F60.89
- morally defective F60.2
- multiple F44.81
- narcissistic F60.81
- obsessional F60.5
- obsessive (-compulsive) F60.5
- organic F07.0
- overconscientious F60.5
- paranoid F60.0
- passive (-dependent) F60.7
- passive-aggressive F60.89
- pathologic F60.9
- pattern defect or disturbance F60.9
- pseudopsychopathic (organic) F07.0
- pseudoretarded (organic) F07.0
- psychoinfantile F60.4
- psychoneurotic NEC F60.89
- psychopathic F60.2
- querulant F60.0
- sadistic F60.89
- schizoid F60.1
- self-defeating F60.89
- sensitive paranoid F60.0
- sociopathic (amoral) (antisocial) (asocial) (dissocial) F60.2
- specified NEC F60.89
- type A Z73.1
- unstable (emotional) F60.3

Perthes' disease -*see* Legg-Calvé-Perthes disease

Pertussis -*see also* Whooping cough A37.90

Perversion, perverted

- appetite F50.89
- - psychogenic F50.89
- function
- - pituitary gland E23.2
- - - posterior lobe E22.2
- sense of smell and taste R43.8

- - psychogenic F45.8
- sexual -*see* Deviation, sexual
Pervious, congenital -*see also* Imperfect, closure
- ductus arteriosus Q25.0
Pes (congenital) -*see also* Talipes
- acquired -*see also* Deformity, limb, foot, specified NEC
- - planus -*see* Deformity, limb, flat foot
- adductus Q66.89
- cavus Q66.7-
- deformity NEC, acquired -*see* Deformity, limb, foot, specified NEC
- planus (acquired) (any degree) -*see also* Deformity, limb, flat foot
- - rachitic sequelae (late effect) E64.3
- valgus Q66.6
Pest, pestis -*see* Plague
Petechia, petechiae R23.3
- newborn P54.5
Petechial typhus A75.9
Peter's anomaly Q13.4
Petit mal seizure -*see* Epilepsy, childhood, absence
Petit's hernia -*see* Hernia, abdomen, specified site NEC
Petrellidosis B48.2
Petrositis H70.20-
- acute H70.21-
- chronic H70.22-
Peutz-Jeghers disease or syndrome Q85.89
Peyronie's disease N48.6
PFAPA (periodic fever, aphthous stomatitis, pharyngitis, and adenopathy syndrome) M04.8
Pfeiffer's disease -*see* Mononucleosis, infectious
Phagedena (dry) (moist) (sloughing) -*see also* Gangrene
- geometric L88
- penis N48.29
- tropical -*see* Ulcer, skin
- vulva N76.6
Phagedenic -*see* condition
Phakoma H35.89
Phakomatosis -*see also* specific eponymous syndromes Q85.9
- Bourneville's Q85.1
- specified NEC Q85.89
Phantom limb syndrome (without pain) G54.7
- with pain G54.6
Pharyngeal pouch syndrome D82.1
Pharyngitis (acute) (catarrhal)(gangrenous) (infective) (malignant) (membranous) (phlegmonous) (pseudomembranous) (simple) (subacute) (suppurative) (ulcerative) (viral) J02.9
- with influenza, flu, or grippe -*see* Influenza, with, pharyngitis
- aphthous B08.5
- atrophic J31.2
- chlamydial A56.4
- chronic (atrophic) (granular) (hypertrophic) J31.2
- coxsackievirus B08.5
- diphtheritic A36.0
- enteroviral vesicular B08.5
- follicular (chronic) J31.2
- fusospirochetal A69.1
- gonococcal A54.5
- granular (chronic) J31.2
- herpesviral B00.2
- hypertrophic J31.2
- infectional, chronic J31.2
- influenzal -*see* Influenza, with, respiratory manifestations NEC
- lymphonodular, acute (enteroviral) B08.8

- pneumococcal J02.8
- purulent J02.9
- putrid J02.9
- septic J02.0
- sicca J31.2
- specified organism NEC J02.8
- staphylococcal J02.8
- streptococcal J02.0
- syphilitic, congenital (early) A50.03
- tuberculous A15.8
- vesicular, enteroviral B08.5
- viral NEC J02.8

Pharyngoconjunctivitis, viral B30.2
Pharyngolaryngitis (acute) J06.0
- chronic J37.0

Pharyngoplegia J39.2
Pharyngotonsillitis, herpesviral B00.2
Pharyngotracheitis, chronic J42
Pharynx, pharyngeal -*see* condition
Phelan-McDermid syndrome Q93.52
Phencyclidine-induced
- anxiety disorder F16.980
- bipolar and related disorder F16.94
- depressive disorder F16.94
- psychotic disorder F16.959

Phenomenon
- Arthus' -*see* Arthus' phenomenon
- jaw-winking Q07.8
- lupus erythematosus (LE) cell M32.9
- Raynaud's (secondary) I73.00
- - with gangrene I73.01
- vasomotor R55
- vasospastic I73.9
- vasovagal R55
- Wenckebach's I44.1

Phenotype
- Duffy
- - a positive Z67.A2
- - a and b positive Z67.A4
- - b positive Z67.A3
- - Fy (a+b-) Z67.A2
- - Fy (a-b-) Z67.A1
- - Fy (a-b+) Z67.A3
- - Fy (a+b+) Z67.A4
- - null Z67.A1

Phenylketonuria E70.1
- classical E70.0
- maternal E70.1

Pheochromoblastoma
- specified site -*see* Neoplasm, malignant, by site
- unspecified site C74.10

Pheochromocytoma
- malignant
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C74.10
- specified site -*see* Neoplasm, benign, by site
- unspecified site D35.00

Pheohyphomycosis -*see* Chromomycosis
Pheomycosis -*see* Chromomycosis
Phimosis (congenital) (due to infection) N47.1

- chancroidal A57
Phlebectasia -*see also* Varix
- congenital Q27.4
Phlebitis (infective) (pyemic) (septic) (suppurative) I80.9
- antepartum -*see* Thrombophlebitis, antepartum
- blue -*see* Phlebitis, leg, deep
- breast, superficial I80.8
- cavernous (venous) sinus -*see* Phlebitis, intracranial (venous) sinus
- calf muscular vein (NOS) I80.25-
- cerebral (venous) sinus -*see* Phlebitis, intracranial (venous) sinus
- chest wall, superficial I80.8
- cranial (venous) sinus -*see* Phlebitis, intracranial (venous) sinus
- deep (vessels) -*see* Phlebitis, leg, deep
- due to implanted device -*see* Complications, by site and type, specified NEC
- during or resulting from a procedure T81.72
- femoral vein (superficial) I80.1-
- femoropopliteal vein I80.0-
- gastrocnemial vein I80.25-
- gestational -*see* Phlebopathy, gestational
- hepatic veins I80.8
- iliac vein (common) (external) (internal) I80.21-
- iliofemoral -*see* Phlebitis, femoral vein
- intracranial (venous) sinus (any) G08
- - nonpyogenic I67.6
- intraspinal venous sinuses and veins G08
- - nonpyogenic G95.19
- lateral (venous) sinus -*see* Phlebitis, intracranial (venous) sinus
- leg I80.3
- - antepartum -*see* Thrombophlebitis, antepartum
- - deep (vessels) NEC I80.20-
- - - iliac I80.21-
- - - popliteal vein I80.22-
- - - specified vessel NEC I80.29-
- - - tibial vein (anterior) (posterior) I80.23-
- - femoral vein (superficial) I80.1-
- - superficial (vessels) I80.0-
- longitudinal sinus -*see* Phlebitis, intracranial (venous) sinus
- lower limb -*see* Phlebitis, leg
- migrans, migrating (superficial) I82.1
- pelvic
- - with ectopic or molar pregnancy O08.0
- - following ectopic or molar pregnancy O08.0
- - puerperal, postpartum O87.1
- peroneal vein I80.24-
- popliteal vein -*see* Phlebitis, leg, deep, popliteal
- portal (vein) K75.1
- postoperative T81.72
- pregnancy -*see* Thrombophlebitis, antepartum
- puerperal, postpartum, childbirth O87.0
- - deep O87.1
- - pelvic O87.1
- - superficial O87.0
- retina -*see* Vasculitis, retina
- saphenous (accessory) (great) (long) (small) -*see* Phlebitis, leg, superficial
- sinus (meninges) -*see* Phlebitis, intracranial (venous) sinus
- soleal vein I80.25-
- specified site NEC I80.8
- syphilitic A52.09
- tibial vein -*see* Phlebitis, leg, deep, tibial
- ulcerative I80.9

- - leg -*see* Phlebitis, leg
- umbilicus I80.8
- uterus (septic) -*see* Endometritis
- varicose (leg) (lower limb) -*see* Varix, leg, with, inflammation
Phlebofibrosis I87.8
Phleboliths I87.8
Phlebopathy,
- gestational O22.9-
- puerperal O87.9
Phlebosclerosis I87.8
Phlebothrombosis -*see also* Thrombosis
- antepartum -*see* Thrombophlebitis, antepartum
- pregnancy -*see* Thrombophlebitis, antepartum
- puerperal -*see* Thrombophlebitis, puerperal
Phlebotomus fever A93.1
Phlegmasia
- alba dolens O87.1
- - nonpuerperal -*see* Phlebitis, femoral vein
- cerulea dolens -*see* Phlebitis, leg, deep
Phlegmon -*see* Abscess
Phlegmonous -*see* condition
Phlyctenulosis (allergic) (keratoconjunctivitis) (nontuberculous) -*see also* Keratoconjunctivitis
- cornea -*see* Keratoconjunctivitis
- tuberculous A18.52
Phobia, phobic F40.9
- animal F40.218
- - spiders F40.210
- examination F40.298
- reaction F40.9
- simple F40.298
- social F40.10
- - generalized F40.11
- specific (isolated) F40.298
- - animal F40.218
- - - spiders F40.210
- - blood F40.230
- - injection F40.231
- - injury F40.233
- - men F40.290
- - natural environment F40.228
- - - thunderstorms F40.220
- - situational F40.248
- - - bridges F40.242
- - - closed in spaces F40.240
- - - flying F40.243
- - - heights F40.241
- - specified focus NEC F40.298
- - transfusion F40.231
- - women F40.291
- specified NEC F40.8
- - medical care NEC F40.232
- state F40.9
Phocas' disease -*see* Mastopathy, cystic
Phocomelia Q73.1
- lower limb -*see* Agenesis, leg, with foot present
- upper limb -*see* Agenesis, arm, with hand present
Phoria H50.50
Phosphate-losing tubular disorder N25.0
Phosphatemia E83.39
Phosphaturia E83.39

Photodermatitis (sun) L56.8
- chronic L57.8
- due to drug L56.8
- light other than sun L59.8
Photokeratitis H16.13-
Photophobia H53.14-
Photophthalmia -*see* Photokeratitis
Photopsia H53.19
Photoretinitis -*see* Retinopathy, solar
Photosensitivity, photosensitization (sun) skin L56.8
- light other than sun L59.8
Phrenitis -*see* Encephalitis
Phrynoderma (vitamin A deficiency) E50.8
Phthiriasis (pubis) B85.3
- with any infestation classifiable to B85.0-B85.2 B85.4
Phthirus infestation -*see* Phthiriasis
Phthisis -*see also* Tuberculosis
- bulbi (infectional) -*see* Disorder, globe, degenerated condition, atrophy
- eyeball (due to infection) -*see* Disorder, globe, degenerated condition, atrophy
PHTS Q85.81
Phycomycosis -*see* Zygomycosis
Physalopteriasis B81.8
Physical restraint status Z78.1
Phytobezoar T18.9
- intestine T18.3
- stomach T18.2
Pian -*see* Yaws
Pianoma A66.1
Pica F50.89
- in adults (in remission) F50.83
- infant or child (in remission) F98.3
Picking, nose F98.8
Pick-Niemann disease -*see* Niemann-Pick disease or syndrome
Pick's
- cerebral atrophy -*see also* Dementia, in, diseases specified elsewhere G31.01 *[F02.80]*
- - with behavioral disturbance -*see also* Dementia, in, diseases specified elsewhere G31.01 *[F02.81-]*
- disease or syndrome (brain) -*see also* Dementia, in, diseases specified elsewhere G31.01 *[F02.80]*
- - with behavioral disturbance -*see also* Dementia, in, diseases specified elsewhere G31.01 *[F02.81-]*
- - brain -*see also* Dementia, in, diseases specified elsewhere G31.01 *[F02.80]*
- - - with behavioral disturbance -*see also* Dementia, in, diseases specified elsewhere G31.01 *[F02.81-]*
- - pericardium (pericardial pseudocirrhosis of liver) I31.1
- syndrome
- - brain -*see also* Dementia, in, diseases specified elsewhere G31.01 *[F02.80]*
- - - with behavioral disturbance -*see also* Dementia, in, diseases specified elsewhere G31.01 *[F02.81-]*
- - of heart (pericardial pseudocirrhosis of liver) I31.1
Pickwickian syndrome E66.2
Piebaldism E70.39
Piedra (beard) (scalp) B36.8
- black B36.3
- white B36.2
Pierre Robin deformity or syndrome Q87.0
Pierson's disease or osteochondrosis M91.0
Pig-bel A05.2
Pigeon
- breast or chest (acquired) M95.4
- - congenital Q67.7
- - rachitic sequelae (late effect) E64.3
- breeder's disease or lung J67.2
- fancier's disease or lung J67.2
- toe -*see* Deformity, toe, specified NEC

Pigmentation (abnormal) (anomaly) L81.9
- conjunctiva H11.13-
- cornea (anterior) H18.01-
- - posterior H18.05-
- - stromal H18.06-
- diminished melanin formation NEC L81.6
- iron L81.8
- lids, congenital Q82.8
- limbus corneae -*see* Pigmentation, cornea
- metals L81.8
- optic papilla, congenital Q14.2
- retina, congenital (grouped) (nevoid) Q14.1
- scrotum, congenital Q82.8
- tattoo L81.8
Piles -*see also* Hemorrhoids K64.9
Pili
- annulati or torti (congenital) Q84.1
- incarnati L73.1
Pill roller hand (intrinsic) -*see* Parkinsonism
Pilomatrixoma -*see* Neoplasm, skin, benign
- malignant -*see* Neoplasm, skin, malignant
Pilonidal -*see* condition
Pimple R23.8
PIMS M35.81
PIN -*see* Neoplasia, intraepithelial, prostate
Pinched nerve -*see* Neuropathy, entrapment
Pindborg tumor -*see* Cyst, calcifying odontogenic
Pineal body or gland -*see* condition
Pinealoblastoma C75.3
Pinealoma D44.5
- malignant C75.3
Pineoblastoma C75.3
Pineocytoma D44.5
Pinguecula H11.15-
Pingueculitis H10.81-
Pinhole meatus -*see also* Stricture, urethra N35.919
Pink
- disease -see subcategory T56.1
- eye -*see* Conjunctivitis, acute, mucopurulent
Pinkus' disease (lichen nitidus) L44.1
Pinpoint
- meatus -*see* Stricture, urethra
- os (uteri) -*see* Stricture, cervix
Pins and needles R20.2
Pinta A67.9
- cardiovascular lesions A67.2
- chancre (primary) A67.0
- erythematous plaques A67.1
- hyperchromic lesions A67.1
- hyperkeratosis A67.1
- lesions A67.9
- - cardiovascular A67.2
- - hyperchromic A67.1
- - intermediate A67.1
- - late A67.2
- - mixed A67.3
- - primary A67.0
- - skin (achromic) (cicatricial) (dyschromic) A67.2
- - - hyperchromic A67.1
- - - mixed (achromic and hyperchromic) A67.3

- papule (primary) A67.0
- skin lesions (achromic) (cicatricial) (dyschromic) A67.2
- - hyperchromic A67.1
- - mixed (achromic and hyperchromic) A67.3
- vitiligo A67.2
Pintids A67.1
Pinworm (disease) (infection) (infestation) B80
Piroplasmosis -*see also* Babesiosis B60.00
- specified NEC B60.09
Pistol wound -*see* Gunshot wound
Pitchers' elbow -*see* Derangement, joint, specified type NEC, elbow
Pithecoid pelvis Q74.2
- with disproportion (fetopelvic) O33.0
- - causing obstructed labor O65.0
Pithiatism F48.8
Pitted -*see* Pitting
Pitting -*see also* Edema R60.9
- lip R60.0
- nail L60.8
- teeth K00.4
Pituitary gland -*see* condition
Pituitary-snuff-taker's disease J67.8
Pityriasis (capitis) L21.0
- alba L30.5
- circinata (et maculata) L42
- furfuracea L21.0
- Hebra's L26
- lichenoides L41.0
- - chronica L41.1
- - et varioliformis (acuta) L41.0
- maculata (et circinata) L30.5
- nigra B36.1
- pilaris, Hebra's L44.0
- rosea L42
- rotunda L44.8
- rubra (Hebra) pilaris L44.0
- simplex L30.5
- specified type NEC L30.5
- streptogenes L30.5
- versicolor (scrotal) B36.0
Placenta, placental -*see* Pregnancy, complicated by (care of) (management affected by), specified condition
Placentitis O41.14-
Plagiocephaly Q67.3
- non-deformational
- - anterior Q75.021
- - posterior Q75.04-
Plague A20.9
- abortive A20.8
- ambulatory A20.8
- asymptomatic A20.8
- bubonic A20.0
- cellulocutaneous A20.1
- cutaneobubonic A20.1
- lymphatic gland A20.0
- meningitis A20.3
- pharyngeal A20.8
- pneumonic (primary) (secondary) A20.2
- pulmonary, pulmonic A20.2
- septicemic A20.7
- tonsillar A20.8

- - septicemic A20.7
Planning, family
- contraception Z30.9
- procreation Z31.69
Plaque(s)
- artery, arterial *-see* Arteriosclerosis
- calcareous *-see* Calcification
- coronary, lipid rich I25.83
- epicardial I31.8
- erythematous, of pinta A67.1
- Hollenhorst's *-see* Occlusion, artery, retina
- lipid rich, coronary I25.83
- pleural (without asbestos) J92.9
- - with asbestos J92.0
- tongue K13.29
Plasmacytoma C90.3-
- extramedullary C90.2-
- medullary C90.0-
- solitary C90.3-
Plasmacytopenia D72.818
Plasmacytosis D72.822
Plaster ulcer *-see* Ulcer, pressure, by site
Plateau iris syndrome (post-iridectomy) (postprocedural) (without glaucoma) H21.82
- with glaucoma H40.22-
Platybasia Q75.8
Platyonychia (congenital) Q84.6
- acquired L60.8
Platypelloid pelvis M95.5
- with disproportion (fetopelvic) O33.0
- - causing obstructed labor O65.0
- congenital Q74.2
Platyspondylisis Q76.49
Plaut (-Vincent) disease *-see also* Vincent's A69.1
Plethora R23.2
- newborn P61.1
Pleura, pleural *-see* condition
Pleuralgia R07.81
Pleurisy (acute) (adhesive) (chronic) (costal) (diaphragmatic) (double) (dry) (fibrinous) (fibrous) (interlobar) (latent) (plastic) (primary) (residual) (sicca) (sterile) (subacute) (unresolved) R09.1
- with
- - adherent pleura J86.0
- - effusion J90
- - - chylous, chyliform J94.0
- - - tuberculous (non primary) A15.6
- - - - primary (progressive) A15.7
- - tuberculosis *-see* Pleurisy, tuberculous (non primary)
- encysted *-see* Pleurisy, with effusion
- exudative *-see* Pleurisy, with effusion
- fibrinopurulent, fibropurulent *-see* Pyothorax
- hemorrhagic *-see* Hemothorax
- pneumococcal J90
- purulent *-see* Pyothorax
- septic *-see* Pyothorax
- serofibrinous *-see* Pleurisy, with effusion
- seropurulent *-see* Pyothorax
- serous *-see* Pleurisy, with effusion
- staphylococcal J86.9
- streptococcal J90
- suppurative *-see* Pyothorax
- traumatic (post) (current) *-see* Injury, intrathoracic, pleura

- tuberculous (with effusion) (non primary) A15.6
- - primary (progressive) A15.7
Pleuritis sicca -*see* Pleurisy
Pleurobronchopneumonia -*see* Pneumonia, broncho-
Pleurodynia R07.81
- epidemic B33.0
- viral B33.0
Pleuropericarditis -*see also* Pericarditis
- acute I30.9
Pleuropneumonia (acute) (bilateral) (double) (septic) -*see also* Pneumonia J18.8
- chronic -*see* Fibrosis, lung
Pleuro-pneumonia-like-organism (PPLO), as cause of disease classified elsewhere B96.0
Pleurorrhea -*see* Pleurisy, with effusion
Plexitis, brachial G54.0
Plica
- polonica B85.0
- syndrome, knee M67.5-
- tonsil J35.8
Plicated tongue K14.5
Plug
- bronchus NEC J98.09
- meconium (newborn) NEC syndrome P76.0
- mucus -*see* Asphyxia, mucus
Plumbism -see subcategory T56.0
Plummer's disease E05.20
- with thyroid storm E05.21
Plummer-Vinson syndrome D50.1
Pluricarential syndrome of infancy E40
Plus (and minus) hand (intrinsic) -*see* Deformity, limb, specified type NEC, forearm
PMEI (polymorphic epilepsy in infancy) G40.83-
Pneumathemia -*see* Air, embolism
Pneumatic hammer (drill) syndrome T75.21
Pneumatocele (lung) J98.4
- intracranial G93.89
- tension J98.8
Pneumatosis
- cystoides intestinalis K63.89
- intestinalis K63.89
- peritonei K66.8
Pneumaturia R39.89
Pneumoblastoma -*see* Neoplasm, lung, malignant
Pneumocephalus G93.89
Pneumococcemia A40.3
Pneumococcus, pneumococcal -*see* condition
Pneumoconiosis (due to) (inhalation of) J64
- with tuberculosis (any type in A15) J65
- aluminum J63.0
- asbestos J61
- bagasse, bagassosis J67.1
- bauxite J63.1
- beryllium J63.2
- coal miners' (simple) J60
- coalworkers' (simple) J60
- collier's J60
- cotton dust J66.0
- diatomite (diatomaceous earth) J62.8
- dust
- - inorganic NEC J63.6
- - lime J62.8
- - marble J62.8

- - organic NEC J66.8
- fumes or vapors (from silo) J68.9
- graphite J63.3
- grinder's J62.8
- kaolin J62.8
- mica J62.8
- millstone maker's J62.8
- mineral fibers NEC J61
- miner's J60
- moldy hay J67.0
- potter's J62.8
- rheumatoid -*see* Rheumatoid, lung
- sandblaster's J62.8
- silica, silicate NEC J62.8
- - with carbon J60
- stonemason's J62.8
- talc (dust) J62.0

Pneumocystis carinii pneumonia B59

Pneumocystis jirovecii (pneumonia) B59

Pneumocystosis (with pneumonia) B59

Pneumohemopericardium I31.2

Pneumohemothorax J94.2
- traumatic S27.2

Pneumohydropericardium -*see* Pericarditis

Pneumohydrothorax -*see* Hydrothorax

Pneumomediastinum J98.2
- congenital or perinatal P25.2

Pneumomycosis B49 *[J99]*

Pneumonia (acute) (double) (migratory) (purulent) (septic) (unresolved) J18.9
- with
- - lung abscess J85.1
- - - due to specified organism -*see* Pneumonia, in (due to)
- - influenza -*see* Influenza, with, pneumonia
- 2019 (novel) coronavirus J12.82
- adenoviral J12.0
- adynamic J18.2
- alba A50.04
- allergic -*see also* Pneumonitis, hypersensitivity J82.89
- alveolar -*see* Pneumonia, lobar
- anaerobes J15.8
- anthrax A22.1
- apex, apical -*see* Pneumonia, lobar
- Ascaris B77.81
- aspiration J69.0
- - due to
- - - aspiration of microorganisms
- - - - bacterial J15.9
- - - - viral J12.9
- - - food (regurgitated) J69.0
- - - gastric secretions J69.0
- - - milk (regurgitated) J69.0
- - - oils, essences J69.1
- - - solids, liquids NEC J69.8
- - - vomitus J69.0
- - newborn P24.81
- - - amniotic fluid (clear) P24.11
- - - blood P24.21
- - - liquor (amnii) P24.11
- - - meconium P24.01
- - - milk P24.31

- - - mucus P24.11
- - - food (regurgitated) P24.31
- - - specified NEC P24.81
- - - stomach contents P24.31
- - postprocedural J95.4
- atypical NEC J18.9
- bacillus J15.9
- - specified NEC J15.8
- bacterial J15.9
- - specified NEC J15.8
- Bacteroides (fragilis) (oralis) (melaninogenicus) J15.8
- basal, basic, basilar -*see* Pneumonia, by type
- bronchiolitis obliterans organized (BOOP) J84.89
- broncho-, bronchial (confluent) (croupous) (diffuse) (disseminated) (hemorrhagic) (involving lobes) (lobar) (terminal) J18.0
- - allergic -*see also* Pneumonitis, hypersensitivity J82.89
- - aspiration -*see* Pneumonia, aspiration
- - bacterial J15.9
- - - specified NEC J15.8
- - chronic -*see* Fibrosis, lung
- - diplococcal J13
- - Eaton's agent J15.7
- - Escherichia coli (E. coli) J15.5
- - Friedländer's bacillus J15.0
- - Hemophilus influenzae J14
- - hypostatic J18.2
- - inhalation -*see also* Pneumonia, aspiration
- - - due to fumes or vapors (chemical) J68.0
- - - of oils or essences J69.1
- - Klebsiella (pneumoniae) J15.0
- - lipid, lipoid J69.1
- - - endogenous J84.89
- - Mycoplasma (pneumoniae) J15.7
- - pleuro-pneumonia-like-organisms (PPLO) J15.7
- - pneumococcal J13
- - Proteus J15.69
- - Pseudomonas J15.1
- - Serratia marcescens J15.69
- - specified organism NEC J16.8
- - staphylococcal -*see* Pneumonia, staphylococcal
- - streptococcal NEC J15.4
- - - group B J15.3
- - - pneumoniae J13
- - viral, virus -*see* Pneumonia, viral
- Butyrivibrio (fibriosolvens) J15.8
- Candida B37.1
- caseous -*see* Tuberculosis, pulmonary
- catarrhal -*see* Pneumonia, broncho
- chlamydial J16.0
- - congenital P23.1
- cholesterol J84.89
- cirrhotic (chronic) -*see* Fibrosis, lung
- Clostridium (haemolyticum) (novyi) J15.8
- confluent -*see* Pneumonia, broncho
- congenital (infective) P23.9
- - due to
- - - bacterium NEC P23.6
- - - Chlamydia P23.1
- - - Escherichia coli P23.4
- - - Haemophilus influenzae P23.6

- - - infective organism NEC P23.8
- - - Klebsiella pneumoniae P23.6
- - - Mycoplasma P23.6
- - - Pseudomonas P23.5
- - - Staphylococcus P23.2
- - - Streptococcus (except group B) P23.6
- - - - group B P23.3
- - - viral agent P23.0
- - specified NEC P23.8
- coronavirus (novel) (disease) 2019 J12.82
- COVID-19 J12.82
- croupous *-see* Pneumonia, lobar
- cryptogenic organizing J84.116
- cytomegalic inclusion B25.0
- cytomegaloviral B25.0
- deglutition *-see* Pneumonia, aspiration
- desquamative interstitial J84.117
- diffuse *-see* Pneumonia, broncho
- diplococcal, diplococcus (broncho-) (lobar) J13
- disseminated (focal) *-see* Pneumonia, broncho
- Eaton's agent J15.7
- embolic, embolism *-see* Embolism, pulmonary
- Enterobacter J15.69
- eosinophilic J82.81
- - acute J82.82
- - chronic J82.81
- Escherichia coli (E. coli) J15.5
- Eubacterium J15.8
- fibrinous *-see* Pneumonia, lobar
- fibroid, fibrous (chronic) *-see* Fibrosis, lung
- Friedländer's bacillus J15.0
- Fusobacterium (nucleatum) J15.8
- gangrenous J85.0
- giant cell (measles) B05.2
- gonococcal A54.84
- gram-negative bacteria NEC J15.69
- - anaerobic J15.8
- Hemophilus influenzae (broncho) (lobar) J14
- human metapneumovirus J12.3
- hypostatic (broncho) (lobar) J18.2
- in (due to)
- - Acinetobacter baumannii J15.61
- - actinomycosis A42.0
- - adenovirus J12.0
- - anthrax A22.1
- - ascariasis B77.81
- - aspergillosis B44.9
- - Bacillus anthracis A22.1
- - Bacterium anitratum J15.69
- - candidiasis B37.1
- - chickenpox B01.2
- - Chlamydia J16.0
- - - neonatal P23.1
- - coccidioidomycosis B38.2
- - - acute B38.0
- - - chronic B38.1
- - cytomegalovirus disease B25.0
- - Diplococcus (pneumoniae) J13
- - Eaton's agent J15.7
- - Enterobacter J15.69

- - Escherichia coli (E. coli) J15.5
- - Friedländer's bacillus J15.0
- - fumes and vapors (chemical) (inhalation) J68.0
- - gonorrhea A54.84
- - Hemophilus influenzae (H. influenzae) J14
- - Herellea J15.69
- - histoplasmosis B39.2
- - - acute B39.0
- - - chronic B39.1
- - human metapneumovirus J12.3
- - Klebsiella (pneumoniae) J15.0
- - measles B05.2
- - Mycoplasma (pneumoniae) J15.7
- - nocardiosis, nocardiasis A43.0
- - ornithosis A70
- - parainfluenza virus J12.2
- - pleuro-pneumonia-like-organism (PPLO) J15.7
- - pneumococcus J13
- - pneumocystosis (Pneumocystis carinii) (Pneumocystis jirovecii) B59
- - Proteus J15.69
- - Pseudomonas NEC J15.1
- - - pseudomallei A24.1
- - psittacosis A70
- - Q fever A78
- - respiratory syncytial virus (RSV) J12.1
- - rheumatic fever I00 *[J17]*
- - rubella B06.81
- - Salmonella (infection) A02.22
- - - typhi A01.03
- - schistosomiasis B65.9 *[J17]*
- - Serratia marcescens J15.69
- - specified
- - - bacterium NEC J15.8
- - - organism NEC J16.8
- - spirochetal NEC A69.8
- - Staphylococcus J15.20
- - - aureus (methicillin susceptible) (MSSA) J15.211
- - - - methicillin resistant (MRSA) J15.212
- - - specified NEC J15.29
- - Streptococcus J15.4
- - - group B J15.3
- - - pneumoniae J13
- - - specified NEC J15.4
- - toxoplasmosis B58.3
- - tularemia A21.2
- - typhoid (fever) A01.03
- - varicella B01.2
- - virus -*see* Pneumonia, viral
- - whooping cough A37.91
- - - due to
- - - - Bordetella parapertussis A37.11
- - - - Bordetella pertussis A37.01
- - - - specified NEC A37.81
- - Yersinia pestis A20.2
- inhalation of food or vomit -*see* Pneumonia, aspiration
- interstitial J84.9
- - chronic J84.111
- - desquamative J84.117
- - due to
- - - collagen vascular disease J84.178

- - - known underlying cause J84.178
- - idiopathic NOS J84.111
- - in disease classified elsewhere J84.178
- - lymphocytic (due to collagen vascular disease) (in diseases classified elsewhere) J84.178
- - lymphoid J84.2
- - non-specific J84.89
- - - due to
- - - - collagen vascular disease J84.178
- - - - known underlying cause J84.178
- - - idiopathic J84.113
- - - in diseases classified elsewhere J84.178
- - plasma cell B59
- - pseudomonas J15.1
- - usual J84.112
- - - due to collagen vascular disease J84.178
- - - idiopathic J84.112
- - - in diseases classified elsewhere J84.178
- Klebsiella (pneumoniae) J15.0
- lipid, lipoid (exogenous) J69.1
- - endogenous J84.89
- lobar (disseminated) (double) (interstitial) J18.1
- - bacterial J15.9
- - - specified NEC J15.8
- - chronic *-see* Fibrosis, lung
- - Escherichia coli (E. coli) J15.5
- - Friedländer's bacillus J15.0
- - Hemophilus influenzae J14
- - hypostatic J18.2
- - Klebsiella (pneumoniae) J15.0
- - pneumococcal J13
- - Proteus J15.69
- - Pseudomonas J15.1
- - specified organism NEC J16.8
- - staphylococcal *-see* Pneumonia, staphylococcal
- - streptococcal NEC J15.4
- - Streptococcus pneumoniae J13
- - viral, virus *-see* Pneumonia, viral
- lobular *-see* Pneumonia, broncho
- Löffler's J82.89
- lymphoid interstitial J84.2
- massive *-see* Pneumonia, lobar
- meconium P24.01
- MRSA (Methicillin resistant Staphylococcus aureus) J15.212
- MSSA (methicillin susceptible Staphylococcus aureus) J15.211
- multilobar *-see* Pneumonia, by type
- Mycoplasma (pneumoniae) J15.7
- necrotic J85.0
- neonatal P23.9
- - aspiration *-see* Aspiration, by substance, with pneumonia
- nitrogen dioxide J68.0
- organizing J84.89
- - due to
- - - collagen vascular disease J84.178
- - - known underlying cause J84.178
- - in diseases classified elsewhere J84.178
- orthostatic J18.2
- parainfluenza virus J12.2
- parenchymatous *-see* Fibrosis, lung
- passive J18.2
- patchy *-see* Pneumonia, broncho

- Peptococcus J15.8
- Peptostreptococcus J15.8
- plasma cell (of infants) B59
- pleurolobar *-see* Pneumonia, lobar
- pleuro-pneumonia-like organism (PPLO) J15.7
- pneumococcal (broncho) (lobar) J13
- Pneumocystis (carinii) (jirovecii) B59
- postinfectional NEC B99 *[J17]*
- postmeasles B05.2
- Proteus J15.69
- Pseudomonas J15.1
- psittacosis A70
- radiation J70.0
- respiratory syncytial virus (RSV) J12.1
- resulting from a procedure J95.89
- rheumatic I00 *[J17]*
- Salmonella (arizonae) (cholerae-suis) (enteritidis) (typhimurium) A02.22
- - typhi A01.03
- - typhoid fever A01.03
- SARS-associated coronavirus J12.81
- SARS-CoV-2 J12.82
- segmented, segmental *-see* Pneumonia, broncho-
- Serratia marcescens J15.69
- specified NEC J18.8
- - bacterium NEC J15.8
- - organism NEC J16.8
- - virus NEC J12.89
- spirochetal NEC A69.8
- staphylococcal (broncho) (lobar) J15.20
- - aureus (methicillin susceptible) (MSSA) J15.211
- - - methicillin resistant (MRSA) J15.212
- - specified NEC J15.29
- static, stasis J18.2
- streptococcal NEC (broncho) (lobar) J15.4
- - group
- - - A J15.4
- - - B J15.3
- - - specified NEC J15.4
- Streptococcus pneumoniae J13
- syphilitic, congenital (early) A50.04
- traumatic (complication) (early) (secondary) T79.8
- tuberculous (any) *-see* Tuberculosis, pulmonary
- tularemic A21.2
- varicella B01.2
- Veillonella J15.8
- ventilator associated J95.851
- viral, virus (broncho) (interstitial) (lobar) J12.9
- - adenoviral J12.0
- - congenital P23.0
- - human metapneumovirus J12.3
- - parainfluenza J12.2
- - respiratory syncytial (RSV) J12.1
- - SARS-associated coronavirus J12.81
- - specified NEC J12.89
- white (congenital) A50.04

Pneumonic *-see* condition

Pneumonitis (acute) (primary) *-see also* Pneumonia J98.4
- air-conditioner J67.7
- allergic (due to) J67.9
- - organic dust NEC J67.8

- - red cedar dust J67.8
- - sequoiosis J67.8
- - wood dust J67.8
- aspiration J69.0
- - due to
- - - anesthesia J95.4
- - - - during
- - - - - labor and delivery O74.0
- - - - - pregnancy O29.01-
- - - - - puerperium O89.01
- - - fumes or gases J68.0
- - obstetric O74.0
- chemical (due to gases, fumes or vapors) (inhalation) J68.0
- - due to anesthesia J95.4
- cholesterol J84.89
- crack (cocaine) J68.0
- chronic -*see* Fibrosis, lung
- congenital rubella P35.0
- due to
- - beryllium J68.0
- - cadmium J68.0
- - crack (cocaine) J68.0
- - detergent J69.8
- - fluorocarbon-polymer J68.0
- - food, vomit (aspiration) J69.0
- - fumes or vapors J68.0
- - gases, fumes or vapors (inhalation) J68.0
- - inhalation
- - - blood J69.8
- - - essences J69.1
- - - food (regurgitated), milk, vomit J69.0
- - - oils, essences J69.1
- - - saliva J69.0
- - - solids, liquids NEC J69.8
- - manganese J68.0
- - nitrogen dioxide J68.0
- - oils, essences J69.1
- - solids, liquids NEC J69.8
- - toxoplasmosis (acquired) B58.3
- - - congenital P37.1
- - vanadium J68.0
- - ventilator J95.851
- eosinophilic J82.81
- - acute J82.82
- - chronic J82.81
- hypersensitivity J67.9
- - air conditioner lung J67.7
- - bagassosis J67.1
- - bird fancier's lung J67.2
- - farmer's lung J67.0
- - maltworker's lung J67.4
- - maple bark-stripper's lung J67.6
- - mushroom worker's lung J67.5
- - specified organic dust NEC J67.8
- - suberosis J67.3
- interstitial (chronic) J84.89
- - acute J84.114
- - lymphoid J84.2
- - non-specific J84.89
- - - idiopathic J84.113

- lymphoid, interstitial J84.2
- meconium P24.01
- noninfectious J98.4
- postanesthetic J95.4
- - correct substance properly administered -*see* Table of Drugs and Chemicals, by drug, adverse effect
- - in labor and delivery O74.0
- - in pregnancy O29.01-
- - obstetric O74.0
- - overdose or wrong substance given or taken (by accident) -*see* Table of Drugs and Chemicals, by drug, poisoning
- - postpartum, puerperal O89.01
- postoperative J95.4
- - obstetric O74.0
- radiation J70.0
- rubella, congenital P35.0
- specified NEC J98.4
- ventilation (air-conditioning) J67.7
- ventilator associated J95.851
- wood-dust J67.8

Pneumonoconiosis -*see* Pneumoconiosis

Pneumoparotid K11.8

Pneumopathy NEC J98.4
- alveolar J84.09
- due to organic dust NEC J66.8
- parietoalveolar J84.09

Pneumopericarditis -*see also* Pericarditis
- acute I30.9

Pneumopericardium -*see also* Pericarditis
- congenital P25.3
- newborn P25.3
- traumatic (post) -*see* Injury, heart

Pneumophagia (psychogenic) F45.8

Pneumopleurisy, pneumopleuritis -*see also* Pneumonia J18.8

Pneumopyopericardium I30.1

Pneumopyothorax -*see* Pyopneumothorax
- with fistula J86.0

Pneumorrhagia -*see also* Hemorrhage, lung
- tuberculous -*see* Tuberculosis, pulmonary

Pneumothorax NOS J93.9
- acute J93.83
- chronic J93.81
- congenital P25.1
- perinatal period P25.1
- postprocedural J95.811
- specified NEC J93.83
- spontaneous NOS J93.83
- - newborn P25.1
- - primary J93.11
- - secondary J93.12
- - tension J93.0
- tense valvular, infectional J93.0
- tension (spontaneous) J93.0
- traumatic S27.0
- - with hemothorax S27.2
- tuberculous -*see* Tuberculosis, pulmonary

Podagra -*see also* Gout M10.9

Podencephalus Q01.9

Poikilocytosis R71.8

Poikiloderma L81.6
- Civatte's L57.3
- congenital Q82.8

- vasculare atrophicans L94.5
Poikilodermatomyositis M33.10
- with
- - myopathy M33.12
- - respiratory involvement M33.11
- - specified organ involvement NEC M33.19
- amyopathic M33.13
- without myopathy M33.13
Pointed ear (congenital) Q17.3
Poison ivy, oak, sumac or other plant dermatitis (allergic) (contact) L23.7
Poisoning (acute) -*see also* Table of Drugs and Chemicals
- algae and toxins T65.82-
- Bacillus B (aertrycke) (cholerae (suis)) (paratyphosus) (suipestifer) A02.9
- - botulinus A05.1
- bacterial toxins A05.9
- berries, noxious -*see* Poisoning, food, noxious, berries
- botulism A05.1
- ciguatera fish T61.0-
- Clostridium botulinum A05.1
- death-cap (Amanita phalloides) (Amanita verna) -*see* Poisoning, food, noxious, mushrooms
- drug -*see* Table of Drugs and Chemicals, by drug, poisoning
- epidemic, fish (noxious) -*see* Poisoning, seafood
- - bacterial A05.9
- fava bean D55.0
- fish (noxious) T61.9-
- - bacterial -*see* Intoxication, foodborne, by agent
- - ciguatera fish -*see* Poisoning, ciguatera fish
- - scombroid fish -*see* Poisoning, scombroid fish
- - specified type NEC T61.77-
- food NEC A05.9
- - bacterial -*see* Intoxication, foodborne, by agent
- - due to
- - - Bacillus (aertrycke) (choleraesuis) (paratyphosus) (suipestifer) A02.9
- - - - botulinus A05.1
- - - Clostridium (perfringens) (Welchii) A05.2
- - - salmonella (aertrycke) (choleraesuis) (enteritidis) (gallinarum) (paratyphi) (suipestifer) A02.9
- - - - with
- - - - - gastroenteritis A02.0
- - - - - sepsis A02.1
- - - staphylococcus A05.0
- - - Vibrio
- - - - parahaemolyticus A05.3
- - - - vulnificus A05.5
- - noxious or naturally toxic T62.9-
- - - berries -see subcategory T62.1-
- - - fish -*see* Poisoning, seafood
- - - mushrooms -see subcategory T62.0X-
- - - plants NEC -see subcategory T62.2X-
- - - seafood -*see* Poisoning, seafood
- - - specified NEC -see subcategory T62.8X-
- ichthyotoxism -*see* Poisoning, seafood
- kreotoxism, food A05.9
- latex T65.81-
- lead T56.0-
- mushroom -*see* Poisoning, food, noxious, mushroom
- mussels -*see also* Poisoning, shellfish
- - bacterial -*see* Intoxication, foodborne, by agent
- nicotine (tobacco) T65.2-
- noxious foodstuffs -*see* Poisoning, food, noxious
- plants, noxious -*see* Poisoning, food, noxious, plants NEC

- ptomaine -*see* Poisoning, food
- radiation J70.0
- Salmonella (arizonae) (cholerae-suis) (enteritidis) (typhimurium) A02.9
- scombroid fish T61.1-
- seafood (noxious) T61.9-
- - bacterial -*see* Intoxication, foodborne, by agent
- - fish -*see* Poisoning, fish
- - shellfish -*see* Poisoning, shellfish
- - specified NEC -see subcategory T61.8X-
- shellfish (amnesic) (azaspiracid) (diarrheic) (neurotoxic) (noxious) (paralytic) T61.78-
- - bacterial -*see* Intoxication, foodborne, by agent
- - ciguatera mollusk -*see* Poisoning, ciguatera fish
- specified substance NEC T65.891
- Staphylococcus, food A05.0
- tobacco (nicotine) T65.2-
- water E87.79

Poker spine -*see* Spondylitis, ankylosing

Poland syndrome Q79.8

Polioencephalitis (acute) (bulbar) A80.9
- inferior G12.22
- influenzal -*see* Influenza, with, encephalopathy
- superior hemorrhagic (acute) (Wernicke's) E51.2
- Wernicke's E51.2

Polioencephalomyelitis (acute) (anterior) A80.9
- with beriberi E51.2

Polioencephalopathy, superior hemorrhagic E51.2
- with
- - beriberi E51.11
- - pellagra E52

Poliomeningoencephalitis -*see* Meningoencephalitis

Poliomyelitis (acute) (anterior) (epidemic) A80.9
- with paralysis (bulbar) -*see* Poliomyelitis, paralytic
- abortive A80.4
- ascending (progressive) -*see* Poliomyelitis, paralytic
- bulbar (paralytic) -*see* Poliomyelitis, paralytic
- congenital P35.8
- nonepidemic A80.9
- nonparalytic A80.4
- paralytic A80.30
- - specified NEC A80.39
- - vaccine-associated A80.0
- - wild virus
- - - imported A80.1
- - - indigenous A80.2
- spinal, acute A80.9

Poliosis (eyebrow) (eyelashes) L67.1
- circumscripta, acquired L67.1

Pollakiuria R35.0
- psychogenic F45.8

Pollinosis J30.1

Pollitzer's disease L73.2

Polyadenitis -*see also* Lymphadenitis
- malignant A20.0

Polyalgia M79.89

Polyangiitis M30.0
- microscopic M31.7
- overlap syndrome M30.8

Polyarteritis
- microscopic M31.7
- nodosa M30.0

- - with lung involvement M30.1
- - juvenile M30.2
- - related condition NEC M30.8
Polyarthralgia -*see* Pain, joint
Polyarthritis, polyarthropathy -*see also* Arthritis M13.0
- due to or associated with other specified conditions -*see* Arthritis
- epidemic (Australian) (with exanthema) B33.1
- infective -*see* Arthritis, pyogenic or pyemic
- inflammatory M06.4
- juvenile (chronic) (seronegative) M08.3
- migratory M13.8-
- rheumatic, acute -*see* Fever, rheumatic
Polyarthrosis M15.9
- post-traumatic M15.3
- primary M15.0
- specified NEC M15.8
Polycarential syndrome of infancy E40
Polychondritis (atrophic) (chronic) -*see also* Disorder, cartilage, specified type NEC
- relapsing M94.1
Polycoria Q13.2
Polycystic (disease)
- degeneration, kidney Q61.3
- - autosomal dominant (adult type) Q61.2
- - autosomal recessive (infantile type) NEC Q61.19
- kidney Q61.3
- - autosomal
- - - dominant Q61.2
- - - recessive NEC Q61.19
- - autosomal dominant (adult type) Q61.2
- - autosomal recessive (childhood type) NEC Q61.19
- - infantile type NEC Q61.19
- liver Q44.6
- lung J98.4
- - congenital Q33.0
- ovary, ovaries E28.2
- spleen Q89.09
Polycythemia (secondary) D75.1
- acquired D75.1
- benign (familial) D75.0
- due to
- - donor twin P61.1
- - erythropoietin D75.1
- - fall in plasma volume D75.1
- - high altitude D75.1
- - maternal-fetal transfusion P61.1
- - stress D75.1
- emotional D75.1
- erythropoietin D75.1
- familial (benign) D75.0
- Gaisböck's (hypertonica) D75.1
- high altitude D75.1
- hypertonica D75.1
- hypoxemic D75.1
- neonatorum P61.1
- nephrogenous D75.1
- relative D75.1
- secondary D75.1
- spurious D75.1
- stress D75.1
- vera D45

Polycytosis cryptogenica D75.1
Polydactylism, polydactyly Q69.9
- toes Q69.2
Polydipsia R63.1
Polydystrophy, pseudo-Hurler E77.0
Polyembryoma -*see* Neoplasm, malignant, by site
Polyglandular
- deficiency E31.0
- dyscrasia E31.9
- dysfunction E31.9
- syndrome E31.8
Polyhydramnios O40.-
Polymastia Q83.1
Polymenorrhea N92.0
Polymyalgia M35.3
- arteritica, giant cell M31.5
- rheumatica M35.3
- - with giant cell arteritis M31.5
Polymyositis (acute) (chronic) (hemorrhagic) M33.20
- with
- - myopathy M33.22
- - respiratory involvement M33.21
- - skin involvement -*see* Dermatopolymyositis
- - specified organ involvement NEC M33.29
- ossificans (generalisata) (progressiva) -*see* Myositis, ossificans, progressiva
Polyneuritis, polyneuritic -*see also* Polyneuropathy
- acute (post-) infective G61.0
- alcoholic G62.1
- cranialis G52.7
- demyelinating, chronic inflammatory (CIDP) G61.81
- diabetic -*see* Diabetes, polyneuropathy
- diphtheritic A36.83
- due to lack of vitamin NEC E56.9 *[G63]*
- endemic E51.11
- erythredema -see subcategory T56.1
- febrile, acute G61.0
- hereditary ataxic G60.1
- idiopathic, acute G61.0
- infective (acute) G61.0
- inflammatory, chronic demyelinating (CIDP) G61.81
- nutritional E63.9 *[G63]*
- postinfective (acute) G61.0
- specified NEC G62.89
Polyneuropathy (peripheral) G62.9
- alcoholic G62.1
- amyloid (Portuguese) E85.1 *[G63]*
- - transthyretin-related (ATTR) familial E85.1 *[G63]*
- arsenical G62.2
- critical illness G62.81
- demyelinating, chronic inflammatory (CIDP) G61.81
- diabetic -*see* Diabetes, polyneuropathy
- drug-induced G62.0
- hereditary G60.9
- - specified NEC G60.8
- idiopathic G60.9
- - progressive G60.3
- in (due to)
- - alcohol G62.1
- - - sequelae G65.2
- - amyloidosis, familial (Portuguese) E85.1 *[G63]*

- - antitetanus serum G61.1
- - arsenic G62.2
- - - sequelae G65.2
- - avitaminosis NEC E56.9 *[G63]*
- - beriberi E51.11
- - collagen vascular disease NEC M35.9 *[G63]*
- - deficiency (of)
- - - B (-complex) vitamins E53.9 *[G63]*
- - - vitamin B6 E53.1 *[G63]*
- - diabetes *-see* Diabetes, polyneuropathy
- - diphtheria A36.83
- - drug or medicament G62.0
- - - correct substance properly administered *-see* Table of Drugs and Chemicals, by drug, adverse effect
- - - overdose or wrong substance given or taken *-see* Table of Drugs and Chemicals, by drug, poisoning
- - endocrine disease NEC E34.9 *[G63]*
- - herpes zoster B02.23
- - hypoglycemia E16.2 *[G63]*
- - infectious
- - - disease NEC B99 *[G63]*
- - - mononucleosis B27.91
- - lack of vitamin NEC E56.9 *[G63]*
- - lead G62.2
- - - sequelae G65.2
- - leprosy A30.9 *[G63]*
- - Lyme disease A69.22
- - metabolic disease NEC E88.9 *[G63]*
- - microscopic polyangiitis M31.7 *[G63]*
- - mumps B26.84
- - neoplastic disease *-see also* Neoplasm D49.9 *[G63]*
- - nutritional deficiency NEC E63.9 *[G63]*
- - organophosphate compounds G62.2
- - - sequelae G65.2
- - parasitic disease NEC B89 *[G63]*
- - pellagra E52 *[G63]*
- - polyarteritis nodosa M30.0
- - porphyria E80.20 *[G63]*
- - radiation G62.82
- - rheumatoid arthritis *-see* Rheumatoid, polyneuropathy
- - sarcoidosis D86.89
- - serum G61.1
- - syphilis (late) A52.15
- - - congenital A50.43
- - systemic
- - - connective tissue disorder M35.9 *[G63]*
- - - lupus erythematosus M32.19
- - toxic agent NEC G62.2
- - - sequelae G65.2
- - transthyretin-related (ATTR) familial amyloid E85.1
- - triorthocresyl phosphate G62.2
- - - sequelae G65.2
- - tuberculosis A17.89
- - uremia N18.9 *[G63]*
- - vitamin B12 deficiency E53.8 *[G63]*
- - - with anemia (pernicious) D51.0 *[G63]*
- - - - due to dietary deficiency D51.3 *[G63]*
- - zoster B02.23
- inflammatory G61.9
- - chronic demyelinating (CIDP) G61.81
- - sequelae G65.1
- - specified NEC G61.89

- lead G62.2
- - sequelae G65.2
- nutritional NEC E63.9 *[G63]*
- postherpetic (zoster) B02.23
- progressive G60.3
- radiation-induced G62.82
- sensory (hereditary) (idiopathic) G60.8
- specified NEC G62.89
- syphilitic (late) A52.15
- - congenital A50.43

Polyopia H53.8

Polyorchism, polyorchidism Q55.21

Polyosteoarthritis *-see also* Osteoarthritis, generalized M15.9-
- post-traumatic M15.3
- specified NEC M15.8

Polyostotic fibrous dysplasia Q78.1

Polyotia Q17.0

Polyp, polypus
- accessory sinus J33.8
- adenocarcinoma in *-see* Neoplasm, malignant, by site
- adenocarcinoma in situ in *-see* Neoplasm, in situ, by site
- adenoid tissue J33.0
- adenomatous *-see also* Neoplasm, benign, by site
- - adenocarcinoma in *-see* Neoplasm, malignant, by site
- - adenocarcinoma in situ in *-see* Neoplasm, in situ, by site
- - carcinoma in *-see* Neoplasm, malignant, by site
- - carcinoma in situ in *-see* Neoplasm, in situ, by site
- - multiple *-see* Neoplasm, benign
- - - adenocarcinoma in *-see* Neoplasm, malignant, by site
- - - adenocarcinoma in situ in *-see* Neoplasm, in situ, by site
- antrum J33.8
- anus, anal (canal) K62.0
- Bartholin's gland N84.3
- bladder D41.4
- carcinoma in *-see* Neoplasm, malignant, by site
- carcinoma in situ in *-see* Neoplasm, in situ, by site
- cecum D12.0
- cervix (uteri) N84.1
- - in pregnancy or childbirth *-see* Pregnancy, complicated by, abnormal, cervix
- - mucous N84.1
- - nonneoplastic N84.1
- choanal J33.0
- cholesterol K82.4
- clitoris N84.3
- colon K63.5
- - adenomatous D12.6
- - - ascending D12.2
- - - cecum D12.0
- - - descending D12.4
- - - sigmoid D12.5
- - - transverse D12.3
- - ascending K63.5
- - cecum K63.5
- - descending K63.5
- - hyperplastic, (any site) K63.5
- - inflammatory K51.40
- - - with
- - - - abscess K51.414
- - - - complication K51.419
- - - - - specified NEC K51.418

- - - - fistula K51.413
- - - - intestinal obstruction K51.412
- - - - rectal bleeding K51.411
- - sigmoid K63.5
- - transverse K63.5
- corpus uteri N84.0
- dental K04.01
- - irreversible K04.02
- - reversible K04.01
- duodenum K31.7
- ear (middle) H74.4-
- endometrium N84.0
- esophageal K22.81
- esophagogastric junction K22.82
- ethmoidal (sinus) J33.8
- fallopian tube N84.8
- female genital tract N84.9
- - specified NEC N84.8
- frontal (sinus) J33.8
- gallbladder K82.4
- gingiva, gum K06.8
- labia, labium (majus) (minus) N84.3
- larynx (mucous) J38.1
- - adenomatous D14.1
- malignant *-see* Neoplasm, malignant, by site
- maxillary (sinus) J33.8
- middle ear *-see* Polyp, ear (middle)
- myometrium N84.0
- nares
- - anterior J33.9
- - posterior J33.0
- nasal (mucous) J33.9
- - cavity J33.0
- - septum J33.0
- nasopharyngeal J33.0
- nose (mucous) J33.9
- oviduct N84.8
- pharynx J39.2
- placenta O90.89
- prostate *-see* Enlargement, enlarged, prostate
- pudenda, pudendum N84.3
- pulpal (dental) K04.01
- - irreversible K04.02
- - reversible K04.01
- rectum (nonadenomatous) K62.1
- - adenomatous *-see* Polyp, adenomatous
- septum (nasal) J33.0
- sinus (accessory) (ethmoidal) (frontal) (maxillary) (sphenoidal) J33.8
- sphenoidal (sinus) J33.8
- stomach K31.7
- - adenomatous D13.1
- tube, fallopian N84.8
- turbinate, mucous membrane J33.8
- umbilical, newborn P83.6
- ureter N28.89
- urethra N36.2
- uterus (body) (corpus) (mucous) N84.0
- - cervix N84.1
- - in pregnancy or childbirth *-see* Pregnancy, complicated by, tumor, uterus
- vagina N84.2

- vocal cord (mucous) J38.1
- vulva N84.3
Polyphagia R63.2
Polyploidy Q92.7
Polypoid -*see* condition
Polyposis -*see also* Polyp
- coli (adenomatous) D12.6
- - adenocarcinoma in C18.9
- - adenocarcinoma in situ in -*see* Neoplasm, in situ, by site
- - carcinoma in C18.9
- colon (adenomatous) D12.6
- familial D12.6
- - adenocarcinoma in situ in -*see* Neoplasm, in situ, by site
- - adenomatous D13.91
- intestinal D12.6
- - adenomatous D13.91
- malignant lymphomatous C83.1-
- multiple, adenomatous -*see also* Neoplasm, benign D36.9
Polyradiculitis -*see* Polyneuropathy
Polyradiculoneuropathy (acute) (postinfective) (segmentally demyelinating) G61.0
Polyserositis
- due to pericarditis I31.1
- pericardial I31.1
- periodic, familial E85.0
- tuberculous A19.9
- - acute A19.1
- - chronic A19.8
Polysplenia syndrome Q89.09
Polysyndactyly -*see also* Syndactylism, syndactyly Q70.4
Polytrichia L68.3
Polyunguia Q84.6
Polyuria R35.89
- nocturnal R35.81
- psychogenic F45.8
- specified NEC R35.89
Pompe's disease (glycogen storage) E74.02
Pompholyx L30.1
Poncet's disease (tuberculous rheumatism) A18.09
Pond fracture -*see* Fracture, skull
Ponos B55.0
Pons, pontine -*see* condition
Poor
- aesthetic of existing restoration of tooth K08.56
- contractions, labor O62.2
- gingival margin to tooth restoration K08.51
- personal hygiene R46.0
- prenatal care, affecting management of pregnancy -*see* Pregnancy, complicated by, insufficient, prenatal care
- sucking reflex (newborn) R29.2
- urinary stream R39.12
- vision NEC H54.7
Poradenitis, nostras inguinalis or venerea A55
Porencephaly (congenital) (developmental) (true) Q04.6
- acquired G93.0
- nondevelopmental G93.0
- traumatic (post) F07.89
Porocephaliasis B88.8
Porokeratosis Q82.8
Poroma, eccrine -*see* Neoplasm, skin, benign
Porphyria (South African) E80.20
- acquired E80.20

- acute intermittent (hepatic) (Swedish) E80.21
- cutanea tarda (hereditary) (symptomatic) E80.1
- due to drugs E80.20
- - correct substance properly administered -*see* Table of Drugs and Chemicals, by drug, adverse effect
- - overdose or wrong substance given or taken -*see* Table of Drugs and Chemicals, by drug, poisoning
- erythropoietic (congenital) (hereditary) E80.0
- hepatocutaneous type E80.1
- secondary E80.20
- toxic NEC E80.20
- variegata E80.20

Porphyrinuria -*see* Porphyria
Porphyruria -*see* Porphyria
Portal -*see* condition
Port wine nevus, mark, or stain Q82.5
Posadas-Wernicke disease B38.9
Positive
- culture (nonspecific)
- - blood R78.81
- - bronchial washings R84.5
- - cerebrospinal fluid R83.5
- - cervix uteri R87.5
- - nasal secretions R84.5
- - nipple discharge R89.5
- - nose R84.5
- - - staphylococcus (Methicillin susceptible) Z22.321
- - - - Methicillin resistant Z22.322
- - peritoneal fluid R85.5
- - pleural fluid R84.5
- - prostatic secretions R86.5
- - saliva R85.5
- - seminal fluid R86.5
- - sputum R84.5
- - synovial fluid R89.5
- - throat scrapings R84.5
- - urine R82.79
- - vagina R87.5
- - vulva R87.5
- - wound secretions R89.5
- PPD (skin test) R76.11
- serology for syphilis A53.0
- - false R76.8
- - with signs or symptoms - code as Syphilis, by site and stage
- skin test, tuberculin (without active tuberculosis) R76.11
- test, human immunodeficiency virus (HIV) R75
- VDRL A53.0
- - with signs or symptoms - code by site and stage under Syphilis A53.9
- Wassermann reaction A53.0

Postcardiotomy syndrome I97.0
Postcaval ureter Q62.62
Postcholecystectomy syndrome K91.5
Postclimacteric bleeding N95.0
Postcommissurotomy syndrome I97.0
Postconcussional syndrome F07.81
Postcontusional syndrome F07.81
Post COVID-19 condition, unspecified U09.9
Postcricoid region -*see* condition
Post-dates (40-42 weeks) (pregnancy) (mother) O48.0
- more than 42 weeks gestation O48.1

Postencephalitic syndrome F07.89
Posterior -*see* condition

Posterolateral sclerosis (spinal cord) -*see* Degeneration, combined
Postexanthematous -*see* condition
Postfebrile -*see* condition
Postgastrectomy dumping syndrome K91.1
Posthemiplegic chorea -*see* Monoplegia
Posthemorrhagic anemia (chronic) D50.0
- acute D62
- newborn P61.3
Postherpetic neuralgia (zoster) B02.29
- trigeminal B02.22
Posthitis N47.7
Postimmunization complication or reaction -*see* Complications, vaccination
Postinfectious -*see* condition
Postlaminectomy syndrome NEC M96.1
Postleukotomy syndrome F07.0
Postmastectomy lymphedema (syndrome) I97.2
Postmaturity, postmature (over 42 weeks)
- maternal (over 42 weeks gestation) O48.1
- newborn P08.22
Postmeasles complication NEC -*see also* condition B05.89
Postmenopausal
- endometrium (atrophic) N95.8
- - suppurative -*see also* Endometritis N71.9
- osteoporosis -*see* Osteoporosis, postmenopausal
Postnasal drip R09.82
- due to
- - allergic rhinitis -*see* Rhinitis, allergic
- - common cold J00
- - gastroesophageal reflux -*see* Reflux, gastroesophageal
- - nasopharyngitis -*see* Nasopharyngitis
- - other know condition - code to condition
- - sinusitis -*see* Sinusitis
Postnatal -*see* condition
Postoperative (postprocedural) -*see also* Complication, postoperative
- pneumothorax, therapeutic Z98.3
- state NEC Z98.890
- visit -*see* Aftercare
- wound check -*see* Aftercare
Postpancreatectomy hyperglycemia E89.1
Postpartum -*see* Puerperal
Postphlebitic syndrome -*see* Syndrome, postthrombotic
Postpoliomyelitic -*see also* condition
- osteopathy -*see* Osteopathy, after poliomyelitis
Postpolio (myelitic) syndrome G14
Postprocedural -*see also* Postoperative
- hypoinsulinemia E89.1
Postschizophrenic depression F32.89
Postsurgery status -*see also* Status (post)
- pneumothorax, therapeutic Z98.3
Post-term (40-42 weeks) (pregnancy) (mother) O48.0
- infant P08.21
- more than 42 weeks gestation (mother) O48.1
Post-traumatic brain syndrome, nonpsychotic F07.81
Post-typhoid abscess A01.09
Postures, hysterical F44.2
Postvaccinal reaction or complication -*see* Complications, vaccination
Postvalvulotomy syndrome I97.0
Potain's
- disease (pulmonary edema) -*see* Edema, lung
- syndrome (gastrectasis with dyspepsia) K31.0

POTS (postural orthostatic tachycardia syndrome) G90.A
Potter's
- asthma J62.8
- facies Q60.6
- lung J62.8
- syndrome (with renal agenesis) Q60.6
Pott's
- curvature (spinal) A18.01
- disease or paraplegia A18.01
- spinal curvature A18.01
- tumor, puffy -*see* Osteomyelitis, specified type NEC
Pouch
- bronchus Q32.4
- Douglas' -*see* condition
- esophagus, esophageal, congenital Q39.6
- - acquired K22.5
- gastric K31.4
- Hartmann's K82.8
- pharynx, pharyngeal (congenital) Q38.7
Pouchitis K91.850
Poultrymen's itch B88.0
Poverty NEC Z59.6
- extreme Z59.5
Poxvirus NEC B08.8
Prader-Willi syndrome Q87.11
Prader-Willi-like syndrome Q87.19
Preauricular appendage or tag Q17.0
Prebetalipoproteinemia (acquired) (essential) (familial) (hereditary) (primary) (secondary) E78.1
- with chylomicronemia E78.3
Precipitate labor or delivery O62.3
Preclimacteric bleeding (menorrhagia) N92.4
Precocious
- adrenarche E30.1
- menarche E30.1
- menstruation E30.1
- pubarche E30.1
- puberty E30.1
- - central E22.8
- sexual development NEC E30.1
- thelarche E30.8
Precocity, sexual (constitutional) (cryptogenic) (female) (idiopathic) (male) E30.1
- with adrenal hyperplasia E25.9
- - congenital E25.0
Precordial pain R07.2
Predeciduous teeth K00.2
Prediabetes, prediabetic R73.03
- complicating
- - pregnancy -*see* Pregnancy, complicated by, diseases of, specified type or system NEC
- - puerperium O99.893
Predislocation status of hip at birth Q65.6
Pre-eclampsia O14.9-
- with pre-existing hypertension -*see* Hypertension, complicating pregnancy, pre-existing, with, pre-eclampsia
- complicating
- - childbirth O14.94
- - puerperium O14.95
- mild O14.0-
- - complicating
- - - childbirth O14.04
- - - puerperium O14.05
- moderate O14.0-

- - complicating
- - - childbirth O14.04
- - - puerperium O14.05
- severe O14.1-
- - with hemolysis, elevated liver enzymes and low platelet count (HELLP) O14.2-
- - - complicating
- - - - childbirth O14.24
- - - - puerperium O14.25
- - complicating
- - - childbirth O14.14
- - - puerperium O14.15

Pre-eruptive color change, teeth, tooth K00.8

Pre-excitation atrioventricular conduction I45.6

Preglaucoma H40.00-

Pregnancy (single) (uterine) -*see also* Delivery and Puerperal Z33.1
- Note: The Tabular must be reviewed for assignment of the appropriate character indicating the trimester of the pregnancy
- Note: The Tabular must be reviewed for assignment of appropriate seventh character for multiple gestation codes in Chapter 15
- abdominal (ectopic) O00.00
- - with intrauterine pregnancy O00.01
- - with viable fetus O36.7-
- ampullar O00.10-
- - with intrauterine pregnancy O00.11-
- biochemical O02.81
- broad ligament O00.80
- - with intrauterine pregnancy O00.81
- cervical O00.80
- - with intrauterine pregnancy O00.81
- chemical O02.81
- complicated NOS O26.9-
- complicated by (care of) (management affected by)
- - abnormal, abnormality
- - - cervix O34.4-
- - - - causing obstructed labor O65.5
- - - cord (umbilical) O69.9
- - - fetal heart rate or rhythm O36.83-
- - - findings on antenatal screening of mother O28.9
- - - - biochemical O28.1
- - - - cytological O28.2
- - - - chromosomal O28.5
- - - - genetic O28.5
- - - - hematological O28.0
- - - - radiological O28.4
- - - - specified NEC O28.8
- - - - ultrasonic O28.3
- - - glucose (tolerance) NEC O99.810
- - - pelvic organs O34.9-
- - - - specified NEC O34.8-
- - - - - causing obstructed labor O65.5
- - - pelvis (bony) (major) NEC O33.0
- - - perineum O34.7-
- - - position
- - - - placenta O44.0-
- - - - - with hemorrhage O44.1-
- - - - uterus O34.59-
- - - uterus O34.59-
- - - - causing obstructed labor O65.5
- - - - congenital O34.0-
- - - vagina O34.6-

- - - - causing obstructed labor O65.5
- - - vulva O34.7-
- - - - causing obstructed labor O65.5
- - abruptio placentae -*see* Abruptio placentae
- - abscess or cellulitis
- - - bladder O23.1-
- - - breast O91.11-
- - - genital organ or tract O23.9-
- - abuse
- - - physical O9A.31-
- - - psychological O9A.51-
- - - sexual O9A.41-
- - adverse effect anesthesia O29.9-
- - - aspiration pneumonitis O29.01-
- - - cardiac arrest O29.11-
- - - cardiac complication NEC O29.19-
- - - cardiac failure O29.12-
- - - central nervous system complication NEC O29.29-
- - - cerebral anoxia O29.21-
- - - failed or difficult intubation O29.6-
- - - inhalation of stomach contents or secretions NOS O29.01-
- - - local, toxic reaction O29.3X
- - - Mendelson's syndrome O29.01-
- - - pressure collapse of lung O29.02-
- - - pulmonary complications NEC O29.09-
- - - specified NEC O29.8X-
- - - spinal and epidural type NEC O29.5X
- - - - induced headache O29.4-
- - albuminuria -*see also* Proteinuria, gestational O12.1-
- - alcohol use O99.31-
- - amnionitis O41.12-
- - anaphylactoid syndrome of pregnancy O88.01-
- - anemia (conditions in D50-D64) (pre-existing) O99.01-
- - - complicating childbirth O99.02
- - - complicating the puerperium O99.03
- - antepartum hemorrhage O46.9-
- - - with coagulation defect -*see* Hemorrhage, antepartum, with coagulation defect
- - - specified NEC O46.8X-
- - appendicitis O99.61-
- - atrophy (yellow) (acute) liver (subacute) O26.61-
- - bariatric surgery status O99.84-
- - bicornis or bicornuate uterus O34.0-
- - biliary tract problems O26.61-
- - breech presentation O32.1
- - cardiovascular diseases (conditions in I00-I09, I20-I52, I70-I99) O99.41-
- - cerebrovascular disorders (conditions in I60-I69) O99.41-
- - cervical shortening O26.87-
- - cervicitis O23.51-
- - cesarean scar defect (isthmocele) O34.22
- - chloasma (gravidarum) O26.89-
- - cholestasis (intrahepatic) O26.64-
- - cholecystitis O99.61-
- - chorioamnionitis O41.12-
- - circulatory system disorder (conditions in I00-I09, I20-I99, O99.41-)
- - compound presentation O32.6
- - conjoined twins O30.02-
- - connective system disorders (conditions in M00-M99) O99.891
- - contracted pelvis (general) O33.1
- - - inlet O33.2
- - - outlet O33.3

- - convulsions (eclamptic) (uremic) -*see also* Eclampsia O15.9-
- - cracked nipple O92.11-
- - cystitis O23.1-
- - cystocele O34.8-
- - death of fetus (near term) O36.4
- - - early pregnancy O02.1
- - - of one fetus or more in multiple gestation O31.2-
- - deciduitis O41.14-
- - decreased fetal movement O36.81-
- - dental problems O99.61-
- - diabetes (mellitus) O24.91-
- - - gestational (pregnancy induced) -*see* Diabetes, gestational
- - - pre-existing O24.31-
- - - - specified NEC O24.81-
- - - - type 1 O24.01-
- - - - type 2 O24.11-
- - digestive system disorders (conditions in K00-K93) O99.61-
- - diseases of -*see* Pregnancy, complicated by, specified body system disease
- - - biliary tract O26.61-
- - - blood NEC (conditions in D65-D77) O99.11-
- - - liver O26.61-
- - - specified NEC O99.891
- - disorders of -*see* Pregnancy, complicated by, specified body system disorder
- - - amniotic fluid and membranes O41.9-
- - - - specified NEC O41.8X-
- - - biliary tract O26.61-
- - - ear and mastoid process (conditions in H60-H95) O99.891
- - - eye and adnexa (conditions in H00-H59) O99.891
- - - liver O26.61-
- - - skin (conditions in L00-L99) O99.71-
- - - specified NEC O99.891
- - displacement, uterus NEC O34.59-
- - - causing obstructed labor O65.5
- - disproportion (due to) O33.9
- - - fetal (ascites) (hydrops) (meningomyelocele) (sacral teratoma) (tumor) deformities NEC O33.7
- - - generally contracted pelvis O33.1
- - - hydrocephalic fetus O33.6
- - - inlet contraction of pelvis O33.2
- - - mixed maternal and fetal origin O33.4
- - - specified NEC O33.8
- - double uterus O34.0-
- - - causing obstructed labor O65.5
- - drug use (conditions in F11-F19) O99.32-
- - eclampsia, eclamptic (coma) (convulsions) (delirium) (nephritis) (uremia) -*see also* Eclampsia O15.-
- - ectopic pregnancy -*see* Pregnancy, ectopic
- - edema O12.0-
- - - with
- - - - gestational hypertension, mild -*see also* Pre-eclampsia O14.0-
- - - - proteinuria O12.2-
- - effusion, amniotic fluid -*see* Pregnancy, complicated by, premature rupture of membranes
- - elderly
- - - multigravida O09.52-
- - - primigravida O09.51-
- - embolism -*see also* Embolism, obstetric, pregnancy O88.-
- - endocrine diseases NEC O99.28-
- - endometritis O86.12
- - excessive weight gain O26.0-
- - exhaustion O26.81-
- - - during labor and delivery O75.81
- - face presentation O32.3

- - failed induction of labor O61.9
- - - instrumental O61.1
- - - mechanical O61.1
- - - medical O61.0
- - - specified NEC O61.8
- - - surgical O61.1
- - failed or difficult intubation for anesthesia O29.6-
- - false labor (pains) O47.9
- - - at or after 37 completed weeks of pregnancy O47.1
- - - before 37 completed weeks of pregnancy O47.0-
- - fatigue O26.81-
- - - during labor and delivery O75.81
- - fatty metamorphosis of liver O26.61-
- - female genital mutilation O34.8- *[N90.81-]*
- - fetal (maternal care for)
- - - abnormality or damage O35.9
- - - - acid-base balance O68
- - - - specified type NEC O35.8
- - - acidemia O68
- - - acidosis O68
- - - agenesis of corpus callosum O35.01
- - - alkalosis O68
- - - anemia and thrombocytopenia O36.82-
- - - anencephaly O35.02
- - - bradycardia O36.83-
- - - cardiac anomalies O35.B
- - - central nervous system malformation or damage O35.00
- - - - specified type NEC O35.09
- - - choroid plexus cysts O35.03
- - - chromosomal abnormality (conditions in Q90-Q99) O35.10
- - - - sex chromosome O35.15
- - - - specified NEC O35.19
- - - - Trisomy 13 O35.11
- - - - Trisomy 18 O35.12
- - - - Trisomy 21 O35.13
- - - - Turner Syndrome O35.14
- - - conjoined twins O30.02-
- - - damage from
- - - - amniocentesis O35.7
- - - - biopsy procedures O35.7
- - - - drug addiction O35.5
- - - - hematological investigation O35.7
- - - - intrauterine contraceptive device O35.7
- - - - maternal
- - - - - alcohol addiction O35.4
- - - - - cytomegalovirus infection O35.3
- - - - - disease NEC O35.8
- - - - - drug addiction O35.5
- - - - - listeriosis O35.8
- - - - - rubella O35.3
- - - - - toxoplasmosis O35.8
- - - - - viral infection O35.3
- - - - medical procedure NEC O35.7
- - - - radiation O35.6
- - - death (near term) O36.4
- - - - early pregnancy O02.1
- - - decreased movement O36.81-
- - - depressed heart rate tones O36.83-
- - - disproportion due to deformity (fetal) O33.7
- - - encephalocele O35.04

- - - excessive growth (large for dates) O36.6-
- - - facial anomalies O35.A
- - - gastrointestinal anomalies O35.D
- - - genitourinary anomalies O35.E
- - - growth retardation O36.59-
- - - - light for dates O36.59-
- - - - small for dates O36.59-
- - - heart rate irregularity (abnormal variability) (bradycardia) (decelerations) (tachycardia) O36.83-
- - - hereditary disease O35.2
- - - holoprosencephaly O35.05
- - - hydrocephalus O35.06
- - - hydrocephaly O35.06
- - - intrauterine death O36.4
- - - microcephaly O35.07
- - - musculoskeletal anomalies
- - - - lower extremities O35.H
- - - - trunk O35.F O35.F
- - - - upper extremities O35.G
- - - non-reassuring heart rate or rhythm O36.83-
- - - poor growth O36.59-
- - - - light for dates O36.59-
- - - - small for dates O36.59-
- - - problem O36.9-
- - - - specified NEC O36.89-
- - - pulmonary anomalies O35.C
- - - reduction (elective) O31.3-
- - - selective termination O31.3-
- - - spina bifida O35.08
- - - thrombocytopenia O36.82-
- - fibroid (tumor) (uterus) O34.1-
- - fissure of nipple O92.11-
- - gallstones O99.61-
- - gastric banding status O99.84-
- - gastric bypass status O99.84-
- - genital herpes (asymptomatic) (history of) (inactive) O98.3-
- - genital tract infection O23.9-
- - glomerular diseases (conditions in N00-N07) O26.83-
- - - with hypertension, pre-existing -*see* Hypertension, complicating, pregnancy, pre-existing, with, renal disease
- - gonorrhea O98.21-
- - grand multiparity O09.4
- - habitual aborter -*see* Pregnancy, complicated by, recurrent pregnancy loss
- - HELLP syndrome (hemolysis, elevated liver enzymes and low platelet count) O14.2-
- - hemorrhage
- - - antepartum -*see* Hemorrhage, antepartum
- - - before 20 completed weeks gestation O20.9
- - - - specified NEC O20.8
- - - due to premature separation, placenta -*see also* Abruptio placentae O45.9-
- - - early O20.9
- - - - specified NEC O20.8
- - - threatened abortion O20.0
- - hemorrhoids O22.4-
- - hepatitis (viral) O98.41-
- - herniation of uterus O34.59-
- - high
- - - head at term O32.4
- - - risk -*see* Supervision (of) (for), high-risk
- - history of in utero procedure during previous pregnancy O09.82-
- - HIV O98.71-
- - human immunodeficiency virus (HIV) disease O98.71-
- - hydatidiform mole -*see also* Mole, hydatidiform O01.9-

- - hydramnios O40.-
- - hydrocephalic fetus (disproportion) O33.6
- - hydrops
- - - amnii O40.-
- - - fetalis O36.2-
- - - - associated with isoimmunization -*see also* Pregnancy, complicated by, isoimmunization O36.11-
- - hydrorrhea O42.90
- - hyperemesis (gravidarum) (mild) -*see also* Hyperemesis, gravidarum O21.0-
- - hypertension -*see* Hypertension, complicating pregnancy
- - hypertensive
- - - heart and renal disease, pre-existing -*see* Hypertension, complicating, pregnancy, pre-existing, with, heart disease, with renal disease
- - - heart disease, pre-existing -*see* Hypertension, complicating, pregnancy, pre-existing, with, heart disease
- - - renal disease, pre-existing -*see* Hypertension, complicating, pregnancy, pre-existing, with, renal disease
- - hypotension O26.5-
- - immune disorders NEC (conditions in D80-D89) O99.11-
- - incarceration, uterus O34.51-
- - incompetent cervix O34.3-
- - inconclusive fetal viability O36.80
- - infection(s) O98.91-
- - - amniotic fluid or sac O41.10-
- - - bladder O23.1-
- - - carrier state NEC O99.830
- - - - streptococcus B O99.820
- - - genital organ or tract O23.9-
- - - - specified NEC O23.59-
- - - genitourinary tract O23.9-
- - - gonorrhea O98.21-
- - - hepatitis (viral) O98.41-
- - - HIV O98.71-
- - - human immunodeficiency virus (HIV) O98.71-
- - - intrauterine O41.12
- - - kidney O23.0-
- - - nipple O91.01-
- - - parasitic disease O98.91-
- - - - specified NEC O98.81-
- - - protozoal disease O98.61-
- - - sexually transmitted NEC O98.31-
- - - specified type NEC O98.81-
- - - syphilis O98.11-
- - - tuberculosis O98.01-
- - - urethra O23.2-
- - - urinary (tract) O23.4-
- - - - specified NEC O23.3-
- - - viral disease O98.51-
- - inflammation
- - - intrauterine O41.12
- - injury or poisoning (conditions in S00-T88) O9A.21-
- - - due to abuse
- - - - physical O9A.31-
- - - - psychological O9A.51-
- - - - sexual O9A.41-
- - insufficient
- - - prenatal care O09.3-
- - - weight gain O26.1-
- - insulin resistance O26.89
- - intrauterine fetal death (near term) O36.4
- - - early pregnancy O02.1
- - - multiple gestation (one fetus or more) O31.2-
- - isoimmunization O36.11-

- - - anti-A sensitization O36.11-
- - - anti-B sensitization O36.19-
- - - Rh O36.09-
- - - - anti-D antibody O36.01-
- - - specified NEC O36.19-
- - laceration of uterus NEC O71.81
- - malformation
- - - central nervous system O35.00
- - - - specified type NEC O35.09
- - - placenta, placental (vessel) O43.10-
- - - - specified NEC O43.19-
- - - uterus (congenital) O34.0-
- - malnutrition (conditions in E40-E46) O25.1-
- - maternal hypotension syndrome O26.5-
- - mental disorders (conditions in F01-F09, F20-F52 and F54-F99) O99.34-
- - - alcohol use O99.31-
- - - drug use O99.32-
- - - smoking O99.33-
- - mentum presentation O32.3
- - metabolic disorders O99.28-
- - missed
- - - abortion O02.1
- - - delivery O36.4
- - multiple gestations O30.9-
- - - conjoined twins O30.02-
- - - specified number of multiples NEC -*see* Pregnancy, multiple (gestation), specified NEC
- - - quadruplet -*see* Pregnancy, quadruplet
- - - specified complication NEC O31.8X-
- - - triplet -*see* Pregnancy, triplet
- - - twin -*see* Pregnancy, twin
- - musculoskeletal condition (conditions is M00-M99) O99.891
- - necrosis, liver (conditions in K72) O26.61-
- - neoplasm
- - - benign
- - - - cervix O34.4-
- - - - corpus uteri O34.1-
- - - - uterus O34.1-
- - - malignant O9A.11-
- - nephropathy NEC O26.83-
- - nervous system condition (conditions in G00-G99) O99.35-
- - nutritional diseases NEC O99.28-
- - obesity (pre-existing) O99.21-
- - obesity surgery status O99.84-
- - oblique lie or presentation O32.2
- - older mother -*see* Pregnancy, complicated by, elderly
- - oligohydramnios O41.0-
- - - with premature rupture of membranes -*see also* Pregnancy, complicated by, premature rupture of membranes O42.-
- - onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean section O75.82
- - oophoritis O23.52-
- - overdose, drug -*see also* Table of Drugs and Chemicals, by drug, poisoning O9A.21-
- - oversize fetus O33.5
- - papyraceous fetus O31.0-
- - pelvic inflammatory disease O99.891
- - periodontal disease O99.61-
- - peripheral neuritis O26.82-
- - peritoneal (pelvic) adhesions O99.891
- - phlebitis O22.9-
- - phlebopathy O22.9-
- - phlebothrombosis (superficial) O22.2-

- - - deep O22.3-
- - placenta accreta O43.21-
- - placenta increta O43.22-
- - placenta percreta O43.23-
- - placenta previa O44.0-
- - - complete O44.0-
- - - - with hemorrhage O44.1-
- - - marginal O44.2-
- - - - with hemorrhage O44.3-
- - - partial O44.2-
- - - - with hemorrhage O44.3-
- - placental disorder O43.9-
- - - specified NEC O43.89-
- - placental dysfunction O43.89-
- - placental infarction O43.81-
- - placental insufficiency O36.51-
- - placental transfusion syndromes
- - - fetomaternal O43.01-
- - - fetus to fetus O43.02-
- - - maternofetal O43.01-
- - placentitis O41.14-
- - pneumonia O99.51-
- - poisoning -*see also* Table of Drugs and Chemicals O9A.21-
- - polyhydramnios O40-
- - polymorphic eruption of pregnancy O26.86
- - poor obstetric history NEC O09.29-
- - postmaturity (post-term) (40 to 42 weeks) O48.0
- - - more than 42 completed weeks gestation (prolonged) O48.1
- - pre-eclampsia O14.9-
- - - mild O14.0-
- - - moderate O14.0-
- - - severe O14.1-
- - - - with hemolysis, elevated liver enzymes and low platelet count (HELLP) O14.2-
- - premature labor -*see* Pregnancy, complicated by, preterm labor
- - premature rupture of membranes O42.90
- - - full-term, unspecified as to length of time between rupture and onset of labor O42.92
- - - with onset of labor
- - - - within 24 hours O42.00
- - - - - at or after 37 weeks gestation, onset of labor within 24 hours of rupture O42.02
- - - - - pre-term (before 37 completed weeks of gestation) O42.01-
- - - - after 24 hours O42.10
- - - - - at or after 37 weeks gestation, onset of labor more than 24 hours following rupture O42.12
- - - - - pre-term (before 37 completed weeks of gestation) O42.11-
- - - at or after 37 weeks gestation, unspecified as to length of time between rupture and onset of labor O42.92
- - - pre-term (before 37 completed weeks of gestation) O42.91-
- - premature separation of placenta -*see also* Abruptio placentae O45.9-
- - presentation, fetal -*see* Delivery, complicated by, malposition
- - preterm delivery O60.10
- - preterm labor
- - - with delivery O60.10
- - - - preterm O60.10
- - - - term O60.20
- - - second trimester
- - - - with term delivery O60.22
- - - - without delivery O60.02
- - - - with preterm delivery
- - - - - second trimester O60.12
- - - - - third trimester O60.13
- - - third trimester
- - - - with term delivery O60.23

- - - - without delivery O60.03
- - - - with third trimester preterm delivery O60.14
- - - without delivery O60.00
- - - - second trimester O60.02
- - - - third trimester O60.03
- - previous history of -*see* Pregnancy, supervision of, high-risk
- - prolapse, uterus O34.52-
- - proteinuria (gestational) -*see also* Proteinuria, gestational O12.1-
- - - with edema O12.2-
- - pruritic urticarial papules and plaques of pregnancy (PUPPP) O26.86
- - pruritus (neurogenic) O26.89-
- - psychosis or psychoneurosis (puerperal) F53.1
- - ptyalism O26.89-
- - PUPPP (pruritic urticarial papules and plaques of pregnancy) O26.86
- - pyelitis O23.0-
- - recurrent pregnancy loss O26.2-
- - renal disease or failure NEC O26.83-
- - - with secondary hypertension, pre-existing -*see* Hypertension, complicating, pregnancy, pre-existing, secondary
- - - hypertensive, pre-existing -*see* Hypertension, complicating, pregnancy, pre-existing, with, renal disease
- - respiratory condition (conditions in J00-J99) O99.51-
- - retained, retention
- - - dead ovum O02.0
- - - intrauterine contraceptive device O26.3-
- - retroversion, uterus O34.53-
- - Rh immunization, incompatibility or sensitization NEC O36.09-
- - - anti-D antibody O36.01-
- - rupture
- - - amnion (premature) -*see also* Pregnancy, complicated by, premature rupture of membranes O42-
- - - membranes (premature) -*see also* Pregnancy, complicated by, premature rupture of membranes O42-
- - - uterus (during labor) O71.1
- - - - before onset of labor O71.0-
- - salivation (excessive) O26.89-
- - salpingitis O23.52-
- - salpingo-oophoritis O23.52-
- - sepsis (conditions in A40, A41) O98.81-
- - size date discrepancy (uterine) O26.84-
- - skin condition (conditions in L00-L99) O99.71-
- - smoking (tobacco) O99.33-
- - social problem O09.7-
- - specified condition NEC O26.89-
- - spotting O26.85-
- - streptococcus group B (GBS) carrier state O99.820
- - subluxation of symphysis (pubis) O26.71-
- - syphilis (conditions in A50-A53) O98.11-
- - threatened
- - - abortion O20.0
- - - labor O47.9
- - - - at or after 37 completed weeks of gestation O47.1
- - - - before 37 completed weeks of gestation O47.0-
- - thrombophlebitis (superficial) O22.2-
- - thrombosis O22.9-
- - - cerebral venous O22.5-
- - - cerebrovenous sinus O22.5-
- - - deep O22.3-
- - tobacco use disorder (smoking) O99.33-
- - torsion of uterus O34.59-
- - toxemia O14.9-
- - transverse lie or presentation O32.2
- - tuberculosis (conditions in A15-A19) O98.01-
- - tumor (benign)

- - - cervix O34.4-
- - - malignant O9A.11-
- - - uterus O34.1-
- - unstable lie O32.0
- - upper respiratory infection O99.51-
- - urethritis O23.2-
- - uterine size date discrepancy O26.84-
- - vaginitis or vulvitis O23.59-
- - varicose veins (lower extremities) O22.0-
- - - genitals O22.1-
- - - legs O22.0-
- - - perineal O22.1-
- - - vaginal or vulval O22.1-
- - venereal disease NEC (conditions in A63.8) O98.31-
- - venous disorders O22.9-
- - - specified NEC O22.8X-
- - viral diseases (conditions in A80-B09, B25-B34) O98.51-
- - very young mother -*see* Pregnancy, complicated by, young mother
- - vomiting O21.9
- - - due to diseases classified elsewhere O21.8
- - - hyperemesis gravidarum (mild) -*see also* Hyperemesis, gravidarum O21.0-
- - - late (occurring after 20 weeks of gestation) O21.2
- - young mother
- - - multigravida O09.62-
- - - primigravida O09.61-
- concealed O09.3-
- continuing following
- - elective fetal reduction of one or more fetus O31.3-
- - intrauterine death of one or more fetus O31.2-
- - spontaneous abortion of one or more fetus O31.1-
- cornual O00.80
- - with intrauterine pregnancy O00.81
- ectopic (ruptured) O00.90
- - with intrauterine pregnancy O00.91
- - abdominal O00.00
- - - with
- - - - intrauterine pregnancy O00.01
- - - - viable fetus O36.7-
- - cervical O00.80
- - - with intrauterine pregnancy O00.81
- - complicated (by) O08.9
- - - afibrinogenemia O08.1
- - - cardiac arrest O08.81
- - - chemical damage of pelvic organ(s) O08.6
- - - circulatory collapse O08.3
- - - defibrination syndrome O08.1
- - - electrolyte imbalance O08.5
- - - embolism (amniotic fluid) (blood clot) (pulmonary) (septic) O08.2
- - - endometritis O08.0
- - - genital tract and pelvic infection O08.0
- - - hemorrhage (delayed) (excessive) O08.1
- - - infection
- - - - genital tract or pelvic O08.0
- - - - kidney 008.83
- - - - urinary tract O08.83
- - - intravascular coagulation O08.1
- - - laceration of pelvic organ(s) O08.6
- - - metabolic disorder O08.5
- - - oliguria O08.4
- - - oophoritis O08.0

- - - parametritis O08.0
- - - pelvic peritonitis O08.0
- - - perforation of pelvic organ(s) O08.6
- - - renal failure or shutdown O08.4
- - - salpingitis or salpingo-oophoritis O08.0
- - - sepsis O08.82
- - - shock O08.83
- - - - septic O08.82
- - - specified condition NEC O08.89
- - - tubular necrosis (renal) O08.4
- - - uremia O08.4
- - - urinary infection O08.83
- - - venous complication NEC O08.7
- - - - embolism O08.2
- - cornual O00.80
- - - with intrauterine pregnancy O00.81
- - intraligamentous O00.80
- - - with intrauterine pregnancy O00.81
- - mural O00.80
- - - with intrauterine pregnancy O00.81
- - ovarian O00.20-
- - - with intrauterine pregnancy O00.21-
- - specified site NEC O00.80
- - - with intrauterine pregnancy O00.81
- - tubal (ruptured) O00.10-
- - - with intrauterine pregnancy O00.11-
- examination (normal) Z34.9-
- - high-risk -*see* Pregnancy, supervision of, high-risk
- - first Z34.0-
- - specified Z34.8-
- extrauterine -*see* Pregnancy, ectopic
- fallopian O00.10-
- - with intrauterine pregnancy O00.11-
- false F45.8
- gestational carrier Z33.3
- heptachorionic, hepta-amniotic (septuplets) O30.83-
- hexachorionic, hexa-amniotic (sextuplets) O30.83-
- hidden O09.3-
- high-risk -*see* Pregnancy, supervision of, high-risk
- incidental finding Z33.1
- interstitial O00.80
- - with intrauterine pregnancy O00.81
- intraligamentous O00.80
- - with intrauterine pregnancy O00.81
- intramural O00.80
- - with intrauterine pregnancy O00.81
- intraperitoneal O00.00
- - with intrauterine pregnancy O00.01
- isthmian O00.10-
- - with intrauterine pregnancy O00.11-
- mesometric (mural) O00.80
- - with intrauterine pregnancy O00.81
- molar NEC O02.0
- - complicated (by) O08.9
- - - afibrinogenemia O08.1
- - - cardiac arrest O08.81
- - - chemical damage of pelvic organ(s) O08.6
- - - circulatory collapse O08.3
- - - defibrination syndrome O08.1
- - - electrolyte imbalance O08.5

- - - embolism (amniotic fluid) (blood clot) (pulmonary) (septic) O08.2
- - - endometritis O08.0
- - - genital tract and pelvic infection O08.0
- - - hemorrhage (delayed) (excessive) O08.1
- - - infection
- - - - genital tract or pelvic O08.0
- - - - kidney O08.83
- - - - urinary tract O08.83
- - - intravascular coagulation O08.1
- - - laceration of pelvic organ(s) O08.6
- - - metabolic disorder O08.5
- - - oliguria O08.4
- - - oophoritis O08.0
- - - parametritis O08.0
- - - pelvic peritonitis O08.0
- - - perforation of pelvic organ(s) O08.6
- - - renal failure or shutdown O08.4
- - - salpingitis or salpingo-oophoritis O08.0
- - - sepsis O08.82
- - - shock O08.3
- - - - septic O08.82
- - - specified condition NEC O08.89
- - - tubular necrosis (renal) O08.4
- - - uremia O08.4
- - - urinary infection O08.83
- - - venous complication NEC O08.7
- - - - embolism O08.2
- - hydatidiform -*see also* Mole, hydatidiform O01.9-
- multiple (gestation) O30.9-
- - greater than quadruplets -*see* Pregnancy, multiple (gestation), specified NEC
- - specified NEC O30.80-
- - - with
- - - - two or more monoamniotic fetuses O30.82-
- - - - two or more monochorionic fetuses O30.81-
- - - number of chorions and amnions are both equal to the number of fetuses O30.83-
- - - two or more monoamniotic fetuses O30.82-
- - - two or more monochorionic fetuses O30.81-
- - - unable to determine number of placenta and number of amniotic sacs O30.89-
- - - unspecified number of placenta and unspecified number of amniotic sacs O30.80-
- mural O00.80
- - with intrauterine pregnancy O00.81
- normal (supervision of) Z34.9-
- - high-risk -*see* Pregnancy, supervision of, high-risk
- - first Z34.0-
- - specified Z34.8-
- ovarian O00.20-
- - with intrauterine pregnancy O00.21-
- pentachorionic, penta-amniotic (quintuplets) O30.83-
- postmature (40 to 42 weeks) O48.0
- - more than 42 weeks gestation O48.1
- post-term (40 to 42 weeks) O48.0
- prenatal care only Z34.9-
- - high-risk -*see* Pregnancy, supervision of, high-risk
- - first Z34.0-
- - specified Z34.8-
- prolonged (more than 42 weeks gestation) O48.1
- quadruplet O30.20-
- - with
- - - two or more monoamniotic fetuses O30.22-
- - - two or more monochorionic fetuses O30.21-

- - quadrachorionic/quadra-amniotic O30.23-
- - two or more monoamniotic fetuses O30.22-
- - two or more monochorionic fetuses O30.21-
- - unable to determine number of placenta and number of amniotic sacs O30.29-
- - unspecified number of placenta and unspecified number of amniotic sacs O30.20-
- quintuplet -*see* Pregnancy, multiple (gestation), specified NEC
- sextuplet -*see* Pregnancy, multiple (gestation), specified NEC
- supervision of
- - concealed pregnancy O09.3-
- - elderly mother
- - - multigravida O09.52-
- - - primigravida O09.51-
- - hidden pregnancy O09.3-
- - high-risk O09.9-
- - - due to (history of)
- - - - ectopic pregnancy O09.1-
- - - - elderly -*see* Pregnancy, supervision, elderly mother
- - - - grand multiparity O09.4
- - - - infertility O09.0-
- - - - insufficient prenatal care O09.3-
- - - - in utero procedure during previous pregnancy O09.82-
- - - - in vitro fertilization O09.81-
- - - - molar pregnancy O09.A-
- - - - multiple previous pregnancies O09.4-
- - - - older mother -*see* Pregnancy, supervision of, elderly mother
- - - - poor reproductive or obstetric history NEC O09.29-
- - - - pre-term labor O09.21-
- - - - previous
- - - - - neonatal death O09.29-
- - - - social problems O09.7-
- - - - specified NEC O09.89-
- - - - very young mother -*see* Pregnancy, supervision, young mother
- - - resulting from in vitro fertilization O09.81-
- - normal Z34.9-
- - - first Z34.0-
- - - specified NEC Z34.8-
- - young mother
- - - multigravida O09.62-
- - - primigravida O09.61-
- triplet O30.10-
- - with
- - - two or more monoamniotic fetuses O30.12-
- - - two or more monochorionic fetuses O30.11-
- - trichorionic/triamniotic O30.13-
- - two or more monoamniotic fetuses O30.12-
- - two or more monochorionic fetuses O30.11-
- - unable to determine number of placenta and number of amniotic sacs O30.19-
- - unspecified number of placenta and unspecified number of amniotic sacs O30.10-
- tubal (with abortion) (with rupture) O00.10-
- - with intrauterine pregnancy O00.11-
- twin O30.00-
- - conjoined O30.02-
- - dichorionic/diamniotic (two placenta, two amniotic sacs) O30.04-
- - monochorionic/diamniotic (one placenta, two amniotic sacs) O30.03-
- - monochorionic/monoamniotic (one placenta, one amniotic sac) O30.01-
- - unable to determine number of placenta and number of amniotic sacs O30.09-
- - unspecified number of placenta and unspecified number of amniotic sacs O30.00-
- unwanted Z64.0
- weeks of gestation
- - 8 weeks Z3A.08

- - 9 weeks Z3A.09
- - 10 weeks Z3A.10
- - 11 weeks Z3A.11
- - 12 weeks Z3A.12
- - 13 weeks Z3A.13
- - 14 weeks Z3A.14
- - 15 weeks Z3A.15
- - 16 weeks Z3A.16
- - 17 weeks Z3A.17
- - 18 weeks Z3A.18
- - 19 weeks Z3A.19
- - 20 weeks Z3A.20
- - 21 weeks Z3A.21
- - 22 weeks Z3A.22
- - 23 weeks Z3A.23
- - 24 weeks Z3A.24
- - 25 weeks Z3A.25
- - 26 weeks Z3A.26
- - 27 weeks Z3A.27
- - 28 weeks Z3A.28
- - 29 weeks Z3A.29
- - 30 weeks Z3A.30
- - 31 weeks Z3A.31
- - 32 weeks Z3A.32
- - 33 weeks Z3A.33
- - 34 weeks Z3A.34
- - 35 weeks Z3A.35
- - 36 weeks Z3A.36
- - 37 weeks Z3A.37
- - 38 weeks Z3A.38
- - 39 weeks Z3A.39
- - 40 weeks Z3A.40
- - 41 weeks Z3A.41
- - 42 weeks Z3A.42
- - greater than 42 weeks Z3A.49
- - less than 8 weeks Z3A.01
- - not specified Z3A.00

Preiser's disease *-see* Osteonecrosis, secondary, due to, trauma, metacarpus

Pre-kwashiorkor *-see* Malnutrition, severe

Preleukemia (syndrome) D46.9

Preluxation, hip, congenital Q65.6

Premature *-see also* condition
- adrenarche E27.0
- aging E34.8
- beats I49.40
- - atrial I49.1
- - auricular I49.1
- - supraventricular I49.1
- birth NEC *-see* Preterm, newborn
- closure, foramen ovale Q21.8
- contraction
- - atrial I49.1
- - atrioventricular I49.2
- - auricular I49.1
- - auriculoventricular I49.49
- - heart (extrasystole) I49.49
- - junctional I49.2
- - ventricular I49.3
- delivery *-see also* Pregnancy, complicated by, preterm labor O60.10
- ejaculation F52.4

- infant NEC -*see* Preterm, newborn
- - light-for-dates -*see* Light for dates
- labor -*see* Pregnancy, complicated by, preterm labor
- lungs P28.0
- menopause E28.319
- - asymptomatic E28.319
- - symptomatic E28.310
- newborn
- - extreme (less than 28 completed weeks) -*see* Immaturity, extreme
- - less than 37 completed weeks -*see* Preterm, newborn
- puberty E30.1
- rupture membranes or amnion -*see* Pregnancy, complicated by, premature rupture of membranes
- senility E34.8
- thelarche E30.8
- ventricular systole I49.3

Prematurity NEC (less than 37 completed weeks) -*see* Preterm, newborn
- extreme (less than 28 completed weeks) -*see* Immaturity, extreme

Premenstrual
- dysphoric disorder (PMDD) F32.81
- tension (syndrome) N94.3

Premolarization, cuspids K00.2

Prenatal
- care, normal pregnancy -*see* Pregnancy, normal
- screening of mother -*see also* Encounter, antenatal screening Z36.9
- teeth K00.6

Preparatory care for subsequent treatment NEC
- for dialysis Z49.01
- - peritoneal Z49.02

Prepartum -*see* condition

Preponderance, left or right ventricular I51.7

Prepuce -*see* condition

PRES (posterior reversible encephalopathy syndrome) I67.83

Presbycardia R54

Presbycusis, presbyacusia H91.1-

Presbyesophagus K22.89

Presbyophrenia F03

Presbyopia H52.4

Prescription of contraceptives (initial) Z30.019
- barrier Z30.018
- diaphragm Z30.018
- emergency (postcoital) Z30.012
- implantable subdermal Z30.017
- injectable Z30.013
- intrauterine contraceptive device Z30.014
- pills Z30.011
- postcoital (emergency) Z30.012
- repeat Z30.40
- - barrier Z30.49
- - diaphragm Z30.49
- - implantable subdermal Z30.46
- - injectable Z30.42
- - pills Z30.41
- - specified type NEC Z30.49
- - transdermal patch hormonal Z30.45
- - vaginal ring hormonal Z30.44
- specified type NEC Z30.018
- - transdermal patch hormonal Z30.016
- - vaginal ring hormonal Z30.015

Presence (of)
- ankle-joint implant (functional) (prosthesis) Z96.66-

- aortocoronary (bypass) graft Z95.1
- arterial-venous shunt (dialysis) Z99.2
- artificial
- - eye (globe) Z97.0
- - heart (fully implantable) (mechanical) Z95.812
- - - valve Z95.2
- - larynx Z96.3
- - lens (intraocular) Z96.1
- - limb (complete) (partial) Z97.1-
- - - arm Z97.1-
- - - - bilateral Z97.15
- - - leg Z97.1-
- - - - bilateral Z97.16
- audiological implant (functional) Z96.29
- bladder implant (functional) Z96.0
- bone
- - conduction hearing device Z96.29
- - implant (functional) NEC Z96.7
- - joint (prosthesis) -*see* Presence, joint implant
- cardiac
- - defibrillator (functional) (with synchronous cardiac pacemaker) Z95.810
- - implant or graft Z95.9
- - - specified type NEC Z95.818
- - pacemaker Z95.0
- - resynchronization therapy
- - - defibrillator Z95.810
- - - pacemaker Z95.0
- cerebrospinal fluid drainage device Z98.2
- cochlear implant (functional) Z96.21
- contact lens (es) Z97.3
- coronary artery graft or prosthesis Z95.5
- CRT-D (cardiac resynchronization therapy defibrillator) Z95.810
- CRT-P (cardiac resynchronization therapy pacemaker) Z95.0
- cardioverter-defibrillator (ICD) Z95.810
- CSF shunt Z98.2
- dental prosthesis device Z97.2
- dentures Z97.2
- device (external) NEC Z97.8
- - cardiac NEC Z95.818
- - heart assist Z95.811
- - implanted (functional) Z96.9
- - - specified NEC Z96.89
- - prosthetic Z97.8
- ear implant Z96.20
- - cochlear implant Z96.21
- - myringotomy tube Z96.22
- - specified type NEC Z96.29
- elbow-joint implant (functional) (prosthesis) Z96.62-
- endocrine implant (functional) NEC Z96.49
- eustachian tube stent or device (functional) Z96.29
- external hearing-aid or device Z97.4
- finger-joint implant (functional) (prosthetic) Z96.69-
- functional implant Z96.9
- - specified NEC Z96.89
- graft
- - cardiac NEC Z95.818
- - vascular NEC Z95.828
- hearing-aid or device (external) Z97.4
- - implant (bone) (cochlear) (functional) Z96.21
- heart assist device Z95.811

- heart valve implant (functional) Z95.2
- - prosthetic Z95.2
- - specified type NEC Z95.4
- - xenogenic Z95.3
- hip-joint implant (functional) (prosthesis) Z96.64-
- ICD (cardioverter-defibrillator) Z95.810
- implanted device (artificial) (functional) (prosthetic) Z96.9
- - automatic cardiac defibrillator (with synchronous cardiac pacemaker) Z95.810
- - cardiac pacemaker Z95.0
- - cochlear Z96.21
- - dental Z96.5
- - heart Z95.812
- - heart valve Z95.2
- - - prosthetic Z95.2
- - - specified NEC Z95.4
- - - xenogenic Z95.3
- - insulin pump Z96.41
- - intraocular lens Z96.1
- - joint Z96.60
- - - ankle Z96.66-
- - - elbow Z96.62-
- - - finger Z96.69-
- - - hip Z96.64-
- - - knee Z96.65-
- - - shoulder Z96.61-
- - - specified NEC Z96.698
- - - wrist Z96.63-
- - larynx Z96.3
- - myringotomy tube Z96.22
- - otological Z96.20
- - - cochlear Z96.21
- - - eustachian stent Z96.29
- - - myringotomy Z96.22
- - - specified NEC Z96.29
- - - stapes Z96.29
- - skin Z96.81
- - skull plate Z96.7
- - specified NEC Z96.89
- - urogenital Z96.0
- insulin pump (functional) Z96.41
- intestinal bypass or anastomosis Z98.0
- intraocular lens (functional) Z96.1
- intrauterine contraceptive device (IUD) Z97.5
- intravascular implant (functional) (prosthetic) NEC Z95.9
- - coronary artery Z95.5
- - defibrillator (with synchronous cardiac pacemaker) Z95.810
- - peripheral vessel (with angioplasty) Z95.820
- joint implant (prosthetic) (any) Z96.60
- - ankle *-see* Presence, ankle joint implant
- - elbow *-see* Presence, elbow joint implant
- - finger *-see* Presence, finger joint implant
- - hip *-see* Presence, hip joint implant
- - knee *-see* Presence, knee joint implant
- - shoulder *-see* Presence, shoulder joint implant
- - specified joint NEC Z96.698
- - wrist *-see* Presence, wrist joint implant
- knee-joint implant (functional) (prosthesis) Z96.65-
- laryngeal implant (functional) Z96.3
- mandibular implant (dental) Z96.5
- myringotomy tube(s) Z96.22

- neurostimulator (brain) (gastric) (peripheral nerve) (sacral nerve) (spinal cord) (vagus nerve) Z96.82
- orthopedic-joint implant (prosthetic) (any) *-see* Presence, joint implant
- otological implant (functional) Z96.29
- shoulder-joint implant (functional) (prosthesis) Z96.61-
- skull-plate implant Z96.7
- spectacles Z97.3
- stapes implant (functional) Z96.29
- systemic lupus erythematosus [SLE] inhibitor D68.62
- tendon implant (functional) (graft) Z96.7
- tooth root(s) implant Z96.5
- ureteral stent Z96.0
- urethral stent Z96.0
- urogenital implant (functional) Z96.0
- vascular implant or device Z95.9
- - access port device Z95.828
- - specified type NEC Z95.828
- wrist-joint implant (functional) (prosthesis) Z96.63-

Presenile *-see also* condition
- dementia F03
- premature aging E34.8

Presentation, fetal *-see* Delivery , complicated by, malposition

Prespondylolisthesis (congenital) Q76.2

Pressure
- area, skin *-see* Ulcer, pressure, by site
- brachial plexus G54.0
- brain G93.5
- - injury at birth NEC P11.1
- cerebral *-see* Pressure, brain
- chest R07.89
- cone, tentorial G93.5
- hyposystolic *-see also* Hypotension
- - incidental reading, without diagnosis of hypotension R03.1
- increased
- - intracranial benign, G93.2
- - - injury at birth P11.0
- - intraocular H40.05-
- injury *-see* Ulcer, pressure, by site
- lumbosacral plexus G54.1
- mediastinum J98.59
- necrosis (chronic) *-see* Ulcer, pressure, by site
- parental, inappropriate (excessive) Z62.6
- sore (chronic) *-see* Ulcer, pressure, by site
- spinal cord G95.20
- ulcer (chronic) *-see* Ulcer, pressure, by site
- venous, increased I87.8

Pre-syncope R55

Preterm
- delivery *-see also* Pregnancy, complicated by, preterm labor O60.10
- labor *-see* Pregnancy, complicated by, preterm labor
- newborn (infant) P07.30
- - gestational age
- - - 28 completed weeks (28 weeks, 0 days through 28 weeks, 6 days) P07.31
- - - 29 completed weeks (29 weeks, 0 days through 29 weeks, 6 days) P07.32
- - - 30 completed weeks (30 weeks, 0 days through 30 weeks, 6 days) P07.33
- - - 31 completed weeks (31 weeks, 0 days through 31 weeks, 6 days) P07.34
- - - 32 completed weeks (32 weeks, 0 days through 32 weeks, 6 days) P07.35
- - - 33 completed weeks (33 weeks, 0 days through 33 weeks, 6 days) P07.36
- - - 34 completed weeks (34 weeks, 0 days through 34 weeks, 6 days) P07.37
- - - 35 completed weeks (35 weeks, 0 days through 35 weeks, 6 days) P07.38
- - - 36 completed weeks (36 weeks, 0 days through 36 weeks, 6 days) P07.39

Previa
- placenta (total) (without hemorrhage) O44.0-
- - with hemorrhage O44.1-
- - complete O44.0-
- - - with hemorrhage O44.1-
- - low -*see also* Delivery, complicated, by, placenta, low O44.4-
- - - with hemorrhage O44.5-
- - marginal O44.2-
- - - with hemorrhage O44.3-
- - partial O44.2-
- - - with hemorrhage O44.3-
- vasa O69.4

Priapism N48.30
- due to
- - disease classified elsewhere N48.32
- - drug N48.33
- - specified cause NEC N48.39
- - trauma N48.31

Prickling sensation (skin) R20.2
Prickly heat L74.0
Primary -*see* condition
Primigravida
- elderly, affecting management of pregnancy, labor and delivery (supervision only) -*see* Pregnancy, complicated by, elderly, primigravida
- older, affecting management of pregnancy, labor and delivery (supervision only) -*see* Pregnancy, complicated by, elderly, primigravida
- very young, affecting management of pregnancy, labor and delivery (supervision only) -*see* Pregnancy, complicated by, young mother, primigravida

Primipara
- elderly, affecting management of pregnancy, labor and delivery (supervision only) -*see* Pregnancy, complicated by, elderly, primigravida
- older, affecting management of pregnancy, labor and delivery (supervision only) -*see* Pregnancy, complicated by, elderly, primigravida
- very young, affecting management of pregnancy, labor and delivery (supervision only) -*see* Pregnancy, complicated by, young mother, primigravida

Primus varus Q66.21-
PRIND (Prolonged reversible ischemic neurologic deficit) I63.9
Pringle's disease (tuberous sclerosis) Q85.1
Prinzmetal angina I20.1
Prizefighter ear -*see* Cauliflower ear
Problem (with) (related to)
- academic Z55.8
- acculturation Z60.3
- adjustment (to)
- - change of job Z56.1
- - life-cycle transition Z60.0
- - pension Z60.0
- - retirement Z60.0
- adopted child Z62.821
- alcoholism in family Z63.72
- atypical parenting situation Z62.9
- bankruptcy Z59.89
- behavioral (adult) F69
- - drug seeking Z76.5
- birth of sibling affecting child Z62.898
- care (of)
- - provider dependency Z74.9
- - - specified NEC Z74.8
- - sick or handicapped person in family or household Z63.6
- child

- - abuse (affecting the child) -*see* Maltreatment, child
- - custody or support proceedings Z65.3
- - in
- - - care of non-parental family member Z62.23
- - - custody of
- - - - grandparent Z62.23
- - - - non-parental relative Z62.23
- - - - non-relative guardian Z62.24
- - - foster care Z62.21
- - - kinship care Z62.23
- - - welfare
- - - - custody Z62.21
- - - - guardianship Z62.21
- - leaving living situation without permission Z62.892
- - living in
- - - group home Z62.22
- - - orphanage Z62.22
- child-rearing Z62.9
- - specified NEC Z62.898
- communication (developmental) F80.9
- completing medical forms Z55.6
- conflict or discord (with)
- - boss Z56.4
- - classmates Z55.4
- - counselor Z64.4
- - employer Z56.4
- - family Z63.9
- - - specified NEC Z63.8
- - probation officer Z64.4
- - social worker Z64.4
- - teachers Z55.4
- - workmates Z56.4
- conviction in legal proceedings Z65.0
- - with imprisonment Z65.1
- counselor Z64.4
- creditors Z59.89
- digestive K92.9
- drug addict in family Z63.72
- ear -*see* Disorder, ear
- economic Z59.9
- - affecting care Z59.9
- - specified NEC Z59.89
- - strain Z59.86
- education Z55.9
- - specified NEC Z55.8
- employment Z56.9
- - change of job Z56.1
- - discord Z56.4
- - environment Z56.5
- - sexual harassment Z56.81
- - specified NEC Z56.89
- - stress NEC Z56.6
- - stressful schedule Z56.3
- - threat of job loss Z56.2
- - unemployment Z56.0
- enuresis, child F98.0
- eye H57.9
- failed examinations (school) Z55.2
- falling Z91.81
- family -*see also* Disruption, family Z63.9-

- - specified NEC Z63.8
- feeding (elderly) (infant) NOS R63.39
- - newborn P92.9
- - - breast P92.5
- - - overfeeding P92.4
- - - slow P92.2
- - - specified NEC P92.8
- - - underfeeding P92.3
- - nonorganic F50.89
- finance Z59.9
- - specified NEC Z59.89
- foreclosure on loan Z59.89
- foster child Z62.822
- frightening experience(s) in childhood Z62.898
- genital NEC
- - female N94.9
- - male N50.9
- health care Z75.9
- - specified NEC Z75.8
- health literacy Z55.6
- hearing -*see* Deafness
- homelessness Z59.00
- housing Z59.9
- - inadequate Z59.10
- - isolated Z59.89
- - specified NEC Z59.89
- identity (of childhood) F93.8
- illegitimate pregnancy (unwanted) Z64.0
- illiteracy Z55.0
- impaired mobility Z74.09
- imprisonment or incarceration Z65.1
- inadequate teaching affecting education Z55.8
- inappropriate (excessive) parental pressure Z62.6
- influencing health status NEC Z78.9
- in-law Z63.1
- institutionalization, affecting child Z62.22
- intrafamilial communication Z63.8
- jealousy, child F93.8
- landlord Z59.2
- language (developmental) F80.9
- learning (developmental) F81.9
- legal Z65.3
- - conviction without imprisonment Z65.0
- - imprisonment Z65.1
- - release from prison Z65.2
- life-management Z73.9
- - specified NEC Z73.89
- life-style Z72.9
- - gambling Z72.6
- - high-risk sexual behavior (heterosexual) Z72.51
- - - bisexual Z72.53
- - - homosexual Z72.52
- - inappropriate eating habits Z72.4
- - self-damaging behavior NEC Z72.89
- - specified NEC Z72.89
- - tobacco use Z72.0
- literacy Z55.9
- - low level Z55.0
- - specified NEC Z55.8
- living alone Z60.2

- lodgers Z59.2
- loss of love relationship in childhood Z62.898
- marital Z63.0
- - involving
- - - divorce Z63.5
- - - estrangement Z63.5
- - - gender identity F66
- mastication K08.89
- medical
- - care, within family Z63.6
- - facilities Z75.9
- - - specified NEC Z75.8
- mental F48.9
- money Z59.86
- multiparity Z64.1
- negative life events in childhood Z62.9
- - altered pattern of family relationships Z62.898
- - frightening experience Z62.898
- - loss of
- - - love relationship Z62.898
- - - self-esteem Z62.898
- - physical abuse (alleged) -*see* Maltreatment, child
- - removal from home Z62.29
- - specified event NEC Z62.898
- neighbor Z59.2
- neurological NEC R29.818
- new step-parent affecting child Z62.898
- none (feared complaint unfounded) Z71.1
- occupational NEC Z56.89
- parent-child -*see* Conflict, parent-child
- personal hygiene Z91.89
- personality F69
- phase-of-life transition, adjustment Z60.0
- presence of sick or disabled person in family or household Z63.79
- - needing care Z63.6
- primary support group (family) Z63.9
- - specified NEC Z63.8
- probation officer Z64.4
- psychiatric F99
- psychosexual (development) F66
- psychosocial Z65.9
- - religious or spiritual Z65.8
- - specified NEC Z65.8
- related to physical environment, specified NEC Z58.89
- relationship Z63.9
- - childhood F93.8
- release from prison Z65.2
- - religious or spiritual Z65.8
- removal from home affecting child Z62.29
- seeking and accepting known hazardous and harmful
- - behavioral or psychological interventions Z65.8
- - chemical, nutritional or physical interventions Z65.8
- sexual function (nonorganic) F52.9
- sight H54.7
- sleep disorder, child F51.9
- smell -*see* Disturbance, sensation, smell
- social
- - environment Z60.9
- - - specified NEC Z60.8
- - exclusion and rejection Z60.4

- - worker Z64.4
- speech R47.9
- - developmental F80.9
- - specified NEC R47.89
- swallowing -*see* Dysphagia
- taste -*see* Disturbance, sensation, taste
- tic, child F95.0
- underachievement in school Z55.3
- unemployment Z56.0
- - threatened Z56.2
- unwanted pregnancy Z64.0
- upbringing Z62.9
- - specified NEC Z62.898
- urinary N39.9
- voice production R47.89
- work schedule (stressful) Z56.3

Procedure (surgical)
- converted
- - arthroscopic to open Z53.33
- - laparoscopic to open Z53.31
- - specified procedure NEC to open Z53.39
- - thoracoscopic to open Z53.32
- for purpose other than remedying health state Z41.9
- - specified NEC Z41.8
- not done Z53.9
- - because of
- - - administrative reasons Z53.8
- - - contraindication Z53.09
- - - - smoking Z53.01
- - - patient's decision Z53.20
- - - - for reasons of belief or group pressure Z53.1
- - - - left against medical advice (AMA) Z53.29
- - - - left without being seen Z53.21
- - - - specified reason NEC Z53.29
- - - specified reason NEC Z53.8

Procidentia (uteri) N81.3

Proctalgia K62.89
- fugax K59.4
- spasmodic K59.4

Proctitis K62.89
- amebic (acute) A06.0
- chlamydial A56.3
- gonococcal A54.6
- granulomatous -*see* Enteritis, regional, large intestine
- herpetic A60.1
- radiation K62.7
- tuberculous A18.32
- ulcerative (chronic) K51.20
- - with
- - - complication K51.219
- - - - abscess K51.214
- - - - fistula K51.213
- - - - obstruction K51.212
- - - - rectal bleeding K51.211
- - - - specified NEC K51.218

Proctocele
- female (without uterine prolapse) N81.6
- - with uterine prolapse N81.2
- - - complete N81.3
- male K62.3

Proctocolitis
- allergic K52.29
- food-induced eosinophilic K52.29
- food protein-induced K52.29
- milk protein-induced K52.29
- mucosal -*see* Rectosigmoiditis, ulcerative

Proctoptosis K62.3
Proctorrhagia K62.5
Proctosigmoiditis K63.89
- ulcerative (chronic) -*see* Rectosigmoiditis, ulcerative

Proctospasm K59.4
- psychogenic F45.8

Profichet's disease -*see* Disorder, soft tissue, specified type NEC
Progeria E34.8
Prognathism (mandibular) (maxillary) M26.19
Progonoma (melanotic) -*see* Neoplasm, benign, by site
Progressive -*see* condition
Prolactinoma
- specified site -*see* Neoplasm, benign, by site
- unspecified site D35.2

Prolapse, prolapsed
- anus, anal (canal) (sphincter) K62.2
- arm or hand O32.2
- - causing obstructed labor O64.4
- bladder (mucosa) (sphincter) (acquired)
- - congenital Q79.4
- - female -*see* Cystocele
- - male N32.89
- breast implant (prosthetic) T85.49
- cecostomy K94.09
- cecum K63.4
- cervix, cervical (hypertrophied) N81.2
- - anterior lip, obstructing labor O65.5
- - congenital Q51.828
- - postpartal, old N81.2
- - stump N81.85
- ciliary body (traumatic) -*see* Laceration, eye(ball), with prolapse or loss of interocular tissue
- colon (pedunculated) K63.4
- colostomy K94.09
- disc (intervertebral) -*see* Displacement, intervertebral disc
- eye implant (orbital) T85.398
- - lens (ocular) -*see* Complications, intraocular lens
- fallopian tube N83.4-
- gastric (mucosa) K31.89
- genital, female N81.9
- - specified NEC N81.89
- globe, nontraumatic -*see* Luxation, globe
- ileostomy bud K94.19
- intervertebral disc -*see* Displacement, intervertebral disc
- intestine (small) K63.4
- iris (traumatic) -*see* Laceration, eye(ball), with prolapse or loss of interocular tissue
- - nontraumatic H21.89
- kidney N28.83
- - congenital Q63.2
- laryngeal muscles or ventricle J38.7
- liver K76.89
- meatus urinarius N36.8
- mitral (valve) I34.1
- ocular lens implant -*see* Complications, intraocular lens
- organ or site, congenital NEC -*see* Malposition, congenital

- ovary N83.4-
- pelvic floor, female N81.89
- perineum, female N81.89
- rectum (mucosa) (sphincter) K62.3
- - due to trichuris trichuria B79
- spleen D73.89
- stomach K31.89
- umbilical cord
- - complicating delivery O69.0
- urachus, congenital Q64.4
- ureter N28.89
- - with obstruction N13.5
- - - with infection N13.6
- ureterovesical orifice N28.89
- urethra (acquired) (infected) (mucosa) N36.8
- - congenital Q64.71
- urinary meatus N36.8
- - congenital Q64.72
- uterovaginal N81.4
- - complete N81.3
- - incomplete N81.2
- uterus (with prolapse of vagina) N81.4
- - complete N81.3
- - congenital Q51.818
- - first degree N81.2
- - in pregnancy or childbirth -*see* Pregnancy, complicated by, abnormal, uterus
- - incomplete N81.2
- - postpartal (old) N81.4
- - second degree N81.2
- - third degree N81.3
- uveal (traumatic) -*see* Laceration, eye(ball), with prolapse or loss of interocular tissue
- vagina (anterior) (wall) -*see* Cystocele
- - with prolapse of uterus N81.4
- - - complete N81.3
- - - incomplete N81.2
- - posterior wall N81.6
- - posthysterectomy N99.3
- vitreous (humor) H43.0-
- - in wound -*see* Laceration, eye(ball), with prolapse or loss of interocular tissue
- womb -*see* Prolapse, uterus

Prolapsus, female N81.9
- specified NEC N81.89

Proliferation(s)
- prostate, atypical small acinar N42.32
- primary cutaneous CD30-positive large T-cell C86.6-

Proliferative -*see* condition

Prolonged, prolongation (of)
- bleeding (time) (idiopathic) R79.1
- coagulation (time) R79.1
- gestation (over 42 completed weeks)
- - mother O48.1
- - newborn P08.22
- interval I44.0
- labor O63.9
- - first stage O63.0
- - second stage O63.1
- partial thromboplastin time (PTT) R79.1
- pregnancy (more than 42 weeks gestation) O48.1
- prothrombin time R79.1
- QT interval R94.31

- uterine contractions in labor O62.4
Prominence, prominent
- auricle (congenital) (ear) Q17.5
- ischial spine or sacral promontory with disproportion (fetopelvic) O33.0
- - causing obstructed labor O65.0
- nose (congenital) acquired M95.0
Promiscuity -*see* High, risk, sexual behavior
Pronation
- ankle -*see* Deformity, limb, foot, specified NEC
- foot -*see also* Deformity, limb, foot, specified NEC
- - congenital Q74.2
Prophylactic
- administration of
- - antibiotics, long-term Z79.2
- - - short-term use - omit code
- - drug -*see also* Long-term (current) drug therapy (use of) Z79.899-
- medication Z79.899
- organ removal (for neoplasia management) Z40.00
- - breast Z40.01
- - fallopian tube(s) Z40.03
- - - with ovary(s) Z40.02
- - ovary(s) Z40.02
- - specified site NEC Z40.09
- surgery Z40.9
- - for risk factors related to malignant neoplasm -*see* Prophylactic, organ removal
- - specified NEC Z40.8
- vaccination Z23
Propionic acidemia E71.121
Proptosis (ocular) -*see also* Exophthalmos
- thyroid -*see* Hyperthyroidism, with goiter
Prosecution, anxiety concerning Z65.3
Prosopagnosia R48.3
Prostadynia N42.81
Prostate, prostatic -*see* condition
Prostatism -*see* Hyperplasia, prostate
Prostatitis (congestive) (suppurative) (with cystitis) N41.9
- acute N41.0
- cavitary N41.8
- chronic N41.1
- diverticular N41.8
- due to Trichomonas (vaginalis) A59.02
- fibrous N41.1
- gonococcal (acute) (chronic) A54.22
- granulomatous N41.4
- hypertrophic N41.1
- subacute N41.1
- trichomonal A59.02
- tuberculous A18.14
Prostatocystitis N41.3
Prostatorrhea N42.89
Prostatosis N42.82
Prostration R53.83
- heat -*see also* Heat, exhaustion
- - anhydrotic T67.3
- - due to
- - - salt (and water) depletion T67.4
- - - water depletion T67.3
- nervous F48.8
- senile R54
Protanomaly (anomalous trichromat) H53.54

Protanopia (complete) (incomplete) H53.54
Protection (against) (from) *-see* Prophylactic
Protein
- deficiency NEC *-see* Malnutrition
- malnutrition *-see* Malnutrition
- sickness *-see also* Reaction, serum T80.69
Proteinemia R77.9
Proteinosis
- alveolar (pulmonary) J84.01
- lipid or lipoid (of Urbach) E78.89
Proteinuria R80.9
- Bence Jones R80.3
- complicating pregnancy *-see* Proteinuria, gestational
- gestational
- - complicating
- - - childbirth O12.14
- - - pregnancy O12.1-
- - - - with edema O12.2-
- - - puerperium O12.15
- idiopathic R80.0
- isolated R80.0
- - with glomerular lesion N06.9
- - - C3
- - - - glomerulonephritis N06.A
- - - - glomerulopathy N06.A
- - - - - with dense deposit disease N06.6
- - - dense deposit disease N06.6
- - - diffuse
- - - - crescentic glomerulonephritis N06.7
- - - - endocapillary proliferative glomerulonephritis N06.4
- - - - mesangiocapillary glomerulonephritis N06.5
- - - focal and segmental hyalinosis or sclerosis N06.1
- - - membranous (diffuse) *-see also* Nephropathy, membranous N06.20
- - - - with diffuse membranous glomerulonephritis N06.29
- - - mesangial proliferative (diffuse) N06.3
- - - minimal change N06.0
- - - specified pathology NEC N06.8
- orthostatic R80.2
- - with glomerular lesion *-see* Proteinuria, isolated, with glomerular lesion
- persistent R80.1
- - with glomerular lesion *-see* Proteinuria, isolated, with glomerular lesion
- postural R80.2
- - with glomerular lesion *-see* Proteinuria, isolated, with glomerular lesion
- pre-eclamptic *-see* Pre-eclampsia
- puerperal O12.15
- specified type NEC R80.8
Proteolysis, pathologic D65
Proteus (mirabilis) (morganii), as cause of disease classified elsewhere B96.4
Prothrombin gene mutation D68.52
Protoporphyria, erythropoietic E80.0
Protozoal *-see also* condition
- disease B64
- - specified NEC B60.8
Protrusion, protrusio
- acetabuli M24.7
- acetabulum (into pelvis) M24.7
- device, implant or graft *-see also* Complications, by site and type, mechanical T85.698
- - arterial graft NEC *-see* Complication, cardiovascular device, mechanical, vascular
- - breast (implant) T85.49
- - catheter NEC T85.698

- - - cystostomy T83.090
- - - dialysis (renal) T82.49
- - - - intraperitoneal T85.691
- - - infusion NEC T82.594
- - - - spinal (epidural) (subdural) T85.690
- - - urinary *-see also* Complications, catheter, urinary T83.098
- - electronic (electrode) (pulse generator) (stimulator)
- - - bone T84.390
- - - nervous system *-see* Complication, prosthetic device, mechanical, electronic nervous system stimulator
- - fixation, internal (orthopedic) NEC *-see* Complication, fixation device, mechanical
- - gastrointestinal *-see* Complications, prosthetic device, mechanical, gastrointestinal device
- - genital NEC T83.498
- - - intrauterine contraceptive device T83.39
- - - penile prosthesis (cylinder) (implanted) (pump) (reservoir) T83.490
- - - testicular prosthesis T83.491
- - heart NEC *-see* Complication, cardiovascular device, mechanical
- - joint prosthesis *-see* Complications, joint prosthesis, mechanical, specified NEC, by site
- - ocular NEC *-see* Complications, prosthetic device, mechanical, ocular device
- - orthopedic NEC *-see* Complication, orthopedic, device, mechanical
- - specified NEC T85.628
- - urinary NEC *-see also* Complication, genitourinary, device, urinary, mechanical
- - - graft T83.29
- - vascular NEC *-see* Complication, cardiovascular device, mechanical
- - ventricular intracranial shunt T85.09
- intervertebral disc *-see* Displacement, intervertebral disc
- joint prosthesis *-see* Complications, joint prosthesis, mechanical, specified NEC, by site
- nucleus pulposus *-see* Displacement, intervertebral disc

Prune belly (syndrome) Q79.4

Prurigo (ferox) (gravis) (Hebrae) (Hebra's) (mitis) (simplex) L28.2
- Besnier's L20.0
- estivalis L56.4
- nodularis L28.1
- psychogenic F45.8

Pruritus, pruritic (essential) L29.9
- ani, anus L29.0
- - psychogenic F45.8
- anogenital L29.3
- - psychogenic F45.8
- cholestatic L29.81
- due to onchocerca volvulus B73.1
- gravidarum *-see* Pregnancy, complicated by, specified pregnancy-related condition NEC
- hiemalis L29.89
- neurogenic (any site) F45.8
- perianal L29.0
- psychogenic (any site) F45.8
- scroti, scrotum L29.1
- - psychogenic F45.8
- senile, senilis L29.89
- specified NEC L29.89
- - psychogenic F45.8
- Trichomonas A59.9
- vulva, vulvae L29.2
- - psychogenic F45.8

Pseudarthrosis, pseudoarthrosis (bone) *-see* Nonunion, fracture
- clavicle, congenital Q74.0
- joint, following fusion or arthrodesis M96.0

Pseudoaneurysm *-see* Aneurysm

Pseudoangioma I81

Pseudoangina (pectoris) *-see* Angina

Pseudoarteriosus Q28.8

Pseudoarthrosis -*see* Pseudarthrosis
Pseudobulbar affect (PBA) F48.2
Pseudochromhidrosis L67.8
Pseudocirrhosis, liver, pericardial I31.1
Pseudocowpox B08.03
Pseudocoxalgia M91.3-
Pseudocroup J38.5
Pseudo-Cushing's syndrome, alcohol-induced E24.4
Pseudocyesis F45.8
Pseudocyst
- lung J98.4
- pancreas K86.3
- retina -*see* Cyst, retina
Pseudoelephantiasis neuroarthritica Q82.0
Pseudoexfoliation, capsule (lens) -*see* Cataract, specified NEC
Pseudofolliculitis barbae L73.1
Pseudoglioma H44.89
Pseudohemophilia (Bernuth's) (hereditary) (type B) -*see* Disease, von Willebrand
- Type A D69.8
- vascular D69.8
Pseudohermaphroditism Q56.3
- adrenal E25.8
- female -*see also* Disorder, adrenogenital Q56.2
- - with adrenocortical disorder E25.8
- - without adrenocortical disorder Q56.2
- - adrenal (congenital) E25.0
- male -*see also* Disorder, adrenogenital Q56.1
- - with
- - - adrenocortical disorder E25.8
- - - androgen resistance E34.51
- - - cleft scrotum Q56.1
- - - feminizing testis E34.51
- - - 5-alpha-reductase deficiency E29.1
- - without gonadal disorder Q56.1
- - adrenal E25.8
Pseudo-Hurler's polydystrophy E77.0
Pseudohydrocephalus G93.2
Pseudohypertrophic muscular dystrophy (Erb's) G71.02
Pseudohypertrophy, muscle -*see also* Dystrophy, muscular, by type, if applicable G71.09
Pseudohypoparathyroidism E20.1
Pseudoinsomnia F51.03
Pseudoleukemia, infantile D64.89
Pseudomembranous -*see* condition
Pseudomenses (newborn) P54.6
Pseudomenstruation (newborn) P54.6
Pseudomeningocele (cerebral) (infective) (post-traumatic) G96.198
- postprocedural (spinal) G97.82
Pseudomonas
- aeruginosa, as cause of disease classified elsewhere B96.5
- mallei infection A24.0
- - as cause of disease classified elsewhere B96.5
- pseudomallei, as cause of disease classified elsewhere B96.5
Pseudomyotonia G71.19
Pseudomyxoma peritonei C78.6
Pseudoneuritis, optic (nerve) (disc) (papilla), congenital Q14.2
Pseudo-obstruction intestine (acute) (chronic) (idiopathic) (intermittent secondary) (primary) K59.89
- colonic K59.81
Pseudopapilledema H47.33-
- congenital Q14.2
Pseudoparalysis

- arm or leg R29.818
- atonic, congenital P94.2
Pseudopelade L66.0
Pseudophakia Z96.1
Pseudopolyarthritis, rhizomelic M35.3
Pseudopolycythemia D75.1
Pseudopseudohypoparathyroidism E20.1
Pseudopterygium H11.81-
Pseudoptosis (eyelid) -*see* Blepharochalasis
Pseudopuberty, precocious
- female heterosexual E25.8
- male isosexual E25.8
Pseudorickets (renal) N25.0
Pseudorubella B08.20
Pseudosclerema, newborn P83.88
Pseudosclerosis (brain)
- of Westphal (Strümpell) E83.01
- Jakob's -*see* Creutzfeldt-Jakob disease or syndrome
- spastic -*see* Creutzfeldt-Jakob disease or syndrome
Pseudotetanus -*see* Convulsions
Pseudotetany R29.0
- hysterical F44.5
Pseudotruncus arteriosus Q25.49
Pseudotuberculosis A28.2
- enterocolitis A04.8
- pasteurella (infection) A28.0
Pseudotumor G93.2
- cerebri G93.2
- orbital H05.11-
Pseudoxanthoma elasticum Q82.8
Psilosis (sprue) (tropical) K90.1
- nontropical K90.0
Psittacosis A70
Psoitis M60.88
Psoriasis L40.9
- arthropathic L40.50
- - arthritis mutilans L40.52
- - distal interphalangeal L40.51
- - juvenile L40.54
- - other specified L40.59
- - spondylitis L40.53
- buccal K13.29
- flexural L40.8
- guttate L40.4
- mouth K13.29
- nummular L40.0
- plaque L40.0
- psychogenic F54
- pustular (generalized) L40.1
- - palmaris et plantaris L40.3
- specified NEC L40.8
- vulgaris L40.0
Psychasthenia F48.8
Psychiatric disorder or problem F99
Psychogenic -*see also* condition
- factors associated with physical conditions F54
Psychological and behavioral factors affecting medical condition F59
Psychoneurosis, psychoneurotic -*see also* Neurosis
- anxiety (state) F41.1
- depersonalization F48.1

- hypochondriacal F45.21
- hysteria F44.9
- neurasthenic F48.8
- personality NEC F60.89

Psychopathy, psychopathic
- affectionless F94.2
- autistic F84.5
- constitution, post-traumatic F07.81
- personality -*see* Disorder, personality
- sexual -*see* Deviation, sexual
- state F60.2

Psychosexual identity disorder of childhood F64.2

Psychosis, psychotic F29
- acute (transient) F23
- - hysterical F44.9
- affective -*see* Disorder, mood
- alcoholic F10.959
- - with
- - - abuse F10.159
- - - anxiety disorder F10.980
- - - - with
- - - - - abuse F10.180
- - - - - dependence F10.280
- - - delirium tremens F10.231
- - - delusions F10.950
- - - - with
- - - - - abuse F10.150
- - - - - dependence F10.250
- - - dementia F10.97
- - - - with dependence F10.27
- - - dependence F10.259
- - - hallucinosis F10.951
- - - - with
- - - - - abuse F10.151
- - - - - dependence F10.251
- - - mood disorder F10.94
- - - - with
- - - - - abuse F10.14
- - - - - dependence F10.24
- - - paranoia F10.950
- - - - with
- - - - - abuse F10.150
- - - - - dependence F10.250
- - - persisting amnesia F10.96
- - - - with dependence F10.26
- - amnestic confabulatory F10.96
- - - with dependence F10.26
- - delirium tremens F10.231
- - Korsakoff's, Korsakov's, Korsakow's F10.26
- - paranoid type F10.950
- - - with
- - - - abuse F10.150
- - - - dependence F10.250
- anergastic -*see* Psychosis, organic
- arteriosclerotic (simple type) (uncomplicated) -*see also* Dementia, vascular F01.50
- - with behavioral disturbance -*see* Dementia, vascular
- childhood F84.0
- - atypical F84.8
- climacteric -*see* Psychosis, involutional
- confusional F29

- - acute or subacute F05
- - reactive F23
- cycloid F23
- depressive -*see* Disorder, depressive
- disintegrative (childhood) F84.3
- drug-induced -*see* F11-F19 with .x59
- - paranoid and hallucinatory states -*see* F11-F19 with .x50 or .x51
- due to or associated with
- - addiction, drug -*see* F11-F19 with .x59
- - dependence
- - - alcohol F10.259
- - - drug -*see* F11-F19 with .x59
- - epilepsy F06.8
- - Huntington's chorea F06.8
- - ischemia, cerebrovascular (generalized) F06.8
- - multiple sclerosis F06.8
- - physical disease F06.8
- - presenile dementia F03
- - senile dementia F03
- - vascular disease (arteriosclerotic) (cerebral) -*see also* Dementia, vascular F01.50
- - - with behavioral disturbance -*see* Dementia, vascular
- epileptic F06.8
- episode F23
- - due to or associated with physical condition F06.8
- exhaustive F43.0
- hallucinatory, chronic F28
- hypomanic F30.8
- hysterical (acute) F44.9
- induced F24
- infantile F84.0
- - atypical F84.8
- infective (acute) (subacute) F05
- involutional F28
- - depressive -*see* Disorder, depressive
- - melancholic -*see* Disorder, depressive
- - paranoid (state) F22
- Korsakoff's, Korsakov's, Korsakow's (nonalcoholic) F04
- - alcoholic F10.96
- - - in dependence F10.26
- - induced by other psychoactive substance -*see* categories F11-F19 with .x5x
- mania, manic (single episode) F30.2
- - recurrent type F31.89
- manic-depressive -*see* Disorder, bipolar
- menopausal -*see* Psychosis, involutional
- mixed schizophrenic and affective F25.8
- multi-infarct (cerebrovascular) -*see also* Dementia, vascular F01.50
- - with behavioral disturbance -*see* Dementia, vascular
- nonorganic F29
- - specified NEC F28
- organic F09
- - due to or associated with
- - - arteriosclerosis (cerebral) -*see* Psychosis, arteriosclerotic
- - - cerebrovascular disease, arteriosclerotic -*see* Psychosis, arteriosclerotic
- - - childbirth -*see* Psychosis, puerperal
- - - Creutzfeldt-Jakob disease or syndrome -*see* Creutzfeldt-Jakob disease or syndrome
- - - dependence, alcohol F10.259
- - - disease
- - - - alcoholic liver F10.259
- - - - brain, arteriosclerotic -*see* Psychosis, arteriosclerotic
- - - - cerebrovascular -*see also* Dementia, vascular F01.50

- - - - - with behavioral disturbance -*see* Dementia, vascular
- - - - Creutzfeldt-Jakob -*see* Creutzfeldt-Jakob disease or syndrome
- - - - endocrine or metabolic F06.8
- - - - - acute or subacute F05
- - - - liver, alcoholic F10.259
- - - epilepsy transient (acute) F05
- - - infection
- - - - brain (intracranial) F06.8
- - - - - acute or subacute F05
- - - intoxication
- - - - alcoholic (acute) F10.259
- - - - drug F11-F19 with .x59
- - - ischemia, cerebrovascular (generalized) -*see* Psychosis, arteriosclerotic
- - - puerperium -*see* Psychosis, puerperal
- - - trauma, brain (birth) (from electric current) (surgical) F06.8
- - - - acute or subacute F05
- - infective F06.8
- - - acute or subacute F05
- - post-traumatic F06.8
- - - acute or subacute F05
- paranoiac F22
- paranoid (climacteric) (involutional) (menopausal) F22
- - psychogenic (acute) F23
- - schizophrenic F20.0
- - senile F03
- postpartum (NOS) F53.1
- presbyophrenic (type) F03
- presenile F03
- psychogenic (paranoid) F23
- - depressive F32.3
- puerperal (NOS) F53.1
- - specified type -*see* Psychosis, by type
- reactive (brief) (transient) (emotional stress) (psychological trauma) F23
- - depressive F32.3
- - - recurrent F33.3
- - excitative type F30.8
- schizoaffective F25.9
- - depressive type F25.1
- - manic type F25.0
- schizophrenia, schizophrenic -*see* Schizophrenia
- schizophrenia-like, in epilepsy F06.2
- schizophreniform F20.81
- - affective type F25.9
- - brief F23
- - confusional type F23
- - mixed type F25.0
- senile NEC F03
- - depressed or paranoid type F03
- - simple deterioration F03
- - specified type - code to condition
- shared F24
- situational (reactive) F23
- symbiotic (childhood) F84.3
- symptomatic F09

Psychosomatic -*see* Disorder, psychosomatic

Psychosyndrome, organic F07.9

Psychotic episode due to or associated with physical condition F06.8

Pterygium (eye) H11.00-
- amyloid H11.01-
- central H11.02-

- colli Q18.3
- double H11.03-
- peripheral
- - progressive H11.05-
- - stationary H11.04-
- recurrent H11.06-
Ptilosis (eyelid) -*see* Madarosis
Ptomaine (poisoning) -*see* Poisoning, food
Ptosis -*see also* Blepharoptosis
- adiposa (false) -*see* Blepharoptosis
- breast N64.81
- brow H57.81-
- cecum K63.4
- colon K63.4
- congenital (eyelid) Q10.0
- - specified site NEC -*see* Anomaly, by site
- eyebrow H57.81-
- eyelid -*see* Blepharoptosis
- - congenital Q10.0
- gastric K31.89
- intestine K63.4
- kidney N28.83
- liver K76.89
- renal N28.83
- splanchnic K63.4
- spleen D73.89
- stomach K31.89
- viscera K63.4
PTP D69.51
Ptyalism (periodic) K11.7
- hysterical F45.8
- pregnancy -*see* Pregnancy, complicated by, specified pregnancy-related condition NEC
- psychogenic F45.8
Ptyalolithiasis K11.5
Pubarche, precocious E30.1
Pubertas praecox E30.1
Puberty (development state) Z00.3
- bleeding (excessive) N92.2
- delayed E30.0
- precocious (constitutional) (cryptogenic) (idiopathic) E30.1
- - central E22.8
- - due to
- - - ovarian hyperfunction E28.1
- - - - estrogen E28.0
- - - testicular hyperfunction E29.0
- premature E30.1
- - due to
- - - adrenal cortical hyperfunction E25.8
- - - pineal tumor E34.8
- - - pituitary (anterior) hyperfunction E22.8
Puckering, macula -*see* Degeneration, macula, puckering
Pudenda, pudendum -*see* condition
Puente's disease (simple glandular cheilitis) K13.0
Puerperal, puerperium (complicated by, complications)
- abnormal glucose (tolerance test) O99.815
- abscess
- - areola O91.02
- - - associated with lactation O91.03
- - Bartholin's gland O86.19
- - breast O91.12

- - - associated with lactation O91.13
- - cervix (uteri) O86.11
- - genital organ NEC O86.19
- - kidney O86.21
- - mammary O91.12
- - - associated with lactation O91.13
- - nipple O91.02
- - - associated with lactation O91.03
- - peritoneum O85
- - subareolar O91.12
- - - associated with lactation O91.13
- - urinary tract -*see* Puerperal, infection, urinary
- - uterus O86.12
- - vagina (wall) O86.13
- - vaginorectal O86.13
- - vulvovaginal gland O86.13
- adnexitis O86.19
- afibrinogenemia, or other coagulation defect O72.3
- albuminuria (acute) (subacute) -*see* Proteinuria, gestational
- alcohol use O99.315
- anemia O90.81
- - pre-existing (pre-pregnancy) O99.03
- anesthetic death O89.8
- apoplexy O99.43
- bariatric surgery status O99.845
- blood disorder NEC O99.13
- blood dyscrasia O72.3
- cardiomyopathy O90.3
- cerebrovascular disorder (conditions in I60-I69) O99.43
- cervicitis O86.11
- circulatory system disorder O99.43
- coagulopathy (any) O99.13
- - with hemorrhage O72.3
- complications O90.9
- - specified NEC O90.89
- convulsions -*see* Eclampsia
- cystitis O86.22
- cystopyelitis O86.29
- delirium NEC F05
- diabetes O24.93
- - gestational -*see* Puerperal, gestational diabetes
- - pre-existing O24.33
- - - specified NEC O24.83
- - - type 1 O24.03
- - - type 2 O24.13
- digestive system disorder O99.63
- disease O90.9
- - breast NEC O92.29
- - cerebrovascular (acute) O99.43
- - nonobstetric NEC O99.893
- - tubo-ovarian O86.19
- - Valsuani's O99.03
- disorder O90.9
- - biliary tract O26.63
- - lactation O92.70
- - liver O26.63
- - nonobstetric NEC O99.893
- disruption
- - cesarean wound O90.0
- - episiotomy wound O90.1

- - perineal laceration wound O90.1
- drug use O99.325
- eclampsia (with pre-existing hypertension) O15.2
- embolism (pulmonary) (blood clot) -*see* Embolism, obstetric, puerperal
- endocrine, nutritional or metabolic disease NEC O99.285
- endophlebitis -*see* Puerperal, phlebitis
- endotrachelitis O86.11
- failure
- - lactation (complete) O92.3
- - - partial O92.4
- - renal, acute O90.49
- fever (of unknown origin) O86.4
- - septic O85
- fissure, nipple O92.12
- - associated with lactation O92.13
- fistula
- - breast (due to mastitis) O91.12
- - - associated with lactation O91.13
- - nipple O91.02
- - - associated with lactation O91.03
- galactophoritis O91.22
- - associated with lactation O91.23
- galactorrhea O92.6
- gastric banding status O99.845
- gastric bypass status O99.845
- gastrointestinal disease NEC O99.63
- gestational
- - diabetes O24.439
- - - diet controlled O24.430
- - - insulin (and diet) controlled O24.434
- - - oral drug controlled (antidiabetic) (hypoglycemic) O24.435
- - edema O12.05
- - - with proteinuria O12.25
- - proteinuria O12.15
- gonorrhea O98.23
- hematoma, subdural O99.43
- hemiplegia, cerebral O99.355
- - due to cerbrovascular disorder O99.43
- hemorrhage O72.1
- - brain O99.43
- - bulbar O99.43
- - cerebellar O99.43
- - cerebral O99.43
- - cortical O99.43
- - delayed or secondary O72.2
- - extradural O99.43
- - internal capsule O99.43
- - intracranial O99.43
- - intrapontine O99.43
- - meningeal O99.43
- - pontine O99.43
- - retained placenta O72.0
- - subarachnoid O99.43
- - subcortical O99.43
- - subdural O99.43
- - third stage O72.0
- - uterine, delayed O72.2
- - ventricular O99.43
- hemorrhoids O87.2
- hepatorenal syndrome O90.41

- hypertension -*see* Hypertension, complicating, puerperium
- hypertrophy, breast O92.29
- induration breast (fibrous) O92.29
- infection O86.4
- - cervix O86.11
- - generalized O85
- - genital tract NEC O86.19
- - - obstetric surgical wound O86.09
- - kidney (bacillus coli) O86.21
- - maternal O98.93
- - - carrier state NEC O99.835
- - - gonorrhea O98.23
- - - human immunodeficiency virus (HIV) O98.73
- - - protozoal O98.63
- - - sexually transmitted NEC O98.33
- - - specified NEC O98.83
- - - streptococcus group B (GBS) carrier state O99.825
- - - syphilis O98.13
- - - tuberculosis O98.03
- - - viral hepatitis O98.43
- - - viral NEC O98.53
- - nipple O91.02
- - - associated with lactation O91.03
- - peritoneum O85
- - renal O86.21
- - specified NEC O86.89
- - urinary (asymptomatic) (tract) NEC O86.20
- - - bladder O86.22
- - - kidney O86.21
- - - specified site NEC O86.29
- - - urethra O86.22
- - vagina O86.13
- - vein -*see* Puerperal, phlebitis
- ischemia, cerebral O99.43
- lymphangitis O86.89
- - breast O91.22
- - - associated with lactation O91.23
- malignancy O9A.13
- malnutrition O25.3
- mammillitis O91.02
- - associated with lactation O91.03
- mammitis O91.22
- - associated with lactation O91.23
- mania F30.8
- mastitis O91.22
- - associated with lactation O91.23
- - purulent O91.12
- - - associated with lactation O91.13
- melancholia -*see* Disorder, depressive
- mental disorder NEC O99.345
- metroperitonitis O85
- metrorrhagia -*see* Hemorrhage, postpartum
- metrosalpingitis O86.19
- metrovaginitis O86.13
- milk leg O87.1
- monoplegia, cerebral O99.43
- mood disturbance O90.6
- necrosis, liver (acute) (subacute) (conditions in subcategory K72.0) O26.63
- - with renal failure O90.49
- nervous system disorder O99.355

- neuritis O90.89
- obesity (pre-existing prior to pregnancy) O99.215
- obesity surgery status O99.845
- occlusion, precerebral artery O99.43
- paralysis
- - bladder (sphincter) O90.89
- - cerebral O99.43
- paralytic stroke O99.43
- parametritis O85
- paravaginitis O86.13
- pelviperitonitis O85
- perimetritis O86.12
- perimetrosalpingitis O86.19
- perinephritis O86.21
- periphlebitis -*see* Puerperal phlebitis
- peritoneal infection O85
- peritonitis (pelvic) O85
- perivaginitis O86.13
- phlebitis O87.0
- - deep O87.1
- - pelvic O87.1
- - superficial O87.0
- phlebothrombosis, deep O87.1
- phlegmasia alba dolens O87.1
- placental polyp O90.89
- pneumonia, embolic -*see* Embolism, obstetric, puerperal
- pre-eclampsia -*see* Pre-eclampsia
- psychosis (NOS) F53.1
- pyelitis O86.21
- pyelocystitis O86.29
- pyelonephritis O86.21
- pyelonephrosis O86.21
- pyemia O85
- pyocystitis O86.29
- pyohemia O85
- pyometra O86.12
- pyonephritis O86.21
- pyosalpingitis O86.19
- pyrexia (of unknown origin) O86.4
- renal
- - disease NEC O90.89
- - failure O90.49
- respiratory disease NEC O99.53
- retention
- - decidua -*see* Retention, decidua
- - placenta O72.0
- - secundines -*see* Retention, secundines
- retrated nipple O92.02
- salpingo-ovaritis O86.19
- salpingoperitonitis O85
- secondary perineal tear O90.1
- sepsis (pelvic) O85
- septic thrombophlebitis O86.81
- skin disorder NEC O99.73
- specified condition NEC O99.893
- stroke O99.43
- subinvolution (uterus) O90.89
- subluxation of symphysis (pubis) O26.73
- suppuration -*see* Puerperal, abscess
- tetanus A34

- thelitis O91.02
- - associated with lactation O91.03
- thrombocytopenia O72.3
- thrombophlebitis (superficial) O87.0
- - deep O87.1
- - pelvic O87.1
- - septic O86.81
- thrombosis (venous) -*see* Thrombosis, puerperal
- thyroiditis O90.5
- toxemia (eclamptic) (pre-eclamptic) (with convulsions) O15.2
- trauma, non-obstetric O9A.23
- - caused by abuse (physical) (suspected) O9A.33
- - - confirmed O9A.33
- - - psychological (suspected) O9A.53
- - - - confirmed O9A.53
- - - sexual (suspected) O9A.43
- - - - confirmed O9A.43
- uremia (due to renal failure) O90.49
- urethritis O86.22
- vaginitis O86.13
- varicose veins (legs) O87.4
- - vulva or perineum O87.8
- venous O87.9
- vulvitis O86.19
- vulvovaginitis O86.13
- white leg O87.1

Puerperium -*see* Puerperal

Pulmolithiasis J98.4

Pulmonary -*see* condition

Pulpitis (acute) (anachoretic) (chronic) (hyperplastic) (putrescent) (suppurative) (ulcerative) K04.01
- irreversible K04.02
- reversible K04.01

Pulpless tooth K04.99

Pulse
- alternating R00.8
- bigeminal R00.8
- fast R00.0
- feeble, rapid due to shock following injury T79.4
- rapid R00.0
- weak R09.89

Pulsus alternans or trigeminus R00.8

Punch drunk F07.81

Punctum lacrimale occlusion -*see* Obstruction, lacrimal

Puncture
- abdomen, abdominal
- - wall S31.139
- - - with
- - - - foreign body S31.149
- - - - penetration into peritoneal cavity S31.639
- - - - - with foreign body S31.649
- - - epigastric region S31.132
- - - - with
- - - - - foreign body S31.142
- - - - - penetration into peritoneal cavity S31.632
- - - - - - with foreign body S31.642
- - - left
- - - - lower quadrant S31.134
- - - - - with
- - - - - - foreign body S31.144
- - - - - - penetration into peritoneal cavity S31.634

- - - - - - - with foreign body S31.644
- - - - upper quadrant S31.131
- - - - - with
- - - - - - foreign body S31.141
- - - - - - penetration into peritoneal cavity S31.631
- - - - - - - with foreign body S31.641
- - - periumbilic region S31.135
- - - - with
- - - - - foreign body S31.145
- - - - - penetration into peritoneal cavity S31.635
- - - - - - with foreign body S31.645
- - - right
- - - - lower quadrant S31.133
- - - - - with
- - - - - - foreign body S31.143
- - - - - - penetration into peritoneal cavity S31.633
- - - - - - - with foreign body S31.643
- - - - upper quadrant S31.130
- - - - - with
- - - - - - foreign body S31.140
- - - - - - penetration into peritoneal cavity S31.630
- - - - - - - with foreign body S31.640
- accidental, complicating surgery -*see* Complication, accidental puncture or laceration
- alveolar (process) -*see* Puncture, oral cavity
- ankle S91.039
- - with
- - - foreign body S91.049
- - left S91.032
- - - with
- - - - foreign body S91.042
- - right S91.031
- - - with
- - - - foreign body S91.041
- anus S31.833
- - with foreign body S31.834
- arm (upper) S41.139
- - with foreign body S41.149
- - left S41.132
- - - with foreign body S41.142
- - lower -*see* Puncture, forearm
- - right S41.131
- - - with foreign body S41.141
- auditory canal (external) (meatus) -*see* Puncture, ear
- auricle, ear -*see* Puncture, ear
- axilla -*see* Puncture, arm
- back -*see also* Puncture, thorax, back
- - lower S31.030
- - - with
- - - - foreign body S31.040
- - - - - with penetration into retroperitoneal space S31.041
- - - - penetration into retroperitoneal space S31.031
- bladder (traumatic) S37.29
- - nontraumatic N32.89
- breast S21.039
- - with foreign body S21.049
- - left S21.032
- - - with foreign body S21.042
- - right S21.031
- - - with foreign body S21.041
- buttock S31.803

- - with foreign body S31.804
- - left S31.823
- - - with foreign body S31.824
- - right S31.813
- - - with foreign body S31.814
- by
- - device, implant or graft -*see* Complications, by site and type, mechanical
- - foreign body left accidentally in operative wound T81.539
- - instrument (any) during a procedure, accidental -*see* Puncture, accidental complicating surgery
- calf -*see* Puncture, leg
- canaliculus lacrimalis -*see* Puncture, eyelid
- canthus, eye -*see* Puncture, eyelid
- cervical esophagus S11.23
- - with foreign body S11.24
- cheek (external) S01.439
- - with foreign body S01.449
- - left S01.432
- - - with foreign body S01.442
- - right S01.431
- - - with foreign body S01.441
- - internal -*see* Puncture, oral cavity
- chest wall -*see* Puncture, thorax
- chin -*see* Puncture, head, specified site NEC
- clitoris -*see* Puncture, vulva
- costal region -*see* Puncture, thorax
- digit(s)
- - hand -*see* Puncture, finger
- - foot -*see* Puncture, toe
- ear (canal) (external) S01.339
- - with foreign body S01.349
- - left S01.332
- - - with foreign body S01.342
- - right S01.331
- - - with foreign body S01.341
- - drum S09.2-
- elbow S51.039
- - with
- - - foreign body S51.049
- - left S51.032
- - - with
- - - - foreign body S51.042
- - right S51.031
- - - with
- - - - foreign body S51.041
- epididymis -*see* Puncture, testis
- epigastric region -*see* Puncture, abdomen, wall, epigastric
- epiglottis S11.83
- - with foreign body S11.84
- esophagus
- - cervical S11.23
- - - with foreign body S11.24
- - thoracic S27.818
- eyeball S05.6-
- - with foreign body S05.5-
- eyebrow -*see* Puncture, eyelid
- eyelid S01.13-
- - with foreign body S01.14-
- - left S01.132
- - - with foreign body S01.142
- - right S01.131

- - - with foreign body S01.141
- face NEC -*see* Puncture, head, specified site NEC
- finger(s) S61.239
- - with
- - - damage to nail S61.339
- - - - with
- - - - - foreign body S61.349
- - - foreign body S61.249
- - index S61.238
- - - with
- - - - damage to nail S61.338
- - - - - with
- - - - - - foreign body S61.348
- - - - foreign body S61.248
- - - left S61.231
- - - - with
- - - - - damage to nail S61.331
- - - - - - with
- - - - - - - foreign body S61.341
- - - - - foreign body S61.241
- - - right S61.230
- - - - with
- - - - - damage to nail S61.330
- - - - - - with
- - - - - - - foreign body S61.340
- - - - - foreign body S61.240
- - little S61.238
- - - with
- - - - damage to nail S61.338
- - - - - with
- - - - - - foreign body S61.348
- - - - foreign body S61.248
- - - left S61.237
- - - - with
- - - - - damage to nail S61.337
- - - - - - with
- - - - - - - foreign body S61.347
- - - - - foreign body S61.247
- - - right S61.236
- - - - with
- - - - - damage to nail S61.336
- - - - - - with
- - - - - - - foreign body S61.346
- - - - - foreign body S61.246
- - middle S61.238
- - - with
- - - - damage to nail S61.338
- - - - - with
- - - - - - foreign body S61.348
- - - - foreign body S61.248
- - - left S61.233
- - - - with
- - - - - damage to nail S61.333
- - - - - - with
- - - - - - - foreign body S61.343
- - - - - foreign body S61.243
- - - right S61.232
- - - - with
- - - - - damage to nail S61.332
- - - - - - with

- - - - - - - foreign body S61.342
- - - - - foreign body S61.242
- - ring S61.238
- - - with
- - - - damage to nail S61.338
- - - - - with
- - - - - - foreign body S61.348
- - - - foreign body S61.248
- - - left S61.235
- - - - with
- - - - - damage to nail S61.335
- - - - - - with
- - - - - - - foreign body S61.345
- - - - - foreign body S61.245
- - - right S61.234
- - - - with
- - - - - damage to nail S61.334
- - - - - - with
- - - - - - - foreign body S61.344
- - - - - foreign body S61.244
- flank S31.139
- - with foreign body S31.149
- foot (except toe(s) alone) S91.339
- - with foreign body S91.349
- - left S91.332
- - - with foreign body S91.342
- - right S91.331
- - - with foreign body S91.341
- - toe *-see* Puncture, toe
- forearm S51.839
- - with
- - - foreign body S51.849
- - elbow only *-see* Puncture, elbow
- - left S51.832
- - - with
- - - - foreign body S51.842
- - right S51.831
- - - with
- - - - foreign body S51.841
- forehead *-see* Puncture, head, specified site NEC
- genital organs, external
- - female S31.532
- - - with foreign body S31.542
- - - vagina *-see* Puncture, vagina
- - - vulva *-see* Puncture, vulva
- - male S31.531
- - - with foreign body S31.541
- - - penis *-see* Puncture, penis
- - - scrotum *-see* Puncture, scrotum
- - - testis *-see* Puncture, testis
- groin *-see* Puncture, abdomen, wall
- gum *-see* Puncture, oral cavity
- hand S61.439
- - with
- - - foreign body S61.449
- - finger *-see* Puncture, finger
- - left S61.432
- - - with
- - - - foreign body S61.442
- - right S61.431

- - - with
- - - - foreign body S61.441
- - thumb *-see* Puncture, thumb
- head S01.93
- - with foreign body S01.94
- - cheek *-see* Puncture, cheek
- - ear *-see* Puncture, ear
- - eyelid *-see* Puncture, eyelid
- - lip *-see* Puncture, oral cavity
- - nose *-see* Puncture, nose
- - oral cavity *-see* Puncture, oral cavity
- - scalp S01.03
- - - with foreign body S01.04
- - specified site NEC S01.83
- - - with foreign body S01.84
- - temporomandibular area *-see* Puncture, cheek
- heart S26.99
- - with hemopericardium S26.09
- - without hemopericardium S26.19
- heel *-see* Puncture, foot
- hip S71.039
- - with foreign body S71.049
- - left S71.032
- - - with foreign body S71.042
- - right S71.031
- - - with foreign body S71.041
- hymen *-see* Puncture, vagina
- hypochondrium *-see* Puncture, abdomen, wall
- hypogastric region *-see* Puncture, abdomen, wall
- inguinal region *-see* Puncture, abdomen, wall
- instep *-see* Puncture, foot
- internal organs *-see* Injury, by site
- interscapular region *-see* Puncture, thorax, back
- intestine
- - large
- - - colon S36.599
- - - - ascending S36.590
- - - - descending S36.592
- - - - sigmoid S36.593
- - - - specified site NEC S36.598
- - - - transverse S36.591
- - - rectum S36.69
- - small S36.499
- - - duodenum S36.490
- - - specified site NEC S36.498
- intra-abdominal organ S36.99
- - gallbladder S36.128
- - intestine *-see* Puncture, intestine
- - liver S36.118
- - pancreas *-see* Puncture, pancreas
- - peritoneum S36.81
- - specified site NEC S36.898
- - spleen S36.09
- - stomach S36.39
- jaw *-see* Puncture, head, specified site NEC
- knee S81.039
- - with foreign body S81.049
- - left S81.032
- - - with foreign body S81.042
- - right S81.031

- - - with foreign body S81.041
- labium (majus) (minus) -*see* Puncture, vulva
- lacrimal duct -*see* Puncture, eyelid
- larynx S11.013
- - with foreign body S11.014
- leg (lower) S81.839
- - with foreign body S81.849
- - foot -*see* Puncture, foot
- - knee -*see* Puncture, knee
- - left S81.832
- - - with foreign body S81.842
- - right S81.831
- - - with foreign body S81.841
- - upper -*see* Puncture, thigh
- lip S01.531
- - with foreign body S01.541
- loin -*see* Puncture, abdomen, wall
- lower back -*see* Puncture, back, lower
- lumbar region -*see* Puncture, back, lower
- malar region -*see* Puncture, head, specified site NEC
- mammary -*see* Puncture, breast
- mastoid region -*see* Puncture, head, specified site NEC
- mouth -*see* Puncture, oral cavity
- nail
- - finger -*see* Puncture, finger, with damage to nail
- - toe -*see* Puncture, toe, with damage to nail
- nasal (septum) (sinus) -*see* Puncture, nose
- nasopharynx -*see* Puncture, head, specified site NEC
- neck S11.93
- - with foreign body S11.94
- - involving
- - - cervical esophagus -*see* Puncture, cervical esophagus
- - - larynx -*see* Puncture, larynx
- - - pharynx -*see* Puncture, pharynx
- - - thyroid gland -*see* Puncture, thyroid gland
- - - trachea -*see* Puncture, trachea
- - specified site NEC S11.83
- - - with foreign body S11.84
- nose (septum) (sinus) S01.23
- - with foreign body S01.24
- ocular -*see* Puncture, eyeball
- oral cavity S01.532
- - with foreign body S01.542
- orbit S05.4-
- palate -*see* Puncture, oral cavity
- palm -*see* Puncture, hand
- pancreas S36.299
- - body S36.291
- - head S36.290
- - tail S36.292
- pelvis -*see* Puncture, back, lower
- penis S31.23
- - with foreign body S31.24
- perineum
- - female S31.43
- - - with foreign body S31.44
- - male S31.139
- - - with foreign body S31.149
- periocular area (with or without lacrimal passages) -*see* Puncture, eyelid
- phalanges

- - finger -*see* Puncture, finger
- - toe -*see* Puncture, toe
- pharynx S11.23
- - with foreign body S11.24
- pinna -*see* Puncture, ear
- popliteal space -*see* Puncture, knee
- prepuce -*see* Puncture, penis
- pubic region S31.139
- - with foreign body S31.149
- pudendum -*see* Puncture, genital organs, external
- rectovaginal septum -*see* Puncture, vagina
- sacral region -*see* Puncture, back, lower
- sacroiliac region -*see* Puncture, back, lower
- salivary gland -*see* Puncture, oral cavity
- scalp S01.03
- - with foreign body S01.04
- scapular region -*see* Puncture, shoulder
- scrotum S31.33
- - with foreign body S31.34
- shin -*see* Puncture, leg
- shoulder S41.039
- - with foreign body S41.049
- - left S41.032
- - - with foreign body S41.042
- - right S41.031
- - - with foreign body S41.041
- spermatic cord -*see* Puncture, testis
- sternal region -*see* Puncture, thorax, front
- submaxillary region -*see* Puncture, head, specified site NEC
- submental region -*see* Puncture, head, specified site NEC
- subungual
- - finger(s) -*see* Puncture, finger, with damage to nail
- - toe -*see* Puncture, toe, with damage to nail
- supraclavicular fossa -*see* Puncture, neck, specified site NEC
- temple, temporal region -*see* Puncture, head, specified site NEC
- temporomandibular area -*see* Puncture, cheek
- testis S31.33
- - with foreign body S31.34
- thigh S71.139
- - with foreign body S71.149
- - left S71.132
- - - with foreign body S71.142
- - right S71.131
- - - with foreign body S71.141
- thorax, thoracic (wall) S21.93
- - with foreign body S21.94
- - back S21.23-
- - - with
- - - - foreign body S21.24-
- - - - - with penetration S21.44
- - - - penetration S21.43
- - breast -*see* Puncture, breast
- - front S21.13-
- - - with
- - - - foreign body S21.14-
- - - - - with penetration S21.34
- - - - penetration S21.33
- throat -*see* Puncture, neck
- thumb S61.039
- - with

- - - damage to nail S61.139
- - - - with
- - - - - foreign body S61.149
- - - foreign body S61.049
- - left S61.032
- - - with
- - - - damage to nail S61.132
- - - - - with
- - - - - - foreign body S61.142
- - - - foreign body S61.042
- - right S61.031
- - - with
- - - - damage to nail S61.131
- - - - - with
- - - - - - foreign body S61.141
- - - - foreign body S61.041
- thyroid gland S11.13
- - with foreign body S11.14
- toe(s) S91.139
- - with
- - - damage to nail S91.239
- - - - with
- - - - - foreign body S91.249
- - - foreign body S91.149
- - great S91.133
- - - with
- - - - damage to nail S91.233
- - - - - with
- - - - - - foreign body S91.243
- - - - foreign body S91.143
- - - left S91.132
- - - - with
- - - - - damage to nail S91.232
- - - - - - with
- - - - - - - foreign body S91.242
- - - - - foreign body S91.142
- - - right S91.131
- - - - with
- - - - - damage to nail S91.231
- - - - - - with
- - - - - - - foreign body S91.241
- - - - - foreign body S91.141
- - lesser S91.136
- - - with
- - - - damage to nail S91.236
- - - - - with
- - - - - - foreign body S91.246
- - - - foreign body S91.146
- - - left S91.135
- - - - with
- - - - - damage to nail S91.235
- - - - - - with
- - - - - - - foreign body S91.245
- - - - - foreign body S91.145
- - - right S91.134
- - - - with
- - - - - damage to nail S91.234
- - - - - - with
- - - - - - - foreign body S91.244
- - - - - foreign body S91.144

- tongue -*see* Puncture, oral cavity
- trachea S11.023
- - with foreign body S11.024
- tunica vaginalis -*see* Puncture, testis
- tympanum, tympanic membrane S09.2-
- umbilical region S31.135
- - with foreign body S31.145
- uvula -*see* Puncture, oral cavity
- vagina S31.43
- - with foreign body S31.44
- vocal cords S11.033
- - with foreign body S11.034
- vulva S31.43
- - with foreign body S31.44
- wrist S61.539
- - with
- - - foreign body S61.549
- - left S61.532
- - - with
- - - - foreign body S61.542
- - right S61.531
- - - with
- - - - foreign body S61.541

PUO (pyrexia of unknown origin) R50.9

Pupillary membrane (persistent) Q13.89

Pupillotonia -*see* Anomaly, pupil, function, tonic pupil

Purpura D69.2
- abdominal D69.0
- allergic D69.0
- anaphylactoid D69.0
- annularis telangiectodes L81.7
- arthritic D69.0
- autoerythrocyte sensitization D69.2
- autoimmune D69.0
- bacterial D69.0
- Bateman's (senile) D69.2
- capillary fragility (hereditary) (idiopathic) D69.8
- cryoglobulinemic D89.1
- Devil's pinches D69.2
- fibrinolytic -*see* Fibrinolysis
- fulminans, fulminous D65
- gangrenous D65
- hemorrhagic, hemorrhagica D69.3
- - not due to thrombocytopenia D69.0
- Henoch (-Schönlein) (allergic) D69.0
- hypergammaglobulinemic (benign) (Waldenström) D89.0
- idiopathic (thrombocytopenic) D69.3
- - nonthrombocytopenic D69.0
- immune thrombocytopenic D69.3
- infectious D69.0
- malignant D69.0
- neonatorum P54.5
- nervosa D69.0
- newborn P54.5
- nonthrombocytopenic D69.2
- - hemorrhagic D69.0
- - idiopathic D69.0
- nonthrombopenic D69.2
- peliosis rheumatica D69.0
- posttransfusion (post-transfusion) (from (fresh) whole blood or blood products) D69.51

- primary D69.49
- red cell membrane sensitivity D69.2
- rheumatica D69.0
- Schönlein (-Henoch) (allergic) D69.0
- scorbutic E54 *[D77]*
- senile D69.2
- simplex D69.2
- symptomatica D69.0
- telangiectasia annularis L81.7
- thrombocytopenic D69.49
- - congenital D69.42
- - hemorrhagic D69.3
- - hereditary D69.42
- - idiopathic D69.3
- - immune D69.3
- - neonatal, transitory P61.0
- - thrombotic M31.19
- thrombohemolytic -*see* Fibrinolysis
- thrombolytic -*see* Fibrinolysis
- thrombopenic D69.49
- thrombotic, thrombocytopenic M31.19
- toxic D69.0
- vascular D69.0
- visceral symptoms D69.0

Purpuric spots R23.3

Purulent -*see* condition

Pus
- in
- - stool R19.5
- - urine N39.0
- tube (rupture) -*see* Salpingo-oophoritis

Pustular rash L08.0

Pustule (nonmalignant) L08.9
- malignant A22.0

Pustulosis palmaris et plantaris L40.3

Putnam (-Dana) disease or syndrome -*see* Degeneration, combined

Putrescent pulp (dental) K04.1

Pyarthritis, pyarthrosis -*see* Arthritis, pyogenic or pyemic
- tuberculous -*see* Tuberculosis, joint

Pyelectasis -*see* Hydronephrosis

Pyelitis (congenital) (uremic) -*see also* Pyelonephritis
- with
- - calculus -see category N20
- - - with hydronephrosis N13.6
- - contracted kidney N11.9
- acute N10
- chronic N11.9
- - with calculus -see category N20
- - - with hydronephrosis N13.6
- cystica N28.84
- puerperal (postpartum) O86.21
- tuberculous A18.11

Pyelocystitis -*see* Pyelonephritis

Pyelonephritis -*see also* Nephritis, tubulo-interstitial
- with
- - calculus -see category N20
- - - with hydronephrosis N13.6
- - contracted kidney N11.9
- acute N10
- calculous -see category N20

- - with hydronephrosis N13.6
- chronic N11.9
- - with calculus -see category N20
- - - with hydronephrosis N13.6
- - associated with ureteral obstruction or stricture N11.1
- - nonobstructive N11.8
- - - with reflux (vesicoureteral) N11.0
- - obstructive N11.1
- - specified NEC N11.8
- in (due to)
- - brucellosis A23.9 *[N16]*
- - cryoglobulinemia (mixed) D89.1 *[N16]*
- - cystinosis E72.04
- - diphtheria A36.84
- - glycogen storage disease E74.09 *[N16]*
- - leukemia NEC C95.9- *[N16]*
- - lymphoma NEC C85.90 *[N16]*
- - multiple myeloma C90.0- *[N16]*
- - obstruction N11.1
- - Salmonella infection A02.25
- - sarcoidosis D86.84
- - sepsis A41.9 *[N16]*
- - Sjögren's disease M35.04
- - toxoplasmosis B58.83
- - transplant rejection T86.91 *[N16]*
- - Wilson's disease E83.01 *[N16]*
- nonobstructive N12
- - with reflux (vesicoureteral) N11.0
- - chronic N11.8
- syphilitic A52.75

Pyelonephrosis (obstructive) N11.1
- chronic N11.9

Pyelophlebitis I80.8

Pyeloureteritis cystica N28.85

Pyemia, pyemic (fever) (infection) (purulent) -*see also* Sepsis
- joint -*see* Arthritis, pyogenic or pyemic
- liver K75.1
- pneumococcal A40.3
- portal K75.1
- postvaccinal T88.0
- puerperal, postpartum, childbirth O85
- specified organism NEC A41.89
- tuberculous -*see* Tuberculosis, miliary

Pygopagus Q89.4

Pyknoepilepsy (idiopathic) -*see* Pyknolepsy

Pyknolepsy G40.A09
- intractable G40.A19
- - with status epilepticus G40.A11
- - without status epilepticus G40.A19
- not intractable G40.A09
- - with status epilepticus G40.A01
- - without status epilepticus G40.A09

Pylephlebitis K75.1

Pyle's syndrome Q78.5

Pylethrombophlebitis K75.1

Pylethrombosis K75.1

Pyloritis K29.90
- with bleeding K29.91

Pylorospasm (reflex) NEC K31.3
- congenital or infantile Q40.0

- newborn Q40.0
- neurotic F45.8
- psychogenic F45.8
Pylorus, pyloric -*see* condition
Pyoarthrosis -*see* Arthritis, pyogenic or pyemic
Pyocele
- mastoid -*see* Mastoiditis, acute
- sinus (accessory) -*see* Sinusitis
- turbinate (bone) J32.9
- urethra -*see also* Urethritis N34.0
Pyocolpos -*see* Vaginitis
Pyocystitis N30.80
- with hematuria N30.81
Pyoderma, pyodermia L08.0
- gangrenosum L88
- newborn P39.4
- phagedenic L88
- vegetans L08.81
Pyodermatitis L08.0
- vegetans L08.81
Pyogenic -*see* condition
Pyohydronephrosis N13.6
Pyometra, pyometrium, pyometritis -*see* Endometritis
Pyomyositis (tropical) -*see* Myositis, infective
Pyonephritis N12
Pyonephrosis N13.6
- tuberculous A18.11
Pyo-oophoritis -*see* Salpingo-oophoritis
Pyo-ovarium -*see* Salpingo-oophoritis
Pyopericarditis, pyopericardium I30.1
Pyophlebitis -*see* Phlebitis
Pyopneumopericardium I30.1
Pyopneumothorax (infective) J86.9
- with fistula J86.0
- tuberculous NEC A15.6
Pyosalpinx, pyosalpingitis -*see also* Salpingo-oophoritis
Pyothorax J86.9
- with fistula J86.0
- tuberculous NEC A15.6
Pyoureter N28.89
- tuberculous A18.11
Pyramidopallidonigral syndrome G20.C
Pyrexia (of unknown origin) R50.9
- atmospheric T67.01
- during labor NEC O75.2
- heat T67.01
- newborn P81.9
- - environmentally-induced P81.0
- persistent R50.9
- puerperal O86.4
Pyroglobulinemia NEC E88.09
Pyromania F63.1
Pyrosis R12
Pyuria (bacterial) (sterile) R82.81

Q

Q fever A78
- with pneumonia A78
Quadricuspid aortic valve Q23.88

Quadrilateral fever A78
Quadriparesis -*see* Quadriplegia
- meaning muscle weakness M62.81
Quadriplegia G82.50
- complete
- - C1-C4 level G82.51
- - C5-C7 level G82.53
- congenital (cerebral) (spinal) G80.8
- - spastic G80.0
- embolic (current episode) I63.4-
- functional R53.2
- incomplete
- - C1-C4 level G82.52
- - C5-C7 level G82.54
- thrombotic (current episode) I63.3-
- traumatic -- code to injury with seventh character S
- - current episode -*see* Injury, spinal (cord), cervical
Quadruplet, pregnancy -*see* Pregnancy, quadruplet
Quarrelsomeness F60.3
Queensland fever A77.3
Quervain's disease M65.4
- thyroid E06.1
Queyrat's erythroplasia D07.4
- penis D07.4
- specified site -*see* Neoplasm, skin, in situ
- unspecified site D07.4
Quincke's disease or edema T78.3
- hereditary D84.1
Quinsy (gangrenous) J36
Quintan fever A79.0
Quintuplet, pregnancy -*see* Pregnancy, quintuplet

R

Rabbit fever -*see* Tularemia
Rabies A82.9
- contact Z20.3
- exposure to Z20.3
- inoculation reaction -*see* Complications, vaccination
- sylvatic A82.0
- urban A82.1
Rachischisis -*see* Spina bifida
Rachitic -*see also* condition
- deformities of spine (late effect) (sequelae) E64.3
- pelvis (late effect) (sequelae) E64.3
- - with disproportion (fetopelvic) O33.0
- - - causing obstructed labor O65.0
Rachitis, rachitism (acute) (tarda) -*see also* Rickets
- renalis N25.0
- sequelae E64.3
Radial nerve -*see* condition
Radiation
- burn -*see* Burn
- effects NOS T66
- sickness NOS T66
- therapy, encounter for Z51.0
Radiculitis (pressure) (vertebrogenic) -*see* Radiculopathy
Radiculomyelitis -*see also* Encephalitis
- toxic, due to
- - Clostridium tetani A35

- - Corynebacterium diphtheriae A36.82
Radiculopathy M54.10
- cervical region M54.12
- cervicothoracic region M54.13
- due to
- - disc disorder
- - - C3 M50.11
- - - C4 M50.11
- - - C5 M50.121
- - - C6 M50.122
- - - C7 M50.123
- - - C8 M50.13
- - displacement of intervertebral disc -*see* Disorder, disc, with, radiculopathy
- leg M54.1-
- lumbar region M54.16
- lumbosacral region M54.17
- occipito-atlanto-axial region M54.11
- postherpetic B02.29
- sacrococcygeal region M54.18
- syphilitic A52.11
- thoracic region (with visceral pain) M54.14
- thoracolumbar region M54.15
Radiodermal burns (acute, chronic, or occupational) -*see* Burn
Radiodermatitis L58.9
- acute L58.0
- chronic L58.1
Radiotherapy session Z51.0
RAEB (refractory anemia with excess blasts) D46.2-
Rage, meaning rabies -*see* Rabies
Ragpicker's disease A22.1
Ragsorter's disease A22.1
Raillietiniasis B71.8
Railroad neurosis F48.8
Railway spine F48.8
Raised -*see also* Elevated
- antibody titer R76.0
Rake teeth, tooth M26.39
Rales R09.89
Ramifying renal pelvis Q63.8
Ramsay-Hunt disease or syndrome -*see also* Hunt's, disease B02.21
- meaning dyssynergia cerebellaris myoclonica G11.19
Ranula K11.6
- congenital Q38.4
Rape
- adult
- - confirmed T74.21
- - suspected T76.21
- alleged, observation or examination, ruled out
- - adult Z04.41
- - child Z04.42
- child
- - confirmed T74.22
- - suspected T76.22
Rapid
- feeble pulse, due to shock, following injury T79.4
- heart (beat) R00.0
- - psychogenic F45.8
- second stage (delivery) O62.3
- time-zone change syndrome G47.25
Rarefaction, bone -*see* Disorder, bone, density and structure, specified NEC

Rash (toxic) R21
- canker A38.9
- diaper L22
- drug (internal use) L27.0
- - contact -*see also* Dermatitis, due to, drugs, external L25.1
- following immunization T88.1
- food -*see* Dermatitis, due to, food
- heat L74.0
- napkin (psoriasiform) L22
- nettle -*see* Urticaria
- pustular L08.0
- rose R21
- - epidemic B06.9
- scarlet A38.9
- serum -*see also* Reaction, serum T80.69
- wandering tongue K14.1
Rasmussen aneurysm -*see* Tuberculosis, pulmonary
Rasmussen encephalitis G04.81
Rat-bite fever A25.9
- due to Streptobacillus moniliformis A25.1
- spirochetal (morsus muris) A25.0
Rathke's pouch tumor D44.3
Raymond (-Céstan) syndrome I65.8
Raynaud's disease, phenomenon or syndrome (secondary) I73.00
- with gangrene (symmetric) I73.01
RDS (newborn) (type I) P22.0
- type II P22.1
Reaction -*see also* Disorder
- adaptation -*see* Disorder, adjustment
- adjustment (anxiety) (conduct disorder) (depressiveness) (distress) -*see* Disorder, adjustment
- - with
- - - mutism, elective (child) (adolescent) F94.0
- adverse
- - food (any) (ingested) NEC T78.1
- - - anaphylactic -*see* Shock, anaphylactic, due to food
- affective -*see* Disorder, mood
- allergic -*see* Allergy
- anaphylactic -*see* Shock, anaphylactic
- anaphylactoid -*see* Shock, anaphylactic
- anesthesia -*see* Anesthesia, complication
- antitoxin (prophylactic) (therapeutic) -*see* Complications, vaccination
- anxiety F41.1
- Arthus -*see* Arthus' phenomenon
- asthenic F48.8
- combat and operational stress F43.0
- compulsive F42.8
- conversion F44.9
- crisis, acute F43.0
- deoxyribonuclease (DNA) (DNase) hypersensitivity D69.2
- depressive (single episode) F32.9
- - affective (single episode) F31.4
- - - recurrent episode F33.9
- - neurotic F34.1
- - psychoneurotic F34.1
- - psychotic F32.3
- - recurrent -*see* Disorder, depressive, recurrent
- dissociative F44.9
- drug NEC T88.7
- - addictive -*see* Dependence, drug
- - - transmitted via placenta or breast milk -*see* Absorption, drug, addictive, through placenta

- - allergic -*see* Allergy, drug
- - lichenoid L43.2
- - newborn P93.8
- - - gray baby syndrome P93.0
- - overdose or poisoning (by accident) -*see* Table of Drugs and Chemicals, by drug, poisoning
- - photoallergic L56.1
- - phototoxic L56.0
- - withdrawal -*see* Dependence, by drug, with, withdrawal
- - - infant of dependent mother P96.1
- - - newborn P96.1
- - wrong substance given or taken (by accident) -*see* Table of Drugs and Chemicals, by drug, poisoning
- fear F40.9
- - child (abnormal) F93.8
- febrile nonhemolytic transfusion (FNHTR) R50.84
- fluid loss, cerebrospinal G97.1
- foreign
- - body NEC -*see* Granuloma, foreign body
- - - in operative wound (inadvertently left) -*see* Foreign body, accidentally left during a procedure
- - substance accidentally left during a procedure (chemical) (powder) (talc) T81.60
- - - aseptic peritonitis T81.61
- - - body or object (instrument) (sponge) (swab) -*see* Foreign body, accidentally left during a procedure
- - - specified reaction NEC T81.69
- grief -*see* Disorder, adjustment
- Herxheimer's R68.89
- hyperkinetic -*see* Hyperkinesia
- hypochondriacal F45.20
- hypoglycemic, due to insulin E16.0
- - with coma (diabetic) -*see* Diabetes, coma
- - - nondiabetic E15
- - therapeutic misadventure -see subcategory T38.3
- hypomanic F30.8
- hysterical F44.9
- immunization -*see* Complications, vaccination
- incompatibility
- - ABO blood group (infusion) (transfusion) -*see* Complication(s), transfusion, incompatibility reaction, ABO
- - - delayed serologic T80.39
- - minor blood group (Duffy) (E) (K) (Kell) (Kidd) (Lewis) (M) (N) (P) (S) T80.89
- - Rh (factor) (infusion) (transfusion) -*see* Complication(s), transfusion, incompatibility reaction, Rh (factor)
- inflammatory -*see* Infection
- infusion -*see* Complications, infusion
- inoculation (immune serum) -*see* Complications, vaccination
- insulin T38.3-
- involutional psychotic -*see* Disorder, depressive
- leukemoid D72.823
- - basophilic D72.823
- - lymphocytic D72.823
- - monocytic D72.823
- - myelocytic D72.823
- - neutrophilic D72.823
- LSD (acute)
- - due to drug abuse -*see* Abuse, drug, hallucinogen
- - due to drug dependence -*see* Dependence, drug, hallucinogen
- lumbar puncture G97.1
- manic-depressive -*see* Disorder, bipolar
- neurasthenic F48.8
- neurogenic -*see* Neurosis
- neurotic F48.9
- neurotic-depressive F34.1
- nitritoid -*see* Crisis, nitritoid
- nonspecific

- - to
- - - cell mediated immunity measurement of gamma interferon antigen response without active tuberculosis R76.12
- - - QuantiFERON-TB test (QFT) without active tuberculosis R76.12
- - - tuberculin test -*see also* Reaction, tuberculin skin test R76.11
- obsessive-compulsive F42.8
- organic, acute or subacute -*see* Delirium
- paranoid (acute) F23
- - chronic F22
- - senile F03
- passive dependency F60.7
- phobic F40.9
- post-traumatic stress, uncomplicated Z73.3
- psychogenic F99
- psychoneurotic -*see also* Neurosis
- - compulsive F42.8
- - depersonalization F48.1
- - depressive F34.1
- - hypochondriacal F45.20
- - neurasthenic F48.8
- - obsessive F42.8
- psychophysiologic -*see* Disorder, somatoform
- psychosomatic -*see* Disorder, somatoform
- psychotic -*see* Psychosis
- scarlet fever toxin -*see* Complications, vaccination
- schizophrenic F23
- - acute (brief) (undifferentiated) F23
- - latent F21
- - undifferentiated (acute) (brief) F23
- serological for syphilis -*see* Serology for syphilis
- serum T80.69
- - anaphylactic (immediate) -*see also* Shock, anaphylactic T80.59
- - specified reaction NEC
- - - due to
- - - - administration of blood and blood products T80.61
- - - - immunization T80.62
- - - - serum specified NEC T80.69
- - - - vaccination T80.62
- situational -*see* Disorder, adjustment
- somatization -*see* Disorder, somatoform
- spinal puncture G97.1
- - dural G97.1
- stress (severe) F43.9
- - acute (agitation) ("daze") (disorientation) (disturbance of consciousness) (flight reaction) (fugue) F43.0
- - specified NEC F43.89
- surgical procedure -*see* Complications, surgical procedure
- tetanus antitoxin -*see* Complications, vaccination
- toxic, to local anesthesia T88.59
- - in labor and delivery O74.4
- - in pregnancy O29.3X-
- - postpartum, puerperal O89.3
- toxin-antitoxin -*see* Complications, vaccination
- transfusion (blood) (bone marrow) (lymphocytes) (allergic) -*see* Complications, transfusion
- tuberculin skin test, abnormal R76.11
- vaccination (any) -*see* Complications, vaccination
- withdrawing, child or adolescent F93.8

Reactive airway disease -*see* Asthma

Reactive depression -*see* Reaction, depressive

Rearrangement

- chromosomal
- - balanced (in) Q95.9

- - - abnormal individual (autosomal) Q95.2
- - - - non-sex (autosomal) chromosomes Q95.2
- - - - sex/non-sex chromosomes Q95.3
- - - specified NEC Q95.8
Recalcitrant patient -*see* Noncompliance
Recanalization, thrombus -*see* Thrombosis
Recession, receding
- chamber angle (eye) H21.55-
- chin M26.09
- gingival (postinfective) (postoperative)
- - generalized K06.020
- - - minimal K06.021
- - - moderate K06.022
- - - severe K06.023
- - localized K06.010
- - - minimal K06.011
- - - moderate K06.012
- - - severe K06.013
Recklinghausen disease Q85.01
- bones E21.0
Reclus' disease (cystic) -*see* Mastopathy, cystic
Recrudescence
- deficit
- - cerebral infarction -*see* Sequelae, infarction, cerebral
- - stroke -*see* Sequelae, infarction, cerebral
- sequelae
- - cerebral infarction -*see* Sequelae, infarction, cerebral
- - stroke -*see* Sequelae, infarction, cerebral
Recrudescent typhus (fever) A75.1
Recruitment, auditory H93.21-
Rectalgia K62.89
Rectitis K62.89
Rectocele
- female (without uterine prolapse) N81.6
- - with uterine prolapse N81.4
- - - complete N81.3
- - - incomplete N81.2
- in pregnancy -*see* Pregnancy, complicated by, abnormal, pelvic organs or tissues NEC
- male K62.3
Rectosigmoid junction -*see* condition
Rectosigmoiditis K63.89
- ulcerative (chronic) K51.30
- - with
- - - complication K51.319
- - - - abscess K51.314
- - - - fistula K51.313
- - - - obstruction K51.312
- - - - rectal bleeding K51.311
- - - - specified NEC K51.318
Rectourethral -*see* condition
Rectovaginal -*see* condition
Rectovesical -*see* condition
Rectum, rectal -*see* condition
Recurrent -*see* condition
- pregnancy loss -*see* Loss (of), pregnancy, recurrent
Red bugs B88.0
Red-cedar lung or pneumonitis J67.8
Red tide -*see also* Table of Drugs and Chemicals T65.82-
Reduced
- mobility Z74.09

- ventilatory or vital capacity R94.2
Redundant, redundancy
- anus (congenital) Q43.8
- clitoris N90.89
- colon (congenital) Q43.8
- foreskin (congenital) N47.8
- intestine (congenital) Q43.8
- labia N90.69
- organ or site, congenital NEC -*see* Accessory
- panniculus (abdominal) E65
- prepuce (congenital) N47.8
- pylorus K31.89
- rectum (congenital) Q43.8
- scrotum N50.89
- sigmoid (congenital) Q43.8
- skin L98.7
- - and subcutaneous tissue L98.7
- - of face L57.4
- - - eyelids -*see* Blepharochalasis
- stomach K31.89
Reduplication -*see* Duplication
Reflex R29.2
- hyperactive gag J39.2
- pupillary, abnormal -*see* Anomaly, pupil, function
- vasoconstriction I73.9
- vasovagal R55
Reflux K21.9
- acid K21.9
- esophageal K21.9
- - with esophagitis (without bleeding) K21.00
- - - with bleeding K21.01
- - newborn P78.83
- gastroesophageal K21.9
- - with esophagitis (without bleeding) K21.00
- - - with bleeding K21.01
- mitral -*see* Insufficiency, mitral
- ureteral -*see* Reflux, vesicoureteral
- vesicoureteral (with scarring) N13.70
- - with
- - - nephropathy N13.729
- - - - with hydroureter N13.739
- - - - - bilateral N13.732
- - - - - unilateral N13.731
- - - - bilateral N13.722
- - - - unilateral N13.721
- - - - without hydroureter N13.729
- - - - - bilateral N13.722
- - - - - unilateral N13.721
- - - pyelonephritis (chronic) N11.0
- - congenital Q62.7
- - without nephropathy N13.71
Reforming, artificial openings -*see* Attention to, artificial, opening
Refractive error -*see* Disorder, refraction
Refsum's disease or syndrome G60.1
Refusal of
- food, psychogenic F50.89
- treatment (because of) Z53.20
- - left against medical advice (AMA) Z53.29
- - left without being seen Z53.21
- - patient's decision NEC Z53.29

- - reasons of belief or group pressure Z53.1
Regional -*see* condition
Regurgitation R11.10
- aortic (valve) -*see* Insufficiency, aortic
- food -*see also* Vomiting
- - with reswallowing -*see* Rumination
- - newborn P92.1
- gastric contents -*see* Vomiting
- heart -*see* Endocarditis
- mitral (valve) -*see* Insufficiency, mitral
- - congenital Q23.3
- myocardial -*see* Endocarditis
- pulmonary (valve) (heart) I37.1
- - congenital Q22.2
- - syphilitic A52.03
- tricuspid -*see* Insufficiency, tricuspid
- valve, valvular -*see* Endocarditis
- - congenital Q24.8
- vesicoureteral -*see* Reflux, vesicoureteral
Reifenstein syndrome E34.52
Reinsertion
- implantable subdermal contraceptive Z30.46
- intrauterine contraceptive device Z30.433
Reiter's disease, syndrome, or urethritis M02.30
- ankle M02.37-
- elbow M02.32-
- foot joint M02.37-
- hand joint M02.34-
- hip M02.35-
- knee M02.36-
- multiple site M02.39
- shoulder M02.31-
- vertebra M02.38
- wrist M02.33-
Reichmann's disease or syndrome K31.89
Rejection
- food, psychogenic F50.89
- transplant T86.91
- - bone T86.830
- - - marrow T86.01
- - cornea T86.840-
- - heart T86.21
- - - with lung(s) T86.31
- - intestine T86.850
- - kidney T86.11
- - liver T86.41
- - lung(s) T86.810
- - - with heart T86.31
- - organ (immune or nonimmune cause) T86.91
- - pancreas T86.890
- - skin (allograft) (autograft) T86.820
- - specified NEC T86.890
- - stem cell (peripheral blood) (umbilical cord) T86.5
Relapsing fever A68.9
- Carter's (Asiatic) A68.1
- Dutton's (West African) A68.1
- Koch's A68.9
- louse-borne (epidemic) A68.0
- Novy's (American) A68.1
- Obermeyers's (European) A68.0

- Spirillum A68.9
- tick-borne (endemic) A68.1

Relationship
- occlusal
- - open anterior M26.220
- - open posterior M26.221

Relaxation
- anus (sphincter) K62.89
- - psychogenic F45.8
- arch (foot) *-see also* Deformity, limb, flat foot
- back ligaments *-see* Instability, joint, spine
- bladder (sphincter) N31.2
- cardioesophageal K21.9
- cervix *-see* Incompetency, cervix
- diaphragm J98.6
- joint (capsule) (ligament) (paralytic) *-see* Flail, joint
- - congenital NEC Q74.8
- lumbosacral (joint) -see subcategory M53.2
- pelvic floor N81.89
- perineum N81.89
- posture R29.3
- rectum (sphincter) K62.89
- sacroiliac (joint) -see subcategory M53.2
- scrotum N50.89
- urethra (sphincter) N36.44
- vesical N31.2

Release from prison, anxiety concerning Z65.2

Remains
- canal of Cloquet Q14.0
- capsule (opaque) Q14.8

Remittent fever (malarial) B54

Remnant
- canal of Cloquet Q14.0
- capsule (opaque) Q14.8
- cervix, cervical stump (acquired) (postoperative) N88.8
- cystic duct, postcholecystectomy K91.5
- fingernail L60.8
- - congenital Q84.6
- meniscus, knee *-see* Derangement, knee, meniscus, specified NEC
- thyroglossal duct Q89.2
- tonsil J35.8
- - infected (chronic) J35.01
- urachus Q64.4

Removal (from) (of)
- artificial
- - arm Z44.00-
- - - complete Z44.01-
- - - partial Z44.02-
- - eye Z44.2-
- - leg Z44.10-
- - - complete Z44.11-
- - - partial Z44.12-
- breast implant Z45.81
- cardiac pulse generator (battery) (end-of-life) Z45.010
- catheter (urinary) (indwelling) Z46.6
- - from artificial opening *-see* Attention to, artificial, opening
- - non-vascular Z46.82
- - vascular NEC Z45.2
- drains Z48.03
- device Z46.9

- - contraceptive Z30.432
- - - implantable subdermal Z30.46
- - implanted NEC Z45.89
- - specified NEC Z46.89
- dressing (nonsurgical) Z48.00
- - surgical Z48.01
- external
- - fixation device - code to fracture with seventh character D
- - prosthesis, prosthetic device Z44.9
- - - breast Z44.3-
- - - specified NEC Z44.8
- home in childhood (to foster home or institution) Z62.29
- ileostomy Z43.2
- insulin pump Z46.81
- myringotomy device (stent) (tube) Z45.82
- nervous system device NEC Z46.2
- - brain neuropacemaker Z46.2
- - visual substitution device Z46.2
- - - implanted Z45.31
- non-vascular catheter Z46.82
- orthodontic device Z46.4
- organ, prophylactic (for neoplasia management) -*see* Prophylactic, organ removal
- staples Z48.02
- stent
- - ureteral Z46.6
- suture Z48.02
- urinary device Z46.6
- vascular access device or catheter Z45.2

Ren
- arcuatus Q63.1
- mobile, mobilis N28.89
- - congenital Q63.8
- unguliformis Q63.1

Renal -*see* condition

Rendu-Osler-Weber disease or syndrome I78.0

Reninoma D41.0-

Renon-Delille syndrome E23.3

Reovirus, as cause of disease classified elsewhere B97.5

Repeated falls NEC R29.6

Replaced chromosome by dicentric ring Q93.2

Replacement by artificial or mechanical device or prosthesis of
- bladder Z96.0
- blood vessel NEC Z95.828
- bone NEC Z96.7
- cochlea Z96.21
- coronary artery Z95.5
- eustachian tube Z96.29
- eye globe Z97.0
- heart Z95.812
- - valve Z95.2
- - - prosthetic Z95.2
- - - specified NEC Z95.4
- - - xenogenic Z95.3
- intestine Z96.89
- joint Z96.60
- - hip -*see* Presence, hip joint implant
- - knee -*see* Presence, knee joint implant
- - specified site NEC Z96.698
- larynx Z96.3
- lens Z96.1

- limb(s) *-see* Presence, artificial, limb
- mandible NEC (for tooth root implant(s)) Z96.5
- organ NEC Z96.89
- peripheral vessel NEC Z95.828
- stapes Z96.29
- teeth Z97.2
- tendon Z96.7
- tissue NEC Z96.89
- tooth root(s) Z96.5
- vessel NEC Z95.828
- - coronary (artery) Z95.5

Request for expert evidence Z04.89

Reserve, decreased or low
- cardiac *-see* Disease, heart
- kidney N28.89

Residing
- in place not meant for human habitation (abandoned building) (car) (park) (sidewalk) Z59.02
- on the street Z59.02

Residual *-see also* condition
- ovary syndrome N99.83
- state, schizophrenic F20.5
- urine R39.198

Resistance, resistant (to)
- activated protein C D68.51
- insulin E88.819
- - complicating pregnancy O26.89-
- - specified type NEC E88.818
- organism(s)
- - to
- - - drug Z16.30
- - - - aminoglycosides Z16.29
- - - - amoxicillin Z16.11
- - - - ampicillin Z16.11
- - - - antibiotic(s) Z16.20
- - - - - multiple Z16.24
- - - - - specified NEC Z16.29
- - - - antifungal Z16.32
- - - - antimicrobial (single) Z16.30
- - - - - multiple Z16.35
- - - - - specified NEC Z16.39
- - - - antimycobacterial (single) Z16.341
- - - - - multiple Z16.342
- - - - antiparasitic Z16.31
- - - - antiviral Z16.33
- - - - beta lactam antibiotics Z16.10
- - - - - specified NEC Z16.19
- - - - carbapenem Z16.13
- - - - cephalosporins Z16.19
- - - - extended beta lactamase (ESBL) Z16.12
- - - - fluoroquinolones Z16.23
- - - - macrolides Z16.29
- - - - methicillin *-see* MRSA
- - - - multiple drugs (MDRO)
- - - - - antibiotics Z16.24
- - - - - antimicrobial Z16.35
- - - - - antimycobacterials Z16.342
- - - - penicillins Z16.11
- - - - quinine (and related compounds) Z16.31
- - - - quinolones Z16.23
- - - - sulfonamides Z16.29

- - - - tetracyclines Z16.29
- - - - tuberculostatics (single) Z16.341
- - - - - multiple Z16.342
- - - - vancomycin Z16.21
- - - - - related antibiotics Z16.22
- thyroid hormone E07.89

Resorption
- dental (roots) K03.3
- - alveoli M26.79
- teeth (external) (internal) (pathological) (roots) K03.3

Respiration
- Cheyne-Stokes R06.3
- decreased due to shock, following injury T79.4
- disorder of, psychogenic F45.8
- insufficient, or poor R06.89
- - newborn P28.5
- painful R07.1
- sighing, psychogenic F45.8

Respiratory *-see also* condition
- distress syndrome (newborn) (type I) P22.0
- - type II P22.1
- syncytial virus, as cause of disease classified elsewhere *-see also* Virus, respiratory syncytial (RSV) B97.4

Respite care Z75.5

Response (drug)
- photoallergic L56.1
- phototoxic L56.0

Restenosis
- stent
- - vascular
- - - end stent
- - - - adjacent to stent *-see* Arteriosclerosis
- - - - within the stent
- - - - - coronary T82.855
- - - - - peripheral T82.856
- - - in stent
- - - - coronary vessel T82.855
- - - - peripheral vessel T82.856

Restless legs (syndrome) G25.81

Restlessness R45.1

Restriction of housing space Z59.19

Restoration (of)
- dental
- - aesthetically inadequate or displeasing K08.56
- - defective K08.50
- - - specified NEC K08.59
- - failure of marginal integrity K08.51
- - failure of periodontal anatomical intergrity K08.54
- organ continuity from previous sterilization (tuboplasty) (vasoplasty) Z31.0
- - aftercare Z31.42
- tooth (existing)
- - contours biologically incompatible with oral health K08.54
- - open margins K08.51
- - overhanging K08.52
- - poor aesthetic K08.56
- - poor gingival margins K08.51
- unsatisfactory, of tooth K08.50
- - specified NEC K08.59

Restorative material (dental)
- allergy to K08.55
- fractured K08.539

- - with loss of material K08.531
- - without loss of material K08.530
- unrepairable overhanging of K08.52
Rests, ovarian, in fallopian tube Q50.6
Restzustand (schizophrenic) F20.5
Retained -*see also* Retention
- cholelithiasis following cholecystectomy K91.86
- foreign body fragments (type of) Z18.9
- - acrylics Z18.2
- - animal quill(s) or spines Z18.31
- - cement Z18.83
- - concrete Z18.83
- - crystalline Z18.83
- - depleted isotope Z18.09
- - depleted uranium Z18.01
- - diethylhexyl phthalates Z18.2
- - glass Z18.81
- - isocyanate Z18.2
- - magnetic metal Z18.11
- - metal Z18.10
- - nonmagnectic metal Z18.12
- - nontherapeutic radioactive Z18.09
- - organic NEC Z18.39
- - plastic Z18.2
- - quill(s) (animal) Z18.31
- - radioactive (nontherapeutic) NEC Z18.09
- - specified NEC Z18.89
- - spine(s) (animal) Z18.31
- - stone Z18.83
- - tooth (teeth) Z18.32
- - wood Z18.33
- fragments (type of) Z18.9
- - acrylics Z18.2
- - animal quill(s) or spines Z18.31
- - cement Z18.83
- - concrete Z18.83
- - crystalline Z18.83
- - depleted isotope Z18.09
- - depleted uranium Z18.01
- - diethylhexyl phthalates Z18.2
- - glass Z18.81
- - isocyanate Z18.2
- - magnetic metal Z18.11
- - metal Z18.10
- - nonmagnectic metal Z18.12
- - nontherapeutic radioactive Z18.09
- - organic NEC Z18.39
- - plastic Z18.2
- - quill(s) (animal) Z18.31
- - radioactive (nontherapeutic) NEC Z18.09
- - specified NEC Z18.89
- - spine(s) (animal) Z18.31
- - stone Z18.83
- - tooth (teeth) Z18.32
- - wood Z18.33
- gallstones, following cholecystectomy K91.86
Retardation
- development, developmental, specific -*see* Disorder, developmental
- endochondral bone growth -*see* Disorder, bone, development or growth
- growth R62.50

- - due to malnutrition E45
- mental -*see* Disability, intellectual
- motor function, specific F82
- physical (child) R62.52
- - due to malnutrition E45
- reading (specific) F81.0
- spelling (specific) (without reading disorder) F81.81

Retching -*see* Vomiting

Retention -*see also* Retained
- bladder -*see* Retention, urine
- carbon dioxide E87.29
- cholelithiasis following cholecystectomy K91.86
- cyst -*see* Cyst
- dead
- - fetus (at or near term) (mother) O36.4
- - - early fetal death O02.1
- - ovum O02.0
- decidua (fragments) (following delivery) (with hemorrhage) O72.2
- - without hemorrhage O73.1
- deciduous tooth K00.6
- dental root K08.3
- fecal -*see* Constipation
- fetus
- - dead O36.4
- - - early O02.1
- fluid R60.9
- foreign body -*see also* Foreign body, retained
- - current trauma - code as Foreign body, by site or type
- gallstones, following cholecystectomy K91.86
- gastric K31.89
- intrauterine contraceptive device, in pregnancy -*see* Pregnancy, complicated by, retention, intrauterine device
- membranes (complicating delivery) (with hemorrhage) O72.2
- - with abortion -*see* Abortion, by type
- - without hemorrhage O73.1
- meniscus -*see* Derangement, meniscus
- menses N94.89
- milk (puerperal, postpartum) O92.79
- nitrogen, extrarenal R39.2
- ovary syndrome N99.83
- placenta (total) (with hemorrhage) O72.0
- - without hemorrhage O73.0
- - portions or fragments (with hemorrhage) O72.2
- - - without hemorrhage O73.1
- products of conception
- - early pregnancy (dead fetus) O02.1
- - following
- - - delivery (with hemorrhage) O72.2
- - - - without hemorrhage O73.1
- secundines (following delivery) (with hemorrhage) O72.0
- - without hemorrhage O73.0
- - complicating puerperium (delayed hemorrhage) O72.2
- - partial O72.2
- - - without hemorrhage O73.1
- smegma, clitoris N90.89
- urine R33.9
- - due to hyperplasia (hypertrophy) of prostate -*see* Hyperplasia, prostate
- - drug-induced R33.0
- - organic R33.8
- - - drug-induced R33.0
- - psychogenic F45.8

- - specified NEC R33.8
- water (in tissues) -*see* Edema
Reticular erythematous mucinosis L98.5
Reticulation, dust -*see* Pneumoconiosis
Reticulocytosis R70.1
Reticuloendotheliosis
- acute infantile C96.0
- leukemic C91.4-
- nonlipid C96.0
Reticulohistiocytoma (giant-cell) D76.3
Reticuloid, actinic L57.1
Reticulosis (skin)
- acute of infancy C96.0
- hemophagocytic, familial D76.1
- histiocytic medullary C96.A
- lipomelanotic I89.8
- malignant (midline) C86.0-
- polymorphic C86.0-
- Sézary -*see* Sézary disease
Retina, retinal -*see also* condition
- dark area D49.81
Retinitis -*see also* Inflammation, chorioretinal
- albuminurica N18.9 *[H32]*
- diabetic -*see* Diabetes, retinitis
- disciformis -*see* Degeneration, macula
- focal -*see* Inflammation, chorioretinal, focal
- gravidarum -*see* Pregnancy, complicated by, specified pregnancy-related condition NEC
- juxtapapillaris -*see* Inflammation, chorioretinal, focal, juxtapapillary
- luetic -*see* Retinitis, syphilitic
- pigmentosa H35.52
- proliferans -*see* Disorder, globe, degenerative, specified type NEC
- proliferating -*see* Disorder, globe, degenerative, specified type NEC
- renal N18.9 *[H32]*
- syphilitic (early) (secondary) A51.43
- - central, recurrent A52.71
- - congenital (early) A50.01 *[H32]*
- - late A52.71
- tuberculous A18.53
Retinoblastoma C69.2-
- differentiated C69.2-
- undifferentiated C69.2-
Retinochoroiditis -*see also* Inflammation, chorioretinal
- disseminated -*see* Inflammation, chorioretinal, disseminated
- - syphilitic A52.71
- focal -*see* Inflammation, chorioretinal
- juxtapapillaris -*see* Inflammation, chorioretinal, focal, juxtapapillary
Retinopathy (background) H35.00
- arteriosclerotic I70.8 *[H35.0-]*
- atherosclerotic I70.8 *[H35.0-]*
- central serous -*see* Chorioretinopathy, central serous
- Coats H35.02-
- diabetic -*see* Diabetes, retinopathy
- exudative H35.02-
- hypertensive H35.03-
- in (due to)
- - diabetes -*see* Diabetes, retinopathy
- - sickle-cell disorders
- - - nonproliferative D57.- *[H36.81-]*
- - - proliferative D57.- *[H36.82-]*
- of prematurity H35.10-

- - stage 0 H35.11-
- - stage 1 H35.12-
- - stage 2 H35.13-
- - stage 3 H35.14-
- - stage 4 H35.15-
- - stage 5 H35.16-
- pigmentary, congenital -*see* Dystrophy, retina
- proliferative NEC H35.2-
- - diabetic -*see* Diabetes, retinopathy, proliferative
- - sickle-cell D57.- *[H36.82-]*
- - thalassemia H35.2
- solar H31.02-
Retinoschisis H33.10-
- congenital Q14.1
- specified type NEC H33.19-
Retortamoniasis A07.8
Retractile testis Q55.22
Retraction
- cervix -*see* Retroversion, uterus
- drum (membrane) -*see* Disorder, tympanic membrane, specified NEC
- finger -*see* Deformity, finger
- lid H02.539
- - left H02.536
- - - lower H02.535
- - - upper H02.534
- - right H02.533
- - - lower H02.532
- - - upper H02.531
- lung J98.4
- mediastinum J98.59
- nipple N64.53
- - associated with
- - - lactation O92.03
- - - pregnancy O92.01-
- - - puerperium O92.02
- - congenital Q83.8
- palmar fascia M72.0
- pleura -*see* Pleurisy
- ring, uterus (Bandl's) (pathological) O62.4
- sternum (congenital) Q76.7
- - acquired M95.4
- uterus -*see* Retroversion, uterus
- valve (heart) -*see* Endocarditis
Retrobulbar -*see* condition
Retrocecal -*see* condition
Retrocession -*see* Retroversion
Retrodisplacement -*see* Retroversion
Retroflection, retroflexion -*see* Retroversion
Retrognathia, retrognathism (mandibular) (maxillary) M26.19
Retrograde menstruation N92.5
Retroperineal -*see* condition
Retroperitoneal -*see* condition
Retroperitonitis K68.9
Retropharyngeal -*see* condition
Retroplacental -*see* condition
Retroposition -*see* Retroversion
Retroprosthetic membrane T85.398
Retrosternal thyroid (congenital) Q89.2
Retroversion, retroverted
- cervix -*see* Retroversion, uterus

- female NEC -*see* Retroversion, uterus
- iris H21.89
- testis (congenital) Q55.29
- uterus (acquired) (acute) (any degree) (asymptomatic) (cervix) (postinfectional) (postpartal, old) N85.4
- - congenital Q51.818
- - in pregnancy O34.53-

Retrovirus, as cause of disease classified elsewhere B97.30
- human
- - immunodeficiency, type 2 (HIV 2) B97.35
- - T-cell lymphotropic
- - - type I (HTLV-I) B97.33
- - - type II (HTLV-II) B97.34
- lentivirus B97.31
- oncovirus B97.32
- specified NEC B97.39

Retrusion, premaxilla (developmental) M26.09

Rett's disease or syndrome F84.2

Reverse peristalsis R19.2

Reye's syndrome G93.7

Rh (factor)
- hemolytic disease (newborn) P55.0
- incompatibility, immunization or sensitization
- - affecting management of pregnancy NEC O36.09-
- - - anti-D antibody O36.01-
- - newborn P55.0
- - transfusion reaction -*see* Complication(s), transfusion, incompatibility reaction, Rh (factor)
- negative mother affecting newborn P55.0
- titer elevated -*see* Complication(s), transfusion, incompatibility reaction, Rh (factor)
- transfusion reaction -*see* Complication(s), transfusion, incompatibility reaction, Rh (factor)

Rhabdomyolysis (idiopathic) NEC M62.82
- traumatic T79.6

Rhabdomyoma -*see also* Neoplasm, connective tissue, benign
- adult -*see* Neoplasm, connective tissue, benign
- fetal -*see* Neoplasm, connective tissue, benign
- glycogenic -*see* Neoplasm, connective tissue, benign

Rhabdomyosarcoma (any type) -*see* Neoplasm, connective tissue, malignant

Rhabdosarcoma -*see* Rhabdomyosarcoma

Rhesus (factor) incompatibility -*see* Rh, incompatibility

Rheumatic (acute) (subacute)
- adherent pericardium I09.2
- chronic I09.89
- coronary arteritis I01.8
- degeneration, myocardium I09.0
- fever (acute) -*see* Fever, rheumatic
- heart -*see* Disease, heart, rheumatic
- myocardial degeneration -*see* Degeneration, myocardium
- myocarditis (chronic) (inactive) (with chorea) I09.0
- - active or acute I01.2
- - with chorea (acute) (rheumatic) (Sydenham's) I02.0
- pancarditis, acute I01.8
- - with chorea (acute (rheumatic) Sydenham's) I02.0
- pericarditis (active) (acute) (with effusion) (with pneumonia) I01.0
- - with chorea (acute) (rheumatic) (Sydenham's) I02.0
- - chronic or inactive I09.2
- pneumonia I00 *[J17]*
- torticollis M43.6
- typhoid fever A01.09

Rheumatism (articular) (neuralgic) (nonarticular) M79.0
- gout -*see* Arthritis, rheumatoid
- intercostal, meaning Tietze's disease M94.0

- palindromic (any site) M12.30
- - ankle M12.37-
- - elbow M12.32-
- - foot joint M12.37-
- - hand joint M12.34-
- - hip M12.35-
- - knee M12.36-
- - multiple site M12.39
- - shoulder M12.31-
- - specified joint NEC M12.38
- - vertebrae M12.38
- - wrist M12.33-
- sciatic M54.4-

Rheumatoid *-see also* condition
- arthritis *-see also* Arthritis, rheumatoid
- - with involvement of organs NEC M05.60
- - - ankle M05.67-
- - - elbow M05.62-
- - - foot joint M05.67-
- - - hand joint M05.64-
- - - hip M05.65-
- - - knee M05.66-
- - - multiple site M05.69
- - - shoulder M05.61-
- - - vertebra *-see* Spondylitis, ankylosing
- - - wrist M05.63-
- - seronegative *-see* Arthritis, rheumatoid, seronegative
- - seropositive *-see* Arthritis, rheumatoid, seropositive
- carditis M05.30
- - ankle M05.37-
- - elbow M05.32-
- - foot joint M05.37-
- - hand joint M05.34-
- - hip M05.35-
- - knee M05.36-
- - multiple site M05.39
- - shoulder M05.31-
- - vertebra *-see* Spondylitis, ankylosing
- - wrist M05.33-
- endocarditis *-see* Rheumatoid, carditis
- lung (disease) M05.10
- - ankle M05.17-
- - elbow M05.12-
- - foot joint M05.17-
- - hand joint M05.14-
- - hip M05.15-
- - knee M05.16-
- - multiple site M05.19
- - shoulder M05.11-
- - vertebra *-see* Spondylitis, ankylosing
- - wrist M05.13-
- myocarditis *-see* Rheumatoid, carditis
- myopathy M05.40
- - ankle M05.47-
- - elbow M05.42-
- - foot joint M05.47-
- - hand joint M05.44-
- - hip M05.45-
- - knee M05.46-
- - multiple site M05.49

- - shoulder M05.41-
- - vertebra -*see* Spondylitis, ankylosing
- - wrist M05.43-
- pericarditis -*see* Rheumatoid, carditis
- polyarthritis -*see* Arthritis, rheumatoid
- polyneuropathy M05.50
- - ankle M05.57-
- - elbow M05.52-
- - foot joint M05.57-
- - hand joint M05.54-
- - hip M05.55-
- - knee M05.56-
- - multiple site M05.59
- - shoulder M05.51-
- - vertebra -*see* Spondylitis, ankylosing
- - wrist M05.53-
- vasculitis M05.20
- - ankle M05.27-
- - elbow M05.22-
- - foot joint M05.27-
- - hand joint M05.24-
- - hip M05.25-
- - knee M05.26-
- - multiple site M05.29
- - shoulder M05.21-
- - vertebra -*see* Spondylitis, ankylosing
- - wrist M05.23-

Rhinitis (atrophic) (catarrhal) (chronic) (croupous) (fibrinous) (granulomatous) (hyperplastic) (hypertrophic) (membranous) (obstructive) (purulent) (suppurative) (ulcerative) J31.0
- with
- - sore throat -*see* Nasopharyngitis
- acute J00
- allergic J30.9
- - with asthma J45.909
- - - with
- - - - exacerbation (acute) J45.901
- - - - status asthmaticus J45.902
- - due to
- - - food J30.5
- - - pollen J30.1
- - nonseasonal J30.89
- - perennial J30.89
- - seasonal NEC J30.2
- - specified NEC J30.89
- infective J00
- pneumococcal J00
- syphilitic A52.73
- - congenital A50.05 *[J99]*
- tuberculous A15.8
- vasomotor J30.0

Rhinoantritis (chronic) -*see* Sinusitis, maxillary

Rhinodacryolith -*see* Dacryolith

Rhinolith (nasal sinus) J34.89

Rhinomegaly J34.89

Rhinopharyngitis (acute) (subacute) -*see also* Nasopharyngitis
- chronic J31.1
- destructive ulcerating A66.5
- mutilans A66.5

Rhinophyma L71.1

Rhinorrhea J34.89

- cerebrospinal (fluid) G96.01
- - postoperative G96.08
- - specified NEC G96.08
- - spontaneous G96.01
- - traumatic G96.08
- paroxysmal -*see* Rhinitis, allergic
- spasmodic -*see* Rhinitis, allergic
Rhinosalpingitis -*see* Salpingitis, eustachian
Rhinoscleroma A48.8
Rhinosinusitis -*see* Sinusitis
Rhinosporidiosis B48.1
Rhinovirus infection NEC B34.8
Rhizomelic chondrodysplasia punctata E71.540
Rhythm
- atrioventricular nodal I49.8
- disorder I49.9
- - coronary sinus I49.8
- - ectopic I49.8
- - nodal I49.8
- escape I49.9
- heart, abnormal I49.9
- idioventricular I44.2
- nodal I49.8
- sleep, inversion G47.2-
- - nonorganic origin -*see* Disorder, sleep, circadian rhythm, psychogenic
Rhytidosis facialis L98.8
Rib -*see also* condition
- cervical Q76.5
Riboflavin deficiency E53.0
Rice bodies -*see also* Loose, body, joint
- knee M23.4-
Richter syndrome -*see* Leukemia, chronic lymphocytic, B-cell type
Richter's hernia -*see* Hernia, abdomen, with obstruction
Ricinism -*see* Poisoning, food, noxious, plant
Rickets (active) (acute) (adolescent) (chest wall) (congenital) (current) (infantile) (intestinal) E55.0
- adult -*see* Osteomalacia
- celiac K90.0
- hypophosphatemic with nephrotic-glycosuric dwarfism E72.09
- inactive E64.3
- kidney N25.0
- renal N25.0
- sequelae, any E64.3
- vitamin-D-resistant E83.31 *[M90.80]*
Rickettsia 364D/R. philipii (Pacific Coast tick fever) A77.8
Rickettsial disease A79.9
- specified type NEC A79.89
Rickettsialpox (Rickettsia akari) A79.1
Rickettsiosis A79.9
- due to
- - Ehrlichia sennetsu A79.81
- - Neorickettsia sennetsu A79.81
- - Rickettsia akari (rickettsialpox) A79.1
- specified type NEC A79.89
- tick-borne A77.9
- vesicular A79.1
Rider's bone -*see* Ossification, muscle, specified NEC
Ridge, alveolus -*see also* condition
- flabby K06.8
Ridged ear, congenital Q17.3
Riedel's

- lobe, liver Q44.79
- struma, thyroiditis or disease E06.5
Rieger anomaly or syndrome Q13.81
Riehl's melanosis L81.4
Rietti-Greppi-Micheli anemia D56.9
Rieux's hernia -*see* Hernia, abdomen, specified site NEC
Riga (-Fede) disease K14.0
Riggs' disease -*see* Periodontitis
Right aortic arch Q25.47
Right middle lobe syndrome J98.11
Rigid, rigidity -*see also* condition
- abdominal R19.30
- - with severe abdominal pain R10.0
- - epigastric R19.36
- - generalized R19.37
- - left lower quadrant R19.34
- - left upper quadrant R19.32
- - periumbilic R19.35
- - right lower quadrant R19.33
- - right upper quadrant R19.31
- articular, multiple, congenital Q68.8
- cervix (uteri) in pregnancy -*see* Pregnancy, complicated by, abnormal, cervix
- hymen (acquired) (congenital) N89.6
- nuchal R29.1
- pelvic floor in pregnancy -*see* Pregnancy, complicated by, abnormal, pelvic organs or tissues NEC
- perineum or vulva in pregnancy -*see* Pregnancy, complicated by, abnormal, vulva
- spine -*see* Dorsopathy, specified NEC
- vagina in pregnancy -*see* Pregnancy, complicated by, abnormal, vagina
Rigors R68.89
- with fever R50.9
Riley-Day syndrome G90.1
RIND (reversible ischemic neurologic deficit) I63.9
Ring(s)
- aorta (vascular) Q25.45
- Bandl's O62.4
- contraction, complicating delivery O62.4
- esophageal, lower (muscular) K22.2
- Fleischer's (cornea) H18.04-
- hymenal, tight (acquired) (congenital) N89.6
- Kayser-Fleischer (cornea) H18.04-
- retraction, uterus, pathological O62.4
- Schatzki's (esophagus) (lower) K22.2
- - congenital Q39.3
- Soemmerring's -*see* Cataract, secondary
- vascular (congenital) Q25.8
- - aorta Q25.45
Ringed hair (congenital) Q84.1
Ringworm B35.9
- beard B35.0
- black dot B35.0
- body B35.4
- Burmese B35.5
- corporeal B35.4
- foot B35.3
- groin B35.6
- hand B35.2
- honeycomb B35.0
- nails B35.1
- perianal (area) B35.6
- scalp B35.0

- specified NEC B35.8
- Tokelau B35.5
Rise, venous pressure I87.8
Rising, PSA following treatment for malignant neoplasm of prostate R97.21
Risk
- for
- - dental caries Z91.849
- - - high Z91.843
- - - low Z91.841
- - - moderate Z91.842
- - homelessness, imminent Z59.811
- - suffocation (smothering) under another while sleeping Z72.823
- suicidal
- - meaning personal history of attempted suicide Z91.51
- - meaning suicidal ideation -*see* Ideation, suicidal
Ritter's disease L00
Rivalry, sibling Z62.891
Rivalta's disease A42.2
River blindness B73.01
Robert's pelvis Q74.2
- with disproportion (fetopelvic) O33.0
- - causing obstructed labor O65.0
Robin (-Pierre) syndrome Q87.0
Robinow-Silverman-Smith syndrome Q87.19
Robinson's (hidrotic) ectodermal dysplasia or syndrome Q82.4
Robles' disease B73.01
Rocky Mountain (spotted) fever A77.0
Roetheln -*see* Rubella
Roger's disease Q21.0
Rokitansky-Aschoff sinuses (gallbladder) K82.8
Rolando's fracture (displaced) S62.22-
- nondisplaced S62.22-
Romano-Ward (prolonged QT interval) syndrome I45.81
Romberg's disease or syndrome G51.8
Roof, mouth -*see* condition
Rosacea L71.9
- acne L71.9
- keratitis L71.8
- specified NEC L71.8
Rosary, rachitic E55.0
Rose
- cold J30.1
- fever J30.1
- rash R21
- - epidemic B06.9
Rosenbach's erysipeloid A26.0
Rosenthal's disease or syndrome D68.1
Roseola B09
- infantum B08.20
- - due to human herpesvirus 6 B08.21
- - due to human herpesvirus 7 B08.22
Rossbach's disease K31.89
- psychogenic F45.8
Ross River disease or fever B33.1
Rostan's asthma (cardiac) -*see* Failure, ventricular, left
Rotation
- anomalous, incomplete or insufficient, intestine Q43.3
- cecum (congenital) Q43.3
- colon (congenital) Q43.3
- spine, incomplete or insufficient -*see* Dorsopathy, deforming, specified NEC

- tooth, teeth, fully erupted M26.35
- vertebra, incomplete or insufficient -*see* Dorsopathy, deforming, specified NEC
Rotes Quérol disease or syndrome -*see* Hyperostosis, ankylosing
Roth (-Bernhardt) disease or syndrome -*see* Meralgia paraesthetica
Rothmund (-Thomson) syndrome Q82.8
Rotor's disease or syndrome E80.6
Round
- back (with wedging of vertebrae) -*see* Kyphosis
- - sequelae (late effect) of rickets E64.3
- worms (large) (infestation) NEC B82.0
- - Ascariasis -*see also* Ascariasis B77.9
Roussy-Lévy syndrome G60.0
Rubella (German measles) B06.9
- complication NEC B06.09
- - neurological B06.00
- congenital P35.0
- contact Z20.4
- exposure to Z20.4
- maternal
- - manifest rubella in infant P35.0
- - care for (suspected) damage to fetus O35.3
- - suspected damage to fetus affecting management of pregnancy O35.3
- specified complications NEC B06.89
Rubeola (meaning measles) -*see* Measles
- meaning rubella -*see* Rubella
Rubeosis, iris -*see* Disorder, iris, vascular
Rubinstein-Taybi syndrome Q87.2
Rudimentary (congenital) -*see also* Agenesis
- arm -*see* Defect, reduction, upper limb
- bone Q79.9
- cervix uteri Q51.828
- eye Q11.2
- lobule of ear Q17.3
- patella Q74.1
- respiratory organs in thoracopagus Q89.4
- tracheal bronchus Q32.4
- uterus Q51.818
- - in male Q56.1
- vagina Q52.0
Ruled out condition -*see* Observation, suspected
Rumination R11.10
- with nausea R11.2
- disorder of infancy or childhood (in remission) F98.21
- in adults (in remission) F50.84
- neurotic F42.8
- newborn P92.1
- obsessional F42.8
- psychogenic F42.8
Runaway [from current living environment] Z62.892
Runeberg's disease D51.0
Running out of money Z59.86
Runny nose R09.89
Rupia (syphilitic) A51.39
- congenital A50.06
- tertiary A52.79
Rupture, ruptured
- abscess (spontaneous) - code by site under Abscess
- aneurysm -*see* Aneurysm
- anus (sphincter) -*see* Laceration, anus
- aorta, aortic I71.8

- - abdominal I71.30
- - - infrarenal I71.33
- - - juxtarenal I71.32
- - - pararenal I71.31
- - arch I71.12
- - ascending I71.11
- - descending I71.8
- - - abdominal I71.30
- - - thoracic I71.13
- - syphilitic A52.01
- - thoracoabdominal I71.50
- - - paravisceral I71.52
- - - supraceliac I71.51
- - thorax, thoracic I71.10
- - transverse I71.12
- - traumatic -*see* Injury, aorta, laceration, major
- - valve or cusp -*see also* Endocarditis, aortic I35.8
- appendix (with peritonitis) -*see also* Appendicitis K35.32
- - with localized peritonitis -*see also* Appendicitis K35.32
- arteriovenous fistula, brain -*see* Fistula, arteriovenous, brain, ruptured
- artery I77.2
- - brain -*see* Hemorrhage, intracranial, intracerebral
- - coronary -*see* Infarct, myocardium
- - heart -*see* Infarct, myocardium
- - pulmonary I28.8
- - traumatic (complication) -*see* Injury, blood vessel
- bile duct (common) (hepatic) K83.2
- - cystic K82.2
- bladder (sphincter) (nontraumatic) (spontaneous) N32.89
- - following ectopic or molar pregnancy O08.6
- - obstetrical trauma O71.5
- - traumatic S37.29
- blood vessel -*see also* Hemorrhage
- - brain -*see* Hemorrhage, intracranial, intracerebral
- - heart -*see* Infarct, myocardium
- - traumatic (complication) -*see* Injury, blood vessel, laceration, major, by site
- bone -*see* Fracture
- bowel (nontraumatic) K63.1
- brain
- - aneurysm (congenital) -*see also* Hemorrhage, intracranial, subarachnoid
- - - syphilitic A52.05
- - hemorrhagic -*see* Hemorrhage, intracranial, intracerebral
- capillaries I78.8
- cardiac (auricle) (ventricle) (wall) I23.3
- - with hemopericardium I23.0
- - infectional I40.9
- - traumatic -*see* Injury, heart
- cartilage (articular) (current) -*see also* Sprain
- - knee S83.3-
- - semilunar -*see* Tear, meniscus
- cecum (with peritonitis) K65.0
- - with peritoneal abscess K35.33
- - traumatic S36.598
- celiac artery, traumatic -*see* Injury, blood vessel, celiac artery, laceration, major
- cerebral aneurysm (congenital) (see Hemorrhage, intracranial, subarachnoid)
- cervix (uteri)
- - with ectopic or molar pregnancy O08.6
- - following ectopic or molar pregnancy O08.6
- - obstetrical trauma O71.3
- - traumatic S37.69

- chordae tendineae NEC I51.1
- - concurrent with acute myocardial infarction -*see* Infarct, myocardium
- - following acute myocardial infarction (current complication) I23.4
- choroid (direct) (indirect) (traumatic) H31.32-
- circle of Willis I60.6
- colon (nontraumatic) K63.1
- - traumatic -*see* Injury, intestine, large
- cornea (traumatic) -*see* Injury, eye, laceration
- coronary (artery) (thrombotic) -*see* Infarct, myocardium
- corpus luteum (infected) (ovary) N83.1-
- cyst -*see* Cyst
- cystic duct K82.2
- Descemet's membrane -*see* Change, corneal membrane, Descemet's, rupture
- - traumatic -*see* Injury, eye, laceration
- diaphragm, traumatic -*see* Injury, intrathoracic, diaphragm
- disc -*see* Rupture, intervertebral disc
- diverticulum (intestine) K57.80
- - with bleeding K57.81
- - bladder N32.3
- - large intestine K57.20
- - - with
- - - - bleeding K57.21
- - - - small intestine K57.40
- - - - - with bleeding K57.41
- - small intestine K57.00
- - - with
- - - - bleeding K57.01
- - - - large intestine K57.40
- - - - - with bleeding K57.41
- duodenal stump K31.89
- ear drum (nontraumatic) -*see also* Perforation, tympanum
- - traumatic S09.2-
- - - due to blast injury -*see* Injury, blast, ear
- esophagus K22.3
- eye (without prolapse or loss of intraocular tissue) -*see* Injury, eye, laceration
- fallopian tube NEC (nonobstetric) (nontraumatic) N83.8
- - due to pregnancy O00.10-
- - - with intrauterine pregnancy O00.11-
- fontanel P13.1
- gallbladder K82.2
- - traumatic S36.128
- gastric -*see also* Rupture, stomach
- - vessel K92.2
- globe (eye) (traumatic) -*see* Injury, eye, laceration
- - nontraumatic -*see also* Disorder, globe H44.89
- graafian follicle (hematoma) N83.0-
- heart -*see* Rupture, cardiac
- hymen (nontraumatic) (nonintentional) N89.8
- internal organ, traumatic -*see* Injury, by site
- intervertebral disc -*see* Displacement, intervertebral disc
- - traumatic -*see* Rupture, traumatic, intervertebral disc
- intestine NEC (nontraumatic) K63.1
- - traumatic -*see* Injury, intestine
- iris -*see also* Abnormality, pupillary
- - traumatic -*see* Injury, eye, laceration
- joint capsule, traumatic -*see* Sprain
- kidney (traumatic) S37.06-
- - birth injury P15.8
- - nontraumatic N28.89
- lacrimal duct (traumatic) -*see* Injury, eye, specified site NEC

- lens (cataract) (traumatic) -*see* Cataract, traumatic
- ligament, traumatic -*see* Rupture, traumatic, ligament, by site
- liver S36.116
- - birth injury P15.0
- lymphatic vessel I89.8
- marginal sinus (placental) (with hemorrhage) -*see* Hemorrhage, antepartum, specified cause NEC
- membrana tympani (nontraumatic) -*see* Perforation, tympanum
- membranes (spontaneous)
- - artificial
- - - delayed delivery following O75.5
- - delayed delivery following -*see* Pregnancy, complicated by, premature rupture of membranes
- meningeal artery I60.8
- meniscus (knee) -*see also* Tear, meniscus
- - old -*see* Derangement, meniscus
- - site other than knee - code as Sprain
- mesenteric artery, traumatic -*see* Injury, mesenteric, artery, laceration, major
- mesentery (nontraumatic) K66.8
- - traumatic -*see* Injury, intra-abdominal, specified, site NEC
- mitral (valve) I34.89
- muscle (traumatic) -*see also* Strain
- - diastasis -*see* Diastasis, muscle
- - nontraumatic M62.10
- - - ankle M62.17-
- - - foot M62.17-
- - - forearm M62.13-
- - - hand M62.14-
- - - lower leg M62.16-
- - - pelvic region M62.15-
- - - shoulder region M62.11-
- - - specified site NEC M62.18
- - - thigh M62.15-
- - - upper arm M62.12-
- - traumatic -*see* Strain, by site
- musculotendinous junction NEC, nontraumatic -*see* Rupture, tendon, spontaneous
- mycotic aneurysm causing cerebral hemorrhage -*see* Hemorrhage, intracranial, subarachnoid
- myocardium, myocardial -*see* Rupture, cardiac
- - traumatic -*see* Injury, heart
- nontraumatic, meaning hernia -*see* Hernia
- obstructed -*see* Hernia, by site, obstructed
- operation wound -*see* Disruption, wound, operation
- ovary, ovarian N83.8
- - corpus luteum cyst N83.1-
- - follicle (graafian) N83.0-
- oviduct (nonobstetric) (nontraumatic) N83.8
- - due to pregnancy O00.10-
- - - with intrauterine pregnancy O00.11-
- pancreas (nontraumatic) K86.89
- - traumatic S36.299
- papillary muscle NEC I51.2
- - following acute myocardial infarction (current complication) I23.5
- pelvic
- - floor, complicating delivery O70.1
- - organ NEC, obstetrical trauma O71.5
- perineum (nonobstetric) (nontraumatic) N90.89
- - complicating delivery -*see* Delivery, complicated, by, laceration, anus (sphincter)
- postoperative wound -*see* Disruption, wound, operation
- prostate (traumatic) S37.828
- pulmonary
- - artery I28.8
- - valve (heart) I37.8

- - vein I28.8
- - vessel I28.8
- pus tube -*see* Salpingitis
- pyosalpinx -*see* Salpingitis
- rectum (nontraumatic) K63.1
- - traumatic S36.69
- retina, retinal (traumatic) (without detachment) -*see also* Break, retina
- - with detachment -*see* Detachment, retina, with retinal, break
- rotator cuff (nontraumatic) M75.10-
- - complete M75.12-
- - incomplete M75.11-
- sclera -*see* Injury, eye, laceration
- sigmoid (nontraumatic) K63.1
- - traumatic S36.593
- spinal cord -*see also* Injury, spinal cord, by region
- - due to injury at birth P11.5
- - newborn (birth injury) P11.5
- spleen (traumatic) S36.09
- - birth injury P15.1
- - congenital (birth injury) P15.1
- - due to P. vivax malaria B51.0
- - nontraumatic D73.5
- - spontaneous D73.5
- splenic vein R58
- - traumatic -*see* Injury, blood vessel, splenic vein
- stomach (nontraumatic) (spontaneous) K31.89
- - traumatic S36.39
- supraspinatus (complete) (incomplete) (nontraumatic) -*see* Tear, rotator cuff
- symphysis pubis
- - obstetric O71.6
- - traumatic S33.4
- synovium (cyst) M66.10
- - ankle M66.17-
- - elbow M66.12-
- - finger M66.14-
- - foot M66.17-
- - forearm M66.13-
- - hand M66.14-
- - pelvic region M66.15-
- - shoulder region M66.11-
- - specified site NEC M66.18
- - thigh M66.15-
- - toe M66.17-
- - upper arm M66.12-
- - wrist M66.13-
- tendon (traumatic) -*see* Strain
- - nontraumatic (spontaneous) M66.9
- - - ankle M66.87-
- - - extensor M66.20
- - - - ankle M66.27-
- - - - foot M66.27-
- - - - forearm M66.23-
- - - - hand M66.24-
- - - - lower leg M66.26-
- - - - multiple sites M66.29
- - - - pelvic region M66.25-
- - - - shoulder region M66.21-
- - - - specified site NEC M66.28
- - - - thigh M66.25-
- - - - upper arm M66.22-

- - - flexor M66.30
- - - - ankle M66.37-
- - - - foot M66.37-
- - - - forearm M66.33-
- - - - hand M66.34-
- - - - lower leg M66.36-
- - - - multiple sites M66.39
- - - - pelvic region M66.35-
- - - - shoulder region M66.31-
- - - - specified site NEC M66.38
- - - - thigh M66.35-
- - - - upper arm M66.32-
- - - foot M66.87-
- - - forearm M66.83-
- - - hand M66.84-
- - - lower leg M66.86-
- - - multiple sites M66.89
- - - pelvic region M66.85-
- - - shoulder region M66.81-
- - - specified
- - - - site NEC M66.88
- - - - tendon M66.80
- - - thigh M66.85-
- - - upper arm M66.82-
- thoracic duct I89.8
- tonsil J35.8
- traumatic
- - aorta -*see* Injury, aorta, laceration, major
- - diaphragm -*see* Injury, intrathoracic, diaphragm
- - external site -*see* Wound, open, by site
- - eye -*see* Injury, eye, laceration
- - internal organ -*see* Injury, by site
- - intervertebral disc
- - - cervical S13.0
- - - lumbar S33.0
- - - thoracic S23.0
- - kidney S37.06-
- - ligament -*see also* Sprain
- - - ankle -*see* Sprain, ankle
- - - carpus -*see* Rupture, traumatic, ligament, wrist
- - - collateral (hand) -*see* Rupture, traumatic, ligament, finger, collateral
- - - finger (metacarpophalangeal) (interphalangeal) S63.40-
- - - - collateral S63.41-
- - - - - index S63.41-
- - - - - little S63.41-
- - - - - middle S63.41-
- - - - - ring S63.41-
- - - - index S63.40-
- - - - little S63.40-
- - - - middle S63.40-
- - - - palmar S63.42-
- - - - - index S63.42-
- - - - - little S63.42-
- - - - - middle S63.42-
- - - - - ring S63.42-
- - - - ring S63.40-
- - - - specified site NEC S63.499
- - - - - index S63.49-
- - - - - little S63.49-
- - - - - middle S63.49-

- - - - - ring S63.49-
- - - - volar plate S63.43-
- - - - - index S63.43-
- - - - - little S63.43-
- - - - - middle S63.43-
- - - - - ring S63.43-
- - - foot -*see* Sprain, foot
- - - radial collateral S53.2-
- - - radiocarpal -*see* Rupture, traumatic, ligament, wrist, radiocarpal
- - - ulnar collateral S53.3-
- - - ulnocarpal -*see* Rupture, traumatic, ligament, wrist, ulnocarpal
- - - wrist S63.30-
- - - - collateral S63.31-
- - - - radiocarpal S63.32-
- - - - specified site NEC S63.39-
- - - - ulnocarpal (palmar) S63.33-
- - liver S36.116
- - membrana tympani -*see* Rupture, ear drum, traumatic
- - muscle or tendon -*see* Strain
- - myocardium -*see* Injury, heart
- - pancreas S36.299
- - rectum S36.69
- - sigmoid S36.593
- - spleen S36.09
- - stomach S36.39
- - symphysis pubis S33.4
- - tympanum, tympanic (membrane) -*see* Rupture, ear drum, traumatic
- - ureter S37.19
- - uterus S37.69
- - vagina -*see* Injury, vagina
- - vena cava -*see* Injury, vena cava, laceration, major
- tricuspid (heart) (valve) I07.8
- tube, tubal (nonobstetric) (nontraumatic) N83.8
- - abscess -*see* Salpingitis
- - due to pregnancy O00.10-
- - - with intrauterine pregnancy O00.11-
- tympanum, tympanic (membrane) (nontraumatic) -*see also* Perforation, tympanic membrane H72.9-
- - traumatic -*see* Rupture, ear drum, traumatic
- umbilical cord, complicating delivery O69.89
- ureter (traumatic) S37.19
- - nontraumatic N28.89
- urethra (nontraumatic) N36.8
- - with ectopic or molar pregnancy O08.6
- - following ectopic or molar pregnancy O08.6
- - obstetrical trauma O71.5
- - traumatic S37.39
- uterosacral ligament (nonobstetric) (nontraumatic) N83.8
- uterus (traumatic) S37.69
- - before labor O71.0-
- - during or after labor O71.1
- - nonpuerperal, nontraumatic N85.8
- - pregnant (during labor) O71.1
- - - before labor O71.0-
- vagina -*see* Injury, vagina
- valve, valvular (heart) -*see* Endocarditis
- varicose vein -*see* Varix
- varix -*see* Varix
- vena cava R58
- - traumatic -*see* Injury, vena cava, laceration, major
- vesical (urinary) N32.89

- vessel (blood) R58
- - pulmonary I28.8
- - traumatic -*see* Injury, blood vessel
- viscus R19.8
- vulva complicating delivery O70.0
Russell-Silver syndrome Q87.19
Russian spring-summer type encephalitis A84.0
Rust's disease (tuberculous cervical spondylitis) A18.01
Ruvalcaba-Myhre-Smith syndrome E71.440
Rytand-Lipsitch syndrome I44.2

S

Saber, sabre shin or tibia (syphilitic) A50.56 *[M90.8-]*
Sac lacrimal -*see* condition
Saccharomyces infection B37.9
Saccharopinuria E72.3
Saccular -*see* condition
Sacculation
- aorta (nonsyphilitic) -*see* Aneurysm, aorta
- bladder N32.3
- intralaryngeal (congenital) (ventricular) Q31.3
- larynx (congenital) (ventricular) Q31.3
- organ or site, congenital -*see* Distortion
- pregnant uterus -*see* Pregnancy, complicated by, abnormal, uterus
- ureter N28.89
- urethra N36.1
- vesical N32.3
Sachs' amaurotic familial idiocy or disease E75.02
Sachs-Tay disease E75.02
Sacks-Libman disease M32.11
Sacralgia M53.3
Sacralization Q76.49
Sacrodynia M53.3
Sacroiliac joint -*see* condition
Sacroiliitis NEC M46.1
Sacrum -*see* condition
Saddle
- back -*see* Lordosis
- embolus
- - abdominal aorta I74.01
- - pulmonary artery I26.92
- - - with acute cor pulmonale I26.02
- injury - code to condition
- nose M95.0
- - due to syphilis A50.57
Sadism (sexual) F65.52
Sadness, postpartal O90.6
Sadomasochism F65.50
Saemisch's ulcer (cornea) -*see* Ulcer, cornea, central
Sagging
- skin and subcutaneous tissue (following bariatric surgery weight loss) (following dietary weight loss) L98.7
Sahib disease B55.0
Sailors' skin L57.8
Saint
- Anthony's fire -*see* Erysipelas
- triad -*see* Hernia, diaphragm
- Vitus' dance -*see* Chorea, Sydenham's
Salaam
- attack(s) -*see* Epilepsy, spasms

- tic R25.8
Salicylism
- abuse F55.8
- overdose or wrong substance given -*see* Table of Drugs and Chemicals, by drug, poisoning
Salivary duct or gland -*see* condition
Salivation, excessive K11.7
Salmonella -*see* Infection, Salmonella
Salmonellosis A02.0
Salpingitis (catarrhal) (fallopian tube) (nodular) (pseudofollicular) (purulent) (septic) N70.91
- with oophoritis N70.93
- acute N70.01
- - with oophoritis N70.03
- chlamydial A56.11
- chronic N70.11
- - with oophoritis N70.13
- complicating abortion -*see* Abortion, by type, complicated by, salpingitis
- ear -*see* Salpingitis, eustachian
- eustachian (tube) H68.00-
- - acute H68.01-
- - chronic H68.02-
- follicularis N70.11
- - with oophoritis N70.13
- gonococcal (acute) (chronic) A54.24
- interstitial, chronic N70.11
- - with oophoritis N70.13
- isthmica nodosa N70.11
- - with oophoritis N70.13
- specific (gonococcal) (acute) (chronic) A54.24
- tuberculous (acute) (chronic) A18.17
- venereal (gonococcal) (acute) (chronic) A54.24
Salpingocele N83.4-
Salpingo-oophoritis (catarrhal) (purulent) (ruptured) (septic) (suppurative) N70.93
- acute N70.03
- - with ectopic or molar pregnancy O08.0
- - following ectopic or molar pregnancy O08.0
- - gonococcal A54.24
- chronic N70.13
- following ectopic or molar pregnancy O08.0
- gonococcal (acute) (chronic) A54.24
- puerperal O86.19
- specific (gonococcal) (acute) (chronic) A54.24
- subacute N70.03
- tuberculous (acute) (chronic) A18.17
- venereal (gonococcal) (acute) (chronic) A54.24
Salpingo-ovaritis -*see* Salpingo-oophoritis
Salpingoperitonitis -*see* Salpingo-oophoritis
Salzmann's nodular dystrophy -*see* Degeneration, cornea, nodular
Sampson's cyst or tumor N80.10-
San Joaquin (Valley) fever B38.0
Sandblaster's asthma, lung or pneumoconiosis J62.8
Sander's disease (paranoia) F22
Sandfly fever A93.1
Sandhoff's disease E75.01
Sanfilippo (Type B) (Type C) (Type D) syndrome E76.22
Sanger-Brown ataxia G11.2
Sao Paulo fever or typhus A77.0
Saponification, mesenteric K65.8
Sarcocele (benign)
- syphilitic A52.76
- - congenital A50.59

Sarcocystosis A07.8
Sarcoepiplocele -*see* Hernia
Sarcoepiplomphalocele Q79.2
Sarcoglycanopathy G71.0340
- alpha G71.0341
- beta G71.0342
- delta G71.0349
- gamma G71.0349
Sarcoid -*see also* Sarcoidosis
- arthropathy D86.86
- Boeck's D86.9
- Darier-Roussy D86.3
- iridocyclitis D86.83
- meningitis D86.81
- myocarditis D86.85
- myositis D86.87
- pyelonephritis D86.84
- Spiegler-Fendt L08.89
Sarcoidosis D86.9
- with
- - cranial nerve palsies D86.82
- - hepatic granuloma D86.89
- - polyarthritis D86.86
- - tubulo-interstitial nephropathy D86.84
- combined sites NEC D86.89
- lung D86.0
- - and lymph nodes D86.2
- lymph nodes D86.1
- - and lung D86.2
- meninges D86.81
- skin D86.3
- specified type NEC D86.89
Sarcoma (of) -*see also* Neoplasm, connective tissue, malignant
- alveolar soft part -*see* Neoplasm, connective tissue, malignant
- ameloblastic C41.1
- - upper jaw (bone) C41.0
- botryoid -*see* Neoplasm, connective tissue, malignant
- botryoides -*see* Neoplasm, connective tissue, malignant
- cerebellar C71.6
- - circumscribed (arachnoidal) C71.6
- circumscribed (arachnoidal) cerebellar C71.6
- clear cell -*see also* Neoplasm, connective tissue, malignant
- - kidney C64.-
- dendritic cells (accessory cells) C96.4
- embryonal -*see* Neoplasm, connective tissue, malignant
- endometrial (stromal) C54.1
- - isthmus C54.0
- epithelioid (cell) -*see* Neoplasm, connective tissue, malignant
- Ewing's -*see* Neoplasm, bone, malignant
- follicular dendritic cell C96.4
- germinoblastic (diffuse) -*see* Lymphoma, diffuse large cell
- - follicular -*see* Lymphoma, follicular, specified NEC
- giant cell (except of bone) -*see also* Neoplasm, connective tissue, malignant
- - bone -*see* Neoplasm, bone, malignant
- glomoid -*see* Neoplasm, connective tissue, malignant
- granulocytic C92.3-
- hemangioendothelial -*see* Neoplasm, connective tissue, malignant
- hemorrhagic, multiple -*see* Sarcoma, Kaposi's
- histiocytic C96.A
- Hodgkin -*see* Lymphoma, Hodgkin

- immunoblastic (diffuse) -*see* Lymphoma, diffuse large cell
- interdigitating dendritic cell C96.4
- Kaposi's
- - colon C46.4
- - connective tissue C46.1
- - gastrointestinal organ C46.4
- - lung C46.5-
- - lymph node(s) C46.3
- - palate (hard) (soft) C46.2
- - rectum C46.4
- - skin C46.0
- - specified site NEC C46.7
- - stomach C46.4
- - unspecified site C46.9
- Kupffer cell C22.3
- Langerhans cell C96.4
- leptomeningeal -*see* Neoplasm, meninges, malignant
- liver NEC C22.4
- lymphangioendothelial -*see* Neoplasm, connective tissue, malignant
- lymphoblastic -*see* Lymphoma, lymphoblastic (diffuse)
- lymphocytic -*see* Lymphoma, small cell B-cell
- mast cell C96.22
- melanotic -*see* Melanoma
- meningeal -*see* Neoplasm, meninges, malignant
- meningothelial -*see* Neoplasm, meninges, malignant
- mesenchymal -*see also* Neoplasm, connective tissue, malignant
- - mixed -*see* Neoplasm, connective tissue, malignant
- mesothelial -*see* Mesothelioma
- monstrocellular
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C71.9
- myeloid C92.3-
- neurogenic -*see* Neoplasm, nerve, malignant
- odontogenic C41.1
- - upper jaw (bone) C41.0
- osteoblastic -*see* Neoplasm, bone, malignant
- osteogenic -*see also* Neoplasm, bone, malignant
- - juxtacortical -*see* Neoplasm, bone, malignant
- - periosteal -*see* Neoplasm, bone, malignant
- periosteal -*see also* Neoplasm, bone, malignant
- - osteogenic -*see* Neoplasm, bone, malignant
- pleomorphic cell -*see* Neoplasm, connective tissue, malignant
- reticulum cell (diffuse) -*see* Lymphoma, diffuse large cell
- - nodular -*see* Lymphoma, follicular
- - pleomorphic cell type -*see* Lymphoma, diffuse large cell
- rhabdoid -*see* Neoplasm, malignant, by site
- round cell -*see* Neoplasm, connective tissue, malignant
- small cell -*see* Neoplasm, connective tissue, malignant
- soft tissue -*see* Neoplasm, connective tissue, malignant
- spindle cell -*see* Neoplasm, connective tissue, malignant
- stromal (endometrial) C54.1
- - isthmus C54.0
- synovial -*see also* Neoplasm, connective tissue, malignant
- - biphasic -*see* Neoplasm, connective tissue, malignant
- - epithelioid cell -*see* Neoplasm, connective tissue, malignant
- - spindle cell -*see* Neoplasm, connective tissue, malignant

Sarcomatosis

- meningeal -*see* Neoplasm, meninges, malignant
- specified site NEC -*see* Neoplasm, connective tissue, malignant
- unspecified site C80.1

Sarcopenia (age-related) M62.84
Sarcosinemia E72.59
Sarcosporidiosis (intestinal) A07.8
SARS-CoV-2 *-see also* COVID-19
- sequelae (post acute) U09.9
Satiety, early R68.81
Saturnine *-see* condition
Saturnism
- overdose or wrong substance given or taken *-see* Table of Drugs and Chemicals, by drug, poisoning
Satyriasis F52.8
Sauriasis *-see* Ichthyosis
SBE (subacute bacterial endocarditis) I33.0
Scabs R23.4
Scabies (any site) B86
Scaglietti-Dagnini syndrome E22.0
Scald *-see* Burn
Scalenus anticus (anterior) syndrome G54.0
Scales R23.4
Scaling, skin R23.4
Scalp *-see* condition
Scapegoating affecting child Z62.3
Scaphocephaly, non-deformational Q75.01
Scapulalgia M89.8X1
Scapulohumeral myopathy G71.02
Scar, scarring *-see also* Cicatrix L90.5
- adherent L90.5
- atrophic L90.5
- cervix
- - in pregnancy or childbirth *-see* Pregnancy, complicated by, abnormal cervix
- cheloid L91.0
- chorioretinal H31.00-
- - posterior pole macula H31.01-
- - postsurgical H59.81-
- - solar retinopathy H31.02-
- - specified type NEC H31.09-
- choroid *-see* Scar, chorioretinal
- conjunctiva H11.24-
- cornea H17.9
- - xerophthalmic *-see also* Opacity, cornea
- - - vitamin A deficiency E50.6
- defect (isthmocele) O34.22
- duodenum, obstructive K31.5
- hypertrophic L91.0
- keloid L91.0
- labia N90.89
- lung (base) J98.4
- macula *-see* Scar, chorioretinal, posterior pole
- muscle M62.89
- myocardium, myocardial I25.2
- painful L90.5
- posterior pole (eye) *-see* Scar, chorioretinal, posterior pole
- retina *-see* Scar, chorioretinal
- trachea J39.8
- transmural uterine, in pregnancy O34.29
- uterus N85.8
- - in pregnancy O34.29
- vagina N89.8
- - postoperative N99.2
- vulva N90.89
Scarabiasis B88.2

Scarlatina (anginosa) (maligna) A38.9
- myocarditis (acute) A38.1
- - old -*see* Myocarditis
- otitis media A38.0
- ulcerosa A38.8
Scarlet fever (albuminuria) (angina) A38.9
Schamberg's disease (progressive pigmentary dermatosis) L81.7
Schatzki's ring (acquired) (esophagus) (lower) K22.2
- congenital Q39.3
Schaufenster krankheit I20.89
Schaumann's
- benign lymphogranulomatosis D86.1
- disease or syndrome -*see* Sarcoidosis
Scheie's syndrome E76.03
Schenck's disease B42.1
Scheuermann's disease or osteochondrosis -*see* Osteochondrosis, juvenile, spine
Schilder (-Flatau) disease G37.0
Schilling-type monocytic leukemia C93.0-
Schimmelbusch's disease, cystic mastitis, or hyperplasia -*see* Mastopathy, cystic
Schistosoma infestation -*see* Infestation, Schistosoma
Schistosomiasis B65.9
- with muscle disorder B65.9 *[M63.80]*
- - ankle B65.9 *[M63.87-]*
- - foot B65.9 *[M63.87-]*
- - forearm B65.9 *[M63.83-]*
- - hand B65.9 *[M63.84-]*
- - lower leg B65.9 *[M63.86-]*
- - multiple sites B65.9 *[M63.89]*
- - pelvic region B65.9 *[M63.85-]*
- - shoulder region B65.9 *[M63.81-]*
- - specified site NEC B65.9 *[M63.88]*
- - thigh B65.9 *[M63.85-]*
- - upper arm B65.9 *[M63.82-]*
- Asiatic B65.2
- bladder B65.0
- chestermani B65.8
- colon B65.1
- cutaneous B65.3
- due to
- - S. haematobium B65.0
- - S. japonicum B65.2
- - S. mansoni B65.1
- - S. mattheii B65.8
- Eastern B65.2
- genitourinary tract B65.0
- intestinal B65.1
- lung NEC B65.9 *[J99]*
- - pneumonia B65.9 *[J17]*
- Manson's (intestinal) B65.1
- oriental B65.2
- pulmonary NEC B65.9 *[J99]*
- - pneumonia B65.9
- Schistosoma
- - haematobium B65.0
- - japonicum B65.2
- - mansoni B65.1
- specified type NEC B65.8
- urinary B65.0
- vesical B65.0
Schizencephaly Q04.6

Schizoaffective psychosis F25.9
Schizodontia K00.2
Schizoid personality F60.1
Schizophrenia, schizophrenic F20.9
- acute (brief) (undifferentiated) F23
- atypical (form) F20.3
- borderline F21
- catalepsy F20.2
- catatonic (type) (excited) (withdrawn) F20.2
- cenesthopathic, cenesthesiopathic F20.89
- childhood type F20.9
- chronic undifferentiated F20.9
- cyclic F25.0
- disorganized (type) F20.1
- flexibilitas cerea F20.2
- hebephrenic (type) F20.1
- incipient F21
- latent F21
- negative type F20.5
- paranoid (type) F20.0
- paraphrenic F20.0
- post-psychotic depression F32.89
- prepsychotic F21
- prodromal F21
- pseudoneurotic F21
- pseudopsychopathic F21
- reaction F23
- residual (state) (type) F20.5
- restzustand F20.5
- schizoaffective (type) -*see* Psychosis, schizoaffective
- simple (type) F20.89
- simplex F20.89
- specified type NEC F20.89
- spectrum and other psychotic disorder F29
- - specified NEC F28
- stupor F20.2
- syndrome of childhood F84.5
- undifferentiated (type) F20.3
- - chronic F20.5
Schizothymia (persistent) F60.1
Schlatter-Osgood disease or osteochondrosis M92.52-
Schlatter's tibia -*see* Osteochondrosis, juvenile, tibia
Schmidt's syndrome (polyglandular, autoimmune) E31.0
Schmincke's carcinoma or tumor -*see* Neoplasm, nasopharynx, malignant
Schmitz (-Stutzer) dysentery A03.0
Schmorl's disease or nodes
- lumbar region M51.46
- lumbosacral region M51.47
- sacrococcygeal region M53.3
- thoracic region M51.44
- thoracolumbar region M51.45
Schneiderian
- papilloma -*see* Neoplasm, nasopharynx, benign
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site D14.0
- specified site -*see* Neoplasm, malignant, by site
- - unspecified site C30.0
Scholte's syndrome (malignant carcinoid) E34.09
Scholz (-Bielchowsky-Henneberg) disease or syndrome E75.25
Schönlein (-Henoch) disease or purpura (primary) (rheumatic) D69.0

Schottmuller's disease A01.4
Schroeder's syndrome (endocrine hypertensive) E27.0
Schüller-Christian disease or syndrome C96.5
Schultze's type acroparesthesia, simple I73.89
Schultz's disease or syndrome *-see* Agranulocytosis
Schwalbe-Ziehen-Oppenheim disease G24.1
Schwannoma *-see also* Neoplasm, nerve, benign
- malignant *-see also* Neoplasm, nerve, malignant
- - with rhabdomyoblastic differentiation *-see* Neoplasm, nerve, malignant
- melanocytic *-see* Neoplasm, nerve, benign
- pigmented *-see* Neoplasm, nerve, benign
Schwannomatosis Q85.03
Schwartz (-Jampel) syndrome G71.13
Schwartz-Bartter syndrome E22.2
Schweninger-Buzzi anetoderma L90.1
Sciatic *-see* condition
Sciatica (infective) M54.3-
- with lumbago M54.4-
- - due to intervertebral disc disorder *-see* Disorder, disc, with, radiculopathy
- due to displacement of intervertebral disc (with lumbago) *-see* Disorder, disc, with, radiculopathy
- wallet M54.3-
Scimitar syndrome Q26.8
Sclera *-see* condition
Sclerectasia H15.84-
Scleredema
- adultorum *-see* Sclerosis, systemic
- Buschke's *-see* Sclerosis, systemic
- newborn P83.0
Sclerema (adiposum) (edematosum) (neonatorum) (newborn) P83.0
- adultorum *-see* Sclerosis, systemic
Scleriasis *-see* Scleroderma
Scleritis H15.00-
- with corneal involvement H15.04-
- anterior H15.01-
- brawny H15.02-
- in (due to) zoster B02.34
- posterior H15.03-
- specified type NEC H15.09-
- syphilitic A52.71
- tuberculous (nodular) A18.51
Sclerochoroiditis H31.8
Scleroconjunctivitis *-see* Scleritis
Sclerocystic ovary syndrome E28.2
Sclerodactyly, sclerodactylia L94.3
Scleroderma, sclerodermia (acrosclerotic) (diffuse) (generalized) (progressive) (pulmonary) *-see also* Sclerosis, systemic M34.9-
- circumscribed L94.0
- linear L94.1
- localized L94.0
- newborn P83.88
- systemic M34.9
Sclerokeratitis H16.8
- tuberculous A18.52
Scleroma nasi A48.8
Scleromalacia (perforans) H15.05-
Scleromyxedema L98.5
Sclérose en plaques G35
Sclerosis, sclerotic
- adrenal (gland) E27.8
- Alzheimer's *-see* Disease, Alzheimer's

- amyotrophic (lateral) G12.21
- aorta, aortic I70.0
- - valve -*see* Endocarditis, aortic
- artery, arterial, arteriolar, arteriovascular -*see* Arteriosclerosis
- ascending multiple G35
- brain (generalized) (lobular) G37.9
- - artery, arterial I67.2
- - diffuse G37.0
- - disseminated G35
- - insular G35
- - Krabbe's E75.23
- - miliary G35
- - multiple G35
- - presenile (Alzheimer's) -*see* Disease, Alzheimer's, early onset
- - senile (arteriosclerotic) I67.2
- - stem, multiple G35
- - tuberous Q85.1
- bulbar, multiple G35
- bundle of His I44.39
- cardiac -*see* Disease, heart, ischemic, atherosclerotic
- cardiorenal -*see* Hypertension, cardiorenal
- cardiovascular -*see also* Disease, cardiovascular
- - renal -*see* Hypertension, cardiorenal
- cerebellar -*see* Sclerosis, brain
- cerebral -*see* Sclerosis, brain
- cerebrospinal (disseminated) (multiple) G35
- cerebrovascular I67.2
- choroid -*see* Degeneration, choroid
- combined (spinal cord) -*see also* Degeneration, combined
- - multiple G35
- concentric (Balo) G37.5
- cornea -*see* Opacity, cornea
- coronary (artery) I25.10
- - with angina pectoris -*see* Arteriosclerosis, coronary (artery),
- corpus cavernosum
- - female N90.89
- - male N48.6
- diffuse (brain) (spinal cord) G37.0
- disseminated G35
- dorsal G35
- dorsolateral (spinal cord) -*see* Degeneration, combined
- endometrium N85.5
- extrapyramidal G25.9
- eye, nuclear (senile) -*see* Cataract, senile, nuclear
- focal and segmental (glomerular) -*see also* N00-N07 with fourth character .1 N05.1
- Friedreich's (spinal cord) G11.11
- funicular (spermatic cord) N50.89
- general (vascular) -*see* Arteriosclerosis
- gland (lymphatic) I89.8
- hepatic K74.1
- - alcoholic K70.2
- hereditary
- - cerebellar G11.9
- - spinal (Friedreich's ataxia) G11.11
- hippocampal G93.81
- insular G35
- kidney -*see* Sclerosis, renal
- larynx J38.7
- lateral (amyotrophic) (descending) (spinal) G12.21
- - primary G12.23

- lens, senile nuclear -*see* Cataract, senile, nuclear
- liver K74.1
- - with fibrosis K74.2
- - - alcoholic K70.2
- - alcoholic K70.2
- - cardiac K76.1
- lung -*see* Fibrosis, lung
- mastoid -*see* Mastoiditis, chronic
- mesial temporal G93.81
- mitral I05.8
- Mönckeberg's (medial) -*see* Arteriosclerosis, extremities
- multiple (brain stem) (cerebral) (generalized) (spinal cord) G35
- myocardium, myocardial -*see* Disease, heart, ischemic, atherosclerotic
- nuclear (senile), eye -*see* Cataract, senile, nuclear
- ovary N83.8
- pancreas K86.89
- penis N48.6
- peripheral arteries -*see* Arteriosclerosis, extremities
- plaques G35
- pluriglandular E31.8
- polyglandular E31.8
- posterolateral (spinal cord) -*see* Degeneration, combined
- presenile (Alzheimer's) -*see* Disease, Alzheimer's, early onset
- primary, lateral G12.23
- progressive, systemic M34.0
- pulmonary -*see* Fibrosis, lung
- - artery I27.0
- - valve (heart) -*see* Endocarditis, pulmonary
- renal N26.9
- - with
- - - cystine storage disease E72.09
- - - hypertensive heart disease (conditions in I11) -*see* Hypertension, cardiorenal
- - arteriolar (hyaline) (hyperplastic) -*see* Hypertension, kidney
- retina (senile) (vascular) H35.00
- senile (vascular) -*see* Arteriosclerosis
- spinal (cord) (progressive) G95.89
- - ascending G61.0
- - combined -*see also* Degeneration, combined
- - - multiple G35
- - - syphilitic A52.11
- - disseminated G35
- - dorsolateral -*see* Degeneration, combined
- - hereditary (Friedreich's) (mixed form) G11.11
- - lateral (amyotrophic) G12.21
- - - progressive G12.23
- - multiple G35
- - posterior (syphilitic) A52.11
- stomach K31.89
- subendocardial, congenital I42.4
- systemic M34.9
- - with
- - - lung involvement M34.81
- - - myopathy M34.82
- - - polyneuropathy M34.83
- - drug-induced M34.2
- - due to chemicals NEC M34.2
- - progressive M34.0
- - specified NEC M34.89
- temporal (mesial) G93.81
- tricuspid (heart) (valve) I07.8

- tuberous (brain) Q85.1
- tympanic membrane -*see* Disorder, tympanic membrane, specified NEC
- valve, valvular (heart) -*see* Endocarditis
- vascular -*see* Arteriosclerosis
- vein I87.8

Scoliosis (acquired) (postural) M41.9
- adolescent (idiopathic) -*see* Scoliosis, idiopathic, adolescent
- congenital Q67.5
- - due to bony malformation Q76.3
- - failure of segmentation (hemivertebra) Q76.3
- - hemivertebra fusion Q76.3
- - postural Q67.5
- degenerative M41.5-
- idiopathic M41.20
- - adolescent M41.129
- - - cervical region M41.122
- - - cervicothoracic region M41.123
- - - lumbar region M41.126
- - - lumbosacral region M41.127
- - - thoracic region M41.124
- - - thoracolumbar region M41.125
- - cervical region M41.22
- - cervicothoracic region M41.23
- - infantile M41.00
- - - cervical region M41.02
- - - cervicothoracic region M41.03
- - - lumbar region M41.06
- - - lumbosacral region M41.07
- - - sacrococcygeal region M41.08
- - - thoracic region M41.04
- - - thoracolumbar region M41.05
- - juvenile M41.119
- - - cervical region M41.112
- - - cervicothoracic region M41.113
- - - lumbar region M41.116
- - - lumbosacral region M41.117
- - - thoracic region M41.114
- - - thoracolumbar region M41.115
- - lumbar region M41.26
- - lumbosacral region M41.27
- - thoracic region M41.24
- - thoracolumbar region M41.25
- infantile -*see* Scoliosis, idiopathic, infantile
- neuromuscular M41.40
- - cervical region M41.42
- - cervicothoracic region M41.43
- - lumbar region M41.46
- - lumbosacral region M41.47
- - occipito-atlanto-axial region M41.41
- - thoracic region M41.44
- - thoracolumbar region M41.45
- paralytic -*see* Scoliosis, neuromuscular
- postprocedural M96.89
- postradiation therapy M96.5
- rachitic (late effect or sequelae) E64.3 *[M49.80]*
- - cervical region E64.3 *[M49.82]*
- - cervicothoracic region E64.3 *[M49.83]*
- - lumbar region E64.3 *[M49.86]*
- - lumbosacral region E64.3 *[M49.87]*
- - multiple sites E64.3 *[M49.89]*

- - occipito-atlanto-axial region E64.3 *[M49.81]*
- - sacrococcygeal region E64.3 *[M49.88]*
- - thoracic region E64.3 *[M49.84]*
- - thoracolumbar region E64.3 *[M49.85]*
- sciatic M54.4-
- secondary (to) NEC M41.50
- - cerebral palsy, Friedreich's ataxia, poliomyelitis, neuromuscular disorders -*see* Scoliosis, neuromuscular
- - cervical region M41.52
- - cervicothoracic region M41.53
- - lumbar region M41.56
- - lumbosacral region M41.57
- - thoracic region M41.54
- - thoracolumbar region M41.55
- specified form NEC M41.80
- - cervical region M41.82
- - cervicothoracic region M41.83
- - lumbar region M41.86
- - lumbosacral region M41.87
- - thoracic region M41.84
- - thoracolumbar region M41.85
- thoracogenic M41.30
- - thoracic region M41.34
- - thoracolumbar region M41.35
- tuberculous A18.01

Scoliotic pelvis
- with disproportion (fetopelvic) O33.0
- - causing obstructed labor O65.0

Scorbutus, scorbutic -*see also* Scurvy
- anemia D53.2

Score, NIHSS (National Institutes of Health Stroke Scale) R29.7-

Scotoma (arcuate) (Bjerrum) (central) (ring) -*see also* Defect, visual field, localized, scotoma
- scintillating H53.12-

Scratch -*see* Abrasion

Scratchy throat R09.89

Screening (for) Z13.9
- alcoholism Z13.39
- anemia Z13.0
- anomaly, congenital Z13.89
- antenatal, of mother -*see also* Encounter, antenatal screening Z36.9
- arterial hypertension Z13.6
- arthropod-borne viral disease NEC Z11.59
- autism Z13.41
- bacteriuria, asymptomatic Z13.89
- behavioral disorder Z13.30
- - specified NEC Z13.39
- brain injury, traumatic Z13.850
- bronchitis, chronic Z13.83
- brucellosis Z11.2
- cardiovascular disorder Z13.6
- cataract Z13.5
- chlamydial diseases Z11.8
- cholera Z11.0
- chromosomal abnormalities (nonprocreative) NEC Z13.79
- colonoscopy Z12.11
- congenital
- - dislocation of hip Z13.89
- - eye disorder Z13.5
- - malformation or deformation Z13.89
- contamination NEC Z13.88
- coronavirus (disease) (novel) 2019 Z11.52

- COVID-19 Z11.52
- cystic fibrosis Z13.228
- dengue fever Z11.59
- dental disorder Z13.84
- depression (adult) (adolescent) (child) Z13.31
- - maternal Z13.32
- - perinatal Z13.32
- developmental
- - delays Z13.40
- - - global (milestones) Z13.42
- - - specified NEC Z13.49
- - handicap Z13.42
- - - in early childhood Z13.42
- diabetes mellitus Z13.1
- diphtheria Z11.2
- disability, intellectual Z13.39
- disease or disorder Z13.9
- - bacterial NEC Z11.2
- - - intestinal infectious Z11.0
- - - respiratory tuberculosis Z11.1
- - behavioral Z13.30
- - - specified NEC Z13.39
- - blood or blood-forming organ Z13.0
- - cardiovascular Z13.6
- - Chagas' Z11.6
- - chlamydial Z11.8
- - coronavirus (novel) 2019 Z11.52
- - COVID-19 Z11.52
- - dental Z13.89
- - developmental delays Z13.40
- - - global (milestones) Z13.42
- - - specified NEC Z13.49
- - digestive tract NEC Z13.818
- - - lower GI Z13.811
- - - upper GI Z13.810
- - ear Z13.5
- - endocrine Z13.29
- - eye Z13.5
- - genitourinary Z13.89
- - heart Z13.6
- - human immunodeficiency virus (HIV) infection Z11.4
- - immunity Z13.0
- - infection
- - - intestinal Z11.0
- - - - specified NEC Z11.6
- - infectious Z11.9
- - mental health and behavioral Z13.30
- - - specified NEC Z13.39
- - metabolic Z13.228
- - neurological Z13.89
- - nutritional Z13.21
- - - metabolic Z13.228
- - - - lipoid disorders Z13.220
- - protozoal Z11.6
- - - intestinal Z11.0
- - respiratory Z13.83
- - rheumatic Z13.828
- - rickettsial Z11.8
- - sexually-transmitted NEC Z11.3
- - - human immunodeficiency virus (HIV) Z11.4

- - sickle-cell (trait) Z13.0
- - skin Z13.89
- - specified NEC Z13.89
- - spirochetal Z11.8
- - thyroid Z13.29
- - vascular Z13.6
- - venereal Z11.3
- - viral NEC Z11.59
- - - coronavirus (novel) 2019 Z11.52
- - - COVID-19 Z11.52
- - - human immunodeficiency virus (HIV) Z11.4
- - - intestinal Z11.0
- - - SARS-CoV-2 Z11.52
- elevated titer Z13.89
- emphysema Z13.83
- encephalitis, viral (mosquito- or tick-borne) Z11.59
- exposure to contaminants (toxic) Z13.88
- fever
- - dengue Z11.59
- - hemorrhagic Z11.59
- - yellow Z11.59
- filariasis Z11.6
- galactosemia Z13.228
- gastrointestinal condition Z13.818
- genetic (nonprocreative) - for procreative management -*see* Testing, genetic, for procreative management
- - disease carrier status (nonprocreative) Z13.71
- - specified NEC (nonprocreative) Z13.79
- genitourinary condition Z13.89
- glaucoma Z13.5
- gonorrhea Z11.3
- gout Z13.89
- helminthiasis (intestinal) Z11.6
- hematopoietic malignancy Z12.89
- hemoglobinopathies NEC Z13.0
- hemorrhagic fever Z11.59
- Hodgkin disease Z12.89
- human immunodeficiency virus (HIV) Z11.4
- human papillomavirus Z11.51
- hypertension Z13.6
- immunity disorders Z13.0
- infant or child (over 28 days old) Z00.129
- - with abnormal findings Z00.121
- infection
- - mycotic Z11.8
- - parasitic Z11.8
- ingestion of radioactive substance Z13.88
- intellectual disability Z13.39
- intestinal
- - helminthiasis Z11.6
- - infectious disease Z11.0
- leishmaniasis Z11.6
- leprosy Z11.2
- leptospirosis Z11.8
- leukemia Z12.89
- lymphoma Z12.89
- malaria Z11.6
- malnutrition Z13.29
- - metabolic Z13.228
- - nutritional Z13.21
- measles Z11.59

- mental health disorder Z13.30
- - specified NEC Z13.39
- metabolic errors, inborn Z13.228
- multiphasic Z13.89
- musculoskeletal disorder Z13.828
- - osteoporosis Z13.820
- mycoses Z11.8
- myocardial infarction (acute) Z13.6
- neoplasm (malignant) (of) Z12.9
- - bladder Z12.6
- - blood Z12.89
- - breast Z12.39
- - - routine mammogram Z12.31
- - cervix Z12.4
- - colon Z12.11
- - genitourinary organs NEC Z12.79
- - - bladder Z12.6
- - - cervix Z12.4
- - - ovary Z12.73
- - - prostate Z12.5
- - - testis Z12.71
- - - vagina Z12.72
- - hematopoietic system Z12.89
- - intestinal tract Z12.10
- - - colon Z12.11
- - - rectum Z12.12
- - - small intestine Z12.13
- - lung Z12.2
- - lymph (glands) Z12.89
- - nervous system Z12.82
- - oral cavity Z12.81
- - prostate Z12.5
- - rectum Z12.12
- - respiratory organs Z12.2
- - skin Z12.83
- - small intestine Z12.13
- - specified site NEC Z12.89
- - stomach Z12.0
- nephropathy Z13.89
- nervous system disorders NEC Z13.858
- neurological condition Z13.89
- osteoporosis Z13.820
- parasitic infestation Z11.9
- - specified NEC Z11.8
- phenylketonuria Z13.228
- plague Z11.2
- poisoning (chemical) (heavy metal) Z13.88
- poliomyelitis Z11.59
- postnatal, chromosomal abnormalities Z13.89
- prenatal, of mother -*see also* Encounter, antenatal screening Z36.9
- protozoal disease Z11.6
- - intestinal Z11.0
- pulmonary tuberculosis Z11.1
- radiation exposure Z13.88
- respiratory condition Z13.83
- respiratory tuberculosis Z11.1
- rheumatoid arthritis Z13.828
- rubella Z11.59
- SARS-CoV-2 Z11.52
- schistosomiasis Z11.6

- sexually-transmitted disease NEC Z11.3
- - human immunodeficiency virus (HIV) Z11.4
- sickle-cell disease or trait Z13.0
- skin condition Z13.89
- sleeping sickness Z11.6
- special Z13.9
- - specified NEC Z13.89
- syphilis Z11.3
- tetanus Z11.2
- trachoma Z11.8
- traumatic brain injury Z13.850
- trypanosomiasis Z11.6
- tuberculosis, respiratory Z11.1
- - active Z11.1
- - latent Z11.7
- venereal disease Z11.3
- viral encephalitis (mosquito- or tick-borne) Z11.59
- whooping cough Z11.2
- worms, intestinal Z11.6
- yaws Z11.8
- yellow fever Z11.59

Scrofula, scrofulosis (tuberculosis of cervical lymph glands) A18.2
Scrofulide (primary) (tuberculous) A18.4
Scrofuloderma, scrofulodermia (any site) (primary) A18.4
Scrofulosus lichen (primary) (tuberculous) A18.4
Scrofulous -*see* condition
Scrotal tongue K14.5
Scrotum -*see* condition
Scurvy, scorbutic E54
- anemia D53.2
- gum E54
- infantile E54
- rickets E55.0 *[M90.80]*

Sealpox B08.62
Seasickness T75.3
Seatworm (infection) (infestation) B80
Sebaceous -*see also* condition
- cyst -*see* Cyst, sebaceous

Seborrhea, seborrheic L21.9
- capillitii R23.8
- capitis L21.0
- dermatitis L21.9
- - infantile L21.1
- eczema L21.9
- - infantile L21.1
- sicca L21.0

Seckel's syndrome Q87.19
Seclusion, pupil -*see* Membrane, pupillary
Second hand tobacco smoke exposure (acute) (chronic) Z77.22
- in the perinatal period P96.81

Secondary
- dentin (in pulp) K04.3
- neoplasm, secondaries -*see* Table of Neoplasms, secondary

Secretion
- antidiuretic hormone, inappropriate E22.2
- catecholamine, by pheochromocytoma -*see also* Pheochromocytoma, by type E27.5
- hormone
- - antidiuretic, inappropriate (syndrome) E22.2
- - by
- - - carcinoid tumor -*see also* Tumor, carcinoid E34.09

- - - pheochromocytoma -*see also* Pheochromocytoma, by type E27.5
- - ectopic NEC E34.2
- urinary
- - excessive R35.89
- - suppression R34

Section
- nerve, traumatic -*see* Injury, nerve

Sedative, hypnotic, or anxiolytic-induced
- anxiety disorder F13.980
- bipolar and related disorder F13.94
- delirium F13.921
- depressive disorder F13.94
- major neurocognitive disorder F13.97
- mild neurocognitive disorder F13.988
- psychotic disorder F13.959
- sexual dysfunction F13.981
- sleep disorder F13.982

Segmentation, incomplete (congenital) -*see also* Fusion
- bone NEC Q78.8
- lumbosacral (joint) (vertebra) Q76.49

SEID (systemic exertion intolerance disease) G93.32

Seitelberger's syndrome (infantile neuraxonal dystrophy) G31.89

Seizure(s) -*see also* Convulsions R56.9
- absence G40.A-
- akinetic -*see* Epilepsy, generalized, specified NEC
- atonic -*see* Epilepsy, generalized, specified NEC
- autonomic (hysterical) F44.5
- convulsive -*see* Convulsions
- cortical (focal) (motor) -*see* Epilepsy, localization-related, symptomatic, with simple partial seizures
- disorder -*see also* Epilepsy G40.909
- due to stroke -*see* Sequelae (of), disease, cerebrovascular, by type, specified NEC
- epileptic -*see* Epilepsy
- febrile (simple) R56.00
- - with status epilepticus G40.901
- - complex (atypical) (complicated) R56.01
- - - with status epilepticus G40.901
- grand mal G40.409
- - intractable G40.419
- - - with status epilepticus G40.411
- - - without status epilepticus G40.419
- - not intractable G40.409
- - - with status epilepticus G40.401
- - - without status epilepticus G40.409
- heart -*see* Disease, heart
- hysterical F44.5
- intractable G40.919
- - with status epilepticus G40.911
- Jacksonian (focal) (motor type) (sensory type) -*see* Epilepsy, localization-related, symptomatic, with simple partial seizures
- newborn P90
- nonspecific epileptic
- - atonic -*see* Epilepsy, generalized, specified NEC
- - clonic -*see* Epilepsy, generalized, specified NEC
- - myoclonic -*see* Epilepsy, generalized, specified NEC
- - tonic -*see* Epilepsy, generalized, specified NEC
- - tonic-clonic -*see* Epilepsy, generalized, specified NEC
- partial, developing into secondarily generalized seizures
- - complex -*see* Epilepsy, localization-related, symptomatic, with complex partial seizures
- - simple -*see* Epilepsy, localization-related, symptomatic, with simple partial seizures
- petit mal G40.A-

- - intractable G40.A1-
- - - with status epilepticus G40.A11
- - - without status epilepticus G40.A19
- - not intractable G40.A0-
- - - with status epilepticus G40.A01
- - - without status epilepticus G40.A09
- post traumatic R56.1
- recurrent G40.909
- specified NEC G40.89
- uncinate *-see* Epilepsy, localization-related, symptomatic, with complex partial seizures

Selenium deficiency, dietary E59

Self-damaging behavior (life-style) Z72.89

Self-harm (attempted)
- history (personal)
- - in family Z81.8
- - nonsuicidal Z91.52
- - suicidal Z91.51
- nonsuicidal R45.88

Self-injury, nonsuicidal R45.88
- personal history Z91.52

Self-mutilation (attempted)
- history (personal)
- - in family Z81.8
- - nonsuicidal Z91.52
- - suicidal Z91.51
- nonsuicidal R45.88

Self-poisoning
- history (personal) Z91.51
- - in family Z81.8
- observation following (alleged) attempt Z03.6

Semicoma R40.1

Seminal vesiculitis N49.0

Seminoma C62.9-
- specified site *-see* Neoplasm, malignant, by site

Senear-Usher disease or syndrome L10.4

Senectus R54

Senescence (without mention of psychosis) R54

Senile, senility *-see also* condition R41.81
- with
- - acute confusional state F05
- - mental changes NOS F03
- - psychosis NEC *-see* Psychosis, senile
- asthenia R54
- cervix (atrophic) N88.8
- debility R54
- endometrium (atrophic) N85.8
- fallopian tube (atrophic) *-see* Atrophy, fallopian tube
- heart (failure) R54
- ovary (atrophic) *-see* Atrophy, ovary
- premature E34.8
- vagina, vaginitis (atrophic) N95.2
- wart L82.1

Sensation
- burning (skin) R20.8
- - tongue K14.6
- foreign body R09.A0
- - eye H57.8A-
- - globus R09.A2
- - nose R09.A1
- - specified site NEC R09.A9

- - throat R09.A2
- loss of R20.8
- prickling (skin) R20.2
- tingling (skin) R20.2

Sense loss
- smell -*see* Disturbance, sensation, smell
- taste -*see* Disturbance, sensation, taste
- touch R20.8

Sensibility disturbance (cortical) (deep) (vibratory) R20.9

Sensitive, sensitivity -*see also* Allergy
- carotid sinus G90.01
- child (excessive) F93.8
- cold, autoimmune D59.12
- dentin K03.89
- gluten (non-celiac) K90.41
- latex Z91.040
- methemoglobin D74.8
- tuberculin, without clinical or radiological symptoms R76.11
- visual
- - glare H53.71
- - impaired contrast H53.72

Sensitiver Beziehungswahn F22

Sensitization, auto-erythrocytic D69.2

Separation
- anxiety, abnormal (of childhood) F93.0
- apophysis, traumatic - code as Fracture, by site
- choroid -*see* Detachment, choroid
- epiphysis, epiphyseal
- - nontraumatic -*see also* Osteochondropathy, specified type NEC
- - - upper femoral -*see* Slipped, epiphysis, upper femoral
- - traumatic - code as Fracture, by site
- fracture -*see* Fracture
- infundibulum cardiac from right ventricle by a partition Q24.3
- joint (traumatic) (current) - code by site under Dislocation
- muscle (nontraumatic) -*see* Diastasis, muscle
- pubic bone, obstetrical trauma O71.6
- retina, retinal -*see* Detachment, retina
- symphysis pubis, obstetrical trauma O71.6
- tracheal ring, incomplete, congenital Q32.1

Sepsis (generalized) (unspecified organism) A41.9
- with
- - organ dysfunction (acute) (multiple) R65.20
- - - with septic shock R65.21
- Acinetobacter baumannii A41.54
- actinomycotic A42.7
- adrenal hemorrhage syndrome (meningococcal) A39.1
- anaerobic A41.4
- Bacillus anthracis A22.7
- Brucella -*see also* Brucellosis A23.9
- candidal B37.7
- Cronobacter A41.59
- cryptogenic A41.9
- due to device, implant or graft T85.79
- - arterial graft NEC T82.7
- - breast (implant) T85.79
- - catheter NEC T85.79
- - - dialysis (renal) T82.7
- - - - intraperitoneal T85.71
- - - infusion NEC T82.7
- - - - spinal (cranial) (epidural) (intrathecal) (spinal) (subarachnoid) (subdural) T85.735

- - - urethral indwelling T83.511
- - - urinary T83.518
- - ectopic or molar pregnancy O08.82
- - electronic (electrode) (pulse generator) (stimulator)
- - - bone T84.7
- - - cardiac T82.7
- - - nervous system T85.738
- - - - brain T85.731
- - - - neurostimulator generator T85.734
- - - - peripheral nerve T85.732
- - - - spinal cord T85.733
- - - urinary T83.590
- - fixation, internal (orthopedic) *-see* Complication, fixation device, infection
- - gastrointestinal (bile duct) (esophagus) T85.79
- - - neurostimulator electrode (lead) T85.732
- - genital T83.69
- - heart NEC T82.7
- - - valve (prosthesis) T82.6
- - - - graft T82.7
- - joint prosthesis *-see* Complication, joint prosthesis, infection
- - ocular (corneal graft) (orbital implant) T85.79
- - orthopedic NEC T84.7
- - - fixation device, internal *-see* Complication, fixation device, infection
- - specified NEC T85.79
- - vascular T82.7
- - ventricular intracranial (communicating) shunt T85.730
- during labor O75.3
- Enterococcus A41.81
- Erysipelothrix (rhusiopathiae) (erysipeloid) A26.7
- Escherichia coli (E. coli) A41.51
- extraintestinal yersiniosis A28.2
- following
- - abortion (subsequent episode) O08.0
- - - current episode *-see* Abortion
- - ectopic or molar pregnancy O08.82
- - immunization T88.0
- - infusion, therapeutic injection or transfusion NEC T80.29
- - obstetrical procedure O86.04
- gangrenous A41.9
- gonococcal A54.86
- Gram-negative (organism) A41.50
- - anaerobic A41.4
- Haemophilus influenzae A41.3
- herpesviral B00.7
- intra-abdominal K65.1
- intraocular *-see* Endophthalmitis, purulent
- Listeria monocytogenes A32.7
- localized - code to specific localized infection
- - in operation wound T81.49
- - skin *-see* Abscess
- malleus A24.0
- melioidosis A24.1
- meningeal *-see* Meningitis
- meningococcal A39.4
- - acute A39.2
- - chronic A39.3
- MRSA (Methicillin resistant Staphylococcus aureus) A41.02
- MSSA (Methicillin susceptible Staphylococcus aureus) A41.01
- newborn P36.9
- - due to

- - - anaerobes NEC P36.5
- - - Escherichia coli P36.4
- - - Staphylococcus P36.30
- - - - aureus P36.2
- - - - specified NEC P36.39
- - - Streptococcus P36.10
- - - - group B P36.0
- - - - specified NEC P36.19
- - specified NEC P36.8
- other gram-negative A41.59
- Pasteurella multocida A28.0
- pelvic, puerperal, postpartum, childbirth O85
- postprocedural T81.44
- pneumococcal A40.3
- Pseudomonas (pseudomonas aeruginosa) A41.52
- puerperal, postpartum, childbirth (pelvic) O85
- Salmonella (arizonae) (cholerae-suis) (enteritidis) (typhimurium) A02.1
- Serratia A41.53
- severe R65.20
- - with septic shock R65.21
- skin, localized *-see* Abscess
- Shigella *-see also* Dysentery, bacillary A03.9
- specified organism NEC A41.89
- Staphylococcus, staphylococcal A41.2
- - aureus (methicillin susceptible) (MSSA) A41.01
- - - methicillin resistant (MRSA) A41.02
- - coagulase-negative A41.1
- - specified NEC A41.1
- Streptococcus, streptococcal A40.9
- - agalactiae A40.1
- - group
- - - A A40.0
- - - B A40.1
- - - D A41.81
- - neonatal P36.10
- - - group B P36.0
- - - specified NEC P36.19
- - pneumoniae A40.3
- - pyogenes A40.0
- - specified NEC A40.8
- tracheostomy stoma J95.02
- tularemic A21.7
- umbilical, umbilical cord (newborn) *-see* Sepsis, newborn
- Yersinia pestis A20.7

Septate *-see* Septum

Septic *-see* condition
- arm *-see* Cellulitis, upper limb
- - with lymphangitis *-see* Lymphangitis, acute, upper limb
- embolus *-see* Embolism
- finger *-see* Cellulitis, digit
- - with lymphangitis *-see* Lymphangitis, acute, digit
- foot *-see* Cellulitis, lower limb
- - with lymphangitis *-see* Lymphangitis, acute, lower limb
- gallbladder (acute) K81.0
- hand *-see* Cellulitis, upper limb
- - with lymphangitis *-see* Lymphangitis, acute, upper limb
- joint *-see* Arthritis, pyogenic or pyemic
- leg *-see* Cellulitis, lower limb
- - with lymphangitis *-see* Lymphangitis, acute, lower limb
- nail *-see also* Cellulitis, digit

- - with lymphangitis -*see* Lymphangitis, acute, digit
- sore -*see also* Abscess
- - throat J02.0
- - - streptococcal J02.0
- spleen (acute) D73.89
- teeth, tooth (pulpal origin) K04.4
- throat -*see* Pharyngitis
- thrombus -*see* Thrombosis
- toe -*see* Cellulitis, digit
- - with lymphangitis -*see* Lymphangitis, acute, digit
- tonsils, chronic J35.01
- - with adenoiditis J35.03
- uterus -*see* Endometritis

Septicemia A41.9
- meaning sepsis -*see* Sepsis

Septum, septate (congenital) -*see also* Anomaly, by site
- anal Q42.3
- - with fistula Q42.2
- aqueduct of Sylvius Q03.0
- - with spina bifida -*see* Spina bifida, by site, with hydrocephalus
- uterus Q51.28
- - complete Q51.21
- - partial Q51.22
- - specified NEC Q51.28
- vagina Q52.10
- - in pregnancy -*see* Pregnancy, complicated by, abnormal vagina
- - - causing obstructed labor O65.5
- - longitudinal Q52.129
- - - microperforate
- - - - left side Q52.124
- - - - right side Q52.123
- - - nonobstruction Q52.120
- - - obstructing Q52.129
- - - - left side Q52.122
- - - - right side Q52.121
- - transverse Q52.11

Sequelae (of) -*see also* condition
- abscess, intracranial or intraspinal (conditions in G06) G09
- amputation -- code to injury with seventh character S
- burn and corrosion -- code to injury with seventh character S
- calcium deficiency E64.8
- cerebrovascular disease -*see* Sequelae, disease, cerebrovascular
- childbirth O94
- contusion -- code to injury with seventh character S
- corrosion -*see* Sequelae, burn and corrosion
- COVID-19 (post acute) U09.9
- crushing injury -- code to injury with seventh character S
- disease
- - cerebrovascular I69.90
- - - alteration of sensation I69.998
- - - aphasia I69.920
- - - apraxia I69.990
- - - ataxia I69.993
- - - cognitive deficits I69.91
- - - disturbance of vision I69.998
- - - dysarthria I69.922
- - - dysphagia I69.991
- - - dysphasia I69.921
- - - facial droop I69.992
- - - facial weakness I69.992

- - - fluency disorder I69.923
- - - hemiplegia I69.95-
- - - hemorrhage
- - - - intracerebral -*see* Sequelae, hemorrhage, intracerebral
- - - - intracranial, nontraumatic NEC -*see* Sequelae, hemorrhage, intracranial, nontraumatic
- - - - subarachnoid -*see* Sequelae, hemorrhage, subarachnoid
- - - language deficit I69.928
- - - monoplegia
- - - - lower limb I69.94-
- - - - upper limb I69.93-
- - - paralytic syndrome I69.96-
- - - specified effect NEC I69.998
- - - specified type NEC I69.80
- - - - alteration of sensation I69.898
- - - - aphasia I69.820
- - - - apraxia I69.890
- - - - ataxia I69.893
- - - - cognitive deficits I69.81
- - - - disturbance of vision I69.898
- - - - dysarthria I69.822
- - - - dysphagia I69.891
- - - - dysphasia I69.821
- - - - facial droop I69.892
- - - - facial weakness I69.892
- - - - fluency disorder I69.823
- - - - hemiplegia I69.85-
- - - - language deficit I69.828
- - - - monoplegia
- - - - - lower limb I69.84-
- - - - - upper limb I69.83-
- - - - paralytic syndrome I69.86-
- - - - specified effect NEC I69.898
- - - speech deficit I69.928
- - - - speech deficit I69.828
- - - stroke NOS -*see* Sequelae, stroke NOS
- dislocation -- code to injury with seventh character S
- encephalitis or encephalomyelitis (conditions in G04) G09
- - in infectious disease NEC B94.8
- - viral B94.1
- external cause -- code to injury with seventh character S
- foreign body entering natural orifice -- code to injury with seventh character S
- fracture -- code to injury with seventh character S
- frostbite -- code to injury with seventh character S
- Hansen's disease B92
- hemorrhage
- - intracerebral I69.10
- - - alteration of sensation I69.198
- - - aphasia I69.120
- - - apraxia I69.190
- - - ataxia I69.193
- - - cognitive deficits I69.11
- - - disturbance of vision I69.198
- - - dysarthria I69.122
- - - dysphagia I69.191
- - - dysphasia I69.121
- - - facial droop I69.192
- - - facial weakness I69.192
- - - fluency disorder I69.123
- - - hemiplegia I69.15-
- - - language deficit NEC I69.128

- - - monoplegia
- - - - lower limb I69.14-
- - - - upper limb I69.13-
- - - paralytic syndrome I69.16-
- - - specified effect NEC I69.198
- - - speech deficit NEC I69.128
- - intracranial, nontraumatic NEC I69.20
- - - alteration of sensation I69.298
- - - aphasia I69.220
- - - apraxia I69.290
- - - ataxia I69.293
- - - cognitive deficits I69.21
- - - disturbance of vision I69.298
- - - dysarthria I69.222
- - - dysphagia I69.291
- - - dysphasia I69.221
- - - facial droop I69.292
- - - facial weakness I69.292
- - - fluency disorder I69.223
- - - hemiplegia I69.25-
- - - language deficit NEC I69.228
- - - monoplegia
- - - - lower limb I69.24-
- - - - upper limb I69.23-
- - - paralytic syndrome I69.26-
- - - specified effect NEC I69.298
- - - speech deficit NEC I69.228
- - subarachnoid I69.00
- - - alteration of sensation I69.098
- - - aphasia I69.020
- - - apraxia I69.090
- - - ataxia I69.093
- - - cognitive deficits -see subcategory I69.01-
- - - disturbance of vision I69.098
- - - dysarthria I69.022
- - - dysphagia I69.091
- - - dysphasia I69.021
- - - facial droop I69.092
- - - facial weakness I69.092
- - - fluency disorder I69.023
- - - hemiplegia I69.05-
- - - language deficit NEC I69.028
- - - monoplegia
- - - - lower limb I69.04-
- - - - upper limb I69.03-
- - - paralytic syndrome I69.06-
- - - specified effect NEC I69.098
- - - speech deficit NEC I69.028
- hepatitis, viral B94.2
- hyperalimentation E68
- infarction
- - cerebral I69.30
- - - alteration of sensation I69.398
- - - aphasia I69.320
- - - apraxia I69.390
- - - ataxia I69.393
- - - cognitive deficits I69.31
- - - disturbance of vision I69.398
- - - dysarthria I69.322
- - - dysphagia I69.391

- - - dysphasia I69.321
- - - facial droop I69.392
- - - facial weakness I69.392
- - - fluency disorder I69.323
- - - hemiplegia I69.35-
- - - language deficit NEC I69.328
- - - monoplegia
- - - - lower limb I69.34-
- - - - upper limb I69.33-
- - - paralytic syndrome I69.36-
- - - specified effect NEC I69.398
- - - speech deficit NEC I69.328
- infection, pyogenic, intracranial or intraspinal G09
- infectious disease B94.9
- - specified NEC B94.8
- injury -- code to injury with seventh character S
- leprosy B92
- meningitis
- - bacterial (conditions in G00) G09
- - other or unspecified cause (conditions in G03) G09
- muscle (and tendon) injury -- code to injury with seventh character S
- myelitis -*see* Sequelae, encephalitis
- niacin deficiency E64.8
- nutritional deficiency E64.9
- - specified NEC E64.8
- obstetrical condition O94
- parasitic disease B94.9
- phlebitis or thrombophlebitis of intracranial or intraspinal venous sinuses and veins (conditions in G08) G09
- poisoning -- code to poisoning with seventh character S
- - nonmedicinal substance -*see* Sequelae, toxic effect, nonmedicinal substance
- poliomyelitis (acute) B91
- pregnancy O94
- protein-energy malnutrition E64.0
- puerperium O94
- rickets E64.3
- SARS-CoV-2 (post acute) U09.9
- selenium deficiency E64.8
- sprain and strain -- code to injury with seventh character S
- stroke NOS I69.30
- - alteration in sensation I69.398
- - aphasia I69.320
- - apraxia I69.390
- - ataxia I69.393
- - cognitive deficits I69.31
- - disturbance of vision I69.398
- - dysarthria I69.322
- - dysphagia I69.391
- - dysphasia I69.321
- - facial droop I69.392
- - facial weakness I69.392
- - hemiplegia I69.35-
- - language deficit NEC I69.328
- - monoplegia
- - - lower limb I69.34-
- - - upper limb I69.33-
- - paralytic syndrome I69.36-
- - specified effect NEC I69.398
- - speech deficit NEC I69.328
- tendon and muscle injury -- code to injury with seventh character S
- thiamine deficiency E64.8

- trachoma B94.0
- tuberculosis B90.9
- - bones and joints B90.2
- - central nervous system B90.0
- - genitourinary B90.1
- - pulmonary (respiratory) B90.9
- - specified organs NEC B90.8
- viral
- - encephalitis B94.1
- - hepatitis B94.2
- vitamin deficiency NEC E64.8
- - A E64.1
- - B E64.8
- - C E64.2
- wound, open -- code to injury with seventh character S

Sequestration -*see also* Sequestrum
- disc -*see* Displacement, intervertebral disc
- lung, congenital Q33.2

Sequestrum
- bone -*see* Osteomyelitis, chronic
- dental M27.2
- jaw bone M27.2
- orbit -*see* Osteomyelitis, orbit
- sinus (accessory) (nasal) -*see* Sinusitis

Sequoiosis lung or pneumonitis J67.8

Serology for syphilis
- doubtful
- - with signs or symptoms - code by site and stage under Syphilis
- - follow-up of latent syphilis -*see* Syphilis, latent
- negative, with signs or symptoms - code by site and stage under Syphilis
- positive A53.0
- - with signs or symptoms - code by site and stage under Syphilis
- reactivated A53.0

Seroma -*see also* Hematoma
- postprocedural -*see* Complication, postprocedural, seroma
- traumatic, secondary and recurrent T79.2

Seropurulent -*see* condition

Serositis, multiple K65.8
- pericardial I31.1
- peritoneal K65.8

Serous -*see* condition

Sertoli cell
- adenoma
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site
- - - female D27.9
- - - male D29.20
- carcinoma
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site (male) C62.9-
- - - female C56.9
- tumor
- - with lipid storage
- - - specified site -*see* Neoplasm, benign, by site
- - - unspecified site
- - - - female D27.9
- - - - male D29.20
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site
- - - female D27.9

- - - male D29.20
Sertoli-Leydig cell tumor -*see* Neoplasm, benign, by site
- specified site -*see* Neoplasm, benign, by site
- unspecified site
- - female D27.9
- - male D29.20
Serum
- allergy, allergic reaction -*see also* Reaction, serum T80.69
- - shock -*see also* Shock, anaphylactic T80.59
- arthritis -*see also* Reaction, serum T80.69
- complication or reaction NEC -*see also* Reaction, serum T80.69
- disease NEC -*see also* Reaction, serum T80.69
- hepatitis -*see also* Hepatitis, viral, type B
- - carrier (suspected) of B18.1
- intoxication -*see also* Reaction, serum T80.69
- neuritis -*see also* Reaction, serum T80.69
- neuropathy G61.1
- poisoning NEC -*see also* Reaction, serum T80.69
- rash NEC -*see also* Reaction, serum T80.69
- reaction NEC -*see also* Reaction, serum T80.69
- sickness NEC -*see also* Reaction, serum T80.69
- urticaria -*see also* Reaction, serum T80.69
Sesamoiditis M25.8-
Sever's disease or osteochondrosis -*see* Osteochondrosis, juvenile, tarsus
Severe sepsis R65.20
- with septic shock R65.21
Sex
- chromosome mosaics Q97.8
- - lines with various numbers of X chromosomes Q97.2
- education Z70.8
- reassignment surgery status Z87.890
Sextuplet pregnancy -*see* Pregnancy, sextuplet
Sexual
- function, disorder of (psychogenic) F52.9
- immaturity (female) (male) E30.0
- impotence (psychogenic) organic origin NEC -*see* Dysfunction, sexual, male
- precocity (constitutional) (cryptogenic)(female) (idiopathic) (male) E30.1
Sexuality, pathologic -*see* Deviation, sexual
Sézary disease C84.1-
Shadow, lung R91.8
Shaking palsy or paralysis -*see* Parkinsonism
Shallowness, acetabulum -*see* Derangement, joint, specified type NEC, hip
Shaver's disease J63.1
Sheath (tendon) -*see* condition
Sheathing, retinal vessels H35.01-
Shedding
- nail L60.8
- premature, primary (deciduous) teeth K00.6
Sheehan's disease or syndrome E23.0
Shelf, rectal K62.89
Shell teeth K00.5
Shellshock (current) F43.0
- lasting state -*see* Disorder, post-traumatic stress
Shield kidney Q63.1
Shift
- auditory threshold (temporary) H93.24-
- mediastinal R93.89
Shifting sleep-work schedule (affecting sleep) G47.26
Shiga (-Kruse) dysentery A03.0
Shiga's bacillus A03.0

Shigella (dysentery) -*see* Dysentery, bacillary
Shigellosis A03.9
- Group A A03.0
- Group B A03.1
- Group C A03.2
- Group D A03.3
Shin splints S86.89
Shingles -*see* Herpes, zoster
Shipyard disease or eye B30.0
Shirodkar suture, in pregnancy -*see* Pregnancy, complicated by, incompetent cervix
Shock R57.9
- with ectopic or molar pregnancy O08.3
- adrenal (cortical) (Addisonian) E27.2
- adverse food reaction (anaphylactic) -*see* Shock, anaphylactic, due to food
- allergic -*see* Shock, anaphylactic
- anaphylactic T78.2
- - chemical -*see* Table of Drugs and Chemicals
- - due to drug or medicinal substance
- - - correct substance properly administered T88.6
- - - overdose or wrong substance given or taken (by accident) -*see* Table of Drugs and Chemicals, by drug, poisoning
- - due to food (nonpoisonous) T78.00
- - - additives T78.06
- - - dairy products T78.07
- - - eggs T78.08
- - - fish T78.03
- - - - shellfish T78.02
- - - fruit T78.04
- - - milk T78.07
- - - nuts T78.05
- - - - multiple types T78.05
- - - - peanuts T78.01
- - - peanuts T78.01
- - - seeds T78.05
- - - specified type NEC T78.09
- - - vegetable T78.04
- - following sting(s) -*see* Venom
- - immunization T80.52
- - serum T80.59
- - - blood and blood products T80.51
- - - immunization T80.52
- - - specified NEC T80.59
- - - vaccination T80.52
- anaphylactoid -*see* Shock, anaphylactic
- anesthetic
- - correct substance properly administered T88.2
- - overdose or wrong substance given or taken -*see* Table of Drugs and Chemicals, by drug, poisoning
- - - specified anesthetic -*see* Table of Drugs and Chemicals, by drug, poisoning
- cardiogenic R57.0
- chemical substance -*see* Table of Drugs and Chemicals
- complicating ectopic or molar pregnancy O08.3
- culture -*see* Disorder, adjustment
- drug
- - due to correct substance properly administered T88.6
- - overdose or wrong substance given or taken (by accident) -*see* Table of Drugs and Chemicals, by drug, poisoning
- during or after labor and delivery O75.1
- electric T75.4
- - (taser) T75.4
- endotoxic R65.21
- - postprocedural (resulting from a procedure, not elsewhere classified) T81.12
- following

- - ectopic or molar pregnancy O08.3
- - injury (immediate) (delayed) T79.4
- - labor and delivery O75.1
- food (anaphylactic) -*see* Shock, anaphylactic, due to food
- from electroshock gun (taser) T75.4
- gram-negative R65.21
- - postprocedural (resulting from a procedure, not elsewhere classified) T81.12
- hematologic R57.8
- hemorrhagic R57.8
- - surgery (intraoperative) (postoperative) T81.19
- - trauma T79.4
- hypovolemic R57.1
- - surgical T81.19
- - traumatic T79.4
- insulin E15
- - therapeutic misadventure -see subcategory T38.3
- kidney N17.0
- - traumatic (following crushing) T79.5
- liver K72.00
- lightning T75.01
- lung J80
- obstetric O75.1
- - with ectopic or molar pregnancy O08.3
- - following ectopic or molar pregnancy O08.3
- pleural (surgical) T81.19
- - due to trauma T79.4
- postprocedural (postoperative) T81.10
- - with ectopic or molar pregnancy O08.3
- - cardiogenic T81.11
- - endotoxic T81.12
- - following ectopic or molar pregnancy O08.3
- - gram-negative T81.12
- - hypovolemic T81.19
- - septic T81.12
- - specified type NEC T81.19
- psychic F43.0
- septic (due to severe sepsis) R65.21
- specified NEC R57.8
- surgical T81.10
- taser gun (taser) T75.4
- therapeutic misadventure NEC T81.10
- thyroxin
- - overdose or wrong substance given or taken -*see* Table of Drugs and Chemicals, by drug, poisoning
- toxic, syndrome A48.3
- transfusion -*see* Complications, transfusion
- traumatic (immediate) (delayed) T79.4

Shoemaker's chest M95.4

Short, shortening, shortness
- arm (acquired) -*see also* Deformity, limb, unequal length
- - congenital Q71.81-
- - forearm -*see* Deformity, limb, unequal length
- bowel syndrome K91.2
- breath R06.02
- cervical (complicating pregnancy) O26.87-
- - non-gravid uterus N88.3
- common bile duct, congenital Q44.5
- cord (umbilical), complicating delivery O69.3
- cystic duct, congenital Q44.5
- esophagus (congenital) Q39.8
- femur (acquired) -*see* Deformity, limb, unequal length, femur

- - congenital -*see* Defect, reduction, lower limb, longitudinal, femur
- frenum, frenulum, linguae (congenital) Q38.1
- hip (acquired) -*see also* Deformity, limb, unequal length
- - congenital Q65.89
- leg (acquired) -*see also* Deformity, limb, unequal length
- - congenital Q72.81-
- - lower leg -*see also* Deformity, limb, unequal length
- limbed stature, with immunodeficiency D82.2
- lower limb (acquired) -*see also* Deformity, limb, unequal length
- - congenital Q72.81-
- organ or site, congenital NEC -*see* Distortion
- palate, congenital Q38.5
- radius (acquired) -*see also* Deformity, limb, unequal length
- - congenital -*see* Defect, reduction, upper limb, longitudinal, radius
- rib syndrome Q77.2
- stature (child) (hereditary) (idiopathic) NEC R62.52
- - constitutional E34.31
- - due to
- - - endocrine disorder E34.30
- - - - specified type NEC, due to endocrine disorder E34.39
- - - genetic causes E34.329
- - - - ACAN gene variant E34.328
- - - - acid-labile subunit gene (IGFALS) defect E34.321
- - - - aggrecan deficiency E34.328
- - - - genetic syndrome with resistance to insulin-like growth factor-1 E34.322
- - - - growth hormone gene 1 (GH1) defect with growth hormone neutralizing antibodies E34.321
- - - - growth hormone insensitivity syndrome (GHIS) E34.321
- - - - insulin-like growth factor 1 gene (IGF1) defect E34.321
- - - - insulin-like growth factor-1 receptor (IGF-1R) defect E34.322
- - - - insulin-like growth factor-1 (IGF-1) resistance E34.322
- - - - NPR-2 gene variant E34.328
- - - - post-insulin-like growth factor-1 receptor signaling defect E34.322
- - - - primary insulin-like growth factor-1 (IGF-1) deficiency E34.321
- - - - severe primary insulin-like growth factor-1 deficiency (SPIGFD) E34.321
- - - - signal transducer and activator of transcription 5B gene (STAT5b) defect E34.321
- - - - specified genetic cause NEC E34.328
- - Laron-type E34.321
- tendon -*see also* Contraction, tendon
- - with contracture of joint -*see* Contraction, joint
- - Achilles (acquired) M67.0-
- - - congenital Q66.89
- - congenital Q79.8
- thigh (acquired) -*see also* Deformity, limb, unequal length, femur
- - congenital -*see* Defect, reduction, lower limb, longitudinal, femur
- tibialis anterior (tendon) -*see* Contraction, tendon
- umbilical cord
- - complicating delivery O69.3
- upper limb, congenital -*see* Defect, reduction, upper limb, specified type NEC
- urethra N36.8
- uvula, congenital Q38.5
- vagina (congenital) Q52.4

Shortsightedness -*see* Myopia

Shoshin (acute fulminating beriberi) E51.11

Shoulder -*see* condition

Shovel-shaped incisors K00.2

Shower, thromboembolic -*see* Embolism

Shunt

- arterial-venous (dialysis) Z99.2
- arteriovenous, pulmonary (acquired) I28.0
- - congenital Q25.72

- cerebral ventricle (communicating) in situ Z98.2
- surgical, prosthetic, with complications *-see* Complications, cardiovascular, device or implant
Shutdown, renal N28.9
Shy-Drager syndrome G90.3
Sialadenitis, sialadenosis (any gland) (chronic) (periodic) (suppurative) *-see* Sialoadenitis
Sialectasia K11.8
Sialidosis E77.1
Sialitis, silitis (any gland) (chronic) (suppurative) *-see* Sialoadenitis
Sialoadenitis (any gland) (periodic) (suppurative) K11.20
- acute K11.21
- - recurrent K11.22
- chronic K11.23
Sialoadenopathy K11.9
Sialoangitis *-see* Sialoadenitis
Sialodochitis (fibrinosa) *-see* Sialoadenitis
Sialodocholithiasis K11.5
Sialolithiasis K11.5
Sialometaplasia, necrotizing K11.8
Sialorrhea *-see also* Ptyalism
- periodic *-see* Sialoadenitis
Sialosis K11.7
Siamese twin Q89.4
Sibling rivalry Z62.891
Sicard's syndrome G52.7
Sicca syndrome *-see* Syndrome, Sjögren
Sick R69
- or handicapped person in family Z63.79
- - needing care at home Z63.6
- sinus (syndrome) I49.5
Sick-euthyroid syndrome E07.81
Sickle-cell
- anemia *-see* Disease, sickle-cell
- beta plus *-see* Disease, sickle-cell, thalassemia, beta plus
- beta zero *-see* Disease, sickle-cell, thalassemia, beta zero
- trait D57.3
Sicklemia *-see also* Disease, sickle-cell
- trait D57.3
Sickness
- air (travel) T75.3
- airplane T75.3
- alpine T70.29
- altitude T70.20
- Andes T70.29
- aviator's T70.29
- balloon T70.29
- car T75.3
- compressed air T70.3
- decompression T70.3
- green D50.8
- milk *-see* Poisoning, food, noxious
- motion T75.3
- mountain T70.29
- - acute D75.1
- protein *-see also* Reaction, serum T80.69
- radiation T66
- roundabout (motion) T75.3
- sea T75.3
- serum NEC *-see also* Reaction, serum T80.69
- sleeping (African) B56.9
- - by Trypanosoma B56.9

- - - brucei
- - - - gambiense B56.0
- - - - rhodesiense B56.1
- - East African B56.1
- - Gambian B56.0
- - Rhodesian B56.1
- - West African B56.0
- swing (motion) T75.3
- train (railway) (travel) T75.3
- travel (any vehicle) T75.3
Sideropenia -*see* Anemia, iron deficiency
Siderosilicosis J62.8
Siderosis (lung) J63.4
- brain G93.89
- eye (globe) -*see* Disorder, globe, degenerative, siderosis
Siemens' syndrome (ectodermal dysplasia) Q82.8
Sighing R06.89
- psychogenic F45.8
Sigmoid -*see also* condition
- flexure -*see* condition
- kidney Q63.1
Sigmoiditis -*see also* Enteritis K52.9
- infectious A09
- noninfectious K52.9
Silfversköld's syndrome Q78.9
Silicosiderosis J62.8
Silicosis, silicotic (simple) (complicated) J62.8
- with tuberculosis J65
Silicotuberculosis J65
Silo-fillers' disease J68.8
- bronchitis J68.0
- pneumonitis J68.0
- pulmonary edema J68.1
Silver's syndrome Q87.19
Simian malaria B53.1
Simmonds' cachexia or disease E23.0
Simons' disease or syndrome (progressive lipodystrophy) E88.1
Simple, simplex -*see* condition
Simulation, conscious (of illness) Z76.5
Simultanagnosia (asimultagnosia) R48.3
Sin Nombre virus disease (Hantavirus) (cardio)-pulmonary syndrome) B33.4
Sinding-Larsen disease or osteochondrosis -*see* Osteochondrosis, juvenile, patella
Singapore hemorrhagic fever A91
Singer's node or nodule J38.2
Single
- atrium Q21.20
- coronary artery Q24.5
- umbilical artery Q27.0
- ventricle Q20.4
Singultus R06.6
- epidemicus B33.0
Sinus -*see also* Fistula
- abdominal K63.89
- arrest I45.5
- arrhythmia I49.8
- bradycardia R00.1
- branchial cleft (internal) (external) Q18.0
- coccygeal -*see* Sinus, pilonidal
- dental K04.6
- dermal (congenital) Q06.8

- - with abscess Q06.8
- - coccygeal, pilonidal -*see* Sinus, coccygeal
- infected, skin NEC L08.89
- marginal, ruptured or bleeding -*see* Hemorrhage, antepartum, specified cause NEC
- medial, face and neck Q18.8
- pause I45.5
- pericranii Q01.9
- pilonidal (infected) (rectum) L05.92
- - with abscess L05.02
- preauricular Q18.1
- rectovaginal N82.3
- Rokitansky-Aschoff (gallbladder) K82.8
- sacrococcygeal (dermoid) (infected) -*see* Sinus, pilonidal
- tachycardia R00.0
- - paroxysmal I47.19
- tarsi syndrome M25.57-
- testis N50.89
- tract (postinfective) -*see* Fistula
- urachus Q64.4

Sinusitis (accessory) (chronic) (hyperplastic) (nasal) (nonpurulent) (purulent) J32.9
- acute J01.90
- - ethmoidal J01.20
- - - recurrent J01.21
- - frontal J01.10
- - - recurrent J01.11
- - involving more than one sinus, other than pansinusitis J01.80
- - - recurrent J01.81
- - maxillary J01.00
- - - recurrent J01.01
- - pansinusitis J01.40
- - - recurrent J01.41
- - recurrent J01.91
- - specified NEC J01.80
- - - recurrent J01.81
- - sphenoidal J01.30
- - - recurrent J01.31
- allergic -*see* Rhinitis, allergic
- due to high altitude T70.1
- ethmoidal J32.2
- - acute J01.20
- - - recurrent J01.21
- frontal J32.1
- - acute J01.10
- - - recurrent J01.11
- influenzal -*see* Influenza, with, respiratory manifestations NEC
- involving more than one sinus but not pansinusitis J32.8
- - acute J01.80
- - - recurrent J01.81
- maxillary J32.0
- - acute J01.00
- - - recurrent J01.01
- sphenoidal J32.3
- - acute J01.30
- - - recurrent J01.31
- tuberculous, any sinus A15.8

Sinusitis-bronchiectasis-situs inversus (syndrome) (triad) Q89.3

Sipple's syndrome E31.22

Sirenomelia (syndrome) Q87.2

Siriasis T67.01

Sirkari's disease B55.0

Siti A65
Situation, psychiatric F99
Situational
- disturbance (transient) -*see* Disorder, adjustment
- - acute F43.0
- maladjustment -*see* Disorder, adjustment
- reaction -*see* Disorder, adjustment
- - acute F43.0
Situs inversus or transversus (abdominalis) (thoracis) Q89.3
Sixth disease B08.20
- due to human herpesvirus 6 B08.21
- due to human herpesvirus 7 B08.22
Sjögren-Larsson syndrome Q87.19
Sjögren's syndrome or disease -*see* Syndrome, Sjögren
Skeletal -*see* condition
Skene's gland -*see* condition
Skenitis -*see* Urethritis
Skerljevo A65
Skevas-Zerfus disease -*see* Toxicity, venom, marine animal, sea anemone
Skin -*see also* condition
- clammy R23.1
- donor -*see* Donor, skin
- dry L85.3
- hidebound M35.9
Slate-dressers' or slate-miners' lung J62.8
Sleep
- apnea -*see* Apnea, sleep
- deprivation Z72.820
- disorder or disturbance G47.9
- - child F51.9
- - nonorganic origin F51.9
- - specified NEC G47.8
- disturbance G47.9
- - nonorganic origin F51.9
- drunkenness F51.9
- rhythm inversion G47.2-
- terrors F51.4
- walking F51.3
- - hysterical F44.89
Sleep hygiene
- abuse Z72.821
- inadequate Z72.821
- poor Z72.821
Sleeping sickness -*see* Sickness, sleeping
Sleeplessness -*see* Insomnia
- menopausal N95.1
Sleep-wake schedule disorder G47.20
Slim disease (in HIV infection) B20
Slipped, slipping
- epiphysis (traumatic) -*see also* Osteochondropathy, specified type NEC
- - capital femoral (traumatic) *[SCFE]*
- - - acute (on chronic) S79.01-
- - - nontraumatic M93.00-
- - current traumatic - code as Fracture, by site
- - upper femoral (nontraumatic) [SUFE] M93.00-
- - - acute M93.01-
- - - - on chronic M93.03-
- - - chronic M93.02-
- intervertebral disc -*see* Displacement, intervertebral disc
- ligature, umbilical P51.8

- patella -*see* Disorder, patella, derangement NEC
- rib M89.8X8
- sacroiliac joint -see subcategory M53.2
- tendon -*see* Disorder, tendon
- ulnar nerve, nontraumatic -*see* Lesion, nerve, ulnar
- vertebra NEC -*see* Spondylolisthesis

Slocumb's syndrome E27.0

Sloughing (multiple) (phagedena) (skin) -*see also* Gangrene
- abscess -*see* Abscess
- appendix K38.8
- fascia -*see* Disorder, soft tissue, specified type NEC
- scrotum N50.89
- tendon -*see* Disorder, tendon
- transplanted organ -*see* Rejection, transplant
- ulcer -*see* Ulcer, skin

Slow
- feeding, newborn P92.2
- flow syndrome, coronary I20.89
- heart (beat) R00.1

Slowing, urinary stream R39.198

Sluder's neuralgia (syndrome) G44.89

Slurred, slurring speech R47.81

Small (ness)
- for gestational age -*see* Small for dates
- introitus, vagina N89.6
- kidney (unknown cause) N27.9
- - bilateral N27.1
- - unilateral N27.0
- ovary (congenital) Q50.39
- pelvis
- - with disproportion (fetopelvic) O33.1
- - - causing obstructed labor O65.1
- uterus N85.8
- white kidney N03.9

Small-and-light-for-dates -*see* Small for dates

Small-for-dates (infant) P05.10
- with weight of
- - 499 grams or less P05.11
- - 500-749 grams P05.12
- - 750-999 grams P05.13
- - 1000-1249 grams P05.14
- - 1250-1499 grams P05.15
- - 1500-1749 grams P05.16
- - 1750-1999 grams P05.17
- - 2000-2499 grams P05.18
- - 2500 grams and over P05.19
- specified NEC P05.19

Smallpox B03

Smearing, fecal R15.1

SMEI (severe myoclonic epilepsy in infancy) G40.83-

Smith-Lemli-Opitz syndrome E78.72

Smith's fracture S52.54-

Smoker -*see* Dependence, drug, nicotine

Smoker's
- bronchitis J41.0
- cough J41.0
- palate K13.24
- throat J31.2
- tongue K13.24

Smoking

- passive Z77.22
Smothering spells R06.81
Snaggle teeth, tooth M26.39
Snapping
- finger -*see* Trigger finger
- hip -*see* Derangement, joint, specified type NEC, hip
- - involving the iliotiblial band M76.3-
- knee -*see* Derangement, knee
- - involving the iliotiblial band M76.3-
Sneddon-Wilkinson disease or syndrome (sub-corneal pustular dermatosis) L13.1
Sneezing (intractable) R06.7
Sniffing
- cocaine
- - abuse -*see* Abuse, drug, cocaine
- - dependence -*see* Dependence, drug, cocaine
- gasoline
- - abuse -*see* Abuse, drug, inhalant
- - dependence -*see* Dependence, drug, inhalant
- glue (airplane)
- - abuse -*see* Abuse, drug, inhalant
- - drug dependence -*see* Dependence, drug, inhalant
Sniffles
- newborn P28.89
Snoring R06.83
Snow blindness -*see* Photokeratitis
Snuffles (non-syphilitic) R06.5
- newborn P28.89
- syphilitic (infant) A50.05 *[J99]*
Social
- exclusion Z60.4
- - due to discrimination or persecution (perceived) Z60.5
- migrant Z59.00
- - acculturation difficulty Z60.3
- rejection Z60.4
- - due to discrimination or persecution Z60.5
- role conflict NEC Z73.5
- skills inadequacy NEC Z73.4
- transplantation Z60.3
Sodoku A25.0
Soemmerring's ring -*see* Cataract, secondary
Soft -*see also* condition
- nails L60.3
Softening
- bone -*see* Osteomalacia
- brain (necrotic) (progressive) G93.89
- - congenital Q04.8
- - embolic I63.4-
- - hemorrhagic -*see* Hemorrhage, intracranial, intracerebral
- - occlusive I63.5-
- - thrombotic I63.3-
- cartilage M94.2-
- - patella M22.4-
- cerebellar -*see* Softening, brain
- cerebral -*see* Softening, brain
- cerebrospinal -*see* Softening, brain
- myocardial, heart -*see* Degeneration, myocardial
- spinal cord G95.89
- stomach K31.89
Soldier's
- heart F45.8

- patches I31.0
Solitary
- cyst, kidney N28.1
- kidney, congenital Q60.0
Solvent abuse -*see* Abuse, drug, inhalant
- dependence -*see* Dependence, drug, inhalant
Somatization reaction, somatic reaction -*see* Disorder, somatoform
Somnambulism F51.3
- hysterical F44.89
Somnolence R40.0
- nonorganic origin F51.11
Sonne dysentery A03.3
Soor B37.0
Sore
- bed -*see* Ulcer, pressure, by site
- chiclero B55.1
- Delhi B55.1
- desert -*see* Ulcer, skin
- eye H57.1-
- Lahore B55.1
- mouth K13.79
- - canker K12.0
- muscle M79.10
- Naga -*see* Ulcer, skin
- of skin -*see* Ulcer, skin
- oriental B55.1
- pressure -*see* Ulcer, pressure, by site
- skin L98.9
- soft A57
- throat (acute) -*see also* Pharyngitis
- - with influenza, flu, or grippe -*see* Influenza, with, respiratory manifestations NEC
- - chronic J31.2
- - coxsackie (virus) B08.5
- - diphtheritic A36.0
- - herpesviral B00.2
- - influenzal -*see* Influenza, with, respiratory manifestations NEC
- - septic J02.0
- - streptococcal (ulcerative) J02.0
- - viral NEC J02.8
- - - coxsackie B08.5
- tropical -*see* Ulcer, skin
- veldt -*see* Ulcer, skin
Soto's syndrome (cerebral gigantism) Q87.3
South African cardiomyopathy syndrome I42.8
Southeast Asian hemorrhagic fever A91
Spacing
- abnormal, tooth, teeth, fully erupted M26.30
- excessive, tooth, fully erupted M26.32
Spade-like hand (congenital) Q68.1
Spading nail L60.8
- congenital Q84.6
Spanish collar N47.1
Sparganosis B70.1
Spasm(s), spastic, spasticity -*see also* condition R25.2
- accommodation -*see* Spasm, of accommodation
- ampulla of Vater K83.4
- anus, ani (sphincter) (reflex) K59.4
- - psychogenic F45.8
- artery I73.9
- - cerebral G45.9

- Bell's G51.3-
- bladder (sphincter, external or internal) N32.89
- - psychogenic F45.8
- bronchus, bronchiole J98.01
- cardia K22.0
- cardiac I20.1
- carpopedal -*see* Tetany
- cerebral (arteries) (vascular) G45.9
- cervix, complicating delivery O62.4
- ciliary body (of accommodation) -*see* Spasm, of accommodation
- colon -*see also* Irritable, bowel K58.9
- - with diarrhea K58.0
- - psychogenic F45.8
- common duct K83.8
- compulsive -*see* Tic
- conjugate H51.8
- coronary (artery) I20.1
- diaphragm (reflex) R06.6
- - epidemic B33.0
- - psychogenic F45.8
- duodenum K59.89
- epidemic diaphragmatic (transient) B33.0
- esophagus (diffuse) K22.4
- - psychogenic F45.8
- facial G51.3-
- fallopian tube N83.8
- gastrointestinal (tract) K31.89
- - psychogenic F45.8
- glottis J38.5
- - hysterical F44.4
- - psychogenic F45.8
- - - conversion reaction F44.4
- - reflex through recurrent laryngeal nerve J38.5
- habit -*see* Tic
- heart I20.1
- hemifacial (clonic) G51.3-
- hourglass -*see* Contraction, hourglass
- hysterical F44.4
- infantile -*see* Epilepsy, spasms
- inferior oblique, eye H51.8
- intestinal -*see also* Syndrome, irritable bowel K58.9
- - psychogenic F45.8
- larynx, laryngeal J38.5
- - hysterical F44.4
- - psychogenic F45.8
- - - conversion reaction F44.4
- levator palpebrae superioris -*see* Disorder, eyelid function
- muscle NEC M62.838
- - back M62.830
- nerve, trigeminal G51.0
- nervous F45.8
- nodding F98.4
- occupational F48.8
- oculogyric H51.8
- - psychogenic F45.8
- of accommodation H52.53-
- ophthalmic artery -*see* Occlusion, artery, retina
- perineal, female N94.89
- peroneo-extensor -*see also* Deformity, limb, flat foot
- pharynx (reflex) J39.2

- - hysterical F45.8
- - psychogenic F45.8
- psychogenic F45.8
- pylorus NEC K31.3
- - adult hypertrophic K31.89
- - congenital or infantile Q40.0
- - psychogenic F45.8
- rectum (sphincter) K59.4
- - psychogenic F45.8
- retinal (artery) -*see* Occlusion, artery, retina
- sigmoid -*see also* Syndrome, irritable bowel K58.9
- - psychogenic F45.8
- sphincter of Oddi K83.4
- stomach K31.89
- - neurotic F45.8
- throat J39.2
- - hysterical F45.8
- - psychogenic F45.8
- tic F95.9
- - chronic F95.1
- - transient of childhood F95.0
- tongue K14.8
- torsion (progressive) G24.1
- trigeminal nerve -*see* Neuralgia, trigeminal
- ureter N13.5
- urethra (sphincter) N35.919
- uterus N85.8
- - complicating labor O62.4
- vagina N94.2
- - psychogenic F52.5
- vascular I73.9
- vasomotor I73.9
- vein NEC I87.8
- viscera -*see* Pain, abdominal

Spasmodic -*see* condition

Spasmophilia -*see* Tetany

Spasmus nutans F98.4

Spastic, spasticity -*see also* Spasm
- child (cerebral) (congenital) (paralysis) G80.1

Speaker's throat R49.8

Specific, specified -*see* condition

Speech
- defect, disorder, disturbance, impediment -*see* Disorder, speech R47.9
- - psychogenic, in childhood and adolescence F98.8
- - slurring R47.81
- - specified NEC R47.89

Spells, transient oxygen desaturation of newborn -*see also* Apnea, newborn P28.40
- during sleep -*see also* Apnea, newborn, sleep, primary P28.30

Spencer's disease A08.19

Spens' syndrome (syncope with heart block) I45.9

Sperm counts (fertility testing) Z31.41
- postvasectomy Z30.8
- - reversal Z31.42

Spermatic cord -*see* condition

Spermatocele N43.40
- congenital Q55.4
- multiple N43.42
- single N43.41

Spermatocystitis N49.0

Spermatocytoma C62.9-

- specified site -*see* Neoplasm, malignant, by site
Spermatorrhea N50.89
Sphacelus -*see* Gangrene
Sphenoidal -*see* condition
Sphenoiditis (chronic) -*see* Sinusitis, sphenoidal
Sphenopalatine ganglion neuralgia G90.09
Sphericity, increased, lens (congenital) Q12.4
Spherocytosis (congenital) (familial) (hereditary) D58.0
- hemoglobin disease D58.0
- sickle-cell (disease) D57.8-
Spherophakia Q12.4
Sphincter -*see* condition
Sphincteritis, sphincter of Oddi -*see* Cholangitis
Sphingolipidosis E75.3
- specified NEC E75.29
Sphingomyelinosis E75.3
Spicule tooth K00.2
Spider
- bite -*see* Toxicity, venom, spider
- - nonvenomous -*see* Bite, by site, superficial, insect
- fingers -*see* Syndrome, Marfan
- nevus I78.1
- toes -*see* Syndrome, Marfan
- vascular I78.1
Spiegler-Fendt
- benign lymphocytoma L98.8
- sarcoid L08.89
Spielmeyer-Vogt disease E75.4
Spina bifida (aperta) Q05.9
- with hydrocephalus NEC Q05.4
- cervical Q05.5
- - with hydrocephalus Q05.0
- dorsal Q05.6
- - with hydrocephalus Q05.1
- lumbar Q05.7
- - with hydrocephalus Q05.2
- lumbosacral Q05.7
- - with hydrocephalus Q05.2
- occulta Q76.0
- sacral Q05.8
- - with hydrocephalus Q05.3
- thoracic Q05.6
- - with hydrocephalus Q05.1
- thoracolumbar Q05.6
- - with hydrocephalus Q05.1
Spindle, Krukenberg's -*see* Pigmentation, cornea, posterior
Spine, spinal -*see* condition
Spiradenoma (eccrine) -*see* Neoplasm, skin, benign
Spirillosis A25.0
Spirillum
- minus A25.0
- obermeieri infection A68.0
Spirochetal -*see* condition
Spirochetosis A69.9
- arthritic, arthritica A69.9
- bronchopulmonary A69.8
- icterohemorrhagic A27.0
- lung A69.8
Spirometrosis B70.1
Spitting blood -*see* Hemoptysis

Splanchnoptosis K63.4
Spleen, splenic -*see* condition
Splenectasis -*see* Splenomegaly
Splenitis (interstitial) (malignant) (nonspecific) D73.89
- malarial -*see also* Malaria B54 *[D77]*
- tuberculous A18.85
Splenocele D73.89
Splenomegaly, splenomegalia (Bengal) (cryptogenic) (idiopathic) (tropical) R16.1
- with hepatomegaly R16.2
- cirrhotic D73.2
- congenital Q89.09
- congestive, chronic D73.2
- Egyptian B65.1
- Gaucher's E75.22
- malarial -*see also* Malaria B54 *[D77]*
- neutropenic D73.81
- Niemann-Pick -*see* Niemann-Pick disease or syndrome
- siderotic D73.2
- syphilitic A52.79
- - congenital (early) A50.08 *[D77]*
Splenopathy D73.9
Splenoptosis D73.89
Splenosis D73.89
Splinter -*see* Foreign body, superficial, by site
Split, splitting
- foot Q72.7-
- hand Q71.6
- heart sounds R01.2
- lip, congenital -*see* Cleft, lip
- nails L60.3
- urinary stream R39.13
Spondylarthrosis -*see* Spondylosis
Spondylitis (chronic) -*see also* Spondylopathy, inflammatory
- ankylopoietica -*see* Spondylitis, ankylosing
- ankylosing (chronic) M45.9
- - with lung involvement M45.9 *[J99]*
- - cervical region M45.2
- - cervicothoracic region M45.3
- - juvenile M08.1
- - lumbar region M45.6
- - lumbosacral region M45.7
- - multiple sites M45.0
- - occipito-atlanto-axial region M45.1
- - sacrococcygeal region M45.8
- - thoracic region M45.4
- - thoracolumbar region M45.5
- atrophic (ligamentous) -*see* Spondylitis, ankylosing
- deformans (chronic) -*see* Spondylosis
- gonococcal A54.41
- gouty -*see also* Gout, by type, vertebrae M10.08
- in (due to)
- - brucellosis A23.9 *[M49.80]*
- - - cervical region A23.9 *[M49.82]*
- - - cervicothoracic region A23.9 *[M49.83]*
- - - lumbar region A23.9 *[M49.86]*
- - - lumbosacral region A23.9 *[M49.87]*
- - - multiple sites A23.9 *[M49.89]*
- - - occipito-atlanto-axial region A23.9 *[M49.81]*
- - - sacrococcygeal region A23.9 *[M49.88]*
- - - thoracic region A23.9 *[M49.84]*

- - - thoracolumbar region A23.9 *[M49.85]*
- - enterobacteria *-see also* subcategory M49.8 A04.9
- - tuberculosis A18.01
- infectious NEC *-see* Spondylopathy, infective
- juvenile ankylosing (chronic) M08.1
- Kümmell's *-see* Spondylopathy, traumatic
- Marie-Strümpell *-see* Spondylitis, ankylosing
- muscularis *-see* Spondylopathy, specified NEC
- psoriatic L40.53
- rheumatoid *-see* Spondylitis, ankylosing
- rhizomelica *-see* Spondylitis, ankylosing
- sacroiliac NEC M46.1
- senescent, senile *-see* Spondylosis
- traumatic (chronic) or post-traumatic *-see* Spondylopathy, traumatic
- tuberculous A18.01
- typhosa A01.05

Spondyloarthritis
- axial *-see also* Spondylitis, ankylosing
- - non-radiographic M45.A0
- - - cervical M45.A2
- - - cervicothoracic M45.A3
- - - lumbar M45.A6
- - - lumbosacral M45.A7
- - - multiple sites M45.AB
- - - occipito-atlanto-axial region M45.A1
- - - sacral and sacrococcygeal M45.A8
- - - thoracic M45.A4
- - - thoracolumbar M45.A5

Spondylolisthesis (acquired) (degenerative) M43.10
- with disproportion (fetopelvic) O33.0
- - causing obstructed labor O65.0
- cervical region M43.12
- cervicothoracic region M43.13
- congenital Q76.2
- lumbar region M43.16
- lumbosacral region M43.17
- multiple sites M43.19
- occipito-atlanto-axial region M43.11
- sacrococcygeal region M43.18
- thoracic region M43.14
- thoracolumbar region M43.15
- traumatic (old) M43.10
- - acute
- - - fifth cervical (displaced) S12.430
- - - - nondisplaced S12.431
- - - - specified type NEC (displaced) S12.450
- - - - - nondisplaced S12.451
- - - - type III S12.44
- - - fourth cervical (displaced) S12.330
- - - - nondisplaced S12.331
- - - - specified type NEC (displaced) S12.350
- - - - - nondisplaced S12.351
- - - - type III S12.34
- - - second cervical (displaced) S12.130
- - - - nondisplaced S12.131
- - - - specified type NEC (displaced) S12.150
- - - - - nondisplaced S12.151
- - - - type III S12.14
- - - seventh cervical (displaced) S12.630
- - - - nondisplaced S12.631

- - - - specified type NEC (displaced) S12.650
- - - - - nondisplaced S12.651
- - - - type III S12.64
- - - sixth cervical (displaced) S12.530
- - - - nondisplaced S12.531
- - - - specified type NEC (displaced) S12.550
- - - - - nondisplaced S12.551
- - - - type III S12.54
- - - third cervical (displaced) S12.230
- - - - nondisplaced S12.231
- - - - specified type NEC (displaced) S12.250
- - - - - nondisplaced S12.251
- - - - type III S12.24
Spondylolysis (acquired) M43.00
- cervical region M43.02
- cervicothoracic region M43.03
- congenital Q76.2
- lumbar region M43.06
- lumbosacral region M43.07
- - with disproportion (fetopelvic) O33.0
- - - causing obstructed labor O65.8
- multiple sites M43.09
- occipito-atlanto-axial region M43.01
- sacrococcygeal region M43.08
- thoracic region M43.04
- thoracolumbar region M43.05
Spondylopathy M48.9
- infective NEC M46.50
- - cervical region M46.52
- - cervicothoracic region M46.53
- - lumbar region M46.56
- - lumbosacral region M46.57
- - multiple sites M46.59
- - occipito-atlanto-axial region M46.51
- - sacrococcygeal region M46.58
- - thoracic region M46.54
- - thoracolumbar region M46.55
- inflammatory M46.90
- - cervical region M46.92
- - cervicothoracic region M46.93
- - lumbar region M46.96
- - lumbosacral region M46.97
- - multiple sites M46.99
- - occipito-atlanto-axial region M46.91
- - sacrococcygeal region M46.98
- - specified type NEC M46.80
- - - cervical region M46.82
- - - cervicothoracic region M46.83
- - - lumbar region M46.86
- - - lumbosacral region M46.87
- - - multiple sites M46.89
- - - occipito-atlanto-axial region M46.81
- - - sacrococcygeal region M46.88
- - - thoracic region M46.84
- - - thoracolumbar region M46.85
- - thoracic region M46.94
- - thoracolumbar region M46.95
- neuropathic, in
- - syringomyelia and syringobulbia G95.0
- - tabes dorsalis A52.11

- specified NEC -see subcategory M48.8
- traumatic M48.30
- - cervical region M48.32
- - cervicothoracic region M48.33
- - lumbar region M48.36
- - lumbosacral region M48.37
- - occipito-atlanto-axial region M48.31
- - sacrococcygeal region M48.38
- - thoracic region M48.34
- - thoracolumbar region M48.35

Spondylosis M47.9
- with
- - disproportion (fetopelvic) O33.0
- - - causing obstructed labor O65.0
- - myelopathy NEC M47.10
- - - cervical region M47.12
- - - cervicothoracic region M47.13
- - - lumbar region M47.16
- - - occipito-atlanto-axial region M47.11
- - - thoracic region M47.14
- - - thoracolumbar region M47.15
- - radiculopathy M47.20
- - - cervical region M47.22
- - - cervicothoracic region M47.23
- - - lumbar region M47.26
- - - lumbosacral region M47.27
- - - occipito-atlanto-axial region M47.21
- - - sacrococcygeal region M47.28
- - - thoracic region M47.24
- - - thoracolumbar region M47.25
- specified NEC M47.899
- - cervical region M47.892
- - cervicothoracic region M47.893
- - facet joint M47.819
- - lumbar region M47.896
- - lumbosacral region M47.897
- - occipito-atlanto-axial region M47.891
- - sacrococcygeal region M47.898
- - thoracic region M47.894
- - thoracolumbar region M47.895
- traumatic *-see* Spondylopathy, traumatic
- without myelopathy or radiculopathy M47.819
- - cervical region M47.812
- - cervicothoracic region M47.813
- - lumbar region M47.816
- - lumbosacral region M47.817
- - occipito-atlanto-axial region M47.811
- - sacrococcygeal region M47.818
- - thoracic region M47.814
- - thoracolumbar region M47.815

Sponge
- inadvertently left in operation wound *-see* Foreign body, accidentally left during a procedure
- kidney (medullary) Q61.5

Sponge-diver's disease *-see* Toxicity, venom, marine animal, sea anemone

Spongioblastoma (any type) *-see* Neoplasm, malignant, by site
- specified site *-see* Neoplasm, malignant, by site
- unspecified site C71.9

Spongioneuroblastoma *-see* Neoplasm, malignant, by site

Spontaneous *-see also* condition
- fracture (cause unknown) *-see* Fracture, pathological

Spoon nail L60.3
- congenital Q84.6
Sporadic -*see* condition
Sporothrix schenckii infection -*see* Sporotrichosis
Sporotrichosis B42.9
- arthritis B42.82
- disseminated B42.7
- generalized B42.7
- lymphocutaneous (fixed) (progressive) B42.1
- pulmonary B42.0
- specified NEC B42.89
Spots, spotting (in) (of)
- Bitot's -*see also* Pigmentation, conjunctiva
- - in the young child E50.1
- - vitamin A deficiency E50.1
- café, au lait L81.3
- Cayenne pepper I78.1
- cotton wool, retina -*see* Occlusion, artery, retina
- de Morgan's (senile angiomas) I78.1
- Fuchs' black (myopic) -*see also* Myopia, degenerative H44.2-
- intermenstrual (regular) N92.0
- - irregular N92.1
- Koplik's B05.9
- liver L81.4
- pregnancy O26.85-
- purpuric R23.3
- ruby I78.1
Spotted fever -*see* Fever, spotted A77.9
Sprain (joint) (ligament)
- acromioclavicular joint or ligament S43.5-
- ankle S93.40-
- - calcaneofibular ligament S93.41-
- - deltoid ligament S93.42-
- - internal collateral ligament -*see* Sprain, ankle, specified ligament NEC
- - specified ligament NEC S93.49-
- - talofibular ligament -*see* Sprain, ankle, specified ligament NEC
- - tibiofibular ligament S93.43-
- anterior longitudinal, cervical S13.4
- atlas, atlanto-axial, atlanto-occipital S13.4
- breast bone -*see* Sprain, sternum
- calcaneofibular -*see* Sprain, ankle
- carpal -*see* Sprain, wrist
- carpometacarpal -*see* Sprain, hand, specified site NEC
- cartilage
- - costal S23.41
- - semilunar (knee) -*see* Sprain, knee, specified site NEC
- - - with current tear -*see* Tear, meniscus
- - thyroid region S13.5
- - xiphoid -*see* Sprain, sternum
- cervical, cervicodorsal, cervicothoracic S13.4
- chondrosternal S23.421
- coracoclavicular S43.8-
- coracohumeral S43.41-
- coronary, knee -*see* Sprain, knee, specified site NEC
- costal cartilage S23.41
- cricoarytenoid articulation or ligament S13.5
- cricothyroid articulation S13.5
- cruciate, knee -*see* Sprain, knee, cruciate
- deltoid, ankle -*see* Sprain, ankle
- dorsal (spine) S23.3

- elbow S53.40-
- - radial collateral ligament S53.43-
- - radiohumeral S53.41-
- - rupture
- - - radial collateral ligament -*see* Rupture, traumatic, ligament, radial collateral
- - - ulnar collateral ligament -*see* Rupture, traumatic, ligament, ulnar collateral
- - specified type NEC S53.49-
- - ulnar collateral ligament S53.44-
- - ulnohumeral S53.42-
- femur, head -*see* Sprain, hip
- fibular collateral, knee -*see* Sprain, knee, collateral
- fibulocalcaneal -*see* Sprain, ankle
- finger(s) S63.61-
- - index S63.61-
- - interphalangeal (joint) S63.63-
- - - index S63.63-
- - - little S63.63-
- - - middle S63.63-
- - - ring S63.63-
- - little S63.61-
- - middle S63.61-
- - ring S63.61-
- - metacarpophalangeal (joint) S63.65-
- - specified site NEC S63.69-
- - - index S63.69-
- - - little S63.69-
- - - middle S63.69-
- - - ring S63.69-
- foot S93.60-
- - specified ligament NEC S93.69-
- - tarsal ligament S93.61-
- - tarsometatarsal ligament S93.62-
- - toe -*see* Sprain, toe
- hand S63.9-
- - finger -*see* Sprain, finger
- - specified site NEC -see subcategory S63.8
- - thumb -*see* Sprain, thumb
- head S03.9
- hip S73.10-
- - iliofemoral ligament S73.11-
- - ischiocapsular (ligament) S73.12-
- - specified NEC S73.19-
- iliofemoral -*see* Sprain, hip
- innominate
- - acetabulum -*see* Sprain, hip
- - sacral junction S33.6
- internal
- - collateral, ankle -*see* Sprain, ankle
- - semilunar cartilage -*see* Sprain, knee, specified site NEC
- interphalangeal
- - finger -*see* Sprain, finger, interphalangeal (joint)
- - toe -*see* Sprain, toe, interphalangeal joint
- ischiocapsular -*see* Sprain, hip
- ischiofemoral -*see* Sprain, hip
- jaw (articular disc) (cartilage) (meniscus) S03.4-
- - old M26.69
- knee S83.9-
- - collateral ligament S83.40-
- - - lateral (fibular) S83.42-
- - - medial (tibial) S83.41-

- - cruciate ligament S83.50-
- - - anterior S83.51-
- - - posterior S83.52-
- - lateral (fibular) collateral ligament S83.42-
- - medial (tibial) collateral ligament S83.41-
- - patellar ligament S76.11-
- - specified site NEC S83.8X-
- - superior tibiofibular joint (ligament) S83.6-
- lateral collateral, knee -*see* Sprain, knee, collateral
- lumbar (spine) S33.5
- lumbosacral S33.9
- mandible (articular disc) S03.4-
- - old M26.69
- medial collateral, knee -*see* Sprain, knee, collateral
- meniscus
- - jaw S03.4-
- - - old M26.69
- - knee -*see* Sprain, knee, specified site NEC
- - - with current tear -*see* Tear, meniscus
- - - - old -*see* Derangement, knee, meniscus, due to old tear
- - mandible S03.4-
- - - old M26.69
- metacarpal (distal) (proximal) -*see* Sprain, hand, specified site NEC
- metacarpophalangeal -*see* Sprain, finger, metacarpophalangeal (joint)
- metatarsophalangeal -*see* Sprain, toe, metatarsophalangeal joint
- midcarpal -*see* Sprain, hand, specified site NEC
- midtarsal -*see* Sprain, foot, specified site NEC
- neck S13.9
- - anterior longitudinal cervical ligament S13.4
- - atlanto-axial joint S13.4
- - atlanto-occipital joint S13.4
- - cervical spine S13.4
- - cricoarytenoid ligament S13.5
- - cricothyroid ligament S13.5
- - specified site NEC S13.8
- - thyroid region (cartilage) S13.5
- nose S03.8
- orbicular, hip -*see* Sprain, hip
- patella -*see* Sprain, knee, specified site NEC
- patellar ligament S76.11-
- pelvis NEC S33.8
- phalanx
- - finger -*see* Sprain, finger
- - toe -*see* Sprain, toe
- pubofemoral -*see* Sprain, hip
- radiocarpal -*see* Sprain, wrist
- radiohumeral -*see* Sprain, elbow
- radius, collateral -*see* Rupture, traumatic, ligament, radial collateral
- rib (cage) S23.41
- rotator cuff (capsule) S43.42-
- sacroiliac (region)
- - chronic or old -see subcategory M53.2
- - joint S33.6
- scaphoid (hand) -*see* Sprain, hand, specified site NEC
- scapula (r) -*see* Sprain, shoulder girdle, specified site NEC
- semilunar cartilage (knee) -*see* Sprain, knee, specified site NEC
- - with current tear -*see* Tear, meniscus
- - - old -*see* Derangement, knee, meniscus, due to old tear
- shoulder joint S43.40-
- - acromioclavicular joint (ligament) -*see* Sprain, acromioclavicular joint

- - blade -*see* Sprain, shoulder, girdle, specified site NEC
- - coracoclavicular joint (ligament) -*see* Sprain, coracoclavicular joint
- - coracohumeral ligament -*see* Sprain, coracohumeral joint
- - girdle S43.9-
- - - specified site NEC S43.8-
- - rotator cuff -*see* Sprain, rotator cuff
- - specified site NEC S43.49-
- - sternoclavicular joint (ligament) -*see* Sprain, sternoclavicular joint
- spine
- - cervical S13.4
- - lumbar S33.5
- - thoracic S23.3
- sternoclavicular joint S43.6-
- sternum S23.429
- - chondrosternal joint S23.421
- - specified site NEC S23.428
- - sternoclavicular (joint) (ligament) S43.6-
- symphysis
- - jaw S03.4-
- - - old M26.69
- - mandibular S03.4-
- - - old M26.69
- talofibular -*see* Sprain, ankle
- tarsal -*see* Sprain, foot, specified site NEC
- tarsometatarsal -*see* Sprain, foot, specified site NEC
- temporomandibular S03.4-
- - old M26.69
- thorax S23.9
- - ribs S23.41
- - specified site NEC S23.8
- - spine S23.3
- - sternum -*see* Sprain, sternum
- thumb S63.60-
- - interphalangeal (joint) S63.62-
- - metacarpophalangeal (joint) S63.64-
- - specified site NEC S63.68-
- thyroid cartilage or region S13.5
- tibia (proximal end) -*see* Sprain, knee, specified site NEC
- tibial collateral, knee -*see* Sprain, knee, collateral
- tibiofibular
- - distal -*see* Sprain, ankle
- - superior -*see* Sprain, knee, specified site NEC
- toe(s) S93.50-
- - great S93.50-
- - interphalangeal joint S93.51-
- - - great S93.51-
- - - lesser S93.51-
- - lesser S93.50-
- - metatarsophalangeal joint S93.52-
- - - great S93.52-
- - - lesser S93.52-
- ulna, collateral -*see* Rupture, traumatic, ligament, ulnar collateral
- ulnohumeral -*see* Sprain, elbow
- wrist S63.50-
- - carpal S63.51-
- - radiocarpal S63.52-
- - specified site NEC S63.59-
- xiphoid cartilage -*see* Sprain, sternum

Sprengel's deformity (congenital) Q74.0

Sprue (tropical) K90.1

- celiac K90.0
- idiopathic K90.49
- meaning thrush B37.0
- nontropical K90.0
Spur, bone -*see also* Enthesopathy
- calcaneal M77.3-
- iliac crest M76.2-
- nose (septum) J34.89
Spurway's syndrome Q78.0
Sputum
- abnormal (amount) (color) (odor) (purulent) R09.3
- blood-stained R04.2
- excessive (cause unknown) R09.3
Squamous -*see also* condition
- epithelium in
- - cervical canal (congenital) Q51.828
- - uterine mucosa (congenital) Q51.818
Squashed nose M95.0
- congenital Q67.4
Squeeze, diver's T70.3
Squint -*see also* Strabismus
- accommodative -*see* Strabismus, convergent concomitant
SSADHD (succinic semialdehyde dehydrogenase deficiency) E72.81
St. Hubert's disease A82.9
Stab -*see also* Laceration
- internal organs -*see* Injury, by site
Stafne's cyst or cavity M27.0
Staggering gait R26.0
- hysterical F44.4
Staghorn calculus -*see* Calculus, kidney
Stähli's line (cornea) (pigment) -*see* Pigmentation, cornea, anterior
Stain, staining
- meconium (newborn) P96.83
- port wine Q82.5
- tooth, teeth (hard tissues) (extrinsic) K03.6
- - due to
- - - accretions K03.6
- - - deposits (betel) (black) (green) (materia alba) (orange) (soft) (tobacco) K03.6
- - - metals (copper) (silver) K03.7
- - - nicotine K03.6
- - - pulpal bleeding K03.7
- - - tobacco K03.6
- - intrinsic K00.8
Stammering -*see also* Disorder, fluency F80.81
Standstill
- auricular I45.5
- cardiac -*see* Arrest, cardiac
- sinoatrial I45.5
- ventricular -*see* Arrest, cardiac
Stannosis J63.5
Stanton's disease -*see* Melioidosis
Staphylitis (acute) (catarrhal) (chronic) (gangrenous) (membranous) (suppurative) (ulcerative) K12.2
Staphylococcal scalded skin syndrome L00
Staphylococcemia A41.2
Staphylococcus, staphylococcal -*see also* condition
- as cause of disease classified elsewhere B95.8
- - aureus (methicillin susceptible) (MSSA) B95.61
- - - methicillin resistant (MRSA) B95.62
- specified NEC, as cause of disease classified elsewhere B95.7
Staphyloma (sclera)

- cornea H18.72-
- equatorial H15.81-
- localized (anterior) H15.82-
- posticum H15.83-
- ring H15.85-

Stargardt's disease -*see* Dystrophy, retina

Starvation (inanition) (due to lack of food) T73.0
- edema -*see* Malnutrition, severe

Stasis
- bile (noncalculous) K83.1
- bronchus J98.09
- - with infection -*see* Bronchitis
- cardiac -*see* Failure, heart, congestive
- cecum K59.89
- colon K59.89
- dermatitis I87.2
- - with
- - - varicose ulcer -*see* Varix, leg, with ulcer, with inflammation
- - - varicose veins -*see* Varix, leg, with, inflammation
- - due to postthrombotic syndrome -*see* Syndrome, postthrombotic
- duodenal K31.5
- eczema -*see* Varix, leg, with, inflammation
- edema -*see* Hypertension, venous (chronic), idiopathic
- foot T69.0-
- ileocecal coil K59.89
- ileum K59.89
- intestinal K59.89
- jejunum K59.89
- kidney N19
- liver (cirrhotic) K76.1
- lymphatic I89.8
- pneumonia J18.2
- pulmonary -*see* Edema, lung
- rectal K59.89
- renal N19
- - tubular N17.0
- ulcer -*see* Varix, leg, with, ulcer
- - without varicose veins -*see also* Ulcer, by site I87.2
- urine -*see* Retention, urine
- venous I87.8

State (of)
- affective and paranoid, mixed, organic psychotic F06.8
- agitated R45.1
- - acute reaction to stress F43.0
- anxiety (neurotic) F41.1
- apprehension F41.1
- burn-out Z73.0
- climacteric, female Z78.0
- - symptomatic N95.1
- compulsive F42.8
- - mixed with obsessional thoughts F42.2
- confusional (psychogenic) F44.89
- - acute -*see also* Delirium
- - - with
- - - - arteriosclerotic dementia -*see also* Dementia, vascular F01.50
- - - - - with behavioral disturbance -*see* Dementia, vascular
- - - - senility or dementia F05
- - - alcoholic F10.231
- - epileptic F05
- - reactive (from emotional stress, psychological trauma) F44.89

- - subacute -*see* Delirium
- convulsive -*see* Convulsions
- crisis F43.0
- depressive F32.A
- - neurotic F34.1
- dissociative F44.9
- emotional shock (stress) R45.7
- hypercoagulation -*see* Hypercoagulable
- locked-in G83.5
- menopausal Z78.0
- - symptomatic N95.1
- neurotic F48.9
- - with depersonalization F48.1
- obsessional F42.8
- oneiroid (schizophrenia-like) F23
- organic
- - hallucinatory (nonalcoholic) F06.0
- - paranoid (-hallucinatory) F06.2
- panic F41.0
- paranoid F22
- - climacteric F22
- - involutional F22
- - menopausal F22
- - organic F06.2
- - senile F03
- - simple F22
- persistent vegetative R40.3
- phobic F40.9
- postleukotomy F07.0
- pregnant
- - gestational carrier Z33.3
- - incidental Z33.1
- psychogenic, twilight F44.89
- psychopathic (constitutional) F60.2
- psychotic, organic -*see also* Psychosis, organic
- - mixed paranoid and affective F06.8
- - senile or presenile F03
- - transient NEC F06.8
- - - with
- - - - hallucinations F06.0
- - - - depression F06.31
- residual schizophrenic F20.5
- restlessness R45.1
- stress (emotional) R45.7
- tension (mental) F48.9
- - specified NEC F48.8
- transient organic psychotic NEC F06.8
- - depressive type F06.31
- - hallucinatory type F06.0
- twilight
- - epileptic F05
- - psychogenic F44.89
- vegetative, persistent R40.3
- vital exhaustion Z73.0
- withdrawal, -*see* Withdrawal, state

Status (post) -*see also* Presence (of)
- absence, epileptic -*see* Epilepsy, by type, with status epilepticus
- administration of tPA (rtPA) in a different facility within the last 24 hours prior to admission to current facility Z92.82
- adrenalectomy (unilateral) (bilateral) E89.6
- anastomosis Z98.0

- angioplasty (peripheral) Z98.62
- - with implant Z95.820
- - coronary artery Z98.61
- - - with implant Z95.5
- anginosus I20.9
- aortocoronary bypass Z95.1
- arthrodesis Z98.1
- artificial opening (of) Z93.9
- - gastrointestinal tract Z93.4
- - specified NEC Z93.8
- - urinary tract Z93.6
- - vagina Z93.8
- asthmaticus -*see* Asthma, by type, with status asthmaticus
- awaiting organ transplant Z76.82
- bariatric surgery Z98.84
- bed confinement Z74.01
- bleb, filtering (vitreous), after glaucoma surgery Z98.83
- breast implant Z98.82
- - removal Z98.86
- cataract extraction Z98.4-
- cholecystectomy Z90.49
- clitorectomy N90.811
- - with excision of labia minora N90.812
- colectomy (complete) (partial) Z90.49
- colonization -*see* Carrier (suspected) of
- colostomy Z93.3
- combined receptor
- - negative
- - - hormone receptor negative with human epidermal growth factor receptor 2 negative Z17.421
- - - hormone receptor negative with human epidermal growth factor receptor 2 positive Z17.420
- - positive
- - - hormone receptor positive with human epidermal growth factor receptor 2 negative Z17.411
- - - hormone receptor positive with human epidermal growth factor receptor 2 positive Z17.410
- convulsivus idiopathicus -*see* Epilepsy, by type, with status epilepticus
- coronary artery angioplasty -*see* Status, angioplasty, coronary artery
- coronary artery bypass graft Z95.1
- cystectomy (urinary bladder) Z90.6
- cystostomy Z93.50
- - appendico-vesicostomy Z93.52
- - cutaneous Z93.51
- - specified NEC Z93.59
- delinquent immunization Z28.39
- - COVID-19 Z28.31-
- dental Z98.818
- - crown Z98.811
- - fillings Z98.811
- - restoration Z98.811
- - sealant Z98.810
- - specified NEC Z98.818
- deployment (current) (military) Z56.82
- dialysis (hemodialysis) (peritoneal) Z99.2
- do not resuscitate (DNR) Z66
- donor -*see* Donor
- embedded fragments -*see* Retained, foreign body fragments (type of)
- embedded splinter -*see* Retained, foreign body fragments (type of)
- enterostomy Z93.4
- epileptic, epilepticus -*see also* Epilepsy, by type, with status epilepticus G40.901
- estrogen receptor
- - negative Z17.1
- - positive Z17.0

- female genital cutting -*see* Female genital mutilation status
- female genital mutilation -*see* Female genital mutilation status
- filtering (vitreous) bleb after glaucoma surgery Z98.83
- gastrectomy (complete) (partial) Z90.3
- gastric banding Z98.84
- gastric bypass for obesity Z98.84
- gastrostomy Z93.1
- human epidermal growth factor 2 receptor
- - negative Z17.32
- - positive Z17.31
- human immunodeficiency virus (HIV) infection, asymptomatic Z21
- hysterectomy (complete) (total) Z90.710
- - partial (with remaining cervical stump) Z90.711
- ileostomy (ileal pouch) (Kock pouch) Z93.2
- implant
- - breast Z98.82
- infibulation N90.813
- intestinal bypass Z98.0
- jejunostomy Z93.4
- laryngectomy Z90.02
- lapsed immunization schedule Z28.39
- lymphaticus E32.8
- malignancy
- - castrate resistant prostate Z19.2
- - hormone resistant Z19.2
- - hormone sensitive Z19.1
- marmoratus G80.3
- mastectomy (unilateral) (bilateral) Z90.1-
- military deployment status (current) Z56.82
- - in theater or in support of military war, peacekeeping and humanitarian operations Z56.82
- nephrectomy (unilateral) (bilateral) Z90.5
- nephrostomy Z93.6
- obesity surgery Z98.84
- oophorectomy
- - bilateral Z90.722
- - unilateral Z90.721
- organ replacement
- - by artificial or mechanical device or prosthesis of
- - - artery Z95.828
- - - bladder Z96.0
- - - blood vessel Z95.828
- - - breast Z97.8
- - - eye globe Z97.0
- - - heart Z95.812
- - - - valve Z95.2
- - - intestine Z97.8
- - - joint Z96.60
- - - - hip -*see* Presence, hip joint implant
- - - - knee -*see* Presence, knee joint implant
- - - - specified site NEC Z96.698
- - - kidney Z97.8
- - - larynx Z96.3
- - - lens Z96.1
- - - limbs -*see* Presence, artificial, limb
- - - liver Z97.8
- - - lung Z97.8
- - - pancreas Z97.8
- - by organ transplant (heterologous)(homologous) -*see* Transplant
- pacemaker
- - brain Z96.89

- - cardiac Z95.0
- - specified NEC Z96.89
- pancreatectomy Z90.410
- - complete Z90.410
- - partial Z90.411
- - total Z90.410
- physical restraint Z78.1
- pneumonectomy (complete) (partial) Z90.2
- pneumothorax, therapeutic Z98.3
- postcommotio cerebri F07.81
- postoperative (postprocedural) NEC Z98.890
- - breast implant Z98.82
- - dental Z98.818
- - - crown Z98.811
- - - fillings Z98.811
- - - restoration Z98.811
- - - sealant Z98.810
- - - specified NEC Z98.818
- - uterine scar Z98.891
- - pneumothorax, therapeutic Z98.3
- postpartum (routine follow-up) Z39.2
- - care immediately after delivery Z39.0
- postsurgical (postprocedural) NEC Z98.890
- - pneumothorax, therapeutic Z98.3
- pregnancy, incidental Z33.1
- progesterone receptor
- - negative Z17.22
- - positive Z17.21
- prosthesis coronary angioplasty Z95.5
- pseudophakia Z96.1
- renal dialysis (hemodialysis) (peritoneal) Z99.2
- retained foreign body -*see* Retained, foreign body fragments (type of)
- reversed jejunal transposition (for bypass) Z98.0
- salpingo-oophorectomy
- - bilateral Z90.722
- - unilateral Z90.721
- sex reassignment surgery status Z87.890
- shunt
- - arteriovenous (for dialysis) Z99.2
- - cerebrospinal fluid Z98.2
- - ventricular (communicating) (for drainage) Z98.2
- splenectomy Z90.81
- thymicolymphaticus E32.8
- thymicus E32.8
- thymolymphaticus E32.8
- thyroidectomy (hypothyroidism) E89.0
- tooth (teeth) extraction -*see also* Absence, teeth, acquired K08.409
- tPA (rtPA) administration in a different facility within the last 24 hours prior to admission to current facility Z92.82
- tracheostomy Z93.0
- transplant -*see* Transplant
- - organ removed Z98.85
- tubal ligation Z98.51
- underimmunization Z28.39
- - COVID-19 Z28.31-
- - - partially vaccinated (for) Z28.311
- - - unvaccinated (for) Z28.310
- ureterostomy Z93.6
- urethrostomy Z93.6
- vagina, artificial Z93.8
- vasectomy Z98.52

- wheelchair confinement Z99.3
Stealing
- child problem F91.8
- - in company with others Z72.810
- pathological (compulsive) F63.2
Steam burn -*see* Burn
Steatocystoma multiplex L72.2
Steatohepatitis (nonalcoholic) (NASH) K75.81
Steatoma L72.3
- eyelid (cystic) -*see* Dermatosis, eyelid
- - infected -*see* Hordeolum
Steatorrhea (chronic) K90.9
- with lacteal obstruction K90.2
- idiopathic (adult) (infantile) K90.9
- pancreatic K90.3
- primary K90.0
- tropical K90.1
Steatosis E88.89
- heart -*see* Degeneration, myocardial
- kidney N28.89
- liver NEC K76.0
Steele-Richardson-Olszewski disease or syndrome G23.1
Steinbrocker's syndrome G90.89
Steinert's disease G71.11
Stein-Leventhal syndrome E28.2
Stein's syndrome E28.2
STEMI -*see also* - Infarct, myocardium, ST elevation I21.3
Stenocardia I20.89
Stenocephaly Q75.8
Stenosis, stenotic (cicatricial) -*see also* Stricture
- ampulla of Vater K83.1
- anus, anal (canal) (sphincter) K62.4
- - and rectum K62.4
- - congenital Q42.3
- - - with fistula Q42.2
- aorta (ascending) (supraventricular) (congenital) Q25.1
- - arteriosclerotic I70.0
- - calcified I70.0
- - supravalvular Q25.3
- aortic (valve) I35.0
- - with insufficiency I35.2
- - congenital Q23.0
- - rheumatic I06.0
- - - with
- - - - incompetency, insufficiency or regurgitation I06.2
- - - - - with mitral (valve) disease I08.0
- - - - - - with tricuspid (valve) disease I08.3
- - - - mitral (valve) disease I08.0
- - - - - with tricuspid (valve) disease I08.3
- - - - tricuspid (valve) disease I08.2
- - - - - with mitral (valve) disease I08.3
- - specified cause NEC I35.0
- - syphilitic A52.03
- aqueduct of Sylvius (congenital) Q03.0
- - with spina bifida -*see* Spina bifida, by site, with hydrocephalus
- - acquired G91.1
- artery NEC -*see also* Arteriosclerosis I77.1
- - celiac (compression) I77.4
- - - arteriosclerotic I70.8
- - - atherosclerosis I70.8

- - cerebral -*see* Occlusion, artery, cerebral
- - extremities -*see* Arteriosclerosis, extremities
- - precerebral -*see* Occlusion, artery, precerebral
- - pulmonary (congenital) Q25.6
- - - acquired I28.8
- - renal I70.1
- - stent
- - - coronary T82.855
- - - peripheral T82.856
- bile duct (common) (hepatic) K83.1
- - congenital Q44.3
- bladder-neck (acquired) N32.0
- - congenital Q64.31
- brain G93.89
- bronchus J98.09
- - congenital Q32.3
- - syphilitic A52.72
- cardia (stomach) K22.2
- - congenital Q39.3
- cardiovascular -*see* Disease, cardiovascular
- caudal M48.08
- cervix, cervical (canal) N88.2
- - congenital Q51.828
- - in pregnancy or childbirth -*see* Pregnancy, complicated by, abnormal cervix
- colon -*see also* Obstruction, intestine
- - congenital Q42.9
- - - specified NEC Q42.8
- colostomy K94.03
- common (bile) duct K83.1
- - congenital Q44.3
- coronary (artery) -*see* Disease, heart, ischemic, atherosclerotic
- cystic duct -*see* Obstruction, gallbladder
- due to presence of device, implant or graft -*see also* Complications, by site and type, specified NEC T85.858
- - arterial graft NEC T82.858
- - breast (implant) T85.858
- - catheter T85.858
- - - dialysis (renal) T82.858
- - - - intraperitoneal T85.858
- - - infusion NEC T82.858
- - - - spinal (epidural) (subdural) T85.850
- - - urinary (indwelling) T83.85
- - fixation, internal (orthopedic) NEC T84.85
- - gastrointestinal (bile duct) (esophagus) T85.858
- - genital NEC T83.85
- - heart NEC T82.857
- - joint prosthesis T84.85
- - ocular (corneal graft) (orbital implant) NEC T85.858
- - orthopedic NEC T84.85
- - specified NEC T85.858
- - urinary NEC T83.85
- - vascular NEC T82.858
- - ventricular intracranial shunt T85.850
- duodenum K31.5
- - congenital Q41.0
- ejaculatory duct NEC N50.89
- endocervical os -*see* Stenosis, cervix
- enterostomy K94.13
- esophagus K22.2
- - congenital Q39.3
- - syphilitic A52.79

- - - congenital A50.59 *[K23]*
- eustachian tube -*see* Obstruction, eustachian tube
- external ear canal (acquired) H61.30-
- - congenital Q16.1
- - due to
- - - inflammation H61.32-
- - - trauma H61.31-
- - postprocedural H95.81-
- - specified cause NEC H61.39-
- gallbladder -*see* Obstruction, gallbladder
- glottis J38.6
- heart valve -*see also* Endocarditis I38
- - aortic -*see* Stenosis, aortic
- - congenital Q24.8
- - mitral -*see* Stenosis, mitral
- - pulmonary -*see* Stenosis, pulmonary, valve
- - tricuspid -*see* Stenosis, tricuspid
- hepatic duct K83.1
- hymen N89.6
- hypertrophic subaortic (idiopathic) I42.1
- ileum -*see also* Obstruction, intestine, specified NEC K56.699
- - congenital Q41.2
- infundibulum cardia Q24.3
- intervertebral foramina -*see also* Lesion, biomechanical, specified NEC
- - connective tissue M99.79
- - - abdomen M99.79
- - - cervical region M99.71
- - - cervicothoracic M99.71
- - - head region M99.70
- - - lumbar region M99.73
- - - lumbosacral M99.73
- - - occipitocervical M99.70
- - - sacral region M99.74
- - - sacrococcygeal M99.74
- - - sacroiliac M99.74
- - - specified NEC M99.79
- - - thoracic region M99.72
- - - thoracolumbar M99.72
- - disc M99.79
- - - abdomen M99.79
- - - cervical region M99.71
- - - cervicothoracic M99.71
- - - head region M99.70
- - - lower extremity M99.76
- - - lumbar region M99.73
- - - lumbosacral M99.73
- - - occipitocervical M99.70
- - - pelvic M99.75
- - - rib cage M99.78
- - - sacral region M99.74
- - - sacrococcygeal M99.74
- - - sacroiliac M99.74
- - - specified NEC M99.79
- - - thoracic region M99.72
- - - thoracolumbar M99.72
- - - upper extremity M99.77
- - osseous M99.69
- - - abdomen M99.69
- - - cervical region M99.61
- - - cervicothoracic M99.61

- - - head region M99.60
- - - lower extremity M99.66
- - - lumbar region M99.63
- - - lumbosacral M99.63
- - - occipitocervical M99.60
- - - pelvic M99.65
- - - rib cage M99.68
- - - sacral region M99.64
- - - sacrococcygeal M99.64
- - - sacroiliac M99.64
- - - specified NEC M99.69
- - - thoracic region M99.62
- - - thoracolumbar M99.62
- - - upper extremity M99.67
- - subluxation *-see* Stenosis, intervertebral foramina, osseous
- intestine *-see also* Obstruction, intestine
- - congenital (small) Q41.9
- - - large Q42.9
- - - - specified NEC Q42.8
- - - specified NEC Q41.8
- jejunum *-see also* Obstruction, intestine, specified NEC K56.699
- - congenital Q41.1
- lacrimal (passage)
- - canaliculi H04.54-
- - congenital Q10.5
- - duct H04.55-
- - punctum H04.56-
- - sac H04.57-
- lacrimonasal duct *-see* Stenosis, lacrimal, duct
- - congenital Q10.5
- larynx J38.6
- - congenital NEC Q31.8
- - - subglottic Q31.1
- - syphilitic A52.73
- - - congenital A50.59 *[J99]*
- mitral (chronic) (inactive) (valve) I05.0
- - with
- - - aortic valve disease I08.0
- - - incompetency, insufficiency or regurgitation I05.2
- - active or acute I01.1
- - - with rheumatic or Sydenham's chorea I02.0
- - congenital Q23.2
- - specified cause, except rheumatic I34.2
- - syphilitic A52.03
- myocardium, myocardial *-see also* Degeneration, myocardial
- - hypertrophic subaortic (idiopathic) I42.1
- nares (anterior) (posterior) J34.89
- - congenital Q30.0
- nasal duct *-see also* Stenosis, lacrimal, duct
- - congenital Q10.5
- nasolacrimal duct *-see also* Stenosis, lacrimal, duct
- - congenital Q10.5
- neural canal *-see also* Lesion, biomechanical, specified NEC
- - connective tissue M99.49
- - - abdomen M99.49
- - - cervical region M99.41
- - - cervicothoracic M99.41
- - - head region M99.40
- - - lower extremity M99.46
- - - lumbar region M99.43

- - - lumbosacral M99.43
- - - occipitocervical M99.40
- - - pelvic M99.45
- - - rib cage M99.48
- - - sacral region M99.44
- - - sacrococcygeal M99.44
- - - sacroiliac M99.44
- - - specified NEC M99.49
- - - thoracic region M99.42
- - - thoracolumbar M99.42
- - - upper extremity M99.47
- - intervertebral disc M99.59
- - - abdomen M99.59
- - - cervical region M99.51
- - - cervicothoracic M99.51
- - - head region M99.50
- - - lower extremity M99.56
- - - lumbar region M99.53
- - - lumbosacral M99.53
- - - occipitocervical M99.50
- - - pelvic M99.55
- - - rib cage M99.58
- - - sacral region M99.54
- - - sacrococcygeal M99.54
- - - sacroiliac M99.54
- - - specified NEC M99.59
- - - thoracic region M99.52
- - - thoracolumbar M99.52
- - - upper extremity M99.57
- - osseous M99.39
- - - abdomen M99.39
- - - cervical region M99.31
- - - cervicothoracic M99.31
- - - head region M99.30
- - - lower extremity M99.36
- - - lumbar region M99.33
- - - lumbosacral M99.33
- - - pelvic M99.35
- - - rib cage M99.38
- - - occipitocervical M99.30
- - - sacral region M99.34
- - - sacrococcygeal M99.34
- - - sacroiliac M99.34
- - - specified NEC M99.39
- - - thoracic region M99.32
- - - thoracolumbar M99.32
- - - upper extremity M99.37
- - subluxation M99.29
- - - cervical region M99.21
- - - cervicothoracic M99.21
- - - head region M99.20
- - - lower extremity M99.26
- - - lumbar region M99.23
- - - lumbosacral M99.23
- - - occipitocervical M99.20
- - - pelvic M99.25
- - - rib cage M99.28
- - - sacral region M99.24
- - - sacrococcygeal M99.24
- - - sacroiliac M99.24

- - - specified NEC M99.29
- - - thoracic region M99.22
- - - thoracolumbar M99.22
- - - upper extremity M99.27
- organ or site, congenital NEC -*see* Atresia, by site
- papilla of Vater K83.1
- pulmonary (artery) (congenital) Q25.6
- - with ventricular septal defect, transposition of aorta, and hypertrophy of right ventricle Q21.3
- - acquired I28.8
- - in tetralogy of Fallot Q21.3
- - infundibular Q24.3
- - subvalvular Q24.3
- - supravalvular Q25.6
- - valve I37.0
- - - with insufficiency I37.2
- - - congenital Q22.1
- - - rheumatic I09.89
- - - - with aortic, mitral or tricuspid (valve) disease I08.8
- - vein, acquired I28.8
- - vessel NEC I28.8
- pulmonic (congenital) Q22.1
- - infundibular Q24.3
- - subvalvular Q24.3
- pylorus (hypertrophic) (acquired) K31.1
- - adult K31.1
- - congenital Q40.0
- - infantile Q40.0
- rectum (sphincter) -*see* Stricture, rectum
- renal artery I70.1
- - congenital Q27.1
- salivary duct (any) K11.8
- sphincter of Oddi K83.1
- spinal M48.00
- - cervical region M48.02
- - cervicothoracic region M48.03
- - lumbar region (NOS) (without neurogenic claudication) M48.061
- - - with neurogenic claudication M48.062
- - lumbosacral region M48.07
- - occipito-atlanto-axial region M48.01
- - sacrococcygeal region M48.08
- - thoracic region M48.04
- - thoracolumbar region M48.05
- stent
- - vascular
- - - end stent
- - - - adjacent to stent -*see* Arteriosclerosis
- - - - within the stent
- - - - - coronary T82.855
- - - - - peripheral T82.856
- - - in stent
- - - - coronary vessel T82.855
- - - - peripheral vessel T82.856
- stomach, hourglass K31.2
- subaortic (congenital) Q24.4
- - hypertrophic (idiopathic) I42.1
- subglottic J38.6
- - congenital Q31.1
- - postprocedural J95.5
- trachea J39.8
- - congenital Q32.1

- - syphilitic A52.73
- - tuberculous NEC A15.5
- tracheostomy J95.03
- tricuspid (valve) I07.0
- - with
- - - aortic (valve) disease I08.2
- - - incompetency, insufficiency or regurgitation I07.2
- - - - with aortic (valve) disease I08.2
- - - - - with mitral (valve) disease I08.3
- - - mitral (valve) disease I08.1
- - - - with aortic (valve) disease I08.3
- - congenital Q22.4
- - nonrheumatic I36.0
- - - with insufficiency I36.2
- tubal N97.1
- ureter -*see* Atresia, ureter
- ureteropelvic junction, congenital Q62.11
- ureterovesical orifice, congenital Q62.12
- urethra (valve) -*see also* Stricture, urethra
- - congenital Q64.32
- urinary meatus, congenital Q64.33
- vagina N89.5
- - congenital Q52.4
- - in pregnancy -*see* Pregnancy, complicated by, abnormal vagina
- - - causing obstructed labor O65.5
- valve (cardiac) (heart) -*see also* Endocarditis I38
- - congenital Q24.8
- - - aortic Q23.0
- - - mitral Q23.2
- - - pulmonary Q22.1
- - - tricuspid Q22.4
- vena cava (inferior) (superior) I87.1
- - congenital Q26.0
- vesicourethral orifice Q64.31
- vulva N90.5

Stent jail T82.897

Stercolith (impaction) K56.41
- appendix K38.1

Stercoraceous, stercoral ulcer K63.3
- anus or rectum K62.6

Stereotypies NEC F98.4

Sterility -*see* Infertility

Sterilization -*see* Encounter (for), sterilization

Sternalgia -*see* Angina

Sternopagus Q89.4

Sternum bifidum Q76.7

Steroid
- effects (adverse) (adrenocortical) (iatrogenic)
- - cushingoid E24.2
- - - correct substance properly administered -*see* Table of Drugs and Chemicals, by drug, adverse effect
- - - overdose or wrong substance given or taken -*see* Table of Drugs and Chemicals, by drug, poisoning
- - diabetes -see category E09
- - - correct substance properly administered -*see* Table of Drugs and Chemicals, by drug, adverse effect
- - - overdose or wrong substance given or taken -*see* Table of Drugs and Chemicals, by drug, poisoning
- - fever R50.2
- - insufficiency E27.3
- - - correct substance properly administered -*see* Table of Drugs and Chemicals, by drug, adverse effect
- - - overdose or wrong substance given or taken -*see* Table of Drugs and Chemicals, by drug, poisoning
- responder H40.04-

Stevens-Johnson disease or syndrome L51.1

- toxic epidermal necrolysis overlap L51.3
Stewart-Morel syndrome M85.2
Sticker's disease B08.3
Sticky eye -*see* Conjunctivitis, acute, mucopurulent
Stieda's disease -*see* Bursitis, tibial collateral
Stiff neck -*see* Torticollis
Stiff-man syndrome G25.82
Stiffness, joint NEC M25.60-
- ankle M25.67-
- ankylosis -*see* Ankylosis, joint
- contracture -*see* Contraction, joint
- elbow M25.62-
- foot M25.67-
- hand M25.64-
- hip M25.65-
- knee M25.66-
- shoulder M25.61-
- specified site NEC M25.69
- wrist M25.63-
Stigmata congenital syphilis A50.59
Stillbirth P95
Still-Felty syndrome -*see* Felty's syndrome
Still's disease or syndrome (juvenile) M08.20
- adult-onset M06.1
- ankle M08.27-
- elbow M08.22-
- foot joint M08.27-
- hand joint M08.24-
- hip M08.25-
- knee M08.26-
- multiple site M08.29
- shoulder M08.21-
- specified site NEC M08.2A
- vertebra M08.28
- wrist M08.23-
Stimulation, ovary E28.1
Sting (venomous) (with allergic or anaphylactic shock) -*see* Table of Drugs and Chemicals, by animal or substance, poisoning
Stippled epiphyses Q78.8
Stitch
- abscess T81.41
- burst (in operation wound) -*see* Disruption, wound, operation
Stokes-Adams disease or syndrome I45.9
Stokes' disease E05.00
- with thyroid storm E05.01
Stokvis (-Talma) disease D74.8
Stoma malfunction
- colostomy K94.03
- enterostomy K94.13
- gastrostomy K94.23
- ileostomy K94.13
- tracheostomy J95.03
Stomach -*see* condition
Stomatitis (denture) (ulcerative) K12.1
- angular K13.0
- - due to dietary or vitamin deficiency E53.0
- aphthous K12.0
- bovine B08.61
- candidal B37.0
- catarrhal K12.1

- diphtheritic A36.89
- due to
- - dietary deficiency E53.0
- - thrush B37.0
- - vitamin deficiency
- - - B group NEC E53.9
- - - B2 (riboflavin) E53.0
- epidemic B08.8
- epizootic B08.8
- follicular K12.1
- gangrenous A69.0
- Geotrichum B48.3
- herpesviral, herpetic B00.2
- herpetiformis K12.0
- malignant K12.1
- membranous acute K12.1
- monilial B37.0
- mycotic B37.0
- necrotizing ulcerative A69.0
- parasitic B37.0
- septic K12.1
- spirochetal A69.1
- suppurative (acute) K12.2
- ulceromembranous A69.1
- vesicular K12.1
- - with exanthem (enteroviral) B08.4
- - virus disease A93.8
- Vincent's A69.1

Stomatocytosis D58.8

Stomatomycosis B37.0

Stomatorrhagia K13.79

Stone(s) -*see also* Calculus
- bladder (diverticulum) N21.0
- cystine E72.09
- heart syndrome I50.1
- kidney N20.0
- prostate N42.0
- pulpal (dental) K04.2
- renal N20.0
- salivary gland or duct (any) K11.5
- urethra (impacted) N21.1
- urinary (duct) (impacted) (passage) N20.9
- - bladder (diverticulum) N21.0
- - lower tract N21.9
- - specified NEC N21.8
- xanthine E79.82 *[N22]*

Stonecutter's lung J62.8

Stonemason's asthma, disease, lung or pneumoconiosis J62.8

Stoppage
- heart -*see* Arrest, cardiac
- urine -*see* Retention, urine

Storm, thyroid -*see* Thyrotoxicosis

Strabismus (congenital) (nonparalytic) H50.9
- concomitant H50.40
- - convergent -*see* Strabismus, convergent concomitant
- - divergent -*see* Strabismus, divergent concomitant
- convergent concomitant H50.00
- - accommodative component H50.43
- - alternating H50.05
- - - with

- - - - A pattern H50.06
- - - - specified nonconcomitances NEC H50.08
- - - - V pattern H50.07
- - monocular H50.01-
- - - with
- - - - A pattern H50.02-
- - - - specified nonconcomitances NEC H50.04-
- - - - V pattern H50.03-
- - - intermittent H50.31-
- - - - alternating H50.32
- cyclotropia H50.41
- divergent concomitant H50.10
- - alternating H50.15
- - - with
- - - - A pattern H50.16
- - - - specified noncomitances NEC H50.18
- - - - V pattern H50.17
- - monocular H50.11-
- - - with
- - - - A pattern H50.12-
- - - - specified noncomitances NEC H50.14-
- - - - V pattern H50.13-
- - - intermittent H50.33
- - - - alternating H50.34
- Duane's syndrome H50.81-
- due to adhesions, scars H50.69
- heterophoria H50.50
- - alternating H50.55
- - cyclophoria H50.54
- - esophoria H50.51
- - exophoria H50.52
- - vertical H50.53
- heterotropia H50.40
- - intermittent H50.30
- hypertropia H50.2-
- hypotropia -*see* Hypertropia
- latent H50.50
- mechanical H50.60
- - Brown's sheath syndrome H50.61-
- - specified type NEC H50.69
- monofixation syndrome H50.42
- paralytic H49.9
- - abducens nerve H49.2-
- - fourth nerve H49.1-
- - Kearns-Sayre syndrome H49.81-
- - ophthalmoplegia (external)
- - - progressive H49.4-
- - - - with pigmentary retinopathy H49.81-
- - - total H49.3-
- - sixth nerve H49.2-
- - specified type NEC H49.88-
- - third nerve H49.0-
- - trochlear nerve H49.1-
- specified type NEC H50.89
- vertical H50.2-

Strain

- back S39.012
- cervical S16.1
- eye NEC -*see* Disturbance, vision, subjective
- heart -*see* Disease, heart

- low back S39.012
- mental NOS Z73.3
- - work-related Z56.6
- muscle (tendon) -*see* Injury, muscle, by site, strain
- neck S16.1
- postural -*see also* Disorder, soft tissue, due to use
- physical NOS Z73.3
- - work-related Z56.6
- psychological NEC Z73.3
- tendon -*see* Injury, muscle, by site, strain

Straining, on urination R39.16

Strand, vitreous -*see* Opacity, vitreous, membranes and strands

Strangulation, strangulated -*see also* Asphyxia, traumatic
- appendix K38.8
- bladder-neck N32.0
- bowel or colon K56.2
- food or foreign body -*see* Foreign body, by site
- hemorrhoids -*see* Hemorrhoids, with complication
- hernia -*see also* Hernia, by site, with obstruction
- - with gangrene -*see* Hernia, by site, with gangrene
- intestine (large) (small) K56.2
- - with hernia -*see also* Hernia, by site, with obstruction
- - - with gangrene -*see* Hernia, by site, with gangrene
- mesentery K56.2
- mucus -*see* Asphyxia, mucus
- omentum K56.2
- organ or site, congenital NEC -*see* Atresia, by site
- ovary -*see* Torsion, ovary
- penis N48.89
- - foreign body T19.4
- rupture -*see* Hernia, by site, with obstruction
- stomach due to hernia -*see also* Hernia, by site, with obstruction
- - with gangrene -*see* Hernia, by site, with gangrene
- vesicourethral orifice N32.0

Strangury R30.0

Straw itch B88.0

Strawberry
- gallbladder K82.4
- mark Q82.5
- tongue (red) (white) K14.3

Streak(s)
- macula, angioid H35.33
- ovarian Q50.32

Strephosymbolia F81.0
- secondary to organic lesion R48.8

Streptobacillary fever A25.1

Streptobacillosis A25.1

Streptobacillus moniliformis A25.1

Streptococcus, streptococcal -*see also* condition
- as cause of disease classified elsewhere B95.5
- group
- - A, as cause of disease classified elsewhere B95.0
- - B, as cause of disease classified elsewhere B95.1
- - D, as cause of disease classified elsewhere B95.2
- pneumoniae, as cause of disease classified elsewhere B95.3
- specified NEC, as cause of disease classified elsewhere B95.4

Streptomycosis B47.1

Streptotrichosis A48.8

Stress F43.9
- family -*see* Disruption, family

- fetal P84
- - complicating pregnancy O77.9
- - - due to drug administration O77.1
- mental NEC Z73.3
- - work-related Z56.6
- physical NEC Z73.3
- - work-related Z56.6
- polycythemia D75.1
- reaction -*see also* Reaction, stress F43.9
- work schedule Z56.3

Stretching, nerve -*see* Injury, nerve

Striae albicantes, atrophicae or distensae (cutis) L90.6

Stricture -*see also* Stenosis
- ampulla of Vater K83.1
- anus (sphincter) K62.4
- - congenital Q42.3
- - - with fistula Q42.2
- - infantile Q42.3
- - - with fistula Q42.2
- aorta (ascending) (congenital) Q25.1
- - arteriosclerotic I70.0
- - calcified I70.0
- - supravalvular, congenital Q25.3
- aortic (valve) -*see* Stenosis, aortic
- aqueduct of Sylvius (congenital) Q03.0
- - with spina bifida -*see* Spina bifida, by site, with hydrocephalus
- - acquired G91.1
- artery I77.1
- - basilar -*see* Occlusion, artery, basilar
- - carotid -*see* Occlusion, artery, carotid
- - celiac (compression) I77.4
- - - arteriosclerotic I70.8
- - - atherosclerosis I70.8
- - congenital (peripheral) Q27.8
- - - cerebral Q28.3
- - - coronary Q24.5
- - - digestive system Q27.8
- - - lower limb Q27.8
- - - retinal Q14.1
- - - specified site NEC Q27.8
- - - umbilical Q27.0
- - - upper limb Q27.8
- - coronary -*see* Disease, heart, ischemic, atherosclerotic
- - - congenital Q24.5
- - precerebral -*see* Occlusion, artery, precerebral
- - pulmonary (congenital) Q25.6
- - - acquired I28.8
- - renal I70.1
- - vertebral -*see* Occlusion, artery, vertebral
- auditory canal (external) (congenital)
- - acquired -*see* Stenosis, external ear canal
- bile duct (common) (hepatic) K83.1
- - congenital Q44.3
- - postoperative K91.89
- bladder N32.89
- - neck N32.0
- bowel -*see* Obstruction, intestine
- brain G93.89
- bronchus J98.09
- - congenital Q32.3

- - syphilitic A52.72
- cardia (stomach) K22.2
- - congenital Q39.3
- cardiac -*see also* Disease, heart
- - orifice (stomach) K22.2
- cecum -*see* Obstruction, intestine
- cervix, cervical (canal) N88.2
- - congenital Q51.828
- - in pregnancy -*see* Pregnancy, complicated by, abnormal cervix
- - - causing obstructed labor O65.5
- colon -*see also* Obstruction, intestine
- - congenital Q42.9
- - - specified NEC Q42.8
- colostomy K94.03
- common (bile) duct K83.1
- coronary (artery) -*see* Disease, heart, ischemic, atherosclerotic
- cystic duct -*see* Obstruction, gallbladder
- digestive organs NEC, congenital Q45.8
- duodenum K31.5
- - congenital Q41.0
- ear canal (external) (congenital) Q16.1
- - acquired -*see* Stricture, auditory canal, acquired
- ejaculatory duct N50.89
- enterostomy K94.13
- esophagus K22.2
- - congenital Q39.3
- - syphilitic A52.79
- - - congenital A50.59 *[K23]*
- eustachian tube -*see also* Obstruction, eustachian tube
- - congenital Q17.8
- fallopian tube N97.1
- - gonococcal A54.24
- - tuberculous A18.17
- gallbladder -*see* Obstruction, gallbladder
- glottis J38.6
- heart -*see also* Disease, heart
- - valve -*see also* Endocarditis I38
- - - aortic Q23.0
- - - mitral Q23.2
- - - pulmonary Q22.1
- - - tricuspid Q22.4
- hepatic duct K83.1
- hourglass, of stomach K31.2
- hymen N89.6
- hypopharynx J39.2
- ileum -*see also* Obstruction, intestine, specified NEC K56.699
- - congenital Q41.2
- intestine -*see also* Obstruction, intestine
- - congenital (small) Q41.9
- - - large Q42.9
- - - - specified NEC Q42.8
- - - specified NEC Q41.8
- - ischemic K55.1
- jejunum -*see also* Obstruction, intestine, specified NEC K56.699
- - congenital Q41.1
- lacrimal passages -*see also* Stenosis, lacrimal
- - congenital Q10.5
- larynx J38.6
- - congenital NEC Q31.8
- - - subglottic Q31.1

- - syphilitic A52.73
- - - congenital A50.59 *[J99]*
- meatus
- - ear (congenital) Q16.1
- - - acquired *-see* Stricture, auditory canal, acquired
- - osseous (ear) (congenital) Q16.1
- - - acquired *-see* Stricture, auditory canal, acquired
- - urinarius *-see also* Stricture, urethra
- - - congenital Q64.33
- mitral (valve) *-see* Stenosis, mitral
- myocardium, myocardial I51.5
- - hypertrophic subaortic (idiopathic) I42.1
- nares (anterior) (posterior) J34.89
- - congenital Q30.0
- nasal duct *-see also* Stenosis, lacrimal, duct
- - congenital Q10.5
- nasolacrimal duct *-see also* Stenosis, lacrimal, duct
- - congenital Q10.5
- nasopharynx J39.2
- - syphilitic A52.73
- nose J34.89
- - congenital Q30.0
- nostril (anterior) (posterior) J34.89
- - congenital Q30.0
- - syphilitic A52.73
- - - congenital A50.59 *[J99]*
- organ or site, congenital NEC *-see* Atresia, by site
- os uteri *-see* Stricture, cervix
- osseous meatus (ear) (congenital) Q16.1
- - acquired *-see* Stricture, auditory canal, acquired
- oviduct *-see* Stricture, fallopian tube
- pelviureteric junction (congenital) Q62.11
- - acquired, with hydronephrosis N13.0
- penis, by foreign body T19.4
- pharynx J39.2
- prostate N42.89
- pulmonary, pulmonic
- - artery (congenital) Q25.6
- - - acquired I28.8
- - - noncongenital I28.8
- - infundibulum (congenital) Q24.3
- - valve I37.0
- - - congenital Q22.1
- - vein, acquired I28.8
- - vessel NEC I28.8
- punctum lacrimale *-see also* Stenosis, lacrimal, punctum
- - congenital Q10.5
- pylorus (hypertrophic) K31.1
- - adult K31.1
- - congenital Q40.0
- - infantile Q40.0
- rectosigmoid *-see also* Obstruction, intestine, specified NEC K56.699
- rectum (sphincter) K62.4
- - congenital Q42.1
- - - with fistula Q42.0
- - due to
- - - chlamydial lymphogranuloma A55
- - - irradiation K91.89
- - - lymphogranuloma venereum A55
- - gonococcal A54.6

- - inflammatory (chlamydial) A55
- - syphilitic A52.74
- - tuberculous A18.32
- renal artery I70.1
- - congenital Q27.1
- salivary duct or gland (any) K11.8
- sigmoid (flexure) -*see* Obstruction, intestine
- spermatic cord N50.89
- stoma (following) (of)
- - colostomy K94.03
- - enterostomy K94.13
- - gastrostomy K94.23
- - ileostomy K94.13
- - tracheostomy J95.03
- stomach K31.89
- - congenital Q40.2
- - hourglass K31.2
- subaortic Q24.4
- - hypertrophic (acquired) (idiopathic) I42.1
- subglottic J38.6
- syphilitic NEC A52.79
- trachea J39.8
- - congenital Q32.1
- - syphilitic A52.73
- - tuberculous NEC A15.5
- tracheostomy J95.03
- tricuspid (valve) -*see* Stenosis, tricuspid
- tunica vaginalis N50.89
- ureter (postoperative) N13.5
- - with
- - - hydronephrosis N13.1
- - - - with infection N13.6
- - - pyelonephritis (chronic) N11.1
- - congenital -*see* Atresia, ureter
- - tuberculous A18.11
- ureteropelvic junction (congenital) Q62.11
- - acquired, with hydronephrosis N13.0
- ureterovesical orifice N13.5
- - with infection N13.6
- urethra (organic) (spasmodic) -*see also* Stricture, urethra, male N35.919
- - associated with schistosomiasis B65.0 *[N37]*
- - congenital Q64.39
- - - valvular (posterior) Q64.2
- - due to
- - - infection -*see* Stricture, urethra, postinfective
- - - trauma -*see* Stricture, urethra, post-traumatic
- - female N35.92
- - gonococcal, gonorrheal A54.01
- - infective NEC -*see* Stricture, urethra, postinfective
- - late effect (sequelae) of injury -*see* Stricture, urethra, post-traumatic
- - male N35.919
- - - anterior urethra N35.914
- - - bulbous urethra N35.912
- - - meatal N35.911
- - - membranous urethra N35.913
- - - overlapping sites N35.916
- - postcatheterization -*see* Stricture, urethra, postprocedural
- - postinfective NEC
- - - female N35.12
- - - male N35.119

- - - - anterior urethra N35.114
- - - - bulbous urethra N35.112
- - - - meatal N35.111
- - - - membranous urethra N35.113
- - - - overlapping sites N35.116
- - postobstetric N35.021
- - postoperative -*see* Stricture, urethra, postprocedural
- - postprocedural
- - - female N99.12
- - - male N99.114
- - - - anterior bulbous urethra N99.113
- - - - bulbous urethra N99.111
- - - - fossa navicularis N99.115
- - - - meatal N99.110
- - - - membranous urethra N99.112
- - - - overlapping sites N99.116
- - post-traumatic
- - - female N35.028
- - - - due to childbirth N35.021
- - - male N35.014
- - - - anterior urethra N35.013
- - - - bulbous urethra N35.011
- - - - meatal N35.010
- - - - membranous urethra N35.012
- - - - overlapping sites N35.016
- - sequela (late effect) of
- - - childbirth N35.021
- - - injury -*see* Stricture, urethra, post-traumatic
- - specified cause NEC
- - - female N35.82
- - - male N35.819
- - - - anterior urethra N35.814
- - - - bulbous urethra N35.812
- - - - meatal N35.811
- - - - membranous urethra N35.813
- - - - overlapping sites N35.816
- - syphilitic A52.76
- - traumatic -*see* Stricture, urethra, post-traumatic
- - valvular (posterior), congenital Q64.2
- urinary meatus -*see* Stricture, urethra
- uterus, uterine (synechiae) N85.6
- - os (external) (internal) -*see* Stricture, cervix
- vagina (outlet) -*see* Stenosis, vagina
- valve (cardiac) (heart) -*see also* Endocarditis
- - congenital
- - - aortic Q23.0
- - - mitral Q23.2
- - - pulmonary Q22.1
- - - tricuspid Q22.4
- vas deferens N50.89
- - congenital Q55.4
- vein I87.1
- vena cava (inferior) (superior) NEC I87.1
- - congenital Q26.0
- vesicourethral orifice N32.0
- - congenital Q64.31
- vulva (acquired) N90.5

Stridor R06.1
- congenital (larynx) P28.89

Stridulous -*see* condition

Stroke (apoplectic) (brain) (ischemic) (paralytic) I63.9
- cerebral, perinatal P91.82-
- cerebrovascular (ischemic) I63.9
- - chronic (old) (remote) (imaging) (without sequelae) Z86.73
- - - with residual defects -*see* Sequelae, disease, cerebrovascular
- - embolic I63.-
- - thrombolic I63.-
- cryptogenic -*see also* infarction, cerebral I63.9
- epileptic -*see* Epilepsy
- heat T67.01
- - exertional T67.02
- - specified NEC T67.09
- in evolution I63.9
- intraoperative
- - during cardiac surgery I97.810
- - during other surgery I97.811
- ischemic, perinatal arterial P91.82-
- lightning -*see* Lightning
- meaning
- - cerebral hemorrhage - code to Hemorrhage, intracranial
- - cerebral infarction - code to Infarction, cerebral
- neonatal P91.82-
- postprocedural
- - following cardiac surgery I97.820
- - following other surgery I97.821
- sun T67.01
- - specified NEC T67.09
- unspecified (NOS) I63.9
Stromatosis, endometrial D39.0
Strongyloidiasis, strongyloidosis B78.9
- cutaneous B78.1
- disseminated B78.7
- intestinal B78.0
Strophulus pruriginosus L28.2
Struck by lightning -*see* Lightning
Struma -*see also* Goiter
- Hashimoto E06.3
- lymphomatosa E06.3
- nodosa (simplex) E04.9
- - endemic E01.2
- - - multinodular E01.1
- - multinodular E04.2
- - - iodine-deficiency related E01.1
- - toxic or with hyperthyroidism E05.20
- - - with thyroid storm E05.21
- - - multinodular E05.20
- - - - with thyroid storm E05.21
- - - uninodular E05.10
- - - - with thyroid storm E05.11
- - toxicosa E05.20
- - - with thyroid storm E05.21
- - - multinodular E05.20
- - - - with thyroid storm E05.21
- - - uninodular E05.10
- - - - with thyroid storm E05.11
- - uninodular E04.1
- ovarii D27.-
- Riedel's E06.5
Strumipriva cachexia E03.4
Strümpell-Marie spine -*see* Spondylitis, ankylosing

Strümpell-Westphal pseudosclerosis E83.01
Stuart deficiency disease (factor X) D68.2
Stuart-Prower factor deficiency (factor X) D68.2
Student's elbow -*see* Bursitis, elbow, olecranon
Stump -*see* Amputation
Stunting, nutritional E45
Stupor (catatonic) R40.1
- depressive (single episode) F32.89
- - recurrent episode F33.8
- dissociative F44.2
- manic F30.2
- manic-depressive F31.89
- psychogenic (anergic) F44.2
- reaction to exceptional stress (transient) F43.0
Sturge (-Weber) (-Dimitri) (-Kalischer) disease or syndrome Q85.89
Stuttering F80.81
- adult onset F98.5
- childhood onset F80.81
- following cerebrovascular disease -*see* Disorder, fluency. following cerebrovascular disease
- in conditions classified elsewhere R47.82
Sty, stye (external) (internal) (meibomian) (zeisian) -*see* Hordeolum
Subacidity, gastric K31.89
- psychogenic F45.8
Subacute -*see* condition
Subarachnoid -*see* condition
Subcortical -*see* condition
Subcostal syndrome, nerve compression -*see* Mononeuropathy, upper limb, specified site NEC
Subcutaneous, subcuticular -*see* condition
Subdural -*see* condition
Subendocardium -*see* condition
Subependymoma
- specified site -*see* Neoplasm, uncertain behavior, by site
- unspecified site D43.2
Suberosis J67.3
Subglossitis -*see* Glossitis
Subhemophilia D66
Subinvolution
- breast (postlactational) (postpuerperal) N64.89
- puerperal O90.89
- uterus (chronic) (nonpuerperal) N85.3
- - puerperal O90.89
Sublingual -*see* condition
Sublinguitis -*see* Sialoadenitis
Subluxatable hip Q65.6
Subluxation -*see also* Dislocation
- acromioclavicular S43.11-
- ankle S93.0-
- atlantoaxial, recurrent M43.4
- - with myelopathy M43.3
- carpometacarpal (joint) NEC S63.05-
- - thumb S63.04-
- complex, vertebral -*see* Complex, subluxation
- congenital -*see also* Malposition, congenital
- - hip -*see* Dislocation, hip, congenital, partial
- - joint (excluding hip)
- - - lower limb Q68.8
- - - shoulder Q68.8
- - - upper limb Q68.8
- elbow (traumatic) S53.10-
- - anterior S53.11-

- - lateral S53.14-
- - medial S53.13-
- - posterior S53.12-
- - specified type NEC S53.19-
- finger S63.20-
- - index S63.20-
- - interphalangeal S63.22-
- - - distal S63.24-
- - - - index S63.24-
- - - - little S63.24-
- - - - middle S63.24-
- - - - ring S63.24-
- - - index S63.22-
- - - little S63.22-
- - - middle S63.22-
- - - proximal S63.23-
- - - - index S63.23-
- - - - little S63.23-
- - - - middle S63.23-
- - - - ring S63.23-
- - - ring S63.22-
- - little S63.20-
- - metacarpophalangeal S63.21-
- - - index S63.21-
- - - little S63.21-
- - - middle S63.21-
- - - ring S63.21-
- - middle S63.20-
- - ring S63.20-
- foot S93.30-
- - specified site NEC S93.33-
- - tarsal joint S93.31-
- - tarsometatarsal joint S93.32-
- - toe -*see* Subluxation, toe
- hip S73.00-
- - anterior S73.03-
- - - obturator S73.02-
- - central S73.04-
- - posterior S73.01-
- interphalangeal (joint)
- - finger S63.22-
- - - distal joint S63.24-
- - - - index S63.24-
- - - - little S63.24-
- - - - middle S63.24-
- - - - ring S63.24-
- - - index S63.22-
- - - little S63.22-
- - - middle S63.22-
- - - proximal joint S63.23-
- - - - index S63.23-
- - - - little S63.23-
- - - - middle S63.23-
- - - - ring S63.23-
- - - ring S63.22-
- - thumb S63.12-
- - toe S93.13-
- - - great S93.13-
- - - lesser S93.13-
- joint prosthesis -*see* Complications, joint prosthesis, mechanical, displacement, by site

- knee S83.10-
- - cap -*see* Subluxation, patella
- - patella -*see* Subluxation, patella
- - proximal tibia
- - - anteriorly S83.11-
- - - laterally S83.14-
- - - medially S83.13-
- - - posteriorly S83.12-
- - specified type NEC S83.19-
- lens -*see* Dislocation, lens, partial
- ligament, traumatic -*see* Sprain, by site
- metacarpal (bone)
- - proximal end S63.06-
- metacarpophalangeal (joint)
- - finger S63.21-
- - - index S63.21-
- - - little S63.21-
- - - middle S63.21-
- - - ring S63.21-
- - thumb S63.11-
- metatarsophalangeal joint S93.14-
- - great toe S93.14-
- - lesser toe S93.14-
- midcarpal (joint) S63.03-
- patella S83.00-
- - lateral S83.01-
- - recurrent (nontraumatic) -*see* Dislocation, patella, recurrent, incomplete
- - specified type NEC S83.09-
- pathological -*see* Dislocation, pathological
- radial head S53.00-
- - anterior S53.01-
- - nursemaid's elbow S53.03-
- - posterior S53.02-
- - specified type NEC S53.09-
- radiocarpal (joint) S63.02-
- radioulnar (joint)
- - distal S63.01-
- - proximal -*see* Subluxation, elbow
- shoulder
- - congenital Q68.8
- - girdle S43.30-
- - - scapula S43.31-
- - - specified site NEC S43.39-
- - traumatic S43.00-
- - - anterior S43.01-
- - - inferior S43.03-
- - - posterior S43.02-
- - - specified type NEC S43.08-
- sternoclavicular (joint) S43.20-
- - anterior S43.21-
- - posterior S43.22-
- symphysis (pubis) -*see also* Dislocation, symphysis pubis
- thumb S63.103
- - interphalangeal joint -*see* Subluxation, interphalangeal (joint), thumb
- - metacarpophalangeal joint -*see* Subluxation, metacarpophalangeal (joint), thumb
- toe(s) S93.10-
- - great S93.10-
- - - interphalangeal joint S93.13-
- - - metatarsophalangeal joint S93.14-
- - interphalangeal joint S93.13-

- - lesser S93.10-
- - - interphalangeal joint S93.13-
- - - metatarsophalangeal joint S93.14-
- - metatarsophalangeal joint S93.149
- ulnohumeral joint -*see* Subluxation, elbow
- vertebral
- - recurrent NEC -see subcategory M43.5
- - traumatic
- - - cervical S13.100
- - - - atlantoaxial joint S13.120
- - - - atlantooccipital joint S13.110
- - - - atloidooccipital joint S13.110
- - - - joint between
- - - - - C0 and C1 S13.110
- - - - - C1 and C2 S13.120
- - - - - C2 and C3 S13.130
- - - - - C3 and C4 S13.140
- - - - - C4 and C5 S13.150
- - - - - C5and C6 S13.160
- - - - - C6and C7 S13.170
- - - - - C7and T1 S13.180
- - - - occipitoatloid joint S13.110
- - - lumbar S33.100
- - - - joint between
- - - - - L1and L2 S33.110
- - - - - L2and L3 S33.120
- - - - - L3 and L4 S33.130
- - - - - L4and L5 S33.140
- - - thoracic S23.100
- - - - joint between
- - - - - T1and T2 S23.110
- - - - - T2and T3 S23.120
- - - - - T3 and T4 S23.122
- - - - - T4 and T5 S23.130
- - - - - T5 and T6 S23.132
- - - - - T6 and T7 S23.140
- - - - - T7 and T8 S23.142
- - - - - T8 and T9 S23.150
- - - - - T9 and T10 S23.152
- - - - - T10 and T11 S23.160
- - - - - T11 and T12 S23.162
- - - - - T12 and L1 S23.170
- ulna
- - distal end S63.07-
- - proximal end -*see* Subluxation, elbow
- wrist (carpal bone) S63.00-
- - carpometacarpal joint -*see* Subluxation, carpometacarpal (joint)
- - distal radioulnar joint -*see* Subluxation, radioulnar (joint), distal
- - metacarpal bone, proximal -*see* Subluxation, metacarpal (bone), proximal end
- - midcarpal -*see* Subluxation, midcarpal (joint)
- - radiocarpal joint -*see* Subluxation, radiocarpal (joint)
- - recurrent -*see* Dislocation, recurrent, wrist
- - specified site NEC S63.09-
- - ulna -*see* Subluxation, ulna, distal end

Submaxillary -*see* condition

Submersion (fatal) (nonfatal) T75.1

Submucous -*see* condition

Subnormal, subnormality

- accommodation (old age) H52.4
- mental -*see* Disability, intellectual

- temperature (accidental) T68
Subphrenic -*see* condition
Subscapular nerve -*see* condition
Subseptus uterus Q51.28
Subsiding appendicitis K36
Substance (other psychoactive) -induced
- anxiety disorder F19.980
- bipolar and related disorder F19.94
- delirium F19.921
- depressive disorder F19.94
- major neurocognitive disorder F19.97
- mild neurocognitive disorder F19.988
- obsessive-compulsive and related disorder F19.988
- psychotic disorder F19.959
- sexual dysfunction F19.981
- sleep disorder F19.982
Substernal thyroid E04.9
- congenital Q89.2
Substitution disorder F44.9
Subtentorial -*see* condition
Subthyroidism (acquired) -*see also* Hypothyroidism
- congenital E03.1
Succenturiate placenta O43.19-
Sucking thumb, child (excessive) F98.8
Sudamen, sudamina L74.1
Sudanese kala-azar B55.0
Sudden
- heart failure -*see* Failure, heart
- hearing loss -*see* Deafness, sudden
Sudeck's atrophy, disease, or syndrome -*see* Algoneurodystrophy
Suffocation -*see* Asphyxia, traumatic
Sugar
- blood
- - high (transient) R73.9
- - low (transient) E16.2
- in urine R81
Suicide, suicidal (attempted) T14.91
- by poisoning -*see* Table of Drugs and Chemicals
- history of (personal) Z91.51
- - in family Z81.8
- ideation -*see* Ideation, suicidal
- risk
- - meaning personal history of attempted suicide Z91.51
- - meaning suicidal ideation -*see* Ideation, suicidal
- tendencies
- - meaning personal history of attempted suicide Z91.51
- - meaning suicidal ideation -*see* Ideation, suicidal
- trauma -*see* nature of injury by site
Suipestifer infection -*see* Infection, salmonella
Sulfhemoglobinemia, sulphemoglobinemia (acquired) (with methemoglobinemia) D74.8
Sumatran mite fever A75.3
Summer -*see* condition
Sunburn L55.9
- due to
- - tanning bed (acute) L56.8
- - - chronic L57.8
- - ultraviolet radiation (acute) L56.8
- - - chronic L57.8
- first degree L55.0
- second degree L55.1

- third degree L55.2
SUNCT (short lasting unilateral neuralgiform headache with conjunctival injection and tearing) G44.059
- intractable G44.051
- not intractable G44.059
Sundowning F05
Sunken acetabulum -*see* Derangement, joint, specified type NEC, hip
Sunstroke T67.01
- specified NEC T67.09
Superfecundation -*see* Pregnancy, multiple
Superfetation -*see* Pregnancy, multiple
Superinvolution (uterus) N85.8
Supernumerary (congenital)
- aortic cusps Q23.88
- auditory ossicles Q16.3
- bone Q79.8
- breast Q83.1
- carpal bones Q74.0
- cusps, heart valve NEC Q24.8
- - aortic Q23.88
- - mitral Q23.2
- - pulmonary Q22.3
- digit(s) Q69.9
- ear (lobule) Q17.0
- fallopian tube Q50.6
- finger Q69.0
- hymen Q52.4
- kidney Q63.0
- lacrimonasal duct Q10.6
- lobule (ear) Q17.0
- mitral cusps Q23.2
- muscle Q79.8
- nipple(s) Q83.3
- organ or site not listed -*see* Accessory
- ossicles, auditory Q16.3
- ovary Q50.31
- oviduct Q50.6
- pulmonary, pulmonic cusps Q22.3
- rib Q76.6
- - cervical or first (syndrome) Q76.5
- roots (of teeth) K00.2
- spleen Q89.09
- tarsal bones Q74.2
- teeth K00.1
- testis Q55.29
- thumb Q69.1
- toe Q69.2
- uterus Q51.28
- vagina Q52.1
- vertebra Q76.49
Supervision (of)
- contraceptive -*see* Prescription, contraceptives
- dietary (for) Z71.3
- - allergy (food) Z71.3
- - colitis Z71.3
- - diabetes mellitus Z71.3
- - food allergy or intolerance Z71.3
- - gastritis Z71.3
- - hypercholesterolemia Z71.3
- - hypoglycemia Z71.3
- - intolerance (food) Z71.3

- - obesity Z71.3
- - specified NEC Z71.3
- healthy infant or child Z76.2
- - foundling Z76.1
- high-risk pregnancy -*see* Pregnancy, supervision of, high-risk
- lactation Z39.1
- pregnancy -*see* Pregnancy, supervision of

Supplemental teeth K00.1

Suppression
- binocular vision H53.34
- lactation O92.5
- menstruation N94.89
- ovarian secretion E28.39
- renal N28.9
- urine, urinary secretion R34

Suppuration, suppurative -*see also* condition
- accessory sinus (chronic) -*see* Sinusitis
- adrenal gland
- antrum (chronic) -*see* Sinusitis, maxillary
- bladder -*see* Cystitis
- brain G06.0
- - sequelae G09
- breast N61.1
- - puerperal, postpartum or gestational -*see* Mastitis, obstetric, purulent
- dental periosteum M27.3
- ear (middle) -*see also* Otitis, media
- - external NEC -*see* Otitis, externa, infective
- - internal -see subcategory H83.0
- ethmoidal (chronic) (sinus) -*see* Sinusitis, ethmoidal
- fallopian tube -*see* Salpingo-oophoritis
- frontal (chronic) (sinus) -*see* Sinusitis, frontal
- gallbladder (acute) K81.0
- gum K05.20
- - generalized -*see* Periodontitis, aggressive, generalized
- - localized -*see* Periodontitis, aggressive, localized
- intracranial G06.0
- joint -*see* Arthritis, pyogenic or pyemic
- labyrinthine -see subcategory H83.0
- lung -*see* Abscess, lung
- mammary gland N61.1
- - puerperal, postpartum O91.12
- - - associated with lactation O91.13
- maxilla, maxillary M27.2
- - sinus (chronic) -*see* Sinusitis, maxillary
- muscle -*see* Myositis, infective
- nasal sinus (chronic) -*see* Sinusitis
- pancreas, acute -*see also* Pancreatitis, acute K85.80
- parotid gland -*see* Sialoadenitis
- pelvis, pelvic
- - female -*see* Disease, pelvis, inflammatory
- - male K65.0
- pericranial -*see* Osteomyelitis
- salivary duct or gland (any) -*see* Sialoadenitis
- sinus (accessory) (chronic) (nasal) -*see* Sinusitis
- sphenoidal sinus (chronic) -*see* Sinusitis, sphenoidal
- thymus (gland) E32.1
- thyroid (gland) E06.0
- tonsil -*see* Tonsillitis
- uterus -*see* Endometritis

Supraeruption of tooth (teeth) M26.34

Supraglottitis J04.30
- with obstruction J04.31
Suprarenal (gland) -*see* condition
Suprascapular nerve -*see* condition
Suprasellar -*see* condition
Surfer's knots or nodules S89.8-
Surgical
- emphysema T81.82
- procedures, complication or misadventure -*see* Complications, surgical procedures
- shock T81.10
Surveillance (of) (for) -*see also* Observation
- alcohol abuse Z71.41
- contraceptive -*see* Prescription, contraceptives
- dietary Z71.3
- drug abuse Z71.51
- neoplasm -*see* Screening, neoplasm
Susceptibility to disease, genetic Z15.89
- malignant neoplasm Z15.09
- - breast Z15.01
- - endometrium Z15.04
- - ovary Z15.02
- - prostate Z15.03
- - specified NEC Z15.09
- multiple endocrine neoplasia Z15.81
Suspected condition, ruled out -*see also* Observation, suspected
- amniotic cavity and membrane Z03.71
- cervical shortening Z03.75
- fetal anomaly Z03.73
- fetal growth Z03.74
- maternal and fetal conditions NEC Z03.79
- newborn -*see also* Observation, newborn, suspected condition ruled out Z05.9
- oligohydramnios Z03.71
- placental problem Z03.72
- polyhydramnios Z03.71
Suspended uterus
- in pregnancy or childbirth -*see* Pregnancy, complicated by, abnormal uterus
Sutton's nevus D22.9
Suture
- burst (in operation wound) T81.31
- - external operation wound T81.31
- - internal operation wound T81.329
- inadvertently left in operation wound -*see* Foreign body, accidentally left during a procedure
- removal Z48.02
Swab inadvertently left in operation wound -*see* Foreign body, accidentally left during a procedure
Swallowed, swallowing
- difficulty -*see* Dysphagia
- foreign body -*see* Foreign body, alimentary tract
Swan-neck deformity (finger) -*see* Deformity, finger, swan-neck
Swearing, compulsive F42.8
- in Gilles de la Tourette's syndrome F95.2
Sweat, sweats
- fetid L75.0
- night R61
Sweating, excessive R61
Sweeley-Klionsky disease E75.21
Sweet's disease or dermatosis L98.2
Swelling (of) R60.9
- abdomen, abdominal (not referable to any particular organ) -*see* Mass, abdominal
- ankle -*see* Effusion, joint, ankle
- arm M79.89

- - forearm M79.89
- breast -*see also* Lump, breast N63.0
- Calabar B74.3
- cervical gland R59.0
- chest, localized R22.2
- ear H93.8-
- extremity (lower) (upper) -*see* Disorder, soft tissue, specified type NEC
- finger M79.89
- foot M79.89
- glands R59.9
- - generalized R59.1
- - localized R59.0
- hand M79.89
- head (localized) R22.0
- inflammatory -*see* Inflammation
- intra-abdominal -*see* Mass, abdominal
- joint -*see* Effusion, joint
- leg M79.89
- - lower M79.89
- limb -*see* Disorder, soft tissue, specified type NEC
- localized (skin) R22.9
- - chest R22.2
- - head R22.0
- - limb
- - - lower -*see* Mass, localized, limb, lower
- - - upper -*see* Mass, localized, limb, upper
- - neck R22.1
- - trunk R22.2
- neck (localized) R22.1
- pelvic -*see* Mass, abdominal
- scrotum N50.89
- splenic -*see* Splenomegaly
- testis N50.89
- toe M79.89
- umbilical R19.09
- wandering, due to Gnathostoma (spinigerum) B83.1
- white -*see* Tuberculosis, arthritis

Swift (-Feer) disease
- overdose or wrong substance given or taken -*see* Table of Drugs and Chemicals, by drug, poisoning

Swimmer's
- cramp T75.1
- ear H60.33-
- itch B65.3

Swimming in the head R42
Swollen -*see* Swelling
Swyer syndrome Q99.1
Sycosis L73.8
- barbae (not parasitic) L73.8
- contagiosa (mycotic) B35.0
- lupoides L73.8
- mycotic B35.0
- parasitic B35.0
- vulgaris L73.8

Sydenham's chorea -*see* Chorea, Sydenham's
Sylvatic yellow fever A95.0
Sylvest's disease B33.0
Symblepharon H11.23-
- congenital Q10.3

Symond's syndrome G93.2
Sympathetic -*see* condition

Sympatheticotonia G90.89
Sympathicoblastoma
- specified site -*see* Neoplasm, malignant, by site
- unspecified site C74.90
Sympathogonioma -*see* Sympathicoblastoma
Symphalangy (fingers) (toes) Q70.9
Symptoms NEC R68.89
- breast NEC N64.59
- cold J00
- development NEC R63.8
- factitious, self-induced -*see* Disorder, factitious
- genital organs, female R10.2
- involving
- - abdomen NEC R19.8
- - appearance NEC R46.89
- - awareness R41.9
- - - altered mental status R41.82
- - - amnesia -*see* Amnesia
- - - borderline intellectual functioning R41.83
- - - coma -*see* Coma
- - - disorientation R41.0
- - - neurologic neglect syndrome R41.4
- - - senile cognitive decline R41.81
- - - specified symptom NEC R41.89
- - behavior NEC R46.89
- - cardiovascular system NEC R09.89
- - chest NEC R09.89
- - circulatory system NEC R09.89
- - cognitive functions R41.9
- - - altered mental status R41.82
- - - amnesia -*see* Amnesia
- - - borderline intellectual functioning R41.83
- - - coma -*see* Coma
- - - disorientation R41.0
- - - neurologic neglect syndrome R41.4
- - - senile cognitive decline R41.81
- - - specified symptom NEC R41.89
- - development NEC R62.50
- - digestive system NEC R19.8
- - emotional state NEC R45.89
- - - emotional lability R45.86
- - food and fluid intake R63.8
- - general perceptions and sensations R44.9
- - - specified NEC R44.8
- - musculoskeletal system R29.91
- - - specified NEC R29.898
- - nervous system R29.90
- - - specified NEC R29.818
- - pelvis NEC R19.8
- - respiratory system NEC R09.89
- - skin and integument R23.9
- - urinary system R39.9
- menopausal N95.1
- metabolism NEC R63.8
- neurotic F48.8
- of infancy R68.19
- pelvis NEC, female R10.2
- skin and integument NEC R23.9
- subcutaneous tissue NEC R23.9
- viral cold J00

Sympus Q74.2
Syncephalus Q89.4
Synchondrosis
- abnormal (congenital) Q78.8
- ischiopubic M91.0
Synchysis (scintillans) (senile) (vitreous body) H43.89
Syncope (near) (pre-) R55
- anginosa I20.89
- bradycardia R00.1
- cardiac R55
- carotid sinus G90.01
- due to spinal (lumbar) puncture G97.1
- heart R55
- heat T67.1
- laryngeal R05.4
- psychogenic F48.8
- tussive R05.8
- vasoconstriction R55
- vasodepressor R55
- vasomotor R55
- vasovagal R55
Syndactylism, syndactyly Q70.9
- complex (with synostosis)
- - fingers Q70.0-
- - toes Q70.2-
- simple (without synostosis)
- - fingers Q70.1-
- - toes Q70.3-
Syndrome *-see also* Disease
- 4H G11.5
- 5q minus NOS D46.C
- 22q13.3 deletion Q93.52
- 48,XXXX Q97.1
- 49,XXXXX Q97.1
- abdominal
- - acute R10.0
- - muscle deficiency Q79.4
- abnormal innervation H02.519
- - left H02.516
- - - lower H02.515
- - - upper H02.514
- - right H02.513
- - - lower H02.512
- - - upper H02.511
- abstinence, neonatal P96.1
- acid pulmonary aspiration, obstetric O74.0
- acquired immunodeficiency *-see* Human, immunodeficiency virus (HIV) disease
- activated phosphoinositide 3-kinase delta syndrome [APDS] D81.82
- acute abdominal R10.0
- acute respiratory distress (adult) (child) J80
- - idiopathic J84.114
- Adair-Dighton Q78.0
- Adams-Stokes (-Morgagni) I45.9
- adiposogenital E23.6
- adrenal
- - hemorrhage (meningococcal) A39.1
- - meningococcic A39.1
- adrenocortical *-see* Cushing's, syndrome
- adrenogenital E25.9
- - congenital, associated with enzyme deficiency E25.0

- afferent loop NEC K91.89
- Aicardi-Goutières E79.81
- Alagille (-Watson) Q44.71
- alcohol withdrawal (without convulsions) -*see* Dependence, alcohol, with, withdrawal
- Alder's D72.0
- Aldrich (-Wiskott) D82.0
- alien hand R41.4
- Alport Q87.81
- alveolar hypoventilation E66.2
- alveolocapillary block J84.10
- amnesic, amnestic (confabulatory) (due to) -*see* Disorder, amnesic
- amyostatic (Wilson's disease) E83.01
- androgen insensitivity E34.50
- - complete E34.51
- - partial E34.52
- androgen resistance -*see also* Syndrome, androgen insensitivity E34.50
- Angelman Q93.51
- anginal -*see* Angina
- ankyloglossia superior Q38.1
- anterior
- - chest wall R07.89
- - cord G83.82
- - spinal artery G95.19
- - - compression M47.019
- - - - cervical region M47.012
- - - - cervicothoracic region M47.013
- - - - lumbar region M47.016
- - - - occipito-atlanto-axial region M47.011
- - - - thoracic region M47.014
- - - - thoracolumbar region M47.015
- - tibial M76.81-
- antibody deficiency D80.9
- - agammaglobulinemic D80.1
- - - hereditary D80.0
- - congenital D80.0
- - hypogammaglobulinemic D80.1
- - - hereditary D80.0
- anticardiolipin (-antibody) D68.61
- antidepressant discontinuation T43.205
- antiphospholipid (-antibody) D68.61
- aortic
- - arch M31.4
- - bifurcation I74.09
- aortomesenteric duodenum occlusion K31.5
- apical ballooning (transient left ventricular) I51.81
- arcuate ligament I77.4
- argentaffin, argintaffinoma E34.09
- Arnold-Chiari -*see* Arnold-Chiari disease
- Arrillaga-Ayerza I27.0
- arterial tortuosity Q87.82
- arteriovenous steal T82.898-
- Asherman's N85.6
- aspiration, of newborn -*see* Aspiration, by substance, with pneumonia
- - meconium P24.01
- ataxia-telangiectasia G11.3
- auriculotemporal G50.8
- autoerythrocyte sensitization (Gardner-Diamond) D69.2
- autoimmune polyglandular E31.0
- autoimmune lymphoproliferative [ALPS] D89.82
- autoinflammatory M04.9

- - specified type NEC M04.8
- autosomal -*see* Abnormal, autosomes
- Avellis' G46.8
- Axenfeld-Rieger Q13.81
- Ayerza (-Arrillaga) I27.0
- Babinski-Nageotte G83.89
- Bakwin-Krida Q78.5
- Bardet-Biedl Q87.83
- bare lymphocyte D81.6
- Barré-Guillain G61.0
- Barré-Liéou M53.0
- Barrett's -*see* Barrett's, esophagus
- Barsony-Polgar K22.4
- Barsony-Teschendorf K22.4
- Barth E78.71
- Bartter's E26.81
- basal cell nevus Q87.89
- Basedow's E05.00
- - with thyroid storm E05.01
- basilar artery G45.0
- Batten-Steinert G71.11
- battered
- - baby or child -*see* Maltreatment, child, physical abuse
- - spouse -*see* Maltreatment, adult, physical abuse
- Beals Q87.40
- Beau's I51.5
- Beck's I65.8
- Benedikt's G46.3
- Béquez César (-Steinbrinck-Chédiak-Higashi) E70.330
- Bernhardt-Roth -*see* Meralgia paresthetica
- Bernheim's -*see* Failure, heart, right
- big spleen D73.1
- bilateral polycystic ovarian E28.2
- Bing-Horton's -*see* Horton's headache
- Birt-Hogg-Dube syndrome Q87.89
- Björck (-Thorsen) E34.09
- black
- - lung J60
- - widow spider bite -*see* Toxicity, venom, spider, black widow
- Blackfan-Diamond D61.01
- Blau M04.8
- blind loop K90.2
- - congenital Q43.8
- - postsurgical K91.2
- blue sclera Q78.0
- blue toe I75.02-
- Boder-Sedgewick G11.3
- Boerhaave's K22.3
- Borjeson Forssman Lehmann Q89.8
- Bouillaud's I01.9
- Bourneville (-Pringle) Q85.1
- Bouveret (-Hoffman) I47.9
- brachial plexus G54.0
- bradycardia-tachycardia I49.5
- brain (nonpsychotic) F09
- - with psychosis, psychotic reaction F09
- - acute or subacute -*see* Delirium
- - congenital -*see* Disability, intellectual
- - organic F09
- - - post-traumatic (nonpsychotic) F07.81

- - - - psychotic F09
- - personality change F07.0
- - postcontusional F07.81
- - post-traumatic, nonpsychotic F07.81
- - psycho-organic F09
- - psychotic F06.8
- brain stem stroke G46.3
- Brandt's (acrodermatitis enteropathica) E83.2
- broad ligament laceration N83.8
- Brock's J98.11
- bronchiolitis obliterans *-see also* Bronchiolitis, obliterative J44.81
- bronze baby P83.88
- Brown-Sequard G83.81
- Brugada I49.8
- bubbly lung P27.0
- Buchem's M85.2
- Budd-Chiari I82.0
- bulbar (progressive) G12.22
- Bürger-Grütz E78.3
- Burke's K86.89
- Burnett's (milk-alkali) E83.52
- burning feet E53.9
- Bywaters' T79.5
- Call-Fleming I67.841
- carbohydrate-deficient glycoprotein (CDGS) E77.8
- carcinogenic thrombophlebitis I82.1
- carcinoid E34.00
- - heart E34.01
- - specified NEC E34.09
- cardiac asthma I50.1
- cardiacos negros I27.0
- cardiofaciocutaneous Q87.89
- cardiopulmonary-obesity E66.2
- cardiorenal *-see* Hypertension, cardiorenal
- cardiorespiratory distress (idiopathic), newborn P22.0
- cardiovascular renal *-see* Hypertension, cardiorenal
- carotid
- - artery (hemispheric) (internal) G45.1
- - body G90.01
- - sinus G90.01
- carpal tunnel G56.0-
- Cassidy (-Scholte) E34.09
- cat cry Q93.4
- cat eye Q92.8
- cauda equina G83.4
- causalgia *-see* Causalgia
- celiac K90.0
- - artery compression I77.4
- - axis I77.4
- central pain G89.0
- cerebellar
- - hereditary G11.9
- - stroke G46.4
- cerebellomedullary malformation *-see* Spina bifida
- cerebral
- - artery
- - - anterior G46.1
- - - middle G46.0
- - - posterior G46.2
- - gigantism E22.0

- cervical (root) M53.1
- - disc -*see* Disorder, disc, cervical, with neuritis
- - fusion Q76.1
- - posterior, sympathicus M53.0
- - rib Q76.5
- - sympathetic paralysis G90.2
- cervicobrachial (diffuse) M53.1
- cervicocranial M53.0
- cervicodorsal outlet G54.2
- cervicothoracic outlet -*see also* Syndrome, thoracic outlet G54.0
- Céstan (-Raymond) I65.8
- Charcot's (angina cruris) (intermittent claudication) I73.9
- Charcot-Weiss-Baker G90.09
- CHARGE Q89.8
- Chédiak-Higashi (-Steinbrinck) E70.330
- chest wall R07.1
- Chiari's (hepatic vein thrombosis) I82.0
- Chilaiditi's Q43.3
- child maltreatment -*see* Maltreatment, child
- chondrocostal junction M94.0
- chondroectodermal dysplasia Q77.6
- chromosome 4 short arm deletion Q93.3
- chromosome 5 short arm deletion Q93.4
- chronic
- - infantile neurological, cutaneous and articular (CINCA) M04.2
- - pain G89.4
- - - personality F68.8
- Churg-Strauss M30.1
- Clarke-Hadfield K86.89
- Clerambault's automatism G93.89
- Clouston's (hidrotic ectodermal dysplasia) Q82.4
- clumsiness, clumsy child F82
- cluster headache G44.009
- - intractable G44.001
- - not intractable G44.009
- Coffin-Lowry Q89.8
- cold injury (newborn) P80.0
- combined immunity deficiency D81.9
- compartment (deep) (posterior) (traumatic) T79.A0
- - abdomen T79.A3
- - lower extremity (hip, buttock, thigh, leg, foot, toes) T79.A2
- - nontraumatic
- - - abdomen M79.A3
- - - lower extremity (hip, buttock, thigh, leg, foot, toes) M79.A2-
- - - specified site NEC M79.A9
- - - upper extremity (shoulder, arm, forearm, wrist, hand, fingers) M79.A1-
- - postprocedural -*see* Syndrome, compartment, nontraumatic
- - specified site NEC T79.A9
- - upper extremity (shoulder, arm, forearm, wrist, hand, fingers) T79.A1
- complex regional pain -*see* Syndrome, pain, complex regional
- compression T79.5
- - anterior spinal -*see* Syndrome, anterior, spinal artery, compression
- - cauda equina G83.4
- - celiac artery I77.4
- - vertebral artery M47.029
- - - occipito-atlanto-axial region M47.021
- - - cervical region M47.022
- concussion F07.81
- congenital
- - affecting multiple systems NEC Q87.89

- - central alveolar hypoventilation G47.35
- - facial diplegia Q87.0
- - muscular hypertrophy-cerebral Q87.89
- - oculo-auriculovertebral Q87.0
- - oculofacial diplegia (Moebius) Q87.0
- - rubella (manifest) P35.0
- congestion-fibrosis (pelvic), female N94.89
- congestive dysmenorrhea N94.6
- Conn's E26.01
- connective tissue M35.9
- - overlap NEC M35.1
- conus medullaris G95.81
- cord
- - anterior G83.82
- - posterior G83.83
- coronary
- - acute NEC I24.9
- - insufficiency or intermediate I20.0
- - slow flow I20.89
- Costen's (complex) M26.69
- costochondral junction M94.0
- costoclavicular G54.0
- costovertebral E22.0
- Cowden
- - PTEN related Q85.81
- - specified NEC Q85.82
- craniovertebral M53.0
- Creutzfeldt-Jakob -*see* Creutzfeldt-Jakob disease or syndrome
- cri-du-chat Q93.4
- crib death R99
- cricopharyngeal -*see* Dysphagia
- croup J05.0
- CRPS I -*see* Syndrome, pain, complex regional I
- crush T79.5
- cubital tunnel -*see* Lesion, nerve, ulnar
- Curschmann (-Batten) (-Steinert) G71.11
- Cushing's E24.9
- - alcohol-induced E24.4
- - due to
- - - alcohol
- - - drugs E24.2
- - - ectopic ACTH E24.3
- - - overproduction of pituitary ACTH E24.0
- - drug-induced E24.2
- - overdose or wrong substance given or taken -*see* Table of Drugs and Chemicals, by drug, poisoning
- - pituitary-dependent E24.0
- - specified type NEC E24.8
- cryopyrin-associated periodic M04.2
- cryptophthalmos Q87.0
- cystic duct stump K91.5
- cytokine release D89.839
- - grade 1 D89.831
- - grade 2 D89.832
- - grade 3 D89.833
- - grade 4 D89.834
- - grade 5 D89.835
- Dana-Putnam D51.0
- Danbolt (-Cross) (acrodermatitis enteropathica) E83.2
- Dandy-Walker Q03.1
- - with spina bifida Q07.01

- Danlos' -*see also* Syndrome, Ehlers-Danlos Q79.60
- defibrination -*see also* Fibrinolysis
- - with
- - - antepartum hemorrhage -*see* Hemorrhage, antepartum, with coagulation defect
- - - intrapartum hemorrhage -*see* Hemorrhage, complicating, delivery
- - newborn P60
- - postpartum O72.3
- Degos' I77.89
- Déjérine-Roussy G89.0
- delayed sleep phase G47.21
- demyelinating G37.9
- dependence -*see* F10-F19 with fourth character .2
- depersonalization (-derealization) F48.1
- De Quervain E34.51
- de Toni-Fanconi (-Debré) E72.09
- - with cystinosis E72.04
- de Vivo syndrome E74.810
- diabetes mellitus-hypertension-nephrosis -*see* Diabetes, nephrosis
- diabetes mellitus in newborn infant P70.2
- diabetes-nephrosis -*see* Diabetes, nephrosis
- diabetic amyotrophy -*see* Diabetes, amyotrophy
- dialysis associated steal T82.898-
- Diamond-Blackfan D61.01
- Diamond-Gardener D69.2
- DIC (diffuse or disseminated intravascular coagulopathy) D65
- di George's D82.1
- Dighton's Q78.0
- disequilibrium E87.8
- Döhle body-panmyelopathic D72.0
- dorsolateral medullary G46.4
- double athetosis G80.3
- Down -*see also* Down syndrome Q90.9
- Dravet (intractable) G40.834
- - with status epilepticus G40.833
- - without status epilepticus G40.834
- Dresbach's (elliptocytosis) D58.1
- DRESS (drug rash with eosinophilia and systemic symptoms) D72.12
- Dressler's (postmyocardial infarction) I24.1
- - postcardiotomy I97.0
- drug rash with eosinophilia and systemic symptoms (DRESS) D72.12
- drug withdrawal, infant of dependent mother P96.1
- dry eye H04.12-
- due to abnormality
- - chromosomal Q99.9
- - - sex
- - - - female phenotype Q97.9
- - - - male phenotype Q98.9
- - - specified NEC Q99.8
- dumping (postgastrectomy) K91.1
- - nonsurgical K31.89
- Dupré's (meningism) R29.1
- dysmetabolic X E88.810
- dyspraxia, developmental F82
- Eagle-Barrett Q79.4
- Eaton-Lambert -*see* Syndrome, Lambert-Eaton
- Ebstein's Q22.5
- ectopic ACTH E24.3
- eczema-thrombocytopenia D82.0
- Eddowes' Q78.0
- effort (psychogenic) F45.8

- Eisenmenger's I27.83
- Ehlers-Danlos Q79.60
- - classical (cEDS) (classical EDS) Q79.61
- - hypermobile (hEDS) (hypermobile EDS) Q79.62
- - specified NEC Q79.69
- - vascular (vascular EDS) (vEDS) Q79.63
- Ekman's Q78.0
- electric feet E53.8
- Ellis-van Creveld Q77.6
- empty nest Z60.0
- endocrine-hypertensive E27.0
- entrapment -*see* Neuropathy, entrapment
- eosinophilia-myalgia M35.89
- epileptic -*see also* Epilepsy, by type
- - absence G40.A09
- - - intractable G40.A19
- - - - with status epilepticus G40.A11
- - - - without status epilepticus G40.A19
- - - not intractable G40.A09
- - - - with status epilepticus G40.A01
- - - - without status epilepticus G40.A09
- Erdheim-Chester (ECD) E88.89
- Erdheim's E22.0
- erythrocyte fragmentation D59.4
- Evans D69.41
- exhaustion F48.8
- extrapyramidal G25.9
- - specified NEC G25.89
- eye retraction -*see* Strabismus
- eyelid-malar-mandible Q87.0
- Faber's D50.9
- facet M47.89-
- facet joint -*see also* Spondylosis M47.819
- facial pain, paroxysmal G50.0
- Fallot's Q21.3
- familial cold autoinflammatory M04.2
- familial eczema-thrombocytopenia (Wiskott-Aldrich) D82.0
- Fanconi (-de Toni) (-Debré) E72.09
- - with cystinosis E72.04
- fatigue
- - chronic G93.32
- - postviral G93.31
- - psychogenic F48.8
- faulty bowel habit K59.39
- Feil-Klippel (brevicollis) Q76.1
- Felty's -*see* Felty's syndrome
- fertile eunuch E23.0
- fetal
- - alcohol (dysmorphic) Q86.0
- - hydantoin Q86.1
- Fiedler's I40.1
- first arch Q87.0
- fish odor E72.89
- Fisher's G61.0
- Fitzhugh-Curtis
- - due to
- - - Chlamydia trachomatis A74.81
- - - Neisseria gonorrhea (gonococcal peritonitis) A54.85
- Fitz's -*see also* Pancreatitis, acute K85.80
- Flajani (-Basedow) E05.00

- - with thyroid storm E05.01
- flatback -*see* Flatback syndrome
- floppy
- - baby P94.2
- - iris (intraoeprative) (IFIS) H21.81
- - mitral valve I34.1
- flush E34.09
- Foix-Alajouanine G95.19
- Fong's Q87.2
- food protein-induced enterocolitis (FPIES) K52.21
- foramen magnum G93.5
- Foster-Kennedy H47.14-
- Foville's (peduncular) G46.3
- fragile X Q99.2
- Franceschetti Q75.4
- Frey's
- - auriculotemporal G50.8
- - hyperhidrosis L74.52
- Friderichsen-Waterhouse A39.1
- Froin's G95.89
- frontal lobe F07.0
- Fukuhara E88.49
- functional
- - bowel K59.9
- - prepubertal castrate E29.1
- Gaisböck's D75.1
- ganglion (basal ganglia brain) G25.9
- - geniculi G51.1
- Gardner-Diamond D69.2
- gastroesophageal
- - junction K22.0
- - laceration-hemorrhage K22.6
- gastrojejunal loop obstruction K91.89
- Gee-Herter-Heubner K90.0
- Gelineau's G47.419
- - with cataplexy G47.411
- genito-anorectal A55
- Gerstmann-Sträussler-Scheinker (GSS) A81.82
- Gianotti-Crosti L44.4
- giant platelet (Bernard-Soulier) D69.1
- Gilles de la Tourette's F95.2
- Glass Q87.89
- Gleich's D72.118
- goiter-deafness E07.1
- Goldberg Q89.8
- Goldberg-Maxwell E34.51
- Good's D83.8
- Gopalan' (burning feet) E53.8
- Gorlin's Q87.89
- Gougerot-Blum L81.7
- Gouley's I31.1
- Gower's R55
- gray or grey (newborn) P93.0
- - platelet D69.1
- Gubler-Millard G46.3
- Guillain-Barré (-Strohl) G61.0
- gustatory sweating G50.8
- Hadfield-Clarke K86.89
- hair tourniquet -*see* Constriction, external, by site
- Hamman's J98.19

- hand-foot L27.1
- hand-shoulder G90.89
- hantavirus (cardio)-pulmonary (HPS) (HCPS) B33.4
- happy puppet Q93.51
- Harada's H30.81-
- Hayem-Faber D50.9
- headache NEC G44.89
- - complicated NEC G44.59
- Heberden's I20.89
- Hedinger's E34.01
- Hegglin's D72.0
- HELLP (hemolysis, elevated liver enzymes and low platelet count) O14.2-
- - complicating
- - - childbirth O14.24
- - - puerperium O14.25
- hemolytic-uremic D59.30
- - atypical D59.39
- - - genetic D59.32
- - - hereditary D59.32
- - - infection-associated D59.31
- - - secondary D59.39
- - - specified NEC D59.39
- - due to genetic disorder D59.32
- - familial D59.32
- - hereditary D59.32
- - infection-associated D59.31
- - secondary D59.39
- - Shiga toxin-producing E. coli [STEC] related D59.31
- - specified NEC D59.39
- - typical D59.31
- hemophagocytic, infection-associated D76.2
- Henoch-Schönlein D69.0
- hepatic flexure K59.89
- hepatopulmonary K76.81
- hepatorenal K76.7
- - following delivery O90.41
- - postoperative or postprocedural K91.83
- - postpartum, puerperal O90.41
- hepatourologic K76.7
- hereditary alpha tryptasemia D89.44
- Herter (-Gee) (nontropical sprue) K90.0
- Heubner-Herter K90.0
- Heyd's K76.7
- Hilger's G90.09
- histamine-like (fish poisoning) -*see* Poisoning, fish
- histiocytic D76.3
- histiocytosis NEC D76.3
- HIV infection, acute B20
- Hoffmann-Werdnig G12.0
- Hollander-Simons E88.1
- Hoppe-Goldflam G70.00
- - with exacerbation (acute) G70.01
- - in crisis G70.01
- Horner's G90.2
- hungry bone E83.81
- hunterian glossitis D51.0
- Hunt's (herpetic geniculate ganglionitis) (neuralgia) B02.21
- - dyssynergia cerebellaris myoclonica G11.19
- Hutchinson's triad A50.53
- hyperabduction G54.0

- hyperammonemia-hyperornithinemia-homocitrullinemia E72.4
- hypereosinophilic (HES) D72.119
- - idiopathic (IHES) D72.110
- - lymphocytic variant (LHES) D72.111
- - myeloid D72.118
- - specified NEC D72.118
- hyperimmunoglobulin D M04.1
- hyperimmunoglobulin E (IgE) D82.4
- hyperkalemic E87.5
- hyperkinetic -*see* Hyperkinesia
- hypermobility M35.7
- hypernatremia E87.0
- hyperosmolarity (see also, Diabetes, by type, with hyperosmolarity) E87.0
- hyperperfusion G97.82
- hypersplenic D73.1
- hypertransfusion, newborn P61.1
- hyperventilation F45.8
- hyperviscosity (of serum)
- - polycythemic D75.1
- - sclerothymic D58.8
- hypoglycemic (familial) (neonatal) E16.2
- hypokalemic E87.6
- hyponatremic E87.1
- hypopituitarism E23.0
- hypoplastic left-heart Q23.4
- hypopotassemia E87.6
- hyposmolality E87.1
- hypotension, maternal O26.5-
- hypothenar hammer I73.89
- hypoventilation, obesity (OHS) E66.2
- ICF (intravascular coagulation-fibrinolysis) D65
- idiopathic
- - cardiorespiratory distress, newborn P22.0
- - nephrotic (infantile) N04.9
- iliotibial band M76.3-
- immobility, immobilization (paraplegic) M62.3
- immune effector cell-associated neurotoxicity (ICANS) G92.00
- - grade
- - - 1 G92.01
- - - 2 G92.02
- - - 3 G92.03
- - - 4 G92.04
- - - 5 G92.05
- - - unspecified G92.00
- immune reconstitution D89.3
- immune reconstitution inflammatory [IRIS] D89.3
- immunity deficiency, combined D81.9
- immunodeficiency
- - acquired -*see* Human, immunodeficiency virus (HIV) disease
- - combined D81.9
- impending coronary I20.0
- impingement, shoulder M75.4-
- inappropriate secretion of antidiuretic hormone E22.2
- infant
- - of diabetic mother P70.1
- - gestational diabetes P70.0
- infantilism (pituitary) E23.0
- inferior vena cava I87.1
- inspissated bile (newborn) P59.1
- institutional (childhood) F94.2

- insufficient sleep F51.12
- insulin resistance
- - type A E88.811
- - type B E88.818
- intermediate coronary (artery) I20.0
- interspinous ligament -*see* Spondylopathy, specified NEC
- intestinal
- - carcinoid E34.09
- - knot K56.2
- intravascular coagulation-fibrinolysis (ICF) D65
- iodine-deficiency, congenital E00.9
- - type
- - - mixed E00.2
- - - myxedematous E00.1
- - - neurological E00.0
- IRDS (idiopathic respiratory distress, newborn) P22.0
- irritable
- - bowel K58.9
- - - with
- - - - constipation K58.1
- - - - diarrhea K58.0
- - - mixed K58.2
- - - psychogenic F45.8
- - - specified NEC K58.8
- - heart (psychogenic) F45.8
- - weakness F48.8
- ischemic
- - bowel (transient) K55.9
- - - chronic K55.1
- - - due to mesenteric artery insufficiency K55.1
- - steal T82.898
- IVC (intravascular coagulopathy) D65
- Ivemark's Q89.01
- Jaccoud's -*see* Arthropathy, postrheumatic, chronic
- Jackson's G83.89
- Jakob-Creutzfeldt -*see* Creutzfeldt-Jakob disease or syndrome
- jaw-winking Q07.8
- Jervell-Lange-Nielsen I45.81
- jet lag G47.25
- Job's D71
- Joseph-Diamond-Blackfan D61.01
- jugular foramen G52.7
- Kabuki Q89.8
- Kanner's (autism) F84.0
- Kartagener's Q89.3
- Kelly's D50.1
- Kimmelstiel-Wilson -*see* Diabetes, specified type, with Kimmelstiel-Wilson disease
- Kleefstra Q87.86
- Klein (e) -Levine G47.13
- Klippel-Feil (brevicollis) Q76.1
- Köhler-Pellegrini-Stieda -*see* Bursitis, tibial collateral
- König's K59.89
- Korsakoff (-Wernicke) (nonalcoholic) F04
- - alcoholic F10.26
- Kostmann's D70.0
- Krabbe's congenital muscle hypoplasia Q79.8
- labyrinthine -see subcategory H83.2
- lacunar NEC G46.7
- Lambert-Eaton G70.80
- - in

- - - neoplastic disease G73.1
- - - specified disease NEC G70.81
- Landau-Kleffner -*see* Epilepsy, specified NEC
- Larsen's Q74.8
- Lassueur Graham-Little Piccardi L66.19
- lateral
- - cutaneous nerve of thigh G57.1-
- - medullary G46.4
- Launois' E22.0
- Laurence-Moon Q87.84
- lazy
- - leukocyte D70.8
- - posture M62.3
- Lemierre I80.8
- Lennox-Gastaut G40.812
- - intractable G40.814
- - - with status epilepticus G40.813
- - - without status epilepticus G40.814
- - not intractable G40.812
- - - with status epilepticus G40.811
- - - without status epilepticus G40.812
- lenticular, progressive E83.01
- Leopold-Levi's E05.90
- Lev's I44.2
- Li-Fraumeni Z15.01
- Lichtheim's D51.0
- Lightwood's N25.89
- Lignac (de Toni) (-Fanconi) (-Debré) E72.09
- - with cystinosis E72.04
- Likoff's I20.89
- limbic epilepsy personality F07.0
- liver-kidney K76.7
- lobotomy F07.0
- Löffler's J82.89
- long arm 18 or 21 deletion Q93.89
- long QT I45.81
- Louis-Barré G11.3
- low
- - atmospheric pressure T70.29
- - back M54.50
- - output (cardiac) I50.9
- lower radicular, newborn (birth injury) P14.8
- Luetscher's (dehydration) E86.0
- Lupus anticoagulant D68.62
- Lutembacher's Q21.19
- macrophage activation D76.1
- - due to infection D76.2
- magnesium-deficiency R29.0
- Majeed M04.8
- Mal de Debarquement R42
- malabsorption K90.9
- - postsurgical K91.2
- malformation, congenital, due to
- - alcohol Q86.0
- - exogenous cause NEC Q86.8
- - hydantoin Q86.1
- - warfarin Q86.2
- malignant
- - carcinoid E34.00
- - neuroleptic G21.0

- Mallory-Weiss K22.6
- mandibulofacial dysostosis Q75.4
- manic-depressive -*see* Disorder, bipolar
- maple-syrup-urine E71.0
- Marable's I77.4
- Marfan Q87.40
- - with
- - - cardiovascular manifestations Q87.418
- - - - aortic dilation Q87.410
- - - ocular manifestations Q87.42
- - - skeletal manifestations Q87.43
- Marie's (acromegaly) E22.0
- mast cell activation -*see* Activation, mast cell
- maternal hypotension -*see* Syndrome, hypotension, maternal
- May (-Hegglin) D72.0
- McArdle (-Schmidt) (-Pearson) E74.04
- McQuarrie's E16.2
- meconium plug (newborn) P76.0
- MED13L (mediator complex subunit 13L) Q87.85
- median arcuate ligament I77.4
- mediator complex subunit 13L (MED13L) Q87.85
- Meekeren-Ehlers-Danlos Q79.6
- megavitamin-B6 E67.2
- Meige G24.4
- MELAS E88.41
- Mendelson's O74.0
- MERRF (myoclonic epilepsy associated with ragged-red fibers) E88.42
- mesenteric
- - artery (superior) K55.1
- - vascular insufficiency K55.1
- metabolic E88.810
- metastatic carcinoid E34.00
- micrognathia-glossoptosis Q87.0
- midbrain NEC G93.89
- middle lobe (lung) J98.19
- middle radicular G54.0
- migraine -*see also* Migraine G43.909-
- Mikulicz' K11.8
- milk-alkali E83.52
- Millard-Gubler G46.3
- Miller-Dieker Q93.88
- Miller-Fisher G61.0
- Minkowski-Chauffard D58.0
- Mirizzi's K83.1
- MNGIE (Mitochondrial Neurogastrointestinal Encephalopathy) E88.49
- Möbius, ophthalmoplegic migraine -*see* Migraine, ophthalmoplegic
- monofixation H50.42
- Morel-Moore M85.2
- Morel-Morgagni M85.2
- Morgagni (-Morel) (-Stewart) M85.2
- Morgagni-Adams-Stokes I45.9
- Muckle-Wells M04.2
- mucocutaneous lymph node (acute febrile) (MCLS) M30.3
- multiple endocrine neoplasia (MEN) -*see* Neoplasia, endocrine, multiple (MEN)
- multiple operations -*see* Disorder, factitious
- multisystem inflammatory (in adults) (in children) M35.81
- Mounier-Kuhn Q32.4
- - with bronchiectasis J47.9
- - - with
- - - - exacerbation (acute) J47.1

- - - - lower respiratory infection J47.0
- - acquired J98.09
- - - with bronchiectasis J47.9
- - - - with
- - - - - exacerbation (acute) J47.1
- - - - - lower respiratory infection J47.0
- myasthenic G70.9
- - in
- - - diabetes mellitus -*see* Diabetes, amyotrophy
- - - endocrine disease NEC E34.9 *[G73.3]*
- - - neoplastic disease -*see also* Neoplasm D49.9 *[G73.3]*
- - - thyrotoxicosis (hyperthyroidism) E05.90 *[G73.3]*
- - - - with thyroid storm E05.91 *[G73.3]*
- myelodysplastic D46.9
- - with
- - - 5q deletion D46.C
- - - isolated del (5q) chromosomal abnormality D46.C
- - - multilineage dysplasia D46.A
- - - - with ringed sideroblasts D46.B
- - lesions, low grade D46.20
- - specified NEC D46.Z
- myeloid hypereosinophilic D72.118
- myelopathic pain G89.0
- myeloproliferative (chronic) D47.1
- myofascial pain M79.18
- Naffziger's G54.0
- nail patella Q87.2
- NARP (Neuropathy, Ataxia and Retinitis pigmentosa) E88.49
- neonatal abstinence P96.1
- nephritic -*see also* Nephritis
- - with edema -*see* Nephrosis
- - acute N00.9
- - chronic N03.9
- - rapidly progressive N01.9
- nephrotic (congenital) -*see also* Nephrosis N04.9
- - with
- - - C3
- - - - glomerulonephritis N04.A
- - - - glomerulopathy N04.A
- - - - - with dense deposit disease N04.6
- - - dense deposit disease N04.6
- - - diffuse
- - - - crescentic glomerulonephritis N04.7
- - - - endocapillary proliferative glomerulonephritis N04.4
- - - - membranous glomerulonephritis N04.20
- - - - mesangial proliferative glomerulonephritis N04.3
- - - - mesangiocapillary glomerulonephritis N04.5
- - - focal and segmental glomerular lesions N04.1
- - - minor glomerular abnormality N04.0
- - - specified morphological changes NEC N04.8
- - diabetic -*see* Diabetes, nephrosis
- - specified type NEC with diffuse membranous glomerulonephritis N04.29
- neurologic neglect R41.4
- Nezelof's D81.4
- Nonne-Milroy-Meige Q82.0
- Nothnagel's vasomotor acroparesthesia I73.89
- obesity hypoventilation (OHS) E66.2
- obliterans
- - bronchiolitis -*see also* Bronchiolitis, obliterative J44.81
- oculomotor H51.9

- Ogilvie K59.81
- Oliver-McFarlane Q87.89
- ophthalmoplegia-cerebellar ataxia *-see* Strabismus, paralytic, third nerve
- oral allergy T78.1
- oral-facial-digital Q87.0
- organic
- - affective F06.30
- - amnesic (not alcohol- or drug-induced) F04
- - brain F09
- - depressive F06.31
- - hallucinosis F06.0
- - personality F07.0
- Ormond's N13.5
- oro-facial-digital Q87.0
- os trigonum Q68.8
- Osler-Weber-Rendu I78.0
- osteoporosis-osteomalacia M83.8
- Osterreicher-Turner Q87.2
- otolith -see subcategory H81.8
- oto-palatal-digital Q87.0
- outlet (thoracic) *-see also* Syndrome, thoracic outlet G54.0
- ovary
- - polycystic E28.2
- - resistant E28.39
- - sclerocystic E28.2
- Owren's D68.2
- Paget-Schroetter I82.890
- pain *-see also* Pain
- - complex regional I G90.50
- - - lower limb G90.52-
- - - specified site NEC G90.59
- - - upper limb G90.51-
- - complex regional II *-see* Causalgia
- painful
- - bruising D69.2
- - feet E53.8
- - prostate N42.81
- paralysis agitans *-see* Parkinsonism
- paralytic G83.9
- - specified NEC G83.89
- Parinaud's H51.0
- parkinsonian *-see* Parkinsonism
- Parkinson's *-see* Parkinsonism
- paroxysmal facial pain G50.0
- Parry's E05.00
- - with thyroid storm E05.01
- Parsonage (-Aldren) -Turner G54.5
- patella clunk M25.86-
- Paterson (-Brown) (-Kelly) D50.1
- pectoral girdle I77.89
- pectoralis minor I77.89
- pediatric autoimmune neuropsychiatric disorders associated with streptococcal infections (PANDAS) D89.89
- pediatric inflammatory multisystem M35.81
- Pelger-Huet D72.0
- pellagra-cerebellar ataxia-renal aminoaciduria E72.02
- pellagroid E52
- Pellegrini-Stieda *-see* Bursitis, tibial collateral
- pelvic congestion-fibrosis, female N94.89
- penta X Q97.1
- peptic ulcer *-see* Ulcer, peptic

- perabduction I77.89
- periodic fever M04.1
- periodic fever, aphthous stomatitis, pharyngitis, and adenopathy [PFAPA] M04.8
- periodic headache, in adults and children *-see* Headache, periodic syndromes in adults and children
- periurethral fibrosis N13.5
- Peutz-Jeghers Q85.89
- phantom limb (without pain) G54.7
- - with pain G54.6
- pharyngeal pouch D82.1
- Phelan-McDermid Q93.52
- Pick's *-see* Disease, Pick's
- Pickwickian E66.2
- PIE (pulmonary infiltration with eosinophilia) *-see also* Eosinophilia, pulmonary J82.89
- pigmentary pallidal degeneration (progressive) G23.0
- pineal E34.8
- pituitary E22.0
- plantar fascia M72.2
- placental transfusion *-see* Pregnancy, complicated by, placental transfusion syndromes
- plateau iris (post-iridectomy) (postprocedural) H21.82
- Plummer-Vinson D50.1
- pluricarential of infancy E40
- plurideficiency E40
- pluriglandular (compensatory) E31.8
- - autoimmune E31.0
- pneumatic hammer T75.21
- polyangiitis overlap M30.8
- polycarential of infancy E40
- polyglandular E31.8
- - autoimmune E31.0
- polysplenia Q89.09
- pontine NEC G93.89
- popliteal
- - artery entrapment I77.89
- - web Q87.89
- postbacterial fatigue G93.39
- postcardiac injury
- - postcardiotomy I97.0
- - postmyocardial infarction I24.1
- postcardiotomy I97.0
- post chemoembolization - code to associated conditions
- postcholecystectomy K91.5
- postcommissurotomy I97.0
- postconcussional F07.81
- postcontusional F07.81
- post-COVID (-19) U09.9
- postencephalitic F07.89
- post endometrial ablation N99.85
- posterior
- - cervical sympathetic M53.0
- - cord G83.83
- - fossa compression G93.5
- - reversible encephalopathy (PRES) I67.83
- postgastrectomy (dumping) K91.1
- postgastric surgery K91.1
- postinfarction I24.1
- postinfectious fatigue G93.39
- postlaminectomy NEC M96.1
- postleukotomy F07.0
- postmastectomy lymphedema I97.2
- postmyocardial infarction I24.1

- postoperative NEC T81.9
- - blind loop K90.2
- postpartum panhypopituitary (Sheehan) E23.0
- postpolio (myelitic) G14
- postthrombotic I87.009
- - with
- - - inflammation I87.02-
- - - - with ulcer I87.03-
- - - specified complication NEC I87.09-
- - - ulcer I87.01-
- - - - with inflammation I87.03-
- - asymptomatic I87.00-
- postural
- - orthostatic tachycardia [POTS] G90.A
- - tachycardia G90.A
- postvagotomy K91.1
- postvalvulotomy I97.0
- postviral NEC G93.31
- - fatigue G93.31
- Potain's K31.0
- potassium intoxication E87.5
- Prader-Willi Q87.11
- Prader-Willi-like Q87.19
- precerebral artery (multiple) (bilateral) G45.2
- preinfarction I20.0
- preleukemic D46.9
- premature senility E34.8
- premenstrual dysphoric F32.81
- premenstrual tension N94.3
- Prinzmetal-Massumi R07.1
- prune belly Q79.4
- pseudocarpal tunnel (sublimis) -*see* Syndrome, carpal tunnel
- pseudoparalytica G70.00
- - with exacerbation (acute) G70.01
- - in crisis G70.01
- pseudo -Turner's Q87.19
- psycho-organic (nonpsychotic severity) F07.9
- - acute or subacute F05
- - depressive type F06.31
- - hallucinatory type F06.0
- - nonpsychotic severity F07.0
- - specified NEC F07.89
- PTEN (hamartoma) tumor Q85.81
- pulmonary
- - arteriosclerosis I27.0
- - dysmaturity (Wilson-Mikity) P27.0
- - hypoperfusion (idiopathic) P22.0
- - renal (hemorrhagic) (Goodpasture's) M31.0
- pure
- - motor lacunar G46.5
- - sensory lacunar G46.6
- Putnam-Dana D51.0
- pyogenic arthritis, pyoderma gangrenosum, and acne [PAPA] M04.8
- pyramidopallidonigral G20.C
- pyriformis -*see* Lesion, nerve, sciatic
- QT interval prolongation I45.81
- radicular NEC -*see* Radiculopathy
- - upper limbs, newborn (birth injury) P14.3
- rapid time-zone change G47.25
- Rasmussen G04.81

- Raymond (-Céstan) I65.8
- Raynaud's I73.00
- - with gangrene I73.01
- RDS (respiratory distress syndrome, newborn) P22.0
- reactive airways dysfunction J68.3
- Refsum's G60.1
- Reifenstein E34.52
- renal glomerulohyalinosis-diabetic -*see* Diabetes, nephrosis
- Rendu-Osler-Weber I78.0
- residual ovary N99.83
- resistant ovary E28.39
- respiratory
- - distress
- - - acute J80
- - - - adult J80
- - - - child J80
- - - - idiopathic J84.114
- - - newborn (idiopathic) (type I) P22.0
- - - - type II P22.1
- restless legs G25.81
- restrictive allograft J4A.0
- retinoblastoma (familial) C69.2
- retroperitoneal fibrosis K68.2
- retroviral seroconversion (acute) Z21
- Reye's G93.7
- Richter -*see* Leukemia, chronic lymphocytic, B-cell type
- Ridley's I50.1
- right
- - heart, hypoplastic Q22.6
- - ventricular obstruction -*see* Failure, heart, right
- Romano-Ward (prolonged QT interval) I45.81
- rotator cuff, shoulder -*see also* Tear, rotator cuff M75.10-
- Rotes Quérol -*see* Hyperostosis, ankylosing
- Roth -*see* Meralgia paresthetica
- rubella (congenital) P35.0
- Ruvalcaba-Myhre-Smith E71.440
- Rytand-Lipsitch I44.2
- salt
- - depletion E87.1
- - - due to heat NEC T67.8
- - - - causing heat exhaustion or prostration T67.4
- - low E87.1
- salt-losing N28.89
- SATB2-associated Q87.89
- Scaglietti-Dagnini E22.0
- scalenus anticus (anterior) G54.0
- scapulocostal -*see* Mononeuropathy, upper limb, specified site NEC
- scapuloperoneal G71.09
- schizophrenic, of childhood NEC F20.9
- Schnitzler D47.2
- Scholte's E34.09
- Schroeder's E27.0
- Schüller-Christian C96.5
- Schwachman (-Diamond) D61.02
- Schwartz (-Jampel) G71.13
- Schwartz-Bartter E22.2
- scimitar Q26.8
- sclerocystic ovary E28.2
- Seitelberger's G31.89
- septicemic adrenal hemorrhage A39.1

- seroconversion, retroviral (acute) Z21
- serotonin G90.81
- serous meningitis G93.2
- severe acute respiratory (SARS) J12.81
- - coronavirus 2 -*see also* COVID-19 U07.1
- - - pneumonia J12.82
- shaken infant T74.4
- shock (traumatic) T79.4
- - kidney N17.0
- - - following crush injury T79.5
- - toxic A48.3
- shock-lung J80
- Shone's - code to specific anomalies
- short
- - bowel K90.829
- - - with
- - - - colon in continuity K90.821
- - - - ileocolonic anastomosis K90.821
- - - without colon in continuity K90.822
- - gut -*see* Syndrome, short, bowel
- - rib Q77.2
- shoulder-hand -*see* Algoneurodystrophy
- Shwachman (-Diamond) D61.02
- sicca -*see* Syndrome, Sjögren
- sick
- - cell E87.1
- - sinus I49.5
- sick-euthyroid E07.81
- sideropenic D50.1
- Siemens' ectodermal dysplasia Q82.4
- Silfversköld's Q78.9
- Simons' E88.1
- sinus tarsi M25.57-
- sinusitis-bronchiectasis-situs inversus Q89.3
- Sipple's E31.22
- sirenomelia Q87.2
- Sjögren M35.00
- - with
- - - central nervous system involvement M35.07
- - - dental involvement M35.0C
- - - gastrointestinal involvement M35.08
- - - glomerular disease M35.0A
- - - inflammatory arthritis M35.05
- - - keratoconjunctivitis M35.01
- - - lung involvement M35.02
- - - myopathy M35.03
- - - peripheral nervous system involvement M35.06
- - - renal tubular acidosis M35.04
- - - specified organ involvement, NEC M35.09
- - - tubulo-interstitial nephropathy M35.04
- - - vasculitis M35.0B
- Slocumb's E27.0
- slow flow, coronary I20.89
- Sluder's G44.89
- Smith-Magenis Q93.88
- Sneddon-Wilkinson L13.1
- Snyder-Robinson Q87.89
- Soto's Q87.3
- South African cardiomyopathy I42.8
- spasmodic

- - upward movement, eyes H51.8
- - winking F95.8
- Spen's I45.9
- splenic
- - agenesis Q89.01
- - flexure K59.89
- - neutropenia D73.81
- Spurway's Q78.0
- staphylococcal scalded skin L00
- steal
- - arteriovenous T82.898-
- - ischemic T82.898-
- - subclavian G45.8
- Stein-Leventhal E28.2
- Stein's E28.2
- Stevens-Johnson syndrome L51.1
- - toxic epidermal necrolysis overlap L51.3
- Stewart-Morel M85.2
- Stickler Q89.8
- stiff baby Q89.8
- stiff man G25.82
- Still-Felty *-see* Felty's syndrome
- Stokes (-Adams) I45.9
- stone heart I50.1
- straight back, congenital Q76.49
- Sturge-Weber (-Dimitri) Q85.89
- subclavian steal G45.8
- subcoracoid-pectoralis minor G54.0
- subcostal nerve compression I77.89
- subphrenic interposition Q43.3
- superior
- - cerebellar artery I63.89
- - mesenteric artery K55.1
- - semi-circular canal dehiscence H83.8X-
- - vena cava I87.1
- supine hypotensive (maternal) *-see* Syndrome, hypotension, maternal
- suprarenal cortical E27.0
- supraspinatus *-see also* Tear, rotator cuff M75.10-
- Susac G93.49
- swallowed blood P78.2
- sweat retention L74.0
- Swyer Q99.1
- Symond's G93.2
- sympathetic
- - cervical paralysis G90.2
- - pelvic, female N94.89
- systemic inflammatory response (SIRS), of non-infectious origin (without organ dysfunction) R65.10
- - with acute organ dysfunction R65.11
- tachycardia-bradycardia I49.5
- takotsubo I51.81
- TAR (thrombocytopenia with absent radius) Q87.2
- tarsal tunnel G57.5-
- teething K00.7
- tegmental G93.89
- telangiectasic-pigmentation-cataract Q82.8
- temporal pyramidal apex *-see* Otitis, media, suppurative, acute
- temporomandibular joint-pain-dysfunction M26.62-
- Terry's *-see also* Myopia, degenerative H44.2-
- testicular feminization *-see also* Syndrome, androgen insensitivity E34.51
- thalamic pain (hyperesthetic) G89.0

- thoracic outlet (compression) G54.0
- - arterial I77.89
- - neurogenic G54.0
- - venous I87.1
- Thorson-Björck E34.09
- thrombocytopenia with absent radius (TAR) Q87.2
- thrombosis with thrombocytopenia D75.84
- thyroid-adrenocortical insufficiency E31.0
- tibial
- - anterior M76.81-
- - posterior M76.82-
- Tietze's M94.0
- time-zone (rapid) G47.25
- Toni-Fanconi E72.09
- - with cystinosis E72.04
- Touraine's Q79.8
- tourniquet *-see* Constriction, external, by site
- toxic shock A48.3
- transient left ventricular apical ballooning I51.81
- traumatic vasospastic T75.22
- Treacher Collins Q75.4
- triple X, female Q97.0
- trisomy Q92.9
- - 13 Q91.7
- - - meiotic nondisjunction Q91.4
- - - mitotic nondisjunction Q91.5
- - - mosaicism Q91.5
- - - translocation Q91.6
- - 18 Q91.3
- - - meiotic nondisjunction Q91.0
- - - mitotic nondisjunction Q91.1
- - - mosaicism Q91.1
- - - translocation Q91.2
- - 20 (q)(p) Q92.8
- - 21 Q90.9
- - - meiotic nondisjunction Q90.0
- - - mitotic nondisjunction Q90.1
- - - mosaicism Q90.1
- - - translocation Q90.2
- - 22 Q92.8
- tropical wet feet T69.0-
- Trousseau's I82.1
- tumor lysis (following antineoplastic chemotherapy) (spontaneous) NEC E88.3
- tumor necrosis factor receptor associated periodic (TRAPS) M04.1
- Twiddler's (due to)
- - automatic implantable defibrillator T82.198
- - cardiac pacemaker T82.198
- Unverricht (-Lundborg) *-see* Epilepsy, generalized, idiopathic
- upward gaze H51.8
- uremia, chronic *-see also* Disease, kidney, chronic N18.9
- urethral N34.3
- urethro-oculo-articular *-see* Reiter's disease
- urohepatic K76.7
- vago-hypoglossal G52.7
- vascular NEC in cerebrovascular disease G46.8
- vasoconstriction, reversible cerebrovascular I67.841
- vasomotor I73.9
- vasospastic (traumatic) T75.22
- vasovagal R55
- van Buchem's M85.2

- van der Hoeve's Q78.0
- VATER Q87.2
- velo-cardio-facial Q93.81
- vena cava (inferior) (superior) (obstruction) I87.1
- vertebral
- - artery G45.0
- - - compression -*see* Syndrome, anterior, spinal artery, compression
- - steal G45.0
- vertebro-basilar artery G45.0
- vertebrogenic (pain) -*see also* Pain, vertebrogenic M54.89
- vertiginous -*see* Disorder, vestibular function
- Vinson-Plummer D50.1
- virus B34.9
- visceral larva migrans B83.0
- visual disorientation H53.8
- vitamin B6 deficiency E53.1
- vitreal corneal H59.01-
- vitreous (touch) H59.01-
- Vogt-Koyanagi H20.82-
- Volkmann's T79.6
- von Hippel-Lindau Q85.83
- von Schroetter's I82.890
- von Willebrand (-Jürgen) -*see* Disease, von Willebrand
- - acquired -*see also* Disease, von Willebrand D68.04
- Waldenström-Kjellberg D50.1
- Wallenberg's G46.3
- wasting (syndrome) due to underlying condition E88.A
- water retention E87.79
- Waterhouse (-Friderichsen) A39.1
- Weber-Gubler G46.3
- Weber-Leyden G46.3
- Weber's G46.3
- Wegener's M31.30
- - with
- - - kidney involvement M31.31
- - - lung involvement M31.30
- - - - with kidney involvement M31.31
- Weingarten's (tropical eosinophilia) J82.89
- Weiss-Baker G90.09
- Werdnig-Hoffman G12.0
- Wermer's E31.21
- Werner's E34.8
- Wernicke-Korsakoff (nonalcoholic) F04
- - alcoholic F10.26
- West's -*see* Epilepsy, spasms
- Westphal-Strümpell E83.01
- wet
- - feet (maceration) (tropical) T69.0-
- - lung, newborn P22.1
- whiplash S13.4
- whistling face Q87.0
- Wilkie's K55.1
- Wilkinson-Sneddon L13.1
- Williams Q93.82
- Willebrand (-Jürgens) -*see* Disease, von Willebrand
- Wilson's (hepatolenticular degeneration) E83.01
- Wiskott-Aldrich D82.0
- withdrawal -*see* Withdrawal, state
- - drug
- - - infant of dependent mother P96.1

- - - therapeutic use, newborn P96.2
- Woakes' (ethmoiditis) J33.1
- Wright's (hyperabduction) G54.0
- X I20.9
- XXXX Q97.1
- XXXXX Q97.1
- XXXXY Q98.1
- XXY Q98.0
- Yao M04.8
- yellow nail L60.5
- Zahorsky's B08.5
- Zellweger syndrome E71.510
- Zellweger-like syndrome E71.541

Synechia (anterior) (iris) (posterior) (pupil) -*see also* Adhesions, iris
- intra-uterine (traumatic) N85.6

Synesthesia R20.8

Syngamiasis, syngamosis B83.3

Synodontia K00.2

Synorchidism, synorchism Q55.1

Synostosis (congenital) Q78.8
- astragalo-scaphoid Q74.2
- radioulnar Q74.0

Synovial sarcoma -*see* Neoplasm, connective tissue, malignant

Synovioma (malignant) -*see also* Neoplasm, connective tissue, malignant
- benign -*see* Neoplasm, connective tissue, benign

Synoviosarcoma -*see* Neoplasm, connective tissue, malignant

Synovitis -*see also* Tenosynovitis M65.90
- ankle and foot M65.97-
- arm, upper M65.92-
- crepitant
- - hand M70.0-
- - wrist M70.03-
- forearm M65.93-
- gonococcal A54.49
- gouty -*see* Gout
- hand M65.94-
- in (due to)
- - crystals M65.8-
- - gonorrhea A54.49
- - syphilis (late) A52.78
- - use, overuse, pressure -*see* Disorder, soft tissue, due to use
- infective NEC -*see* Tenosynovitis, infective NEC
- leg, lower M65.96-
- multiple sites, unspecified type M65.99
- shoulder M65.91-
- specified NEC -*see* Tenosynovitis, specified type NEC
- specified site, unspecified type M65.98
- syphilitic A52.78
- - congenital (early) A50.02
- thigh M65.95-
- toxic -*see* Synovitis, transient
- transient M67.3-
- - ankle M67.37-
- - elbow M67.32-
- - foot joint M67.37-
- - hand joint M67.34-
- - hip M67.35-
- - knee M67.36-
- - multiple site M67.39
- - pelvic region M67.35-

- - shoulder M67.31-
- - specified joint NEC M67.38
- - wrist M67.33-
- traumatic, current -*see* Sprain
- tuberculous -*see* Tuberculosis, synovitis
- villonodular (pigmented) M12.2-
- - ankle M12.27-
- - elbow M12.22-
- - foot joint M12.27-
- - hand joint M12.24-
- - hip M12.25-
- - knee M12.26-
- - multiple site M12.29
- - pelvic region M12.25-
- - shoulder M12.21-
- - specified joint NEC M12.28
- - vertebrae M12.28
- - wrist M12.23-

Syphilid A51.39
- congenital A50.06
- newborn A50.06
- tubercular (late) A52.79

Syphilis, syphilitic (acquired) A53.9
- abdomen (late) A52.79
- acoustic nerve A52.15
- adenopathy (secondary) A51.49
- adrenal (gland) (with cortical hypofunction) A52.79
- age under 2 years NOS -*see also* Syphilis, congenital, early
- - acquired A51.9
- alopecia (secondary) A51.32
- anemia (late) A52.79 *[D63.8]*
- aneurysm (aorta) (ruptured) A52.01
- - central nervous system A52.05
- - congenital A50.54 *[I79.0]*
- anus (late) A52.74
- - primary A51.1
- - secondary A51.39
- aorta (arch) (abdominal) (thoracic) A52.02
- - aneurysm A52.01
- aortic (insufficiency) (regurgitation) (stenosis) A52.03
- - aneurysm A52.01
- arachnoid (adhesive) (cerebral) (spinal) A52.13
- asymptomatic -*see* Syphilis, latent
- ataxia (locomotor) A52.11
- atrophoderma maculatum A51.39
- auricular fibrillation A52.06
- bladder (late) A52.76
- bone A52.77
- - secondary A51.46
- brain A52.17
- breast (late) A52.79
- bronchus (late) A52.72
- bubo (primary) A51.0
- bulbar palsy A52.19
- bursa (late) A52.78
- cardiac decompensation A52.06
- cardiovascular A52.00
- central nervous system (late) (recurrent) (relapse) (tertiary) A52.3
- - with
- - - ataxia A52.11

- - - general paralysis A52.17
- - - - juvenile A50.45
- - - paresis (general) A52.17
- - - - juvenile A50.45
- - - tabes (dorsalis) A52.11
- - - - juvenile A50.45
- - - taboparesis A52.17
- - - - juvenile A50.45
- - aneurysm A52.05
- - congenital A50.40
- - juvenile A50.40
- - remission in (sustained) A52.3
- - serology doubtful, negative, or positive A52.3
- - specified nature or site NEC A52.19
- - vascular A52.05
- cerebral A52.17
- - meningovascular A52.13
- - nerves (multiple palsies) A52.15
- - sclerosis A52.17
- - thrombosis A52.05
- cerebrospinal (tabetic type) A52.12
- cerebrovascular A52.05
- cervix (late) A52.76
- chancre (multiple) A51.0
- - extragenital A51.2
- - Rollet's A51.0
- Charcot's joint A52.16
- chorioretinitis A51.43
- - congenital A50.01
- - late A52.71
- - prenatal A50.01
- choroiditis -*see* Syphilitic chorioretinitis
- choroidoretinitis -*see* Syphilitic chorioretinitis
- ciliary body (secondary) A51.43
- - late A52.71
- colon (late) A52.74
- combined spinal sclerosis A52.11
- condyloma (latum) A51.31
- congenital A50.9
- - with
- - - paresis (general) A50.45
- - - tabes (dorsalis) A50.45
- - - taboparesis A50.45
- - chorioretinitis, choroiditis A50.01 *[H32]*
- - early, or less than 2 years after birth NEC A50.2
- - - with manifestations -*see* Syphilis, congenital, early, symptomatic
- - - latent (without manifestations) A50.1
- - - - negative spinal fluid test A50.1
- - - - serology positive A50.1
- - - symptomatic A50.09
- - - - cutaneous A50.06
- - - - mucocutaneous A50.07
- - - - oculopathy A50.01
- - - - osteochondropathy A50.02
- - - - pharyngitis A50.03
- - - - pneumonia A50.04
- - - - rhinitis A50.05
- - - - visceral A50.08
- - interstitial keratitis A50.31
- - juvenile neurosyphilis A50.45

- - late, or 2 years or more after birth NEC A50.7
- - - chorioretinitis, choroiditis A50.32
- - - interstitial keratitis A50.31
- - - juvenile neurosyphilis A50.45
- - - latent (without manifestations) A50.6
- - - - negative spinal fluid test A50.6
- - - - serology positive A50.6
- - - symptomatic or with manifestations NEC A50.59
- - - - arthropathy A50.55
- - - - cardiovascular A50.54
- - - - Clutton's joints A50.51
- - - - Hutchinson's teeth A50.52
- - - - Hutchinson's triad A50.53
- - - - osteochondropathy A50.56
- - - - saddle nose A50.57
- conjugal A53.9
- - tabes A52.11
- conjunctiva (late) A52.71
- contact Z20.2
- cord bladder A52.19
- cornea, late A52.71
- coronary (artery) (sclerosis) A52.06
- coryza, congenital A50.05
- cranial nerve A52.15
- - multiple palsies A52.15
- cutaneous -*see* Syphilis, skin
- dacryocystitis (late) A52.71
- degeneration, spinal cord A52.12
- dementia paralytica A52.17
- - juvenilis A50.45
- destruction of bone A52.77
- dilatation, aorta A52.01
- due to blood transfusion A53.9
- dura mater A52.13
- ear A52.79
- - inner A52.79
- - - nerve (eighth) A52.15
- - - neurorecurrence A52.15
- early A51.9
- - cardiovascular A52.00
- - central nervous system A52.3
- - latent (without manifestations) (less than 2 years after infection) A51.5
- - - negative spinal fluid test A51.5
- - - serological relapse after treatment A51.5
- - - serology positive A51.5
- - relapse (treated, untreated) A51.9
- - skin A51.39
- - symptomatic A51.9
- - - extragenital chancre A51.2
- - - primary, except extragenital chancre A51.0
- - - secondary -*see also* Syphilis, secondary A51.39
- - - - relapse (treated, untreated) A51.49
- - ulcer A51.39
- eighth nerve (neuritis) A52.15
- endemic A65
- endocarditis A52.03
- - aortic A52.03
- - pulmonary A52.03
- epididymis (late) A52.76
- epiglottis (late) A52.73

- epiphysitis (congenital) (early) A50.02
- episcleritis (late) A52.71
- esophagus A52.79
- eustachian tube A52.73
- exposure to Z20.2
- eye A52.71
- eyelid (late) (with gumma) A52.71
- fallopian tube (late) A52.76
- fracture A52.77
- gallbladder (late) A52.74
- gastric (polyposis) (late) A52.74
- general A53.9
- - paralysis A52.17
- - - juvenile A50.45
- genital (primary) A51.0
- glaucoma A52.71
- gumma NEC A52.79
- - cardiovascular system A52.00
- - central nervous system A52.3
- - congenital A50.59
- heart (block) (decompensation) (disease) (failure) A52.06 *[I52]*
- - valve NEC A52.03
- hemianesthesia A52.19
- hemianopsia A52.71
- hemiparesis A52.17
- hemiplegia A52.17
- hepatic artery A52.09
- hepatis A52.74
- hepatomegaly, congenital A50.08
- hereditaria tarda -*see* Syphilis, congenital, late
- hereditary -*see* Syphilis, congenital
- Hutchinson's teeth A50.52
- hyalitis A52.71
- inactive -*see* Syphilis, latent
- infantum -*see* Syphilis, congenital
- inherited -*see* Syphilis, congenital
- internal ear A52.79
- intestine (late) A52.74
- iris, iritis (secondary) A51.43
- - late A52.71
- joint (late) A52.77
- keratitis (congenital) (interstitial) (late) A50.31
- kidney (late) A52.75
- lacrimal passages (late) A52.71
- larynx (late) A52.73
- late A52.9
- - cardiovascular A52.00
- - central nervous system A52.3
- - kidney A52.75
- - latent or 2 years or more after infection (without manifestations) A52.8
- - - negative spinal fluid test A52.8
- - - serology positive A52.8
- - paresis A52.17
- - specified site NEC A52.79
- - symptomatic or with manifestations A52.79
- - tabes A52.11
- latent A53.0
- - with signs or symptoms - code by site and stage under Syphilis
- - central nervous system A52.2
- - date of infection unspecified A53.0

- - early, or less than 2 years after infection A51.5
- - follow-up of latent syphilis A53.0
- - - date of infection unspecified A53.0
- - - late, or 2 years or more after infection A52.8
- - late, or 2 years or more after infection A52.8
- - positive serology (only finding) A53.0
- - - date of infection unspecified A53.0
- - - early, or less than 2 years after infection A51.5
- - - late, or 2 years or more after infection A52.8
- lens (late) A52.71
- leukoderma A51.39
- - late A52.79
- lienitis A52.79
- lip A51.39
- - chancre (primary) A51.2
- - late A52.79
- Lissauer's paralysis A52.17
- liver A52.74
- locomotor ataxia A52.11
- lung A52.72
- lymph gland (early) (secondary) A51.49
- - late A52.79
- lymphadenitis (secondary) A51.49
- macular atrophy of skin A51.39
- - striated A52.79
- mediastinum (late) A52.73
- meninges (adhesive) (brain) (spinal cord) A52.13
- meningitis A52.13
- - acute (secondary) A51.41
- - congenital A50.41
- meningoencephalitis A52.14
- meningovascular A52.13
- - congenital A50.41
- mesarteritis A52.09
- - brain A52.04
- middle ear A52.77
- mitral stenosis A52.03
- monoplegia A52.17
- mouth (secondary) A51.39
- - late A52.79
- mucocutaneous (secondary) A51.39
- - late A52.79
- mucous
- - membrane (secondary) A51.39
- - - late A52.79
- - patches A51.39
- - - congenital A50.07
- mulberry molars A50.52
- muscle A52.78
- myocardium A52.06
- nasal sinus (late) A52.73
- neonatorum -*see* Syphilis, congenital
- nephrotic syndrome (secondary) A51.44
- nerve palsy (any cranial nerve) A52.15
- - multiple A52.15
- nervous system, central A52.3
- neuritis A52.15
- - acoustic A52.15
- neurorecidive of retina A52.19
- neuroretinitis A52.19

- newborn -*see* Syphilis, congenital
- nodular superficial (late) A52.79
- nonvenereal A65
- nose (late) A52.73
- - saddle back deformity A50.57
- occlusive arterial disease A52.09
- oculopathy A52.71
- ophthalmic (late) A52.71
- optic nerve (atrophy) (neuritis) (papilla) A52.15
- orbit (late) A52.71
- organic A53.9
- osseous (late) A52.77
- osteochondritis (congenital) (early) A50.02 *[M90.80]*
- osteoporosis A52.77
- ovary (late) A52.76
- oviduct (late) A52.76
- palate (late) A52.79
- pancreas (late) A52.74
- paralysis A52.17
- - general A52.17
- - - juvenile A50.45
- paresis (general) A52.17
- - juvenile A50.45
- paresthesia A52.19
- Parkinson's disease or syndrome A52.19
- paroxysmal tachycardia A52.06
- pemphigus (congenital) A50.06
- penis (chancre) A51.0
- - late A52.76
- pericardium A52.06
- perichondritis, larynx (late) A52.73
- periosteum (late) A52.77
- - congenital (early) A50.02 *[M90.80]*
- - early (secondary) A51.46
- peripheral nerve A52.79
- petrous bone (late) A52.77
- pharynx (late) A52.73
- - secondary A51.39
- pituitary (gland) A52.79
- pleura (late) A52.73
- pneumonia, white A50.04
- pontine lesion A52.17
- portal vein A52.09
- primary A51.0
- - anal A51.1
- - and secondary -*see* Syphilis, secondary
- - central nervous system A52.3
- - extragenital chancre NEC A51.2
- - fingers A51.2
- - genital A51.0
- - lip A51.2
- - specified site NEC A51.2
- - tonsils A51.2
- prostate (late) A52.76
- ptosis (eyelid) A52.71
- pulmonary (late) A52.72
- - artery A52.09
- pyelonephritis (late) A52.75
- recently acquired, symptomatic A51.9
- rectum (late) A52.74

- respiratory tract (late) A52.73
- retina, late A52.71
- retrobulbar neuritis A52.15
- salpingitis A52.76
- sclera (late) A52.71
- sclerosis
- - cerebral A52.17
- - coronary A52.06
- - multiple A52.11
- scotoma (central) A52.71
- scrotum (late) A52.76
- secondary (and primary) A51.49
- - adenopathy A51.49
- - anus A51.39
- - bone A51.46
- - chorioretinitis, choroiditis A51.43
- - hepatitis A51.45
- - liver A51.45
- - lymphadenitis A51.49
- - meningitis (acute) A51.41
- - mouth A51.39
- - mucous membranes A51.39
- - periosteum, periostitis A51.46
- - pharynx A51.39
- - relapse (treated, untreated) A51.49
- - skin A51.39
- - specified form NEC A51.49
- - tonsil A51.39
- - ulcer A51.39
- - viscera NEC A51.49
- - vulva A51.39
- seminal vesicle (late) A52.76
- seronegative with signs or symptoms - code by site and stage under Syphilis
- seropositive
- - with signs or symptoms - code by site and stage under Syphilis
- - follow-up of latent syphilis -*see* Syphilis, latent
- - only finding -*see* Syphilis, latent
- seventh nerve (paralysis) A52.15
- sinus, sinusitis (late) A52.73
- skeletal system A52.77
- skin (with ulceration) (early) (secondary) A51.39
- - late or tertiary A52.79
- small intestine A52.74
- spastic spinal paralysis A52.17
- spermatic cord (late) A52.76
- spinal (cord) A52.12
- spleen A52.79
- splenomegaly A52.79
- spondylitis A52.77
- staphyloma A52.71
- stigmata (congenital) A50.59
- stomach A52.74
- synovium A52.78
- tabes dorsalis (late) A52.11
- - juvenile A50.45
- tabetic type A52.11
- - juvenile A50.45
- taboparesis A52.17
- - juvenile A50.45
- tachycardia A52.06

- tendon (late) A52.78
- tertiary A52.9
- - with symptoms NEC A52.79
- - cardiovascular A52.00
- - central nervous system A52.3
- - multiple NEC A52.79
- - specified site NEC A52.79
- testis A52.76
- thorax A52.73
- throat A52.73
- thymus (gland) (late) A52.79
- thyroid (late) A52.79
- tongue (late) A52.79
- tonsil (lingual) (late) A52.73
- - primary A51.2
- - secondary A51.39
- trachea (late) A52.73
- tunica vaginalis (late) A52.76
- ulcer (any site) (early) (secondary) A51.39
- - late A52.79
- - perforating A52.79
- - - foot A52.11
- urethra (late) A52.76
- urogenital (late) A52.76
- uterus (late) A52.76
- uveal tract (secondary) A51.43
- - late A52.71
- uveitis (secondary) A51.43
- - late A52.71
- uvula (late) (perforated) A52.79
- vagina A51.0
- - late A52.76
- valvulitis NEC A52.03
- vascular A52.00
- - brain (cerebral) A52.05
- ventriculi A52.74
- vesicae urinariae (late) A52.76
- viscera (abdominal) (late) A52.74
- - secondary A51.49
- vitreous (opacities) (late) A52.71
- - hemorrhage A52.71
- vulva A51.0
- - late A52.76
- - secondary A51.39

Syphiloma A52.79
- cardiovascular system A52.00
- central nervous system A52.3
- circulatory system A52.00
- congenital A50.59

Syphilophobia F45.29

Syringadenoma -*see also* Neoplasm, skin, benign
- papillary -*see* Neoplasm, skin, benign

Syringobulbia G95.0

Syringocystadenoma -*see* Neoplasm, skin, benign
- papillary -*see* Neoplasm, skin, benign

Syringoma -*see also* Neoplasm, skin, benign
- chondroid -*see* Neoplasm, skin, benign

Syringomyelia G95.0

Syringomyelitis -*see* Encephalitis

Syringomyelocele -*see* Spina bifida

Syringopontia G95.0
System, systemic -*see also* condition
- disease, combined -*see* Degeneration, combined
- inflammatory response syndrome (SIRS) of non-infectious origin (without organ dysfunction) R65.10
- - with acute organ dysfunction R65.11
- lupus erythematosus M32.9
- - inhibitor present D68.62
Systemic exertion intolerance disease [SEID] G93.32

T

Tabacism, tabacosis, tabagism -*see also* Poisoning, tobacco
- meaning dependence (without remission) F17.200
- - with
- - - disorder F17.299
- - - - in remission F17.211
- - - - specified disorder NEC F17.298
- - - - withdrawal F17.203
Tabardillo A75.9
- flea-borne A75.2
- louse-borne A75.0
Tabes, tabetic A52.10
- with
- - central nervous system syphilis A52.10
- - Charcot's joint A52.16
- - cord bladder A52.19
- - crisis, viscera (any) A52.19
- - paralysis, general A52.17
- - paresis (general) A52.17
- - perforating ulcer (foot) A52.19
- arthropathy (Charcot) A52.16
- bladder A52.19
- bone A52.11
- cerebrospinal A52.12
- congenital A50.45
- conjugal A52.10
- dorsalis A52.11
- - juvenile A50.49
- juvenile A50.49
- latent A52.19
- mesenterica A18.39
- paralysis, insane, general A52.17
- spasmodic A52.17
- syphilis (cerebrospinal) A52.12
Taboparalysis A52.17
Taboparesis (remission) A52.17
- juvenile A50.45
TAC (trigeminal autonomic cephalgia) NEC G44.099
- intractable G44.091
- not intractable G44.099
Tache noir S60.22-
Tachyalimentation K91.2
Tachyarrhythmia, tachyrhythmia -*see* Tachycardia
Tachycardia R00.0
- atrial (paroxysmal) I47.19
- auricular I47.19
- AV nodal re-entry (re-entrant) I47.19
- junctional (paroxysmal) I47.19
- newborn P29.11
- nodal (paroxysmal) I47.19

- non-paroxysmal AV nodal I45.89
- paroxysmal (sustained) (nonsustained) I47.9
- - with sinus bradycardia I49.5
- - atrial (PAT) I47.19
- - atrioventricular (AV) (re-entrant) I47.19
- - - psychogenic F54
- - junctional I47.19
- - - ectopic I47.19
- - nodal I47.19
- - psychogenic (atrial) (supraventricular) (ventricular) F54
- - supraventricular (sustained) I47.10
- - - psychogenic F54
- - ventricular I47.20
- - - psychogenic F54
- - - specified type NEC I47.29
- psychogenic F45.8
- sick sinus I49.5
- sinoauricular NOS R00.0
- - paroxysmal I47.19
- sinus [sinusal] NOS R00.0
- - inappropriate, so stated (IST) I47.11
- - paroxysmal I47.19
- supraventricular I47.10
- ventricular (paroxysmal) (sustained) I47.20
- - psychogenic F54
- - specified type NEC I47.29

Tachygastria K31.89

Tachypnea R06.82
- hysterical F45.8
- newborn (idiopathic) (transitory) P22.1
- psychogenic F45.8
- transitory, of newborn P22.1

Taenia (infection) (infestation) B68.9
- diminuta B71.0
- echinococcal infestation B67.90
- mediocanellata B68.1
- nana B71.0
- saginata B68.1
- solium (intestinal form) B68.0
- - larval form -*see* Cysticercosis

Taeniasis (intestine) -*see* Taenia

TACO (transfusion associated circulatory overload) E87.71

TAD (transfusion-associated dyspnea) J95.87

Tag (hypertrophied skin) (infected) L91.8
- adenoid J35.8
- anus K64.4
- hemorrhoidal K64.4
- hymen N89.8
- perineal N90.89
- preauricular Q17.0
- sentinel K64.4
- skin L91.8
- - accessory (congenital) Q82.8
- - anus K64.4
- - congenital Q82.8
- - preauricular Q17.0
- tonsil J35.8
- urethra, urethral N36.8
- vulva N90.89

Tahyna fever B33.8

Takahara's disease E80.3
Takayasu's disease or syndrome M31.4
Talaromycosis B48.4
Talcosis (pulmonary) J62.0
Talipes (congenital) Q66.89
- acquired, planus -*see* Deformity, limb, flat foot
- asymmetric Q66.89
- calcaneovalgus Q66.4-
- calcaneovarus Q66.1-
- calcaneus Q66.89
- cavus Q66.7-
- equinovalgus Q66.6
- equinovarus Q66.0-
- equinus Q66.89
- percavus Q66.7-
- planovalgus Q66.6
- planus (acquired) (any degree) -*see also* Deformity, limb, flat foot
- - congenital Q66.5-
- - due to rickets (sequelae) E64.3
- valgus Q66.6
- varus Q66.3-
Tall stature, constitutional E34.4
Talma's disease M62.89
Talon noir S90.3-
- hand S60.22-
- heel S90.3-
- toe S90.1-
Tamponade, heart I31.4
Tanapox (virus disease) B08.71
Tangier disease E78.6
Tantrum, child problem F91.8
Tapeworm (infection) (infestation) -*see* Infestation, tapeworm
Tapia's syndrome G52.7
TAR (thrombocytopenia with absent radius) syndrome Q87.2
Tarral-Besnier disease L44.0
Tarsal tunnel syndrome -*see* Syndrome, tarsal tunnel
Tarsalgia -*see* Pain, limb, lower
Tarsitis (eyelid) H01.8
- syphilitic A52.71
- tuberculous A18.4
Tartar (teeth) (dental calculus) K03.6
Tattoo (mark) L81.8
Tauri's disease E74.09
Taurodontism K00.2
Taussig-Bing syndrome Q20.1
Taybi's syndrome Q87.2
Tay-Sachs amaurotic familial idiocy or disease E75.02
TBI (traumatic brain injury) S06.9
Teacher's node or nodule J38.2
Tear, torn (traumatic) -*see also* Laceration
- with abortion -*see* Abortion
- annular fibrosis M51.35
- anus, anal (sphincter) S31.831
- - complicating delivery
- - - with third degree perineal laceration -*see also* Delivery, complicated, by, laceration, perineum, third degree O70.20
- - - - with mucosa O70.3
- - - without third degree perineal laceration O70.4
- - nontraumatic (healed) (old) K62.81
- articular cartilage, old -*see* Derangement, joint, articular cartilage, by site
- bladder

- - with ectopic or molar pregnancy O08.6
- - following ectopic or molar pregnancy O08.6
- - obstetrical O71.5
- - traumatic -*see* Injury, bladder
- bowel
- - with ectopic or molar pregnancy O08.6
- - following ectopic or molar pregnancy O08.6
- - obstetrical trauma O71.5
- broad ligament
- - with ectopic or molar pregnancy O08.6
- - following ectopic or molar pregnancy O08.6
- - obstetrical trauma O71.6
- bucket handle (knee) (meniscus) -*see* Tear, meniscus
- capsule, joint -*see* Sprain
- cartilage -*see also* Sprain
- - articular, old -*see* Derangement, joint, articular cartilage, by site
- cervix
- - with ectopic or molar pregnancy O08.6
- - following ectopic or molar pregnancy O08.6
- - obstetrical trauma (current) O71.3
- - old N88.1
- - traumatic -*see* Injury, uterus
- dural G97.41
- - nontraumatic G96.11
- internal organ -*see* Injury, by site
- knee cartilage
- - articular (current) S83.3-
- - old -*see* Derangement, knee, meniscus, due to old tear
- ligament -*see* Sprain
- meniscus (knee) (current injury) S83.209
- - bucket-handle S83.20-
- - lateral
- - - bucket-handle S83.25-
- - - complex S83.27-
- - - peripheral S83.26-
- - - specified type NEC S83.28-
- - medial
- - - bucket-handle S83.21-
- - - complex S83.23-
- - - peripheral S83.22-
- - - specified type NEC S83.24-
- - old -*see* Derangement, knee, meniscus, due to old tear
- - site other than knee - code as Sprain
- - specified type NEC S83.20-
- muscle -*see* Strain
- pelvic
- - floor, complicating delivery O70.1
- - organ NEC, obstetrical trauma O71.5
- - - with ectopic or molar pregnancy O08.6
- - - following ectopic or molar pregnancy O08.6
- perineal, secondary O90.1
- periurethral tissue, obstetrical trauma O71.82
- - with ectopic or molar pregnancy O08.6
- - following ectopic or molar pregnancy O08.6
- rectovaginal septum -*see* Laceration, vagina
- retina, retinal (without detachment) (horseshoe) -*see also* Break, retina, horseshoe
- - with detachment -*see* Detachment, retina, with retinal, break
- rotator cuff (nontraumatic) M75.10-
- - complete M75.12-
- - incomplete M75.11-

- - traumatic S46.01-
- - - capsule S43.42-
- semilunar cartilage, knee -*see* Tear, meniscus
- supraspinatus (complete) (incomplete) (nontraumatic) -*see also* Tear, rotator cuff M75.10-
- tendon -*see* Strain
- tentorial, at birth P10.4
- umbilical cord
- - complicating delivery O69.89
- urethra
- - with ectopic or molar pregnancy O08.6
- - following ectopic or molar pregnancy O08.6
- - obstetrical trauma O71.5
- uterus -*see* Injury, uterus
- vagina -*see* Laceration, vagina
- vessel, from catheter -*see* Puncture, accidental complicating surgery
- vulva, complicating delivery O70.0

Tear-stone -*see* Dacryolith

Teeth -*see also* condition
- grinding
- - psychogenic F45.8
- - sleep related G47.63

Teething (syndrome) K00.7

Telangiectasia, telangiectasis (verrucous) I78.1
- ataxic (cerebellar) (Louis-Bar) G11.3
- familial I78.0
- hemorrhagic, hereditary (congenital) (senile) I78.0
- hereditary, hemorrhagic (congenital) (senile) I78.0
- juxtafoveal H35.07-
- macular H35.07-
- macularis eruptiva perstans D47.01
- parafoveal H35.07-
- retinal (idiopathic) (juxtafoveal) (macular) (parafoveal) H35.07-
- spider I78.1

Telephone scatologia F65.89

Telescoped bowel or intestine K56.1
- congenital Q43.8

Temperature
- body, high (of unknown origin) R50.9
- cold, trauma from T69.9
- - newborn P80.0
- - specified effect NEC T69.8

Temple -*see* condition

Temporal -*see* condition

Temporomandibular joint pain-dysfunction syndrome M26.62-

Temporosphenoidal -*see* condition

Tendency
- bleeding -*see* Defect, coagulation
- suicide
- - meaning personal history of attempted suicide Z91.51
- - meaning suicidal ideation -*see* Ideation, suicidal
- to fall R29.6

Tenderness, abdominal R10.819
- epigastric R10.816
- generalized R10.817
- left lower quadrant R10.814
- left upper quadrant R10.812
- periumbilic R10.815
- right lower quadrant R10.813
- right upper quadrant R10.811
- rebound R10.829

- - epigastric R10.826
- - generalized R10.827
- - left lower quadrant R10.824
- - left upper quadrant R10.822
- - periumbilic R10.825
- - right lower quadrant R10.823
- - right upper quadrant R10.821
Tendinitis, tendonitis -*see also* Enthesopathy
- Achilles M76.6-
- adhesive -*see* Tenosynovitis, specified type NEC
- - shoulder -*see* Capsulitis, adhesive
- bicipital M75.2-
- calcific M65.2-
- - ankle M65.27-
- - foot M65.27-
- - forearm M65.23-
- - hand M65.24-
- - lower leg M65.26-
- - multiple sites M65.29
- - pelvic region M65.25-
- - shoulder M75.3-
- - specified site NEC M65.28
- - thigh M65.25-
- - upper arm M65.22-
- due to use, overuse, pressure -*see also* Disorder, soft tissue, due to use
- - specified NEC -*see* Disorder, soft tissue, due to use, specified NEC
- gluteal M76.0-
- patellar M76.5-
- peroneal M76.7-
- psoas M76.1-
- tibial (posterior) M76.82-
- - anterior M76.81-
- trochanteric -*see* Bursitis, hip, trochanteric
Tendon -*see* condition
Tendosynovitis -*see* Tenosynovitis
Tenesmus (rectal) R19.8
- vesical R30.1
Tennis elbow -*see* Epicondylitis, lateral
Tenonitis -*see also* Tenosynovitis
- eye (capsule) H05.04-
Tenontosynovitis -*see* Tenosynovitis
Tenontothecitis -*see* Tenosynovitis
Tenophyte -*see* Disorder, synovium, specified type NEC
Tenosynovitis -*see also* Synovitis M65.90
- adhesive -*see* Tenosynovitis, specified type NEC
- - shoulder -*see* Capsulitis, adhesive
- bicipital (calcifying) -*see* Tendinitis, bicipital
- gonococcal A54.49
- in (due to)
- - crystals M65.8-
- - gonorrhea A54.49
- - syphilis (late) A52.78
- - use, overuse, pressure -*see also* Disorder, soft tissue, due to use
- - - specified NEC -*see* Disorder, soft tissue, due to use, specified NEC
- infective NEC M65.1-
- - ankle M65.17-
- - foot M65.17-
- - forearm M65.13-
- - hand M65.14-
- - lower leg M65.16-

- - multiple sites M65.19
- - pelvic region M65.15-
- - shoulder region M65.11-
- - specified site NEC M65.18
- - thigh M65.15-
- - upper arm M65.12-
- radial styloid M65.4
- shoulder region M65.81-
- - adhesive -*see* Capsulitis, adhesive
- specified type NEC M65.88
- - ankle M65.87-
- - foot M65.87-
- - forearm M65.83-
- - hand M65.84-
- - lower leg M65.86-
- - multiple sites M65.89
- - pelvic region M65.85-
- - shoulder region M65.81-
- - specified site NEC M65.88
- - thigh M65.85-
- - upper arm M65.82-
- tuberculous -*see* Tuberculosis, tenosynovitis

Tenovaginitis -*see* Tenosynovitis

Tension
- arterial, high -*see also* Hypertension
- - without diagnosis of hypertension R03.0
- headache G44.209
- - intractable G44.201
- - not intractable G44.209
- nervous R45.0
- pneumothorax J93.0
- premenstrual N94.3
- state (mental) F48.9

Tentorium -*see* condition

Teratencephalus Q89.8

Teratism Q89.7

Teratoblastoma (malignant) -*see* Neoplasm, malignant, by site

Teratocarcinoma -*see also* Neoplasm, malignant, by site
- liver C22.7

Teratoma (solid) -*see also* Neoplasm, uncertain behavior, by site
- with embryonal carcinoma, mixed -*see* Neoplasm, malignant, by site
- with malignant transformation -*see* Neoplasm, malignant, by site
- adult (cystic) -*see* Neoplasm, benign, by site
- benign -*see* Neoplasm, benign, by site
- combined with choriocarcinoma -*see* Neoplasm, malignant, by site
- cystic (adult) -*see* Neoplasm, benign, by site
- differentiated -*see* Neoplasm, benign, by site
- embryonal -*see also* Neoplasm, malignant, by site
- - liver C22.7
- immature -*see* Neoplasm, malignant, by site
- liver C22.7
- - adult, benign, cystic, differentiated type or mature D13.4
- malignant -*see also* Neoplasm, malignant, by site
- - anaplastic -*see* Neoplasm, malignant, by site
- - intermediate -*see* Neoplasm, malignant, by site
- - - specified site -*see* Neoplasm, malignant, by site
- - - unspecified site C62.90
- - undifferentiated -*see* Neoplasm, malignant, by site
- mature -*see* Neoplasm, uncertain behavior, by site
- - malignant -*see* Neoplasm, by site, malignant, by site

- ovary D27.-
- - embryonal, immature or malignant C56-
- solid -*see* Neoplasm, uncertain behavior, by site
- testis C62.9-
- - adult, benign, cystic, differentiated type or mature D29.2-
- - scrotal C62.1-
- - undescended C62.0-

Termination
- anomalous -*see also* Malposition, congenital
- - right pulmonary vein Q26.3
- pregnancy, elective Z33.2

Ternidens diminutus infestation B81.8

Ternidensiasis B81.8

Terror(s) night (child) F51.4

Terrorism, victim of Z65.4

Terry's syndrome -*see also* Myopia, degenerative H44.2-

Tertiary -*see* condition

Test, tests, testing (for)
- adequacy (for dialysis)
- - hemodialysis Z49.31
- - peritoneal Z49.32
- blood-alcohol Z02.83
- - positive -*see* Findings, abnormal, in blood
- blood-drug Z02.83
- - positive -*see* Findings, abnormal, in blood
- blood pressure Z01.30
- - abnormal reading -*see* Blood, pressure
- blood typing Z01.83
- - Rh typing Z01.83
- cardiac pulse generator (battery) Z45.010
- fertility Z31.41
- genetic
- - disease carrier status for procreative management
- - - female Z31.430
- - - male Z31.440
- - male partner of patient with recurrent pregnancy loss Z31.441
- - procreative management NEC
- - - female Z31.438
- - - male Z31.448
- hearing Z01.10
- - with abnormal findings NEC Z01.118
- - infant or child (over 28 days old) Z00.129
- - - with abnormal findings Z00.121
- HIV (human immunodeficiency virus)
- - nonconclusive (in infants) R75
- - positive Z21
- - seropositive Z21
- immunity status Z01.84
- intelligence NEC Z01.89
- laboratory (as part of a general medical examination) Z00.00
- - with abnormal finding Z00.01
- - for medicolegal reason NEC Z04.89
- male partner of patient with recurrent pregnancy loss Z31.441
- Mantoux (for tuberculosis) Z11.1
- - abnormal result R76.11
- pregnancy, positive first pregnancy -*see* Pregnancy, normal, first
- procreative Z31.49
- - fertility Z31.41
- skin, diagnostic
- - allergy Z01.82

- - - special screening examination -*see* Screening, by name of disease
- - Mantoux Z11.1
- - tuberculin Z11.1
- specified NEC Z01.89
- tuberculin Z11.1
- - abnormal result R76.11
- vision Z01.00
- - with abnormal findings Z01.01
- - following failed vision screening Z01.020
- - - with abnormal findings Z01.021
- - infant or child (over 28 days old) Z00.129
- - - with abnormal findings Z00.121
- Wassermann Z11.3
- - positive -*see* Serology for syphilis, positive

Testicle, testicular, testis -*see also* condition
- feminization syndrome -*see also* Syndrome, androgen insensitivity E34.51
- migrans Q55.29

Tetanus, tetanic (cephalic) (convulsions) A35
- with
- - abortion A34
- - ectopic or molar pregnancy O08.0
- following ectopic or molar pregnancy O08.0
- inoculation reaction (due to serum) -*see* Complications, vaccination
- neonatorum A33
- obstetrical A34
- puerperal, postpartum, childbirth A34

Tetany (due to) R29.0
- alkalosis E87.3
- associated with rickets E55.0
- convulsions R29.0
- - hysterical F44.5
- functional (hysterical) F44.5
- hyperkinetic R29.0
- - hysterical F44.5
- hyperpnea R06.4
- - hysterical F44.5
- - psychogenic F45.8
- hyperventilation -*see also* Hyperventilation R06.4
- - hysterical F44.5
- neonatal (without calcium or magnesium deficiency) P71.3
- parathyroid (gland) E20.9
- parathyroprival E89.2
- post- (para) thyroidectomy E89.2
- postoperative E89.2
- pseudotetany R29.0
- psychogenic (conversion reaction) F44.5

Tetralogy of Fallot Q21.3

Tetraplegia (chronic) -*see also* Quadriplegia G82.50

Thailand hemorrhagic fever A91

Thalassanemia -*see* Thalassemia

Thalassemia (anemia) (disease) D56.9
- with other hemoglobinopathy D56.8
- alpha (major) (severe) (triple gene defect) D56.0
- - minor D56.3
- - silent carrier D56.3
- - trait D56.3
- beta (severe) D56.1
- - homozygous D56.1
- - major D56.1
- - minor D56.3

- - trait D56.3
- delta-beta (homozygous) D56.2
- - minor D56.3
- - trait D56.3
- dominant D56.8
- hemoglobin
- - C D56.8
- - E-beta D56.5
- intermedia D56.1
- major D56.1
- minor D56.3
- mixed D56.8
- sickle-cell *-see* Disease, sickle-cell, thalassemia
- specified type NEC D56.8
- trait D56.3
- variants D56.8

Thanatophoric dwarfism or short stature Q77.1
Thaysen-Gee disease (nontropical sprue) K90.0
Thaysen's disease K90.0
Thecoma D27-
- luteinized D27-
- malignant C56-

Thelarche, premature E30.8
Thelaziasis B83.8
Thelitis N61.0
- puerperal, postpartum or gestational *-see* Infection, nipple

Therapeutic *-see* condition
Therapy
- drug, long-term (current) (prophylactic)
- - agents affecting estrogen receptors and estrogen levels NEC Z79.818
- - anastrozole (Arimidex) Z79.811
- - antibiotics Z79.2
- - - short-term use - omit code
- - anticoagulants Z79.01
- - anti-inflammatory Z79.1
- - antiplatelet Z79.02
- - antithrombotics Z79.02
- - aromatase inhibitors Z79.811
- - aspirin Z79.82
- - birth control pill or patch Z79.3
- - bisphosphonates Z79.83
- - contraceptive, oral Z79.3
- - drug, specified NEC Z79.899
- - estrogen receptor downregulators Z79.818
- - Evista Z79.810
- - exemestane (Aromasin) Z79.811
- - Fareston Z79.810
- - fulvestrant (Faslodex) Z79.818
- - gonadotropin-releasing hormone (GnRH) agonist Z79.818
- - goserelin acetate (Zoladex) Z79.818
- - hormone replacement Z79.890
- - insulin Z79.4
- - letrozole (Femara) Z79.811
- - leuprolide acetate (leuprorelin) (Lupron) Z79.818
- - megestrol acetate (Megace) Z79.818
- - methadone
- - - for pain management Z79.891
- - - maintenance therapy F11.20
- - Nolvadex Z79.810
- - opiate analgesic Z79.891

- - oral antidiabetic Z79.84
- - oral contraceptive Z79.3
- - oral hypoglycemic Z79.84
- - raloxifene (Evista) Z79.810
- - selective estrogen receptor modulators (SERMs) Z79.810
- - short term - omit code
- - steroids
- - - inhaled Z79.51
- - - systemic Z79.52
- - tamoxifen (Nolvadex) Z79.810
- - toremifene (Fareston) Z79.810
Thermic -*see* condition
Thermography (abnormal) -*see also* Abnormal, diagnostic imaging R93.89
- breast R92.8
Thermoplegia T67.01
Thesaurismosis, glycogen -*see* Disease, glycogen storage
Thiamin deficiency E51.9
- specified NEC E51.8
Thiaminic deficiency with beriberi E51.11
Thibierge-Weissenbach syndrome -*see* Sclerosis, systemic
Thickening
- bone -*see* Hypertrophy, bone
- breast N64.59
- endometrium R93.89
- epidermal L85.9
- - specified NEC L85.8
- hymen N89.6
- larynx J38.7
- nail L60.2
- - congenital Q84.5
- periosteal -*see* Hypertrophy, bone
- pleura J92.9
- - with asbestos J92.0
- skin R23.4
- subepiglottic J38.7
- tongue K14.8
- valve, heart -*see* Endocarditis
Thigh -*see* condition
Thinning vertebra -*see* Spondylopathy, specified NEC
Thirst, excessive R63.1
- due to deprivation of water T73.1
Thomsen disease G71.12
Thoracic -*see also* condition
- kidney Q63.2
- outlet syndrome -*see also* Syndrome, thoracic outlet G54.0
Thoracogastroschisis (congenital) Q79.8
Thoracopagus Q89.4
Thorax -*see* condition
Thorn's syndrome N28.89
Thorson-Björck syndrome E34.09
Threadworm (infection) (infestation) B80
Threatened
- abortion O20.0
- - with subsequent abortion O03.9
- abuse (harm)
- - adult -*see* Maltreatment, adult, threatened abuse
- - child -*see* Maltreatment, child, threatened abuse
- job loss, anxiety concerning Z56.2
- labor (without delivery) O47.9
- - at or after 37 completed weeks of gestation O47.1

- - before 37 completed weeks of gestation O47.0-
- loss of job, anxiety concerning Z56.2
- miscarriage O20.0
- unemployment, anxiety concerning Z56.2
Three-day fever A93.1
Threshers' lung J67.0
Thrix annulata (congenital) Q84.1
Throat -*see* condition
Thrombasthenia (Glanzmann) (hemorrhagic) (hereditary) D69.1
Thromboangiitis I73.1
- obliterans (general) I73.1
- - cerebral I67.89
- - vessels
- - - brain I67.89
- - - spinal cord I67.89
Thromboarteritis -*see* Arteritis
Thromboasthenia (Glanzmann) (hemorrhagic) (hereditary) D69.1
Thrombocytasthenia (Glanzmann) D69.1
Thrombocythemia (hemorrhagic) -*see also* Thrombocytosis D75.839
- essential D47.3
- idiopathic D47.3
- primary D47.3
Thrombocytopathy (dystrophic) (granulopenic) D69.1
Thrombocytopenia, thrombocytopenic D69.6
- with absent radius (TAR) Q87.2
- congenital D69.42
- dilutional D69.59
- due to
- - drugs D69.59
- - extracorporeal circulation of blood D69.59
- - (massive) blood transfusion D69.59
- - platelet alloimmunization D69.59
- essential D69.3
- heparin-associated D75.821
- heparin induced (HIT) D75.829
- - delayed-onset D75.828
- - immune-mediated D75.822
- - non-immune D75.821
- - persisting D75.828
- - syndrome
- - - autoimmune D75.828
- - - specified NEC D75.828
- - - spontaneous (without heparin exposure) D75.84
- - type 1 D75.821
- - type 2 D75.822
- hereditary D69.42
- idiopathic D69.3
- neonatal, transitory P61.0
- - due to
- - - exchange transfusion P61.0
- - - idiopathic maternal thrombocytopenia P61.0
- - - isoimmunization P61.0
- primary NEC D69.49
- - idiopathic D69.3
- puerperal, postpartum O72.3
- secondary D69.59
- transient neonatal P61.0
- vaccine-induced thrombotic D75.84
Thrombocytosis D75.839
- essential D47.3

- idiopathic D47.3
- primary D47.3
- reactive D75.838
- secondary D75.838
- specified NEC D75.838

Thromboembolism -*see* Embolism

Thrombopathy (Bernard-Soulier) D69.1
- constitutional -*see* Disease, von Willebrand
- Willebrand-Jurgens -*see* Disease, von Willebrand

Thrombopenia -*see* Thrombocytopenia

Thrombophilia D68.59
- primary NEC D68.59
- secondary NEC D68.69
- specified NEC D68.69

Thrombophlebitis I80.9
- antepartum O22.2-
- - deep O22.3-
- - superficial O22.2-
- calf muscular vein (NOS) I80.25-
- cavernous (venous) sinus G08
- - complicating pregnancy O22.5-
- - nonpyogenic I67.6
- cerebral (sinus) (vein) G08
- - nonpyogenic I67.6
- - sequelae G09
- due to implanted device -*see* Complications, by site and type, specified NEC
- during or resulting from a procedure NEC T81.72
- femoral vein (superficial) I80.1-
- femoropopliteal vein I80.0-
- gastrocnemial vein I80.25-
- hepatic (vein) I80.8
- idiopathic, recurrent I82.1
- iliac vein (common) (external) (internal) I80.21-
- iliofemoral I80.1-
- intracranial venous sinus (any) G08
- - nonpyogenic I67.6
- - sequelae G09
- intraspinal venous sinuses and veins G08
- - nonpyogenic G95.19
- lateral (venous) sinus G08
- - nonpyogenic I67.6
- leg I80.3
- - superficial I80.0-
- longitudinal (venous) sinus G08
- - nonpyogenic I67.6
- lower extremity I80.299
- migrans, migrating I82.1
- pelvic
- - with ectopic or molar pregnancy O08.0
- - following ectopic or molar pregnancy O08.0
- - puerperal O87.1
- peroneal vein I80.24-
- popliteal vein -*see* Phlebitis, leg, deep, popliteal
- portal (vein) K75.1
- postoperative T81.72
- pregnancy -*see* Thrombophlebitis, antepartum
- puerperal, postpartum, childbirth O87.0
- - deep O87.1
- - pelvic O87.1
- - septic O86.81

- - superficial O87.0
- saphenous (greater) (lesser) I80.0-
- sinus (intracranial) G08
- - nonpyogenic I67.6
- soleal vein I80.25-
- specified site NEC I80.8
- tibial vein (anterior) (posterior) I80.23-

Thrombosis, thrombotic (bland) (multiple) (progressive) (silent) (vessel) I82.90
- anal K64.5
- antepartum *-see* Thrombophlebitis, antepartum
- aorta, aortic I74.10
- - abdominal I74.09
- - - saddle I74.01
- - bifurcation I74.09
- - saddle I74.01
- - specified site NEC I74.19
- - terminal I74.09
- - thoracic I74.11
- - valve *-see* Endocarditis, aortic
- apoplexy I63.3-
- artery, arteries (postinfectional) I74.9
- - auditory, internal *-see* Occlusion, artery, precerebral, specified NEC
- - basilar *-see* Occlusion, artery, basilar
- - carotid (common) (internal) *-see* Occlusion, artery, carotid
- - cerebellar (anterior inferior) (posterior inferior) (superior) *-see* Occlusion, artery, cerebellar
- - cerebral *-see* Occlusion, artery, cerebral
- - choroidal (anterior) *-see* Occlusion, artery, precerebral, specified NEC
- - communicating, posterior *-see* Occlusion, artery, precerebral, specified NEC
- - coronary *-see also* Infarct, myocardium
- - - not resulting in infarction I24.0
- - hepatic I74.8
- - hypophyseal *-see* Occlusion, artery, precerebral, specified NEC
- - iliac I74.5
- - limb I74.4
- - - lower I74.3
- - - upper I74.2
- - meningeal, anterior or posterior *-see* Occlusion, artery, cerebral, specified NEC
- - mesenteric (with gangrene) *-see also* Infarct, intestine K55.069
- - ophthalmic *-see* Occlusion, artery, retina
- - pontine *-see* Occlusion, artery, precerebral, specified NEC
- - precerebral *-see* Occlusion, artery, precerebral
- - pulmonary (iatrogenic) *-see* Embolism, pulmonary
- - renal N28.0
- - retinal *-see* Occlusion, artery, retina
- - spinal, anterior or posterior G95.11
- - traumatic NEC T14.8
- - vertebral *-see* Occlusion, artery, vertebral
- atrium, auricular *-see also* Infarct, myocardium
- - following acute myocardial infarction (current complication) I23.6
- - not resulting in infarction I51.3
- - old I51.3
- basilar (artery) *-see* Occlusion, artery, basilar
- brain (artery) (stem) *-see also* Occlusion, artery, cerebral
- - due to syphilis A52.05
- - puerperal O99.43
- - sinus *-see* Thrombosis, intracranial, venous sinus
- capillary I78.8
- cardiac *-see also* Infarct, myocardium
- - not resulting in infarction I51.3
- - old I51.3

- - valve -*see* Endocarditis
- carotid (artery) (common) (internal) -*see* Occlusion, artery, carotid
- cavernous (venous) sinus -*see* Thrombosis, intracranial, venous sinus
- cerebellar artery (anterior inferior) (posterior inferior) (superior) I66.3
- cerebral (artery) -*see* Occlusion, artery, cerebral
- cerebrovenous sinus -*see also* Thrombosis, intracranial, venous sinus
- - puerperium O87.3
- chronic I82.91
- coronary (artery) (vein) -*see also* Infarct, myocardium
- - not resulting in infarction I24.0
- corpus cavernosum N48.89
- cortical I66.9
- deep -*see* Embolism, vein, lower extremity
- due to device, implant or graft -*see also* Complications, by site and type, specified NEC T85.868
- - arterial graft NEC T82.868
- - breast (implant) T85.868
- - catheter NEC T85.868
- - - dialysis (renal) T82.868
- - - - intraperitoneal T85.868
- - - infusion NEC T82.868
- - - - spinal (epidural) (subdural) T85.860
- - - urinary (indwelling) T83.86
- - electronic (electrode) (pulse generator) (stimulator)
- - - bone T84.86
- - - cardiac T82.867
- - - nervous system (brain) (peripheral nerve) (spinal) T85.860
- - - urinary T83.86
- - fixation, internal (orthopedic) NEC T84.86
- - gastrointestinal (bile duct) (esophagus) T85.868
- - genital NEC T83.86
- - heart T82.867
- - joint prosthesis T84.86
- - ocular (corneal graft) (orbital implant) NEC T85.868
- - orthopedic NEC T84.86
- - specified NEC T85.868
- - urinary NEC T83.86
- - vascular NEC T82.868
- - ventricular intracranial shunt T85.860
- during the puerperium -*see* Thrombosis, puerperal
- endocardial -*see also* Infarct, myocardium
- - not resulting in infarction I51.3
- eye -*see* Occlusion, retina
- genital organ
- - female NEC N94.89
- - - pregnancy -*see* Thrombophlebitis, antepartum
- - male N50.1
- gestational -*see* Phlebopathy, gestational
- heart (chamber) -*see also* Infarct, myocardium
- - not resulting in infarction I51.3
- - old I51.3
- hepatic (vein) I82.0
- - artery I74.8
- history (of) Z86.718
- intestine (with gangrene) -*see also* Infarct, intestine K55.069
- intracardiac NEC (apical) (atrial) (auricular) (ventricular) (old) I51.3
- intracranial (arterial) I66.9
- - venous sinus (any) G08
- - - nonpyogenic I67.6
- - - nonpyogenic origin I67.6
- - - puerperium O87.3

- intramural -*see also* Infarct, myocardium
- - not resulting in infarction I51.3
- - old I51.3
- intraspinal venous sinuses and veins G08
- - nonpyogenic G95.19
- kidney (artery) N28.0
- lateral (venous) sinus -*see* Thrombosis, intracranial, venous sinus
- leg -*see* Thrombosis, vein, lower extremity
- - arterial I74.3
- liver (venous) I82.0
- - artery I74.8
- - portal vein I81
- longitudinal (venous) sinus -*see* Thrombosis, intracranial, venous sinus
- lower limb -*see* Thrombosis, vein, lower extremity
- lung (iatrogenic) (postoperative) -*see* Embolism, pulmonary
- meninges (brain) (arterial) I66.8
- mesenteric (artery) (with gangrene) -*see also* Infarct, intestine K55.069
- - vein (inferior) (superior) K55.0-
- mitral I34.89
- mural -*see also* Infarct, myocardium
- - due to syphilis A52.06
- - not resulting in infarction I51.3
- - old I51.3
- omentum (with gangrene) -*see also* Infarct, intestine K55.069
- ophthalmic -*see* Occlusion, retina
- pampiniform plexus (male) N50.1
- parietal -*see also* Infarct, myocardium
- - not resulting in infarction I24.0
- penis, superficial vein N48.81
- perianal venous K64.5
- peripheral arteries I74.4
- - upper I74.2
- personal history (of) Z86.718
- portal I81
- - due to syphilis A52.09
- precerebral artery -*see* Occlusion, artery, precerebral
- puerperal, postpartum O87.0
- - brain (artery) O99.43
- - - venous (sinus) O87.3
- - cardiac O99.43
- - cerebral (artery) O99.43
- - - venous (sinus) O87.3
- - superficial O87.0
- pulmonary (artery) (iatrogenic) (postoperative) (vein) -*see* Embolism, pulmonary
- renal (artery) N28.0
- - vein I82.3
- resulting from presence of device, implant or graft -*see* Complications, by site and type, specified NEC
- retina, retinal -*see* Occlusion, retina
- scrotum N50.1
- seminal vesicle N50.1
- sigmoid (venous) sinus -*see* Thrombosis, intracranial, venous sinus
- sinus, intracranial (any) -*see* Thrombosis, intracranial, venous sinus
- specified site NEC I82.890
- - chronic I82.891
- spermatic cord N50.1
- spinal cord (arterial) G95.11
- - due to syphilis A52.09
- - pyogenic origin G06.1
- spleen, splenic D73.5
- - artery I74.8

- testis N50.1
- tumor -*see* Neoplasm, unspecified behavior, by site
- traumatic NEC T14.8
- tricuspid I07.8
- tunica vaginalis N50.1
- umbilical cord (vessels), complicating delivery O69.5
- vas deferens N50.1
- vein (acute) I82.90
- - antecubital I82.61-
- - - chronic I82.71-
- - axillary I82.A1-
- - - chronic I82.A2-
- - basilic I82.61-
- - - chronic I82.71-
- - brachial I82.62-
- - - chronic I82.72-
- - brachiocephalic (innominate) I82.290
- - - chronic I82.291
- - calf muscular I82.46-
- - - chronic I82.56-
- - cerebral, nonpyogenic I67.6
- - cephalic I82.61-
- - - chronic I82.71-
- - chronic I82.91
- - deep (DVT) I82.40-
- - - calf I82.4Z-
- - - - chronic I82.5Z-
- - - lower leg I82.4Z-
- - - - chronic I82.5Z-
- - - thigh I82.4Y-
- - - - chronic I82.5Y-
- - - upper leg I82.4Y-
- - - - chronic I82.5Y-
- - femoral I82.41-
- - - chronic I82.51-
- - iliac (iliofemoral) I82.42-
- - - chronic I82.52-
- - innominate I82.290
- - - chronic I82.291
- - internal jugular I82.C1-
- - - chronic I82.C2-
- - lower extremity
- - - deep I82.40-
- - - - chronic I82.50-
- - - - specified NEC I82.49-
- - - - - chronic NEC I82.59-
- - - distal
- - - - deep I82.4Z-
- - - proximal
- - - - deep I82.4Y-
- - - - - chronic I82.5Y-
- - - superficial I82.81-
- - perianal K64.5
- - peroneal I82.45-
- - - chronic I82.55-
- - popliteal I82.43-
- - - chronic I82.53-
- - radial I82.62-
- - - chronic I82.72-
- - renal I82.3

- - saphenous (greater) (lesser) I82.81-
- - specified NEC I82.890
- - - chronic NEC I82.891
- - subclavian I82.B1-
- - - chronic I82.B2-
- - thoracic NEC I82.290
- - - chronic I82.291
- - tibial I82.44-
- - - chronic I82.54-
- - ulnar I82.62-
- - - chronic I82.72-
- - upper extremity I82.60-
- - - chronic I82.70-
- - - deep I82.62-
- - - - chronic I82.72-
- - - superficial I82.61-
- - - - chronic I82.71-
- vena cava
- - inferior I82.220
- - - chronic I82.221
- - superior I82.210
- - - chronic I82.211
- venous, perianal K64.5
- ventricle -*see also* Infarct, myocardium
- - following acute myocardial infarction (current complication) I23.6
- - not resulting in infarction I24.0
- - old I51.3

Thrombus -*see* Thrombosis

Thrush -*see also* Candidiasis
- oral B37.0
- newborn P37.5
- vaginal (acute) B37.31
- - chronic (recurrent) B37.32

Thumb -*see also* condition
- sucking (child problem) F98.8

Thymitis E32.8

Thymoma -*see also* Neoplasm, thymus, by type
- malignant C37
- metaplastic C37
- microscopic D15.0
- sclerosing C37
- type A C37
- type AB C37
- type B1 C37
- type B2 C37
- type B3 C37

Thymus, thymic (gland) -*see* condition

Thyrocele -*see* Goiter

Thyroglossal -*see also* condition
- cyst Q89.2
- duct, persistent Q89.2

Thyroid (gland) (body) -*see also* condition
- hormone resistance E07.89
- lingual Q89.2
- nodule (cystic) (nontoxic) (single) E04.1

Thyroiditis E06.9
- acute (nonsuppurative) (pyogenic) (suppurative) E06.0
- autoimmune E06.3
- chronic (nonspecific) (sclerosing) E06.5
- - with thyrotoxicosis, transient E06.2

- - fibrous E06.5
- - lymphadenoid E06.3
- - lymphocytic E06.3
- - lymphoid E06.3
- de Quervain's E06.1
- drug-induced E06.4
- fibrous (chronic) E06.5
- giant-cell (follicular) E06.1
- granulomatous (de Quervain) (subacute) E06.1
- Hashimoto's (struma lymphomatosa) E06.3
- iatrogenic E06.4
- ligneous E06.5
- lymphocytic (chronic) E06.3
- lymphoid E06.3
- lymphomatous E06.3
- nonsuppurative E06.1
- postpartum, puerperal O90.5
- pseudotuberculous E06.1
- pyogenic E06.0
- radiation E06.4
- Riedel's E06.5
- subacute (granulomatous) E06.1
- suppurative E06.0
- tuberculous A18.81
- viral E06.1
- woody E06.5

Thyrolingual duct, persistent Q89.2

Thyromegaly E01.0

Thyrotoxic
- crisis -*see* Thyrotoxicosis
- heart disease or failure -*see also* Thyrotoxicosis E05.90 *[I43]*
- - with thyroid storm E05.91 *[I43]*
- storm -*see* Thyrotoxicosis

Thyrotoxicosis (recurrent) E05.90
- with
- - goiter (diffuse) E05.00
- - - with thyroid storm E05.01
- - - adenomatous uninodular E05.10
- - - - with thyroid storm E05.11
- - - multinodular E05.20
- - - - with thyroid storm E05.21
- - - nodular E05.20
- - - - with thyroid storm E05.21
- - - uninodular E05.10
- - - - with thyroid storm E05.11
- - infiltrative
- - - dermopathy E05.00
- - - - with thyroid storm E05.01
- - - ophthalmopathy E05.00
- - - - with thyroid storm E05.01
- - single thyroid nodule E05.10
- - - with thyroid storm E05.11
- - thyroid storm E05.91
- due to
- - ectopic thyroid nodule or tissue E05.30
- - - with thyroid storm E05.31
- - ingestion of (excessive) thyroid material E05.40
- - - with thyroid storm E05.41
- - overproduction of thyroid-stimulating hormone E05.80
- - - with thyroid storm E05.81

- - specified cause NEC E05.80
- - - with thyroid storm E05.81
- factitia E05.40
- - with thyroid storm E05.41
- heart -*see also* Failure, heart, high-output E05.90 *[I43]*
- - with thyroid storm -*see also* Failure, heart, high-output E05.91 *[I43]*
- - failure -*see also* Failure, heart, high-output E05.90 *[I43]*
- neonatal (transient) P72.1
- transient with chronic thyroiditis E06.2

Tibia vara M92.51-

Tic (disorder) F95.9
- breathing F95.8
- child problem F95.0
- compulsive F95.1
- de la Tourette F95.2
- degenerative (generalized) (localized) G25.69
- - facial G25.69
- disorder
- - chronic
- - - motor F95.1
- - - vocal F95.1
- - combined vocal and multiple motor F95.2
- - transient F95.0
- douloureux G50.0
- - atypical G50.1
- - postherpetic, postzoster B02.22
- drug-induced G25.61
- eyelid F95.8
- habit F95.9
- - chronic F95.1
- - transient of childhood F95.0
- lid, transient of childhood F95.0
- motor-verbal F95.2
- occupational F48.8
- orbicularis F95.8
- - transient of childhood F95.0
- organic origin G25.69
- provisional F95.0
- postchoreic G25.69
- psychogenic, compulsive F95.1
- salaam R25.8
- spasm (motor or vocal) F95.9
- - chronic F95.1
- - transient of childhood F95.0
- specified NEC F95.8

Tick-borne -*see* condition

Tietze's disease or syndrome M94.0

Tight, tightness
- anus K62.89
- chest R07.89
- fascia (lata) M62.89
- foreskin (congenital) N47.1
- hymen, hymenal ring N89.6
- introitus (acquired) (congenital) N89.6
- rectal sphincter K62.89
- tendon -*see* Short, tendon
- urethral sphincter N35.919

Tilting vertebra -*see* Dorsopathy, deforming, specified NEC

Timidity, child F93.8

Tin-miner's lung J63.5

Tinea (intersecta) (tarsi) B35.9
- amiantacea L44.8
- asbestina B35.0
- barbae B35.0
- beard B35.0
- black dot B35.0
- blanca B36.2
- capitis B35.0
- corporis B35.4
- cruris B35.6
- flava B36.0
- foot B35.3
- furfuracea B36.0
- imbricata (Tokelau) B35.5
- kerion B35.0
- manuum B35.2
- microsporic -*see* Dermatophytosis
- nigra B36.1
- nodosa -*see* Piedra
- pedis B35.3
- scalp B35.0
- specified NEC B35.8
- sycosis B35.0
- tonsurans B35.0
- trichophytic -*see* Dermatophytosis
- unguium B35.1
- versicolor B36.0

Tingling sensation (skin) R20.2
Tinnitus NOS H93.1-
- audible H93.1-
- aurium H93.1-
- pulsatile H93.A-
- subjective H93.1-

Tipped tooth (teeth) M26.33
Tipping
- pelvis M95.5
- - with disproportion (fetopelvic) O33.0
- - - causing obstructed labor O65.0
- tooth (teeth), fully erupted M26.33

Tiredness R53.83
Tissue -*see* condition
Tobacco (nicotine)
- abuse -*see* Tobacco, use
- dependence -*see* Dependence, drug, nicotine
- harmful use Z72.0
- heart -*see* Tobacco, toxic effect
- maternal use, affecting newborn P04.2
- toxic effect -*see* Table of Drugs and Chemicals, by substance, poisoning
- - chewing tobacco -*see* Table of Drugs and Chemicals, by substance, poisoning
- - cigarettes -*see* Table of Drugs and Chemicals, by substance, poisoning
- use Z72.0
- - complicating
- - - childbirth O99.334
- - - pregnancy O99.33-
- - - puerperium O99.335
- - counseling and surveillance Z71.6
- - history Z87.891
- withdrawal state -*see also* Dependence, drug, nicotine F17.203

Tocopherol deficiency E56.0
Todd's

- cirrhosis K74.3
- paralysis (postepileptic) (transitory) G83.84
Toe -*see* condition
Toilet, artificial opening -*see* Attention to, artificial, opening
Tokelau (ringworm) B35.5
Tollwut -*see* Rabies
Tommaselli's disease R31.9
- correct substance properly administered -*see* Table of Drugs and Chemicals, by drug, adverse effect
- overdose or wrong substance given or taken -*see* Table of Drugs and Chemicals, by drug, poisoning
Tongue -*see also* condition
- tie Q38.1
Tonic pupil -*see* Anomaly, pupil, function, tonic pupil
Toni-Fanconi syndrome (cystinosis) E72.09
- with cystinosis E72.04
Tonsil -*see* condition
Tonsillitis (acute) (catarrhal) (croupous) (follicular) (gangrenous) (infective) (lacunar) (lingual) (malignant) (membranous) (parenchymatous) (phlegmonous) (pseudomembranous) (purulent) (septic) (subacute) (suppurative) (toxic) (ulcerative) (vesicular) (viral) J03.90
- chronic J35.01
- - with adenoiditis J35.03
- diphtheritic A36.0
- hypertrophic J35.01
- - with adenoiditis J35.03
- recurrent J03.91
- specified organism NEC J03.80
- - recurrent J03.81
- staphylococcal J03.80
- - recurrent J03.81
- streptococcal J03.00
- - recurrent J03.01
- tuberculous A15.8
- Vincent's A69.1
Tooth, teeth -*see* condition
Toothache K08.89
Topagnosis R20.8
Tophi -*see* Gout, chronic
TORCH infection -*see* Infection, congenital
- without active infection P00.2
Torn -*see* Tear
Tornwaldt's cyst or disease J39.2
Torsades de pointes I47.21
Torsion
- accessory tube -*see* Torsion, fallopian tube
- adnexa (female) -*see* Torsion, fallopian tube
- aorta, acquired I77.1
- appendix epididymis N44.04
- appendix testis N44.03
- bile duct (common) (hepatic) K83.8
- - congenital Q44.5
- bowel, colon or intestine K56.2
- cervix -*see* Malposition, uterus
- cystic duct K82.8
- dystonia -*see* Dystonia, torsion
- epididymis (appendix) N44.04
- fallopian tube N83.52-
- - with ovary N83.53
- gallbladder K82.8
- - congenital Q44.1
- hydatid of Morgagni
- - female N83.52-

- - male N44.03
- kidney (pedicle) (leading to infarction) N28.0
- Meckel's diverticulum (congenital) Q43.0
- - malignant -*see* Table of Neoplasms, small intestine, malignant
- mesentery K56.2
- omentum K56.2
- organ or site, congenital NEC -*see* Anomaly, by site
- ovary (pedicle) N83.51-
- - with fallopian tube N83.53
- - congenital Q50.2
- oviduct -*see* Torsion, fallopian tube
- penis (acquired) N48.82
- - congenital Q55.63
- spasm -*see* Dystonia, torsion
- spermatic cord N44.02
- - extravaginal N44.01
- - intravaginal N44.02
- spleen D73.5
- testis, testicle N44.00
- - appendix N44.03
- tibia -*see* Deformity, limb, specified type NEC, lower leg
- uterus -*see* Malposition, uterus

Torticollis (intermittent) (spastic) M43.6
- congenital (sternomastoid) Q68.0
- due to birth injury P15.8
- hysterical F44.4
- ocular R29.891
- psychogenic F45.8
- - conversion reaction F44.4
- rheumatic M43.6
- rheumatoid M06.88
- spasmodic G24.3
- traumatic, current S13.4

Tortipelvis G24.1

Tortuous
- aortic arch Q25.46
- artery I77.1
- organ or site, congenital NEC -*see* Distortion
- retinal vessel, congenital Q14.1
- ureter N13.8
- urethra N36.8
- vein -*see* Varix

Torture, victim of Z65.4

Torula, torular (histolytica) (infection) -*see* Cryptococcosis

Torulosis -*see* Cryptococcosis

Torus (mandibularis) (palatinus) M27.0
- fracture -*see* Fracture, by site, torus

Touraine's syndrome Q79.8

Tourette's syndrome F95.2

Tourniquet syndrome -*see* Constriction, external, by site

Tower skull Q75.009
- with exophthalmos Q87.0

Toxemia R68.89
- bacterial -*see* Sepsis
- burn -*see* Burn
- eclamptic (with pre-existing hypertension) -*see* Eclampsia
- erysipelatous -*see* Erysipelas
- fatigue R68.89
- food -*see* Poisoning, food
- gastrointestinal K52.1

- intestinal K52.1
- kidney -*see* Uremia
- malarial -*see* Malaria
- myocardial -*see* Myocarditis, toxic
- of pregnancy -*see* Pre-eclampsia
- pre-eclamptic -*see* Pre-eclampsia
- small intestine K52.1
- staphylococcal, due to food A05.0
- stasis R68.89
- uremic -*see* Uremia
- urinary -*see* Uremia

Toxemica cerebropathia psychica (nonalcoholic) F04
- alcoholic -*see* Alcohol, amnestic disorder

Toxic (poisoning) -*see also* condition T65.91
- effect -*see* Table of Drugs and Chemicals, by substance, poisoning
- shock syndrome A48.3
- thyroid (gland) -*see* Thyrotoxicosis

Toxicemia -*see* Toxemia

Toxicity -*see* Table of Drugs and Chemicals, by substance, poisoning
- fava bean D55.0
- food, noxious -*see* Poisoning, food
- from drug or nonmedicinal substance -*see* Table of Drugs and Chemicals, by drug

Toxicosis -*see also* Toxemia
- capillary, hemorrhagic D69.0

Toxinfection, gastrointestinal K52.1

Toxocariasis B83.0

Toxoplasma, toxoplasmosis (acquired) B58.9
- with
- - hepatitis B58.1
- - meningoencephalitis B58.2
- - ocular involvement B58.00
- - other organ involvement B58.89
- - pneumonia, pneumonitis B58.3
- congenital (acute) (subacute) (chronic) P37.1
- maternal, manifest toxoplasmosis in infant (acute) (subacute) (chronic) P37.1

tPA (rtPA) administation in a different facility within the last 24 hours prior to admission to current facility Z92.82

Trabeculation, bladder N32.89

Trachea -*see* condition

Tracheitis (catarrhal) (infantile) (membranous) (plastic) (septal) (suppurative) (viral) J04.10
- with
- - bronchitis (15 years of age and above) J40
- - - acute or subacute -*see* Bronchitis, acute
- - - chronic J42
- - - tuberculous NEC A15.5
- - - under 15 years of age J20.9
- - laryngitis (acute) J04.2
- - - chronic J37.1
- - - tuberculous NEC A15.5
- acute J04.10
- - with obstruction J04.11
- chronic J42
- - with
- - - bronchitis (chronic) J42
- - - laryngitis (chronic) J37.1
- diphtheritic (membranous) A36.89
- due to external agent -*see* Inflammation, respiratory, upper, due to
- syphilitic A52.73
- tuberculous A15.5

Trachelitis (nonvenereal) -*see* Cervicitis

Tracheobronchial -*see* condition

Tracheobronchitis (15 years of age and above) -*see also* Bronchitis
- due to
- - Bordetella bronchiseptica A37.80
- - - with pneumonia A37.81
- - Francisella tularensis A21.8
Tracheobronchomegaly Q32.4
- with bronchiectasis J47.9
- - with
- - - exacerbation (acute) J47.1
- - - lower respiratory infection J47.0
- acquired J98.09
- - with bronchiectasis J47.9
- - - with
- - - - exacerbation (acute) J47.1
- - - - lower respiratory infection J47.0
Tracheobronchopneumonitis -*see* Pneumonia, broncho-
Tracheocele (external) (internal) J39.8
- congenital Q32.1
Tracheomalacia J39.8
- congenital Q32.0
Tracheopharyngitis (acute) J06.9
- chronic J42
- due to external agent -*see* Inflammation, respiratory, upper, due to
Tracheostenosis J39.8
Tracheostomy
- complication -*see* Complication, tracheostomy
- status Z93.0
- - attention to Z43.0
- - malfunctioning J95.03
Trachoma, trachomatous A71.9
- active (stage) A71.1
- contraction of conjunctiva A71.1
- dubium A71.0
- initial (stage) A71.0
- healed or sequelae B94.0
- pannus A71.1
- Türck's J37.0
Traction, vitreomacular H43.82-
Train sickness T75.3
Trait(s)
- Hb-S D57.3
- hemoglobin
- - abnormal NEC D58.2
- - - with thalassemia D56.3
- - C -*see* Disease, hemoglobin C
- - S (Hb-S) D57.3
- Lepore D56.3
- personality, accentuated Z73.1
- sickle-cell D57.3
- - with elliptocytosis or spherocytosis D57.3
- type A personality Z73.1
Tramp Z59.00
Trance R41.89
- hysterical F44.89
Transection
- abdomen (partial) S38.3
- aorta (incomplete) -*see also* Injury, aorta
- - complete -*see* Injury, aorta, laceration, major
- carotid artery (incomplete) -*see also* Injury, blood vessel, carotid, laceration
- - complete -*see* Injury, blood vessel, carotid, laceration, major

- celiac artery (incomplete) S35.211
- - branch (incomplete) S35.291
- - - complete S35.292
- - complete S35.212
- innominate
- - artery (incomplete) -*see also* Injury, blood vessel, thoracic, innominate, artery, laceration
- - - complete -*see* Injury, blood vessel, thoracic, innominate, artery, laceration, major
- - vein (incomplete) -*see also* Injury, blood vessel, thoracic, innominate, vein, laceration
- - - complete -*see* Injury, blood vessel, thoracic, innominate, vein, laceration, major
- jugular vein (external) (incomplete) -*see also* Injury, blood vessel, jugular vein, laceration
- - complete -*see* Injury, blood vessel, jugular vein, laceration, major
- - internal (incomplete) -*see also* Injury, blood vessel, jugular vein, internal, laceration
- - - complete -*see* Injury, blood vessel, jugular vein, internal, laceration, major
- mesenteric artery (incomplete) -*see also* Injury, mesenteric, artery, laceration
- - complete -*see* Injury, mesenteric artery, laceration, major
- pulmonary vessel (incomplete) -*see also* Injury, blood vessel, thoracic, pulmonary, laceration
- - complete -*see* Injury, blood vessel, thoracic, pulmonary, laceration, major
- subclavian -*see* Transection, innominate
- vena cava (incomplete) -*see also* Injury, vena cava
- - complete -*see* Injury, vena cava, laceration, major
- vertebral artery (incomplete) -*see also* Injury, blood vessel, vertebral, laceration
- - complete -*see* Injury, blood vessel, vertebral, laceration, major

Transaminasemia R74.01

Transfusion
- associated (red blood cell) hemochromatosis E83.111
- blood
- - ABO incompatible -*see* Complication(s), transfusion, incompatibility reaction, ABO
- - minor blood group (Duffy) (E) (K) (Kell) (Kidd) (Lewis) (M) (N) (P) (S) T80.89
- - reaction or complication -*see* Complications, transfusion
- fetomaternal (mother) -*see* Pregnancy, complicated by, placenta, transfusion syndrome
- maternofetal (mother) -*see* Pregnancy, complicated by, placenta, transfusion syndrome
- placental (syndrome) (mother) -*see* Pregnancy, complicated by, placenta, transfusion syndrome
- reaction (adverse) -*see* Complications, transfusion
- related acute lung injury (TRALI) J95.84
- twin-to-twin -*see* Pregnancy, complicated by, placenta, transfusion syndrome, fetus to fetus

Transgender F64.0

Transient (meaning homeless) -*see also* condition Z59.00

Translocation
- balanced autosomal Q95.9
- - in normal individual Q95.0
- chromosomes NEC Q99.8
- - balanced and insertion in normal individual Q95.0
- Down syndrome Q90.2
- trisomy
- - 13 Q91.6
- - 18 Q91.2
- - 21 Q90.2

Translucency, iris -*see* Degeneration, iris

Transmission of chemical substances through the placenta -*see* Absorption, chemical, through placenta

Transparency, lung, unilateral J43.0

Transplant (ed) (status) Z94.9
- awaiting organ Z76.82
- bone Z94.6
- - marrow Z94.81
- candidate Z76.82
- complication -*see* Complication, transplant
- cornea Z94.7
- heart Z94.1
- - and lung(s) Z94.3
- - valve Z95.2

- - - prosthetic Z95.2
- - - specified NEC Z95.4
- - - xenogenic Z95.3
- intestine Z94.82
- kidney Z94.0
- liver Z94.4
- lung(s) Z94.2
- - and heart Z94.3
- organ (failure) (infection) (rejection) Z94.9
- - removal status Z98.85
- pancreas Z94.83
- skin Z94.5
- social Z60.3
- specified organ or tissue NEC Z94.89
- stem cells Z94.84
- tissue Z94.9

Transplants, ovarian, endometrial N80.10-

Transposed -*see* Transposition

Transposition (congenital) -*see also* Malposition, congenital
- abdominal viscera Q89.3
- aorta (dextra) Q20.3
- appendix Q43.8
- colon Q43.8
- corrected Q20.5
- great vessels (complete) (partial) Q20.3
- heart Q24.0
- - with complete transposition of viscera Q89.3
- intestine (large) (small) Q43.8
- reversed jejunal (for bypass) (status) Z98.0
- scrotum Q55.23
- stomach Q40.2
- - with general transposition of viscera Q89.3
- tooth, teeth, fully erupted M26.30
- vessels, great (complete) (partial) Q20.3
- viscera (abdominal) (thoracic) Q89.3

Transsexualism F64.0

Transverse -*see also* condition
- arrest (deep), in labor O64.0
- lie (mother) O32.2
- - causing obstructed labor O64.8

Transvestism, transvestitism (dual-role) F64.1
- fetishistic F65.1

Trapped placenta (with hemorrhage) O72.0
- without hemorrhage O73.0

TRAPS (tumor necrosis factor receptor associated periodic syndrome) M04.1

Trauma, traumatism -*see also* Injury
- acoustic -see subcategory H83.3
- birth -*see* Birth, injury
- complicating ectopic or molar pregnancy O08.6
- during delivery O71.9
- following ectopic or molar pregnancy O08.6
- non-accidental -*see* Abuse, physical
- obstetric O71.9
- - specified NEC O71.89
- occlusal
- - primary K08.81
- - secondary K08.82

Traumatic -*see also* condition
- brain injury S06.9

Treacher Collins syndrome Q75.4

Treitz's hernia *-see* Hernia, abdomen, specified site NEC
Trematode infestation *-see* Infestation, fluke
Trematodiasis *-see* Infestation, fluke
Trembling paralysis *-see* Parkinsonism
Tremor(s) R25.1
- drug induced G25.1
- essential (benign) G25.0
- familial G25.0
- hereditary G25.0
- hysterical F44.4
- intention G25.2
- medication induced postural G25.1
- mercurial -see subcategory T56.1
- Parkinson's *-see* Parkinsonism
- psychogenic (conversion reaction) F44.4
- senilis R54
- specified type NEC G25.2
Trench
- fever A79.0
- foot *-see* Immersion, foot
- mouth A69.1
Treponema pallidum infection *-see* Syphilis
Treponematosis
- due to
- - T. pallidum *-see* Syphilis
- - T. pertenue *-see* Yaws
Triad
- Hutchinson's (congenital syphilis) A50.53
- Kartagener's Q89.3
- Saint's *-see* Hernia, diaphragm
Trichiasis (eyelid) H02.059
- with entropion *-see* Entropion
- left H02.056
- - lower H02.055
- - upper H02.054
- right H02.053
- - lower H02.052
- - upper H02.051
Trichinella spiralis (infection) (infestation) B75
Trichinellosis, trichiniasis, trichinelliasis, trichinosis B75
- with muscle disorder B75 *[M63.80]*
- - ankle B75 *[M63.87-]*
- - foot B75 *[M63.87-]*
- - forearm B75 *[M63.83-]*
- - hand B75 *[M63.84-]*
- - lower leg B75 *[M63.86-]*
- - multiple sites B75 *[M63.89]*
- - pelvic region B75 *[M63.85-]*
- - shoulder region B75 *[M63.81-]*
- - specified site NEC B75 *[M63.88]*
- - thigh B75 *[M63.85-]*
- - upper arm B75 *[M63.82-]*
Trichobezoar T18.9
- intestine T18.3
- stomach T18.2
Trichocephaliasis, trichocephalosis B79
Trichocephalus infestation B79
Trichoclasis L67.8
Trichoepithelioma *-see also* Neoplasm, skin, benign
- malignant *-see* Neoplasm, skin, malignant

Trichofolliculoma -*see* Neoplasm, skin, benign
Tricholemmoma -*see* Neoplasm, skin, benign
Trichomoniasis A59.9
- bladder A59.03
- cervix A59.09
- intestinal A07.8
- prostate A59.02
- seminal vesicles A59.09
- specified site NEC A59.8
- urethra A59.03
- urogenitalis A59.00
- vagina A59.01
- vulva A59.01
Trichomycosis
- axillaris A48.8
- nodosa, nodularis B36.8
Trichonodosis L67.8
Trichophytid, trichophyton infection -*see* Dermatophytosis
Trichophytobezoar T18.9
- intestine T18.3
- stomach T18.2
Trichophytosis -*see* Dermatophytosis
Trichoptilosis L67.8
Trichorrhexis (nodosa) (invaginata) L67.0
Trichosis axillaris A48.8
Trichosporosis nodosa B36.2
Trichostasis spinulosa (congenital) Q84.1
Trichostrongyliasis, trichostrongylosis (small intestine) B81.2
Trichostrongylus infection B81.2
Trichotillomania F63.3
Trichromat, trichromatopsia, anomalous (congenital) H53.55
Trichuriasis B79
Trichuris trichiura (infection) (infestation) (any site) B79
Tricuspid (valve) -*see* condition
Trifid -*see also* Accessory
- kidney (pelvis) Q63.8
- tongue Q38.3
Trigeminal neuralgia -*see* Neuralgia, trigeminal
Trigeminy R00.8
Trigger finger (acquired) M65.30
- congenital Q74.0
- index finger M65.32-
- little finger M65.35-
- middle finger M65.33-
- ring finger M65.34-
- thumb M65.31-
Trigonitis (bladder) (chronic) (pseudomembranous) N30.30
- with hematuria N30.31
Trigonocephaly Q75.03
Trilocular heart -*see* Cor triloculare
Trimethylaminuria E72.52
Tripartite placenta O43.19-
Triphalangeal thumb Q74.0
Triple -*see also* Accessory
- kidneys Q63.0
- negative breast cancer (TNBC) Z17.421
- uteri Q51.818
- X, female Q97.0
Triplegia G83.89
- congenital G80.8

Triple I O41.12-
Triplet (newborn) -*see also* Newborn, triplet
- complicating pregnancy -*see* Pregnancy, triplet
Triplication -*see* Accessory
Triploidy Q92.7
Trismus R25.2
- neonatorum A33
- newborn A33
Trisomy (syndrome) Q92.9
- autosomes Q92.9
- chromosome specified NEC Q92.8
- - partial Q92.2
- - - due to unbalanced translocation Q92.5
- - whole (nonsex chromosome)
- - - meiotic nondisjunction Q92.0
- - - mitotic nondisjunction Q92.1
- - - mosaicism Q92.1
- - specified NEC Q92.8
- due to
- - dicentrics -*see* Extra, marker chromosomes
- - extra rings -*see* Extra, marker chromosomes
- - isochromosomes -*see* Extra, marker chromosomes
- specified NEC Q92.8
- whole chromosome Q92.9
- - meiotic nondisjunction Q92.0
- - mitotic nondisjunction Q92.1
- - mosaicism Q92.1
- - partial Q92.9
- - specified NEC Q92.8
- 13 (partial) Q91.7
- - meiotic nondisjunction Q91.4
- - mitotic nondisjunction Q91.5
- - mosaicism Q91.5
- - translocation Q91.6
- 18 (partial) Q91.3
- - meiotic nondisjunction Q91.0
- - mitotic nondisjunction Q91.1
- - mosaicism Q91.1
- - translocation Q91.2
- 20 Q92.8
- 21 (partial) Q90.9
- - meiotic nondisjunction Q90.0
- - mitotic nondisjunction Q90.1
- - mosaicism Q90.1
- - translocation Q90.2
- 22 Q92.8
Tritanomaly, tritanopia H53.55
Trombiculosis, trombiculiasis, trombidiosis B88.0
Trophedema (congenital) (hereditary) Q82.0
Trophoblastic disease -*see also* Mole, hydatidiform O01.9
Tropholymphedema Q82.0
Trophoneurosis NEC G96.89
- disseminated M34.9
Tropical -*see* condition
Trouble -*see also* Disease
- heart -*see* Disease, heart
- kidney -*see* Disease, renal
- nervous R45.0
- sinus -*see* Sinusitis
Trousseau's syndrome (thrombophlebitis migrans) I82.1

Truancy, childhood
- from school Z72.810
Truncus
- arteriosus (persistent) Q20.0
- communis Q20.0
Trunk -*see* condition
Trypanosomiasis
- African B56.9
- - by Trypanosoma brucei
- - - gambiense B56.0
- - - rhodesiense B56.1
- American -*see* Chagas' disease
- Brazilian -*see* Chagas' disease
- by Trypanosoma
- - brucei gambiense B56.0
- - brucei rhodesiense B56.1
- - cruzi -*see* Chagas' disease
- gambiensis, Gambian B56.0
- rhodesiensis, Rhodesian B56.1
- South American -*see* Chagas' disease
- where
- - African trypanosomiasis is prevalent B56.9
- - Chagas' disease is prevalent B57.2
Tryptasemia, hereditary alpha D89.44
T-shaped incisors K00.2
Tsutsugamushi (disease) (fever) A75.3
Tube, tubal, tubular -*see* condition
Tubercle -*see also* Tuberculosis
- brain, solitary A17.81
- Darwin's Q17.8
- Ghon, primary infection A15.7
Tuberculid, tuberculide (indurating, subcutaneous) (lichenoid) (miliary) (papulonecrotic) (primary) (skin) A18.4
Tuberculoma -*see also* Tuberculosis
- brain A17.81
- meninges (cerebral) (spinal) A17.1
- spinal cord A17.81
Tuberculosis, tubercular, tuberculous (calcification) (calcified) (caseous) (chromogenic acid-fast bacilli) (degeneration) (fibrocaseous) (fistula) (interstitial) (isolated circumscribed lesions) (necrosis) (parenchymatous) (ulcerative) A15.9
- with pneumoconiosis (any condition in J60-J64) J65
- abdomen (lymph gland) A18.39
- abscess (respiratory) A15.9
- - bone A18.03
- - - hip A18.02
- - - knee A18.02
- - - sacrum A18.01
- - - specified site NEC A18.03
- - - spinal A18.01
- - - vertebra A18.01
- - brain A17.81
- - breast A18.89
- - Cowper's gland A18.15
- - dura (mater) (cerebral) (spinal) A17.81
- - epidural (cerebral) (spinal) A17.81
- - female pelvis A18.17
- - frontal sinus A15.8
- - genital organs NEC A18.10
- - genitourinary A18.10
- - gland (lymphatic) -*see* Tuberculosis, lymph gland
- - hip A18.02

- - intestine A18.32
- - ischiorectal A18.32
- - joint NEC A18.02
- - - hip A18.02
- - - knee A18.02
- - - specified NEC A18.02
- - - vertebral A18.01
- - kidney A18.11
- - knee A18.02
- - latent Z22.7
- - lumbar (spine) A18.01
- - lung *-see* Tuberculosis, pulmonary
- - meninges (cerebral) (spinal) A17.0
- - muscle A18.09
- - perianal (fistula) A18.32
- - perinephritic A18.11
- - perirectal A18.32
- - rectum A18.32
- - retropharyngeal A15.8
- - sacrum A18.01
- - scrofulous A18.2
- - scrotum A18.15
- - skin (primary) A18.4
- - spinal cord A17.81
- - spine or vertebra (column) A18.01
- - subdiaphragmatic A18.31
- - testis A18.15
- - urinary A18.13
- - uterus A18.17
- accessory sinus *-see* Tuberculosis, sinus
- Addison's disease A18.7
- adenitis *-see* Tuberculosis, lymph gland
- adenoids A15.8
- adenopathy *-see* Tuberculosis, lymph gland
- adherent pericardium A18.84
- adnexa (uteri) A18.17
- adrenal (capsule) (gland) A18.7
- alimentary canal A18.32
- anemia A18.89
- ankle (joint) (bone) A18.02
- anus A18.32
- apex, apical *-see* Tuberculosis, pulmonary
- appendicitis, appendix A18.32
- arachnoid A17.0
- artery, arteritis A18.89
- - cerebral A18.89
- arthritis (chronic) (synovial) A18.02
- - spine or vertebra (column) A18.01
- articular *-see* Tuberculosis, joint
- ascites A18.31
- asthma *-see* Tuberculosis, pulmonary
- axilla, axillary (gland) A18.2
- bladder A18.12
- bone A18.03
- - hip A18.02
- - knee A18.02
- - limb NEC A18.03
- - sacrum A18.01
- - spine or vertebral column A18.01
- bowel (miliary) A18.32

- brain A17.81
- breast A18.89
- broad ligament A18.17
- bronchi, bronchial, bronchus A15.5
- - ectasia, ectasis (bronchiectasis) -*see* Tuberculosis, pulmonary
- - fistula A15.5
- - - primary (progressive) A15.7
- - gland or node A15.4
- - - primary (progressive) A15.7
- - lymph gland or node A15.4
- - - primary (progressive) A15.7
- bronchiectasis -*see* Tuberculosis, pulmonary
- bronchitis A15.5
- bronchopleural A15.6
- bronchopneumonia, bronchopneumonic -*see* Tuberculosis, pulmonary
- bronchorrhagia A15.5
- bronchotracheal A15.5
- bronze disease A18.7
- buccal cavity A18.83
- bulbourethral gland A18.15
- bursa A18.09
- cachexia A15.9
- cardiomyopathy A18.84
- caries -*see* Tuberculosis, bone
- cartilage A18.02
- - intervertebral A18.01
- catarrhal -*see* Tuberculosis, respiratory
- cecum A18.32
- cellulitis (primary) A18.4
- cerebellum A17.81
- cerebral, cerebrum A17.81
- cerebrospinal A17.81
- - meninges A17.0
- cervical (lymph gland or node) A18.2
- cervicitis, cervix (uteri) A18.16
- chest -*see* Tuberculosis, respiratory
- chorioretinitis A18.53
- choroid, choroiditis A18.53
- ciliary body A18.54
- colitis A18.32
- collier's J65
- colliquativa (primary) A18.4
- colon A18.32
- complex, primary A15.7
- congenital P37.0
- conjunctiva A18.59
- connective tissue (systemic) A18.89
- contact Z20.1
- cornea (ulcer) A18.52
- Cowper's gland A18.15
- coxae A18.02
- coxalgia A18.02
- cul-de-sac of Douglas A18.17
- curvature, spine A18.01
- cutis (colliquativa) (primary) A18.4
- cyst, ovary A18.18
- cystitis A18.12
- dactylitis A18.03
- diarrhea A18.32
- diffuse -*see* Tuberculosis, miliary

- digestive tract A18.32
- disseminated -*see* Tuberculosis, miliary
- duodenum A18.32
- dura (mater) (cerebral) (spinal) A17.0
- - abscess (cerebral) (spinal) A17.81
- dysentery A18.32
- ear (inner) (middle) A18.6
- - bone A18.03
- - external (primary) A18.4
- - skin (primary) A18.4
- elbow A18.02
- emphysema -*see* Tuberculosis, pulmonary
- empyema A15.6
- encephalitis A17.82
- endarteritis A18.89
- endocarditis A18.84
- - aortic A18.84
- - mitral A18.84
- - pulmonary A18.84
- - tricuspid A18.84
- endocrine glands NEC A18.82
- endometrium A18.17
- enteric, enterica, enteritis A18.32
- enterocolitis A18.32
- epididymis, epididymitis A18.15
- epidural abscess (cerebral) (spinal) A17.81
- epiglottis A15.5
- episcleritis A18.51
- erythema (induratum) (nodosum) (primary) A18.4
- esophagus A18.83
- eustachian tube A18.6
- exposure (to) Z20.1
- exudative -*see* Tuberculosis, pulmonary
- eye A18.50
- eyelid (primary) (lupus) A18.4
- fallopian tube (acute) (chronic) A18.17
- fascia A18.09
- fauces A15.8
- female pelvic inflammatory disease A18.17
- finger A18.03
- first infection A15.7
- gallbladder A18.83
- ganglion A18.09
- gastritis A18.83
- gastrocolic fistula A18.32
- gastroenteritis A18.32
- gastrointestinal tract A18.32
- general, generalized -*see* Tuberculosis, miliary
- genital organs A18.10
- genitourinary A18.10
- genu A18.02
- glandula suprarenalis A18.7
- glandular, general A18.2
- glottis A15.5
- grinder's J65
- gum A18.83
- hand A18.03
- heart A18.84
- hematogenous -*see* Tuberculosis, miliary
- hemoptysis -*see* Tuberculosis, pulmonary

- hemorrhage NEC -*see* Tuberculosis, pulmonary
- hemothorax A15.6
- hepatitis A18.83
- hilar lymph nodes A15.4
- - primary (progressive) A15.7
- hip (joint) (disease) (bone) A18.02
- hydropneumothorax A15.6
- hydrothorax A15.6
- hypoadrenalism A18.7
- hypopharynx A15.8
- ileocecal (hyperplastic) A18.32
- ileocolitis A18.32
- ileum A18.32
- iliac spine (superior) A18.03
- immunological findings only A15.7
- indurativa (primary) A18.4
- infantile A15.7
- infection A15.9
- - without clinical manifestations A15.7
- infraclavicular gland A18.2
- inguinal gland A18.2
- inguinalis A18.2
- intestine (any part) A18.32
- iridocyclitis A18.54
- iris, iritis A18.54
- ischiorectal A18.32
- jaw A18.03
- jejunum A18.32
- joint A18.02
- - vertebral A18.01
- keratitis (interstitial) A18.52
- keratoconjunctivitis A18.52
- kidney A18.11
- knee (joint) A18.02
- kyphosis, kyphoscoliosis A18.01
- laryngitis A15.5
- larynx A15.5
- latent Z22.7
- leptomeninges, leptomeningitis (cerebral) (spinal) A17.0
- lichenoides (primary) A18.4
- linguae A18.83
- lip A18.83
- liver A18.83
- lordosis A18.01
- lung -*see* Tuberculosis, pulmonary
- lupus vulgaris A18.4
- lymph gland or node (peripheral) A18.2
- - abdomen A18.39
- - bronchial A15.4
- - - primary (progressive) A15.7
- - cervical A18.2
- - hilar A15.4
- - - primary (progressive) A15.7
- - intrathoracic A15.4
- - - primary (progressive) A15.7
- - mediastinal A15.4
- - - primary (progressive) A15.7
- - mesenteric A18.39
- - retroperitoneal A18.39
- - tracheobronchial A15.4

- - - primary (progressive) A15.7
- lymphadenitis -*see* Tuberculosis, lymph gland
- lymphangitis -*see* Tuberculosis, lymph gland
- lymphatic (gland) (vessel) -*see* Tuberculosis, lymph gland
- mammary gland A18.89
- marasmus A15.9
- mastoiditis A18.03
- mediastinal lymph gland or node A15.4
- - primary (progressive) A15.7
- mediastinitis A15.8
- - primary (progressive) A15.7
- mediastinum A15.8
- - primary (progressive) A15.7
- medulla A17.81
- melanosis, Addisonian A18.7
- meninges, meningitis (basilar) (cerebral) (cerebrospinal) (spinal) A17.0
- meningoencephalitis A17.82
- mesentery, mesenteric (gland or node) A18.39
- miliary A19.9
- - acute A19.2
- - - multiple sites A19.1
- - - single specified site A19.0
- - chronic A19.8
- - specified NEC A19.8
- millstone makers' J65
- miner's J65
- molder's J65
- mouth A18.83
- multiple A19.9
- - acute A19.1
- - chronic A19.8
- muscle A18.09
- myelitis A17.82
- myocardium, myocarditis A18.84
- nasal (passage) (sinus) A15.8
- nasopharynx A15.8
- neck gland A18.2
- nephritis A18.11
- nerve (mononeuropathy) A17.83
- nervous system A17.9
- nose (septum) A15.8
- ocular A18.50
- omentum A18.31
- oophoritis (acute) (chronic) A18.17
- optic (nerve trunk) (papilla) A18.59
- orbit A18.59
- orchitis A18.15
- organ, specified NEC A18.89
- osseous -*see* Tuberculosis, bone
- osteitis -*see* Tuberculosis, bone
- osteomyelitis -*see* Tuberculosis, bone
- otitis media A18.6
- ovary, ovaritis (acute) (chronic) A18.17
- oviduct (acute) (chronic) A18.17
- pachymeningitis A17.0
- palate (soft) A18.83
- pancreas A18.83
- papulonecrotic (a) (primary) A18.4
- parathyroid glands A18.82
- paronychia (primary) A18.4

- parotid gland or region A18.83
- pelvis (bony) A18.03
- penis A18.15
- peribronchitis A15.5
- pericardium, pericarditis A18.84
- perichondritis, larynx A15.5
- periostitis -*see* Tuberculosis, bone
- perirectal fistula A18.32
- peritoneum NEC A18.31
- peritonitis A18.31
- pharynx, pharyngitis A15.8
- phlyctenulosis (keratoconjunctivitis) A18.52
- phthisis NEC -*see* Tuberculosis, pulmonary
- pituitary gland A18.82
- pleura, pleural, pleurisy, pleuritis (fibrinous) (obliterative) (purulent) (simple plastic) (with effusion) A15.6
- - primary (progressive) A15.7
- pneumonia, pneumonic -*see* Tuberculosis, pulmonary
- pneumothorax (spontaneous) (tense valvular) -*see* Tuberculosis, pulmonary
- polyneuropathy A17.89
- polyserositis A19.9
- - acute A19.1
- - chronic A19.8
- potter's J65
- prepuce A18.15
- primary (complex) A15.7
- proctitis A18.32
- prostate, prostatitis A18.14
- pulmonalis -*see* Tuberculosis, pulmonary
- pulmonary (cavitated) (fibrotic) (infiltrative) (nodular) A15.0
- - childhood type or first infection A15.7
- - primary (complex) A15.7
- pyelitis A18.11
- pyelonephritis A18.11
- pyemia -*see* Tuberculosis, miliary
- pyonephrosis A18.11
- pyopneumothorax A15.6
- pyothorax A15.6
- rectum (fistula) (with abscess) A18.32
- reinfection stage -*see* Tuberculosis, pulmonary
- renal A18.11
- renis A18.11
- respiratory A15.9
- - primary A15.7
- - specified site NEC A15.8
- retina, retinitis A18.53
- retroperitoneal (lymph gland or node) A18.39
- rheumatism NEC A18.09
- rhinitis A15.8
- sacroiliac (joint) A18.01
- sacrum A18.01
- salivary gland A18.83
- salpingitis (acute) (chronic) A18.17
- sandblaster's J65
- sclera A18.51
- scoliosis A18.01
- scrofulous A18.2
- scrotum A18.15
- seminal tract or vesicle A18.15
- senile A15.9
- septic -*see* Tuberculosis, miliary

- shoulder (joint) A18.02
- - blade A18.03
- sigmoid A18.32
- sinus (any nasal) A15.8
- - bone A18.03
- - epididymis A18.15
- skeletal NEC A18.03
- skin (any site) (primary) A18.4
- small intestine A18.32
- soft palate A18.83
- spermatic cord A18.15
- spine, spinal (column) A18.01
- - cord A17.81
- - medulla A17.81
- - membrane A17.0
- - meninges A17.0
- spleen, splenitis A18.85
- spondylitis A18.01
- sternoclavicular joint A18.02
- stomach A18.83
- stonemason's J65
- subcutaneous tissue (cellular) (primary) A18.4
- subcutis (primary) A18.4
- subdeltoid bursa A18.83
- submaxillary (region) A18.83
- supraclavicular gland A18.2
- suprarenal (capsule) (gland) A18.7
- swelling, joint (see also category M01) -*see also* Tuberculosis, joint A18.02
- symphysis pubis A18.02
- synovitis A18.09
- - articular A18.02
- - spine or vertebra A18.01
- systemic -*see* Tuberculosis, miliary
- tarsitis A18.4
- tendon (sheath) -*see* Tuberculosis, tenosynovitis
- tenosynovitis A18.09
- - spine or vertebra A18.01
- testis A18.15
- throat A15.8
- thymus gland A18.82
- thyroid gland A18.81
- tongue A18.83
- tonsil, tonsillitis A15.8
- trachea, tracheal A15.5
- - lymph gland or node A15.4
- - - primary (progressive) A15.7
- tracheobronchial A15.5
- - lymph gland or node A15.4
- - - primary (progressive) A15.7
- tubal (acute) (chronic) A18.17
- tunica vaginalis A18.15
- ulcer (skin) (primary) A18.4
- - bowel or intestine A18.32
- - specified NEC - code under Tuberculosis, by site
- unspecified site A15.9
- ureter A18.11
- urethra, urethral (gland) A18.13
- urinary organ or tract A18.13
- uterus A18.17
- uveal tract A18.54

- uvula A18.83
- vagina A18.18
- vas deferens A18.15
- verruca, verrucosa (cutis) (primary) A18.4
- vertebra (column) A18.01
- vesiculitis A18.15
- vulva A18.18
- wrist (joint) A18.02

Tuberculum
- Carabelli -*see* Note at K00.2
- occlusal -*see* Note at K00.2
- paramolare K00.2

Tuberosity, entire maxillary M26.07

Tuberous sclerosis (brain) Q85.1

Tubo-ovarian -*see* condition

Tuboplasty, after previous sterilization Z31.0
- aftercare Z31.42

Tubotympanitis, catarrhal (chronic) -*see* Otitis, media, nonsuppurative, chronic, serous

Tularemia A21.9
- with
- - conjunctivitis A21.1
- - pneumonia A21.2
- abdominal A21.3
- bronchopneumonic A21.2
- conjunctivitis A21.1
- cryptogenic A21.3
- enteric A21.3
- gastrointestinal A21.3
- generalized A21.7
- ingestion A21.3
- intestinal A21.3
- oculoglandular A21.1
- ophthalmic A21.1
- pneumonia (any), pneumonic A21.2
- pulmonary A21.2
- sepsis A21.7
- specified NEC A21.8
- typhoidal A21.7
- ulceroglandular A21.0

Tularensis conjunctivitis A21.1

Tumefaction -*see also* Swelling
- liver -*see* Hypertrophy, liver

Tumor -*see also* Neoplasm, unspecified behavior, by site
- acinar cell -*see* Neoplasm, uncertain behavior, by site
- acinic cell -*see* Neoplasm, uncertain behavior, by site
- adenocarcinoid -*see* Neoplasm, malignant, by site
- adenomatoid -*see also* Neoplasm, benign, by site
- - odontogenic -*see* Cyst, calcifying odontogenic
- adnexal (skin) -*see* Neoplasm, skin, benign, by site
- adrenal
- - cortical (benign) D35.0-
- - - malignant C74.0-
- - rest -*see* Neoplasm, benign, by site
- alpha-cell
- - malignant
- - - pancreas C25.4
- - - specified site NEC -*see* Neoplasm, malignant, by site
- - - unspecified site C25.4
- - pancreas D13.7
- - specified site NEC -*see* Neoplasm, benign, by site

- - unspecified site D13.7
- aneurysmal -*see* Aneurysm
- aortic body D44.7
- - malignant C75.5
- Askin's -*see* Neoplasm, connective tissue, malignant
- basal cell -*see also* Neoplasm, skin, uncertain behavior D48.5
- Bednar -*see* Neoplasm, skin, malignant
- benign (unclassified) -*see* Neoplasm, benign, by site
- beta-cell
- - malignant
- - - pancreas C25.4
- - - specified site NEC -*see* Neoplasm, malignant, by site
- - - unspecified site C25.4
- - pancreas D13.7
- - specified site NEC -*see* Neoplasm, benign, by site
- - unspecified site D13.7
- Brenner D27.9
- - borderline malignancy D39.1-
- - malignant C56-
- - proliferating D39.1-
- bronchial alveolar, intravascular D38.1
- Brooke's -*see* Neoplasm, skin, benign
- brown fat -*see* Lipoma
- Burkitt -*see* Lymphoma, Burkitt
- calcifying epithelial odontogenic -*see* Cyst, calcifying odontogenic
- carcinoid D3A.00
- - benign D3A.00
- - - appendix D3A.020
- - - ascending colon D3A.022
- - - bronchus (lung) D3A.090
- - - cecum D3A.021
- - - colon D3A.029
- - - descending colon D3A.024
- - - duodenum D3A.010
- - - foregut NOS D3A.094
- - - hindgut NOS D3A.096
- - - ileum D3A.012
- - - jejunum D3A.011
- - - kidney D3A.093
- - - large intestine D3A.029
- - - lung (bronchus) D3A.090
- - - midgut NOS D3A.095
- - - rectum D3A.026
- - - sigmoid colon D3A.025
- - - small intestine D3A.019
- - - specified NEC D3A.098
- - - stomach D3A.092
- - - thymus D3A.091
- - - transverse colon D3A.023
- - malignant C7A.00
- - - appendix C7A.020
- - - ascending colon C7A.022
- - - bronchus (lung) C7A.090
- - - cecum C7A.021
- - - colon C7A.029
- - - descending colon C7A.024
- - - duodenum C7A.010
- - - foregut NOS C7A.094
- - - hindgut NOS C7A.096
- - - ileum C7A.012

- - - jejunum C7A.011
- - - kidney C7A.093
- - - large intestine C7A.029
- - - lung (bronchus) C7A.090
- - - midgut NOS C7A.095
- - - rectum C7A.026
- - - sigmoid colon C7A.025
- - - small intestine C7A.019
- - - specified NEC C7A.098
- - - stomach C7A.092
- - - thymus C7A.091
- - - transverse colon C7A.023
- - mesentery metastasis C7B.04
- - secondary C7B.00
- - - bone C7B.03
- - - distant lymph nodes C7B.01
- - - liver C7B.02
- - - peritoneum C7B.04
- - - specified NEC C7B.09
- carotid body D44.6
- - malignant C75.4
- cells -*see also* Neoplasm, unspecified behavior, by site
- - benign -*see* Neoplasm, benign, by site
- - malignant -*see* Neoplasm, malignant, by site
- - uncertain whether benign or malignant -*see* Neoplasm, uncertain behavior, by site
- cervix, in pregnancy or childbirth -*see* Pregnancy, complicated by, tumor, cervix
- chondromatous giant cell -*see* Neoplasm, bone, benign
- chromaffin -*see also* Neoplasm, benign, by site
- - malignant -*see* Neoplasm, malignant, by site
- Cock's peculiar L72.3
- Codman's -*see* Neoplasm, bone, benign
- dentigerous, mixed -*see* Cyst, calcifying odontogenic
- dermoid -*see* Neoplasm, benign, by site
- - with malignant transformation C56-
- desmoid (extra-abdominal) -*see also* Neoplasm, connective tissue, uncertain behavior
- - abdominal -*see* Neoplasm, connective tissue, uncertain behavior
- embolus -*see* Neoplasm, secondary, by site
- embryonal (mixed) -*see also* Neoplasm, uncertain behavior, by site
- - liver C22.7
- endodermal sinus
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site
- - - female C56.-
- - - male C62.90
- epithelial
- - benign -*see* Neoplasm, benign, by site
- - malignant -*see* Neoplasm, malignant, by site
- Ewing's -*see* Neoplasm, bone, malignant, by site
- fatty -*see* Lipoma
- fibroid -*see* Leiomyoma
- G cell
- - malignant
- - - pancreas C25.4
- - - specified site NEC -*see* Neoplasm, malignant, by site
- - - unspecified site C25.4
- - specified site -*see* Neoplasm, uncertain behavior, by site
- - unspecified site D37.8
- germ cell -*see also* Neoplasm, malignant, by site
- - mixed -*see* Neoplasm, malignant, by site
- ghost cell, odontogenic -*see* Cyst, calcifying odontogenic

- giant cell *-see also* Neoplasm, uncertain behavior, by site
- - bone D48.0
- - - malignant *-see* Neoplasm, bone, malignant
- - chondromatous *-see* Neoplasm, bone, benign
- - malignant *-see* Neoplasm, malignant, by site
- - soft parts *-see* Neoplasm, connective tissue, uncertain behavior
- - - malignant *-see* Neoplasm, connective tissue, malignant
- glomus D18.00
- - intra-abdominal D18.03
- - intracranial D18.02
- - jugulare D44.7
- - - malignant C75.5
- - skin D18.01
- - specified site NEC D18.09
- gonadal stromal *-see* Neoplasm, uncertain behavior, by site
- granular cell *-see also* Neoplasm, connective tissue, benign
- - malignant *-see* Neoplasm, connective tissue, malignant
- granulosa cell D39.1-
- - juvenile D39.1-
- - malignant C56-
- granulosa cell-theca cell D39.1-
- - malignant C56-
- Grawitz's C64-
- hemorrhoidal *-see* Hemorrhoids
- hilar cell D27-
- hilus cell D27-
- Hurthle cell (benign) D34
- - malignant C73
- hydatid *-see* Echinococcus
- hypernephroid *-see also* Neoplasm, uncertain behavior, by site
- interstitial cell *-see also* Neoplasm, uncertain behavior, by site
- - benign *-see* Neoplasm, benign, by site
- - malignant *-see* Neoplasm, malignant, by site
- intravascular bronchial alveolar D38.1
- islet cell *-see* Neoplasm, benign, by site
- - malignant *-see* Neoplasm, malignant, by site
- - - pancreas C25.4
- - - specified site NEC *-see* Neoplasm, malignant, by site
- - - unspecified site C25.4
- - pancreas D13.7
- - specified site NEC *-see* Neoplasm, benign, by site
- - unspecified site D13.7
- juxtaglomerular D41.0-
- Klatskin's C24.0
- Krukenberg's C79.6-
- Leydig cell *-see* Neoplasm, uncertain behavior, by site
- - benign *-see* Neoplasm, benign, by site
- - - specified site *-see* Neoplasm, benign, by site
- - - unspecified site
- - - - female D27.9
- - - - male D29.20
- - malignant *-see* Neoplasm, malignant, by site
- - - specified site *-see* Neoplasm, malignant, by site
- - - unspecified site
- - - - female C56.9
- - - - male C62.90
- - specified site *-see* Neoplasm, uncertain behavior, by site
- - unspecified site
- - - female D39.10
- - - male D40.10

- lipid cell, ovary D27-
- lipoid cell, ovary D27-
- malignant -*see also* Neoplasm, malignant, by site C80.1
- - fusiform cell (type) C80.1
- - giant cell (type) C80.1
- - localized, plasma cell -*see* Plasmacytoma, solitary
- - mixed NEC C80.1
- - small cell (type) C80.1
- - spindle cell (type) C80.1
- - unclassified C80.1
- mast cell D47.09
- melanotic, neuroectodermal -*see* Neoplasm, benign, by site
- Merkel cell -*see* Carcinoma, Merkel cell
- mesenchymal
- - malignant -*see* Neoplasm, connective tissue, malignant
- - mixed -*see* Neoplasm, connective tissue, uncertain behavior
- mesodermal, mixed -*see also* Neoplasm, malignant, by site
- - liver C22.4
- mesonephric -*see also* Neoplasm, uncertain behavior, by site
- - malignant -*see* Neoplasm, malignant, by site
- metastatic
- - from specified site -*see* Neoplasm, malignant, by site
- - of specified site -*see* Neoplasm, malignant, by site
- - to specified site -*see* Neoplasm, secondary, by site
- mixed NEC -*see also* Neoplasm, benign, by site
- - malignant -*see* Neoplasm, malignant, by site
- mucinous of low malignant potential
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C56.9
- mucocarcinoid
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C18.1
- mucoepidermoid -*see* Neoplasm, uncertain behavior, by site
- Müllerian, mixed
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C54.9
- myoepithelial -*see* Neoplasm, benign, by site
- neuroectodermal (peripheral) -*see* Neoplasm, malignant, by site
- - primitive
- - - specified site -*see* Neoplasm, malignant, by site
- - - unspecified site C71.9
- neuroendocrine D3A.8
- - malignant poorly differentiated C7A.1
- - secondary NEC C7B.8
- - specified NEC C7A.8
- neurogenic olfactory C30.0
- nonencapsulated sclerosing C73
- odontogenic (adenomatoid) (benign) (calcifying epithelial) (keratocystic) (squamous) -*see* Cyst, calcifying odontogenic
- - malignant C41.1
- - - upper jaw (bone) C41.0
- ovarian stromal D39.1-
- ovary, in pregnancy -*see* Pregnancy, complicated by
- pacinian -*see* Neoplasm, skin, benign
- Pancoast's -*see* Pancoast's syndrome
- papillary -*see also* Papilloma
- - cystic D37.9
- - mucinous of low malignant potential C56-
- - - specified site -*see* Neoplasm, malignant, by site
- - - unspecified site C56.9
- - serous of low malignant potential

- - - specified site -*see* Neoplasm, malignant, by site
- - - unspecified site C56.9
- pelvic, in pregnancy or childbirth -*see* Pregnancy, complicated by
- phantom F45.8
- phyllodes D48.6-
- - benign D24-
- - malignant -*see* Neoplasm, breast, malignant
- Pindborg -*see* Cyst, calcifying odontogenic
- placental site trophoblastic D39.2
- plasma cell (malignant) (localized) -*see* Plasmacytoma, solitary
- polyvesicular vitelline
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site
- - - female C56.9
- - - male C62.90
- Pott's puffy -*see* Osteomyelitis, specified NEC
- Rathke's pouch D44.3
- retinal anlage -*see* Neoplasm, benign, by site
- salivary gland or duct type, mixed -*see* Neoplasm, salivary gland or duct, benign
- - malignant -*see* Neoplasm, salivary gland or duct, malignant
- Sampson's N80.10-
- Schmincke's -*see* Neoplasm, nasopharynx, malignant
- sclerosing stromal D27-
- sebaceous -*see* Cyst, sebaceous
- secondary -*see* Neoplasm, secondary, by site
- - carcinoid C7B.00
- - - bone C7B.03
- - - distant lymph nodes C7B.01
- - - liver C7B.02
- - - peritoneum C7B.04
- - - specified NEC C7B.09
- - neuroendocrine NEC C7B.8
- serous of low malignant potential
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site C56.9
- Sertoli cell -*see* Neoplasm, benign, by site
- - with lipid storage
- - - specified site -*see* Neoplasm, benign, by site
- - - unspecified site
- - - - female D27.9
- - - - male D29.20
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site
- - - female D27.9
- - - male D29.20
- Sertoli-Leydig cell -*see* Neoplasm, benign, by site
- - specified site -*see* Neoplasm, benign, by site
- - unspecified site
- - - female D27.9
- - - male D29.20
- sex cord (-stromal) -*see* Neoplasm, uncertain behavior, by site
- - with annular tubules D39.1-
- skin appendage -*see* Neoplasm, skin, benign
- smooth muscle -*see* Neoplasm, connective tissue, uncertain behavior
- soft tissue
- - benign -*see* Neoplasm, connective tissue, benign
- - malignant -*see* Neoplasm, connective tissue, malignant
- sternomastoid (congenital) Q68.0
- stromal
- - endometrial D39.0

- - gastric D48.19
- - - benign D21.4
- - - malignant C49.A2
- - - uncertain behavior D48.19
- - gastrointestinal C49.A-
- - - benign D21.4
- - - esophagus C49.A1
- - - large intestine C49.A4
- - - malignant C49.A0
- - - - colon C49.A4
- - - - duodenum C49.A3
- - - - esophagus C49.A1
- - - - ileum C49.A3
- - - - jejunum C49.A3
- - - - large intestine C49.A4
- - - - Meckel diverticulum C49.A3
- - - - omentum C49.A9
- - - - peritoneum C49.A9
- - - - rectum C49.A5
- - - - small intestine C49.A3
- - - - specified site NEC C49.A9
- - - - stomach C49.A2
- - - rectum C49.A5
- - - small intestine C49.A3
- - - specified site NEC C49.A9
- - - stomach C49.A2
- - - uncertain behavior D48.19
- - intestine
- - - benign D21.4
- - - malignant
- - - - large C49.A4
- - - - small C49.A3
- - - uncertain behavior D48.19
- - ovarian D39.1-
- - stomach C49.A2
- - - benign D21.4
- - - malignant C49.A2
- - - uncertain behavior D48.19
- testicular D40.10
- sweat gland -*see also* Neoplasm, skin, uncertain behavior
- - benign -*see* Neoplasm, skin, benign
- - malignant -*see* Neoplasm, skin, malignant
- syphilitic, brain A52.17
- testicular stromal D40.1-
- theca cell D27.-
- theca cell-granulosa cell D39.1-
- Triton, malignant -*see* Neoplasm, nerve, malignant
- trophoblastic, placental site D39.2
- turban D23.4
- uterus (body), in pregnancy or childbirth -*see* Pregnancy, complicated by, tumor, uterus
- vagina, in pregnancy or childbirth -*see* Pregnancy, complicated by
- varicose -*see* Varix
- von Recklinghausen's -*see* Neurofibromatosis
- vulva or perineum, in pregnancy or childbirth -*see* Pregnancy, complicated by
- - causing obstructed labor O65.5
- Warthin's -*see* Neoplasm, salivary gland or duct, benign
- Wilms' C64-
- yolk sac -*see* Neoplasm, malignant, by site
- - specified site -*see* Neoplasm, malignant, by site
- - unspecified site

- - - female C56.9
- - - male C62.90
Tumor lysis syndrome (following antineoplastic chemotherapy) (spontaneous) NEC E88.3
Tumorlet -*see* Neoplasm, uncertain behavior, by site
Tungiasis B88.1
Tunica vasculosa lentis Q12.2
Turban tumor D23.4
Türck's trachoma J37.0
Turner-Kieser syndrome Q87.2
Turner-like syndrome Q87.19
Turner's
- hypoplasia (tooth) K00.4
- syndrome Q96.9
- - specified NEC Q96.8
- tooth K00.4
Turner-Ullrich syndrome Q96.9
Tussis convulsiva -*see* Whooping cough
Twiddler's syndrome (due to)
- automatic implantable defibrillator T82.198
- cardiac pacemaker T82.198
Twilight state
- epileptic F05
- psychogenic F44.89
Twin (newborn) -*see also* Newborn, twin
- conjoined Q89.4
- pregnancy -*see* Pregnancy, twin
Twinning, teeth K00.2
Twist, twisted
- bowel, colon or intestine K56.2
- hair (congenital) Q84.1
- mesentery K56.2
- omentum K56.2
- organ or site, congenital NEC -*see* Anomaly, by site
- ovarian pedicle -*see* Torsion, ovary
Twitching R25.3
Tylosis (acquired) L84
- buccalis K13.29
- linguae K13.29
- palmaris et plantaris (congenital) (inherited) Q82.8
- - acquired L85.1
Tympanism R14.0
Tympanites (abdominal) (intestinal) R14.0
Tympanitis -*see* Myringitis
Tympanosclerosis -see subcategory H74.0
Tympanum -*see* condition
Tympany
- abdomen R14.0
- chest R09.89
Type A behavior pattern Z73.1
Typhlitis -*see* Cecitis
Typhoenteritis -*see* Typhoid
Typhoid (abortive) (ambulant) (any site) (clinical) (fever) (hemorrhagic) (infection) (intermittent) (malignant) (rheumatic) (Widal negative) A01.00
- with pneumonia A01.03
- abdominal A01.09
- arthritis A01.04
- carrier (suspected) of Z22.0
- cholecystitis (current) A01.09
- endocarditis A01.02
- heart involvement A01.02

- inoculation reaction -*see* Complications, vaccination
- meningitis A01.01
- mesenteric lymph nodes A01.09
- myocarditis A01.02
- osteomyelitis A01.05
- perichondritis, larynx A01.09
- pneumonia A01.03
- spine A01.05
- specified NEC A01.09
- ulcer (perforating) A01.09

Typhomalaria (fever) -*see* Malaria

Typhomania A01.00

Typhoperitonitis A01.09

Typhus (fever) A75.9
- abdominal, abdominalis -*see* Typhoid
- African tick A77.1
- amarillic A95.9
- brain A75.9 *[G94]*
- cerebral A75.9 *[G94]*
- classical A75.0
- due to Rickettsia
- - prowazekii A75.0
- - - recrudescent A75.1
- - tsutsugamushi A75.3
- - typhi A75.2
- endemic (flea-borne) A75.2
- epidemic (louse-borne) A75.0
- exanthematic NEC A75.0
- exanthematicus SAI A75.0
- - brillii SAI A75.1
- - mexicanus SAI A75.2
- - typhus murinus A75.2
- flea-borne A75.2
- India tick A77.1
- Kenya (tick) A77.1
- louse-borne A75.0
- Mexican A75.2
- mite-borne A75.3
- murine A75.2
- North Asian tick-borne A77.2
- Orientia Tsutsugamushi (scrub typhus) A75.3
- petechial A75.9
- Queensland tick A77.3
- rat A75.2
- recrudescent A75.1
- recurrens -*see* Fever, relapsing
- Sao Paulo A77.0
- scrub (China) (India) (Malaysia) (New Guinea) A75.3
- shop (of Malaysia) A75.2
- Siberian tick A77.2
- tick-borne A77.9
- tropical (mite-borne) A75.3

Tyrosinemia E70.21
- newborn, transitory P74.5

Tyrosinosis E70.21

Tyrosinuria E70.29

U

Uhl's anomaly or disease Q24.8

Ulcer, ulcerated, ulcerating, ulceration, ulcerative
- alveolar process M27.3
- amebic (intestine) A06.1
- - skin A06.7
- anastomotic -*see* Ulcer, gastrojejunal
- anorectal K62.6
- antral -*see* Ulcer, stomach
- anus (sphincter) (solitary) K62.6
- aorta -*see* Aneurysm
- aphthous (oral) (recurrent) K12.0
- - genital organ(s)
- - - female N76.6
- - - male N50.89
- artery I77.2
- atrophic -*see* Ulcer, skin
- - decubitus -*see* Ulcer, pressure, by site
- back L98.429
- - with
- - - bone involvement without evidence of necrosis L98.426
- - - bone necrosis L98.424
- - - exposed fat layer L98.422
- - - muscle involvement without evidence of necrosis L98.425
- - - muscle necrosis L98.423
- - - skin breakdown only L98.421
- - - specified severity NEC L98.428
- Barrett's (esophagus) K22.10
- - with bleeding K22.11
- bile duct (common) (hepatic) K83.8
- bladder (solitary) (sphincter) NEC N32.89
- - bilharzial B65.9 *[N33]*
- - in schistosomiasis (bilharzial) B65.9 *[N33]*
- - submucosal -*see* Cystitis, interstitial
- - tuberculous A18.12
- bleeding K27.4
- bone -*see* Osteomyelitis, specified type NEC
- bowel -*see* Ulcer, intestine
- breast N61.1
- bronchus J98.09
- buccal (cavity) (traumatic) K12.1
- Buruli A31.1
- buttock L98.419
- - with
- - - bone involvement without evidence of necrosis L98.416
- - - bone necrosis L98.414
- - - exposed fat layer L98.412
- - - muscle involvement without evidence of necrosis L98.415
- - - muscle necrosis L98.413
- - - skin breakdown only L98.411
- - - specified severity NEC L98.418
- cameron -*see* Ulcer, stomach
- cancerous -*see* Neoplasm, malignant, by site
- cardia K22.10
- - with bleeding K22.11
- cardioesophageal (peptic) K22.10
- - with bleeding K22.11
- cecum -*see* Ulcer, intestine
- cervix (uteri) (decubitus) (trophic) N86
- - with cervicitis N72
- chancroidal A57
- chiclero B55.1

- chronic (cause unknown) -*see* Ulcer, skin
- Cochin-China B55.1
- colon -*see* Ulcer, intestine
- conjunctiva H10.89
- cornea H16.00-
- - with hypopyon H16.03-
- - central H16.01-
- - dendritic (herpes simplex) B00.52
- - marginal H16.04-
- - Mooren's H16.05-
- - mycotic H16.06-
- - perforated H16.07-
- - ring H16.02-
- - tuberculous (phlyctenular) A18.52
- corpus cavernosum (chronic) N48.5
- crural -*see* Ulcer, lower limb
- Curling's -*see* Ulcer, peptic, acute
- Cushing's -*see* Ulcer, peptic, acute
- cystic duct K82.8
- cystitis (interstitial) -*see* Cystitis, interstitial
- decubitus -*see* Ulcer, pressure, by site
- dendritic, cornea (herpes simplex) B00.52
- diabetes, diabetic -*see* Diabetes, ulcer
- Dieulafoy's K25.0
- due to
- - infection NEC -*see* Ulcer, skin
- - radiation NEC L59.8
- - trophic disturbance (any region) -*see* Ulcer, skin
- - X-ray L58.1
- duodenum, duodenal (eroded) (peptic) K26.9
- - with
- - - hemorrhage K26.4
- - - - and perforation K26.6
- - - perforation K26.5
- - acute K26.3
- - - with
- - - - hemorrhage K26.0
- - - - - and perforation K26.2
- - - - perforation K26.1
- - chronic (erosive) K26.7
- - - with
- - - - hemorrhage K26.4
- - - - - and perforation K26.6
- - - - perforation K26.5
- dysenteric A09
- elusive -*see* Cystitis, interstitial
- endocarditis (acute) (chronic) (subacute) I28.8
- epiglottis J38.7
- esophagus (peptic) K22.10
- - with bleeding K22.11
- - due to
- - - aspirin K22.10
- - - - with bleeding K22.11
- - - gastrointestinal reflux disease (without bleeding) K21.00
- - - - with bleeding K21.01
- - - ingestion of chemical or medicament K22.10
- - - - with bleeding K22.11
- - fungal K22.10
- - - with bleeding K22.11
- - infective K22.10

- - - with bleeding K22.11
- - varicose -*see* Varix, esophagus
- eyelid (region) H01.8
- fauces J39.2
- Fenwick (-Hunner) (solitary) -*see* Cystitis, interstitial
- fistulous -*see* Ulcer, skin
- foot (indolent) (trophic) -*see* Ulcer, lower limb
- frambesial, initial A66.0
- frenum (tongue) K14.0
- gallbladder or duct K82.8
- gangrenous -*see* Gangrene
- gastric -*see* Ulcer, stomach
- gastrocolic -*see* Ulcer, gastrojejunal
- gastroduodenal -*see* Ulcer, peptic
- gastroesophageal -*see* Ulcer, stomach
- gastrointestinal -*see* Ulcer, gastrojejunal
- gastrojejunal (peptic) K28.9
- - with
- - - hemorrhage K28.4
- - - - and perforation K28.6
- - - perforation K28.5
- - acute K28.3
- - - with
- - - - hemorrhage K28.0
- - - - - and perforation K28.2
- - - - perforation K28.1
- - chronic K28.7
- - - with
- - - - hemorrhage K28.4
- - - - - and perforation K28.6
- - - - perforation K28.5
- gastrojejunocolic -*see* Ulcer, gastrojejunal
- gingiva K06.8
- gingivitis K05.10
- - nonplaque induced K05.11
- - plaque induced K05.10
- glottis J38.7
- granuloma of pudenda A58
- gum K06.8
- gumma, due to yaws A66.4
- heel -*see* Ulcer, lower limb
- hemorrhoid -*see also* Hemorrhoids, by degree K64.8
- Hunner's -*see* Cystitis, interstitial
- hypopharynx J39.2
- hypopyon (chronic) (subacute) -*see* Ulcer, cornea, with hypopyon
- hypostaticum -*see* Ulcer, varicose
- ileum -*see* Ulcer, intestine
- intestine, intestinal K63.3
- - with perforation K63.1
- - amebic A06.1
- - duodenal -*see* Ulcer, duodenum
- - granulocytopenic (with hemorrhage) -*see* Neutropenia
- - marginal -*see* Ulcer, gastrojejunal
- - perforating K63.1
- - - newborn P78.0
- - primary, small intestine K63.3
- - rectum K62.6
- - stercoraceous, stercoral K63.3
- - tuberculous A18.32
- - typhoid (fever) -*see* Typhoid

- - varicose I86.8
- jejunum, jejunal -*see* Ulcer, gastrojejunal
- keratitis -*see* Ulcer, cornea
- knee -*see* Ulcer, lower limb
- labium (majus) (minus) N76.6
- laryngitis -*see* Laryngitis
- larynx (aphthous) (contact) J38.7
- - diphtheritic A36.2
- leg -*see* Ulcer, lower limb
- lip K13.0
- Lipschütz's N76.6
- lower limb (atrophic) (chronic) (neurogenic) (perforating) (pyogenic) (trophic) (tropical) L97.909
- - with
- - - bone involvement without evidence of necrosis L97.906
- - - bone necrosis L97.904
- - - exposed fat layer L97.902
- - - muscle involvement without evidence of necrosis L97.905
- - - muscle necrosis L97.903
- - - skin breakdown only L97.901
- - - specified severity NEC L97.908
- - ankle L97.309
- - - with
- - - - bone involvement without evidence of necrosis L97.306
- - - - bone necrosis L97.304
- - - - exposed fat layer L97.302
- - - - muscle involvement without evidence of necrosis L97.305
- - - - muscle necrosis L97.303
- - - - skin breakdown only L97.301
- - - - specified severity NEC L97.308
- - - left L97.329
- - - - with
- - - - - bone involvement without evidence of necrosis L97.326
- - - - - bone necrosis L97.324
- - - - - exposed fat layer L97.322
- - - - - muscle involvement without evidence of necrosis L97.325
- - - - - muscle necrosis L97.323
- - - - - skin breakdown only L97.321
- - - - - specified severity NEC L97.328
- - - right L97.319
- - - - with
- - - - - bone involvement without evidence of necrosis L97.316
- - - - - bone necrosis L97.314
- - - - - exposed fat layer L97.312
- - - - - muscle involvement without evidence of necrosis L97.315
- - - - - muscle necrosis L97.313
- - - - - skin breakdown only L97.311
- - - - - specified severity NEC L97.318
- - calf L97.209
- - - with
- - - - bone involvement without evidence of necrosis L97.206
- - - - bone necrosis L97.204
- - - - exposed fat layer L97.202
- - - - muscle involvement without evidence of necrosis L97.205
- - - - muscle necrosis L97.203
- - - - skin breakdown only L97.201
- - - - specified severity NEC L97.208
- - - left L97.229
- - - - with
- - - - - bone involvement without evidence of necrosis L97.226
- - - - - bone necrosis L97.224

- - - - - exposed fat layer L97.222
- - - - - muscle involvement without evidence of necrosis L97.225
- - - - - muscle necrosis L97.223
- - - - - skin breakdown only L97.221
- - - - - specified severity NEC L97.228
- - - right L97.219
- - - - with
- - - - - bone involvement without evidence of necrosis L97.216
- - - - - bone necrosis L97.214
- - - - - exposed fat layer L97.212
- - - - - muscle involvement without evidence of necrosis L97.215
- - - - - muscle necrosis L97.213
- - - - - skin breakdown only L97.211
- - - - - specified severity NEC L97.218
- - decubitus *-see* Ulcer, pressure, by site
- - foot specified NEC L97.509
- - - with
- - - - bone involvement without evidence of necrosis L97.506
- - - - bone necrosis L97.504
- - - - exposed fat layer L97.502
- - - - muscle involvement without evidence of necrosis L97.505
- - - - muscle necrosis L97.503
- - - - skin breakdown only L97.501
- - - - specified severity NEC L97.508
- - - left L97.529
- - - - with
- - - - - bone involvement without evidence of necrosis L97.526
- - - - - bone necrosis L97.524
- - - - - exposed fat layer L97.522
- - - - - muscle involvement without evidence of necrosis L97.525
- - - - - muscle necrosis L97.523
- - - - - skin breakdown only L97.521
- - - - - specified severity NEC L97.528
- - - right L97.519
- - - - with
- - - - - bone involvement without evidence of necrosis L97.516
- - - - - bone necrosis L97.514
- - - - - exposed fat layer L97.512
- - - - - muscle involvement without evidence of necrosis L97.515
- - - - - muscle necrosis L97.513
- - - - - skin breakdown only L97.511
- - - - - specified severity NEC L97.518
- - heel L97.409
- - - with
- - - - bone involvement without evidence of necrosis L97.406
- - - - bone necrosis L97.404
- - - - exposed fat layer L97.402
- - - - muscle involvement without evidence of necrosis L97.405
- - - - muscle necrosis L97.403
- - - - skin breakdown only L97.401
- - - - specified severity NEC L97.408
- - - left L97.429
- - - - with
- - - - - bone involvement without evidence of necrosis L97.426
- - - - - bone necrosis L97.424
- - - - - exposed fat layer L97.422
- - - - - muscle involvement without evidence of necrosis L97.425
- - - - - muscle necrosis L97.423
- - - - - skin breakdown only L97.421
- - - - - specified severity NEC L97.428

- - - right L97.419
- - - - with
- - - - - bone involvement without evidence of necrosis L97.416
- - - - - bone necrosis L97.414
- - - - - exposed fat layer L97.412
- - - - - muscle involvement without evidence of necrosis L97.415
- - - - - muscle necrosis L97.413
- - - - - skin breakdown only L97.411
- - - - - specified severity NEC L97.418
- - left L97.929
- - - with
- - - - bone involvement without evidence of necrosis L97.926
- - - - bone necrosis L97.924
- - - - exposed fat layer L97.922
- - - - muscle involvement without evidence of necrosis L97.925
- - - - muscle necrosis L97.923
- - - - skin breakdown only L97.921
- - - - specified severity NEC L97.928
- - lower leg NOS L97.909
- - - with
- - - - bone involvement without evidence of necrosis L97.906
- - - - bone necrosis L97.904
- - - - exposed fat layer L97.902
- - - - muscle involvement without evidence of necrosis L97.905
- - - - muscle necrosis L97.903
- - - - skin breakdown only L97.901
- - - - specified severity NEC L97.908
- - - left L97.929
- - - - with
- - - - - bone involvement without evidence of necrosis L97.926
- - - - - bone necrosis L97.924
- - - - - exposed fat layer L97.922
- - - - - muscle involvement without evidence of necrosis L97.925
- - - - - muscle necrosis L97.923
- - - - - skin breakdown only L97.921
- - - - - specified severity NEC L97.928
- - - right L97.919
- - - - with
- - - - - bone involvement without evidence of necrosis L97.916
- - - - - bone necrosis L97.914
- - - - - exposed fat layer L97.912
- - - - - muscle involvement without evidence of necrosis L97.915
- - - - - muscle necrosis L97.913
- - - - - skin breakdown only L97.911
- - - - - specified severity NEC L97.918
- - - specified site NEC L97.809
- - - - with
- - - - - bone involvement without evidence of necrosis L97.806
- - - - - bone necrosis L97.804
- - - - - exposed fat layer L97.802
- - - - - muscle involvement without evidence of necrosis L97.805
- - - - - muscle necrosis L97.803
- - - - - skin breakdown only L97.801
- - - - - specified severity NEC L97.808
- - - - left L97.829
- - - - - with
- - - - - - bone involvement without evidence of necrosis L97.826
- - - - - - bone necrosis L97.824
- - - - - - exposed fat layer L97.822
- - - - - - muscle involvement without evidence of necrosis L97.825

- - - - - - muscle necrosis L97.823
- - - - - - skin breakdown only L97.821
- - - - - - specified severity NEC L97.828
- - - - right L97.819
- - - - - with
- - - - - - bone involvement without evidence of necrosis L97.816
- - - - - - bone necrosis L97.814
- - - - - - exposed fat layer L97.812
- - - - - - muscle involvement without evidence of necrosis L97.815
- - - - - - muscle necrosis L97.813
- - - - - - skin breakdown only L97.811
- - - - - - specified severity NEC L97.818
- - midfoot L97.409
- - - with
- - - - bone involvement without evidence of necrosis L97.406
- - - - bone necrosis L97.404
- - - - exposed fat layer L97.402
- - - - muscle involvement without evidence of necrosis L97.405
- - - - muscle necrosis L97.403
- - - - skin breakdown only L97.401
- - - - specified severity NEC L97.408
- - - left L97.429
- - - - with
- - - - - bone involvement without evidence of necrosis L97.426
- - - - - bone necrosis L97.424
- - - - - exposed fat layer L97.422
- - - - - muscle involvement without evidence of necrosis L97.425
- - - - - muscle necrosis L97.423
- - - - - skin breakdown only L97.421
- - - - - specified severity NEC L97.428
- - - right L97.419
- - - - with
- - - - - bone involvement without evidence of necrosis L97.416
- - - - - bone necrosis L97.414
- - - - - exposed fat layer L97.412
- - - - - muscle involvement without evidence of necrosis L97.415
- - - - - muscle necrosis L97.413
- - - - - skin breakdown only L97.411
- - - - - specified severity NEC L97.418
- - right L97.919
- - - with
- - - - bone involvement without evidence of necrosis L97.916
- - - - bone necrosis L97.914
- - - - exposed fat layer L97.912
- - - - muscle involvement without evidence of necrosis L97.915
- - - - muscle necrosis L97.913
- - - - skin breakdown only L97.911
- - - - specified severity NEC L97.918
- - thigh L97.109
- - - with
- - - - bone involvement without evidence of necrosis L97.106
- - - - bone necrosis L97.104
- - - - muscle involvement without evidence of necrosis L97.105
- - - - exposed fat layer L97.102
- - - - muscle necrosis L97.103
- - - - skin breakdown only L97.101
- - - - specified severity NEC L97.108
- - - left L97.129
- - - - with
- - - - - bone involvement without evidence of necrosis L97.126

- - - - - bone necrosis L97.124
- - - - - exposed fat layer L97.122
- - - - - muscle involvement without evidence of necrosis L97.125
- - - - - muscle necrosis L97.123
- - - - - skin breakdown only L97.121
- - - - - specified severity NEC L97.128
- - - right L97.119
- - - - with
- - - - - bone involvement without evidence of necrosis L97.116
- - - - - bone necrosis L97.114
- - - - - exposed fat layer L97.112
- - - - - muscle involvement without evidence of necrosis L97.115
- - - - - muscle necrosis L97.113
- - - - - skin breakdown only L97.111
- - - - - specified severity NEC L97.118
- - toe L97.509
- - - with
- - - - bone involvement without evidence of necrosis L97.506
- - - - bone necrosis L97.504
- - - - exposed fat layer L97.502
- - - - muscle involvement without evidence of necrosis L97.505
- - - - muscle necrosis L97.503
- - - - skin breakdown only L97.501
- - - - specified severity NEC L97.508
- - - left L97.529
- - - - with
- - - - - bone involvement without evidence of necrosis L97.526
- - - - - bone necrosis L97.524
- - - - - exposed fat layer L97.522
- - - - - muscle involvement without evidence of necrosis L97.525
- - - - - muscle necrosis L97.523
- - - - - skin breakdown only L97.521
- - - - - specified severity NEC L97.528
- - - right L97.519
- - - - with
- - - - - bone involvement without evidence of necrosis L97.516
- - - - - bone necrosis L97.514
- - - - - exposed fat layer L97.512
- - - - - muscle involvement without evidence of necrosis L97.515
- - - - - muscle necrosis L97.513
- - - - - skin breakdown only L97.511
- - - - - specified severity NEC L97.518
- - leprous A30.1
- - syphilitic A52.19
- - varicose *-see* Varix, leg, with, ulcer
- luetic *-see* Ulcer, syphilitic
- lung J98.4
- - tuberculous *-see* Tuberculosis, pulmonary
- malignant *-see* Neoplasm, malignant, by site
- marginal NEC *-see* Ulcer, gastrojejunal
- meatus (urinarius) N34.2
- Meckel's diverticulum Q43.0
- - malignant *-see* Table of Neoplasms, small intestine, malignant
- Meleney's (chronic undermining) *-see* Ulcer, skin
- Mooren's (cornea) *-see* Ulcer, cornea, Mooren's
- mycobacterial (skin) A31.1
- nasopharynx J39.2
- neck, uterus N86
- neurogenic NEC *-see* Ulcer, skin
- nose, nasal (passage) (infective) (septum) J34.0

- - skin -*see* Ulcer, skin
- - spirochetal A69.8
- - varicose (bleeding) I86.8
- oral mucosa (traumatic) K12.1
- palate (soft) K12.1
- penis (chronic) N48.5
- peptic (site unspecified) K27.9
- - with
- - - hemorrhage K27.4
- - - - and perforation K27.6
- - - perforation K27.5
- - acute K27.3
- - - with
- - - - hemorrhage K27.0
- - - - - and perforation K27.2
- - - - perforation K27.1
- - chronic K27.7
- - - with
- - - - hemorrhage K27.4
- - - - - and perforation K27.6
- - - - perforation K27.5
- - esophagus K22.10
- - - with bleeding K22.11
- - newborn P78.82
- perforating K27.5
- - skin -*see* Ulcer, skin
- peritonsillar J35.8
- phagedenic (tropical) -*see* Ulcer, skin
- pharynx J39.2
- phlebitis -*see* Phlebitis
- plaster -*see* Ulcer, pressure, by site
- popliteal space -*see* Ulcer, lower limb
- postpyloric -*see* Ulcer, duodenum
- prepuce N47.7
- prepyloric -*see* Ulcer, stomach
- pressure (pressure area) L89.9-
- - ankle L89.5-
- - back L89.1-
- - buttock L89.3-
- - coccyx L89.15-
- - contiguous site of back, buttock, hip L89.4-
- - elbow L89.0-
- - face L89.81-
- - head L89.81-
- - heel L89.6-
- - hip L89.2-
- - sacral region (tailbone) L89.15-
- - specified site NEC L89.89-
- - stage 1 (healing) (pre-ulcer skin changes limited to persistent focal edema)
- - - ankle L89.5-
- - - back L89.1-
- - - buttock L89.3-
- - - coccyx L89.15-
- - - contiguous site of back, buttock, hip L89.4-
- - - elbow L89.0-
- - - face L89.81-
- - - head L89.81-
- - - heel L89.6-
- - - hip L89.2-
- - - sacral region (tailbone) L89.15-

- - - specified site NEC L89.89-
- - stage 2 (healing) (abrasion, blister, partial thickness skin loss involving epidermis and/or dermis)
- - - ankle L89.5-
- - - back L89.1-
- - - buttock L89.3-
- - - coccyx L89.15-
- - - contiguous site of back, buttock, hip L89.4-
- - - elbow L89.0-
- - - face L89.81-
- - - head L89.81-
- - - heel L89.6-
- - - hip L89.2-
- - - sacral region (tailbone) L89.15-
- - - specified site NEC L89.89-
- - stage 3 (healing) (full thickness skin loss involving damage or necrosis of subcutaneous tissue)
- - - ankle L89.5-
- - - back L89.1-
- - - buttock L89.3-
- - - coccyx L89.15-
- - - contiguous site of back, buttock, hip L89.4-
- - - elbow L89.0-
- - - face L89.81-
- - - head L89.81-
- - - heel L89.6-
- - - hip L89.2-
- - - sacral region (tailbone) L89.15-
- - - specified site NEC L89.89-
- - stage 4 (healing) (necrosis of soft tissues through to underlying muscle, tendon, or bone)
- - - ankle L89.5-
- - - back L89.1-
- - - buttock L89.3-
- - - coccyx L89.15-
- - - contiguous site of back, buttock, hip L89.4-
- - - elbow L89.0-
- - - face L89.81-
- - - head L89.81-
- - - heel L89.6-
- - - hip L89.2-
- - - sacral region (tailbone) L89.15-
- - - specified site NEC L89.89-
- - unspecified stage
- - - ankle L89.5-
- - - back L89.1-
- - - buttock L89.3-
- - - coccyx L89.15-
- - - contiguous site of back, buttock, hip L89.4-
- - - elbow L89.0-
- - - face L89.81-
- - - head L89.81-
- - - heel L89.6-
- - - hip L89.2-
- - - sacral region (tailbone) L89.15-
- - - specified site NEC L89.89-
- - unstageable
- - - ankle L89.5-
- - - back L89.1-
- - - buttock L89.3-
- - - coccyx L89.15-
- - - contiguous site of back, buttock, hip L89.4-
- - - elbow L89.0-

- - - face L89.81-
- - - head L89.81-
- - - heel L89.6-
- - - hip L89.2-
- - - sacral region (tailbone) L89.15-
- - - specified site NEC L89.89-
- primary of intestine K63.3
- - with perforation K63.1
- prostate N41.9
- pyloric *-see* Ulcer, stomach
- rectosigmoid K63.3
- - with perforation K63.1
- rectum (sphincter) (solitary) K62.6
- - stercoraceous, stercoral K62.6
- retina *-see* Inflammation, chorioretinal
- rodent *-see also* Neoplasm, skin, malignant
- sclera *-see* Scleritis
- scrofulous (tuberculous) A18.2
- scrotum N50.89
- - tuberculous A18.15
- - varicose I86.1
- seminal vesicle N50.89
- sigmoid *-see* Ulcer, intestine
- skin (atrophic) (chronic) (neurogenic) (non-healing) (perforating) (pyogenic) (trophic) (tropical) L98.499
- - with gangrene *-see* Gangrene
- - amebic A06.7
- - back *-see* Ulcer, back
- - buttock *-see* Ulcer, buttock
- - decubitus *-see* Ulcer, pressure
- - lower limb *-see* Ulcer, lower limb
- - mycobacterial A31.1
- - specified site NEC L98.499
- - - with
- - - - bone involvement without evidence of necrosis L98.496
- - - - bone necrosis L98.494
- - - - exposed fat layer L98.492
- - - - muscle involvement without evidence of necrosis L98.495
- - - - muscle necrosis L98.493
- - - - skin breakdown only L98.491
- - - - specified severity NEC L98.498
- - tuberculous (primary) A18.4
- - varicose *-see* Ulcer, varicose
- sloughing *-see* Ulcer, skin
- solitary, anus or rectum (sphincter) K62.6
- sore throat J02.9
- - streptococcal J02.0
- spermatic cord N50.89
- spine (tuberculous) A18.01
- stasis (venous) *-see* Varix, leg, with, ulcer
- - without varicose veins *-see also* Ulcer, by site I87.2
- stercoraceous, stercoral K63.3
- - with perforation K63.1
- - anus or rectum K62.6
- stoma, stomal *-see* Ulcer, gastrojejunal
- stomach (eroded) (peptic) (round) K25.9
- - with
- - - hemorrhage K25.4
- - - - and perforation K25.6
- - - perforation K25.5
- - acute K25.3

- - - with
- - - - hemorrhage K25.0
- - - - - and perforation K25.2
- - - - perforation K25.1
- - chronic K25.7
- - - with
- - - - hemorrhage K25.4
- - - - - and perforation K25.6
- - - - perforation K25.5
- stomal -*see* Ulcer, gastrojejunal
- stomatitis K12.1
- stress -*see* Ulcer, peptic
- strumous (tuberculous) A18.2
- submucosal, bladder -*see* Cystitis, interstitial
- syphilitic (any site) (early) (secondary) A51.39
- - late A52.79
- - perforating A52.79
- - - foot A52.11
- testis N50.89
- thigh -*see* Ulcer, lower limb
- throat J39.2
- - diphtheritic A36.0
- toe -*see* Ulcer, lower limb
- tongue (traumatic) K14.0
- tonsil J35.8
- - diphtheritic A36.0
- trachea J39.8
- trophic -*see* Ulcer, skin
- tropical -*see* Ulcer, skin
- tuberculous -*see* Tuberculosis, ulcer
- tunica vaginalis N50.89
- turbinate J34.89
- typhoid (perforating) -*see* Typhoid
- unspecified site -*see* Ulcer, skin
- urethra (meatus) -*see* Urethritis
- uterus N85.8
- - cervix N86
- - - with cervicitis N72
- - neck N86
- - - with cervicitis N72
- vagina N76.5
- - in Behçet's disease M35.2 *[N77.0]*
- - pessary N89.8
- valve, heart I33.0
- varicose (lower limb, any part) -*see also* Varix, leg, with, ulcer
- - broad ligament I86.2
- - esophagus -*see* Varix, esophagus
- - inflamed or infected -*see* Varix, leg, with ulcer, with inflammation
- - nasal septum I86.8
- - perineum I86.3
- - scrotum I86.1
- - specified site NEC I86.8
- - sublingual I86.0
- - vulva I86.3
- vas deferens N50.89
- vulva (acute) (infectional) N76.6
- - in (due to)
- - - Behçet's disease M35.2 *[N77.0]*
- - - herpesviral (herpes simplex) infection A60.04
- - - tuberculosis A18.18

- vulvobuccal, recurring N76.6
- X-ray L58.1
- yaws A66.4

Ulcerosa scarlatina A38.8

Ulcus -*see also* Ulcer
- cutis tuberculosum A18.4
- duodeni -*see* Ulcer, duodenum
- durum (syphilitic) A51.0
- - extragenital A51.2
- gastrojejunale -*see* Ulcer, gastrojejunal
- hypostaticum -*see* Ulcer, varicose
- molle (cutis) (skin) A57
- serpens corneae -*see* Ulcer, cornea, central
- ventriculi -*see* Ulcer, stomach

Ulegyria Q04.8

Ulerythema
- ophryogenes, congenital Q84.2
- sycosiforme L73.8

Ullrich (-Bonnevie)(-Turner) syndrome -*see also* Turner's syndrome Q87.19

Ullrich-Feichtiger syndrome Q87.0

Ulnar -*see* condition

Ulorrhagia, ulorrhea K06.8

Umbilicus, umbilical -*see* condition

Unable to
- make ends meet Z59.86
- obtain
- - adequate
- - - childcare due to limited financial resources, specified NEC Z59.87
- - - clothing due to limited financial resources, specified NEC Z59.87
- - - utilities due to limited financial resources, specified NEC Z59.87
- - basic
- - - needs due to limited financial resources, specified NEC Z59.87
- - - services in physical environment Z58.81
- - internet service, due to unavailability in geographic area Z58.81
- - telephone service, due to unavailability in geographic area Z58.81
- - utilities, due to inadequate physical environment Z58.81

Unacceptable
- contours of tooth K08.54
- morphology of tooth K08.54

Unaffordable transportation Z59.82

Unavailability (of)
- bed at medical facility Z75.1
- health service-related agencies Z75.4
- medical facilities (at) Z75.3
- - due to
- - - investigation by social service agency Z75.2
- - - lack of services at home Z75.0
- - - remoteness from facility Z75.3
- - - waiting list Z75.1
- - home Z75.0
- - outpatient clinic Z75.3
- schooling Z55.1
- social service agencies Z75.4

Uncinaria americana infestation B76.1

Uncinariasis B76.9

Uncongenial work Z56.5

Unconscious (ness) -*see* Coma

Under observation -*see* Observation

Underachievement in school Z55.3

Underdevelopment -*see also* Undeveloped

- nose Q30.1
- sexual E30.0
Underdosing -*see also* Table of Drugs and Chemicals, categories T36-T50, with final character 6 Z91.14
- intentional NEC Z91.128
- - due to financial hardship of patient Z91.120
- unintentional NEC Z91.138
- - due to patient's age related debility Z91.130
Underfeeding, newborn P92.3
Underfill, endodontic M27.53
Underimmunization status Z28.39
- COVID-19 Z28.31-
- - partially vaccinated (for) Z28.311
- - unvaccinated (for) Z28.310
Undernourishment -*see* Malnutrition
Undernutrition -*see* Malnutrition
Underweight R63.6
- for gestational age -*see* Light for dates
Underwood's disease P83.0
Undescended -*see also* Malposition, congenital
- cecum Q43.3
- colon Q43.3
- testicle -*see* Cryptorchid
Undeveloped, undevelopment -*see also* Hypoplasia
- brain (congenital) Q02
- cerebral (congenital) Q02
- heart Q24.8
- lung Q33.6
- testis E29.1
- uterus E30.0
Undiagnosed (disease) R69
Undulant fever -*see* Brucellosis
Unemployment, anxiety concerning Z56.0
- threatened Z56.2
Unequal length (acquired) (limb) -*see also* Deformity, limb, unequal length
- leg -*see also* Deformity, limb, unequal length
- - congenital Q72.9-
Unextracted dental root K08.3
Unguis incarnatus L60.0
Unhappiness R45.2
Unicornate uterus Q51.4
- in pregnancy or childbirth O34.00
Unicuspid aortic valve (at birth) (congenital) Q23.81
Unilateral -*see also* condition
- development, breast N64.89
- organ or site, congenital NEC -*see* Agenesis, by site
Unilocular heart Q20.8
Unimmunized -*see also* Underimmunization status
- for COVID-19 Z28.310
Union, abnormal -*see also* Fusion
- larynx and trachea Q34.8
Universal mesentery Q43.3
Unreliable transportation Z59.82
Unrepairable overhanging of dental restorative materials K08.52
Unroofed coronary sinus Q21.13
Unsafe transportation Z59.82
Unsatisfactory
- restoration of tooth K08.50
- - specified NEC K08.59
- sample of cytologic smear
- - anus R85.615

- - cervix R87.615
- - vagina R87.625
- surroundings Z59.19
- - work Z56.5
Unsoundness of mind -*see* Psychosis
Unstable
- back NEC -*see* Instability, joint, spine
- hip (congenital) Q65.6
- - acquired -*see* Derangement, joint, specified type NEC, hip
- joint -*see* Instability, joint
- - secondary to removal of joint prosthesis M96.89
- lie (mother) O32.0
- lumbosacral joint (congenital) -see subcategory M53.2
- sacroiliac -see subcategory M53.2
- spine NEC -*see* Instability, joint, spine
Unsteadiness on feet R26.81
Untruthfulness, child problem F91.8
Unvaccinated -*see also* Underimmunization status
- for COVID-19 Z28.310
Unverricht (-Lundborg) disease or epilepsy -*see* Epilepsy, generalized, idiopathic
Unwanted
- multiple moves in the last 12 months Z59.81-
- pregnancy Z64.0
Upbringing, institutional Z62.22
- away from parents NEC Z62.29
- in care of non-parental family member Z62.21
- in foster care Z62.21
- in orphanage or group home Z62.22
- in welfare custody Z62.21
Upper respiratory -*see* condition
Upset
- gastric K30
- gastrointestinal K30
- - psychogenic F45.8
- intestinal (large) (small) K59.9
- - psychogenic F45.8
- menstruation N93.9
- mental F48.9
- stomach K30
- - psychogenic F45.8
Urachus -*see also* condition
- patent or persistent Q64.4
Urbach-Oppenheim disease (necrobiosis lipoidica diabeticorum) -*see* E08-E13 with .620
Urbach's lipoid proteinosis E78.89
Urbach-Wiethe disease E78.89
Urban yellow fever A95.1
Urea
- blood, high -*see* Uremia
- cycle metabolism disorder -*see* Disorder, urea cycle metabolism
Uremia, uremic N19
- with
- - ectopic or molar pregnancy O08.4
- - polyneuropathy N18.9 *[G63]*
- chronic NOS -*see also* Disease, kidney, chronic N18.9
- - due to hypertension -*see* Hypertensive, kidney
- complicating
- - ectopic or molar pregnancy O08.4
- congenital P96.0
- extrarenal R39.2
- following ectopic or molar pregnancy O08.4

- newborn P96.0
- prerenal R39.2
Ureter, ureteral -*see* condition
Ureteralgia N23
Ureterectasis -*see* Hydroureter
Ureteritis N28.89
- cystica N28.86
- due to calculus N20.1
- - with calculus, kidney N20.2
- - - with hydronephrosis N13.2
- gonococcal (acute) (chronic) A54.21
- nonspecific N28.89
Ureterocele N28.89
- congenital (orthotopic) Q62.31
- - ectopic Q62.32
Ureterolith, ureterolithiasis -*see* Calculus, ureter
Ureterostomy
- attention to Z43.6
- status Z93.6
Urethra, urethral -*see* condition
Urethralgia R39.89
Urethritis (anterior) (posterior) N34.2
- calculous N21.1
- candidal B37.41
- chlamydial A56.01
- diplococcal (gonococcal) A54.01
- - with abscess (accessory gland) (periurethral) A54.1
- gonococcal A54.01
- - with abscess (accessory gland) (periurethral) A54.1
- nongonococcal N34.1
- - Reiter's -*see* Reiter's disease
- nonspecific N34.1
- nonvenereal N34.1
- postmenopausal N34.2
- puerperal O86.22
- Reiter's -*see* Reiter's disease
- specified NEC N34.2
- trichomonal or due to Trichomonas (vaginalis) A59.03
Urethrocele N81.0
- with
- - cystocele -*see* Cystocele
- - prolapse of uterus -*see* Prolapse, uterus
Urethrolithiasis (with colic or infection) N21.1
Urethrorectal -*see* condition
Urethrorrhagia N36.8
Urethrorrhea R36.9
Urethrostomy
- attention to Z43.6
- status Z93.6
Urethrotrigonitis -*see* Trigonitis
Urethrovaginal -*see* condition
Urgency
- fecal R15.2
- hypertensive -*see* Hypertension
- urinary R39.15
Urhidrosis, uridrosis L74.8
Uric acid in blood (increased) E79.0
Uricacidemia (asymptomatic) E79.0
Uricemia (asymptomatic) E79.0
Uricosuria R82.998

Urinary -*see* condition
Urination
- frequent R35.0
- painful R30.9
Urine
- blood in -*see* Hematuria
- discharge, excessive R35.89
- enuresis, nonorganic origin F98.0
- extravasation R39.0
- frequency R35.0
- incontinence R32
- - nonorganic origin F98.0
- intermittent stream R39.198
- pus in N39.0
- retention or stasis R33.9
- - organic R33.8
- - - drug-induced R33.0
- - psychogenic F45.8
- secretion
- - deficient R34
- - excessive R35.89
- - frequency R35.0
- stream
- - intermittent R39.198
- - slowing R39.198
- - splitting R39.13
- - weak R39.12
Urinemia -*see* Uremia
Urinoma, urethra N36.8
Uroarthritis, infectious (Reiter's) -*see* Reiter's disease
Urodialysis R34
Urolithiasis -*see* Calculus, urinary
Uronephrosis -*see* Hydronephrosis
Uropathy N39.9
- obstructive N13.9
- - specified NEC N13.8
- reflux N13.9
- - specified NEC N13.8
- vesicoureteral reflux-associated -*see* Reflux, vesicoureteral
Urosepsis - code to condition
Urticaria L50.9
- with angioneurotic edema T78.3
- - hereditary D84.1
- allergic L50.0
- cholinergic L50.5
- chronic L50.8
- cold, familial L50.2
- contact L50.6
- dermatographic L50.3
- due to
- - cold or heat L50.2
- - drugs L50.0
- - food L50.0
- - inhalants L50.0
- - plants L50.6
- - serum -*see also* Reaction, serum T80.69
- factitial L50.3
- familial cold M04.2
- giant T78.3
- - hereditary D84.1

- gigantea T78.3
- idiopathic L50.1
- larynx T78.3
- - hereditary D84.1
- neonatorum P83.88
- nonallergic L50.1
- papulosa (Hebra) L28.2
- pigmentosa D47.01
- - congenital Q82.2
- - of neonatal onset Q82.2
- - of newborn onset Q82.2
- recurrent periodic L50.8
- serum -*see also* Reaction, serum T80.69
- solar L56.3
- specified type NEC L50.8
- thermal (cold) (heat) L50.2
- vibratory L50.4
- xanthelasmoidea -*see* Urticaria pigmentosa

Use (of)

- alcohol -*see also* Alcohol, alcoholic, by disorder F10.90
- - with
- - - anxiety disorder F10.980
- - - intoxication F10.929
- - - sleep disorder F10.982
- - - withdrawal F10.939
- - - - with
- - - - - perceptual disturbance F10.932
- - - - delirium F10.931
- - - - uncomplicated F10.930
- - harmful -*see* Abuse, alcohol
- - in remission F10.91
- amphetamines -*see* Use, stimulant NEC
- caffeine -*see* Use, stimulant NEC
- cannabis F12.90
- - with
- - - anxiety disorder F12.980
- - - intoxication F12.929
- - - - with
- - - - - delirium F12.921
- - - - - perceptual disturbance F12.922
- - - - uncomplicated F12.920
- - - other specified disorder F12.988
- - - psychosis F12.959
- - - - delusions F12.950
- - - - hallucinations F12.951
- - - unspecified disorder F12.99
- - - withdrawal F12.93
- - in remission F12.91
- cocaine F14.90
- - with
- - - anxiety disorder F14.980
- - - intoxication F14.929
- - - - with
- - - - - delirium F14.921
- - - - - perceptual disturbance F14.922
- - - - uncomplicated F14.920
- - - other specified disorder F14.988
- - - psychosis F14.959
- - - - delusions F14.950
- - - - hallucinations F14.951

- - - sexual dysfunction F14.981
- - - sleep disorder F14.982
- - - unspecified disorder F14.99
- - - withdrawal F14.93
- - harmful -*see* Abuse, drug, cocaine
- - in remission F14.91
- drug(s) NEC F19.90
- - with sleep disorder F19.982
- - harmful -*see* Abuse, drug, by type
- hallucinogen NEC F16.90
- - with
- - - anxiety disorder F16.980
- - - intoxication F16.929
- - - - with
- - - - - delirium F16.921
- - - - uncomplicated F16.920
- - - mood disorder F16.94
- - - other specified disorder F16.988
- - - perception disorder (flashbacks) F16.983
- - - psychosis F16.959
- - - - delusions F16.950
- - - - hallucinations F16.951
- - - unspecified disorder F16.99
- - harmful -*see* Abuse, drug, hallucinogen NEC
- - in remission F16.91
- inhalants F18.90
- - with
- - - anxiety disorder F18.980
- - - intoxication F18.929
- - - - with delirium F18.921
- - - - uncomplicated F18.920
- - - mood disorder F18.94
- - - other specified disorder F18.988
- - - persisting dementia F18.97
- - - psychosis F18.959
- - - - delusions F18.950
- - - - hallucinations F18.951
- - - unspecified disorder F18.99
- - harmful -*see* Abuse, drug, inhalant
- - in remission F18.91
- methadone -*see* Use, opioid
- nonprescribed drugs F19.90
- - harmful -*see* Abuse, non-psychoactive substance
- opioid F11.90
- - with
- - - disorder F11.99
- - - - mood F11.94
- - - - sleep F11.982
- - - - specified type NEC F11.988
- - - intoxication F11.929
- - - - with
- - - - - delirium F11.921
- - - - - perceptual disturbance F11.922
- - - - uncomplicated F11.920
- - - opioid-associated amnestic syndrome F11.988
- - - withdrawal F11.93
- - harmful -*see* Abuse, drug, opioid
- - in remission F11.91
- patent medicines F19.90
- - harmful -*see* Abuse, non-psychoactive substance

- psychoactive drug NEC F19.90
- - with
- - - anxiety disorder F19.980
- - - intoxication F19.929
- - - - with
- - - - - delirium F19.921
- - - - - perceptual disturbance F19.922
- - - - uncomplicated F19.920
- - - mood disorder F19.94
- - - other specified disorder F19.988
- - - persisting
- - - - amnestic disorder F19.96
- - - - dementia F19.97
- - - psychosis F19.959
- - - - delusions F19.950
- - - - hallucinations F19.951
- - - sexual dysfunction F19.981
- - - sleep disorder F19.982
- - - unspecified disorder F19.99
- - - withdrawal F19.939
- - - - with
- - - - - delirium F19.931
- - - - - perceptual disturbance F19.932
- - - - uncomplicated F19.930
- - harmful -*see* Abuse, drug NEC, psychoactive NEC
- - in remission F19.91
- sedative, hypnotic, or anxiolytic F13.90
- - with
- - - anxiety disorder F13.980
- - - intoxication F13.929
- - - - with
- - - - - delirium F13.921
- - - - uncomplicated F13.920
- - - other specified disorder F13.988
- - - persisting
- - - - amnestic disorder F13.96
- - - - dementia F13.97
- - - psychosis F13.959
- - - - delusions F13.950
- - - - hallucinations F13.951
- - - sexual dysfunction F13.981
- - - sleep disorder F13.982
- - - unspecified disorder F13.99
- - harmful -*see* Abuse, drug, sedative, hypnotic, or anxiolytic
- - in remission F13.91
- stimulant NEC F15.90
- - with
- - - anxiety disorder F15.980
- - - intoxication F15.929
- - - - with
- - - - - delirium F15.921
- - - - - perceptual disturbance F15.922
- - - - uncomplicated F15.920
- - - mood disorder F15.94
- - - other specified disorder F15.988
- - - psychosis F15.959
- - - - delusions F15.950
- - - - hallucinations F15.951
- - - sexual dysfunction F15.981
- - - sleep disorder F15.982

- - - unspecified disorder F15.99
- - - withdrawal F15.93
- - harmful -*see* Abuse, drug, stimulant NEC
- - in remission F15.91
- tobacco Z72.0
- - with dependence -*see* Dependence, drug, nicotine
- volatile solvents -*see also* Use, inhalant F18.90
- - harmful -*see* Abuse, drug, inhalant
Usher-Senear disease or syndrome L10.4
Uta B55.1
Uteromegaly N85.2
Uterovaginal -*see* condition
Uterovesical -*see* condition
Uveal -*see* condition
Uveitis (anterior) -*see also* Iridocyclitis
- acute -*see* Iridocyclitis, acute
- chronic -*see* Iridocyclitis, chronic
- due to toxoplasmosis (acquired) B58.09
- - congenital P37.1
- granulomatous -*see* Iridocyclitis, chronic
- heterochromic -*see* Cyclitis, Fuchs' heterochromic
- lens-induced -*see* Iridocyclitis, lens-induced
- posterior -*see* Chorioretinitis
- sympathetic H44.13-
- syphilitic (secondary) A51.43
- - congenital (early) A50.01
- - late A52.71
- tuberculous A18.54
Uveoencephalitis -*see* Inflammation, chorioretinal
Uveokeratitis -*see* Iridocyclitis
Uveoparotitis D86.89
Uvula -*see* condition
Uvulitis (acute) (catarrhal) (chronic) (membranous) (suppurative) (ulcerative) K12.2

V

Vaccination (prophylactic)
- complication or reaction -*see* Complications, vaccination
- delayed Z28.9
- encounter for Z23
- not done -*see* Immunization, not done
- partial -*see also* Underimmunization status
- - for COVID-19 Z28.311
Vaccinia (generalized) (localized) T88.1
- congenital P35.8
- without vaccination B08.011
Vacuum, in sinus (accessory) (nasal) J34.89
Vagabond, vagabondage Z59.00
Vagabond's disease B85.1
Vagina, vaginal -*see* condition
Vaginalitis (tunica) (testis) N49.1
Vaginismus (reflex) N94.2
- functional F52.5
- nonorganic F52.5
- psychogenic F52.5
- secondary N94.2
Vaginitis (acute) (circumscribed) (diffuse) (emphysematous) (nonvenereal) (ulcerative) N76.0
- with ectopic or molar pregnancy O08.0
- amebic A06.82
- atrophic, postmenopausal N95.2

- bacterial N76.0
- blennorrhagic (gonococcal) A54.02
- candidal (acute) B37.31
- - chronic (recurrent) B37.32
- chlamydial A56.02
- chronic N76.1
- due to Trichomonas (vaginalis) A59.01
- following ectopic or molar pregnancy O08.0
- gonococcal A54.02
- - with abscess (accessory gland) (periurethral) A54.1
- granuloma A58
- in (due to)
- - candidiasis (acute) B37.31
- - - chronic (recurrent) B37.32
- - herpesviral (herpes simplex) infection A60.04
- - pinworm infection B80 *[N77.1]*
- monilial (acute) B37.31
- - chronic (recurrent) B37.32
- mycotic (candidal) (acute) B37.31
- - chronic (recurrent) B37.32
- postmenopausal atrophic N95.2
- puerperal (postpartum) O86.13
- senile (atrophic) N95.2
- subacute or chronic N76.1
- syphilitic (early) A51.0
- - late A52.76
- trichomonal A59.01
- tuberculous A18.18

Vaginosis -*see* Vaginitis
Vagotonia G52.2
Vagrancy Z59.00
VAIN -*see* Neoplasia, intraepithelial, vagina
Vallecula -*see* condition
Valley fever B38.0
Valsuani's disease O99.03
Valve, valvular (formation) -*see also* condition
- cerebral ventricle (communicating) in situ Z98.2
- cervix, internal os Q51.828
- congenital NEC -*see* Atresia, by site
- ureter (pelvic junction) (vesical orifice) Q62.39
- urethra (congenital) (posterior) Q64.2

Valvulitis (chronic) -*see* Endocarditis
Valvulopathy -*see* Endocarditis
Van Bogaert's leukoencephalopathy (sclerosing) (subacute) A81.1
Van Bogaert-Scherer-Epstein disease or syndrome E75.5
Van Buchem's syndrome M85.2
Van Creveld-von Gierke disease E74.01
Van der Hoeve (-de Kleyn) syndrome Q78.0
Van der Woude's syndrome Q38.0
Van Neck's disease or osteochondrosis M91.0
Vanishing lung J44.89
Vapor asphyxia or suffocation T59.9
- specified agent -*see* Table of Drugs and Chemicals

Variance, lethal ball, prosthetic heart valve T82.09
Variants, thalassemic D56.8
Variations in hair color L67.1
Varicella B01.9
- with
- - complications NEC B01.89
- - encephalitis B01.11

- - encephalomyelitis B01.11
- - meningitis B01.0
- - myelitis B01.12
- - pneumonia B01.2
- congenital P35.8
Varices -*see* Varix
Varicocele (scrotum) (thrombosed) I86.1
- ovary I86.2
- perineum I86.3
- spermatic cord (ulcerated) I86.1
Varicose
- aneurysm (ruptured) I77.0
- dermatitis -*see* Varix, leg, with, inflammation
- eczema -*see* Varix, leg, with, inflammation
- phlebitis -*see* Varix, with, inflammation
- tumor -*see* Varix
- ulcer (lower limb, any part) -*see also* Varix, leg, with, ulcer
- - anus -*see also* Hemorrhoids K64.8
- - esophagus -*see* Varix, esophagus
- - inflamed or infected -*see* Varix, leg, with ulcer, with inflammation
- - nasal septum I86.8
- - perineum I86.3
- - scrotum I86.1
- - specified site NEC I86.8
- vein -*see* Varix
- vessel -*see* Varix, leg
Varicosis, varicosities, varicosity -*see* Varix
Variola (major) (minor) B03
Varioloid B03
Varix (lower limb) I83.90
- with
- - bleeding I83.899
- - edema I83.899
- - inflammation I83.10
- - - with ulcer (venous) I83.209
- - pain I83.819
- - rupture I83.899
- - specified complication NEC I83.899
- - stasis dermatitis I83.10
- - - with ulcer (venous) I83.209
- - swelling I83.899
- - ulcer I83.009
- - - with inflammation I83.209
- aneurysmal I77.0
- asymptomatic I83.9-
- bladder I86.2
- broad ligament I86.2
- complicating
- - childbirth (lower extremity) O87.4
- - - anus or rectum O87.2
- - - genital (vagina, vulva or perineum) O87.8
- - pregnancy (lower extremity) O22.0-
- - - anus or rectum O22.4-
- - - genital (vagina, vulva or perineum) O22.1-
- - puerperium (lower extremity) O87.4
- - - anus or rectum O87.2
- - - genital (vagina, vulva, perineum) O87.8
- congenital (any site) Q27.8
- esophagus (idiopathic) (primary) (ulcerated) I85.00
- - bleeding I85.01

- - congenital Q27.8
- - in (due to)
- - - alcoholic liver disease I85.10
- - - - bleeding I85.11
- - - cirrhosis of liver I85.10
- - - - bleeding I85.11
- - - portal hypertension I85.10
- - - - bleeding I85.11
- - - schistosomiasis I85.10
- - - - bleeding I85.11
- - - toxic liver disease I85.10
- - - - bleeding I85.11
- - secondary I85.10
- - - bleeding I85.11
- gastric I86.4
- inflamed or infected I83.10
- - ulcerated I83.209
- labia (majora) I86.3
- leg (asymptomatic) I83.9-
- - with
- - - edema I83.899
- - - inflammation I83.10
- - - - with ulcer -*see* Varix, leg, with, ulcer, with inflammation by site
- - - pain I83.819
- - - specified complication NEC I83.899
- - - swelling I83.899
- - - ulcer I83.0-
- - - - with inflammation I83.2-
- - - - ankle I83.003
- - - - - with inflammation I83.203
- - - - calf I83.002
- - - - - with inflammation I83.202
- - - - foot NEC I83.005
- - - - - with inflammation I83.205
- - - - heel I83.004
- - - - - with inflammation I83.204
- - - - lower leg NEC I83.008
- - - - - with inflammation I83.208
- - - - midfoot I83.004
- - - - - with inflammation I83.204
- - - - thigh I83.001
- - - - - with inflammation I83.201
- - bilateral (asymptomatic) I83.93
- - - with
- - - - edema I83.893
- - - - pain I83.813
- - - - specified complication NEC I83.893
- - - - swelling I83.893
- - - - ulcer I83.0-
- - - - - with inflammation I83.209
- - left (asymptomatic) I83.92
- - - with
- - - - edema I83.892
- - - - pain I83.812
- - - - specified complication NEC I83.892
- - - - swelling I83.892
- - - - inflammation I83.12
- - - - - with ulcer -*see* Varix, leg, with, ulcer, with inflammation by site
- - - - ulcer I83.029
- - - - - with inflammation I83.229

- - - - - ankle I83.023
- - - - - - with inflammation I83.223
- - - - - calf I83.022
- - - - - - with inflammation I83.222
- - - - - foot NEC I83.025
- - - - - - with inflammation I83.225
- - - - - heel I83.024
- - - - - - with inflammation I83.224
- - - - - lower leg NEC I83.028
- - - - - - with inflammation I83.228
- - - - - midfoot I83.024
- - - - - - with inflammation I83.224
- - - - - thigh I83.021
- - - - - - with inflammation I83.221
- - right (asymptomatic) I83.91
- - - with
- - - - edema I83.891
- - - - pain I83.811
- - - - specified complication NEC I83.891
- - - - swelling I83.891
- - - - inflammation I83.11
- - - - - with ulcer -*see* Varix, leg, with, ulcer, with inflammation by site
- - - - ulcer I83.019
- - - - - with inflammation I83.219
- - - - - ankle I83.013
- - - - - - with inflammation I83.213
- - - - - calf I83.012
- - - - - - with inflammation I83.212
- - - - - foot NEC I83.015
- - - - - - with inflammation I83.215
- - - - - heel I83.014
- - - - - - with inflammation I83.214
- - - - - lower leg NEC I83.018
- - - - - - with inflammation I83.218
- - - - - midfoot I83.014
- - - - - - with inflammation I83.214
- - - - - thigh I83.011
- - - - - - with inflammation I83.211
- nasal septum I86.8
- orbit I86.8
- - congenital Q27.8
- ovary I86.2
- papillary I78.1
- pelvis I86.2
- perineum I86.3
- pharynx I86.8
- placenta O43.89-
- renal papilla I86.8
- retina H35.09
- scrotum (ulcerated) I86.1
- sigmoid colon I86.8
- specified site NEC I86.8
- spinal (cord) (vessels) I86.8
- spleen, splenic (vein) (with phlebolith) I86.8
- stomach I86.4
- sublingual I86.0
- ulcerated I83.009
- - inflamed or infected I83.209
- uterine ligament I86.2
- vagina I86.8

- vocal cord I86.8
- vulva I86.3
Vas deferens -*see* condition
Vas deferentitis N49.1
Vasa previa O69.4
- hemorrhage from, affecting newborn P50.0
Vascular -*see also* condition
- loop on optic papilla Q14.2
- spasm I73.9
- spider I78.1
Vascularization, cornea -*see* Neovascularization, cornea
Vasculitis I77.6
- allergic D69.0
- ANCA (antineutrophilic cytoplasmic antibody) associated I77.82
- ANCA (antineutrophilic cytoplasmic antibody) positive I77.82
- antineutrophilic cytoplasmic antibody [ANCA] I77.82
- cryoglobulinemic D89.1
- disseminated I77.6
- hypocomplementemic M31.8
- kidney I77.89
- leukocytoclastic M31.0
- livedoid L95.0
- nodular L95.8
- retina H35.06-
- rheumatic -*see* Fever, rheumatic
- rheumatoid -*see* Rheumatoid, vasculitis
- skin (limited to) L95.9
- - specified NEC L95.8
- systemic M31.8
Vasculopathy, necrotizing M31.9
- cardiac allograft T86.290
- specified NEC M31.8
Vasitis (nodosa) N49.1
- tuberculous A18.15
Vasodilation I73.9
Vasomotor -*see* condition
Vasoplasty, after previous sterilization Z31.0
- aftercare Z31.42
Vasospasm (vasoconstriction) -*see also* Angiospasm I73.9
- cerebral (cerebrovascular) (artery) I67.848
- - reversible I67.841
- coronary I20.1
- nerve
- - arm -*see* Mononeuropathy, upper limb
- - brachial plexus G54.0
- - cervical plexus G54.2
- - leg -*see* Mononeuropathy, lower limb
- peripheral NOS I73.9
- retina (artery) -*see* Occlusion, artery, retina
Vasospastic -*see* condition
Vasovagal attack (paroxysmal) R55
- psychogenic F45.8
VATER syndrome Q87.2
Vater's ampulla -*see* condition
Vegetation, vegetative
- adenoid (nasal fossa) J35.8
- endocarditis (acute) (any valve) (subacute) I33.0
- heart (mycotic) (valve) I33.0
Veil
- Jackson's Q43.3

Vein, venous -*see* condition
Veldt sore -*see* Ulcer, skin
Velpeau's hernia -*see* Hernia, femoral
Venereal
- bubo A55
- disease A64
- granuloma inguinale A58
- lymphogranuloma (Durand-Nicolas-Favre) A55
Venofibrosis I87.8
Venom, venomous -*see* Table of Drugs and Chemicals, by animal or substance, poisoning
Venous -*see* condition
Ventilator lung, newborn P27.8
Ventral -*see* condition
Ventricle, ventricular -*see also* condition
- escape I49.3
- inversion Q20.5
Ventriculitis (cerebral) -*see also* Encephalitis G04.90
Ventriculostomy status Z98.2
Vernet's syndrome G52.7
Verneuil's disease (syphilitic bursitis) A52.78
Verruca (due to HPV) (filiformis) (simplex) (viral) (vulgaris) B07.9
- acuminata A63.0
- necrogenica (primary) (tuberculosa) A18.4
- plana B07.8
- plantaris B07.0
- seborrheica L82.1
- - inflamed L82.0
- senile (seborrheic) L82.1
- - inflamed L82.0
- tuberculosa (primary) A18.4
- venereal A63.0
Verrucosities -*see* Verruca
Verruga peruana, peruviana A44.1
Version
- cervix -*see* Malposition, uterus
- uterus (postinfectional) (postpartal, old) -*see* Malposition, uterus
Vertebra, vertebral -*see* condition
Vertical talus (congenital) Q66.80
- left foot Q66.82
- right foot Q66.81
Vertigo R42
- auditory -*see* Vertigo, aural
- aural H81.31-
- benign paroxysmal (positional) H81.1-
- central (origin) H81.4
- cerebral H81.4
- Dix and Hallpike (epidemic) -*see* Neuronitis, vestibular
- due to infrasound T75.23
- epidemic A88.1
- - Dix and Hallpike -*see* Neuronitis, vestibular
- - Pedersen's -*see* Neuronitis, vestibular
- - vestibular neuronitis -*see* Neuronitis, vestibular
- hysterical F44.89
- infrasound T75.23
- labyrinthine -see subcategory H81.0
- laryngeal R05.4
- malignant positional H81.4
- Ménière's -see subcategory H81.0
- menopausal N95.1
- otogenic -*see* Vertigo, aural

- paroxysmal positional, benign -*see* Vertigo, benign paroxysmal
- Pedersen's (epidemic) -*see* Neuronitis, vestibular
- peripheral NEC H81.39-
- positional
- - benign paroxysmal -*see* Vertigo, benign paroxysmal
- - malignant H81.4
Very-low-density-lipoprotein-type (VLDL) hyperlipoproteinemia E78.1
Vesania -*see* Psychosis
Vesical -*see* condition
Vesicle
- cutaneous R23.8
- seminal -*see* condition
- skin R23.8
Vesicocolic -*see* condition
Vesicoperineal -*see* condition
Vesicorectal -*see* condition
Vesicourethrorectal -*see* condition
Vesicovaginal -*see* condition
Vesicular -*see* condition
Vesiculitis (seminal) N49.0
- amebic A06.82
- gonorrheal (acute) (chronic) A54.23
- trichomonal A59.09
- tuberculous A18.15
Vestibulitis (ear) -*see also* subcategory H83.0
- nose (external) J34.89
- vulvar N94.810
Vestibulopathy , acute peripheral (recurrent) -*see* Neuronitis, vestibular
Vestige, vestigial -*see also* Persistence
- branchial Q18.0
- structures in vitreous Q14.0
Vibration
- adverse effects T75.20
- - pneumatic hammer syndrome T75.21
- - specified effect NEC T75.29
- - vasospastic syndrome T75.22
- - vertigo from infrasound T75.23
- exposure (occupational) Z57.7
- vertigo T75.23
Vibriosis A28.9
Victim (of)
- crime Z65.4
- disaster Z65.5
- terrorism Z65.4
- torture Z65.4
- war Z65.5
Vidal's disease L28.0
Villaret's syndrome G52.7
Villous -*see* condition
VIN -*see* Neoplasia, intraepithelial, vulva
Vincent's infection (angina) (gingivitis) A69.1
- stomatitis NEC A69.1
Vinson-Plummer syndrome D50.1
Violence, physical R45.6
Viosterol deficiency -*see* Deficiency, calciferol
Vipoma -*see* Neoplasm, malignant, by site
Viremia B34.9
Virilism (adrenal) E25.9
- congenital E25.0
Virilization (female) (suprarenal) E25.9

- congenital E25.0
- isosexual E28.2
Virulent bubo A57
Virus, viral -*see also* condition
- as cause of disease classified elsewhere B97.89
- - respiratory syncytial virus (RSV) -*see* Virus, respiratory syncytial (RSV)
- cytomegalovirus B25.9
- human immunodeficiency (HIV) -*see* Human, immunodeficiency virus (HIV) disease
- infection -*see* Infection, virus
- respiratory syncytial (RSV)
- - as cause of disease classified elsewhere B97.4
- - bronchiolitis J21.0
- - bronchitis J20.5
- - bronchopneumonia J12.1
- - otitis media H65.- *[B97.4]*
- - pneumonia J12.1
- - upper respiratory infection J06.9 *[B97.4]*
- specified NEC B34.8
- swine influenza (viruses that normally cause infections in pigs) -*see also* Influenza, due to, identified novel influenza A virus J09.X2
- West Nile (fever) A92.30
- - with
- - - complications NEC A92.39
- - - cranial nerve disorders A92.32
- - - encephalitis A92.31
- - - encephalomyelitis A92.31
- - - neurologic manifestation NEC A92.32
- - - optic neuritis A92.32
- - - polyradiculitis A92.32
Viscera, visceral -*see* condition
Visceroptosis K63.4
Visible peristalsis R19.2
Vision, visual
- binocular, suppression H53.34
- blurred, blurring H53.8
- - hysterical F44.6
- defect, defective NEC H54.7
- disorientation (syndrome) H53.8
- disturbance H53.9
- - hysterical F44.6
- double H53.2
- examination Z01.00
- - with abnormal findings Z01.01
- - following failed vision screening Z01.020
- - - with abnormal findings Z01.021
- field, limitation (defect) -*see* Defect, visual field
- hallucinations R44.1
- halos H53.19
- loss -*see* Loss, vision
- - sudden -*see* Disturbance, vision, subjective, loss, sudden
- low (both eyes) -*see* Low, vision
- perception, simultaneous without fusion H53.33
Vitality, lack or want of R53.83
- newborn P96.89
Vitamin deficiency -*see* Deficiency, vitamin
Vitelline duct, persistent Q43.0
Vitiligo L80
- eyelid H02.739
- - left H02.736
- - - lower H02.735

- - - upper H02.734
- - right H02.733
- - - lower H02.732
- - - upper H02.731
- pinta A67.2
- vulva N90.89
Vitreal corneal syndrome H59.01-
Vitreoretinopathy, proliferative -*see also* Retinopathy, proliferative
- with retinal detachment -*see* Detachment, retina, traction
Vitreous -*see also* condition
- touch syndrome -*see* Complication, postprocedural, following cataract surgery
Vocal cord -*see* condition
Vogt-Koyanagi syndrome H20.82-
Vogt's disease or syndrome G80.3
Vogt-Spielmeyer amaurotic idiocy or disease E75.4
Voice
- change R49.9
- - specified NEC R49.8
- loss -*see* Aphonia
Volhynian fever A79.0
Volkmann's ischemic contracture or paralysis (complicating trauma) T79.6
Volvulus (bowel) (colon) (intestine) K56.2
- with perforation K56.2
- congenital Q43.8
- duodenum K31.5
- fallopian tube -*see* Torsion, fallopian tube
- oviduct -*see* Torsion, fallopian tube
- stomach (due to absence of gastrocolic ligament) K31.89
Vomiting R11.10
- with nausea R11.2
- asphyxia -*see* Foreign body, by site, causing asphyxia, gastric contents
- bilious (cause unknown) R11.14
- - in newborn P92.01
- - following gastro-intestinal surgery K91.0
- blood -*see* Hematemesis
- causing asphyxia, choking, or suffocation -*see* Foreign body, by site
- cyclical, in migraine, G43.A0
- - with refractory migraine G43.A1
- - intractable G43.A1
- - not intractable G43.A0
- - psychogenic F50.89
- - without refractory migraine G43.A0
- cyclical syndrome NOS (unrelated to migraine) R11.15
- fecal matter R11.13
- following gastrointestinal surgery K91.0
- - psychogenic F50.89
- functional K31.89
- hysterical F50.89
- nervous F50.89
- neurotic F50.89
- newborn NEC P92.09
- - bilious P92.01
- periodic R11.10
- - psychogenic F50.89
- persistent R11.15
- projectile R11.12
- psychogenic F50.89
- uremic -*see* Uremia
- without nausea R11.11
Vomito negro -*see* Fever, yellow

Von Bezold's abscess -*see* Mastoiditis, acute
Von Economo-Cruchet disease A85.8
Von Eulenburg's disease G71.19
Von Gierke's disease E74.01
Von Hippel (-Lindau) disease or syndrome Q85.83
Von Jaksch's anemia or disease D64.89
Von Recklinghausen
- disease (neurofibromatosis) Q85.01
- - bones E21.0
Von Schroetter's syndrome I82.890
Von Willebrand (-Jurgens)(-Minot) disease or syndrome -*see* Disease, von Willebrand
Von Zumbusch's disease L40.1
Voyeurism F65.3
Vrolik's disease Q78.0
Vulva -*see* condition
Vulvismus N94.2
Vulvitis (acute) (allergic) (atrophic) (hypertrophic) (intertriginous) (senile) N76.2
- with ectopic or molar pregnancy O08.0
- adhesive, congenital Q52.79
- blennorrhagic (gonococcal) A54.02
- candidal (acute) B37.31
- - chronic (recurrent) B37.32
- chlamydial A56.02
- due to Haemophilus ducreyi A57
- following ectopic or molar pregnancy O08.0
- gonococcal A54.02
- - with abscess (accessory gland) (periurethral) A54.1
- herpesviral A60.04
- leukoplakic N90.4
- monilial (acute) B37.31
- - chronic (recurrent) B37.32
- puerperal (postpartum) O86.19
- subacute or chronic N76.3
- syphilitic (early) A51.0
- - late A52.76
- trichomonal A59.01
- tuberculous A18.18
Vulvodynia N94.819
- specified NEC N94.818
Vulvorectal -*see* condition
Vulvovaginitis (acute) -*see* Vaginitis

W

Waiting list, person on Z75.1
- for organ transplant Z76.82
- undergoing social agency investigation Z75.2
Waldenström-Kjellberg syndrome D50.1
Waldenström
- hypergammaglobulinemia D89.0
- syndrome or macroglobulinemia C88.0-
Walking
- difficulty R26.2
- - psychogenic F44.4
- sleep F51.3
- - hysterical F44.89
Wall, abdominal -*see* condition
Wallenberg's disease or syndrome G46.3
Wallgren's disease I87.8
Wandering

- gallbladder, congenital Q44.1
- in diseases classified elsewhere Z91.83
- kidney, congenital Q63.8
- organ or site, congenital NEC -*see* Malposition, congenital, by site
- pacemaker (heart) I49.8
- spleen D73.89

War neurosis F48.8

Wart (due to HPV) (filiform) (infectious) (viral) B07.9
- anogenital region (venereal) A63.0
- common B07.8
- external genital organs (venereal) A63.0
- flat B07.8
- Hassal-Henle's (of cornea) H18.49
- Peruvian A44.1
- plantar B07.0
- prosector (tuberculous) A18.4
- seborrheic L82.1
- - inflamed L82.0
- senile (seborrheic) L82.1
- - inflamed L82.0
- tuberculous A18.4
- venereal A63.0

Warthin's tumor -*see* Neoplasm, salivary gland or duct, benign

Wassilieff's disease A27.0

Wasting
- disease (syndrome) E88.A
- - due to
- - - malnutrition E43
- - - - with marasmus E41
- - - underlying condition E88.A
- extreme (due to malnutrition) E43
- - with marasmus E41
- muscle NEC -*see* Atrophy, muscle

Water
- clefts (senile cataract) -*see* Cataract, senile, incipient
- deprivation of T73.1
- intoxication E87.79
- itch B76.9
- lack of T73.1
- - safe drinking Z58.6
- loading E87.70
- on
- - brain -*see* Hydrocephalus
- - chest J94.8
- poisoning E87.79

Waterbrash R12

Waterhouse (-Friderichsen) syndrome or disease (meningococcal) A39.1

Water-losing nephritis N25.89

Watermelon stomach K31.819
- with hemorrhage K31.811
- without hemorrhage K31.819

Watsoniasis B66.8

Wax in ear -*see* Impaction, cerumen

Weak, weakening, weakness (generalized) R53.1
- arches (acquired) -*see also* Deformity, limb, flat foot
- bladder (sphincter) R32
- facial R29.810
- - following
- - - cerebrovascular disease I69.992
- - - - cerebral infarction I69.392

- - - - intracerebral hemorrhage I69.192
- - - - nontraumatic intracranial hemorrhage NEC I69.292
- - - - specified disease NEC I69.892
- - - - stroke I69.392
- - - - subarachnoid hemorrhage I69.092
- foot (double) -*see also* Weak, arches
- heart, cardiac -*see* Failure, heart
- mind F70
- muscle M62.81
- myocardium -*see* Failure, heart
- newborn P96.89
- pelvic fundus N81.89
- pubocervical tissue N81.82
- senile R54
- rectovaginal tissue N81.83
- urinary stream R39.12
- valvular -*see* Endocarditis

Wear, worn (with normal or routine use)
- articular bearing surface of internal joint prosthesis -*see* Complications, joint prosthesis, mechanical, wear of articular bearing surfaces, by site
- device, implant or graft -*see* Complications, by site, mechanical complication
- tooth, teeth (approximal) (hard tissues) (interproximal) (occlusal) K03.0

Weather, weathered
- effects of
- - cold T69.9
- - - specified effect NEC T69.8
- - hot -*see* Heat
- skin L57.8

Weaver's syndrome Q87.3

Web, webbed (congenital)
- duodenal Q43.8
- esophagus Q39.4
- fingers Q70.1-
- larynx (glottic) (subglottic) Q31.0
- neck (pterygium colli) Q18.3
- Paterson-Kelly D50.1
- popliteal syndrome Q87.89
- toes Q70.3-

Weber-Christian disease M35.6

Weber-Cockayne syndrome (epidermolysis bullosa) Q81.8

Weber-Gubler syndrome G46.3

Weber-Leyden syndrome G46.3

Weber-Osler syndrome I78.0

Weber's paralysis or syndrome G46.3

Wedge-shaped or wedging vertebra -*see* Collapse, vertebra NEC

Wegener's granulomatosis or syndrome M31.30
- with
- - kidney involvement M31.31
- - lung involvement M31.30
- - - with kidney involvement M31.31

Wegner's disease A50.02

Weight
- 1000-2499 grams at birth (low) -*see* Low, birthweight
- 999 grams or less at birth (extremely low) -*see* Low, birthweight, extreme
- and length below 10th percentile for gestational age P05.1-
- below but length above 10th percentile for gestational age P05.0-
- gain (abnormal) (excessive) R63.5
- - in pregnancy -*see* Pregnancy, complicated by, excessive weight gain
- - - low -*see* Pregnancy, complicated by, insufficient, weight gain
- loss (abnormal) (cause unknown) R63.4

Weightlessness (effect of) T75.82
Weil (I) -Marchesani syndrome Q87.19
Weil's disease A27.0
Weingarten's syndrome J82.89
Weir Mitchell's disease I73.81
Weiss-Baker syndrome G90.09
Wells' disease L98.3
Wen -*see* Cyst, sebaceous
Wenckebach's block or phenomenon I44.1
Werdnig-Hoffmann syndrome (muscular atrophy) G12.0
Werlhof's disease D69.3
Wermer's disease or syndrome E31.21
Werner-His disease A79.0
Werner's disease or syndrome E34.8
Wernicke-Korsakoff's syndrome or psychosis (alcoholic) F10.96
- with dependence F10.26
- drug-induced
- - due to drug abuse -*see* Abuse, drug, by type, with amnestic disorder
- - due to drug dependence -*see* Dependence, drug, by type, with amnestic disorder
- nonalcoholic F04
Wernicke-Posadas disease B38.9
Wernicke's
- developmental aphasia F80.2
- disease or syndrome E51.2
- encephalopathy E51.2
- polioencephalitis, superior E51.2
West African fever B50.8
Westphal-Strümpell syndrome E83.01
West's syndrome -*see* Epilepsy, spasms
Wet
- feet, tropical (maceration) (syndrome) -*see* Immersion, foot
- lung (syndrome), newborn P22.1
Wharton's duct -*see* condition
Wheal -*see* Urticaria
Wheezing R06.2
Whiplash injury S13.4
Whipple's disease -*see also* subcategory M14.8- K90.81
Whipworm (disease) (infection) (infestation) B79
Whistling face Q87.0
White -*see also* condition
- kidney, small N03.9
- leg, puerperal, postpartum, childbirth O87.1
- mouth B37.0
- patches of mouth K13.29
- spot lesions, teeth
- - chewing surface K02.51
- - pit and fissure surface K02.51
- - smooth surface K02.61
Whitehead L70.0
Whitlow -*see also* Cellulitis, digit
- with lymphangitis -*see* Lymphangitis, acute, digit
- herpesviral B00.89
Whitmore's disease or fever -*see* Melioidosis
Whooping cough A37.90
- with pneumonia A37.91
- - due to Bordetella
- - - bronchiseptica A37.81
- - - parapertussis A37.11
- - - pertussis A37.01
- - specified organism NEC A37.81

- due to
- - Bordetella
- - - bronchiseptica A37.80
- - - - with pneumonia A37.81
- - - parapertussis A37.10
- - - - with pneumonia A37.11
- - - pertussis A37.00
- - - - with pneumonia A37.01
- - - specified NEC A37.80
- - - - with pneumonia A37.81
Wichman's asthma J38.5
Wide cranial sutures, newborn P96.3
Widening aorta -*see* Ectasia, aorta
- with aneurysm -*see* Aneurysm, aorta
Wilkie's disease or syndrome K55.1
Wilkinson-Sneddon disease or syndrome L13.1
Willebrand (-Jürgens) thrombopathy -*see* Disease, von Willebrand
Williams syndrome Q93.82
Willige-Hunt disease or syndrome G23.1
Wilms' tumor C64-
Wilson-Mikity syndrome P27.0
Wilson's
- disease or syndrome E83.01
- hepatolenticular degeneration E83.01
- lichen ruber L43.9
Window -*see also* Imperfect, closure
- aorticopulmonary Q21.4
Winter -*see* condition
Wiskott-Aldrich syndrome D82.0
Withdrawal state -*see also* Dependence, drug by type, with withdrawal
- alcohol
- - with perceptual disturbances F10.232
- - - due to alcohol abuse F10.132
- - - due to alcohol use F10.932
- - abuse -*see* Abuse, alcohol, with, withdrawal
- - dependence -*see* Dependence, alcohol, with, withdrawal
- - use -*see* Use, alcohol, with, withdrawal
- - without perceptual disturbances F10.239
- - - due to alcohol abuse F10.139
- - - due to alcohol use F10.939
- caffeine F15.93
- cannabis F12.23
- newborn
- - correct therapeutic substance properly administered P96.2
- - infant of dependent mother P96.1
- therapeutic substance, neonatal P96.2
Witts' anemia D50.8
Witzelsucht F07.0
Woakes' ethmoiditis or syndrome J33.1
Wolff-Hirschorn syndrome Q93.3
Wolff-Parkinson-White syndrome I45.6
Wolhynian fever A79.0
Wolman's disease E75.5
Wood lung or pneumonitis J67.8
Woolly, wooly hair (congenital) (nevus) Q84.1
Woolsorter's disease A22.1
Word
- blindness (congenital) (developmental) F81.0
- deafness (congenital) (developmental) H93.25
Worm(s) (infection) (infestation) -*see also* Infestation, helminth

- guinea B72
- in intestine NEC B82.0
Worm-eaten soles A66.3
Worn out -*see* Exhaustion
- cardiac
- - defibrillator (with synchronous cardiac pacemaker) Z45.02
- - pacemaker
- - - battery Z45.010
- - - lead Z45.018
- device, implant or graft -*see* Complications, by site, mechanical
Worried well Z71.1
Worries R45.82
Wound check Z48.0-
- due to injury - code to Injury, by site, using appropriate seventh character for subsequent encounter
- postoperative -*see* Aftercare
Wound, open T14.8-
- abdomen, abdominal
- - wall S31.109
- - - with penetration into peritoneal cavity S31.609
- - - bite -*see* Bite, abdomen, wall
- - - epigastric region S31.102
- - - - with penetration into peritoneal cavity S31.602
- - - - bite -*see* Bite, abdomen, wall, epigastric region
- - - - laceration -*see* Laceration, abdomen, wall, epigastric region
- - - - puncture -*see* Puncture, abdomen, wall, epigastric region
- - - laceration -*see* Laceration, abdomen, wall
- - - left
- - - - lower quadrant S31.104
- - - - - with penetration into peritoneal cavity S31.604
- - - - - bite -*see* Bite, abdomen, wall, left, lower quadrant
- - - - - laceration -*see* Laceration, abdomen, wall, left, lower quadrant
- - - - - puncture -*see* Puncture, abdomen, wall, left, lower quadrant
- - - - upper quadrant S31.101
- - - - - with penetration into peritoneal cavity S31.601
- - - - - bite -*see* Bite, abdomen, wall, left, upper quadrant
- - - - - laceration -*see* Laceration, abdomen, wall, left, upper quadrant
- - - - - puncture -*see* Puncture, abdomen, wall, left, upper quadrant
- - - periumbilic region S31.105
- - - - with penetration into peritoneal cavity S31.605
- - - - bite -*see* Bite, abdomen, wall, periumbilic region
- - - - laceration -*see* Laceration, abdomen, wall, periumbilic region
- - - - puncture -*see* Puncture, abdomen, wall, periumbilic region
- - - puncture -*see* Puncture, abdomen, wall
- - - right
- - - - lower quadrant S31.103
- - - - - with penetration into peritoneal cavity S31.603
- - - - - bite -*see* Bite, abdomen, wall, right, lower quadrant
- - - - - laceration -*see* Laceration, abdomen, wall, right, lower quadrant
- - - - - puncture -*see* Puncture, abdomen, wall, right, lower quadrant
- - - - upper quadrant S31.100
- - - - - with penetration into peritoneal cavity S31.600
- - - - - bite -*see* Bite, abdomen, wall, right, upper quadrant
- - - - - laceration -*see* Laceration, abdomen, wall, right, upper quadrant
- - - - - puncture -*see* Puncture, abdomen, wall, right, upper quadrant
- alveolar (process) -*see* Wound, open, oral cavity
- ankle S91.00-
- - bite -*see* Bite, ankle
- - laceration -*see* Laceration, ankle
- - puncture -*see* Puncture, ankle
- antecubital space -*see* Wound, open, elbow

- anterior chamber, eye -*see* Wound, open, ocular
- anus S31.839
- - bite S31.835
- - laceration -*see* Laceration, anus
- - puncture -*see* Puncture, anus
- arm (upper) S41.10-
- - with amputation -*see* Amputation, traumatic, arm
- - bite -*see* Bite, arm
- - forearm -*see* Wound, open, forearm
- - laceration -*see* Laceration, arm
- - puncture -*see* Puncture, arm
- auditory canal (external) (meatus) -*see* Wound, open, ear
- auricle, ear -*see* Wound, open, ear
- axilla -*see* Wound, open, arm
- back -*see also* Wound, open, thorax, back
- - lower S31.000
- - - with penetration into retroperitoneal space S31.001
- - - bite -*see* Bite, back, lower
- - - laceration -*see* Laceration, back, lower
- - - puncture -*see* Puncture, back, lower
- bite -*see* Bite
- blood vessel -*see* Injury, blood vessel
- breast S21.00-
- - with amputation -*see* Amputation, traumatic, breast
- - bite -*see* Bite, breast
- - laceration -*see* Laceration, breast
- - puncture -*see* Puncture, breast
- buttock S31.809
- - bite -*see* Bite, buttock
- - laceration -*see* Laceration, buttock
- - left S31.829
- - puncture -*see* Puncture, buttock
- - right S31.819
- calf -*see* Wound, open, leg
- canaliculus lacrimalis -*see* Wound, open, eyelid
- canthus, eye -*see* Wound, open, eyelid
- cervical esophagus S11.20
- - bite S11.25
- - laceration -*see* Laceration, esophagus, traumatic, cervical
- - puncture -*see* Puncture, cervical esophagus
- cheek (external) S01.40-
- - bite -*see* Bite, cheek
- - laceration -*see* Laceration, cheek
- - puncture -*see* Puncture, cheek
- - internal -*see* Wound, open, oral cavity
- chest wall -*see* Wound, open, thorax
- chin -*see* Wound, open, head, specified site NEC
- choroid -*see* Wound, open, ocular
- ciliary body (eye) -*see* Wound, open, ocular
- clitoris S31.40
- - with amputation -*see* Amputation, traumatic, clitoris
- - bite S31.45
- - laceration -*see* Laceration, vulva
- - puncture -*see* Puncture, vulva
- conjunctiva -*see* Wound, open, ocular
- cornea -*see* Wound, open, ocular
- costal region -*see* Wound, open, thorax
- Descemet's membrane -*see* Wound, open, ocular
- digit(s)
- - foot -*see* Wound, open, toe

- - hand -*see* Wound, open, finger
- ear (canal) (external) S01.30-
- - with amputation -*see* Amputation, traumatic, ear
- - bite -*see* Bite, ear
- - laceration -*see* Laceration, ear
- - puncture -*see* Puncture, ear
- - drum S09.2-
- elbow S51.00-
- - bite -*see* Bite, elbow
- - laceration -*see* Laceration, elbow
- - puncture -*see* Puncture, elbow
- epididymis -*see* Wound, open, testis
- epigastric region S31.102
- - with penetration into peritoneal cavity S31.602
- - bite -*see* Bite, abdomen, wall, epigastric region
- - laceration -*see* Laceration, abdomen, wall, epigastric region
- - puncture -*see* Puncture, abdomen, wall, epigastric region
- epiglottis -*see* Wound, open, neck, specified site NEC
- esophagus (thoracic) S27.819
- - cervical -*see* Wound, open, cervical esophagus
- - laceration S27.813
- - specified type NEC S27.818
- eye -*see* Wound, open, ocular
- eyeball -*see* Wound, open, ocular
- eyebrow -*see* Wound, open, eyelid
- eyelid S01.10-
- - bite -*see* Bite, eyelid
- - laceration -*see* Laceration, eyelid
- - puncture -*see* Puncture, eyelid
- face NEC -*see* Wound, open, head, specified site NEC
- finger(s) S61.209
- - with
- - - amputation -*see* Amputation, traumatic, finger
- - - damage to nail S61.309
- - bite -*see* Bite, finger
- - index S61.208
- - - with
- - - - damage to nail S61.308
- - - left S61.201
- - - - with
- - - - - damage to nail S61.301
- - - right S61.200
- - - - with
- - - - - damage to nail S61.300
- - laceration -*see* Laceration, finger
- - little S61.208
- - - with
- - - - damage to nail S61.308
- - - left S61.207
- - - - with damage to nail S61.307
- - - right S61.206
- - - - with damage to nail S61.306
- - middle S61.208
- - - with
- - - - damage to nail S61.308
- - - left S61.203
- - - - with damage to nail S61.303
- - - right S61.202
- - - - with damage to nail S61.302
- - puncture -*see* Puncture, finger

- - ring S61.208
- - - with
- - - - damage to nail S61.308
- - - left S61.205
- - - - with damage to nail S61.305
- - - right S61.204
- - - - with damage to nail S61.304
- flank -*see* Wound, open, abdomen, wall
- foot (except toe(s) alone) S91.30-
- - with amputation -*see* Amputation, traumatic, foot
- - bite -*see* Bite, foot
- - laceration -*see* Laceration, foot
- - puncture -*see* Puncture, foot
- - toe -*see* Wound, open, toe
- forearm S51.80-
- - with
- - - amputation -*see* Amputation, traumatic, forearm
- - bite -*see* Bite, forearm
- - elbow only -*see* Wound, open, elbow
- - laceration -*see* Laceration, forearm
- - puncture -*see* Puncture, forearm
- forehead -*see* Wound, open, head, specified site NEC
- genital organs, external
- - with amputation -*see* Amputation, traumatic, genital organs
- - bite -*see* Bite, genital organ
- - female S31.502
- - - vagina S31.40
- - - vulva S31.40
- - laceration -*see* Laceration, genital organ
- - male S31.501
- - - penis S31.20
- - - scrotum S31.30
- - - testes S31.30
- - puncture -*see* Puncture, genital organ
- globe (eye) -*see* Wound, open, ocular
- groin -*see* Wound, open, abdomen, wall
- gum -*see* Wound, open, oral cavity
- hand S61.40-
- - with
- - - amputation -*see* Amputation, traumatic, hand
- - bite -*see* Bite, hand
- - finger(s) -*see* Wound, open, finger
- - laceration -*see* Laceration, hand
- - puncture -*see* Puncture, hand
- - thumb -*see* Wound, open, thumb
- head S01.90
- - bite -*see* Bite, head
- - cheek -*see* Wound, open, cheek
- - ear -*see* Wound, open, ear
- - eyelid -*see* Wound, open, eyelid
- - laceration -*see* Laceration, head
- - lip -*see* Wound, open, lip
- - nose S01.20
- - oral cavity -*see* Wound, open, oral cavity
- - puncture -*see* Puncture, head
- - scalp -*see* Wound, open, scalp
- - specified site NEC S01.80
- - temporomandibular area -*see* Wound, open, cheek
- heel -*see* Wound, open, foot
- hip S71.00-

- - with amputation -*see* Amputation, traumatic, hip
- - bite -*see* Bite, hip
- - laceration -*see* Laceration, hip
- - puncture -*see* Puncture, hip
- hymen S31.40
- - bite -*see* Bite, vulva
- - laceration -*see* Laceration, vagina
- - puncture -*see* Puncture, vagina
- hypochondrium S31.109
- - bite -*see* Bite, hypochondrium
- - laceration -*see* Laceration, hypochondrium
- - puncture -*see* Puncture, hypochondrium
- hypogastric region S31.109
- - bite -*see* Bite, hypogastric region
- - laceration -*see* Laceration, hypogastric region
- - puncture -*see* Puncture, hypogastric region
- iliac (region) -*see* Wound, open, inguinal region
- inguinal region S31.109
- - bite -*see* Bite, abdomen, wall, lower quadrant
- - laceration -*see* Laceration, inguinal region
- - puncture -*see* Puncture, inguinal region
- instep -*see* Wound, open, foot
- interscapular region -*see* Wound, open, thorax, back
- intraocular -*see* Wound, open, ocular
- iris -*see* Wound, open, ocular
- jaw -*see* Wound, open, head, specified site NEC
- knee S81.00-
- - bite -*see* Bite, knee
- - laceration -*see* Laceration, knee
- - puncture -*see* Puncture, knee
- labium (majus) (minus) -*see* Wound, open, vulva
- laceration -*see* Laceration, by site
- lacrimal duct -*see* Wound, open, eyelid
- larynx S11.019
- - bite -*see* Bite, larynx
- - laceration -*see* Laceration, larynx
- - puncture -*see* Puncture, larynx
- left
- - lower quadrant S31.104
- - - with penetration into peritoneal cavity S31.604
- - - bite -*see* Bite, abdomen, wall, left, lower quadrant
- - - laceration -*see* Laceration, abdomen, wall, left, lower quadrant
- - - puncture -*see* Puncture, abdomen, wall, left, lower quadrant
- - upper quadrant S31.101
- - - with penetration into peritoneal cavity S31.601
- - - bite -*see* Bite, abdomen, wall, left, upper quadrant
- - - laceration -*see* Laceration, abdomen, wall, left, upper quadrant
- - - puncture -*see* Puncture, abdomen, wall, left, upper quadrant
- leg (lower) S81.80-
- - with amputation -*see* Amputation, traumatic, leg
- - ankle -*see* Wound, open, ankle
- - bite -*see* Bite, leg
- - foot -*see* Wound, open, foot
- - knee -*see* Wound, open, knee
- - laceration -*see* Laceration, leg
- - puncture -*see* Puncture, leg
- - toe -*see* Wound, open, toe
- - upper -*see* Wound, open, thigh
- lip S01.501
- - bite -*see* Bite, lip

- - laceration -*see* Laceration, lip
- - puncture -*see* Puncture, lip
- loin S31.109
- - bite -*see* Bite, abdomen, wall
- - laceration -*see* Laceration, loin
- - puncture -*see* Puncture, loin
- lower back -*see* Wound, open, back, lower
- lumbar region -*see* Wound, open, back, lower
- malar region -*see* Wound, open, head, specified site NEC
- mammary -*see* Wound, open, breast
- mastoid region -*see* Wound, open, head, specified site NEC
- mouth -*see* Wound, open, oral cavity
- nail
- - finger -*see* Wound, open, finger, with damage to nail
- - toe -*see* Wound, open, toe, with damage to nail
- nape (neck) -*see* Wound, open, neck
- nasal (septum) (sinus) -*see* Wound, open, nose
- nasopharynx -*see* Wound, open, head, specified site NEC
- neck S11.90
- - bite -*see* Bite, neck
- - involving
- - - cervical esophagus S11.20
- - - larynx -*see* Wound, open, larynx
- - - pharynx S11.20
- - - thyroid S11.10
- - - trachea (cervical) S11.029
- - - - bite -*see* Bite, trachea
- - - - laceration S11.021
- - - - - with foreign body S11.022
- - - - puncture S11.023
- - - - - with foreign body S11.024
- - laceration -*see* Laceration, neck
- - puncture -*see* Puncture, neck
- - specified site NEC S11.80
- - - specified type NEC S11.89
- nose (septum) (sinus) S01.20
- - with amputation -*see* Amputation, traumatic, nose
- - bite -*see* Bite, nose
- - laceration -*see* Laceration, nose
- - puncture -*see* Puncture, nose
- ocular S05.90
- - avulsion (traumatic enucleation) S05.7-
- - eyeball S05.6-
- - - with foreign body S05.5-
- - eyelid -*see* Wound, open, eyelid
- - laceration and rupture S05.3-
- - - with prolapse or loss of intraocular tissue S05.2-
- - orbit (penetrating) (with or without foreign body) S05.4-
- - periocular area -*see* Wound, open, eyelid
- - specified NEC S05.8X-
- oral cavity S01.502
- - bite S01.552
- - laceration -*see* Laceration, oral cavity
- - puncture -*see* Puncture, oral cavity
- orbit -*see* Wound, open, ocular, orbit
- palate -*see* Wound, open, oral cavity
- palm -*see* Wound, open, hand
- pelvis, pelvic -*see also* Wound, open, back, lower
- - girdle -*see* Wound, open, hip
- penetrating -*see* Puncture, by site

- penis S31.20
- - with amputation -*see* Amputation, traumatic, penis
- - bite S31.25
- - laceration -*see* Laceration, penis
- - puncture -*see* Puncture, penis
- perineum
- - bite -*see* Bite, perineum
- - female S31.502
- - laceration -*see* Laceration, perineum
- - male S31.501
- - puncture -*see* Puncture, perineum
- periocular area (with or without lacrimal passages) -*see* Wound, open, eyelid
- periumbilic region S31.105
- - with penetration into peritoneal cavity S31.605
- - bite -*see* Bite, abdomen, wall, periumbilic region
- - laceration -*see* Laceration, abdomen, wall, periumbilic region
- - puncture -*see* Puncture, abdomen, wall, periumbilic region
- phalanges
- - finger -*see* Wound, open, finger
- - toe -*see* Wound, open, toe
- pharynx S11.20
- pinna -*see* Wound, open, ear
- popliteal space -*see* Wound, open, knee
- prepuce -*see* Wound, open, penis
- pubic region -*see* Wound, open, back, lower
- pudendum -*see* Wound, open, genital organs, external
- puncture wound -*see* Puncture
- rectovaginal septum -*see* Wound, open, vagina
- right
- - lower quadrant S31.103
- - - with penetration into peritoneal cavity S31.603
- - - bite -*see* Bite, abdomen, wall, right, lower quadrant
- - - laceration -*see* Laceration, abdomen, wall, right, lower quadrant
- - - puncture -*see* Puncture, abdomen, wall, right, lower quadrant
- - upper quadrant S31.100
- - - with penetration into peritoneal cavity S31.600
- - - bite -*see* Bite, abdomen, wall, right, upper quadrant
- - - laceration -*see* Laceration, abdomen, wall, right, upper quadrant
- - - puncture -*see* Puncture, abdomen, wall, right, upper quadrant
- sacral region -*see* Wound, open, back, lower
- sacroiliac region -*see* Wound, open, back, lower
- salivary gland -*see* Wound, open, oral cavity
- scalp S01.00
- - bite S01.05
- - laceration -*see* Laceration, scalp
- - puncture -*see* Puncture, scalp
- scalpel, newborn (birth injury) P15.8
- scapular region -*see* Wound, open, shoulder
- sclera -*see* Wound, open, ocular
- scrotum S31.30
- - with amputation -*see* Amputation, traumatic, scrotum
- - bite S31.35
- - laceration -*see* Laceration, scrotum
- - puncture -*see* Puncture, scrotum
- shin -*see* Wound, open, leg
- shoulder S41.00-
- - with amputation -*see* Amputation, traumatic, arm
- - bite -*see* Bite, shoulder
- - laceration -*see* Laceration, shoulder
- - puncture -*see* Puncture, shoulder

- skin NOS T14.8
- spermatic cord -*see* Wound, open, testis
- sternal region -*see* Wound, open, thorax, front wall
- submaxillary region -*see* Wound, open, head, specified site NEC
- submental region -*see* Wound, open, head, specified site NEC
- subungual
- - finger(s) -*see* Wound, open, finger
- - toe(s) -*see* Wound, open, toe
- supraclavicular region -*see* Wound, open, neck, specified site NEC
- temple, temporal region -*see* Wound, open, head, specified site NEC
- temporomandibular area -*see* Wound, open, cheek
- testis S31.30
- - with amputation -*see* Amputation, traumatic, testes
- - bite S31.35
- - laceration -*see* Laceration, testis
- - puncture -*see* Puncture, testis
- thigh S71.10-
- - with amputation -*see* Amputation, traumatic, hip
- - bite -*see* Bite, thigh
- - laceration -*see* Laceration, thigh
- - puncture -*see* Puncture, thigh
- thorax, thoracic (wall) S21.90
- - back S21.20-
- - - with penetration S21.40
- - bite -*see* Bite, thorax
- - breast -*see* Wound, open, breast
- - front S21.10-
- - - with penetration S21.30
- - laceration -*see* Laceration, thorax
- - puncture -*see* Puncture, thorax
- throat -*see* Wound, open, neck
- thumb S61.009
- - with
- - - amputation -*see* Amputation, traumatic, thumb
- - - damage to nail S61.109
- - bite -*see* Bite, thumb
- - laceration -*see* Laceration, thumb
- - left S61.002
- - - with
- - - - damage to nail S61.102
- - puncture -*see* Puncture, thumb
- - right S61.001
- - - with
- - - - damage to nail S61.101
- thyroid (gland) -*see* Wound, open, neck, thyroid
- toe(s) S91.109
- - with
- - - amputation -*see* Amputation, traumatic, toe
- - - damage to nail S91.209
- - bite -*see* Bite, toe
- - great S91.103
- - - with
- - - damage to nail S91.203
- - - left S91.102
- - - - with
- - - - - damage to nail S91.202
- - - right S91.101
- - - - with
- - - - - damage to nail S91.201
- - laceration -*see* Laceration, toe

- - lesser S91.106
- - - with
- - - - damage to nail S91.206
- - - left S91.105
- - - - with
- - - - - damage to nail S91.205
- - - right S91.104
- - - - with
- - - - - damage to nail S91.204
- - puncture -*see* Puncture, toe
- tongue -*see* Wound, open, oral cavity
- trachea (cervical region) -*see* Wound, open, neck, trachea
- tunica vaginalis -*see* Wound, open, testis
- tympanum, tympanic membrane S09.2-
- - laceration -*see* Laceration, ear, drum
- - puncture -*see* Puncture, tympanum
- umbilical region -*see* Wound, open, abdomen, wall, periumbilic region
- uvula -*see* Wound, open, oral cavity
- vagina S31.40
- - bite S31.45
- - laceration -*see* Laceration, vagina
- - puncture -*see* Puncture, vagina
- vocal cord S11.039
- - bite -*see* Bite, vocal cord
- - laceration S11.031
- - - with foreign body S11.032
- - puncture S11.033
- - - with foreign body S11.034
- vitreous (humor) -*see* Wound, open, ocular
- vulva S31.40
- - with amputation -*see* Amputation, traumatic, vulva
- - bite S31.45
- - laceration -*see* Laceration, vulva
- - puncture -*see* Puncture, vulva
- wrist S61.50-
- - bite -*see* Bite, wrist
- - laceration -*see* Laceration, wrist
- - puncture -*see* Puncture, wrist

Wound, superficial -*see* Injury -*see also* specified injury type
Wright's syndrome G54.0
Wrist -*see* condition
Wrong drug (by accident) (given in error) -*see* Table of Drugs and Chemicals, by drug, poisoning
Wry neck -*see* Torticollis
Wuchereria (bancrofti) infestation B74.0
Wuchereriasis B74.0
Wuchernde Struma Langhans C73

X

Xanthelasma (eyelid) (palpebrarum) H02.60
- left H02.66
- - lower H02.65
- - upper H02.64
- right H02.63
- - lower H02.62
- - upper H02.61

Xanthelasmatosis (essential) E78.2
Xanthinuria, hereditary E79.82
Xanthoastrocytoma
- specified site -*see* Neoplasm, malignant, by site

- unspecified site C71.9
Xanthofibroma -*see* Neoplasm, connective tissue, benign
Xanthogranuloma D76.3
Xanthoma(s), xanthomatosis (primary) (familial) (hereditary) E75.5
- with
- - hyperlipoproteinemia
- - - Type I E78.3
- - - Type III E78.2
- - - Type IV E78.1
- - - Type V E78.3
- bone (generalisata) C96.5
- cerebrotendinous E75.5
- cutaneotendinous E75.5
- disseminatum (skin) E78.2
- eruptive E78.2
- hypercholesterinemic E78.00
- hypercholesterolemic E78.00
- hyperlipidemic E78.5
- joint E75.5
- multiple (skin) E78.2
- tendon (sheath) E75.5
- tubo-eruptive E78.2
- tuberosum E78.2
- tuberous E78.2
- verrucous, oral mucosa K13.4
Xanthosis R23.8
Xenophobia F40.10
Xeroderma -*see also* Ichthyosis
- acquired L85.0
- - eyelid H01.149
- - - left H01.146
- - - - lower H01.145
- - - - upper H01.144
- - - right H01.143
- - - - lower H01.142
- - - - upper H01.141
- pigmentosum Q82.1
- vitamin A deficiency E50.8
Xerophthalmia (vitamin A deficiency) E50.7
- unrelated to vitamin A deficiency -*see* Keratoconjunctivitis
Xerosis
- conjunctiva H11.14-
- - with Bitot's spots -*see also* Pigmentation, conjunctiva
- - - vitamin A deficiency E50.1
- - vitamin A deficiency E50.0
- cornea H18.89-
- - with ulceration -*see* Ulcer, cornea
- - - vitamin A deficiency E50.3
- - vitamin A deficiency E50.2
- cutis (dry skin) L85.3
- skin L85.3
Xerostomia K11.7
Xiphopagus Q89.4
XO syndrome Q96.9
X-ray (of)
- abnormal findings -*see* Abnormal, diagnostic imaging
- breast (mammogram) (routine) Z12.31
- chest
- - routine (as part of a general medical examination) Z00.00
- - - with abnormal findings Z00.01

- routine (as part of a general medical examination) Z00.00
- - with abnormal findings Z00.01
XXXXY syndrome Q98.1
XXY syndrome Q98.0

Y

Yaba pox (virus disease) B08.72
Yatapoxvirus B08.70
- specified NEC B08.79
Yawning R06.89
- psychogenic F45.8
Yaws A66.9
- bone lesions A66.6
- butter A66.1
- chancre A66.0
- cutaneous, less than five years after infection A66.2
- early (cutaneous) (macular) (maculopapular) (micropapular) (papular) A66.2
- - frambeside A66.2
- - skin lesions NEC A66.2
- eyelid A66.2
- ganglion A66.6
- gangosis, gangosa A66.5
- gumma, gummata A66.4
- - bone A66.6
- gummatous
- - frambeside A66.4
- - osteitis A66.6
- - periostitis A66.6
- hydrarthrosis -*see also* subcategory M14.8- A66.6
- hyperkeratosis (early) (late) A66.3
- initial lesions A66.0
- joint lesions -*see also* subcategory M14.8- A66.6
- juxta-articular nodules A66.7
- late nodular (ulcerated) A66.4
- latent (without clinical manifestations) (with positive serology) A66.8
- mother A66.0
- mucosal A66.7
- multiple papillomata A66.1
- nodular, late (ulcerated) A66.4
- osteitis A66.6
- papilloma, plantar or palmar A66.1
- periostitis (hypertrophic) A66.6
- specified NEC A66.7
- ulcers A66.4
- wet crab A66.1
Yeast infection -*see also* Candidiasis B37.9
Yellow
- atrophy (liver) -*see* Failure, hepatic
- fever -*see* Fever, yellow
- jack -*see* Fever, yellow
- jaundice -*see* Jaundice
- nail syndrome L60.5
Yersiniosis -*see also* Infection, Yersinia
- extraintestinal A28.2
- intestinal A04.6

Z

Zahorsky's syndrome (herpangina) B08.5

Zellweger's syndrome E71.510
Zenker's diverticulum (esophagus) K22.5
Ziehen-Oppenheim disease G24.1
Zieve's syndrome K70.0
Zika NOS A92.5
- congenital P35.4
Zinc
- deficiency, dietary E60
- metabolism disorder E83.2
Zollinger-Ellison syndrome E16.4
Zona -*see* Herpes, zoster
Zoophobia F40.218
Zoster (herpes) -*see* Herpes, zoster
Zygomycosis B46.9
- specified NEC B46.8
Zymotic -*see* condition