

**Data Submission Specifications for the Hospice Item Set (V3.00.0)**  
**Detailed Data Specifications Report**  
**Section: J**

Item ID: J0900A .....	2
Item ID: J0900B .....	3
Item ID: J0900C .....	5
Item ID: J0900D .....	6
Item ID: J0905.....	7
Item ID: J0910A .....	8
Item ID: J0910B .....	9
Item ID: J0910C1 .....	11
Item ID: J0910C2 .....	12
Item ID: J0910C3 .....	13
Item ID: J0910C4 .....	14
Item ID: J0910C5 .....	15
Item ID: J0910C6 .....	16
Item ID: J0910C7 .....	17
Item ID: J0910C9 .....	18
Item ID: J2030A .....	19
Item ID: J2030B .....	20
Item ID: J2030C .....	22
Item ID: J2040A .....	23
Item ID: J2040B .....	24
Item ID: J2040C1 .....	26
Item ID: J2040C2 .....	27
Item ID: J2040C3 .....	28
Item ID: J2040C4 .....	29

# Data Submission Specifications for the Hospice Item Set (V3.00.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J0900A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Was patient screened for pain	Asmt		Code	1	590-590

#### Item Subsets

Active: HA  
Inactive: HD,XX

#### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3009	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3066	Skip pattern	Fatal	a) If J0900A=[0], then all active items from J0900B through J0900D must equal [^]. b) If J0900A=[1], then all active items from J0900B through J0900D must not equal [^].

#### Changes for Version V3.00.0

Type	ID	Description
Format	-3009	[V3.00.0]-Removed mappings to O5000 and O5020, since those items were deleted.

**Data Submission Specifications for the Hospice Item Set (V3.00.0)**  
**Detailed Data Specifications Report**  
**Section: J**

**Item ID: J0900B**

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Date of first screening for pain	Asmt		Date	8	591-598

**Item Subsets**

Active: HA  
Inactive: HD,XX

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
YYYYMMDD		Date of first screening for pain
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

<b>Edit ID</b>	<b>Edit Type</b>	<b>Severity</b>	<b>Edit Text</b>
-3010	Format	Fatal	<p>Values of Date Items:</p> <p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".</p>
-3032	Consistency	Fatal	<p>DATE ITEM CONSISTENCY RULES</p> <p>Date items fall into three groups - designated Group A, Group B and Group C - see below. Each group has its own consistency rules.</p> <p>-----</p> <p>GROUP A RULES (Edit -3032a)</p> <p>Group A items are listed below. Each active item in this list that contains a valid date (not blank or dash) must be in the specified order:</p> <p>A0900 (birth date) &lt;=</p> <p>A0220 (admission date) &lt;=</p> <p>A0245 (date initial nursing assessment initiated) &lt;=</p> <p>A0270 (discharge date) &lt;=</p> <p>Z0500B (date of signature verifying record completion) &lt;=</p> <p>submission date</p> <p>-----</p>

# Data Submission Specifications for the Hospice Item Set (V3.00.0)

## Detailed Data Specifications Report

### Section: J

#### GROUP B RULES (Edit –3032b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dash) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0220 (admission date).
2. Each Group B date must be less than or equal to Z0500B (date record completion was verified).
3. For date pairs shown below, the first date listed must be less than or equal to the second date listed.
4. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

- a) J0900B (date of first screening for pain) <= J0910B (date of comprehensive pain assessment)
- b) J2030B (date of first screening for shortness of breath)
- c) J2040B (date treatment for shortness of breath initiated)
- d) N0500B (date scheduled opioid initiated or continued)
- e) N0510B (date PRN opioid initiated or continued)
- f) N0520B (date bowel regimen initiated or continued)

#### GROUP C RULES (Edit –3032c)

Group C items are listed below. Each Group C date must be less than or equal to Z0500B (date record completion was verified).

The following is a list of Group C dates:

- a) F2000B (date asked about CPR)
- b) F2100B (date asked about treatment other than CPR)
- c) F2200B (date asked about hospitalization)
- d) F3000B (date asked about spiritual/existential concerns)

-3055	Consistency	Warning	Failure to provide information by submitting a dash [-] indicates incomplete record keeping and could impact measure calculation.
-3066	Skip pattern	Fatal	<ol style="list-style-type: none"> <li>a) If J0900A=[0], then all active items from J0900B through J0900D must equal [^].</li> <li>b) If J0900A=[1], then all active items from J0900B through J0900D must not equal [^].</li> </ol>

# Data Submission Specifications for the Hospice Item Set (V3.00.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J0900C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Patient's pain severity was	Asmt		Code	1	599-599

#### Item Subsets

Active: HA  
Inactive: HD,XX

#### Item Values

Value	LOINC Code	Value Text
0		None
1		Mild
2		Moderate
3		Severe
9		Pain not rated
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3009	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3055	Consistency	Warning	Failure to provide information by submitting a dash [-] indicates incomplete record keeping and could impact measure calculation.
-3075	Consistency	Warning	If J0900C=[1,2,3], then J0900D should not be equal to dash [-]. Since pain was rated mild, moderate, or severe, the type of pain rating tool should be identified. If no tool was used, then J0900D should be equal to [9].
-3076	Consistency	Fatal	If J0900C=[1,2,3], then J0905 must be equal to [1].
-3066	Skip pattern	Fatal	a) If J0900A=[0], then all active items from J0900B through J0900D must equal [^]. b) If J0900A=[1], then all active items from J0900B through J0900D must not equal [^].

#### Changes for Version V3.00.0

Type	ID	Description
Format	-3009	[V3.00.0]-Removed mappings to O5000 and O5020, since those items were deleted.

**Data Submission Specifications for the Hospice Item Set (V3.00.0)**  
**Detailed Data Specifications Report**  
**Section: J**

**Item ID: J0900D**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Type of standardized pain tool used	Asmt		Code	1	600-600

**Item Subsets**

Active: HA  
 Inactive: HD,XX

**Item Values**

Value	LOINC Code	Value Text
1		Numeric
2		Verbal descriptor
3		Patient visual
4		Staff observation
9		No standardized tool used
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3009	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3055	Consistency	Warning	Failure to provide information by submitting a dash [-] indicates incomplete record keeping and could impact measure calculation.
-3075	Consistency	Warning	If J0900C=[1,2,3], then J0900D should not be equal to dash [-]. Since pain was rated mild, moderate, or severe, the type of pain rating tool should be identified. If no tool was used, then J0900D should be equal to [9].
-3066	Skip pattern	Fatal	a) If J0900A=[0], then all active items from J0900B through J0900D must equal [^]. b) If J0900A=[1], then all active items from J0900B through J0900D must not equal [^].

**Changes for Version V3.00.0**

Type	ID	Description
Format	-3009	[V3.00.0]-Removed mappings to O5000 and O5020, since those items were deleted.

**Data Submission Specifications for the Hospice Item Set (V3.00.0)**  
**Detailed Data Specifications Report**  
**Section: J**

**Item ID: J0905**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Is pain an active problem for the patient?	Asmt		Code	1	698-698

**Item Subsets**

Active: HA  
 Inactive: HD,XX

**Item Values**

Value	LOINC Code	Value Text
0		No
1		Yes

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3009	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3076	Consistency	Fatal	If J0900C=[1,2,3], then J0905 must be equal to [1].
-3077	Consistency	Warning	If N0500A=[1] or N0510A=[1], indicating a scheduled or PRN opioid was initiated or continued, and J0905 = [0], then: (a) If the opioid was used to treat pain, J0905 should be equal to [1]. (b) If the opioid was used to treat another symptom (e.g., shortness of breath) AND there is no further evidence that pain is an active problem for the patient, leave J0905 equal to [0] and disregard this warning message.
-3067	Skip pattern	Fatal	If J0905=[0], then all active items J0910A through J0910C9 must equal [^].

**Changes for Version V3.00.0**

Type	ID	Description
Format	-3009	[V3.00.0]-Removed mappings to O5000 and O5020, since those items were deleted.

**Data Submission Specifications for the Hospice Item Set (V3.00.0)**  
**Detailed Data Specifications Report**  
**Section: J**

**Item ID: J0910A**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Was comprehensive pain assessment done	Asmt		Code	1	601-601

**Item Subsets**

Active: HA  
 Inactive: HD,XX

**Item Values**

Value	LOINC Code	Value Text
0		No
1		Yes
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3009	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3040	Skip pattern	Fatal	a) If J0910A=[0], then all active items from J0910B through J0910C9 must equal [^]. b) If J0910A=[1], then all active items from J0910B through J0910C9 must not equal [^].
-3067	Skip pattern	Fatal	If J0905=[0], then all active items J0910A through J0910C9 must equal [^].

**Changes for Version V3.00.0**

Type	ID	Description
Format	-3009	[V3.00.0]-Removed mappings to O5000 and O5020, since those items were deleted.



# Data Submission Specifications for the Hospice Item Set (V3.00.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J0910B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Date of comprehensive pain assessment	Asmt		Date	8	602-609

#### Item Subsets

Active: HA  
Inactive: HD,XX

#### Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Date of comprehensive pain assessment
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3010	Format	Fatal	<p>Values of Date Items:</p> <p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".</p>
-3032	Consistency	Fatal	<p>DATE ITEM CONSISTENCY RULES</p> <p>Date items fall into three groups - designated Group A, Group B and Group C - see below. Each group has its own consistency rules.</p> <p>-----</p> <p>GROUP A RULES (Edit -3032a)</p> <p>Group A items are listed below. Each active item in this list that contains a valid date (not blank or dash) must be in the specified order:</p> <p>A0900 (birth date) &lt;=</p> <p>A0220 (admission date) &lt;=</p> <p>A0245 (date initial nursing assessment initiated) &lt;=</p> <p>A0270 (discharge date) &lt;=</p> <p>Z0500B (date of signature verifying record completion) &lt;=</p> <p>submission date</p> <p>-----</p>

# Data Submission Specifications for the Hospice Item Set (V3.00.0)

## Detailed Data Specifications Report

### Section: J

#### GROUP B RULES (Edit –3032b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dash) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0220 (admission date).
2. Each Group B date must be less than or equal to Z0500B (date record completion was verified).
3. For date pairs shown below, the first date listed must be less than or equal to the second date listed.
4. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

- a) J0900B (date of first screening for pain) <= J0910B (date of comprehensive pain assessment)
- b) J2030B (date of first screening for shortness of breath)
- c) J2040B (date treatment for shortness of breath initiated)
- d) N0500B (date scheduled opioid initiated or continued)
- e) N0510B (date PRN opioid initiated or continued)
- f) N0520B (date bowel regimen initiated or continued)

#### GROUP C RULES (Edit –3032c)

Group C items are listed below. Each Group C date must be less than or equal to Z0500B (date record completion was verified).

The following is a list of Group C dates:

- a) F2000B (date asked about CPR)
- b) F2100B (date asked about treatment other than CPR)
- c) F2200B (date asked about hospitalization)
- d) F3000B (date asked about spiritual/existential concerns)

-3055	Consistency	Warning	Failure to provide information by submitting a dash [-] indicates incomplete record keeping and could impact measure calculation.
-3040	Skip pattern	Fatal	<ol style="list-style-type: none"> <li>a) If J0910A=[0], then all active items from J0910B through J0910C9 must equal [^].</li> <li>b) If J0910A=[1], then all active items from J0910B through J0910C9 must not equal [^].</li> </ol>
-3067	Skip pattern	Fatal	If J0905=[0], then all active items J0910A through J0910C9 must equal [^].

**Data Submission Specifications for the Hospice Item Set (V3.00.0)**  
**Detailed Data Specifications Report**  
**Section: J**

**Item ID: J0910C1**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Pain asmt included: location	Asmt		Code	1	610-610

**Item Subsets**

Active: HA  
 Inactive: HD,XX

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3009	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3055	Consistency	Warning	Failure to provide information by submitting a dash [-] indicates incomplete record keeping and could impact measure calculation.
-3040	Skip pattern	Fatal	a) If J0910A=[0], then all active items from J0910B through J0910C9 must equal [^]. b) If J0910A=[1], then all active items from J0910B through J0910C9 must not equal [^].
-3067	Skip pattern	Fatal	If J0905=[0], then all active items J0910A through J0910C9 must equal [^].
-3041	None of above	Fatal	If J0910C1 through J0910C7 and J0910C9 are all active, then the following rules apply: a) If J0910C9=[0], then at least one item from J0910C1 through J0910C7 must equal [1]. b) If J0910C9=[1], then all items from J0910C1 through J0910C7 must equal [0]. c) If any item J0910C1 through J0910C9 is equal to [-], then all items from J0910C1 through J0910C9 must equal [-].

**Changes for Version V3.00.0**

Type	ID	Description
Format	-3009	[V3.00.0]-Removed mappings to O5000 and O5020, since those items were deleted.

# Data Submission Specifications for the Hospice Item Set (V3.00.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J0910C2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Pain asmt included: severity	Asmt		Code	1	611-611

#### Item Subsets

Active: HA  
Inactive: HD,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3009	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3055	Consistency	Warning	Failure to provide information by submitting a dash [-] indicates incomplete record keeping and could impact measure calculation.
-3040	Skip pattern	Fatal	a) If J0910A=[0], then all active items from J0910B through J0910C9 must equal [^]. b) If J0910A=[1], then all active items from J0910B through J0910C9 must not equal [^].
-3067	Skip pattern	Fatal	If J0905=[0], then all active items J0910A through J0910C9 must equal [^].
-3041	None of above	Fatal	If J0910C1 through J0910C7 and J0910C9 are all active, then the following rules apply: a) If J0910C9=[0], then at least one item from J0910C1 through J0910C7 must equal [1]. b) If J0910C9=[1], then all items from J0910C1 through J0910C7 must equal [0]. c) If any item J0910C1 through J0910C9 is equal to [-], then all items from J0910C1 through J0910C9 must equal [-].

#### Changes for Version V3.00.0

Type	ID	Description
Format	-3009	[V3.00.0]-Removed mappings to O5000 and O5020, since those items were deleted.

**Data Submission Specifications for the Hospice Item Set (V3.00.0)**  
**Detailed Data Specifications Report**  
**Section: J**

**Item ID: J0910C3**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Pain asmt included: character	Asmt		Code	1	612-612

**Item Subsets**

Active: HA  
 Inactive: HD,XX

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3009	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3055	Consistency	Warning	Failure to provide information by submitting a dash [-] indicates incomplete record keeping and could impact measure calculation.
-3040	Skip pattern	Fatal	a) If J0910A=[0], then all active items from J0910B through J0910C9 must equal [^]. b) If J0910A=[1], then all active items from J0910B through J0910C9 must not equal [^].
-3067	Skip pattern	Fatal	If J0905=[0], then all active items J0910A through J0910C9 must equal [^].
-3041	None of above	Fatal	If J0910C1 through J0910C7 and J0910C9 are all active, then the following rules apply: a) If J0910C9=[0], then at least one item from J0910C1 through J0910C7 must equal [1]. b) If J0910C9=[1], then all items from J0910C1 through J0910C7 must equal [0]. c) If any item J0910C1 through J0910C9 is equal to [-], then all items from J0910C1 through J0910C9 must equal [-].

**Changes for Version V3.00.0**

Type	ID	Description
Format	-3009	[V3.00.0]-Removed mappings to O5000 and O5020, since those items were deleted.

# Data Submission Specifications for the Hospice Item Set (V3.00.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J0910C4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Pain asmt included: duration	Asmt		Code	1	613-613

#### Item Subsets

Active: HA  
Inactive: HD,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3009	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3055	Consistency	Warning	Failure to provide information by submitting a dash [-] indicates incomplete record keeping and could impact measure calculation.
-3040	Skip pattern	Fatal	a) If J0910A=[0], then all active items from J0910B through J0910C9 must equal [^]. b) If J0910A=[1], then all active items from J0910B through J0910C9 must not equal [^].
-3067	Skip pattern	Fatal	If J0905=[0], then all active items J0910A through J0910C9 must equal [^].
-3041	None of above	Fatal	If J0910C1 through J0910C7 and J0910C9 are all active, then the following rules apply: a) If J0910C9=[0], then at least one item from J0910C1 through J0910C7 must equal [1]. b) If J0910C9=[1], then all items from J0910C1 through J0910C7 must equal [0]. c) If any item J0910C1 through J0910C9 is equal to [-], then all items from J0910C1 through J0910C9 must equal [-].

#### Changes for Version V3.00.0

Type	ID	Description
Format	-3009	[V3.00.0]-Removed mappings to O5000 and O5020, since those items were deleted.

# Data Submission Specifications for the Hospice Item Set (V3.00.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J0910C5

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Pain asmt included: frequency	Asmt		Code	1	614-614

#### Item Subsets

Active: HA  
Inactive: HD,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3009	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3055	Consistency	Warning	Failure to provide information by submitting a dash [-] indicates incomplete record keeping and could impact measure calculation.
-3040	Skip pattern	Fatal	a) If J0910A=[0], then all active items from J0910B through J0910C9 must equal [^]. b) If J0910A=[1], then all active items from J0910B through J0910C9 must not equal [^].
-3067	Skip pattern	Fatal	If J0905=[0], then all active items J0910A through J0910C9 must equal [^].
-3041	None of above	Fatal	If J0910C1 through J0910C7 and J0910C9 are all active, then the following rules apply: a) If J0910C9=[0], then at least one item from J0910C1 through J0910C7 must equal [1]. b) If J0910C9=[1], then all items from J0910C1 through J0910C7 must equal [0]. c) If any item J0910C1 through J0910C9 is equal to [-], then all items from J0910C1 through J0910C9 must equal [-].

#### Changes for Version V3.00.0

Type	ID	Description
Format	-3009	[V3.00.0]-Removed mappings to O5000 and O5020, since those items were deleted.

# Data Submission Specifications for the Hospice Item Set (V3.00.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J0910C6

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Pain asmt included: what relieves/worsens	Asmt		Code	1	615-615

#### Item Subsets

Active: HA  
Inactive: HD,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3009	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3055	Consistency	Warning	Failure to provide information by submitting a dash [-] indicates incomplete record keeping and could impact measure calculation.
-3040	Skip pattern	Fatal	a) If J0910A=[0], then all active items from J0910B through J0910C9 must equal [^]. b) If J0910A=[1], then all active items from J0910B through J0910C9 must not equal [^].
-3067	Skip pattern	Fatal	If J0905=[0], then all active items J0910A through J0910C9 must equal [^].
-3041	None of above	Fatal	If J0910C1 through J0910C7 and J0910C9 are all active, then the following rules apply: a) If J0910C9=[0], then at least one item from J0910C1 through J0910C7 must equal [1]. b) If J0910C9=[1], then all items from J0910C1 through J0910C7 must equal [0]. c) If any item J0910C1 through J0910C9 is equal to [-], then all items from J0910C1 through J0910C9 must equal [-].

#### Changes for Version V3.00.0

Type	ID	Description
Format	-3009	[V3.00.0]-Removed mappings to O5000 and O5020, since those items were deleted.



# Data Submission Specifications for the Hospice Item Set (V3.00.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J0910C7

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Pain asmt included: effect function/quality life	Asmt		Code	1	616-616

#### Item Subsets

Active: HA  
Inactive: HD,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3009	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3055	Consistency	Warning	Failure to provide information by submitting a dash [-] indicates incomplete record keeping and could impact measure calculation.
-3040	Skip pattern	Fatal	a) If J0910A=[0], then all active items from J0910B through J0910C9 must equal [^]. b) If J0910A=[1], then all active items from J0910B through J0910C9 must not equal [^].
-3067	Skip pattern	Fatal	If J0905=[0], then all active items J0910A through J0910C9 must equal [^].
-3041	None of above	Fatal	If J0910C1 through J0910C7 and J0910C9 are all active, then the following rules apply: a) If J0910C9=[0], then at least one item from J0910C1 through J0910C7 must equal [1]. b) If J0910C9=[1], then all items from J0910C1 through J0910C7 must equal [0]. c) If any item J0910C1 through J0910C9 is equal to [-], then all items from J0910C1 through J0910C9 must equal [-].

#### Changes for Version V3.00.0

Type	ID	Description
Format	-3009	[V3.00.0]-Removed mappings to O5000 and O5020, since those items were deleted.

**Data Submission Specifications for the Hospice Item Set (V3.00.0)**  
**Detailed Data Specifications Report**  
**Section: J**

**Item ID: J0910C9**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Pain asmt included: none of the above	Asmt		Code	1	617-617

**Item Subsets**

Active: HA  
 Inactive: HD,XX

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3009	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3055	Consistency	Warning	Failure to provide information by submitting a dash [-] indicates incomplete record keeping and could impact measure calculation.
-3040	Skip pattern	Fatal	a) If J0910A=[0], then all active items from J0910B through J0910C9 must equal [^]. b) If J0910A=[1], then all active items from J0910B through J0910C9 must not equal [^].
-3067	Skip pattern	Fatal	If J0905=[0], then all active items J0910A through J0910C9 must equal [^].
-3041	None of above	Fatal	If J0910C1 through J0910C7 and J0910C9 are all active, then the following rules apply: a) If J0910C9=[0], then at least one item from J0910C1 through J0910C7 must equal [1]. b) If J0910C9=[1], then all items from J0910C1 through J0910C7 must equal [0]. c) If any item J0910C1 through J0910C9 is equal to [-], then all items from J0910C1 through J0910C9 must equal [-].

**Changes for Version V3.00.0**

Type	ID	Description
Format	-3009	[V3.00.0]-Removed mappings to O5000 and O5020, since those items were deleted.

**Data Submission Specifications for the Hospice Item Set (V3.00.0)**  
**Detailed Data Specifications Report**  
**Section: J**

**Item ID: J2030A**

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Was patient screened for shortness of breath	Asmt		Code	1	618-618

**Item Subsets**

Active: HA  
 Inactive: HD,XX

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
0		No
1		Yes

**Item Edits**

<b>Edit ID</b>	<b>Edit Type</b>	<b>Severity</b>	<b>Edit Text</b>
-3009	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3043	Skip pattern	Fatal	If J2030A=[0], then all active items from J2030B through J2040C4 must equal [^].
-3044	Skip pattern	Fatal	If J2030A=[1], then all active items from J2030B through J2030C must not equal [^].

**Changes for Version V3.00.0**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3009	[V3.00.0]-Removed mappings to O5000 and O5020, since those items were deleted.

# Data Submission Specifications for the Hospice Item Set (V3.00.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J2030B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Date of first screening for shortness of breath	Asmt		Date	8	619-626

#### Item Subsets

Active: HA  
Inactive: HD,XX

#### Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Date of first screening for shortness of breath
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3010	Format	Fatal	<p>Values of Date Items:</p> <p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".</p>
-3032	Consistency	Fatal	<p>DATE ITEM CONSISTENCY RULES</p> <p>Date items fall into three groups - designated Group A, Group B and Group C - see below. Each group has its own consistency rules.</p> <p>-----</p> <p>GROUP A RULES (Edit -3032a)</p> <p>Group A items are listed below. Each active item in this list that contains a valid date (not blank or dash) must be in the specified order:</p> <p>A0900 (birth date) &lt;=</p> <p>A0220 (admission date) &lt;=</p> <p>A0245 (date initial nursing assessment initiated) &lt;=</p> <p>A0270 (discharge date) &lt;=</p> <p>Z0500B (date of signature verifying record completion) &lt;=</p> <p>submission date</p> <p>-----</p>

# Data Submission Specifications for the Hospice Item Set (V3.00.0)

## Detailed Data Specifications Report

### Section: J

#### GROUP B RULES (Edit –3032b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dash) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0220 (admission date).
2. Each Group B date must be less than or equal to Z0500B (date record completion was verified).
3. For date pairs shown below, the first date listed must be less than or equal to the second date listed
4. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

- a) J0900B (date of first screening for pain) <= J0910B (date of comprehensive pain assessment)
- b) J2030B (date of first screening for shortness of breath)
- c) J2040B (date treatment for shortness of breath initiated)
- d) N0500B (date scheduled opioid initiated or continued)
- e) N0510B (date PRN opioid initiated or continued)
- f) N0520B (date bowel regimen initiated or continued)

#### GROUP C RULES (Edit –3032c)

Group C items are listed below. Each Group C date must be less than or equal to Z0500B (date record completion was verified).

The following is a list of Group C dates:

- a) F2000B (date asked about CPR)
- b) F2100B (date asked about treatment other than CPR)
- c) F2200B (date asked about hospitalization)
- d) F3000B (date asked about spiritual/existential concerns)

-3055	Consistency	Warning	Failure to provide information by submitting a dash [-] indicates incomplete record keeping and could impact measure calculation.
-3043	Skip pattern	Fatal	If J2030A=[0], then all active items from J2030B through J2040C4 must equal [^].
-3044	Skip pattern	Fatal	If J2030A=[1], then all active items from J2030B through J2030C must not equal [^].

**Data Submission Specifications for the Hospice Item Set (V3.00.0)**  
**Detailed Data Specifications Report**  
**Section: J**

**Item ID: J2030C**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Did screening indicate pt had shortness of breath	Asmt		Code	1	627-627

**Item Subsets**

Active: HA  
 Inactive: HD,XX

**Item Values**

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3009	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3043	Skip pattern	Fatal	If J2030A=[0], then all active items from J2030B through J2040C4 must equal [^].
-3044	Skip pattern	Fatal	If J2030A=[1], then all active items from J2030B through J2030C must not equal [^].
-3045	Skip pattern	Fatal	If J2030C=[0], then all active items from J2040A through J2040C4 must equal [^].
-3046	Skip pattern	Fatal	If J2030C=[1], then if J2040A is active it must not equal [^].

**Changes for Version V3.00.0**

Type	ID	Description
Format	-3009	[V3.00.0]-Removed mappings to O5000 and O5020, since those items were deleted.

**Data Submission Specifications for the Hospice Item Set (V3.00.0)**  
**Detailed Data Specifications Report**  
**Section: J**

**Item ID: J2040A**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Was treatment for shortness of breath initiated	Asmt		Code	1	628-628

**Item Subsets**

Active: HA  
 Inactive: HD,XX

**Item Values**

Value	LOINC Code	Value Text
0		No
1		No, patient declined treatment
2		Yes
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3009	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3048	Consistency	Fatal	If J2040A=[2], then at least one active item from J2040C1 through J2040C4 must equal [1,-].
-3043	Skip pattern	Fatal	If J2030A=[0], then all active items from J2030B through J2040C4 must equal [^].
-3045	Skip pattern	Fatal	If J2030C=[0], then all active items from J2040A through J2040C4 must equal [^].
-3046	Skip pattern	Fatal	If J2030C=[1], then if J2040A is active it must not equal [^].
-3047	Skip pattern	Fatal	a) If J2040A=[0,1], then all active items from J2040B through J2040C4 must equal [^]. b) If J2040A=[2], then all active items from J2040B through J2040C4 must not equal [^].

**Changes for Version V3.00.0**

Type	ID	Description
Format	-3009	[V3.00.0]-Removed mappings to O5000 and O5020, since those items were deleted.

# Data Submission Specifications for the Hospice Item Set (V3.00.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J2040B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Date treatment for shortness of breath initiated	Asmt		Date	8	629-636

#### Item Subsets

Active: HA  
Inactive: HD,XX

#### Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Date treatment for shortness of breath initiated
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3010	Format	Fatal	<p>Values of Date Items:</p> <p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".</p>
-3032	Consistency	Fatal	<p>DATE ITEM CONSISTENCY RULES</p> <p>Date items fall into three groups - designated Group A, Group B and Group C - see below. Each group has its own consistency rules.</p> <p>-----</p> <p>GROUP A RULES (Edit -3032a)</p> <p>Group A items are listed below. Each active item in this list that contains a valid date (not blank or dash) must be in the specified order:</p> <p>A0900 (birth date) &lt;=</p> <p>A0220 (admission date) &lt;=</p> <p>A0245 (date initial nursing assessment initiated) &lt;=</p> <p>A0270 (discharge date) &lt;=</p> <p>Z0500B (date of signature verifying record completion) &lt;=</p> <p>submission date</p> <p>-----</p>



# Data Submission Specifications for the Hospice Item Set (V3.00.0)

## Detailed Data Specifications Report

### Section: J

#### GROUP B RULES (Edit –3032b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dash) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0220 (admission date).
2. Each Group B date must be less than or equal to Z0500B (date record completion was verified).
3. For date pairs shown below, the first date listed must be less than or equal to the second date listed.
4. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

- a) J0900B (date of first screening for pain) <= J0910B (date of comprehensive pain assessment)
- b) J2030B (date of first screening for shortness of breath)
- c) J2040B (date treatment for shortness of breath initiated)
- d) N0500B (date scheduled opioid initiated or continued)
- e) N0510B (date PRN opioid initiated or continued)
- f) N0520B (date bowel regimen initiated or continued)

#### GROUP C RULES (Edit –3032c)

Group C items are listed below. Each Group C date must be less than or equal to Z0500B (date record completion was verified).

The following is a list of Group C dates:

- a) F2000B (date asked about CPR)
- b) F2100B (date asked about treatment other than CPR)
- c) F2200B (date asked about hospitalization)
- d) F3000B (date asked about spiritual/existential concerns)

-3055	Consistency	Warning	Failure to provide information by submitting a dash [-] indicates incomplete record keeping and could impact measure calculation.
-3043	Skip pattern	Fatal	If J2030A=[0], then all active items from J2030B through J2040C4 must equal [^].
-3045	Skip pattern	Fatal	If J2030C=[0], then all active items from J2040A through J2040C4 must equal [^].
-3047	Skip pattern	Fatal	a) If J2040A=[0,1], then all active items from J2040B through J2040C4 must equal [^]. b) If J2040A=[2], then all active items from J2040B through J2040C4 must not equal [^].

**Data Submission Specifications for the Hospice Item Set (V3.00.0)**  
**Detailed Data Specifications Report**  
**Section: J**

**Item ID: J2040C1**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Type(s) treat for shortness of breath: opioids	Asmt		Checklist	1	637-637

**Item Subsets**

Active: HA  
 Inactive: HD,XX

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3009	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3048	Consistency	Fatal	If J2040A=[2], then at least one active item from J2040C1 through J2040C4 must equal [1,-].
-3055	Consistency	Warning	Failure to provide information by submitting a dash [-] indicates incomplete record keeping and could impact measure calculation.
-3058	Consistency	Fatal	If any item J2040C1 through J2040C4 is equal to [-], then all items from J2040C1 through J2040C4 must equal [-].
-3043	Skip pattern	Fatal	If J2030A=[0], then all active items from J2030B through J2040C4 must equal [^].
-3045	Skip pattern	Fatal	If J2030C=[0], then all active items from J2040A through J2040C4 must equal [^].
-3047	Skip pattern	Fatal	a) If J2040A=[0,1], then all active items from J2040B through J2040C4 must equal [^]. b) If J2040A=[2], then all active items from J2040B through J2040C4 must not equal [^].

**Changes for Version V3.00.0**

Type	ID	Description
Format	-3009	[V3.00.0]-Removed mappings to O5000 and O5020, since those items were deleted.

**Data Submission Specifications for the Hospice Item Set (V3.00.0)**  
**Detailed Data Specifications Report**  
**Section: J**

**Item ID: J2040C2**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Type(s) treat for shortness of breath: other med	Asmt		Checklist	1	638-638

**Item Subsets**

Active: HA  
 Inactive: HD,XX

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3009	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3048	Consistency	Fatal	If J2040A=[2], then at least one active item from J2040C1 through J2040C4 must equal [1,-].
-3055	Consistency	Warning	Failure to provide information by submitting a dash [-] indicates incomplete record keeping and could impact measure calculation.
-3058	Consistency	Fatal	If any item J2040C1 through J2040C4 is equal to [-], then all items from J2040C1 through J2040C4 must equal [-].
-3043	Skip pattern	Fatal	If J2030A=[0], then all active items from J2030B through J2040C4 must equal [^].
-3045	Skip pattern	Fatal	If J2030C=[0], then all active items from J2040A through J2040C4 must equal [^].
-3047	Skip pattern	Fatal	a) If J2040A=[0,1], then all active items from J2040B through J2040C4 must equal [^]. b) If J2040A=[2], then all active items from J2040B through J2040C4 must not equal [^].

**Changes for Version V3.00.0**

Type	ID	Description
Format	-3009	[V3.00.0]-Removed mappings to O5000 and O5020, since those items were deleted.

# Data Submission Specifications for the Hospice Item Set (V3.00.0)

## Detailed Data Specifications Report

### Section: J

Item ID: J2040C3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Type(s) treat for shortness of breath: oxygen	Asmt		Checklist	1	639-639

#### Item Subsets

Active: HA  
Inactive: HD,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3009	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3048	Consistency	Fatal	If J2040A=[2], then at least one active item from J2040C1 through J2040C4 must equal [1,-].
-3055	Consistency	Warning	Failure to provide information by submitting a dash [-] indicates incomplete record keeping and could impact measure calculation.
-3058	Consistency	Fatal	If any item J2040C1 through J2040C4 is equal to [-], then all items from J2040C1 through J2040C4 must equal [-].
-3043	Skip pattern	Fatal	If J2030A=[0], then all active items from J2030B through J2040C4 must equal [^].
-3045	Skip pattern	Fatal	If J2030C=[0], then all active items from J2040A through J2040C4 must equal [^].
-3047	Skip pattern	Fatal	a) If J2040A=[0,1], then all active items from J2040B through J2040C4 must equal [^]. b) If J2040A=[2], then all active items from J2040B through J2040C4 must not equal [^].

#### Changes for Version V3.00.0

Type	ID	Description
Format	-3009	[V3.00.0]-Removed mappings to O5000 and O5020, since those items were deleted.

**Data Submission Specifications for the Hospice Item Set (V3.00.0)**  
**Detailed Data Specifications Report**  
**Section: J**

**Item ID: J2040C4**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Type(s) treat for shortness of breath: non-med	Asmt		Checklist	1	640-640

**Item Subsets**

Active: HA  
 Inactive: HD,XX

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3009	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3048	Consistency	Fatal	If J2040A=[2], then at least one active item from J2040C1 through J2040C4 must equal [1,-].
-3055	Consistency	Warning	Failure to provide information by submitting a dash [-] indicates incomplete record keeping and could impact measure calculation.
-3058	Consistency	Fatal	If any item J2040C1 through J2040C4 is equal to [-], then all items from J2040C1 through J2040C4 must equal [-].
-3043	Skip pattern	Fatal	If J2030A=[0], then all active items from J2030B through J2040C4 must equal [^].
-3045	Skip pattern	Fatal	If J2030C=[0], then all active items from J2040A through J2040C4 must equal [^].
-3047	Skip pattern	Fatal	a) If J2040A=[0,1], then all active items from J2040B through J2040C4 must equal [^]. b) If J2040A=[2], then all active items from J2040B through J2040C4 must not equal [^].

**Changes for Version V3.00.0**

Type	ID	Description
Format	-3009	[V3.00.0]-Removed mappings to O5000 and O5020, since those items were deleted.