

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

-1001.....	7
-1002.....	7
-1004.....	7
-1006.....	8
-1007.....	8
-1008.....	9
-1010.....	9
-1011.....	21
-1012.....	21
-1014.....	21
-1015.....	21
-1016.....	22
-1023.....	22
-1024.....	22
-1030.....	22
-1031.....	22
-1038.....	22
-1044.....	23
-1045.....	23
-1046.....	23
-1047.....	23
-1053.....	23
-1055.....	24
-1056.....	24
-1057.....	24
-1060.....	24
-1071.....	24
-1100.....	24
-1101.....	25
-1102.....	26
-1105.....	26

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

-1106.....	26
-1108.....	26
-1109.....	26
-1112.....	26
-1113.....	27
-1114.....	28
-1115.....	28
-1116.....	28
-1117.....	29
-1118.....	29
-1127.....	29
-1128.....	29
-1129.....	29
-1130.....	30
-1131.....	30
-5004.....	30
-5006.....	37
-5010.....	38
-5016.....	38
-5017.....	38
-5018.....	38
-5019.....	38
-5020.....	39
-5021.....	39
-5022.....	39
-5023.....	39
-5024.....	39
-5025.....	39
-5026.....	39
-5027.....	40
-5043.....	40

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

-5044.....	40
-5046.....	40
-5048.....	41
-5049.....	41
-5050.....	41
-5051.....	41
-5052.....	41
-5053.....	42
-5055.....	42
-5056.....	42
-5057.....	43
-5058.....	43
-5059.....	43
-5060.....	44
-5061.....	44
-5065.....	45
-5066.....	45
-5067.....	46
-5068.....	46
-5069.....	46
-5070.....	46
-5071.....	46
-5072.....	46
-5073.....	47
-5080.....	47
-5081.....	47
-5082.....	48
-5083.....	48
-5084.....	49
-5085.....	49
-5086.....	49

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

-5087.....	49
-5088.....	49
-5089.....	50
-5091.....	50
-5092.....	50
-5093.....	50
-5094.....	50
-5095.....	50
-5096.....	51
-5097.....	51
-5098.....	51
-5099.....	51
-5100.....	51
-5101.....	51
-5102.....	52
-5103.....	52
-5104.....	52
-5105.....	52
-5106.....	52
-5107.....	52
-5108.....	53
-5109.....	53
-5110.....	53
-5111.....	54
-5112.....	54
-5113.....	54
-5114.....	54
-5115.....	54
-5116.....	55
-5117.....	55
-5118.....	55

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

-5119.....	55
-5120.....	55
-5121.....	56
-5122.....	56
-5123.....	56
-5124.....	56
-5125.....	56
-5126.....	57
-5127.....	57
-5128.....	57
-5129.....	58
-5130.....	58
-5131.....	58
-5132.....	58
-5133.....	59
-5134.....	59
-5135.....	60
-5136.....	60
-5137.....	60
-5138.....	60
-5139.....	61
-5140.....	61
-5141.....	61
-5142.....	62
-5143.....	62
-5144.....	62
-5145.....	62
-5146.....	63
-5147.....	63
-5148.....	64
-5149.....	64

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

-5150.....	64
-5151.....	65
-5152.....	65
-5153.....	66
-5154.....	67
-5155.....	67
-5156.....	68

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-1001	Format	Fatal	Invalid FAC_ID: The facility ID (FAC_ID) submitted in this record does not identify a valid provider in the QIES ASAP System. Please contact the QTSO Help Desk.
		Items:	FAC_ID Facility ID
-1002	Consistency	Fatal	Invalid TRANS_TYPE_CD: The transaction type code (TRANS_TYPE_CD) submitted in this record does not identify a valid transaction code for the record. Contact your vendor.
		Items:	TRANS_TYPE_CD Transaction Type Code
-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
		Items:	25A Height 26A Weight O0401AA Physical Therapy - Individual Minutes Week 1 O0401AB Physical Therapy - Concurrent Minutes Week 1 O0401AC Physical Therapy - Group Minutes Week 1 O0401AD Physical Therapy - Co-treatment Minutes Week 1 O0401BA Occupational Therapy - Individual Minutes Week 1 O0401BB Occupational Therapy - Concurrent Minutes Week 1 O0401BC Occupational Therapy - Group Minutes Week 1 O0401BD Occupational Therapy - Co-treatment Minutes Week 1 O0401CA SLP Therapy - Individual Minutes Week 1 O0401CB SLP Therapy - Concurrent Minutes Week 1 O0401CC SLP Therapy - Group Minutes Week 1 O0401CD SLP Therapy - Co-treatment Minutes Week 1 O0402AA Physical Therapy - Individual Minutes Week 2 O0402AB Physical Therapy - Concurrent Minutes Week 2 O0402AC Physical Therapy - Group Minutes Week 2 O0402AD Physical Therapy - Co-treatment Minutes Week 2 O0402BA Occupational Therapy - Individual Minutes Week 2 O0402BB Occupational Therapy - Concurrent Minutes Week 2 O0402BC Occupational Therapy - Group Minutes Week 2

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	O0402BD Occupational Therapy - Co-treatment Minutes Week 2
			O0402CA SLP Therapy - Individual Minutes Week 2
			O0402CB SLP Therapy - Concurrent Minutes Week 2
			O0402CC SLP Therapy - Group Minutes Week 2
			O0402CD SLP Therapy - Co-treatment Minutes Week 2
			C0500 BIMS - Summary Score
			M0300A1_1 Number of Stage 1 pressure injuries: Admission
			M0300A1_2 Number of Stage 1 pressure injuries: Discharge
			M0300B1_1 Number of Stage 2 pressure ulcers: Admission
			M0300B1_2 Number of Stage 2 pressure ulcers: Discharge
			M0300B2_2 Nbr Disch Stg 2 PU were Adm Stg 2 PU
			M0300C1_1 Number of Stage 3 pressure ulcers: Admission
			M0300C1_2 Number of Stage 3 pressure ulcers: Discharge
			M0300C2_2 Nbr Disch Stg 3 PU were Adm Stg 3 PU
			M0300D1_1 Number of Stage 4 pressure ulcers: Admission
			M0300D1_2 Number of Stage 4 pressure ulcers: Discharge
			M0300D2_2 Nbr Disch Stg 4 PU were Adm Stg 4 PU
			M0300E1_1 Nbr Unstg non-remov drsg prss ulcers/injrs: Adm
			M0300E1_2 Nbr Unstg non-remov drsg prss ulcers/injrs: Dschrg
			M0300E2_2 Nbr Unstg NRD Disch PU/Injrs present at Adm
			M0300F1_1 Nbr Unstg slough/eschar pressure ulcers: Adm
			M0300F1_2 Nbr Unstg slough/eschar pressure ulcers: Dschrg
			M0300F2_2 Nbr Unstg S/E Disch PU were Adm Unstg S/E PU
			M0300G1_1 Nbr Unstg DTI pressure injrs: Adm
			M0300G1_2 Nbr Unstg DTI pressure injrs: Dschrg
			M0300G2_2 Nbr Unstg DTI Disch PU/Injrs present at Adm
-1006 Format	Fatal		Invalid Format: If the value submitted is not equal to one of the values listed in the Item Values, then the value must only contain the following alphanumeric characters: [0] - [9], [A] - [Z], [a] - [z].
		Items:	1B CMS Certification Number (CCN)
			2 Patient Medicare Number
			3 Patient Medicaid Number
-1007 Format	Fatal		Invalid format: If the value submitted is not equal to one of the values listed in the Item Values, then the value must only contain the following numeric characters: [0]

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-1008	Format	Fatal	Invalid Format: This nonblank text string may contain only the following characters: [0] - [9], [A] - [Z], [a] - [z], [-] (dash), [@] (at sign), ['] (single quote), [/] (forward slash), [+] (plus sign), [,] (comma), [.] (period), [_] (underscore), [&] (ampersand), [] (embedded space(s)). Embedded spaces are the space character(s) surrounded by any of the characters listed in the preceding sentence. For example, [LEGAL TEXT] would be
			Items: FAC_ZIP Facility ZIP Code
			FAC_PHONE Facility Contact Person Phone
			FAC_EXTEN Facility Contact Person Phone Extension
			SFTWR_VNDR_ID Software Vendor EIN
			7 Social Security Number (SSN)
			Items: FAC_ADDR_1 Facility Address Line 1
			FAC_ADDR_2 Facility Address Line 2
			FAC_CITY Facility City
-1010	Format	Fatal	FAC_CNTCT Facility Contact Person Name
			SFTWR_VNDR_NAME Software Vendor Name
			SFTWR_PROD_NAME Software Product Name
			SFTWR_PROD_VRSN_CD Software Product Version Code
			1A Facility Name
			4 Patient First Name
			5A Patient Last Name
			A1110A Preferred language
			Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
			Items: ASMT_SYS_CD Assessment System Code
			STATE_CD State Code
			CORRECTION_NUM Correction Number
			8 Gender
			10 Marital Status
			14 Admission Class
			15A Admit From
			16A Pre-hospital Living Setting
			17 Pre-Hospital Living With
			20A Primary Payment Source
			20B Secondary Payment Source
			21A Impairment Group: Admission

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		21D	Impairment Group: Discharge
		24A1	Arthritis Conditions Recorded
		25A	Height
		26A	Weight
		41	Patient Discharged Against Medical Advice
		42	Program Interruption(s) Indicator
		44C	Patient Discharged Alive
		44D	Discharge to Living Setting
		45	Discharge to Living With
		O0401AA	Physical Therapy - Individual Minutes Week 1
		O0401AB	Physical Therapy - Concurrent Minutes Week 1
		O0401AC	Physical Therapy - Group Minutes Week 1
		O0401AD	Physical Therapy - Co-treatment Minutes Week 1
		O0401BA	Occupational Therapy - Individual Minutes Week 1
		O0401BB	Occupational Therapy - Concurrent Minutes Week 1
		O0401BC	Occupational Therapy - Group Minutes Week 1
		O0401BD	Occupational Therapy - Co-treatment Minutes Week 1
		O0401CA	SLP Therapy - Individual Minutes Week 1
		O0401CB	SLP Therapy - Concurrent Minutes Week 1
		O0401CC	SLP Therapy - Group Minutes Week 1
		O0401CD	SLP Therapy - Co-treatment Minutes Week 1
		O0402AA	Physical Therapy - Individual Minutes Week 2
		O0402AB	Physical Therapy - Concurrent Minutes Week 2
		O0402AC	Physical Therapy - Group Minutes Week 2
		O0402AD	Physical Therapy - Co-treatment Minutes Week 2
		O0402BA	Occupational Therapy - Individual Minutes Week 2
		O0402BB	Occupational Therapy - Concurrent Minutes Week 2
		O0402BC	Occupational Therapy - Group Minutes Week 2
		O0402BD	Occupational Therapy - Co-treatment Minutes Week 2
		O0402CA	SLP Therapy - Individual Minutes Week 2
		O0402CB	SLP Therapy - Concurrent Minutes Week 2
		O0402CC	SLP Therapy - Group Minutes Week 2
		O0402CD	SLP Therapy - Co-treatment Minutes Week 2
		A1005A	Ethnicity: No, not Hispanic, Latino/a or Spanish

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		A1005B	Ethnicity: Yes, Mexican, Mexican American, Chicano
		A1005C	Ethnicity: Yes, Puerto Rican.
		A1005D	Ethnicity: Yes, Cuban
		A1005E	Ethnicity: Yes, another Hispanic, Latino or Spanish
		A1005X	Ethnicity: Patient unable to respond
		A1010A	Race: White
		A1010B	Race: Black or African American
		A1010C	Race: American Indian or Alaska Native
		A1010D	Race: Asian Indian
		A1010E	Race: Chinese
		A1010F	Race: Filipino
		A1010G	Race: Japanese
		A1010H	Race: Korean
		A1010I	Race: Vietnamese
		A1010J	Race: Other Asian
		A1010K	Race: Native Hawaiian
		A1010L	Race: Guamanian or Chamorro
		A1010M	Race: Samoan
		A1010N	Race: Other Pacific Islander
		A1010X	Race: Patient unable to respond
		A1110A	Preferred language
		A1110B	Does the patient need or want an interpreter
		A1250A_1	Yes, it has kept me from medical appointments
		A1250A_2	Yes, it has kept me from medical appointments
		A1250B_1	Yes, it has kept me from non-medical appointments
		A1250B_2	Yes, it has kept me from non-medical appointments
		A1250C_1	No
		A1250C_2	No
		A1250X_1	Patient unable to respond
		A1250X_2	Patient unable to respond
		A2121	Provision of Current Reconciled Medication List
		A2122A	Electronic Health Record
		A2122B	Health Information Exchange Organization
		A2122C	Verbal

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		A2122D	Paper-based
		A2122E	Other Methods
		A2123	Provision of Current Reconciled Medication List
		A2124A	Electronic Health Record
		A2124B	Health Information Exchange Organization
		A2124C	Verbal
		A2124D	Paper-based
		A2124E	Other Methods
		B0200	Hearing
		B1000	Vision
		B1300_1	Health Literacy
		B1300_2	Health Literacy
		BB0700	Expression of Ideas and Wants (3-day asmt period)
		BB0800	Undrstnd Vrbl/Non-Vrbl Content (3-day asmt period)
		C0100	Brief Interview - Mental Status (BIMS)
		C0100_2	Brief Interview - Mental Status (BIMS)
		C0200	BIMS - Repetition of Three Words
		C0200_2	BIMS - Repetition of Three Words
		C0300A	BIMS - Temporal Orientation - Year
		C0300A_2	BIMS - Temporal Orientation - Year
		C0300B	BIMS - Temporal Orientation - Month
		C0300B_2	BIMS - Temporal Orientation - Month
		C0300C	BIMS - Temporal Orientation - Day
		C0300C_2	BIMS - Temporal Orientation - Day
		C0400A	BIMS - Recalls Sock
		C0400A_2	BIMS - Recalls Sock
		C0400B	BIMS - Recalls Blue
		C0400B_2	BIMS - Recalls Blue
		C0400C	BIMS - Recalls Bed
		C0400C_2	BIMS - Recalls Bed
		C0500	BIMS - Summary Score
		C0500_2	BIMS - Summary Score
		C0600	Conduct Staff Assessment - Mental Status
		C0900A	Memory/Recall - Current Season (3-day Asmt Prd)

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		C0900B	Memory/Recall - Loc Of Own Room (3-day Asmt Prd)
		C0900C	Memory/Recall - Staff Names/Faces (3-day Asmt Prd)
		C0900E	Memory/Recall - In Hospital Unit (3-day Asmt Prd)
		C0900Z	Memory/Recall - None Of The Above (3-day Asmt Prd)
		C1310A_1	Acute Onset Mental Status Change
		C1310A_2	Acute Onset Mental Status Change
		C1310B_1	Inattention
		C1310B_2	Inattention
		C1310C_1	Disorganized thinking
		C1310C_2	Disorganized thinking
		C1310D_1	Altered level of consciousness
		C1310D_2	Altered level of consciousness
		D0150A1_1	Little interest or pleasure in doing things: Presc
		D0150A2_1	Little interest or pleasure in doing things: Freq
		D0150A1_2	Little interest or pleasure in doing things: Presc
		D0150A2_2	Little interest or pleasure in doing things: Freq
		D0150B1_1	Feeling down, depressed, or hopeless: Presc
		D0150B2_1	Feeling down, depressed, or hopeless: Freq
		D0150B1_2	Feeling down, depressed, or hopeless: Presc
		D0150B2_2	Feeling down, depressed, or hopeless: Freq
		D0150C1_1	Trouble falling or staying asleep: Presc
		D0150C2_1	Trouble falling or staying asleep: Freq
		D0150C1_2	Trouble falling or staying asleep: Presc
		D0150C2_2	Trouble falling or staying asleep: Freq
		D0150D1_1	Feeling tired or having little energy: Presc
		D0150D2_1	Feeling tired or having little energy: Freq
		D0150D1_2	Feeling tired or having little energy: Presc
		D0150D2_2	Feeling tired or having little energy: Freq
		D0150E1_1	Poor appetite or overeating: Presc
		D0150E2_1	Poor appetite or overeating: Freq
		D0150E1_2	Poor appetite or overeating: Presc
		D0150E2_2	Poor appetite or overeating: Freq
		D0150F1_1	Feeling bad about yourself: Presc
		D0150F2_1	Feeling bad about yourself: Freq

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		D0150F1_2	Feeling bad about yourself: Presc
		D0150F2_2	Feeling bad about yourself: Freq
		D0150G1_1	Trouble concentrating on things: Presc
		D0150G2_1	Trouble concentrating on things: Freq
		D0150G1_2	Trouble concentrating on things: Presc
		D0150G2_2	Trouble concentrating on things: Freq
		D0150H1_1	Moving or speaking so slowly: Presc
		D0150H2_1	Moving or speaking so slowly: Freq
		D0150H1_2	Moving or speaking so slowly: Presc
		D0150H2_2	Moving or speaking so slowly: Freq
		D0150I1_1	Thoughts that you would be better off dead: Presc
		D0150I2_1	Thoughts that you would be better off dead: Freq
		D0150I1_2	Thoughts that you would be better off dead: Presc
		D0150I2_2	Thoughts that you would be better off dead: Freq
		D0160_1	Total Severity Score
		D0160_2	Total Severity Score
		D0700_1	Social Isolation
		D0700_2	Social Isolation
		GG0100A	Prior Function - Self Care
		GG0100B	Prior Function - Indoor Mobility (Ambulation)
		GG0100C	Prior Function - Stairs
		GG0100D	Prior Function - Functional Cognition
		GG0110A	Prior Device - Manual wheelchair
		GG0110B	Prior Device - Motorized wheelchair and/or scooter
		GG0110C	Prior Device - Mechanical lift
		GG0110D	Prior Device - Walker
		GG0110E	Prior Device - Orthotics/Prosthetics
		GG0110Z	Prior Device - None of the above
		GG0130A1	Self-Care (Adm Perf) - Eating
		GG0130A2	Self-Care (Dschg Goal) - Eating
		GG0130A3	Self-Care (Dschg Perf) - Eating
		GG0130B1	Self-Care (Adm Perf) - Oral hygiene
		GG0130B2	Self-Care (Dschg Goal) - Oral hygiene
		GG0130B3	Self-Care (Dschg Perf) - Oral hygiene

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		GG0130C1	Self-Care (Adm Perf) - Toileting hygiene
		GG0130C2	Self-Care (Dschg Goal) - Toileting hygiene
		GG0130C3	Self-Care (Dschg Perf) - Toileting hygiene
		GG0130E1	Self-Care (Adm Perf) - Shower/bathe self
		GG0130E2	Self-Care (Dschg Goal) - Shower/bathe self
		GG0130E3	Self-Care (Dschg Perf) - Shower/bathe self
		GG0130F1	Self-Care (Adm Perf) - Upper Body Dressing
		GG0130F2	Self-Care (Dschg Goal) - Upper Body Dressing
		GG0130F3	Self-Care (Dschg Perf) - Upper Body Dressing
		GG0130G1	Self-Care (Adm Perf) - Lower Body Dressing
		GG0130G2	Self-Care (Dschg Goal) - Lower Body Dressing
		GG0130G3	Self-Care (Dschg Perf) - Lower Body Dressing
		GG0130H1	Self-Care (Adm Perf) - On/Off Footwear
		GG0130H2	Self-Care (Dschg Goal) - On/Off Footwear
		GG0130H3	Self-Care (Dschg Perf) - On/Off Footwear
		GG0170A1	Func Mobil (Adm Perf) - Roll left and right
		GG0170A2	Func Mobil (Dschg Goal) - Roll left and right
		GG0170A3	Func Mobil (Dschg Perf) - Roll left and right
		GG0170B1	Func Mobil (Adm Perf) - Sit to lying
		GG0170B2	Func Mobil (Dschg Goal) - Sit to lying
		GG0170B3	Func Mobil (Dschg Perf) - Sit to lying
		GG0170C1	Func Mobil (Adm Perf) - Lying to sit on side
		GG0170C2	Func Mobil (Dschg Goal) - Lying to sitting on side
		GG0170C3	Func Mobil (Dschg Perf) - Lying to sitting on side
		GG0170D1	Func Mobil (Adm Perf) - Sit to stand
		GG0170D2	Func Mobil (Dschg Goal) - Sit to stand
		GG0170D3	Func Mobil (Dschg Perf) - Sit to stand
		GG0170E1	Func Mobil (Adm Perf) - Chair/bed-to-chair trans
		GG0170E2	Func Mobil (Dschg Goal) - Chair/bed-to-chair trans
		GG0170E3	Func Mobil (Dschg Perf) - Chair/bed-to-chair trans
		GG0170F1	Func Mobil (Adm Perf) - Toilet transfer
		GG0170F2	Func Mobil (Dschg Goal) - Toilet transfer
		GG0170F3	Func Mobil (Dschg Perf) - Toilet transfer
		GG0170G1	Func Mobil (Adm Perf) - Car Transfer

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		GG0170G2	Func Mobil (Dschg Goal) - Car Transfer
		GG0170G3	Func Mobil (Dschg Perf) - Car Transfer
		GG0170I1	Func Mobil (Adm Perf) - Walk 10 feet
		GG0170I2	Func Mobil (Dschg Goal) - Walk 10 feet
		GG0170I3	Func Mobil (Dschg Perf) - Walk 10 feet
		GG0170J1	Func Mobil (Adm Perf) - Walk 50 feet w/2 turns
		GG0170J2	Func Mobil (Dschg Goal) - Walk 50 feet w/2 turns
		GG0170J3	Func Mobil (Dschg Perf) - Walk 50 feet w/2 turns
		GG0170K1	Func Mobil (Adm Perf) - Walk 150 feet
		GG0170K2	Func Mobil (Dschg Goal) - Walk 150 feet
		GG0170K3	Func Mobil (Dschg Perf) - Walk 150 feet
		GG0170L1	Func Mobil (Adm Perf) - Walk 10 Ft Uneven Surf
		GG0170L2	Func Mobil (Dschg Goal) - Walk 10 Ft Uneven Surf
		GG0170L3	Func Mobil (Dschg Perf) - Walk 10 Ft Uneven Surf
		GG0170M1	Func Mobil (Adm Perf) - 1 Step (Curb)
		GG0170M2	Func Mobil (Dschg Goal) - 1 Step (Curb)
		GG0170M3	Func Mobil (Dschg Perf) - 1 Step (Curb)
		GG0170N1	Func Mobil (Adm Perf) - 4 Steps
		GG0170N2	Func Mobil (Dschg Goal) - 4 Steps
		GG0170N3	Func Mobil (Dschg Perf) - 4 Steps
		GG0170O1	Func Mobil (Adm Perf) - 12 Steps
		GG0170O2	Func Mobil (Dschg Goal) - 12 Steps
		GG0170O3	Func Mobil (Dschg Perf) - 12 Steps
		GG0170P1	Func Mobil (Adm Perf) - Picking Up Object
		GG0170P2	Func Mobil (Dschg Goal) - Picking Up Object
		GG0170P3	Func Mobil (Dschg Perf) - Picking Up Object
		GG0170Q1	Does patient use wheelchair and/or scooter (Adm)
		GG0170Q3	Does patient use wheelchair and/or scooter (Dschg)
		GG0170R1	Func Mobil (Adm Perf) - Wheel 50 feet w/2 turns
		GG0170R2	Func Mobil (Dschg Goal) - Wheel 50 feet w/2 turns
		GG0170R3	Func Mobil (Dschg Perf) - Wheel 50 feet w/2 turns
		GG0170RR1	Indicate type of wheelchair or scooter (Adm)
		GG0170RR3	Indicate type of wheelchair or scooter (Dschg)
		GG0170S1	Func Mobil (Adm Perf) - Wheel 150 feet

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		GG0170S2	Func Mobil (Dschg Goal) - Wheel 150 feet
		GG0170S3	Func Mobil (Dschg Perf) - Wheel 150 feet
		GG0170SS1	Indicate type of wheelchair or scooter (Adm)
		GG0170SS3	Indicate type of wheelchair or scooter (Dschg)
		H0350	Bladder Continence
		H0400	Bowel Continence
		I0900	Diagnoses: Peripheral vascular disease (PVD)/PAD
		I2900	Diagnoses: Diabetes mellitus (DM)
		I7900	Diagnoses: None of the Above
		J0510_1	Pain effect on sleep
		J0510_2	Pain effect on sleep
		J0520_1	Pain interference with therapy activities
		J0520_2	Pain interference with therapy activities
		J0530_1	Pain interference with day-to-day activities
		J0530_2	Pain interference with day-to-day activities
		J1750	History of Falls
		J1800	Any Falls Since Admission
		J1900A	Num Falls Since Admission - No injury
		J1900B	Num Falls Since Admission - Injury (except major)
		J1900C	Num Falls Since Admission - Major injury
		J2000	Prior Surgery
		K0520A1	Nutritional approach: Parenteral
		K0520B1	Nutritional approaches: Feeding tube
		K0520C1	Nutritional approaches: Mechanically altered diet
		K0520D1	Nutritional approaches: Therapeutic diet
		K0520Z1	Nutritional approaches: None of the above
		M0210_1	Pressure Ulcers/Injuries Present on Admission
		M0210_2	Pressure Ulcers/Injuries Present on Discharge
		M0300A1_1	Number of Stage 1 pressure injuries: Admission
		M0300A1_2	Number of Stage 1 pressure injuries: Discharge
		M0300B1_1	Number of Stage 2 pressure ulcers: Admission
		M0300B1_2	Number of Stage 2 pressure ulcers: Discharge
		M0300B2_2	Nbr Disch Stg 2 PU were Adm Stg 2 PU
		M0300C1_1	Number of Stage 3 pressure ulcers: Admission

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		M0300C1_2	Number of Stage 3 pressure ulcers: Discharge
		M0300C2_2	Nbr Disch Stg 3 PU were Adm Stg 3 PU
		M0300D1_1	Number of Stage 4 pressure ulcers: Admission
		M0300D1_2	Number of Stage 4 pressure ulcers: Discharge
		M0300D2_2	Nbr Disch Stg 4 PU were Adm Stg 4 PU
		M0300E1_1	Nbr Unstg non-remov drsg prss ulcers/injrs: Adm
		M0300E1_2	Nbr Unstg non-remov drsg prss ulcers/injrs: Dschrg
		M0300E2_2	Nbr Unstg NRD Disch PU/Injrs present at Adm
		M0300F1_1	Nbr Unstg slough/eschar pressure ulcers: Adm
		M0300F1_2	Nbr Unstg slough/eschar pressure ulcers: Dschrg
		M0300F2_2	Nbr Unstg S/E Disch PU were Adm Unstg S/E PU
		M0300G1_1	Nbr Unstg DTI pressure injrs: Adm
		M0300G1_2	Nbr Unstg DTI pressure injrs: Dschrg
		M0300G2_2	Nbr Unstg DTI Disch PU/Injrs present at Adm
		N0415A1_1	High-Risk Drug (Is Taking): Antipsychotic
		N0415A2_1	High-Risk Drug (Indication) : Antipsychotic
		N0415A1_2	High-Risk Drug (Is Taking): Antipsychotic
		N0415A2_2	High-Risk Drug (Indication) : Antipsychotic
		N0415E1_1	High-Risk Drug (Is taking): Anticoagulant
		N0415E2_1	High-Risk Drug (Indication): Anticoagulant
		N0415E1_2	High-Risk Drug (Is taking): Anticoagulant
		N0415E2_2	High-Risk Drug (Indication): Anticoagulant
		N0415F1_1	High-Risk Drug (Is taking): Antibiotic
		N0415F2_1	High-Risk Drug (Indication): Antibiotic
		N0415F1_2	High-Risk Drug (Is taking): Antibiotic
		N0415F2_2	High-Risk Drug (Indication): Antibiotic
		N0415H1_1	High-Risk Drug (Is taking): Opioid
		N0415H2_1	High-Drug Risk (Indication): Opioid
		N0415H1_2	High-Risk Drug (Is taking): Opioid
		N0415H2_2	High-Drug Risk (Indication): Opioid
		N0415I1_1	High-Risk Drug (Is taking): Antiplatelet
		N0415I2_1	High-Risk Drug (Indication): Antiplatelet
		N0415I1_2	High-Risk Drug (Is taking): Antiplatelet
		N0415I2_2	High-Risk Drug (Indication): Antiplatelet

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		N0415J1_1	High-Risk Drug (Is taking): Hypoglycemic
		N0415J2_1	High-Risk Drug (Indication): Hypoglycemic
		N0415J1_2	High-Risk Drug (Is taking): Hypoglycemic
		N0415J2_2	High-Risk Drug (Indication): Hypoglycemic
		N0415Z1_1	High-Risk Drug (Is taking): None of the above
		N0415Z1_2	High-Risk Drug (Is taking): None of the above
		N2001	Drug Regimen Review
		N2003	Medication Follow-up
		N2005	Medication Intervention
		O0110A1a	Treatment: Chemotherapy (Admission)
		O0110A1c	Treatment: Chemotherapy (Discharge)
		O0110A2a	Treatment: IV (Admission)
		O0110A2c	Treatment: IV (Discharge)
		O0110A3a	Treatment: Oral (Admission)
		O0110A3c	Treatment: Oral (Discharge)
		O0110A10a	Treatment: Other (Admission)
		O0110A10c	Treatment: Other (Discharge)
		O0110B1a	Treatment: Radiation (Admission)
		O0110B1c	Treatment: Radiation (Discharge)
		O0110C1a	Therapies: Oxygen Therapy (Admission)
		O0110C1c	Therapies: Oxygen Therapy (Discharge)
		O0110C2a	Therapies: Continuous (Admission)
		O0110C2c	Therapies: Continuous (Discharge)
		O0110C3a	Therapies: Intermittent (Admission)
		O0110C3c	Therapies: Intermittent (Discharge)
		O0110C4a	Therapies: High-concentration (Admission)
		O0110C4c	Therapies: High-concentration (Discharge)
		O0110D1a	Therapies: Suctioning (Admission)
		O0110D1c	Therapies: Suctioning (Discharge)
		O0110D2a	Therapies: Scheduled
		O0110D2c	Therapies: Scheduled (Discharge)
		O0110D3a	Therapies: As Needed (Admission)
		O0110D3c	Therapies: As Needed (Discharge)
		O0110E1a	Therapies: Tracheostomy Care (Admission)

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		O0110E1c	Therapies: Tracheostomy Care (Discharge)
		O0110F1a	Therapies: Invasive Mechanical Ventilator (Admis)
		O0110F1c	Therapies: Invasive Mechanical Ventilator (Disch)
		O0110G1a	Therapies: Non-Invas Mechanical Ventilator (Admis)
		O0110G1c	Therapies: Non-Invas Mechanical Ventilator (Disch)
		O0110G2a	Therapies: BiPAP (Admission)
		O0110G2c	Therapies: BiPAP (Discharge)
		O0110G3a	Therapies: CPAP (Admission)
		O0110G3c	Therapies: CPAP (Discharge)
		O0110H1a	Other: IV Medications (Admission)
		O0110H1c	Other: IV Medications (Discharge)
		O0110H2a	Other: Vasoactive medications (Admission)
		O0110H2c	Other: Vasoactive medications (Discharge)
		O0110H3a	Other: Antibiotics (Admission)
		O0110H3c	Other: Antibiotics (Discharge)
		O0110H4a	Other: Anticoagulation (Admission)
		O0110H4c	Other: Anticoagulation (Discharge)
		O0110H10a	Other: Other (Admission)
		O0110H10c	Other: Other (Discharge)
		O0110I1a	Other: Transfusions (Admission)
		O0110I1c	Other: Transfusions (Discharge)
		O0110J1a	Other: Dialysis (Admission)
		O0110J1c	Other: Dialysis (Discharge)
		O0110J2a	Other: Hemodialysis (Admission)
		O0110J2c	Other: Hemodialysis (Discharge)
		O0110J3a	Other: Peritoneal dialysis (Admission)
		O0110J3c	Other: Peritoneal dialysis (Discharge)
		O0110O1a	Other: IV Access (Admission)
		O0110O1c	Other: IV Access (Discharge)
		O0110O2a	Other: Peripheral (Admission)
		O0110O2c	Other: Peripheral (Discharge)
		O0110O3a	Other: Midline (Admission)
		O0110O3c	Other: Midline (Discharge)
		O0110O4a	Other: Central (Admission)

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	<div>O011004c</div> <div>Other: Central (Discharge)</div> <div>O0110Z1a</div> <div>Other: None of the above (Admission)</div> <div>O0110Z1c</div> <div>Other: None of the above (Discharge)</div>
-1011	Consistency	Fatal	Invalid Correction Number: The Correction Number value is invalid for this record. This number must be one number greater than the number on the original or previously corrected assessment.
		Items:	<div>CORRECTION_NUM</div> <div>Correction Number</div>
-1012	Format	Fatal	<p>Formatting of Birthdate: This item must contain a valid date in YYYYMMDD, YYYYMM, or YYYY format.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 1909 must be submitted as "19090101".</p> <p>If a date is submitted in YYYYMM format, it must be 6 characters in length and each of the 6 characters must contain the digits 0 (zero) through 9. YYYY and MM must be zero filled, where necessary. For example, January, 1909 must be submitted as "190901".</p> <p>If a date is submitted in YYYY format, it must be 4 characters in length and each of the 4 characters must contain the digits 0 (zero) through 9. YYYY and must be zero filled, where necessary. For example, 1909 must be submitted as "1909" and 1900 must be submitted as "1900".</p>
		Items:	<div>6</div> <div>Birth Date</div>
-1014	Consistency	Fatal	Required Item Is blank: The value for this item is blank. Update the value in your IRF-PAI encoding software and resubmit the record.
		Items:	<div>FAC_ADDR_1</div> <div>Facility Address Line 1</div> <div>FAC_CITY</div> <div>Facility City</div> <div>FAC_CNTCT</div> <div>Facility Contact Person Name</div> <div>SFTWR_VNDR_ID</div> <div>Software Vendor EIN</div> <div>SFTWR_VNDR_NAME</div> <div>Software Vendor Name</div> <div>SFTWR_VNDR_EMAIL_ADR</div> <div>Software Vendor Email Address</div> <div>1A</div> <div>Facility Name</div> <div>1B</div> <div>CMS Certification Number (CCN)</div> <div>4</div> <div>Patient First Name</div> <div>5A</div> <div>Patient Last Name</div> <div>22A</div> <div>Etiologic Diagnosis Code A (ICD Code)</div>
-1015	Consistency	Warning	CCN Mismatch: The CCN submitted (1B) on the assessment does not match the CCN stored in the QIES ASAP database for the facility. Please contact the help desk.

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	1B CMS Certification Number (CCN)
-1016	Format	Fatal	Invalid e-mail address: An e-mail address may contain any printable character except single quote ['] and double quote ["].
		Items:	SFTWR_VNDR_EMAIL_ADR Software Vendor Email Address
-1023	Format	Fatal	Invalid CCN length: The CMS Certification Number (CCN) (1B) must be exactly 6
		Items:	1B CMS Certification Number (CCN)
-1024	Consistency	Warning	Facility information updated: Submitted values for the item(s) listed are not the same as the values in the QIES database. The database has been updated.
		Items:	FAC_ADDR_1 Facility Address Line 1
			FAC_ADDR_2 Facility Address Line 2
			FAC_CITY Facility City
			FAC_ZIP Facility ZIP Code
			FAC_PHONE Facility Contact Person Phone
			1A Facility Name
-1030	Consistency	Warning	Patient Provider Updated: Our records indicated that a different provider previously cared for this resident. The provider associated with this resident has been updated.
		Items:	5A Patient Last Name
-1031	Consistency	Warning	Patient Information Updated: Submitted value(s) for the item(s) listed are not the same as the values in the QIES ASAP database. The database has been updated. Note that the Death Date in the QIES ASAP database will be updated with the value in Item 40 (Discharge Date) when item 44C (Was the patient discharged alive) is equal to No (0).
		Items:	FAC_ID Facility ID
			2 Patient Medicare Number
			3 Patient Medicaid Number
			4 Patient First Name
			5A Patient Last Name
			6 Birth Date
			7 Social Security Number (SSN)
			8 Gender
			40 Discharge Date
-1038	Consistency	Fatal	Inconsistent 20A/20B values: The Primary Payment Source (20A) cannot be equal to [02, 51] if Secondary Payment Source (20B) is equal to [02, 51].
		Items:	20A Primary Payment Source

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	20B Secondary Payment Source
-1044	Consistency	Fatal	Non-Medicare Record: If Medicare is not a payor (20A is not = [02, 51] and 20B is not = [02, 51]), then the record will be rejected by the ASAP system.
		Items:	20A Primary Payment Source
			20B Secondary Payment Source
-1045	Format	Fatal	Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values.
		Items:	12 Admission Date
			13 Assessment Reference Date
			23 Date of Onset of Impairment
			40 Discharge Date
			43A 1st Interruption Date
			43B 1st Return Date
			43C 2nd Interruption Date
			43D 2nd Return Date
			43E 3rd Interruption Date
			43F 3rd Return Date
-1046	Consistency	Fatal	Date Too Old: This date is more than 140 years in the past. This date cannot be more than 140 years in the past.
		Items:	6 Birth Date
-1047	Consistency	Fatal	Dates Out of Order: The submitted dates are out of order or in the future. These dates must occur chronologically as follows: Birth Date (6) <= Date of Onset (23) <= Admission Date (12) <= Assessment Reference Date (13) <= Discharge Date (40) <= Submission Date (SUBMISSION_DATE)
		Items:	6 Birth Date
			12 Admission Date
			13 Assessment Reference Date
			23 Date of Onset of Impairment
			40 Discharge Date
			SUBMISSION_DATE Submission Date
-1053	Consistency	Fatal	Inconsistent Admission date: Admission Date (12) should be later than 1980.

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	12 Admission Date
-1055	Consistency	Fatal	Failed CMG Calculation: CMG calculation could not be performed due to a system error. Please contact the QTSO Help Desk. Please resubmit this record when the system has been corrected.
		Items:	SBMTD_CMG_TXT Submitted CMG Code
-1056	Consistency	Warning	Inconsistent CMG_CODE/CMG_VERSION: The submitted CMG_CODE/CMG_VERSION must match the corresponding calculated values.
		Items:	SBMTD_CMG_TXT Submitted CMG Code SBMTD_CMG_VRSN_TXT Submitted CMG Version Code
-1057	Consistency	Warning	CMG not recalculated: The CMG for this assessment was not recalculated as the discharge date is more than 27 months prior to the submission date.
		Items:	SBMTD_CMG_TXT Submitted CMG Code
-1060	Consistency	Warning	Inconsistent 12/13: The Assessment Reference Date (13) usually must be two days later than the Admission Date (12).
		Items:	12 Admission Date 13 Assessment Reference Date
-1071	Consistency	Fatal	Unauthorized Submitter: The submitter's User ID is not authorized to submit data on behalf of the provider identified by the FAC_ID in this record.
		Items:	FAC_ID Facility ID
-1100	Format	Fatal	<p>Formatting of ICD Items:</p> <p>If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.</p> <p>Other formatting rules are as follows:</p> <ul style="list-style-type: none"> a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].
		Items:	22A Etiologic Diagnosis Code A (ICD Code) 22B Etiologic Diagnosis Code B (ICD Code) 22C Etiologic Diagnosis Code C (ICD Code) 24A Comorbid Condition 1 (ICD Code)

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	24B Comorbid Condition 2 (ICD Code)
			24C Comorbid Condition 3 (ICD Code)
			24D Comorbid Condition 4 (ICD Code)
			24E Comorbid Condition 5 (ICD Code)
			24F Comorbid Condition 6 (ICD Code)
			24G Comorbid Condition 7 (ICD Code)
			24H Comorbid Condition 8 (ICD Code)
			24I Comorbid Condition 9 (ICD Code)
			24J Comorbid Condition 10 (ICD Code)
			24K Comorbid Condition 11 (ICD Code)
			24L Comorbid Condition 12 (ICD Code)
			24M Comorbid Condition 13 (ICD Code)
			24N Comorbid Condition 14 (ICD Code)
			24O Comorbid Condition 15 (ICD Code)
			24P Comorbid Condition 16 (ICD Code)
			24Q Comorbid Condition 17 (ICD Code)
			24R Comorbid Condition 18 (ICD Code)
			24S Comorbid Condition 19 (ICD Code)
			24T Comorbid Condition 20 (ICD Code)
			24U Comorbid Condition 21 (ICD Code)
			24V Comorbid Condition 22 (ICD Code)
			24W Comorbid Condition 23 (ICD Code)
			24X Comorbid Condition 24 (ICD Code)
			24Y Comorbid Condition 25 (ICD Code)
			46 Diagnosis for Interruption or Death (ICD Code)
			47A Complication during rehab stay 1 (ICD Code)
			47B Complication during rehab stay 2 (ICD Code)
			47C Complication during rehab stay 3 (ICD Code)
			47D Complication during rehab stay 4 (ICD Code)
			47E Complication during rehab stay 5 (ICD Code)
			47F Complication during rehab stay 6 (ICD Code)
-1101	Consistency	Fatal	Inconsistent 44D/45 values: If Discharge to Living Setting (44D) = [01], then Discharge to Living With (45) must not be skipped with value of "No information" [^]. If Discharge to Living Setting (44D) not = [01] then Discharge to Living With (45) must be skipped with value of "No information" [^].

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	44D Discharge to Living Setting
			45 Discharge to Living With
		Fatal	Inconsistent 44C/44D/45 values: If Patient not discharged alive (44C = [0]), then Discharge to Living Setting (44D) and Discharge to Living With (45) must be skipped with value of "No information" [^]. If Patient discharged alive (44C = [1]), then Discharge to Living Setting (44D) must not be skipped with value of "No information" [^].
-1102 Consistency		Items:	44C Patient Discharged Alive
			44D Discharge to Living Setting
			45 Discharge to Living With
-1105 Consistency		Fatal	Inconsistent 16A/17: If Pre-Hospital Living Setting (16A) is equal to [01], then Pre_Hospital Living With (17) cannot be skipped [^]. If Pre-hospital Living Setting (16A) is not equal to [01], then Pre_Hospital Living With (17) must be skipped [^].
		Items:	16A Pre-hospital Living Setting
			17 Pre-Hospital Living With
-1106 Format		Fatal	Incorrect item length: If this is not one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then this item must be exactly the length of the maximum length of the item.
		Items:	FAC_ZIP Facility ZIP Code
			SFTWR_VNDR_ID Software Vendor EIN
-1108 Format		Fatal	Invalid SSN: If the value is not equal to "No information" [^], it must be 9 characters long, the first three characters must not be equal to [000], and the value must not be equal to any of the following: [111111111, 333333333, 123456789, 999999999].
		Items:	7 Social Security Number (SSN)
		Fatal	Inconsistent 2/20A/20B values: If Medicare is a payor (20A = [02, 51] or 20B = [02, 51], then the Patient Medicare number (2) cannot be skipped with value of "No
-1109 Consistency		Items:	2 Patient Medicare Number
			20A Primary Payment Source
			20B Secondary Payment Source
-1112 Consistency		Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].
		Items:	24A Comorbid Condition 1 (ICD Code)
			24B Comorbid Condition 2 (ICD Code)
			24C Comorbid Condition 3 (ICD Code)
			24D Comorbid Condition 4 (ICD Code)

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	24E Comorbid Condition 5 (ICD Code)
			24F Comorbid Condition 6 (ICD Code)
			24G Comorbid Condition 7 (ICD Code)
			24H Comorbid Condition 8 (ICD Code)
			24I Comorbid Condition 9 (ICD Code)
			24J Comorbid Condition 10 (ICD Code)
			24K Comorbid Condition 11 (ICD Code)
			24L Comorbid Condition 12 (ICD Code)
			24M Comorbid Condition 13 (ICD Code)
			24N Comorbid Condition 14 (ICD Code)
			24O Comorbid Condition 15 (ICD Code)
			24P Comorbid Condition 16 (ICD Code)
			24Q Comorbid Condition 17 (ICD Code)
			24R Comorbid Condition 18 (ICD Code)
			24S Comorbid Condition 19 (ICD Code)
			24T Comorbid Condition 20 (ICD Code)
			24U Comorbid Condition 21 (ICD Code)
			24V Comorbid Condition 22 (ICD Code)
			24W Comorbid Condition 23 (ICD Code)
			24X Comorbid Condition 24 (ICD Code)
			24Y Comorbid Condition 25 (ICD Code)
-1113 Consistency		Fatal	Inconsistent Complications During Rehabilitation Stay Values: For the items 47A through 47F, if an item in the list is "No information" [^], then the next item must also be "No information" [^].
		Items:	47A Complication during rehab stay 1 (ICD Code)
			47B Complication during rehab stay 2 (ICD Code)
			47C Complication during rehab stay 3 (ICD Code)
			47D Complication during rehab stay 4 (ICD Code)
			47E Complication during rehab stay 5 (ICD Code)
			47F Complication during rehab stay 6 (ICD Code)

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																
-1114	Consistency	Fatal	<p>Program Interruption Date Out of Order: For the following dates, each date must precede or be the same as the subsequent date, ignoring dates with "No information" [^].</p> <p>Admission Date (12) <=</p> <p>1st Interruption Date (43A) <=</p> <p>1st Return Date (43B) <=</p> <p>2nd Interruption Date (43C) <=</p> <p>2nd Return Date (43D) <=</p> <p>3rd Interruption Date (43E) <=</p> <p>3rd Return Date (43F) <=</p>																
		Items:	<table><tr><td>12</td><td>Admission Date</td></tr><tr><td>40</td><td>Discharge Date</td></tr><tr><td>43A</td><td>1st Interruption Date</td></tr><tr><td>43B</td><td>1st Return Date</td></tr><tr><td>43C</td><td>2nd Interruption Date</td></tr><tr><td>43D</td><td>2nd Return Date</td></tr><tr><td>43E</td><td>3rd Interruption Date</td></tr><tr><td>43F</td><td>3rd Return Date</td></tr></table>	12	Admission Date	40	Discharge Date	43A	1st Interruption Date	43B	1st Return Date	43C	2nd Interruption Date	43D	2nd Return Date	43E	3rd Interruption Date	43F	3rd Return Date
12	Admission Date																		
40	Discharge Date																		
43A	1st Interruption Date																		
43B	1st Return Date																		
43C	2nd Interruption Date																		
43D	2nd Return Date																		
43E	3rd Interruption Date																		
43F	3rd Return Date																		
-1115	Consistency	Fatal	<p>Inconsistent Skip Pattern: If Program Interruption(s) (42) is 0 (No), then the Program Interruption Dates (43A - 43F) must all be "No information" [^].</p>																
		Items:	<table><tr><td>42</td><td>Program Interruption(s) Indicator</td></tr><tr><td>43A</td><td>1st Interruption Date</td></tr><tr><td>43B</td><td>1st Return Date</td></tr><tr><td>43C</td><td>2nd Interruption Date</td></tr><tr><td>43D</td><td>2nd Return Date</td></tr><tr><td>43E</td><td>3rd Interruption Date</td></tr><tr><td>43F</td><td>3rd Return Date</td></tr></table>	42	Program Interruption(s) Indicator	43A	1st Interruption Date	43B	1st Return Date	43C	2nd Interruption Date	43D	2nd Return Date	43E	3rd Interruption Date	43F	3rd Return Date		
42	Program Interruption(s) Indicator																		
43A	1st Interruption Date																		
43B	1st Return Date																		
43C	2nd Interruption Date																		
43D	2nd Return Date																		
43E	3rd Interruption Date																		
43F	3rd Return Date																		
-1116	Consistency	Fatal	<p>Inconsistent 42/43A values: The Program Interruption(s) (42) value is not consistent with the 1st Interruption Date (43A) value. If Program Interruption(s) (42) is equal to 1 (Yes), then 1st Interruption Date (43A) must not be skipped with a value of "No</p>																
		Items:	<table><tr><td>42</td><td>Program Interruption(s) Indicator</td></tr><tr><td>43A</td><td>1st Interruption Date</td></tr></table>	42	Program Interruption(s) Indicator	43A	1st Interruption Date												
42	Program Interruption(s) Indicator																		
43A	1st Interruption Date																		

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-1117	Consistency	Fatal	Inconsistent Program Interruption Dates: For the dates listed, if a date in the list is "No information" [^], then the next date must also be "No information" [^]. 1st Interruption Date (43A) 1st Return Date (43B) 2nd Interruption Date (43C) 2nd Return Date (43D) 3rd Interruption Date (43E) 3rd Return Date (43F)
			Items: 43A 1st Interruption Date
			43B 1st Return Date
			43C 2nd Interruption Date
			43D 2nd Return Date
			43E 3rd Interruption Date
			43F 3rd Return Date
-1118	Consistency	Fatal	Inconsistent Program Interruption Dates: For the date pairs listed, if the first date is not "No information" [^] then the second date must not be "No information" [^]. 1st Interruption Date (43A) and 1st Return Date (43B) 2nd Interruption Date (43C) and 2nd Return Date (43D) 3rd Interruption Date (43E) and 3rd Return Date (43F)
			Items: 43A 1st Interruption Date
			43B 1st Return Date
			43C 2nd Interruption Date
			43D 2nd Return Date
			43E 3rd Interruption Date
			43F 3rd Return Date
-1127	Consistency	Fatal	ICD-10-CM Codes Not Allowed: This item cannot contain the following ICD-10-CM codes: V00.01 through Y99.9
			Items: 22A Etiologic Diagnosis Code A (ICD Code)
			22B Etiologic Diagnosis Code B (ICD Code)
			22C Etiologic Diagnosis Code C (ICD Code)
-1128	Consistency	Fatal	Inconsistent Etiologic Diagnosis ICD codes. If Item 22B is "No information" [^], then Item 22C must be "No information" [^].
			Items: 22B Etiologic Diagnosis Code B (ICD Code)
			22C Etiologic Diagnosis Code C (ICD Code)
-1129	Format	Warning	Version Code Values: The version code submitted should match one of the values listed in the "Item Values" table of the Detailed Data Specifications Report.

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	ITM_SET_VRSN_CD IRF-PAI item Set Version SPEC_VRSN_CD Specifications version code
-1130	Format	Fatal	<p>Incorrect Medicare Number or Medicare Beneficiary Identifier (MBI): This item must conform to one of two possible formats, as defined below:</p> <p>1) MBI format: The MBI shall be eleven characters in length. The first character must be numeric, excluding zero (0). The second, fifth, eighth and ninth characters must be alphabetic, excluding the following letters: S, L, O, I, B, and Z. The fourth, seventh, tenth and eleventh characters must be numeric. The third and sixth characters must be alphabetic (excluding S, L, O, I, B, and Z) or numeric.</p> <p>2) Medicare Number format: If the first character is numeric [0 through 9] (SSN), then the first 9 characters must be digits [0 through 9]. If the first character is alphabetic (RR insurance number), then there must be 1, 2, or 3 alphabetic characters followed by 6 or 9 numbers.</p>
		Items:	2 Patient Medicare Number
-1131	Format	Fatal	<p>Incorrect Medicare Number or Medicare Beneficiary Identifier (MBI): This item must conform to one of two possible formats, as defined below:</p> <p>1) MBI format: The MBI shall be eleven characters in length. The first character must be numeric, excluding zero (0). The second, fifth, eighth and ninth characters must be alphabetic, excluding the following letters: S, L, O, I, B, and Z. The fourth, seventh, tenth and eleventh characters must be numeric. The third and sixth characters must be alphabetic (excluding S, L, O, I, B, and Z) or numeric.</p> <p>2) Medicare Number format: If the first character is numeric [0 through 9] (SSN), then the first 9 characters must be digits [0 through 9]. If the first character is alphabetic (RR insurance number), then there must be 1, 2, or 3 alphabetic characters followed by 6 or 9 numbers.</p>
		Items:	2 Patient Medicare Number
-5004	Consistency	Warning	<p>Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.</p>
		Items:	25A Height 26A Weight A1110A Preferred language B0200 Hearing B1000 Vision C0100 Brief Interview - Mental Status (BIMS) C0100_2 Brief Interview - Mental Status (BIMS) C0200 BIMS - Repetition of Three Words C0200_2 BIMS - Repetition of Three Words C0300A BIMS - Temporal Orientation - Year

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		C0300A_2	BIMS - Temporal Orientation - Year
		C0300B	BIMS - Temporal Orientation - Month
		C0300B_2	BIMS - Temporal Orientation - Month
		C0300C	BIMS - Temporal Orientation - Day
		C0300C_2	BIMS - Temporal Orientation - Day
		C0400A	BIMS - Recalls Sock
		C0400A_2	BIMS - Recalls Sock
		C0400B	BIMS - Recalls Blue
		C0400B_2	BIMS - Recalls Blue
		C0400C	BIMS - Recalls Bed
		C0400C_2	BIMS - Recalls Bed
		C0500	BIMS - Summary Score
		C0500_2	BIMS - Summary Score
		C1310A_1	Acute Onset Mental Status Change
		C1310A_2	Acute Onset Mental Status Change
		C1310B_1	Inattention
		C1310B_2	Inattention
		C1310C_1	Disorganized thinking
		C1310C_2	Disorganized thinking
		C1310D_1	Altered level of consciousness
		C1310D_2	Altered level of consciousness
		D0150A1_1	Little interest or pleasure in doing things: Presc
		D0150A2_1	Little interest or pleasure in doing things: Freq
		D0150A1_2	Little interest or pleasure in doing things: Presc
		D0150A2_2	Little interest or pleasure in doing things: Freq
		D0150B1_1	Feeling down, depressed, or hopeless: Presc
		D0150B2_1	Feeling down, depressed, or hopeless: Freq
		D0150B1_2	Feeling down, depressed, or hopeless: Presc
		D0150B2_2	Feeling down, depressed, or hopeless: Freq
		D0150C1_1	Trouble falling or staying asleep: Presc
		D0150C2_1	Trouble falling or staying asleep: Freq
		D0150C1_2	Trouble falling or staying asleep: Presc
		D0150C2_2	Trouble falling or staying asleep: Freq
		D0150D1_1	Feeling tired or having little energy: Presc

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		D0150D2_1	Feeling tired or having little energy: Freq
		D0150D1_2	Feeling tired or having little energy: Presc
		D0150D2_2	Feeling tired or having little energy: Freq
		D0150E1_1	Poor appetite or overeating: Presc
		D0150E2_1	Poor appetite or overeating: Freq
		D0150E1_2	Poor appetite or overeating: Presc
		D0150E2_2	Poor appetite or overeating: Freq
		D0150F1_1	Feeling bad about yourself: Presc
		D0150F2_1	Feeling bad about yourself: Freq
		D0150F1_2	Feeling bad about yourself: Presc
		D0150F2_2	Feeling bad about yourself: Freq
		D0150G1_1	Trouble concentrating on things: Presc
		D0150G2_1	Trouble concentrating on things: Freq
		D0150G1_2	Trouble concentrating on things: Presc
		D0150G2_2	Trouble concentrating on things: Freq
		D0150H1_1	Moving or speaking so slowly: Presc
		D0150H2_1	Moving or speaking so slowly: Freq
		D0150H1_2	Moving or speaking so slowly: Presc
		D0150H2_2	Moving or speaking so slowly: Freq
		D0150I1_1	Thoughts that you would be better off dead: Presc
		D0150I2_1	Thoughts that you would be better off dead: Freq
		D0150I1_2	Thoughts that you would be better off dead: Presc
		D0150I2_2	Thoughts that you would be better off dead: Freq
		D0160_1	Total Severity Score
		D0160_2	Total Severity Score
		GG0130A1	Self-Care (Adm Perf) - Eating
		GG0130A3	Self-Care (Dschg Perf) - Eating
		GG0130B1	Self-Care (Adm Perf) - Oral hygiene
		GG0130B3	Self-Care (Dschg Perf) - Oral hygiene
		GG0130C1	Self-Care (Adm Perf) - Toileting hygiene
		GG0130C3	Self-Care (Dschg Perf) - Toileting hygiene
		GG0130E1	Self-Care (Adm Perf) - Shower/bathe self
		GG0130E3	Self-Care (Dschg Perf) - Shower/bathe self
		GG0130F1	Self-Care (Adm Perf) - Upper Body Dressing

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		GG0130F3	Self-Care (Dschg Perf) - Upper Body Dressing
		GG0130G1	Self-Care (Adm Perf) - Lower Body Dressing
		GG0130G3	Self-Care (Dschg Perf) - Lower Body Dressing
		GG0130H1	Self-Care (Adm Perf) - On/Off Footwear
		GG0130H3	Self-Care (Dschg Perf) - On/Off Footwear
		GG0170A1	Func Mobil (Adm Perf) - Roll left and right
		GG0170A3	Func Mobil (Dschg Perf) - Roll left and right
		GG0170B1	Func Mobil (Adm Perf) - Sit to lying
		GG0170B3	Func Mobil (Dschg Perf) - Sit to lying
		GG0170C1	Func Mobil (Adm Perf) - Lying to sit on side
		GG0170C3	Func Mobil (Dschg Perf) - Lying to sitting on side
		GG0170D1	Func Mobil (Adm Perf) - Sit to stand
		GG0170D3	Func Mobil (Dschg Perf) - Sit to stand
		GG0170E1	Func Mobil (Adm Perf) - Chair/bed-to-chair trans
		GG0170E3	Func Mobil (Dschg Perf) - Chair/bed-to-chair trans
		GG0170F1	Func Mobil (Adm Perf) - Toilet transfer
		GG0170F3	Func Mobil (Dschg Perf) - Toilet transfer
		GG0170G1	Func Mobil (Adm Perf) - Car Transfer
		GG0170G3	Func Mobil (Dschg Perf) - Car Transfer
		GG0170I1	Func Mobil (Adm Perf) - Walk 10 feet
		GG0170I3	Func Mobil (Dschg Perf) - Walk 10 feet
		GG0170J1	Func Mobil (Adm Perf) - Walk 50 feet w/2 turns
		GG0170J3	Func Mobil (Dschg Perf) - Walk 50 feet w/2 turns
		GG0170K1	Func Mobil (Adm Perf) - Walk 150 feet
		GG0170K3	Func Mobil (Dschg Perf) - Walk 150 feet
		GG0170L1	Func Mobil (Adm Perf) - Walk 10 Ft Uneven Surf
		GG0170L3	Func Mobil (Dschg Perf) - Walk 10 Ft Uneven Surf
		GG0170M1	Func Mobil (Adm Perf) - 1 Step (Curb)
		GG0170M3	Func Mobil (Dschg Perf) - 1 Step (Curb)
		GG0170N1	Func Mobil (Adm Perf) - 4 Steps
		GG0170N3	Func Mobil (Dschg Perf) - 4 Steps
		GG0170O1	Func Mobil (Adm Perf) - 12 Steps
		GG0170O3	Func Mobil (Dschg Perf) - 12 Steps
		GG0170P1	Func Mobil (Adm Perf) - Picking Up Object

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		GG0170P3	Func Mobil (Dschg Perf) - Picking Up Object
		GG0170Q1	Does patient use wheelchair and/or scooter (Adm)
		GG0170Q3	Does patient use wheelchair and/or scooter (Dschg)
		GG0170R1	Func Mobil (Adm Perf) - Wheel 50 feet w/2 turns
		GG0170R3	Func Mobil (Dschg Perf) - Wheel 50 feet w/2 turns
		GG0170RR1	Indicate type of wheelchair or scooter (Adm)
		GG0170RR3	Indicate type of wheelchair or scooter (Dschg)
		GG0170S1	Func Mobil (Adm Perf) - Wheel 150 feet
		GG0170S3	Func Mobil (Dschg Perf) - Wheel 150 feet
		GG0170SS1	Indicate type of wheelchair or scooter (Adm)
		GG0170SS3	Indicate type of wheelchair or scooter (Dschg)
		H0400	Bowel Continence
		I0900	Diagnoses: Peripheral vascular disease (PVD)/PAD
		I2900	Diagnoses: Diabetes mellitus (DM)
		J1900C	Num Falls Since Admission - Major injury
		K0520A1	Nutritional approach: Parenteral
		K0520A4	Nutritional approaches (7 days): Parenteral
		K0520A5	Nutritional approaches (discharge): Parenteral
		K0520B1	Nutritional approaches: Feeding tube
		K0520B4	Nutritional approaches (7 days): Feeding tube
		K0520B5	Nutritional approaches (discharge): Feeding Tube
		K0520C1	Nutritional approaches: Mechanically altered diet
		K0520C4	Nutritional approaches (7 days): mech altered diet
		K0520C5	Nutritional approaches (discharge): mech altered
		K0520D1	Nutritional approaches: Therapeutic diet
		K0520D4	Nutritional approaches (7 day): Therapeutic diet
		K0520D5	Nutritional approaches (discharge): Therapeutic
		K0520Z1	Nutritional approaches: None of the above
		K0520Z4	Nutritional approaches (7 days): None
		K0520Z5	Nutritional approaches (discharge): None
		M0300B1_2	Number of Stage 2 pressure ulcers: Discharge
		M0300B2_2	Nbr Disch Stg 2 PU were Adm Stg 2 PU
		M0300C1_2	Number of Stage 3 pressure ulcers: Discharge
		M0300C2_2	Nbr Disch Stg 3 PU were Adm Stg 3 PU

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		M0300D1_2	Number of Stage 4 pressure ulcers: Discharge
		M0300D2_2	Nbr Disch Stg 4 PU were Adm Stg 4 PU
		M0300E1_2	Nbr Unstg non-remov drsg prss ulcers/injrs: Dschrg
		M0300E2_2	Nbr Unstg NRD Disch PU/Injrs present at Adm
		M0300F1_2	Nbr Unstg slough/eschar pressure ulcers: Dschrg
		M0300F2_2	Nbr Unstg S/E Disch PU were Adm Unstg S/E PU
		M0300G1_2	Nbr Unstg DTI pressure injrs: Dschrg
		M0300G2_2	Nbr Unstg DTI Disch PU/Injrs present at Adm
		N0415A1_1	High-Risk Drug (Is Taking): Antipsychotic
		N0415A2_1	High-Risk Drug (Indication) : Antipsychotic
		N0415A1_2	High-Risk Drug (Is Taking): Antipsychotic
		N0415A2_2	High-Risk Drug (Indication) : Antipsychotic
		N0415E1_1	High-Risk Drug (Is taking): Anticoagulant
		N0415E2_1	High-Risk Drug (Indication): Anticoagulant
		N0415E1_2	High-Risk Drug (Is taking): Anticoagulant
		N0415E2_2	High-Risk Drug (Indication): Anticoagulant
		N0415F1_1	High-Risk Drug (Is taking): Antibiotic
		N0415F2_1	High-Risk Drug (Indication): Antibiotic
		N0415F1_2	High-Risk Drug (Is taking): Antibiotic
		N0415F2_2	High-Risk Drug (Indication): Antibiotic
		N0415H1_1	High-Risk Drug (Is taking): Opioid
		N0415H2_1	High-Drug Risk (Indication): Opioid
		N0415H1_2	High-Risk Drug (Is taking): Opioid
		N0415H2_2	High-Drug Risk (Indication): Opioid
		N0415I1_1	High-Risk Drug (Is taking): Antiplatelet
		N0415I2_1	High-Risk Drug (Indication): Antiplatelet
		N0415I1_2	High-Risk Drug (Is taking): Antiplatelet
		N0415I2_2	High-Risk Drug (Indication): Antiplatelet
		N0415J1_1	High-Risk Drug (Is taking): Hypoglycemic
		N0415J2_1	High-Risk Drug (Indication): Hypoglycemic
		N0415J1_2	High-Risk Drug (Is taking): Hypoglycemic
		N0415J2_2	High-Risk Drug (Indication): Hypoglycemic
		N0415Z1_1	High-Risk Drug (Is taking): None of the above
		N0415Z1_2	High-Risk Drug (Is taking): None of the above

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		N2001	Drug Regimen Review
		N2003	Medication Follow-up
		N2005	Medication Intervention
		O0110A1a	Treatment: Chemotherapy (Admission)
		O0110A1c	Treatment: Chemotherapy (Discharge)
		O0110A2a	Treatment: IV (Admission)
		O0110A2c	Treatment: IV (Discharge)
		O0110A3a	Treatment: Oral (Admission)
		O0110A3c	Treatment: Oral (Discharge)
		O0110A10a	Treatment: Other (Admission)
		O0110A10c	Treatment: Other (Discharge)
		O0110B1a	Treatment: Radiation (Admission)
		O0110B1c	Treatment: Radiation (Discharge)
		O0110C1a	Therapies: Oxygen Therapy (Admission)
		O0110C1c	Therapies: Oxygen Therapy (Discharge)
		O0110C2a	Therapies: Continuous (Admission)
		O0110C2c	Therapies: Continuous (Discharge)
		O0110C3a	Therapies: Intermittent (Admission)
		O0110C3c	Therapies: Intermittent (Discharge)
		O0110C4a	Therapies: High-concentration (Admission)
		O0110C4c	Therapies: High-concentration (Discharge)
		O0110D1a	Therapies: Suctioning (Admission)
		O0110D1c	Therapies: Suctioning (Discharge)
		O0110D2a	Therapies: Scheduled
		O0110D2c	Therapies: Scheduled (Discharge)
		O0110D3a	Therapies: As Needed (Admission)
		O0110D3c	Therapies: As Needed (Discharge)
		O0110E1a	Therapies: Tracheostomy Care (Admission)
		O0110E1c	Therapies: Tracheostomy Care (Discharge)
		O0110F1a	Therapies: Invasive Mechanical Ventilator (Admis)
		O0110F1c	Therapies: Invasive Mechanical Ventilator (Disch)
		O0110G1a	Therapies: Non-Invas Mechanical Ventilator (Admis)
		O0110G1c	Therapies: Non-Invas Mechanical Ventilator (Disch)
		O0110G2a	Therapies: BiPAP (Admission)

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
			O0110G2c Therapies: BiPAP (Discharge)
			O0110G3a Therapies: CPAP (Admission)
			O0110G3c Therapies: CPAP (Discharge)
			O0110H1a Other: IV Medications (Admission)
			O0110H1c Other: IV Medications (Discharge)
			O0110H2a Other: Vasoactive medications (Admission)
			O0110H2c Other: Vasoactive medications (Discharge)
			O0110H3a Other: Antibiotics (Admission)
			O0110H3c Other: Antibiotics (Discharge)
			O0110H4a Other: Anticoagulation (Admission)
			O0110H4c Other: Anticoagulation (Discharge)
			O0110H10a Other: Other (Admission)
			O0110H10c Other: Other (Discharge)
			O0110I1a Other: Transfusions (Admission)
			O0110I1c Other: Transfusions (Discharge)
			O0110J1a Other: Dialysis (Admission)
			O0110J1c Other: Dialysis (Discharge)
			O0110J2a Other: Hemodialysis (Admission)
			O0110J2c Other: Hemodialysis (Discharge)
			O0110J3a Other: Peritoneal dialysis (Admission)
			O0110J3c Other: Peritoneal dialysis (Discharge)
			O0110O1a Other: IV Access (Admission)
			O0110O1c Other: IV Access (Discharge)
			O0110O2a Other: Peripheral (Admission)
			O0110O2c Other: Peripheral (Discharge)
			O0110O3a Other: Midline (Admission)
			O0110O3c Other: Midline (Discharge)
			O0110O4a Other: Central (Admission)
			O0110O4c Other: Central (Discharge)
			O0110Z1a Other: None of the above (Admission)
			O0110Z1c Other: None of the above (Discharge)
-5006	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers/injuries present on admission (M0210_1) is equal to [0] (No), then the number of unhealed pressure ulcers/injuries at each Stage at admission (M0300A1_1 through M0300G1_1) must all be skipped with value of "Skipped" [^].

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	M0210_1 Pressure Ulcers/Injuries Present on Admission M0300A1_1 Number of Stage 1 pressure injuries: Admission M0300B1_1 Number of Stage 2 pressure ulcers: Admission M0300C1_1 Number of Stage 3 pressure ulcers: Admission M0300D1_1 Number of Stage 4 pressure ulcers: Admission M0300E1_1 Nbr Unstg non-remov drsg prss ulcers/injrs: Adm M0300F1_1 Nbr Unstg slough/eschar pressure ulcers: Adm M0300G1_1 Nbr Unstg DTI pressure injrs: Adm
-5010	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers/injuries present on admission (M0210_1) is equal to [1] (Yes), then the number of unhealed pressure ulcers/injuries at each Stage at admission (M0300A1_1 through M0300G1_1) must not be "Skipped" [^].
		Items:	M0210_1 Pressure Ulcers/Injuries Present on Admission M0300A1_1 Number of Stage 1 pressure injuries: Admission M0300B1_1 Number of Stage 2 pressure ulcers: Admission M0300C1_1 Number of Stage 3 pressure ulcers: Admission M0300D1_1 Number of Stage 4 pressure ulcers: Admission M0300E1_1 Nbr Unstg non-remov drsg prss ulcers/injrs: Adm M0300F1_1 Nbr Unstg slough/eschar pressure ulcers: Adm M0300G1_1 Nbr Unstg DTI pressure injrs: Adm
-5016	Consistency	Fatal	Inconsistent M0300B1_2 value: If total Stage 2 pressures ulcers present on discharge (M0300B1_2) is equal to [0], then M0300B2_2 must be "Skipped" [^].
		Items:	M0300B1_2 Number of Stage 2 pressure ulcers: Discharge M0300B2_2 Nbr Disch Stg 2 PU were Adm Stg 2 PU
-5017	Consistency	Fatal	Inconsistent M0300B1_2 value: If total Stage 2 pressures ulcers present on discharge (M0300B1_2) is equal to [1] thru [9], then M0300B2_2 must not be "Skipped" [^].
		Items:	M0300B1_2 Number of Stage 2 pressure ulcers: Discharge M0300B2_2 Nbr Disch Stg 2 PU were Adm Stg 2 PU
-5018	Consistency	Fatal	Inconsistent M0300C1_2 value: If total Stage 3 pressures ulcers present on discharge (M0300C1_2) is equal to [0], then M0300C2_2 must be "Skipped" [^].
		Items:	M0300C1_2 Number of Stage 3 pressure ulcers: Discharge M0300C2_2 Nbr Disch Stg 3 PU were Adm Stg 3 PU
-5019	Consistency	Fatal	Inconsistent M0300C1_2 value: If total Stage 3 pressures ulcers present on discharge (M0300C1_2) is equal to [1] thru [9], then M0300C2_2 must not be "Skipped" [^].

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M0300C1_2 Number of Stage 3 pressure ulcers: Discharge M0300C2_2 Nbr Disch Stg 3 PU were Adm Stg 3 PU
-5020	Consistency	Fatal	Inconsistent M0300D1_2 value: If total Stage 4 pressures ulcers present on discharge (M0300D1_2) is equal to [0], then M0300D2_2 must be "Skipped" [^].
			Items: M0300D1_2 Number of Stage 4 pressure ulcers: Discharge M0300D2_2 Nbr Disch Stg 4 PU were Adm Stg 4 PU
-5021	Consistency	Fatal	Inconsistent M0300D1_2 value: If total Stage 4 pressures ulcers present on discharge (M0300D1_2) is equal to [1] thru [9], then M0300D2_2 must not be "Skipped" [^].
			Items: M0300D1_2 Number of Stage 4 pressure ulcers: Discharge M0300D2_2 Nbr Disch Stg 4 PU were Adm Stg 4 PU
-5022	Consistency	Fatal	Inconsistent M0300E1_2 value: If total unstageable pressures ulcers due to non-removable dressing/device present on discharge (M0300E1_2) is equal to [0], then M0300E2_2 must be "Skipped" [^].
			Items: M0300E1_2 Nbr Unstg non-remov drsg prss ulcers/injrs: Dschrg M0300E2_2 Nbr Unstg NRD Disch PU/Injrs present at Adm
-5023	Consistency	Fatal	Inconsistent M0300E1_2 value: If total unstageable pressures ulcers due to non-removable dressing/device on discharge (M0300E1_2) is equal to [1] thru [9], then M0300E2_2 must not be "Skipped" [^].
			Items: M0300E1_2 Nbr Unstg non-remov drsg prss ulcers/injrs: Dschrg M0300E2_2 Nbr Unstg NRD Disch PU/Injrs present at Adm
-5024	Consistency	Fatal	Inconsistent M0300F1_2 value: If total unstageable pressures ulcers due to slough/eschar present on discharge (M0300F1_2) is equal to [0], then M0300F2_2 must
			Items: M0300F1_2 Nbr Unstg slough/eschar pressure ulcers: Dschrg M0300F2_2 Nbr Unstg S/E Disch PU were Adm Unstg S/E PU
-5025	Consistency	Fatal	Inconsistent M0300F1_2 value: If total unstageable pressures ulcers due to slough/eschar on discharge (M0300F1_2) is equal to [1] thru [9], then M0300F2_2 must not be "Skipped" [^].
			Items: M0300F1_2 Nbr Unstg slough/eschar pressure ulcers: Dschrg M0300F2_2 Nbr Unstg S/E Disch PU were Adm Unstg S/E PU
-5026	Consistency	Fatal	Inconsistent M0300G1_2 value: If total unstageable pressures ulcers with suspected DTI present on discharge (M0300G1_2) is equal to [0], then M0300G2_2 must be "Skipped"
			Items: M0300G1_2 Nbr Unstg DTI pressure injrs: Dschrg M0300G2_2 Nbr Unstg DTI Disch PU/Injrs present at Adm

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-5027	Consistency	Fatal	Inconsistent M0300G1_2 value: If total unstageable pressures ulcers with suspected DTI on discharge (M0300G1_2) is equal to [1] thru [9], then M0300G2_2 must not be
		Items:	M0300G1_2 Nbr Unstg DTI pressure injrs: Dschrg M0300G2_2 Nbr Unstg DTI Disch PU/Injrs present at Adm
-5043	Consistency	Fatal	If the following Unstageable ulcers due to deep tissue injury (DTI) present on discharge item (M0300G2_2) is a numeric value ([0]-[9]) and M0300G1_2 is a numeric value ([0]-[9]) THEN The item (M0300G2_2) must be equal to or less than the total count of Unstageable ulcers due to DTI present on discharge (M0300G1_2).
		Items:	M0300G1_2 Nbr Unstg DTI pressure injrs: Dschrg M0300G2_2 Nbr Unstg DTI Disch PU/Injrs present at Adm
-5044	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers/injuries present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers/injuries at each stage at admission (M0300A1_1 through M0300G1_1) must be equal to "Not assessed/no information" [-].
		Items:	M0210_1 Pressure Ulcers/Injuries Present on Admission M0300A1_1 Number of Stage 1 pressure injuries: Admission M0300B1_1 Number of Stage 2 pressure ulcers: Admission M0300C1_1 Number of Stage 3 pressure ulcers: Admission M0300D1_1 Number of Stage 4 pressure ulcers: Admission M0300E1_1 Nbr Unstg non-remov drsg prss ulcers/injrs: Adm M0300F1_1 Nbr Unstg slough/eschar pressure ulcers: Adm M0300G1_1 Nbr Unstg DTI pressure injrs: Adm
-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers/injuries present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers/injuries at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-].
		Items:	M0210_2 Pressure Ulcers/Injuries Present on Discharge M0300A1_2 Number of Stage 1 pressure injuries: Discharge M0300B1_2 Number of Stage 2 pressure ulcers: Discharge M0300B2_2 Nbr Disch Stg 2 PU were Adm Stg 2 PU M0300C1_2 Number of Stage 3 pressure ulcers: Discharge M0300C2_2 Nbr Disch Stg 3 PU were Adm Stg 3 PU M0300D1_2 Number of Stage 4 pressure ulcers: Discharge

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	M0300D2_2 Nbr Disch Stg 4 PU were Adm Stg 4 PU M0300E1_2 Nbr Unstg non-remov drsg prss ulcers/injrs: Dschrg M0300E2_2 Nbr Unstg NRD Disch PU/Injrs present at Adm M0300F1_2 Nbr Unstg slough/eschar pressure ulcers: Dschrg M0300F2_2 Nbr Unstg S/E Disch PU were Adm Unstg S/E PU M0300G1_2 Nbr Unstg DTI pressure injrs: Dschrg M0300G2_2 Nbr Unstg DTI Disch PU/Injrs present at Adm
-5048	Consistency	Fatal	Inconsistent M0300B1_2 value: If the number of unhealed pressure ulcers at Stage 2 at discharge (M0300B1_2) is equal to "Not assessed/no information" [-], then the subsequent item for unhealed Stage 2 pressure ulcers at discharge (M0300B2_2) must be equal to "Not assessed/no information" [-].
		Items:	M0300B1_2 Number of Stage 2 pressure ulcers: Discharge M0300B2_2 Nbr Disch Stg 2 PU were Adm Stg 2 PU
-5049	Consistency	Fatal	Inconsistent M0300C1_2 value: If the number of unhealed pressure ulcers at Stage 3 at discharge (M0300C1_2) is equal to "Not assessed/no information" [-], then the subsequent item for unhealed Stage 3 pressure ulcers at discharge (M0300C2_2) must be equal to "Not assessed/no information" [-].
		Items:	M0300C1_2 Number of Stage 3 pressure ulcers: Discharge M0300C2_2 Nbr Disch Stg 3 PU were Adm Stg 3 PU
-5050	Consistency	Fatal	Inconsistent M0300D1_2 value: If the number of unhealed pressure ulcers at Stage 4 at discharge (M0300D1_2) is equal to "Not assessed/no information" [-], then the subsequent item for unhealed Stage 4 pressure ulcers at discharge (M0300D2_2) must be equal to "Not assessed/no information" [-].
		Items:	M0300D1_2 Number of Stage 4 pressure ulcers: Discharge M0300D2_2 Nbr Disch Stg 4 PU were Adm Stg 4 PU
-5051	Consistency	Fatal	Inconsistent M0300E1_2 value: If the number of unhealed pressure ulcers/injuries unstageable due to a non-removable dressing or device at discharge (M0300E1_2) is equal to "Not assessed/no information" [-], then the subsequent item for unhealed pressure ulcers/injuries unstageable due to a non-removable dressing or device pressure ulcers at discharge (M0300E2_2) must be equal to "Not assessed/no
		Items:	M0300E1_2 Nbr Unstg non-remov drsg prss ulcers/injrs: Dschrg M0300E2_2 Nbr Unstg NRD Disch PU/Injrs present at Adm
-5052	Consistency	Fatal	Inconsistent M0300F1_2 value: If the number of unhealed pressure ulcers unstageable due to slough or eschar at discharge (M0300F1_2) is equal to "Not assessed/no information" [-], then the subsequent item for unhealed pressure ulcers unstageable due to slough or eschar pressure ulcers at discharge (M0300F2_2) must be equal to "Not assessed/no information" [-].

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	M0300F1_2 Nbr Unstg slough/eschar pressure ulcers: Dschrg
			M0300F2_2 Nbr Unstg S/E Disch PU were Adm Unstg S/E PU
-5053 Consistency	Fatal	Inconsistent M0300G1_2 value: If the number of unhealed pressure injuries with suspected deep tissue injury at discharge (M0300G1_2) is equal to "Not assessed/no information" [-], then the subsequent item that was unstageable with suspected deep tissue injury at discharge (M0300G2_2) must be equal to "Not assessed/no	
		Items:	M0300G1_2 Nbr Unstg DTI pressure injrs: Dschrg
			M0300G2_2 Nbr Unstg DTI Disch PU/Injrs present at Adm
-5055 Consistency	Fatal	C0100-C0600 Consistency:	
		a) If C0100=[0], then all items from C0200 through C0600 must be equal to [^].	
		b) If C0100=[1], then all items from C0200 through C0600 must not be equal to [^].	
		c) If C0100=[-], then all items from C0200 through C0500 must be equal to [-] and C0600 must equal [1,-].	
		Items:	C0100 Brief Interview - Mental Status (BIMS)
			C0200 BIMS - Repetition of Three Words
			C0300A BIMS - Temporal Orientation - Year
			C0300B BIMS - Temporal Orientation - Month
			C0300C BIMS - Temporal Orientation - Day
			C0400A BIMS - Recalls Sock
			C0400B BIMS - Recalls Blue
			C0400C BIMS - Recalls Bed
			C0500 BIMS - Summary Score
			C0600 Conduct Staff Assessment - Mental Status
-5056 Consistency	Fatal	BIMS Summary Score:	
		a) If all of the BIMS component items have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items.	
		b) If all of the BIMS component items have numeric values (not dash) and if four or more of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items OR it must equal [99].	
		c) If some, but not all, of the BIMS component items have a value of [-], then C0500 must equal [99].	
		d) If all of the BIMS component items have a value of [-], then C0500 must equal [-].	
		Items:	C0200 BIMS - Repetition of Three Words

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	C0300A BIMS - Temporal Orientation - Year C0300B BIMS - Temporal Orientation - Month C0300C BIMS - Temporal Orientation - Day C0400A BIMS - Recalls Sock C0400B BIMS - Recalls Blue C0400C BIMS - Recalls Bed C0500 BIMS - Summary Score
-5057	Consistency	Fatal	C0600-C0900Z Consistency: a) If C0600=[0], then all items from C0900A through C0900Z must be equal to [^]. b) If C0600=[^,1], then all items from C0900A through C0900Z must not be equal to [^]. c) If C0600=[-], then all items from C0900A through C0900Z must be equal to [-]. Items: C0600 Conduct Staff Assessment - Mental Status C0900A Memory/Recall - Current Season (3-day Asmt Prd) C0900B Memory/Recall - Loc Of Own Room (3-day Asmt Prd) C0900C Memory/Recall - Staff Names/Faces (3-day Asmt Prd) C0900E Memory/Recall - In Hospital Unit (3-day Asmt Prd) C0900Z Memory/Recall - None Of The Above (3-day Asmt Prd)
-5058	Consistency	Fatal	C0500/C0600 Consistency: a) If C0500=[99,-], then C0600 must be equal to [1,-]. b) If C0500=[00-15], then C0600 must be equal to [0]. Items: C0500 BIMS - Summary Score C0600 Conduct Staff Assessment - Mental Status
-5059	Consistency	Fatal	C0900 Consistency: a) If C0900Z=[1], then all items from C0900A through C0900E must be equal to [0]. b) If C0900Z=[0], then at least one of the items C0900A through C0900E must be equal to [1]. c) If C0900Z=[-], then at least one item from C0900A through C0900E must equal [-] and all remaining items must equal [0,-]. Items: C0900A Memory/Recall - Current Season (3-day Asmt Prd) C0900B Memory/Recall - Loc Of Own Room (3-day Asmt Prd) C0900C Memory/Recall - Staff Names/Faces (3-day Asmt Prd)

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	C0900E Memory/Recall - In Hospital Unit (3-day Asmt Prd)
			C0900Z Memory/Recall - None Of The Above (3-day Asmt Prd)
-5060 Consistency	Fatal	GG0110 Consistency:	
		a) If GG0110Z=[1], then all items from GG0110A through GG0110E must be equal to [0].	
		b) If GG0110Z=[0], then at least one of the items GG0110A through GG0110E must be equal to [1].	
		Items:	c) If GG0110Z=[-], then at least one item from GG0110A through GG0110E must equal [-], and all remaining items must equal [0,-].
		Items:	GG0110A Prior Device - Manual wheelchair
			GG0110B Prior Device - Motorized wheelchair and/or scooter
			GG0110C Prior Device - Mechanical lift
		Items:	GG0110D Prior Device - Walker
			GG0110E Prior Device - Orthotics/Prosthetics
			GG0110Z Prior Device - None of the above
-5061 Consistency	Warning	Self-Care and Mobility Discharge Goals: At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88]. Entering the dash [-] as the response to all of the Discharge Goal items may result in a payment reduction of two percentage points for the applicable FY annual increase	
		Items:	GG0130A2 Self-Care (Dschg Goal) - Eating
			GG0130B2 Self-Care (Dschg Goal) - Oral hygiene
		Items:	GG0130C2 Self-Care (Dschg Goal) - Toileting hygiene
			GG0130E2 Self-Care (Dschg Goal) - Shower/bathe self
			GG0130F2 Self-Care (Dschg Goal) - Upper Body Dressing
		Items:	GG0130G2 Self-Care (Dschg Goal) - Lower Body Dressing
			GG0130H2 Self-Care (Dschg Goal) - On/Off Footwear
			GG0170A2 Func Mobil (Dschg Goal) - Roll left and right
		Items:	GG0170B2 Func Mobil (Dschg Goal) - Sit to lying
			GG0170C2 Func Mobil (Dschg Goal) - Lying to sitting on side
			GG0170D2 Func Mobil (Dschg Goal) - Sit to stand
		Items:	GG0170E2 Func Mobil (Dschg Goal) - Chair/bed-to-chair trans
			GG0170F2 Func Mobil (Dschg Goal) - Toilet transfer
			GG0170G2 Func Mobil (Dschg Goal) - Car Transfer

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	GG0170I2 Func Mobil (Dschg Goal) - Walk 10 feet
			GG0170J2 Func Mobil (Dschg Goal) - Walk 50 feet w/2 turns
			GG0170K2 Func Mobil (Dschg Goal) - Walk 150 feet
			GG0170L2 Func Mobil (Dschg Goal) - Walk 10 Ft Uneven Surf
			GG0170M2 Func Mobil (Dschg Goal) - 1 Step (Curb)
			GG0170N2 Func Mobil (Dschg Goal) - 4 Steps
			GG0170O2 Func Mobil (Dschg Goal) - 12 Steps
			GG0170P2 Func Mobil (Dschg Goal) - Picking Up Object
			GG0170R2 Func Mobil (Dschg Goal) - Wheel 50 feet w/2 turns
			GG0170S2 Func Mobil (Dschg Goal) - Wheel 150 feet
-5065	Consistency	Fatal	<p>a) If GG0170Q1=[0], then items GG0170R1, GG0170R2, G0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must be equal to [^].</p> <p>b) If GG0170Q1=[1], then items GG0170R1, GG0170R2, G0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must not be equal to [^].</p> <p>c) If GG0170Q1=[-], then items GG0170R1, GG0170R2, G0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must be equal to [-].</p>
			<p>Items: GG0170Q1 Does patient use wheelchair and/or scooter (Adm)</p> <p>GG0170R1 Func Mobil (Adm Perf) - Wheel 50 feet w/2 turns</p> <p>GG0170R2 Func Mobil (Dschg Goal) - Wheel 50 feet w/2 turns</p> <p>GG0170RR1 Indicate type of wheelchair or scooter (Adm)</p> <p>GG0170S1 Func Mobil (Adm Perf) - Wheel 150 feet</p> <p>GG0170S2 Func Mobil (Dschg Goal) - Wheel 150 feet</p> <p>GG0170SS1 Indicate type of wheelchair or scooter (Adm)</p>
-5066	Consistency	Fatal	<p>a) If GG0170Q3=[0,^], then items GG0170R3, G0170RR3, GG0170S3, and GG0170SS3 must be equal to [^].</p> <p>b) If GG0170Q3=[1], then items GG0170R3, G0170RR3, GG0170S3, and GG0170SS3 must not be equal to [^].</p> <p>c) If GG0170Q3=[-], then items GG0170R3, G0170RR3, GG0170S3, and GG0170SS3 must be equal to [-].</p>
			<p>Items: GG0170Q3 Does patient use wheelchair and/or scooter (Dschg)</p> <p>GG0170R3 Func Mobil (Dschg Perf) - Wheel 50 feet w/2 turns</p> <p>GG0170RR3 Indicate type of wheelchair or scooter (Dschg)</p> <p>GG0170S3 Func Mobil (Dschg Perf) - Wheel 150 feet</p> <p>GG0170SS3 Indicate type of wheelchair or scooter (Dschg)</p>

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-5067	Consistency	Fatal	<p>a) If I7900=[1], then items I0900 and I2900 must be equal to [0].</p> <p>b) If I7900=[0], then at least one of items I0900 and I2900 must not be equal to [0].</p> <p>c) If I7900=[-], then at least one of items I0900 and I2900 must be equal to [-], and the other item must be equal to [0,-].</p>
		Items:	<p>I0900 Diagnoses: Peripheral vascular disease (PVD)/PAD</p> <p>I2900 Diagnoses: Diabetes mellitus (DM)</p> <p>I7900 Diagnoses: None of the Above</p>
-5068	Consistency	Fatal	<p>a) If J1800=[0], then all active items from J1900A through J1900C must be equal to [^].</p> <p>b) If J1800=[1], then all active items from J1900A through J1900C must not be equal to [^], and at least one of these items must equal [-,1,2].</p> <p>c) If J1800=[-], then all active items from J1900A through J1900C must be equal to [-].</p>
		Items:	<p>J1800 Any Falls Since Admission</p> <p>J1900A Num Falls Since Admission - No injury</p> <p>J1900B Num Falls Since Admission - Injury (except major)</p> <p>J1900C Num Falls Since Admission - Major injury</p>
-5069	Consistency	Fatal	<p>If M0300B1_2=[1-9], then one of the following must be true:</p> <p>a) M0300B2_2 must be equal to [-] OR</p> <p>b) M0300B2_2 must be equal to [0-9] and must be less than or equal to M0300B1_2.</p>
		Items:	<p>M0300B1_2 Number of Stage 2 pressure ulcers: Discharge</p> <p>M0300B2_2 Nbr Disch Stg 2 PU were Adm Stg 2 PU</p>
-5070	Consistency	Fatal	<p>If M0300C1_2=[1-9], then one of the following must be true:</p> <p>a) M0300C2_2 must be equal to [-] OR</p> <p>b) M0300C2_2 must be equal to [0-9] and must be less than or equal to M0300C1_2.</p>
		Items:	<p>M0300C1_2 Number of Stage 3 pressure ulcers: Discharge</p> <p>M0300C2_2 Nbr Disch Stg 3 PU were Adm Stg 3 PU</p>
-5071	Consistency	Fatal	<p>If M0300D1_2=[1-9], then one of the following must be true:</p> <p>a) M0300D2_2 must be equal to [-] OR</p> <p>b) M0300D2_2 must be equal to [0-9] and must be less than or equal to M0300D1_2.</p>
		Items:	<p>M0300D1_2 Number of Stage 4 pressure ulcers: Discharge</p> <p>M0300D2_2 Nbr Disch Stg 4 PU were Adm Stg 4 PU</p>
-5072	Consistency	Fatal	<p>If M0300E1_2=[1-9], then one of the following must be true:</p> <p>a) M0300E2_2 must be equal to [-] OR</p> <p>b) M0300E2_2 must be equal to [0-9] and must be less than or equal to M0300E1_2.</p>

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M0300E1_2 Nbr Unstg non-remov drsg prss ulcers/injrs: Dschrg
			M0300E2_2 Nbr Unstg NRD Disch PU/Injrs present at Adm
-5073	Consistency	Fatal	If M0300F1_2=[1-9], then one of the following must be true: a) M0300F2_2 must be equal to [-] OR b) M0300F2_2 must be equal to [0-9] and must be less than or equal to M0300F1_2.
			Items: M0300F1_2 Nbr Unstg slough/eschar pressure ulcers: Dschrg
			M0300F2_2 Nbr Unstg S/E Disch PU were Adm Unstg S/E PU
-5080	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers/injuries present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers/injuries at each Stage at discharge (M0300A1_2 through M0300G2_2) must all be skipped with value of "Skipped" [^] .
			Items: M0210_2 Pressure Ulcers/Injuries Present on Discharge
			M0300A1_2 Number of Stage 1 pressure injuries: Discharge
			M0300B1_2 Number of Stage 2 pressure ulcers: Discharge
			M0300B2_2 Nbr Disch Stg 2 PU were Adm Stg 2 PU
			M0300C1_2 Number of Stage 3 pressure ulcers: Discharge
			M0300C2_2 Nbr Disch Stg 3 PU were Adm Stg 3 PU
			M0300D1_2 Number of Stage 4 pressure ulcers: Discharge
			M0300D2_2 Nbr Disch Stg 4 PU were Adm Stg 4 PU
			M0300E1_2 Nbr Unstg non-remov drsg prss ulcers/injrs: Dschrg
			M0300E2_2 Nbr Unstg NRD Disch PU/Injrs present at Adm
			M0300F1_2 Nbr Unstg slough/eschar pressure ulcers: Dschrg
			M0300F2_2 Nbr Unstg S/E Disch PU were Adm Unstg S/E PU
			M0300G1_2 Nbr Unstg DTI pressure injrs: Dschrg
			M0300G2_2 Nbr Unstg DTI Disch PU/Injrs present at Adm
-5081	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers/injuries present on discharge (M0210_2) is equal to 1 (Yes), then the number of unhealed pressure ulcers/injuries at each Stage at discharge (M0300A1_2, M0300B1_2, M0300C1_2, M0300D1_2, M0300E1_2, M0300F1_2, M0300G1_2) must not be "Skipped" [^].
			Items: M0210_2 Pressure Ulcers/Injuries Present on Discharge
			M0300A1_2 Number of Stage 1 pressure injuries: Discharge
			M0300B1_2 Number of Stage 2 pressure ulcers: Discharge
			M0300C1_2 Number of Stage 3 pressure ulcers: Discharge
			M0300D1_2 Number of Stage 4 pressure ulcers: Discharge
			M0300E1_2 Nbr Unstg non-remov drsg prss ulcers/injrs: Dschrg

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	M0300F1_2 Nbr Unstg slough/eschar pressure ulcers: Dschrg
			M0300G1_2 Nbr Unstg DTI pressure injrs: Dschrg
-5082	Consistency	Fatal	a) If N2001=[0,9], then N2003 must be equal to [^].
			b) If N2001=[1], then N2003 must not be equal to [^].
			c) If N2001=[-], then N2003 must equal [-].
		Items:	N2001 Drug Regimen Review
			N2003 Medication Follow-up
-5083	Consistency	Fatal	Incomplete Stay Skip Pattern:
			IF (44D=[02, 63, 65, 66]) OR (41=[1]) OR (44C=[0]) OR (Discharge Date (40) minus Admission Date (12) < 3 days), then the following items must equal [^]: GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, GG0130H3, GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170G3, GG0170I3, GG0170M3, GG0170P3, GG0170Q3.
		Items:	12 Admission Date
			40 Discharge Date
			41 Patient Discharged Against Medical Advice
			44C Patient Discharged Alive
			44D Discharge to Living Setting
			GG0130A3 Self-Care (Dschg Perf) - Eating
			GG0130B3 Self-Care (Dschg Perf) - Oral hygiene
			GG0130C3 Self-Care (Dschg Perf) - Toileting hygiene
			GG0130E3 Self-Care (Dschg Perf) - Shower/bathe self
			GG0130F3 Self-Care (Dschg Perf) - Upper Body Dressing
			GG0130G3 Self-Care (Dschg Perf) - Lower Body Dressing
			GG0130H3 Self-Care (Dschg Perf) - On/Off Footwear
			GG0170A3 Func Mobil (Dschg Perf) - Roll left and right
			GG0170B3 Func Mobil (Dschg Perf) - Sit to lying
			GG0170C3 Func Mobil (Dschg Perf) - Lying to sitting on side
			GG0170D3 Func Mobil (Dschg Perf) - Sit to stand
			GG0170E3 Func Mobil (Dschg Perf) - Chair/bed-to-chair trans
			GG0170F3 Func Mobil (Dschg Perf) - Toilet transfer
			GG0170G3 Func Mobil (Dschg Perf) - Car Transfer

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	GG0170I3 Func Mobil (Dschg Perf) - Walk 10 feet
			GG0170M3 Func Mobil (Dschg Perf) - 1 Step (Curb)
			GG0170P3 Func Mobil (Dschg Perf) - Picking Up Object
			GG0170Q3 Does patient use wheelchair and/or scooter (Dschg)
-5084	Consistency	Fatal	(a) If GG0170I1=[07,09,10,88], then GG0170J1, GG0170K1 and GG0170L1 must equal [^].
			(b) If GG0170I1=[06,05,04,03,02,01], then GG0170J1, GG0170K1 and GG0170L1 must not equal [^].
			(c) If GG0170I1=[-], then GG0170J1, GG0170K1 and GG0170L1 must equal [-].
		Items:	GG0170I1 Func Mobil (Adm Perf) - Walk 10 feet
			GG0170J1 Func Mobil (Adm Perf) - Walk 50 feet w/2 turns
			GG0170K1 Func Mobil (Adm Perf) - Walk 150 feet
			GG0170L1 Func Mobil (Adm Perf) - Walk 10 Ft Uneven Surf
-5085	Consistency	Fatal	(a) If GG0170I3=[07,09,10,88,^], then GG0170J3, GG0170K3 and GG0170L3 must equal [^].
			(b) If GG0170I3=[06,05,04,03,02,01], then GG0170J3, GG0170K3 and GG0170L3 must not equal [^].
		Items:	GG0170I3 Func Mobil (Dschg Perf) - Walk 10 feet
			GG0170J3 Func Mobil (Dschg Perf) - Walk 50 feet w/2 turns
			GG0170K3 Func Mobil (Dschg Perf) - Walk 150 feet
			GG0170L3 Func Mobil (Dschg Perf) - Walk 10 Ft Uneven Surf
-5086	Consistency	Fatal	(a) If GG0170M1=[07,09,10,88], then GG0170N1 must equal [^].
			(b) If GG0170M1=[06,05,04,03,02,01], then GG0170N1 must not equal [^].
			(c) If GG0170M1=[-], then GG0170N1 must equal [-].
		Items:	GG0170M1 Func Mobil (Adm Perf) - 1 Step (Curb)
			GG0170N1 Func Mobil (Adm Perf) - 4 Steps
-5087	Consistency	Fatal	(a) If GG0170M3=[07,09,10,88,^], then GG0170N3 must equal [^].
			(b) If GG0170M3=[06,05,04,03,02,01], then GG0170N3 must not equal [^].
			(c) If GG0170M3=[-], then GG0170N3 must equal [-].
		Items:	GG0170M3 Func Mobil (Dschg Perf) - 1 Step (Curb)
			GG0170N3 Func Mobil (Dschg Perf) - 4 Steps
-5088	Consistency	Fatal	(a) If GG0170N1=[07,09,10,88,^], then GG0170O1 must equal [^].
			(b) If GG0170N1=[06,05,04,03,02,01], then GG0170O1 must not equal [^].
			(c) If GG0170N1=[-], then GG0170O1 must equal [-].

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	GG0170N1 Func Mobil (Adm Perf) - 4 Steps
			GG0170O1 Func Mobil (Adm Perf) - 12 Steps
-5089 Consistency	Fatal	(a) If GG0170N3=[07,09,10,88,^], then GG0170O3 must equal [^]. (b) If GG0170N3=[06,05,04,03,02,01], then GG0170O3 must not equal [^]. (c) If GG0170N3=[-], then GG0170O3 must equal [-].	
		Items:	GG0170N3 Func Mobil (Dschg Perf) - 4 Steps GG0170O3 Func Mobil (Dschg Perf) - 12 Steps
-5091 Consistency	Fatal	(a) If D0150A1_1 = [0], then D0150A2_1 must equal [0] (b) If D0150A1_1 = [1], then D0150A2_1 must equal [0,1,2,3] (c) If D0150A1_1 = [9], then D0150A2_1 must equal [^] (d) If D0150A1_1 = [-], then D0150A2_1 must equal [-]	
		Items:	D0150A1_1 Little interest or pleasure in doing things: Presc D0150A2_1 Little interest or pleasure in doing things: Freq
-5092 Consistency	Fatal	(a) If D0150A1_2 = [0], then D0150A2_2 must equal [0] (b) If D0150A1_2 = [1], then D0150A2_2 must equal [0,1,2,3] (c) If D0150A1_2 = [9], then D0150A2_2 must equal [^] (d) If D0150A1_2 = [-], then D0150A2_2 must equal [-]	
		Items:	D0150A1_2 Little interest or pleasure in doing things: Presc D0150A2_2 Little interest or pleasure in doing things: Freq
-5093 Consistency	Fatal	(a) If D0150B1_1 = [0], then D0150B2_1 must equal [0] (b) If D0150B1_1 = [1], then D0150B2_1 must equal [0,1,2,3] (c) If D0150B1_1 = [9], then D0150B2_1 must equal [^] (d) If D0150B1_1 = [-], then D0150B2_1 must equal [-]	
		Items:	D0150B1_1 Feeling down, depressed, or hopeless: Presc D0150B2_1 Feeling down, depressed, or hopeless: Freq
-5094 Consistency	Fatal	(a) If D0150B1_2 = [0], then D0150B2_2 must equal [0] (b) If D0150B1_2 = [1], then D0150B2_2 must equal [0,1,2,3] (c) If D0150B1_2 = [9], then D0150B2_2 must equal [^] (d) If D0150B1_2 = [-], then D0150B2_2 must equal [-]	
		Items:	D0150B1_2 Feeling down, depressed, or hopeless: Presc D0150B2_2 Feeling down, depressed, or hopeless: Freq
-5095 Consistency	Fatal	(a) If D0150C1_1 = [0], then D0150C2_1 must equal [0] (b) If D0150C1_1 = [1], then D0150C2_1 must equal [0,1,2,3] (c) If D0150C1_1 = [9], then D0150C2_1 must equal [^] (d) If D0150C1_1 = [-], then D0150C2_1 must equal [-]	
		Items:	D0150C1_1 Trouble falling or staying asleep: Presc D0150C2_1 Trouble falling or staying asleep: Freq

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-5096	Consistency	Fatal	(a) If D0150D1_1 = [0], then D0150D2_1 must equal [0] (b) If D0150D1_1 = [1], then D0150D2_1 must equal [0,1,2,3] (c) If D0150D1_1 = [9], then D0150D2_1 must equal [^] (d) If D0150D1_1 = [-], then D0150D2_1 must equal [-]
			Items: D0150D1_1 Feeling tired or having little energy: Presc D0150D2_1 Feeling tired or having little energy: Freq
-5097	Consistency	Fatal	(a) If D0150D1_2 = [0], then D0150D2_2 must equal [0] (b) If D0150D1_2 = [1], then D0150D2_2 must equal [0,1,2,3] (c) If D0150D1_2 = [9], then D0150D2_2 must equal [^] (d) If D0150D1_2 = [-], then D0150D2_2 must equal [-]
			Items: D0150D1_2 Feeling tired or having little energy: Presc D0150D2_2 Feeling tired or having little energy: Freq
-5098	Consistency	Fatal	(a) If D0150E1_1 = [0], then D0150E2_1 must equal [0] (b) If D0150E1_1 = [1], then D0150E2_1 must equal [0,1,2,3] (c) If D0150E1_1 = [9], then D0150E2_1 must equal [^] (d) If D0150E1_1 = [-], then D0150E2_1 must equal [-]
			Items: D0150E1_1 Poor appetite or overeating: Presc D0150E2_1 Poor appetite or overeating: Freq
-5099	Consistency	Fatal	(a) If D0150E1_2 = [0], then D0150E2_2 must equal [0] (b) If D0150E1_2 = [1], then D0150E2_2 must equal [0,1,2,3] (c) If D0150E1_2 = [9], then D0150E2_2 must equal [^] (d) If D0150E1_2 = [-], then D0150E2_2 must equal [-]
			Items: D0150E1_2 Poor appetite or overeating: Presc D0150E2_2 Poor appetite or overeating: Freq
-5100	Consistency	Fatal	(a) If D0150F1_1 = [0], then D0150F2_1 must equal [0] (b) If D0150F1_1 = [1], then D0150F2_1 must equal [0,1,2,3] (c) If D0150F1_1 = [9], then D0150F2_1 must equal [^] (d) If D0150F1_1 = [-], then D0150F2_1 must equal [-]
			Items: D0150F1_1 Feeling bad about yourself: Presc D0150F2_1 Feeling bad about yourself: Freq
-5101	Consistency	Fatal	(a) If D0150F1_2 = [0], then D0150F2_2 must equal [0] (b) If D0150F1_2 = [1], then D0150F2_2 must equal [0,1,2,3] (c) If D0150F1_2 = [9], then D0150F2_2 must equal [^] (d) If D0150F1_2 = [-], then D0150F2_2 must equal [-]
			Items: D0150F1_2 Feeling bad about yourself: Presc D0150F2_2 Feeling bad about yourself: Freq

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-5102	Consistency	Fatal	(a) If D0150G1_1 = [0], then D0150G2_1 must equal [0] (b) If D0150G1_1 = [1], then D0150G2_1 must equal [0,1,2,3] (c) If D0150G1_1 = [9], then D0150G2_1 must equal [^] (d) If D0150G1_1 = [-], then D0150G2_1 must equal [-]
		Items:	D0150G1_1 Trouble concentrating on things: Presc D0150G2_1 Trouble concentrating on things: Freq
-5103	Consistency	Fatal	(a) If D0150G1_2 = [0], then D0150G2_2 must equal [0] (b) If D0150G1_2 = [1], then D0150G2_2 must equal [0,1,2,3] (c) If D0150G1_2 = [9], then D0150G2_2 must equal [^] (d) If D0150G1_2 = [-], then D0150G2_2 must equal [-]
		Items:	D0150G1_2 Trouble concentrating on things: Presc D0150G2_2 Trouble concentrating on things: Freq
-5104	Consistency	Fatal	(a) If D0150H1_1 = [0], then D0150H2_1 must equal [0] (b) If D0150H1_1 = [1], then D0150H2_1 must equal [0,1,2,3] (c) If D0150H1_1 = [9], then D0150H2_1 must equal [^] (d) If D0150H1_1 = [-], then D0150H2_1 must equal [-]
		Items:	D0150H1_1 Moving or speaking so slowly: Presc D0150H2_1 Moving or speaking so slowly: Freq
-5105	Consistency	Fatal	(a) If D0150H1_2 = [0], then D0150H2_2 must equal [0] (b) If D0150H1_2 = [1], then D0150H2_2 must equal [0,1,2,3] (c) If D0150H1_2 = [9], then D0150H2_2 must equal [^] (d) If D0150H1_2 = [-], then D0150H2_2 must equal [-]
		Items:	D0150H1_2 Moving or speaking so slowly: Presc D0150H2_2 Moving or speaking so slowly: Freq
-5106	Consistency	Fatal	(a) If D0150I1_1 = [0], then D0150I2_1 must equal [0] (b) If D0150I1_1 = [1], then D0150I2_1 must equal [0,1,2,3] (c) If D0150I1_1 = [9], then D0150I2_1 must equal [^] (d) If D0150I1_1 = [-], then D0150I2_1 must equal [-]
		Items:	D0150I1_1 Thoughts that you would be better off dead: Presc D0150I2_1 Thoughts that you would be better off dead: Freq
-5107	Consistency	Fatal	(a) If D0150I1_2 = [0], then D0150I2_2 must equal [0] (b) If D0150I1_2 = [1], then D0150I2_2 must equal [0,1,2,3] (c) If D0150I1_2 = [9], then D0150I2_2 must equal [^] (d) If D0150I1_2 = [-], then D0150I2_2 must equal [-]
		Items:	D0150I1_2 Thoughts that you would be better off dead: Presc

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-5108	Consistency	Fatal	<p>Items: D0150I2_2 Thoughts that you would be better off dead: Freq</p> <p>(a) If D0150A2_1 and D0150B2_1 = [0,1,^], then all active items D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1 and D0150I1_1 must equal [^]</p> <p>(b) If D0150A2_1 or D0150B2_1 = [2,3], then all active items D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1 and D0150I1_1 must not equal [^]</p>
			Items: D0150A2_1 Little interest or pleasure in doing things: Freq
			D0150B2_1 Feeling down, depressed, or hopeless: Freq
			D0150C1_1 Trouble falling or staying asleep: Presc
			D0150D1_1 Feeling tired or having little energy: Presc
			D0150E1_1 Poor appetite or overeating: Presc
			D0150F1_1 Feeling bad about yourself: Presc
			D0150G1_1 Trouble concentrating on things: Presc
			D0150H1_1 Moving or speaking so slowly: Presc
			D0150I1_1 Thoughts that you would be better off dead: Presc
-5109	Consistency	Fatal	<p>(a) If D0150A2_2 and D0150B2_2 = [0,1,^], then all active items D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2 and D0150I1_2 must equal [^]</p> <p>(b) If D0150A2_2 or D0150B2_2 = [2,3], then all active items D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2 and D0150I1_2 must not equal [^]</p>
			Items: D0150A2_2 Little interest or pleasure in doing things: Freq
			D0150B2_2 Feeling down, depressed, or hopeless: Freq
			D0150C1_2 Trouble falling or staying asleep: Presc
			D0150D1_2 Feeling tired or having little energy: Presc
			D0150E1_2 Poor appetite or overeating: Presc
			D0150F1_2 Feeling bad about yourself: Presc
			D0150G1_2 Trouble concentrating on things: Presc
			D0150H1_2 Moving or speaking so slowly: Presc
			D0150I1_2 Thoughts that you would be better off dead: Presc
-5110	Consistency	Fatal	<p>(a) If J0510_1=[0], then the following items J0520_1 and J0530_1 must equal [^]</p> <p>(b) If J0510_1=[1, 2, 3, 4, or 8], then the following items J0520_1 and J0530_1 must not equal [^]</p>
			Items: J0510_1 Pain effect on sleep
			J0520_1 Pain interference with therapy activities
			J0530_1 Pain interference with day-to-day activities

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-5111	Consistency	Fatal	(a) If J0510_2=[0], then the following items J0520_2 and J0530_2 must equal [^]
			(b) If J0510_2=[1, 2, 3, 4, or 8], then the following items J0520_2 and J0530_2 must not equal [^]
			Items: J0510_2 Pain effect on sleep
			J0520_2 Pain interference with therapy activities
-5112	Consistency	Fatal	J0530_2 Pain interference with day-to-day activities
			(a) If K0520Z1 = [1], then all active items from K0520A1 1through K0520D1 must equal [0]
			(b) If K0520Z1 = [0], then at least one active item from K0520A1 through K0520D1 must not equal [0]
			(c) If K0520Z1 = [-], then at least one active item from K0520A1 through K0520D1 must
-5113	Consistency	Fatal	Items: K0520A1 Nutritional approach: Parenteral
			K0520B1 Nutritional approaches: Feeding tube
			K0520C1 Nutritional approaches: Mechanically altered diet
			K0520D1 Nutritional approaches: Therapeutic diet
-5114	Consistency	Fatal	K0520Z1 Nutritional approaches: None of the above
			(a) If N0415A1_1 = [0], then N0415A2_1 must equal [^]
			(b) If N0415A1_1 = [1], then N0415A2_1 must not equal [^]
			(c) If N0415A1_1 = [-], then N0415A2_1 must equal [-]
-5115	Consistency	Fatal	Items: N0415A1_1 High-Risk Drug (Is Taking): Antipsychotic
			N0415A2_1 High-Risk Drug (Indication) : Antipsychotic
			(a) If N0415A1_2 = [0], then N0415A2_2 must equal [^]
			(b) If N0415A1_2 = [1], then N0415A2_2 must not equal [^]
-5116	Consistency	Fatal	(c) If N0415A1_2 = [-], then N0415A2_2 must equal [-]
			Items: N0415A1_2 High-Risk Drug (Is Taking): Antipsychotic
			N0415A2_2 High-Risk Drug (Indication) : Antipsychotic
			(a) If N0415E1_1 = [0], then N0415E2_1 must equal [^]
-5117	Consistency	Fatal	(b) If N0415E1_1 = [1], then N0415E2_1 must not equal [^]
			(c) If N0415E1_1 = [-], then N0415E2_1 must equal [-]
			Items: N0415E1_1 High-Risk Drug (Is taking): Anticoagulant
			N0415E2_1 High-Risk Drug (Indication): Anticoagulant

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-5116	Consistency	Fatal	(a) If N0415E1_2 = [0], then N0415E2_2 must equal [^]
			(b) If N0415E1_2 = [1], then N0415E2_2 must not equal [^]
			(c) If N0415E1_2 = [-], then N0415E2_2 must equal [-]
			Items: N0415E1_2 High-Risk Drug (Is taking): Anticoagulant N0415E2_2 High-Risk Drug (Indication): Anticoagulant
-5117	Consistency	Fatal	(a) If N0415F1_1 = [0], then N0415F2_1 must equal [^]
			(b) If N0415F1_1 = [1], then N0415F2_1 must not equal [^]
			(c) If N0415F1_1 = [-], then N0415F2_1 must equal [-]
			Items: N0415F1_1 High-Risk Drug (Is taking): Antibiotic N0415F2_1 High-Risk Drug (Indication): Antibiotic
-5118	Consistency	Fatal	(a) If N0415F1_2 = [0], then N0415F2_2 must equal [^]
			(b) If N0415F1_2 = [1], then N0415F2_2 must not equal [^]
			(c) If N0415F1_2 = [-], then N0415F2_2 must equal [-]
			Items: N0415F1_2 High-Risk Drug (Is taking): Antibiotic N0415F2_2 High-Risk Drug (Indication): Antibiotic
-5119	Consistency	Fatal	(a) If N0415H1_1 = [0], then N0415H2_1 must equal [^]
			(b) If N0415H1_1 = [1], then N0415H2_1 must not equal [^]
			(c) If N0415H1_1 = [-], then N0415H2_1 must equal [-]
			Items: N0415H1_1 High-Risk Drug (Is taking): Opioid N0415H2_1 High-Drug Risk (Indication): Opioid
-5120	Consistency	Fatal	(a) If N0415H1_2 = [0], then N0415H2_2 must equal [^]
			(b) If N0415H1_2 = [1], then N0415H2_2 must not equal [^]
			(c) If N0415H1_2 = [-], then N0415H2_2 must equal [-]
			Items: N0415H1_2 High-Risk Drug (Is taking): Opioid N0415H2_2 High-Drug Risk (Indication): Opioid

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-5121	Consistency	Fatal	(a) If N0415I1_1 = [0], then N0415I2_1 must equal [^]
			(b) If N0415I1_1 = [1], then N0415I2_1 must not equal [^]
			(c) If N0415I1_1 = [-], then N0415I2_1 must equal [-]
-5122	Consistency	Fatal	<div>Items:</div> <div> <div>N0415I1_1</div> <div>N0415I2_1</div> <div>High-Risk Drug (Is taking): Antiplatelet</div> <div>High-Risk Drug (Indication): Antiplatelet</div> </div>
			(a) If N0415I1_2 = [0], then N0415I2_2 must equal [^]
			(b) If N0415I1_2 = [1], then N0415I2_2 must not equal [^]
-5123	Consistency	Fatal	(c) If N0415I1_2 = [-], then N0415I2_2 must equal [-]
			<div>Items:</div> <div> <div>N0415I1_2</div> <div>N0415I2_2</div> <div>High-Risk Drug (Is taking): Antiplatelet</div> <div>High-Risk Drug (Indication): Antiplatelet</div> </div>
			(a) If N0415J1_1 = [0], then N0415J2_1 must equal [^]
-5124	Consistency	Fatal	(b) If N0415J1_1 = [1], then N0415J2_1 must not equal [^]
			(c) If N0415J1_1 = [-], then N0415J2_1 must equal [-]
			<div>Items:</div> <div> <div>N0415J1_1</div> <div>N0415J2_1</div> <div>High-Risk Drug (Is taking): Hypoglycemic</div> <div>High-Risk Drug (Indication): Hypoglycemic</div> </div>
-5125	Consistency	Fatal	(a) If N0415J1_2 = [0], then N0415J2_2 must equal [^]
			(b) If N0415J1_2 = [1], then N0415J2_2 must not equal [^]
			(c) If N0415J1_2 = [-], then N0415J2_2 must equal [-]
-5125	Consistency	Fatal	<div>Items:</div> <div> <div>N0415J1_2</div> <div>N0415J2_2</div> <div>High-Risk Drug (Is taking): Hypoglycemic</div> <div>High-Risk Drug (Indication): Hypoglycemic</div> </div>
			(a) If N0415Z1_1 = [1], then the following items N0415A1_1, N0415E1_1, N0415F1_1, N0415H1_1, N0415I1_1, and N0415J1_1 must equal [0]
			(b) If N0415Z1_1 = [0], then at least one of the following active items N0415A1_1, N0415E1_1, N0415F1_1, N0415H1_1, N0415I1_1 and N0415J1_1 must not equal [0]
-5125	Consistency	Fatal	(c) If N0415Z1_1 = [-], then the following items N0415A1_1, N0415E1_1, N0415F1_1, N0415H1_1, N0415I1_1, and N0415J1_1 must equal [-]
			<div>Items:</div> <div> <div>N0415A1_1</div> <div>N0415E1_1</div> <div>N0415F1_1</div> <div>N0415H1_1</div> <div>High-Risk Drug (Is Taking): Antipsychotic</div> <div>High-Risk Drug (Is taking): Anticoagulant</div> <div>High-Risk Drug (Is taking): Antibiotic</div> <div>High-Risk Drug (Is taking): Opioid</div> </div>

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-5126	Consistency	Fatal	<p>Items: N0415I1_1 High-Risk Drug (Is taking): Antiplatelet</p> <p>N0415J1_1 High-Risk Drug (Is taking): Hypoglycemic</p> <p>N0415Z1_1 High-Risk Drug (Is taking): None of the above</p> <p>(a) If N0415Z1_2 = [1], then the following items N0415A1_2, N0415E1_2, N0415F1_2, N0415H1_2, N0415I1_2, and N0415J1_2 must equal [0]</p> <p>(b) If N0415Z1_2 = [0], then at least one of the following active items N0415A1_2, N0415E1_2, N0415F1_2, N0415H1_2, N0415I1_2 and N0415J1_2 must not equal [0]</p> <p>(c) If N0415Z1_2 = [-], then the following items N0415A1_2, N0415E1_2, N0415F1_2, N0415H1_2, N0415I1_2, and N0415J1_2 must equal [-]</p> <p>Items: N0415A1_2 High-Risk Drug (Is Taking): Antipsychotic</p> <p>N0415E1_2 High-Risk Drug (Is taking): Anticoagulant</p> <p>N0415F1_2 High-Risk Drug (Is taking): Antibiotic</p> <p>N0415H1_2 High-Risk Drug (Is taking): Opioid</p> <p>N0415I1_2 High-Risk Drug (Is taking): Antiplatelet</p> <p>N0415J1_2 High-Risk Drug (Is taking): Hypoglycemic</p> <p>N0415Z1_2 High-Risk Drug (Is taking): None of the above</p>
-5127	Consistency	Fatal	<p>(a) If O0110A1a = [0], then all active items from O0110A2a through O0110A10a must equal [0]</p> <p>(b) if O0110A1a = [1], then at least one active item from O0110A2a through O0110A10a must not equal [0]</p> <p>(c) If O0110A1a = [-], then all active items from O0110A2a through O0110A10a must equal [-]</p> <p>Items: O0110A1a Treatment: Chemotherapy (Admission)</p> <p>O0110A2a Treatment: IV (Admission)</p> <p>O0110A3a Treatment: Oral (Admission)</p> <p>O0110A10a Treatment: Other (Admission)</p>
-5128	Consistency	Fatal	<p>(a) If O0110C1a = [0], then all active items from O0110C2a through O0110C4a must equal [0]</p> <p>(b) if O0110C1a = [1], then at least one active item from O0110C2a through O0110C4a must not equal [0]</p> <p>(c) If O0110C1a = [-], then all active items from O0110C2a through O0110C4a must equal</p> <p>Items: O0110C1a Therapies: Oxygen Therapy (Admission)</p> <p>O0110C2a Therapies: Continuous (Admission)</p> <p>O0110C3a Therapies: Intermittent (Admission)</p>

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	O0110C4a Therapies: High-concentration (Admission)
-5129	Consistency	Fatal	<p>(a) If O0110D1a = [0], then the following items O0110D2a and O0110D3a must equal [0]</p> <p>(b) If O0110D1a = [1], then at least one of the following items O0110D2a and O0110D3a must not equal [0]</p> <p>(c) If O0110D1a = [-], then the following items O0110D2a and O0110D3a must equal [-]</p>
		Items:	<p>O0110D1a Therapies: Suctioning (Admission)</p> <p>O0110D2a Therapies: Scheduled</p> <p>O0110D3a Therapies: As Needed (Admission)</p>
-5130	Consistency	Fatal	<p>(a) If O0110G1a = [0], then O0110G2a and O0110G3a must equal [0]</p> <p>(b) If O0110G1a = [1], then at least one of the following items O0110G2a and O0110G3a must not equal [0]</p> <p>(c) If O0110G1a = [-], then O0110G2a and O0110G3a must equal [-]</p>
		Items:	<p>O0110G1a Therapies: Non-Invas Mechanical Ventilator (Admis)</p> <p>O0110G2a Therapies: BiPAP (Admission)</p> <p>O0110G3a Therapies: CPAP (Admission)</p>
-5131	Consistency	Fatal	<p>(a) If O0110H1a = [0], then all active items from O0110H2a through O0110H10a must equal [0]</p> <p>(b) If O0110H1a = [1], then at least one active item from O0110H2a through O0110H10a must not equal [0]</p> <p>(c) If O0110H1a = [-], then all active items from O0110H2a through O0110H10a must equal [-]</p>
		Items:	<p>O0110H1a Other: IV Medications (Admission)</p> <p>O0110H2a Other: Vasoactive medications (Admission)</p> <p>O0110H3a Other: Antibiotics (Admission)</p> <p>O0110H4a Other: Anticoagulation (Admission)</p> <p>O0110H10a Other: Other (Admission)</p>
-5132	Consistency	Fatal	<p>(a) if O0110J1a = [0], then O0110J2a and O0110J3a must equal [0]</p> <p>(b) If O0110J1a = [1], then at least one of the following items O0110J2a and O0110J3a must not equal [0]</p> <p>(c) If O0110J1a = [-], then O0110J2a and O0110J3a must equal [-]</p>
		Items:	<p>O0110J1a Other: Dialysis (Admission)</p> <p>O0110J2a Other: Hemodialysis (Admission)</p>

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	O0110J3a Other: Peritoneal dialysis (Admission)
-5133	Consistency	Fatal	<p>(a) If O0110O1a = [0], then all active items from O0110O2a through O0110O4a must equal [0]</p> <p>(b) If O0110O1a = [1], then at least one active item from O0110O2a through O0110O4a must not equal [0]</p> <p>(c) If O0110O1a = [-], then all active items from O0110O2a through O0110O4a must equal [-]</p>
		Items:	O0110O1a Other: IV Access (Admission) O0110O2a Other: Peripheral (Admission) O0110O3a Other: Midline (Admission) O0110O4a Other: Central (Admission)
-5134	Consistency	Fatal	<p>(a) If O0110Z1a = [1], then the following items O0110A1a, O0110B1a, O0110C1a, O0110D1a, O0110E1a, O0110F1a, O0110G1a, O0110H1a, O0110I1a, O0110J1a and O0110O1a must equal [0]</p> <p>(b) If O0110Z1a = [0], then at least one item of the following items O0110A1a, O0110B1a, O0110C1a, O0110D1a, O0110E1a, O0110F1a, O0110G1a, O0110H1a, O0110I1a, O0110J1a and O0110O1a must not equal [0]</p> <p>(c) If O0110Z1a = [-], then the following items O0110A1a, O0110B1a, O0110C1a, O0110D1a, O0110E1a, O0110F1a, O0110G1a, O0110H1a, O0110I1a, O0110J1a and O0110O1a must equal [-]</p>
		Items:	O0110A1a Treatment: Chemotherapy (Admission) O0110B1a Treatment: Radiation (Admission) O0110C1a Therapies: Oxygen Therapy (Admission) O0110D1a Therapies: Suctioning (Admission) O0110E1a Therapies: Tracheostomy Care (Admission) O0110F1a Therapies: Invasive Mechanical Ventilator (Admis) O0110G1a Therapies: Non-Invas Mechanical Ventilator (Admis) O0110H1a Other: IV Medications (Admission) O0110I1a Other: Transfusions (Admission) O0110J1a Other: Dialysis (Admission) O0110O1a Other: IV Access (Admission) O0110Z1a Other: None of the above (Admission)

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-5135	Consistency	Fatal	(a) If A2121 = [0], then all active items from A2122A through A2122E must equal [^]
			(b) If A2121 = [1], then all active items from A2122A through A2122E must not equal [^]
			(c) If A2121 = [1], then at least one active item from A2122A through A2122E must
			Items: A2121 Provision of Current Reconciled Medication List
			A2122A Electronic Health Record
			A2122B Health Information Exchange Organization
			A2122C Verbal
-5136	Consistency	Fatal	A2122D Paper-based
			A2122E Other Methods
			(a) If A2123 = [0], then all active items from A2124A through A2124E must equal [^]
			(b) If A2123 = [1], then all active items from A2124A through A2124E must not equal [^]
			(c) If A2123 = [1], then at least one active item from A2124A through A2124E must
			Items: A2123 Provision of Current Reconciled Medication List
			A2124A Electronic Health Record
-5137	Consistency	Fatal	A2124B Health Information Exchange Organization
			A2124C Verbal
			A2124D Paper-based
			A2124E Other Methods
			(a) If K0520Z4 = [1], then all active items from K0520A4 1through K0520D4 must equal [0]
			(b) If K0520Z4 = [0], then at least one active item from K0520A4 through K0520D4 must not equal [0]
			Items: K0520A4 Nutritional approaches (7 days): Parenteral
-5138	Consistency	Fatal	K0520B4 Nutritional approaches (7 days): Feeding tube
			K0520C4 Nutritional approaches (7 days): mech altered diet
			K0520D4 Nutritional approaches (7 day): Therapeutic diet
			K0520Z4 Nutritional approaches (7 days): None
			(a) If K0520Z5 = [1], then all active items from K0520A5 1through K0520D5 must equal [0]
			(b) If K0520Z5 = [0], then at least one active item from K0520A5 through K0520D5 must not equal [0]

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	<div>K0520A5 Nutritional approaches (discharge): Parenteral</div> <div>K0520B5 Nutritional approaches (discharge): Feeding Tube</div> <div>K0520C5 Nutritional approaches (discharge): mech altered</div> <div>K0520D5 Nutritional approaches (discharge): Therapeutic</div> <div>K0520Z5 Nutritional approaches (discharge): None</div>
-5139	Consistency	Fatal	<p>(a) If O0110A1c = [0], then all active items from O0110A2c through O0110A10c must equal [0]</p> <p>(b) if O0110A1c = [1], then at least one active item from O0110A2c through O0110A10c must not equal [0]</p> <p>(c) If O0110A1c = [-], then all active items from O0110A2c through O0110A10c must equal [-]</p>
		Items:	<div>O0110A1c Treatment: Chemotherapy (Discharge)</div> <div>O0110A2c Treatment: IV (Discharge)</div> <div>O0110A3c Treatment: Oral (Discharge)</div> <div>O0110A10c Treatment: Other (Discharge)</div>
-5140	Consistency	Fatal	<p>(a) If O0110C1c = [0], then all active items from O0110C2c through O0110C4c must equal [0]</p> <p>(b) if O0110C1c = [1], then at least one active item from O0110C2c through O0110C4c must not equal [0]</p>
		Items:	<div>O0110C1c Therapies: Oxygen Therapy (Discharge)</div> <div>O0110C2c Therapies: Continuous (Discharge)</div> <div>O0110C3c Therapies: Intermittent (Discharge)</div> <div>O0110C4c Therapies: High-concentration (Discharge)</div>
-5141	Consistency	Fatal	<p>(a) If O0110D1c = [0], then the following items O0110D2c and O0110D3c must equal [0]</p> <p>(b) If O0110D1c = [1], then at least one of the following items O0110D2c and O0110D3c must not equal [0]</p> <p>(c) If O0110D1c = [-], then the following items O0110D2c and O0110D3c must equal [-]</p>
		Items:	<div>O0110D1c Therapies: Suctioning (Discharge)</div> <div>O0110D2c Therapies: Scheduled (Discharge)</div> <div>O0110D3c Therapies: As Needed (Discharge)</div>

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-5142	Consistency	Fatal	(a) If O0110G1c = [0], then O0110G2c and O0110G3c must equal [0]
			(b) If O0110G1c = [1], then at least one of the following items O0110G2c and O0110G3c must not equal [0]
			(c) If O0110G1c = [-], then O0110G2c and O0110G3c must equal [-]
		Items:	O0110G1c O0110G2c O0110G3c
-5143	Consistency	Fatal	(a) If O0110H1c = [0], then all active items from O0110H2c through O0110H10c must equal [0]
			(b) If O0110H1c = [1], then at least one active item from O0110H2c through O0110H10c must not equal [0]
			(c) If O0110H1c = [-], then all active items from O0110H2c through O0110H10c must equal [-]
		Items:	O0110H1c O0110H2c O0110H3c O0110H4c O0110H10c
-5144	Consistency	Fatal	(a) if O0110J1c = [0], then O0110J2c and O0110J3c must equal [0]
			(b) If O0110J1c = [1], then at least one of the following items O0110J2c and O0110J3c must not equal [0]
			(c) If O0110J1c = [-], then O0110J2c and O0110J3c must equal [-]
		Items:	O0110J1c O0110J2c O0110J3c
-5145	Consistency	Fatal	(a) If O0110O1c = [0], then all active items from O0110O2c through O0110O4c must equal [0]
			(b) If O0110O1c = [1], then at least one active item from O0110O2c through O0110O4c must not equal [0]
			(c) If O0110O1c = [-], then all active items from O0110O2c through O0110O4c must equal
		Items:	O0110O1c O0110O2c O0110O3c

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	O011004c Other: Central (Discharge)
-5146	Consistency	Fatal	<p>(a) If O0110Z1c = [1], then the following items O0110A1c, O0110B1c, O0110C1c, O0110D1c, O0110E1c, O0110F1c, O0110G1c, O0110H1c, O0110I1c, O0110J1c and O0110O1c must equal [0]</p> <p>(b) If O0110Z1c = [0], then at least one item of the following items O0110A1c, O0110B1c, O0110C1c, O0110D1c, O0110E1c, O0110F1c, O0110G1c, O0110H1c, O0110I1c, O0110J1c and O0110O1c must not equal [0]</p> <p>(c) If O0110Z1c = [-], then the following items O0110A1c, O0110B1c, O0110C1c, O0110D1c, O0110E1c, O0110F1c, O0110G1c, O0110H1c, O0110I1c, O0110J1c and O0110O1c must equal [-]</p>
		Items:	<p>O0110A1c Treatment: Chemotherapy (Discharge)</p> <p>O0110B1c Treatment: Radiation (Discharge)</p> <p>O0110C1c Therapies: Oxygen Therapy (Discharge)</p> <p>O0110D1c Therapies: Suctioning (Discharge)</p> <p>O0110E1c Therapies: Tracheostomy Care (Discharge)</p> <p>O0110F1c Therapies: Invasive Mechanical Ventilator (Disch)</p> <p>O0110G1c Therapies: Non-Invas Mechanical Ventilator (Disch)</p> <p>O0110H1c Other: IV Medications (Discharge)</p> <p>O0110I1c Other: Transfusions (Discharge)</p> <p>O0110J1c Other: Dialysis (Discharge)</p> <p>O0110O1c Other: IV Access (Discharge)</p> <p>O0110Z1c Other: None of the above (Discharge)</p>
-5147	Consistency	Fatal	<p>(a) If C0100_2 = [0], then all active items from C0200_2 through C0500_2 must equal [^]</p> <p>(b) If C0100_2 = [1], then all active items from C0200_2 through C0500_2 must not equal [^]</p>
		Items:	<p>C0100_2 Brief Interview - Mental Status (BIMS)</p> <p>C0200_2 BIMS - Repetition of Three Words</p> <p>C0300A_2 BIMS - Temporal Orientation - Year</p> <p>C0300B_2 BIMS - Temporal Orientation - Month</p> <p>C0300C_2 BIMS - Temporal Orientation - Day</p> <p>C0400A_2 BIMS - Recalls Sock</p> <p>C0400B_2 BIMS - Recalls Blue</p> <p>C0400C_2 BIMS - Recalls Bed</p> <p>C0500_2 BIMS - Summary Score</p>

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items			
-5148	Consistency	Fatal	The following rules refer to the "BIMS component items" which are C0200_2, C0300A_2, C0300B_2, C0300C_2, C0400A_2, C0400B_2 and C0400C_2: (a) If all of the BIMS component items are active and have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500_2 must equal the sum of the values of the component items (b) If all of the BIMS component items are active and have numeric values (not dash) and if four or more of the BIMS component items are equal to [0] then C0500_2 must equal the sum of the values of the component items OR it must equal [99] (c) If some, but not all, of the BIMS component items have a value of [-], then C0500_2 must equal [99] (d) If all of the BIMS component items have a value of [-], then C0500_2 must equal [-]			
			Items:	C0200_2	BIMS - Repetition of Three Words	
				C0300A_2	BIMS - Temporal Orientation - Year	
				C0300B_2	BIMS - Temporal Orientation - Month	
				C0300C_2	BIMS - Temporal Orientation - Day	
		C0400A_2		BIMS - Recalls Sock		
					C0400B_2	BIMS - Recalls Blue
					C0400C_2	BIMS - Recalls Bed
					C0500_2	BIMS - Summary Score
		-5149	Consistency	Fatal	(a) If A1005A = [1], then all active items from A1005B through A1005E must equal [0] (b) If A1005A = [0], then at least one active item from A1005B through A1005E must not equal [0]	
Items:	A1005A				Ethnicity: No, not Hispanic, Latino/a or Spanish	
	A1005B			Ethnicity: Yes, Mexican, Mexican American, Chicano		
	A1005C			Ethnicity: Yes, Puerto Rican.		
	A1005D			Ethnicity: Yes, Cuban		
	A1005E			Ethnicity: Yes, another Hispanic, Latino or Spanish		
-5150	Consistency			Fatal	At least one item from A1010A through A1010X must equal [1]	
					Items:	A1010A
				A1010B		Race: Black or African American
				A1010C		Race: American Indian or Alaska Native
		A1010D	Race: Asian Indian			
		A1010E	Race: Chinese			
		A1010F	Race: Filipino			

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	A1010G Race: Japanese
			A1010H Race: Korean
			A1010I Race: Vietnamese
			A1010J Race: Other Asian
			A1010K Race: Native Hawaiian
			A1010L Race: Guamanian or Chamorro
			A1010M Race: Samoan
			A1010N Race: Other Pacific Islander
			A1010X Race: Patient unable to respond
-5151 Consistency	Fatal	(a) If A1250C_1 = [1], then the following items A1250A_1 and A1250B_1 must equal [0]	
		(b) If A1250C_1 = [0], then at least one of the following items A1250A_1 or A1250B_1 must not equal [0]	
		Items:	A1250A_1 Yes, it has kept me from medical appointments
			A1250B_1 Yes, it has kept me from non-medical appointments
			A1250C_1 No
-5152 Consistency	Fatal	(a) If A1250C_2 = [1], then the following items A1250A_2 and A1250B_2 must equal [0]	
		(b) If A1250C_2 = [0], then at least one of the following items A1250A_2 or A1250B_2 must not equal [0]	
		Items:	A1250A_2 Yes, it has kept me from medical appointments
			A1250B_2 Yes, it has kept me from non-medical appointments
			A1250C_2 No

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-5153	Consistency	Fatal	<p>D0160_1 must equal the sum of the values of the following nine items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I2_1 and Format Integer Items to nearest integer. These are referred to as the "items in Column 2", below.</p> <p>The following rules explain how to compute the score that is placed in item D0160_1. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are either skipped or are equal to dash. An item in Column 2 could be skipped if the corresponding item in Column 1 was equal to 9 (no response). An item in Column 2 could be equal to dash if the item could not be assessed for some other reason (e.g., if the Patient was unexpectedly discharged before the assessment could be completed).</p> <p>a) If the following items D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I2_1 equal [0,1,2,3], then D0160_1 must equal the sum of these items.</p> <p>b) If one of the following items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I2_1 = [^,-], then D0160_1 must equal the sum of the remaining items times 9/8(1.125).</p> <p>c) If two of the following items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I2_1 = [^,-], then D0160 must equal the sum of the remaining items times 9/7(1.286).</p> <p>d) If three or more items between D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1 and D0150I2_1 = [^,-], then D0160_1 must equal [99].</p>
Items:			
	D0150A2_1		Little interest or pleasure in doing things: Freq
	D0150B2_1		Feeling down, depressed, or hopeless: Freq
	D0150C2_1		Trouble falling or staying asleep: Freq
	D0150D2_1		Feeling tired or having little energy: Freq
	D0150E2_1		Poor appetite or overeating: Freq
	D0150F2_1		Feeling bad about yourself: Freq
	D0150G2_1		Trouble concentrating on things: Freq
	D0150H2_1		Moving or speaking so slowly: Freq
	D0150I2_1		Thoughts that you would be better off dead: Freq
	D0160_1		Total Severity Score

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																														
-5154	Consistency	Fatal	<p>D0160_2 must equal the sum of the values of the following nine items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I2_2 and Format Integer Items to nearest integer. These are referred to as the "items in Column 2", below.</p> <p>The following rules explain how to compute the score that is placed in item D0160_2. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are either skipped or are equal to dash. An item in Column 2 could be skipped if the corresponding item in Column 1 was equal to 9 (no response). An item in Column 2 could be equal to dash if the item could not be assessed for some other reason (e.g., if the Patient was unexpectedly discharged before the assessment could be completed).</p> <p>a) If the following items D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I2_2 equal [0,1,2,3], then D0160_2 must equal the sum of these items.</p> <p>b) If one of the following items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I2_2 = [^,-], then D0160_2 must equal the sum of the remaining items times 9/8(1.125).</p> <p>c) If two of the following items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I2_2 = [^,-], then D0160 must equal the sum of the remaining items times 9/7(1.286).</p> <p>d) If three or more items between D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2 and D0150I2_2 = [^,-], then D0160_2 must equal [99].</p> <table><tr><td>Items:</td><td>D0150A2_2</td><td>Little interest or pleasure in doing things: Freq</td></tr><tr><td></td><td>D0150B2_2</td><td>Feeling down, depressed, or hopeless: Freq</td></tr><tr><td></td><td>D0150C2_2</td><td>Trouble falling or staying asleep: Freq</td></tr><tr><td></td><td>D0150D2_2</td><td>Feeling tired or having little energy: Freq</td></tr><tr><td></td><td>D0150E2_2</td><td>Poor appetite or overeating: Freq</td></tr><tr><td></td><td>D0150F2_2</td><td>Feeling bad about yourself: Freq</td></tr><tr><td></td><td>D0150G2_2</td><td>Trouble concentrating on things: Freq</td></tr><tr><td></td><td>D0150H2_2</td><td>Moving or speaking so slowly: Freq</td></tr><tr><td></td><td>D0150I2_2</td><td>Thoughts that you would be better off dead: Freq</td></tr><tr><td></td><td>D0160_2</td><td>Total Severity Score</td></tr></table>	Items:	D0150A2_2	Little interest or pleasure in doing things: Freq		D0150B2_2	Feeling down, depressed, or hopeless: Freq		D0150C2_2	Trouble falling or staying asleep: Freq		D0150D2_2	Feeling tired or having little energy: Freq		D0150E2_2	Poor appetite or overeating: Freq		D0150F2_2	Feeling bad about yourself: Freq		D0150G2_2	Trouble concentrating on things: Freq		D0150H2_2	Moving or speaking so slowly: Freq		D0150I2_2	Thoughts that you would be better off dead: Freq		D0160_2	Total Severity Score
Items:	D0150A2_2	Little interest or pleasure in doing things: Freq																															
	D0150B2_2	Feeling down, depressed, or hopeless: Freq																															
	D0150C2_2	Trouble falling or staying asleep: Freq																															
	D0150D2_2	Feeling tired or having little energy: Freq																															
	D0150E2_2	Poor appetite or overeating: Freq																															
	D0150F2_2	Feeling bad about yourself: Freq																															
	D0150G2_2	Trouble concentrating on things: Freq																															
	D0150H2_2	Moving or speaking so slowly: Freq																															
	D0150I2_2	Thoughts that you would be better off dead: Freq																															
	D0160_2	Total Severity Score																															
-5155	Consistency	Fatal	<p>(a) If D0150C1_2 = [0], then D0150C2_2 must equal [0] (b) If D0150C1_2 = [1], then D0150C2_2 must equal [0,1,2,3] (c) If D0150C1_2 = [9], then D0150C2_2 must equal [^] (d) If D0150C1_2 = [-], then D0150C2_2 must equal [-]</p> <table><tr><td>Items:</td><td>D0150C1_2</td><td>Trouble falling or staying asleep: Presc</td></tr><tr><td></td><td>D0150C2_2</td><td>Trouble falling or staying asleep: Freq</td></tr></table>	Items:	D0150C1_2	Trouble falling or staying asleep: Presc		D0150C2_2	Trouble falling or staying asleep: Freq																								
Items:	D0150C1_2	Trouble falling or staying asleep: Presc																															
	D0150C2_2	Trouble falling or staying asleep: Freq																															

Data Submission Specifications for the IRF-PAI (V5.00.0 DRAFT)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-5156	Format	Fatal	The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.
Items:			
		FAC_ADDR_1	Facility Address Line 1
		FAC_ADDR_2	Facility Address Line 2
		FAC_CITY	Facility City
		FAC_CNTCT	Facility Contact Person Name
		FAC_PHONE	Facility Contact Person Phone
		FAC_EXTEN	Facility Contact Person Phone Extension
		FAC_DOC_CD	Facility Document ID
		SFTWR_VNDR_EMAIL_ADR	Software Vendor Email Address
		SFTWR_PROD_NAME	Software Product Name
		SFTWR_PROD_VRSN_CD	Software Product Version Code
		SBMTD_CMG_TXT	Submitted CMG Code
		SBMTD_CMG_VRSN_TXT	Submitted CMG Version Code
		1A	Facility Name
		4	Patient First Name
		5A	Patient Last Name
		11	ZIP Code of Patient's Pre-hospital Residence
		A1110A	Preferred language