

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 21A

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R21A	Impairment Group: Admission	Asmt	Code	9	720-728

#### Item Values

##### Value

0001.1

0001.2

0001.3

0001.4

0001.9

0002.1

0002.21

0002.22

0002.9

0003.1

0003.2

0003.3

0003.4

0003.5

0003.8

0003.9

0004.110

0004.111

0004.112

0004.120

0004.1211

0004.1212

0004.1221

0004.1222

0004.130

0004.210

##### Value Text

Stroke: Left Body Involvement (Right Brain)

Stroke: Right Body Involvement (Left Brain)

Stroke: Bilateral Involvement

Stroke: No Paresis

Stroke: Other Stroke

Brain Dysfunction: Non-traumatic

Brain Dysfunction: Traumatic, Open Injury

Brain Dysfunction: Traumatic, Closed Injury

Brain Dysfunction: Other Brain

Neurologic Conditions: Multiple Sclerosis

Neurologic Conditions: Parkinsonism

Neurologic Conditions: Polyneuropathy

Neurologic Conditions: Guillain-Barre Syndrome

Neurologic Conditions: Cerebral Palsy

Neurologic Conditions: Neuromuscular Disorders

Neurologic Conditions: Other Neurologic

Spinal Chord Dysfunction, Non-Traumatic: Paraplegia, Unspecified

Spinal Chord Dysfunction, Non-Traumatic: Paraplegia, Incomplete

Spinal Chord Dysfunction, Non-Traumatic: Paraplegia, Complete

Spinal Chord Dysfunction, Non-Traumatic: Quadriplegia, Unspecified

Spinal Chord Dysfunction, Non-Traumatic: Quadriplegia, Incomplete C1-4

Spinal Chord Dysfunction, Non-Traumatic: Quadriplegia, Incomplete C5-8

Spinal Chord Dysfunction, Non-Traumatic: Quadriplegia, Complete C1-4

Spinal Chord Dysfunction, Non-Traumatic: Quadriplegia, Complete C5-8

Spinal Chord Dysfunction, Non-Traumatic: Other Non-Traumatic Spinal Cord Dysfunction

Spinal Chord Dysfunction, Traumatic: Paraplegia, Unspecified

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

0004.211	Spinal Chord Dysfunction, Traumatic: Paraplegia, Incomplete
0004.212	Spinal Chord Dysfunction, Traumatic: Paraplegia, Complete
0004.220	Spinal Chord Dysfunction, Traumatic: Quadriplegia, Unspecified
0004.2211	Spinal Chord Dysfunction, Traumatic: Quadriplegia, Incomplete C1-4
0004.2212	Spinal Chord Dysfunction, Traumatic: Quadriplegia, Incomplete C5-8
0004.2221	Spinal Chord Dysfunction, Traumatic: Quadriplegia, Complete C1-4
0004.2222	Spinal Chord Dysfunction, Traumatic: Quadriplegia, Complete C5-8
0004.230	Spinal Chord Dysfunction, Traumatic: Other Traumatic Spinal Cord Dysfunction
0005.1	Amputation: Unilateral Upper Limb Above the Elbow (AE)
0005.2	Amputation: Unilateral Upper Limb Below the Elbow (BE)
0005.3	Amputation: Unilateral Lower Limb Above the Knee (AK)
0005.4	Amputation: Unilateral Lower Limb Below the Knee (BK)
0005.5	Amputation: Bilateral Lower Limb Above the Knee (AK/AK)
0005.6	Amputation: Bilateral Lower Limb Above/Below the Knee (AK/BK)
0005.7	Amputation: Bilateral Lower Limb Below the Knee (BK/BK)
0005.9	Amputation: Other Amputation
0006.1	Arthritis: Rheumatoid Arthritis
0006.2	Arthritis: Osteoarthritis
0006.9	Arthritis: Other Arthritis
0007.1	Pain Syndromes: Neck Pain
0007.2	Pain Syndromes: Back Pain
0007.3	Pain Syndromes: Limb Pain
0007.9	Pain Syndromes: Other Pain
0008.11	Orthopaedic Disorders: Status Post Unilateral Hip Fracture
0008.12	Orthopaedic Disorders: Status Post Bilateral Hip Fractures
0008.2	Orthopaedic Disorders: Status Post Femur (Shaft) Fracture
0008.3	Orthopaedic Disorders: Status Post Pelvic Fracture
0008.4	Orthopaedic Disorders: Status Post Major Multiple Fractures
0008.51	Orthopaedic Disorders: Status Post Unilateral Hip Replacement
0008.52	Orthopaedic Disorders: Status Post Bilateral Hip Replacements
0008.61	Orthopaedic Disorders: Status Post Unilateral Knee Replacement
0008.62	Orthopaedic Disorders: Status Post Bilateral Knee Replacements
0008.71	Orthopaedic Disorders: Status Post Knee and Hip Replacements (Same Side)

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

0008.72	Orthopaedic Disorders: Status Post Knee and Hip Replacements (Different Sides)
0008.9	Orthopaedic Disorders: Other Orthopaedic
0009	Cardiac
0010.1	Pulmonary Disorders: Chronic Obstructive Pulmonary Disease
0010.9	Pulmonary Disorders: Other Pulmonary
0011	Burns
0012.1	Congenital Deformities: Spina Bifida
0012.9	Congenital Deformities: Other Congenital
0013	Other Disabling Impairments
0014.1	Major Multiple Trauma: Brain + Spinal Cord Injury
0014.2	Major Multiple Trauma: Brain + Multiple Fracture/Amputation
0014.3	Major Multiple Trauma: Spinal Cord + Multiple Fracture/Amputation
0014.9	Major Multiple Trauma: Other Multiple Trauma
0015	Developmental Disability
0016	Debility (Non-cardiac, Non-pulmonary)
0017.1	Medically Complex: Infections
0017.2	Medically Complex: Neoplasms
0017.31	Medically Complex: Nutrition with Intubation/Parenteral Nutrition
0017.32	Medically Complex: Nutrition without Intubation/Parenteral Nutrition
0017.4	Medically Complex: Circulatory Disorders
0017.51	Medically Complex: Respiratory Disorders - Ventilator Dependent
0017.52	Medically Complex: Respiratory Disorders - Non-ventilator Dependent
0017.6	Medically Complex: Terminal Care
0017.7	Medically Complex: Skin Disorders
0017.8	Medically Complex: Medical/Surgical Complications
0017.9	Medically Complex: Other Medically Complex Conditions

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

**Data Submission Specifications for the IRF-PAI (V5.02.0)**  
**Detailed Data Specifications Report**  
**Section: Medical Information**

**Version Changes**

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 21D

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R21D	Impairment Group: Discharge	Asmt	Code	9	729-737

#### Item Values

##### Value

0001.1

0001.2

0001.3

0001.4

0001.9

0002.1

0002.21

0002.22

0002.9

0003.1

0003.2

0003.3

0003.4

0003.5

0003.8

0003.9

0004.110

0004.111

0004.112

0004.120

0004.1211

0004.1212

0004.1221

0004.1222

0004.130

0004.210

##### Value Text

Stroke: Left Body Involvement (Right Brain)

Stroke: Right Body Involvement (Left Brain)

Stroke: Bilateral Involvement

Stroke: No Paresis

Stroke: Other Stroke

Brain Dysfunction: Non-traumatic

Brain Dysfunction: Traumatic, Open Injury

Brain Dysfunction: Traumatic, Closed Injury

Brain Dysfunction: Other Brain

Neurologic Conditions: Multiple Sclerosis

Neurologic Conditions: Parkinsonism

Neurologic Conditions: Polyneuropathy

Neurologic Conditions: Guillain-Barre Syndrome

Neurologic Conditions: Cerebral Palsy

Neurologic Conditions: Neuromuscular Disorders

Neurologic Conditions: Other Neurologic

Spinal Chord Dysfunction, Non-Traumatic: Paraplegia, Unspecified

Spinal Chord Dysfunction, Non-Traumatic: Paraplegia, Incomplete

Spinal Chord Dysfunction, Non-Traumatic: Paraplegia, Complete

Spinal Chord Dysfunction, Non-Traumatic: Quadriplegia, Unspecified

Spinal Chord Dysfunction, Non-Traumatic: Quadriplegia, Incomplete C1-4

Spinal Chord Dysfunction, Non-Traumatic: Quadriplegia, Incomplete C5-8

Spinal Chord Dysfunction, Non-Traumatic: Quadriplegia, Complete C1-4

Spinal Chord Dysfunction, Non-Traumatic: Quadriplegia, Complete C5-8

Spinal Chord Dysfunction, Non-Traumatic: Other Non-Traumatic Spinal Cord Dysfunction

Spinal Chord Dysfunction, Traumatic: Paraplegia, Unspecified

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

0004.211	Spinal Chord Dysfunction, Traumatic: Paraplegia, Incomplete
0004.212	Spinal Chord Dysfunction, Traumatic: Paraplegia, Complete
0004.220	Spinal Chord Dysfunction, Traumatic: Quadriplegia, Unspecified
0004.2211	Spinal Chord Dysfunction, Traumatic: Quadriplegia, Incomplete C1-4
0004.2212	Spinal Chord Dysfunction, Traumatic: Quadriplegia, Incomplete C5-8
0004.2221	Spinal Chord Dysfunction, Traumatic: Quadriplegia, Complete C1-4
0004.2222	Spinal Chord Dysfunction, Traumatic: Quadriplegia, Complete C5-8
0004.230	Spinal Chord Dysfunction, Traumatic: Other Traumatic Spinal Cord Dysfunction
0005.1	Amputation: Unilateral Upper Limb Above the Elbow (AE)
0005.2	Amputation: Unilateral Upper Limb Below the Elbow (BE)
0005.3	Amputation: Unilateral Lower Limb Above the Knee (AK)
0005.4	Amputation: Unilateral Lower Limb Below the Knee (BK)
0005.5	Amputation: Bilateral Lower Limb Above the Knee (AK/AK)
0005.6	Amputation: Bilateral Lower Limb Above/Below the Knee (AK/BK)
0005.7	Amputation: Bilateral Lower Limb Below the Knee (BK/BK)
0005.9	Amputation: Other Amputation
0006.1	Arthritis: Rheumatoid Arthritis
0006.2	Arthritis: Osteoarthritis
0006.9	Arthritis: Other Arthritis
0007.1	Pain Syndromes: Neck Pain
0007.2	Pain Syndromes: Back Pain
0007.3	Pain Syndromes: Limb Pain
0007.9	Pain Syndromes: Other Pain
0008.11	Orthopaedic Disorders: Status Post Unilateral Hip Fracture
0008.12	Orthopaedic Disorders: Status Post Bilateral Hip Fractures
0008.2	Orthopaedic Disorders: Status Post Femur (Shaft) Fracture
0008.3	Orthopaedic Disorders: Status Post Pelvic Fracture
0008.4	Orthopaedic Disorders: Status Post Major Multiple Fractures
0008.51	Orthopaedic Disorders: Status Post Unilateral Hip Replacement
0008.52	Orthopaedic Disorders: Status Post Bilateral Hip Replacements
0008.61	Orthopaedic Disorders: Status Post Unilateral Knee Replacement
0008.62	Orthopaedic Disorders: Status Post Bilateral Knee Replacements
0008.71	Orthopaedic Disorders: Status Post Knee and Hip Replacements (Same Side)

## Data Submission Specifications for the IRF-PAI (V5.02.0)

### Detailed Data Specifications Report

#### Section: Medical Information

0008.72	Orthopaedic Disorders: Status Post Knee and Hip Replacements (Different Sides)
0008.9	Orthopaedic Disorders: Other Orthopaedic
0009	Cardiac
0010.1	Pulmonary Disorders: Chronic Obstructive Pulmonary Disease
0010.9	Pulmonary Disorders: Other Pulmonary
0011	Burns
0012.1	Congenital Deformities: Spina Bifida
0012.9	Congenital Deformities: Other Congenital
0013	Other Disabling Impairments
0014.1	Major Multiple Trauma: Brain + Spinal Cord Injury
0014.2	Major Multiple Trauma: Brain + Multiple Fracture/Amputation
0014.3	Major Multiple Trauma: Spinal Cord + Multiple Fracture/Amputation
0014.9	Major Multiple Trauma: Other Multiple Trauma
0015	Developmental Disability
0016	Debility (Non-cardiac, Non-pulmonary)
0017.1	Medically Complex: Infections
0017.2	Medically Complex: Neoplasms
0017.31	Medically Complex: Nutrition with Intubation/Parenteral Nutrition
0017.32	Medically Complex: Nutrition without Intubation/Parenteral Nutrition
0017.4	Medically Complex: Circulatory Disorders
0017.51	Medically Complex: Respiratory Disorders - Ventilator Dependent
0017.52	Medically Complex: Respiratory Disorders - Non-ventilator Dependent
0017.6	Medically Complex: Terminal Care
0017.7	Medically Complex: Skin Disorders
0017.8	Medically Complex: Medical/Surgical Complications
0017.9	Medically Complex: Other Medically Complex Conditions

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

**Data Submission Specifications for the IRF-PAI (V5.02.0)**  
**Detailed Data Specifications Report**  
**Section: Medical Information**

**Version Changes**

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.



# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 22A

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R22A	Etiologic Diagnosis Code A (ICD Code)	Asmt	ICD	8	1426-1433

#### Item Values

Value	Value Text
ICD	Valid ICD Code

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1014	Consistency	Fatal	Required Item Is blank: The value for this item is blank. Update the value in your IRF-PAI encoding software and resubmit the record.
-1127	Consistency	Fatal	ICD-10-CM Codes Not Allowed: This item cannot contain the following ICD-10-CM codes: V00.01 through
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- a) Character 1 must be alphabetic.
- b) Character 2 must be numeric [0-9].
- c) Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- d) Character 4 must be a decimal point.
- e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 22B

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R22B	Etiologic Diagnosis Code B (ICD Code)	Asmt	ICD	8	1313-1320

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1127	Consistency	Fatal	ICD-10-CM Codes Not Allowed: This item cannot contain the following ICD-10-CM codes: V00.01 through
-1128	Consistency	Fatal	Inconsistent Etiologic Diagnosis ICD codes. If Item 22B is "No information" [^], then Item 22C must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- a) Character 1 must be alphabetic.
- b) Character 2 must be numeric [0-9].
- c) Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- d) Character 4 must be a decimal point.
- e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 22C

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R22C	Etiologic Diagnosis Code C (ICD Code)	Asmt	ICD	8	1321-1328

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1127	Consistency	Fatal	ICD-10-CM Codes Not Allowed: This item cannot contain the following ICD-10-CM codes: V00.01 through
-1128	Consistency	Fatal	Inconsistent Etiologic Diagnosis ICD codes. If Item 22B is "No information" [^], then Item 22C must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- a) Character 1 must be alphabetic.
- b) Character 2 must be numeric [0-9].
- c) Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- d) Character 4 must be a decimal point.
- e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 23

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R23	Date of Onset of Impairment	Asmt	Date	8	746-753

#### Item Values

Value	Value Text
YYYYMMDD	Date of Onset
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1047	Consistency	Fatal	Dates Out of Order: The submitted dates are out of order or in the future. These dates must occur chronologically as follows: Birth Date (6) <= Date of Onset (23) <= Admission Date (12) <= Assessment Reference Date (13) <= Discharge Date (40) <= Submission Date (SUBMISSION_DATE)
-1045	Format	Fatal	Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values.

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 24A

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R24A	Comorbid Condition 1 (ICD Code)	Asmt	ICD	8	754-761

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- Character 1 must be alphabetic.
- Character 2 must be numeric [0-9].
- Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- Character 4 must be a decimal point.
- Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 24B

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R24B	Comorbid Condition 2 (ICD Code)	Asmt	ICD	8	762-769

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- Character 1 must be alphabetic.
- Character 2 must be numeric [0-9].
- Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- Character 4 must be a decimal point.
- Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 24C

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R24C	Comorbid Condition 3 (ICD Code)	Asmt	ICD	8	770-777

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- a) Character 1 must be alphabetic.
- b) Character 2 must be numeric [0-9].
- c) Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- d) Character 4 must be a decimal point.
- e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 24D

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R24D	Comorbid Condition 4 (ICD Code)	Asmt	ICD	8	778-785

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- a) Character 1 must be alphabetic.
- b) Character 2 must be numeric [0-9].
- c) Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- d) Character 4 must be a decimal point.
- e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].



# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 24E

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R24E	Comorbid Condition 5 (ICD Code)	Asmt	ICD	8	786-793

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- a) Character 1 must be alphabetic.
- b) Character 2 must be numeric [0-9].
- c) Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- d) Character 4 must be a decimal point.
- e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 24F

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R24F	Comorbid Condition 6 (ICD Code)	Asmt	ICD	8	794-801

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- Character 1 must be alphabetic.
- Character 2 must be numeric [0-9].
- Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- Character 4 must be a decimal point.
- Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 24G

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R24G	Comorbid Condition 7 (ICD Code)	Asmt	ICD	8	802-809

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- Character 1 must be alphabetic.
- Character 2 must be numeric [0-9].
- Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- Character 4 must be a decimal point.
- Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 24H

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R24H	Comorbid Condition 8 (ICD Code)	Asmt	ICD	8	810-817

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- Character 1 must be alphabetic.
- Character 2 must be numeric [0-9].
- Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- Character 4 must be a decimal point.
- Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 24I

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R24I	Comorbid Condition 9 (ICD Code)	Asmt	ICD	8	818-825

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- Character 1 must be alphabetic.
- Character 2 must be numeric [0-9].
- Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- Character 4 must be a decimal point.
- Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 24J

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R24J	Comorbid Condition 10 (ICD Code)	Asmt	ICD	8	826-833

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- a) Character 1 must be alphabetic.
- b) Character 2 must be numeric [0-9].
- c) Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- d) Character 4 must be a decimal point.
- e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 24K

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R24K	Comorbid Condition 11 (ICD Code)	Asmt	ICD	8	1132-1139

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- a) Character 1 must be alphabetic.
- b) Character 2 must be numeric [0-9].
- c) Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- d) Character 4 must be a decimal point.
- e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 24L

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R24L	Comorbid Condition 12 (ICD Code)	Asmt	ICD	8	1140-1147

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- Character 1 must be alphabetic.
- Character 2 must be numeric [0-9].
- Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- Character 4 must be a decimal point.
- Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].



# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 24M

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R24M	Comorbid Condition 13 (ICD Code)	Asmt	ICD	8	1148-1155

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- a) Character 1 must be alphabetic.
- b) Character 2 must be numeric [0-9].
- c) Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- d) Character 4 must be a decimal point.
- e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 24N

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R24N	Comorbid Condition 14 (ICD Code)	Asmt	ICD	8	1156-1163

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- a) Character 1 must be alphabetic.
- b) Character 2 must be numeric [0-9].
- c) Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- d) Character 4 must be a decimal point.
- e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 240

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R24O	Comorbid Condition 15 (ICD Code)	Asmt	ICD	8	1164-1171

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- Character 1 must be alphabetic.
- Character 2 must be numeric [0-9].
- Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- Character 4 must be a decimal point.
- Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 24P

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R24P	Comorbid Condition 16 (ICD Code)	Asmt	ICD	8	1172-1179

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- a) Character 1 must be alphabetic.
- b) Character 2 must be numeric [0-9].
- c) Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- d) Character 4 must be a decimal point.
- e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 24Q

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R24Q	Comorbid Condition 17 (ICD Code)	Asmt	ICD	8	1180-1187

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- Character 1 must be alphabetic.
- Character 2 must be numeric [0-9].
- Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- Character 4 must be a decimal point.
- Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 24R

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R24R	Comorbid Condition 18 (ICD Code)	Asmt	ICD	8	1188-1195

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- Character 1 must be alphabetic.
- Character 2 must be numeric [0-9].
- Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- Character 4 must be a decimal point.
- Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 24S

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R24S	Comorbid Condition 19 (ICD Code)	Asmt	ICD	8	1196-1203

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- Character 1 must be alphabetic.
- Character 2 must be numeric [0-9].
- Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- Character 4 must be a decimal point.
- Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 24T

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R24T	Comorbid Condition 20 (ICD Code)	Asmt	ICD	8	1204-1211

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- Character 1 must be alphabetic.
- Character 2 must be numeric [0-9].
- Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- Character 4 must be a decimal point.
- Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].



# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 24U

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R24U	Comorbid Condition 21 (ICD Code)	Asmt	ICD	8	1212-1219

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- a) Character 1 must be alphabetic.
- b) Character 2 must be numeric [0-9].
- c) Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- d) Character 4 must be a decimal point.
- e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 24V

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R24V	Comorbid Condition 22 (ICD Code)	Asmt	ICD	8	1220-1227

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- a) Character 1 must be alphabetic.
- b) Character 2 must be numeric [0-9].
- c) Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- d) Character 4 must be a decimal point.
- e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 24W

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R24W	Comorbid Condition 23 (ICD Code)	Asmt	ICD	8	1228-1235

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- Character 1 must be alphabetic.
- Character 2 must be numeric [0-9].
- Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- Character 4 must be a decimal point.
- Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 24X

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R24X	Comorbid Condition 24 (ICD Code)	Asmt	ICD	8	1236-1243

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- a) Character 1 must be alphabetic.
- b) Character 2 must be numeric [0-9].
- c) Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- d) Character 4 must be a decimal point.
- e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 24Y

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R24Y	Comorbid Condition 25 (ICD Code)	Asmt	ICD	8	1244-1251

#### Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].
-1100	Format	Fatal	Formatting of ICD Items:

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- Character 1 must be alphabetic.
- Character 2 must be numeric [0-9].
- Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- Character 4 must be a decimal point.
- Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

## Data Submission Specifications for the IRF-PAI (V5.02.0)

### Detailed Data Specifications Report

#### Section: Medical Information

Item ID: 24A1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R24A1	Arthritis Conditions Recorded	Asmt	Code	1	1329-1329

#### Item Values

Value	Value Text
1	Yes
0	No

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

#### Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 25A

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R25A	Height	Asmt	Number	2	1252-1253

#### Item Values

Value	Value Text
00	Minimum value
99	Maximum value
-	Not Assessed/No Information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the applicable FY annual increase factor.
-5157	Consistency	Warning	The height value submitted in 25A is less than 10 inches. Please confirm that the submitted value of 25A is correct.
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

#### Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.
Consistency	-5004	[V5.02.0]-Added mapping to new item O0350. Added mappings to the M0300 admission items. Removed mappings to D0160_1 and D0160_2.

# Data Submission Specifications for the IRF-PAI (V5.02.0)

## Detailed Data Specifications Report

### Section: Medical Information

Item ID: 26A

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
R26A	Weight	Asmt	Number	3	1254-1256

#### Item Values

Value	Value Text
000	Minimum value
999	Maximum value
-	Not Assessed/No Information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the applicable FY annual increase factor.
-5158	Consistency	Warning	The weight value submitted in 26A is less than 10 pounds. Please confirm that the submitted value of 26A is correct.
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

#### Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.
Consistency	-5004	[V5.02.0]-Added mapping to new item O0350. Added mappings to the M0300 admission items. Removed mappings to D0160_1 and D0160_2.