

Item ID: M0100A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Risk determination: has PU/injury, scar, dressing	Asmt		Checklist	1	893-893

Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3595	None of above	Fatal	If M0100A through M0100C and M0100Z are all active, then the following rules apply: a) If M0100Z=[0], then at least one item from M0100A through M0100C must equal [1]. b) If M0100Z=[1], then all items from M0100A through M0100C must equal [0]. c) If M0100Z=[-], then at least one item from M0100A through M0100C must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: M0100B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Risk determination: formal assessment	Asmt		Checklist	1	894-894

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3595	None of above	Fatal	If M0100A through M0100C and M0100Z are all active, then the following rules apply: a) If M0100Z=[0], then at least one item from M0100A through M0100C must equal [1]. b) If M0100Z=[1], then all items from M0100A through M0100C must equal [0]. c) If M0100Z=[-], then at least one item from M0100A through M0100C must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: M0100C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Risk determination: clinical assessment	Asmt		Checklist	1	895-895

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3595	None of above	Fatal	If M0100A through M0100C and M0100Z are all active, then the following rules apply: a) If M0100Z=[0], then at least one item from M0100A through M0100C must equal [1]. b) If M0100Z=[1], then all items from M0100A through M0100C must equal [0]. c) If M0100Z=[-], then at least one item from M0100A through M0100C must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: M0100Z

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Risk determination: none of the above	Asmt		Checklist	1	896-896

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3595	None of above	Fatal	If M0100A through M0100C and M0100Z are all active, then the following rules apply: a) If M0100Z=[0], then at least one item from M0100A through M0100C must equal [1]. b) If M0100Z=[1], then all items from M0100A through M0100C must equal [0]. c) If M0100Z=[-], then at least one item from M0100A through M0100C must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: M0150

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Is resident at risk of developing PU/injuries	Asmt		Code	1	897-897

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: M0210

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Resident has 1+ unhealed PU/injuries	Asmt		Code	1	898-898

Item Subsets

Active: NC,NQ,NP,ND,NPE,IPA,SP,SD

Inactive: NT,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3887	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0300G2 must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3542	Skip pattern	Fatal	If M0210=[1], then all active items from M0300A through M0300B1 must not equal [^].
-3543	Skip pattern	Fatal	If M0210=[1], then if M0300C1 is active it must not equal [^].
-3544	Skip pattern	Fatal	If M0210=[1], then if M0300D1 is active it must not equal [^].
-3545	Skip pattern	Fatal	If M0210=[1], then if M0300E1 is active it must not equal [^].
-3546	Skip pattern	Fatal	If M0210=[1], then if M0300F1 is active it must not equal [^].
-3547	Skip pattern	Fatal	If M0210=[1], then if M0300G1 is active it must not equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: M0300A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stage 1 pressure injuries: number present	Asmt		Number	1	899-899

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3887	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0300G2 must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3542	Skip pattern	Fatal	If M0210=[1], then all active items from M0300A through M0300B1 must not equal [^].

Item ID: M0300B1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stage 2 pressure ulcers: number present	Asmt		Number	1	900-900

Item Subsets

Active: NC,NQ,NP,ND,NPE,IPA,SP,SD

Inactive: NT,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3662	Consistency	Fatal	If M0300B1 is equal to [1-9] and M0300B2 is active, then one of the following must be true: a) M0300B2 must be equal to [-], OR b) M0300B2 must be equal to [0-9] and must be less than or equal to M0300B1.
-3887	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0300G2 must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:

			Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3542	Skip pattern	Fatal	If M0210=[1], then all active items from M0300A through M0300B1 must not equal [^].
-3885	Skip pattern	Fatal	a) If M0300B1=[1-9], then if M0300B2 is active, it must not equal [^]. b) If M0300B1=[0,^], then if M0300B2 is active, it must equal [^]. c) If M0300B1=[-], then if M0300B2 is active, it must equal [-].

Version Changes

Type	ID	Description
Consistency	-3897	[V3.02.1]-Removed mapping to new item O0350.
Consistency	-3908	[V3.02.0]-Added mapping to new item O0350.

Item ID: M0300B2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stage 2 pressure ulcers: number at admit/reentry	Asmt		Number	1	901-901

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3662	Consistency	Fatal	If M0300B1 is equal to [1-9] and M0300B2 is active, then one of the following must be true: a) M0300B2 must be equal to [-], OR b) M0300B2 must be equal to [0-9] and must be less than or equal to M0300B1.
-3887	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0300G2 must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment

-3885	Skip pattern	Fatal	determination. a) If M0300B1=[1-9], then if M0300B2 is active, it must not equal [^]. b) If M0300B1=[0,^], then if M0300B2 is active, it must equal [^]. c) If M0300B1=[-], then if M0300B2 is active, it must equal [-].
-------	--------------	-------	--

Version Changes

Type	ID	Description
Consistency	-3908	[V3.02.0]-Added mapping to new item O0350.

Item ID: M0300C1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stage 3 pressure ulcers: number present	Asmt		Number	1	910-910

Item Subsets

Active: NC,NQ,NP,ND,NPE,IPA,SP,SD

Inactive: NT,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3663	Consistency	Fatal	If M0300C1 is equal to [1-9] and M0300C2 is active, then one of the following must be true: a) M0300C2 must be equal to [-], OR b) M0300C2 must be equal to [0-9] and must be less than or equal to M0300C1.
-3887	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0300G2 must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:

			Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3543	Skip pattern	Fatal	If M0210=[1], then if M0300C1 is active it must not equal [^].
-3549	Skip pattern	Fatal	a) If M0300C1=[1-9], then if M0300C2 is active it must not equal [^]. b) If M0300C1=[0,^], then if M0300C2 is active it must equal [^]. c) If M0300C1=[-], then if M0300C2 is active it must equal [-].

Version Changes

Type	ID	Description
Consistency	-3897	[V3.02.1]-Removed mapping to new item O0350.
Consistency	-3908	[V3.02.0]-Added mapping to new item O0350.

Item ID: M0300C2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stage 3 pressure ulcers: number at admit/reentry	Asmt		Number	1	911-911

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3663	Consistency	Fatal	If M0300C1 is equal to [1-9] and M0300C2 is active, then one of the following must be true: a) M0300C2 must be equal to [-], OR b) M0300C2 must be equal to [0-9] and must be less than or equal to M0300C1.
-3887	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0300G2 must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment

-3549	Skip pattern	Fatal	determination. a) If M0300C1=[1-9], then if M0300C2 is active it must not equal [^]. b) If M0300C1=[0,^], then if M0300C2 is active it must equal [^]. c) If M0300C1=[-], then if M0300C2 is active it must equal [-].
-------	--------------	-------	---

Version Changes

Type	ID	Description
Consistency	-3908	[V3.02.0]-Added mapping to new item O0350.

Item ID: M0300D1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stage 4 pressure ulcers: number present	Asmt		Number	1	912-912

Item Subsets

Active: NC,NQ,NP,ND,NPE,IPA,SP,SD

Inactive: NT,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3664	Consistency	Fatal	If M0300D1 is equal to [1-9] and M0300D2 is active, then one of the following must be true: a) M0300D2 must be equal to [-], OR b) M0300D2 must be equal to [0-9] and must be less than or equal to M0300D1.
-3887	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0300G2 must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:

			Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3544	Skip pattern	Fatal	If M0210=[1], then if M0300D1 is active it must not equal [^].
-3550	Skip pattern	Fatal	a) If M0300D1=[1-9], then if M0300D2 is active it must not equal [^]. b) If M0300D1=[0,^], then if M0300D2 is active it must equal [^]. c) If M0300D1=[-], then if M0300D2 is active it must equal [-].

Version Changes

Type	ID	Description
Consistency	-3897	[V3.02.1]-Removed mapping to new item O0350.
Consistency	-3908	[V3.02.0]-Added mapping to new item O0350.

Item ID: M0300D2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stage 4 pressure ulcers: number at admit/reentry	Asmt		Number	1	913-913

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3664	Consistency	Fatal	If M0300D1 is equal to [1-9] and M0300D2 is active, then one of the following must be true: a) M0300D2 must be equal to [-], OR b) M0300D2 must be equal to [0-9] and must be less than or equal to M0300D1.
-3887	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0300G2 must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment

-3550	Skip pattern	Fatal	determination. a) If M0300D1=[1-9], then if M0300D2 is active it must not equal [^]. b) If M0300D1=[0,^], then if M0300D2 is active it must equal [^]. c) If M0300D1=[-], then if M0300D2 is active it must equal [-].
-------	--------------	-------	---

Version Changes

Type	ID	Description
Consistency	-3908	[V3.02.0]-Added mapping to new item O0350.

Item ID: M0300E1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Unstaged due to drssng/dvc: num present	Asmt		Number	1	914-914

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3665	Consistency	Fatal	If M0300E1 is equal to [1-9], then one of the following must be true: a) M0300E2 must be equal to [-], OR b) M0300E2 must be equal to [0-9] and must be less than or equal to M0300E1.
-3887	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0300G2 must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:

			Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3545	Skip pattern	Fatal	If M0210=[1], then if M0300E1 is active it must not equal [^].
-3551	Skip pattern	Fatal	a) If M0300E1=[1-9], then if M0300E2 is active it must not equal [^]. b) If M0300E1=[0,^], then if M0300E2 is active it must equal [^]. c) If M0300E1=[-], then if M0300E2 is active it must equal [-].

Version Changes

Type	ID	Description
Consistency	-3897	[V3.02.1]-Removed mapping to new item O0350.
Consistency	-3908	[V3.02.0]-Added mapping to new item O0350.

Item ID: M0300E2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Unstaged due to drssng/dvc: num at admit/reentry	Asmt		Number	1	915-915

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3665	Consistency	Fatal	If M0300E1 is equal to [1-9], then one of the following must be true: a) M0300E2 must be equal to [-], OR b) M0300E2 must be equal to [0-9] and must be less than or equal to M0300E1.
-3887	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0300G2 must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment

-3551	Skip pattern	Fatal	determination. a) If M0300E1=[1-9], then if M0300E2 is active it must not equal [^]. b) If M0300E1=[0,^], then if M0300E2 is active it must equal [^]. c) If M0300E1=[-], then if M0300E2 is active it must equal [-].
-------	--------------	-------	---

Version Changes

Type	ID	Description
Consistency	-3908	[V3.02.0]-Added mapping to new item O0350.

Item ID: M0300F1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Unstaged slough/eschar: number present	Asmt		Number	1	916-916

Item Subsets

Active: NC,NQ,NP,ND,NPE,IPA,SP,SD

Inactive: NT,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3666	Consistency	Fatal	If M0300F1 is equal to [1-9] and M0300F2 is active, then one of the following must be true: a) M0300F2 must be equal to [-], OR b) M0300F2 must be equal to [0-9] and must be less than or equal to M0300F1.
-3887	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0300G2 must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:

			Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3546	Skip pattern	Fatal	If M0210=[1], then if M0300F1 is active it must not equal [^].
-3552	Skip pattern	Fatal	a) If M0300F1=[1-9], then if M0300F2 is active it must not equal [^]. b) If M0300F1=[0,^], then if M0300F2 is active it must equal [^]. c) If M0300F1=[-], then if M0300F2 is active it must equal [-].

Version Changes

Type	ID	Description
Consistency	-3897	[V3.02.1]-Removed mapping to new item O0350.
Consistency	-3908	[V3.02.0]-Added mapping to new item O0350.

Item ID: M0300F2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Unstaged slough/eschar: number at admit/reentry	Asmt		Number	1	917-917

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3666	Consistency	Fatal	If M0300F1 is equal to [1-9] and M0300F2 is active, then one of the following must be true: a) M0300F2 must be equal to [-], OR b) M0300F2 must be equal to [0-9] and must be less than or equal to M0300F1.
-3887	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0300G2 must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment

-3552	Skip pattern	Fatal	determination. a) If M0300F1=[1-9], then if M0300F2 is active it must not equal [^]. b) If M0300F1=[0,^], then if M0300F2 is active it must equal [^]. c) If M0300F1=[-], then if M0300F2 is active it must equal [-].
-------	--------------	-------	---

Version Changes

Type	ID	Description
Consistency	-3908	[V3.02.0]-Added mapping to new item O0350.

Item ID: M0300G1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Unstageable - deep tissue injury: # present	Asmt		Number	1	918-918

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3667	Consistency	Fatal	If M0300G1 is equal to [1-9], then one of the following must be true: a) M0300G2 must be equal to [-], OR b) M0300G2 must be equal to [0-9] and must be less than or equal to M0300G1.
-3887	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0300G2 must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:

			Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3547	Skip pattern	Fatal	If M0210=[1], then if M0300G1 is active it must not equal [^].
-3553	Skip pattern	Fatal	a) If M0300G1=[1-9], then if M0300G2 is active it must not equal [^]. b) If M0300G1=[0,^], then if M0300G2 is active it must equal [^]. c) If M0300G1=[-], then if M0300G2 is active it must equal [-].

Version Changes

Type	ID	Description
Consistency	-3897	[V3.02.1]-Removed mapping to new item O0350.
Consistency	-3908	[V3.02.0]-Added mapping to new item O0350.

Item ID: M0300G2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Unstageable - deep tissue injury: # at adm/reent	Asmt		Number	1	919-919

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3667	Consistency	Fatal	If M0300G1 is equal to [1-9], then one of the following must be true: a) M0300G2 must be equal to [-], OR b) M0300G2 must be equal to [0-9] and must be less than or equal to M0300G1.
-3887	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0300G2 must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment

-3553	Skip pattern	Fatal	determination. a) If M0300G1=[1-9], then if M0300G2 is active it must not equal [^]. b) If M0300G1=[0,^], then if M0300G2 is active it must equal [^]. c) If M0300G1=[-], then if M0300G2 is active it must equal [-].
-------	--------------	-------	---

Version Changes

Type	ID	Description
Consistency	-3908	[V3.02.0]-Added mapping to new item O0350.

Item ID: M1030

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Number of venous and arterial ulcers	Asmt		Number	1	940-940

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

Item ID: M1040A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other skin probs: infection of the foot	Asmt		Checklist	1	941-941

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3828	None of above	Fatal	a) If M1040Z=[0], then at least one active item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all active items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one active item from M1040A through M1040H must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: M1040B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other skin probs: diabetic foot ulcer(s)	Asmt		Checklist	1	942-942

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3828	None of above	Fatal	a) If M1040Z=[0], then at least one active item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all active items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one active item from M1040A through M1040H must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: M1040C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other skin probs: other open lesion(s) on the foot	Asmt		Checklist	1	943-943

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3828	None of above	Fatal	a) If M1040Z=[0], then at least one active item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all active items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one active item from M1040A through M1040H must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: M1040D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other skin probs: lesions not ulcers, rashes, cuts	Asmt		Checklist	1	944-944

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3828	None of above	Fatal	a) If M1040Z=[0], then at least one active item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all active items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one active item from M1040A through M1040H must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: M1040E

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other skin probs: surgical wound(s)	Asmt		Checklist	1	945-945

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3828	None of above	Fatal	a) If M1040Z=[0], then at least one active item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all active items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one active item from M1040A through M1040H must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: M1040F

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other skin probs: burns (second or third degree)	Asmt		Checklist	1	946-946

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3828	None of above	Fatal	a) If M1040Z=[0], then at least one active item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all active items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one active item from M1040A through M1040H must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: M1040G

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Skin Tear(s)	Asmt		Checklist	1	1454-1454

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3828	None of above	Fatal	a) If M1040Z=[0], then at least one active item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all active items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one active item from M1040A through M1040H must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: M1040H

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Moisture Associated Skin Damage (MASD)	Asmt		Checklist	1	1455-1455

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3828	None of above	Fatal	a) If M1040Z=[0], then at least one active item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all active items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one active item from M1040A through M1040H must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: M1040Z

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other skin probs: none of the above	Asmt		Checklist	1	947-947

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3828	None of above	Fatal	a) If M1040Z=[0], then at least one active item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all active items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one active item from M1040A through M1040H must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: M1200A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Skin/ulcer/injry treat: prssr rduce dvc for chair	Asmt		Checklist	1	948-948

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3515	None of above	Fatal	If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: M1200B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Skin/ulcer/injry treat: prssr reducing dvc for bed	Asmt		Checklist	1	949-949

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3515	None of above	Fatal	If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: M1200C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Skin/ulcer/injry treat: turning/repositioning	Asmt		Checklist	1	950-950

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3515	None of above	Fatal	If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: M1200D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Skin/ulcer/injry treat: nutrition/hydration	Asmt		Checklist	1	951-951

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3515	None of above	Fatal	If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: M1200E

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Skin/ulcer/injry treat: prssr ulcer/injry care	Asmt		Checklist	1	952-952

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3515	None of above	Fatal	If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: M1200F

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Skin/ulcer/injry treat: surgical wound care	Asmt		Checklist	1	953-953

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3515	None of above	Fatal	If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: M1200G

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Skin/ulcer/injry treat: application of dressings	Asmt		Checklist	1	954-954

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3515	None of above	Fatal	If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: M1200H

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Skin/ulcer/injry treat: apply ointments/meds	Asmt		Checklist	1	955-955

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3515	None of above	Fatal	If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: M1200I

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Skin/ulcer/injry treat: apply dressings to feet	Asmt		Checklist	1	956-956

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3515	None of above	Fatal	If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.

Item ID: M1200Z

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Skin/ulcer/injry treat: none of the above	Asmt		Checklist	1	957-957

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3515	None of above	Fatal	If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.02.0]-Mappings to the GG goal items were removed, since the items were deleted. Added mappings to new items N0415K1, N0415K2 and O0350.