

Item ID: F0300

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Conduct res interview for daily/activity prefs	Asmt		Code	1	606-606

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		No (resident is rarely/never understood and family/significant other not available)
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3525	Skip pattern	Fatal	a) If B0100=[0], then all active items from E1100 through F0300 must not equal [^]. b) If B0100=[-], then all active items from E1100 through F0300 must equal [-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.
Skip pattern	-3609	[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0400A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: choose clothes to wear	Asmt		Code	1	607-607

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.
Skip pattern	-3609	[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0400B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: take care of personal belongings	Asmt		Code	1	608-608

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.
Skip pattern	-3609	[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0400C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: choose tub, bath, shower, sponge	Asmt		Code	1	609-609

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.
Skip pattern	-3609	[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0400D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: have snacks between meals	Asmt		Code	1	610-610

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.
Skip pattern	-3609	[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0400E

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: choose own bedtime	Asmt		Code	1	611-611

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.
Skip pattern	-3609	[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0400F

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: discuss care with family/friend	Asmt		Code	1	612-612

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.
Skip pattern	-3609	[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0400G

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: use phone in private	Asmt		Code	1	613-613

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.
Skip pattern	-3609	[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0400H

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: lock things to keep them safe	Asmt		Code	1	614-614

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.
Skip pattern	-3609	[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0500A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: have books, newspaper, mags to read	Asmt		Code	1	615-615

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.
Skip pattern	-3609	[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0500B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: listen to music	Asmt		Code	1	616-616

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.
Skip pattern	-3609	[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0500C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: be around animals/pets	Asmt		Code	1	617-617

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.
Skip pattern	-3609	[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0500D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: keep up with news	Asmt		Code	1	618-618

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.
Skip pattern	-3609	[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0500E

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: do things with groups of people	Asmt		Code	1	619-619

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.
Skip pattern	-3609	[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0500F

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: do favorite activities	Asmt		Code	1	620-620

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.
Skip pattern	-3609	[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0500G

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: go outside when good weather	Asmt		Code	1	621-621

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.
Skip pattern	-3609	[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0500H

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: participate in religious practices	Asmt		Code	1	622-622

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.
Skip pattern	-3609	[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0600

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Primary respondent: daily/activities prefs	Asmt		Code	1	623-623

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
1		Resident
2		Family or significant other (close friend or other representative)
9		Interview could not be completed by resident or family/significant other ("No response" to 3 or more items)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y,

A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.

Skip pattern -3609

[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0700

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Conduct staff assessment for daily/activity prefs	Asmt		Code	1	624-624

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		No (because Interview for Daily and Activity Preferences (F0400 and F0500) was completed by resident or family/significant other)
1		Yes (because 3 or more items in Interview for Daily and Activity Preferences (F0400 and F0500) were not completed by resident or family/significant other)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.
Skip pattern	-3609	[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0800A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: choosing clothes to wear	Asmt		Checklist	1	625-625

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2,

D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.

Skip pattern

-3609

[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0800B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: caring for personal belongings	Asmt		Checklist	1	626-626

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2,

D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.

Skip pattern

-3609

[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0800C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: receiving tub bath	Asmt		Checklist	1	627-627

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2,

D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.

Skip pattern -3609

[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0800D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: receiving shower	Asmt		Checklist	1	628-628

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2,

D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.

Skip pattern

-3609

[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0800E

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: receiving bed bath	Asmt		Checklist	1	629-629

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2,

D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.

Skip pattern -3609

[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0800F

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: receiving sponge bath	Asmt		Checklist	1	630-630

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2,

D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.

Skip pattern

-3609

[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0800G

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: snacks between meals	Asmt		Checklist	1	631-631

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2,

D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.

Skip pattern

-3609

[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0800H

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: staying up past 8PM	Asmt		Checklist	1	632-632

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2,

D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.

Skip pattern

-3609

[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0800I

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: discuss care with family/other	Asmt		Checklist	1	633-633

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2,

D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.

Skip pattern -3609

[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0800J

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: use phone in private	Asmt		Checklist	1	634-634

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2,

D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.

Skip pattern -3609

[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0800K

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: place to lock personal things	Asmt		Checklist	1	635-635

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2,

D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.

Skip pattern

-3609

[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0800L

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: reading books, newspapers, mags	Asmt		Checklist	1	636-636

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2,

D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.

Skip pattern

-3609

[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0800M

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: listening to music	Asmt		Checklist	1	637-637

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2,

D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.

Skip pattern

-3609

[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0800N

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: being around animals/pets	Asmt		Checklist	1	638-638

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2,

D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.

Skip pattern

-3609

[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F08000

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: keeping up with news	Asmt		Checklist	1	639-639

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2,

D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.

Skip pattern

-3609

[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0800P

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: doing things with groups	Asmt		Checklist	1	640-640

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2,

D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.

Skip pattern

-3609

[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0800Q

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: participate favorite activities	Asmt		Checklist	1	641-641

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2,

D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.

Skip pattern -3609

[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0800R

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: spend time away from nursng home	Asmt		Checklist	1	642-642

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2,

D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.

Skip pattern

-3609

[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0800S

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: spend time outdoors	Asmt		Checklist	1	643-643

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2,

D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.

Skip pattern

-3609

[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0800T

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: participate religious activities	Asmt		Checklist	1	644-644

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2,

D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.

Skip pattern -3609

[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.

Item ID: F0800Z

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: none of above activities	Asmt		Checklist	1	645-645

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2,

D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.

Skip pattern

-3609

[V3.01.0]-The following item mappings were deleted, since the items have been deleted: all D0200 items, D0300. Added mappings to new items B1300, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700.