

ICD-10-CM INDEX to DISEASES and INJURIES

2017 Addenda

No Change

A

No Change **Abnormal, abnormality, abnormalities** - see also Anomaly

No Change - diagnostic imaging

Delete - - urinary organs R93.4

Add - - bladder R93.41

Add - - kidney R93.42-

Add - - renal pelvis R93.41

Add - - urinary organs specified NEC R93.49

Add - - ureter R93.41

Revise from - urination NEC R39.19

Revise to - urination NEC R39.198

No Change - urine (constituents) R82.90

Revise from - - microbiological examination (culture) R82.7

Revise to - - microbiological examination (culture) R82.79

Revise from - - positive culture R82.7

Revise to - - positive culture R82.79

No Change **Abortion (complete) (spontaneous) O03.9**

Revise from - tubal O00.1

Revise to - tubal O00.10

Add - - with intrauterine pregnancy O00.11

No Change **Abscess (connective tissue) (embolic) (fistulous) (infective) (metastatic) (multiple) (pernicious) (pyogenic) (septic) L02.91**

Revise from - areola (acute) (chronic) (nonpuerperal) N61

Revise to - areola (acute) (chronic) (nonpuerperal) N61.1

Revise from - breast (acute) (chronic) (nonpuerperal) N61

Revise to - breast (acute) (chronic) (nonpuerperal) N61.1

Revise from - gingival K05.21

Revise to - gingival - see Peridontitis, aggressive, localized

Revise from - gum K05.21

Revise to - gum - see Peridontitis, aggressive, localized

No Change - intra-abdominal (see also Abscess, peritoneum) K65.1

Delete - - postoperative T81.4

Delete - - - retroperitoneal K68.11

Add - - postprocedural T81.43

Add - - - retroperitoneal K68.11

Add - intra-muscular, postprocedural T81.42

Revise from - nipple N61

Revise to - nipple N61.1

No Change - - associated with

Revise from - - - lactation - see Pregnancy, complicated by,

Revise to - - - lactation - see Pregnancy, complicated by

Revise from - operative wound T81.4

Revise to - operative wound T81.40

Revise from - parodontal K05.21

Revise to - parodontal - see Peridontitis, aggressive, localized

Revise from - pericemental K05.21

Revise to - pericemental - see Peridontitis, aggressive, localized

Revise from - pericoronar K05.21

Revise to - pericoronar - see Peridontitis, aggressive, localized

Revise from - peridental K05.21

Revise to - peridental - see Peridontitis, aggressive, localized

Revise from - periodontal (parietal) K05.21

Revise to - periodontal (parietal) - see Peridontitis, aggressive, localized

No Change - peritoneum, peritoneal (perforated) (ruptured) K65.1
Revise from - - postoperative T81.4
Revise to - - postoperative T81.43
Revise from - postoperative (any site) T81.4
Revise to - postoperative (any site) T81.40
Revise from - pulp, pulpal (dental) K04.0
Revise to - pulp, pulpal (dental) K04.01
Add - - irreversible K04.02
Add - - reversible K04.01
Revise from - stitch T81.4
Revise to - stitch T81.48
No Change - subcutaneous - see also Abscess, by site
Add - - postprocedural T81.41
No Change - subphrenic K65.1
Revise from - - postoperative T81.4
Revise to - - postoperative T81.43
No Change - tooth, teeth (root) K04.7
Revise from - - supporting structures NEC K05.21
Revise to - - supporting structures NEC - see Peridontitis, aggressive, localized
Revise from - wound T81.4
Revise to - wound T81.40
No Change **Absence (of) (organ or part) (complete or partial)**
Revise from - aorta (congenital) Q25.4
Revise to - aorta (congenital) Q25.41
Revise from - transverse aortic arch, congenital Q25.4
Revise to - transverse aortic arch, congenital Q25.49
No Change **Absorption**
Revise from - carbohydrate, disturbance K90.4
Revise to - carbohydrate, disturbance K90.49
Revise from - fat, disturbance K90.4
Revise to - fat, disturbance K90.49
Revise from - protein, disturbance K90.4
Revise to - protein, disturbance K90.49
Revise from - starch, disturbance K90.4
Revise to - starch, disturbance K90.49
No Change **Acne** L70.9
Delete - excoriée des jeunes filles L70.5
Add - excoriée (des jeunes filles) L70.5
Add **Activation**
Add - mast cell (disorder) (syndrome) D89.40
Add - - idiopathic D89.42
Add - - monoclonal D89.41
Add - - secondary D89.43
Add - - specified type NEC D89.49
No Change **Adenoma** - see also Neoplasm, benign, by site
No Change - microcystic
Revise from - - pancreas D13.7
Revise to - - pancreas D13.6
Revise from - - unspecified site D13.7
Revise to - - unspecified site D13.6
No Change **Adhesions, adhesive (postinfective)** K66.0
Revise from - epididymis N50.8
Revise to - epididymis N50.89
No Change - iris H21.50-
Revise from - - to corneal graft T85.89
Revise to - - to corneal graft T85.898
No Change - joint - see Ankylosis
Revise from - - temporomandibular M26.61
Revise to - - temporomandibular M26.61-
Revise from - mediastinum J98.5

Revise to	- mediastinum J98.59
Revise from	- perivesicular (seminal vesicle) N50.8
Revise to	- perivesicular (seminal vesicle) N50.89
Revise from	- seminal vesicle N50.8
Revise to	- seminal vesicle N50.89
Revise from	- spermatic cord (acquired) N50.8
Revise to	- spermatic cord (acquired) N50.89
Revise from	- temporomandibular M26.61
Revise to	- temporomandibular M26.61-
No Change	Admission (for) - see also Encounter (for)
No Change	- adjustment (of)
No Change	-- device NEC
No Change	--- implanted Z45.89
No Change	---- cardiac Z45.09
Revise from	----- pacemaker Z45.018
Revise to	----- pacemaker (cardiac resynchronization therapy (CRT-P)) Z45.018
Add	----- resynchronization therapy defibrillator (CRT-D) Z45.02
Revise from	-- pacemaker
Revise to	-- pacemaker (cardiac resynchronization therapy (CRT-P))
No Change	- counseling - see also Counseling
Add	-- gestational carrier Z31.7
Add	- desensitization to allergens Z51.6
Revise from	- prophylactic (measure)
Revise to	- prophylactic (measure) - see also Encounter, prophylactic measures
No Change	- removal of
Add	-- implantable subdermal contraceptive Z30.46
No Change	Agammaglobulinemia (acquired (secondary)) (nonfamilial) D80.1
Revise from	- X-linked (with growth hormone deficiency)(Bruton) D80.0
Revise to	- X-linked (with growth hormone deficiency) (Bruton) D80.0
No Change	Agenesis
Revise from	- aorta Q25.4
Revise to	- aorta Q25.41
Add	AIN - see Neoplasia, intraepithelial, anal
No Change	Alcohol, alcoholic, alcohol-induced
Add	- anxiety disorder F10.980
Add	- bipolar and related disorder F10.94
Add	- depressive disorder F10.94
Add	- major neurocognitive disorder, amnesic-confabulatory type F10.96
Add	- major neurocognitive disorder, nonamnesic-confabulatory type F10.97
Add	- mild neurocognitive disorder F10.988
Add	- psychotic disorder F10.959
Add	- sexual dysfunction F10.981
Add	- sleep disorder F10.982
No Change	Allergy, allergic (reaction) (to) T78.40
Revise from	- colitis K52.2
Revise to	- colitis (see also Colitis, allergic) K52.29
Revise from	- gastrointestinal K52.2
Revise to	- gastrointestinal - see also specific type of allergic reaction
Add	-- meaning colitis (see also Colitis, allergic) K52.29
Add	-- meaning gastroenteritis (see also Gastroenteritis, allergic) K52.29
Add	-- meaning other adverse food reaction not elsewhere classified T78.1
Revise from	- milk protein K52.2
Revise to	- milk protein (see also Allergy, food) Z91.011
Add	-- anaphylactic reaction T78.07
Add	-- dermatitis L27.2
Add	-- enterocolitis syndrome K52.21
Add	-- enteropathy K52.22
Add	-- gastroenteritis K52.29
Add	-- gastroesophageal reflux (see also Reaction, adverse, food) K21.9
Add	-- with esophagitis K21.0

Add	- - proctocolitis K52.82
Add	- proctocolitis K52.82
No Change	Alteration (of), Altered
Delete	- awareness, transient R40.4
Add	- awareness
Add	- - transient R40.4
Add	- - unintended under general anesthesia, during procedure T88.53
No Change	Amblyopia (congenital) (ex anopsia) (partial) (suppression) H53.00-
Add	- suspect H53.04-
Add	AMH (asymptomatic microscopic hematuria) R31.21
No Change	Amnesia R41.3
No Change	- dissociative F44.0
Add	- - with dissociative fugue F44.1
Add	Amphetamine (or other stimulant) -induced
Add	- anxiety disorder F15.980
Add	- bipolar and related disorder F15.94
Add	- delirium F15.921
Add	- depressive disorder F15.94
Add	- obsessive-compulsive and related disorder F15.988
Add	- psychotic disorder F15.959
Add	- sexual dysfunction F15.981
Add	- sleep disorder F15.982
Add	- stimulant withdrawal F15.23
No Change	Anesthesia, anesthetic R20.0
No Change	- complication or reaction NEC (see also Complications, anesthesia) T88.59
Add	- - unintended awareness under general anesthesia during procedure T88.53
Add	- - - personal history of Z92.84
No Change	Aneurysm (anastomotic) (artery) (cirroid) (diffuse) (false) (fusiform) (multiple) (saccular) I72.9
No Change	- aorta, aortic (nonsyphilitic) I71.9
Revise from	- - congenital Q25.4
Revise to	- - congenital Q25.43
Add	- - root Q25.43
Revise from	- - sinus, congenital Q25.4
Revise to	- - sinus, congenital Q25.43
Add	- basilar (trunk) I72.5
No Change	- congenital (peripheral) Q27.8
Add	- - aorta (root) (sinus) Q25.43
Delete	- precerebral, congenital (nonruptured) Q28.1
Add	- precerebral
Add	- - congenital (nonruptured) Q28.1
Add	- - specified site, NEC I72.5
Revise from	- sinus of Valsalva Q25.4
Revise to	- sinus of Valsalva Q25.49
Add	- vertebral artery I72.6
No Change	Angina (attack) (cardiac) (chest) (heart) (pectoris) (syndrome) (vasomotor) I20.9
Revise from	- stable I20.9
Revise to	- stable I20.8
No Change	Anhedonia R45.84
Add	- sexual F52.0
Delete	Anhydration, anhydremia E86.0
Delete	- with
Delete	- - hypernatremia E87.0
Delete	- - hyponatremia E87.1
Add	Anhydration E86.0
No Change	Anhydremia E86.0
Delete	- with
Delete	- - hypernatremia E87.0
Delete	- - hyponatremia E87.1
No Change	Ankylosis (fibrous) (osseous) (joint) M24.60
Revise from	- jaw (temporomandibular) M26.61

Revise to - jaw (temporomandibular) M26.61-
 Revise from - temporomandibular M26.61
 Revise to - temporomandibular M26.61-
 No Change **Anomaly, anomalous (congenital) (unspecified type) Q89.9**
 Revise from - aorta (arch) NEC Q25.4
 Revise to - aorta (arch) NEC Q25.40
 No Change - artery (peripheral) Q27.9
 No Change - - subclavian Q27.8
 Add - - - origin Q25.48
 No Change - dentofacial M26.9
 Revise from - - temporomandibular joint M26.60
 Revise to - - temporomandibular joint M26.60-
 Revise from - - - adhesions M26.61
 Revise to - - - adhesions M26.61-
 Revise from - - - ankylosis M26.61
 Revise to - - - ankylosis M26.61-
 Revise from - - - arthralgia M26.62
 Revise to - - - arthralgia M26.62-
 Revise from - - - articular disc M26.63
 Revise to - - - articular disc M26.63-
 No Change - origin
 No Change - - artery
 Revise from - - - subclavian Q25.8
 Revise to - - - subclavian Q25.48
 Revise from - sinus of Valsalva Q25.4
 Revise to - sinus of Valsalva Q25.49
 No Change - vascular Q27.9
 Revise from - - ring Q25.4
 Revise to - - ring Q25.45
 No Change **Anticoagulant, circulating (intrinsic) (see also - Disorder, hemorrhagic) D68.318**
 Add - iatrogenic D68.32
 No Change **Aphthae, aphthous** - see also condition
 No Change - ulcer (oral) (recurrent) K12.0
 No Change - - genital organ(s) NEC
 Revise from - - - male N50.8
 Revise to - - - male N50.89
 No Change **Aplasia** - see also Agenesis
 Revise from - aorta (congenital) Q25.4
 Revise to - aorta (congenital) Q25.41
 No Change **Appetite**
 No Change - lack or loss (see also Anorexia) R63.0
 Revise from - - nonorganic origin F50.8
 Revise to - - nonorganic origin F50.89
 Revise from - - psychogenic F50.8
 Revise to - - psychogenic F50.89
 No Change **Arthralgia (allergic)** - see also Pain, joint
 Revise from - temporomandibular M26.62
 Revise to - temporomandibular M26.62-
 No Change **Arthritis, arthritic (acute) (chronic) (nonpyogenic) (subacute) M19.90**
 Revise from - gouty (acute) - see Gout, idiopathic
 Revise to - gouty (acute) - see Gout
 No Change - in (due to)
 Revise from - - gout - see Gout, idiopathic
 Revise to - - gout - see Gout
 Revise from - - Mediterranean fever, familial (see also subcategory M14.8-) E85.0
 Revise to - - Mediterranean fever, familial (see also subcategory M14.8-) M04.1
 Revise from - uratic - see Gout, idiopathic
 Revise to - uratic - see Gout
 No Change **Arthropathy (see also Arthritis) M12.9**
 Revise from - gouty - see also Gout, idiopathic

Revise to	- gouty - see also Gout
No Change	Ataxia, ataxy, ataxic R27.0
No Change	- cerebellar (hereditary) G11.9
No Change	- - in
Revise from	- - - neoplastic disease (see also Neoplasm) D49.9 [G13.1]
Revise to	- - - neoplastic disease (see also Neoplasm) D49.9 [G32.81]
No Change	Atresia, atretic
Revise from	- aorta (arch) (ring) Q25.2
Revise to	- aorta (ring) Q25.29
No Change	- aortic (orifice) (valve) Q23.0
Revise from	- - arch Q25.2
Revise to	- - arch Q25.21
Revise from	- follicular cyst N83.0
Revise to	- follicular cyst N83.0-
No Change	Atrophy, atrophic (of)
Revise from	- epididymis N50.8
Revise to	- epididymis N50.89
Revise from	- fallopian tube (senile) N83.32
Revise to	- fallopian tube (senile) N83.32-
Revise from	- - with ovary N83.33
Revise to	- - with ovary N83.33-
Revise from	- gum K06.0
Revise to	- gum (see also Recession, gingival) K06.0
Revise from	- ovary (senile) N83.31
Revise to	- ovary (senile) N83.31-
Revise from	- - with fallopian tube N83.33
Revise to	- - with fallopian tube N83.33-
Revise from	- pancreas (duct) (senile) K86.8
Revise to	- pancreas (duct) (senile) K86.89
Revise from	- scrotum N50.8
Revise to	- scrotum N50.89
Revise from	- seminal vesicle N50.8
Revise to	- seminal vesicle N50.89
Revise from	- spermatic cord N50.8
Revise to	- spermatic cord N50.89
Revise from	- tunica vaginalis N50.8
Revise to	- tunica vaginalis N50.89
Revise from	- vas deferens N50.8
Revise to	- vas deferens N50.89
No Change	Attrition
Revise from	- gum K06.0
Revise to	- gum (see also Recession, gingival) K06.0
No Change	Autism, autistic (childhood) (infantile) F84.0
Add	- spectrum disorder F84.0

No Change

B

Revise from	Bacilluria N39.0
Revise to	Bacilluria R82.71
Revise from	Bacteriuria, bacteruria N39.0
Revise to	Bacteriuria, bacteruria R82.71
Revise from	- asymptomatic N39.0
Revise to	- asymptomatic R82.71
Revise from	Bakwin-Krida syndrome (craniometaphyseal dysplasia) Q78.5
Revise to	Bakwin-Krida syndrome (metaphyseal dysplasia) Q78.5
No Change	Behavior
Revise from	- drug seeking Z72.89
Revise to	- drug seeking Z76.5
No Change	Bicornate or bicornis uterus Q51.3
Revise from	- in pregnancy or childbirth O34.59-

Revise to	- in pregnancy or childbirth O34.0-
No Change	Bleeding - see also Hemorrhage
Add	- pre-pubertal vaginal N93.1
No Change	- vagina, vaginal (abnormal) N93.9
Add	-- pre-pubertal N93.1
Revise from	Bonnevie-Ullrich syndrome Q87.1
Revise to	Bonnevie-Ullrich syndrome (see also Turner's syndrome) Q87.1
No Change	Borderline
Revise from	- diabetes mellitus R73.09
Revise to	- diabetes mellitus R73.03
No Change	Breakdown
No Change	- device, graft or implant (see also Complications, by site and type, mechanical) T85.618
No Change	-- catheter NEC T85.618
Add	--- Hopkins T83.018
Add	--- ileostomy T83.018
No Change	--- infusion NEC T82.514
Add	---- cranial T85.610
Add	---- epidural T85.610
Add	---- intrathecal T85.610
Revise from	---- spinal (epidural) (subdural) T85.610
Revise to	---- spinal T85.610
Add	---- subarachnoid T85.610
Add	---- subdural T85.610
Delete	--- urinary (indwelling) T83.018
Add	--- nephrostomy T83.012
Add	--- urethral indwelling T83.011
Add	--- urinary NEC T83.018
Add	--- urostomy T83.018
No Change	-- genital NEC T83.418
Revise from	--- penile prosthesis T83.410
Revise to	--- penile prosthesis (cylinder) (implanted) (pump) (resevoir) T83.410
Add	--- testicular prosthesis T83.411
Add	-- intrathecal infusion pump T85.615
Add	-- nervous system, specified device NEC T85.615
Add	-- subcutaneous device pocket
Add	--- nervous system prosthetic device, implant, or graft T85.890
Add	--- other internal prosthetic device, implant, or graft T85.898
Revise from	-- urinary NEC - see also Complication, genitourinary, device, urinary, mechanical
Revise to	-- urinary NEC T83.118
Add	--- sphincter, implanted T83.111
Add	--- stent (ileal conduit) (nephroureteral) T83.113
Add	---- ureteral indwelling T83.112
Revise from	Bunion - see Deformity, toe, hallux valgus
Revise to	Bunion M21.61-
Add	- tailor's M21.62-
Add	Bunionette M21.62-
Revise from	Burke's syndrome K86.8
Revise to	Burke's syndrome K86.89
No Change	Burn (electricity) (flame) (hot gas, liquid or hot object) (radiation) (steam) (thermal) T30.0
Revise from	- hip(s) - see Burn, lower, limb
Revise to	- hip(s) - see Burn, thigh
No Change	Bursitis M71.9
Revise from	- gouty - see Gout, idiopathic
Revise to	- gouty - see Gout
Revise from	- tibial collateral - see Bursitis, tibial collateral
Revise to	- tibial collateral M76.4-

No Change

C

No Change

Cachexia R64

No Change	- dehydration E86.0
Delete	- - with
Delete	- - - hypernatremia E87.0
Delete	- - - hyponatremia E87.1
Add	Caffeine-induced
Add	- anxiety disorder F15.980
Add	- sleep disorder F15.982
No Change	Calcification
Revise from	- pancreas K86.8
Revise to	- pancreas K86.89
No Change	Calculus, calculi, calculous
Revise from	- epididymis N50.8
Revise to	- epididymis N50.89
Revise from	- pancreas (duct) K86.8
Revise to	- pancreas (duct) K86.89
Revise from	- seminal vesicle N50.8
Revise to	- seminal vesicle N50.89
Revise from	- tunica vaginalis N50.8
Revise to	- tunica vaginalis N50.89
Add	CALME (childhood asymmetric labium majus enlargement) N90.61
Add	Cannabis induced
Add	- anxiety disorder F12.980
Add	- psychotic disorder F12.959
Add	- sleep disorder F12.988
No Change	Carbuncle L02.93
Revise from	- breast N61
Revise to	- breast N61.1
No Change	Caries
Revise from	- dental K02.9
Revise to	- dental (dentino enamel junction) (early childhood) (of dentine) (pre-eruptive) (recurrent) (to the pulp) K02.9
Add	- - primary, cervical origin K02.52
No Change	Carrier (suspected) of
No Change	- bacterial disease NEC Z22.39
No Change	- - streptococcal Z22.338
No Change	- - - group B Z22.330
Add	- - - - complicating pregnancy or delivery O99.82-
Add	- gestational, pregnant Z33.1
Revise from	- HAA (hepatitis Australian-antigen) Z22.59
Revise to	- HAA (hepatitis Australian-antigen) B18.8
Revise from	- HB (c)(s) -AG Z22.51
Revise to	- HB (c)(s) -AG B18.1
Revise from	- hepatitis (viral) Z22.50
Revise to	- hepatitis (viral) B18.9
Revise from	- - Australia-antigen (HAA) Z22.59
Revise to	- - Australia-antigen (HAA) B18.8
Revise from	- - B surface antigen (HBsAg) Z22.51
Revise to	- - B surface antigen (HBsAg) B18.1
Revise from	- - C Z22.52
Revise to	- - C B18.2
Revise from	- - specified NEC Z22.59
Revise to	- - specified NEC B18.8
No Change	- streptococci Z22.338
No Change	- - group B Z22.330
Add	- - - complicating pregnancy or delivery O99.82-
No Change	Celiac
Revise from	- disease K90.0
Revise to	- disease (with steatorrhea) K90.0
No Change	Cellulitis (diffuse) (phlegmonous) (septic) (suppurative) L03.90
Add	- breast (acute) (nonpuerperal) (subacute) N61.0
Add	- - nipple N61.0

Revise from - drainage site (following operation) T81.4
 Revise to - drainage site (following operation) T81.48
 Add - nipple (acute) (nonpuerperal) (subacute) N61.0
 Add - periorbital L03.213
 Add - preseptal L03.213
 Revise from **Cesarean delivery, previous, affecting management of pregnancy** O34.21
 Revise to **Cesarean delivery, previous, affecting management of pregnancy** O34.219
 Add - classical (vertical) scar O34.212
 Add - low transverse scar O34.211
 No Change **Checking (of)**
 Add - implantable subdermal contraceptive Z30.46
 Revise from **Cholesteremia** E78.0
 Revise to **Cholesteremia** E78.00
 No Change **Cholesterol**
 Revise from - elevated (high) E78.0
 Revise to - elevated (high) E78.00
 Revise from **Cholesterolemia (essential) (familial) (hereditary) (pure)** E78.0
 Revise to **Cholesterolemia (essential) (pure)** E78.00
 Add - familial E78.01
 Add - hereditary E78.01
 No Change **Chondrodysplasia** Q78.9
 Revise from - metaphyseal (Jansen's) (McKusick's) (Schmid's) Q78.5
 Revise to - metaphyseal (Jansen's) (McKusick's) (Schmid's) Q78.8
 No Change **Chylocele (nonfilarial)** I89.8
 Revise from - tunica vaginalis N50.8
 Revise to - tunica vaginalis N50.89
 No Change **Cicatrix (adherent) (contracted) (painful) (vicious) (see also Scar)** L90.5
 Revise from - seminal vesicle N50.8
 Revise to - seminal vesicle N50.89
 Add **CINCA (chronic infantile neurological, cutaneous and articular syndrome)** M04.2
 No Change **Cirrhosis, cirrhotic (hepatic) (liver)** K74.60
 Revise from - pancreas (duct) K86.8
 Revise to - pancreas (duct) K86.89
 Revise from **Clarke-Hadfield syndrome (pancreatic infantilism)** K86.8
 Revise to **Clarke-Hadfield syndrome (pancreatic infantilism)** K86.89
 Delete **Claudication, intermittent** I73.9
 Delete - cerebral (artery) G45.9
 Delete - spinal cord (arteriosclerotic) G95.19
 Delete - - syphilitic A52.09
 Delete - venous (axillary) I87.8
 Add **Claudication (intermittent)** I73.9
 Add - cerebral (artery) G45.9
 Add - spinal cord (arteriosclerotic) G95.19
 Add - - syphilitic A52.09
 Add - venous (axillary) I87.8
 No Change **Cleft (congenital)** - see also Imperfect, closure
 Add - foot Q72.7
 Add - hand Q71.6
 No Change **Climacteric (female)** - see also Menopause
 Revise from - depression (single episode) F32.8
 Revise to - depression (single episode) F32.89
 Add - - recurrent episode F33.8
 Add - melancholia (single episode) F32.89
 Add - - recurrent episode F33.8
 Revise from - male (symptoms) (syndrome) NEC N50.8
 Revise to - male (symptoms) (syndrome) NEC N50.89
 No Change **Clot (blood)** - see also Embolism
 No Change - heart - see also Infarct, myocardium
 Revise from - - not resulting in infarction I24.0
 Revise to - - not resulting in infarction I51.3

Add	Cocaine-induced
Add	- anxiety disorder F14.980
Add	- bipolar and related disorder F14.94
Add	- depressive disorder F14.94
Add	- obsessive-compulsive and related disorder F14.988
Add	- psychotic disorder F14.959
Add	- sleep disorder F14.982
Add	- sexual dysfunction F14.981
Revise from	Cocainism - see Dependence, drug, cocaine
Revise to	Cocainism - see Disorder, cocaine use
Revise from	Coitus, painful (female) N94.1
Revise to	Coitus, painful (female) N94.10
No Change	Colic (bilious) (infantile) (intestinal) (recurrent) (spasmodic) R10.83
Revise from	- pancreas K86.8
Revise to	- pancreas K86.89
No Change	Colitis (acute) (catarrhal) (chronic) (noninfective) (hemorrhagic) (see also Enteritis) K52.9
Revise from	- allergic K52.2
Revise to	- allergic K52.29
Add	- - with
Add	- - - food protein-induced enterocolitis syndrome K52.21
Add	- - - proctocolitis K52.82
Revise from	- collagenous K52.89
Revise to	- collagenous K52.831
Revise from	- dietetic K52.2
Revise to	- dietetic (see also Colitis, allergic) K52.29
Revise from	- food hypersensitivity K52.2
Revise to	- food hypersensitivity (see also Colitis, allergic) K52.29
Add	- indeterminate, so stated K52.3
No Change	- ischemic K55.9
Revise from	- - acute (fulminant) (subacute) K55.0
Revise to	- - acute (subacute) (see also Ischemia, intestine, acute) K55.039
Revise from	- - fulminant (acute) K55.0
Revise to	- - fulminant (acute) (see also Ischemia, intestine, acute) K55.039
Revise from	- lymphocytic K52.89
Revise to	- lymphocytic K52.832
Revise from	- microscopic (collagenous) (lymphocytic) K52.89
Revise to	- microscopic K52.839
Add	- - specified NEC K52.838
Revise from	- subacute ischemic K55.0
Revise to	- subacute ischemic (see also Ischemia, intestine, acute) K55.039
Revise from	- thromboulcerative K55.0
Revise to	- thromboulcerative (see also Ischemia, intestine, acute) K55.039
No Change	Coma R40.20
Revise from	- hyperglycemic (diabetic) - see Diabetes, coma
Revise to	- hyperglycemic (diabetic) - see Diabetes, by type, with hyperosmolarity, with coma
Revise from	- hyperosmolar (diabetic) - see Diabetes, coma
Revise to	- hyperosmolar (diabetic) - see Diabetes, by type, with hyperosmolarity, with coma
Revise from	- hypoglycemic (diabetic) - see Diabetes, coma, hypoglycemic
Revise to	- hypoglycemic (diabetic) - see Diabetes, by type, with hypoglycemia, with coma
No Change	Complication(s) (from) (of)
No Change	- anesthesia, anesthetic (see also Anesthesia, complication) T88.59
Add	- - general, unintended awareness during procedure T88.53
Add	- - unintended awareness under general anesthesia during procedure T88.53
No Change	- balloon implant or device
No Change	- - gastrointestinal T85.9
Revise from	- - - embolism T85.81
Revise to	- - - embolism T85.818
Revise from	- - - fibrosis T85.82
Revise to	- - - fibrosis T85.828
Revise from	- - - hemorrhage T85.83

Revise to	--- hemorrhage T85.838
Revise from	--- pain T85.84
Revise to	--- pain T85.848
Revise from	--- specified type NEC T85.89
Revise to	--- specified type NEC T85.898
Revise from	--- stenosis T85.85
Revise to	--- stenosis T85.858
Revise from	--- thrombosis T85.86
Revise to	--- thrombosis T85.868
No Change	- bile duct implant (prosthetic) T85.9
Revise from	-- embolism T85.81
Revise to	-- embolism T85.818
Revise from	-- fibrosis T85.82
Revise to	-- fibrosis T85.828
Revise from	-- hemorrhage T85.83
Revise to	-- hemorrhage T85.838
Revise from	-- pain T85.84
Revise to	-- pain T85.848
Revise from	-- specified type NEC T85.89
Revise to	-- specified type NEC T85.898
Revise from	-- stenosis T85.85
Revise to	-- stenosis T85.858
Revise from	-- thrombosis T85.86
Revise to	-- thrombosis T85.868
No Change	- breast implant (prosthetic) T85.9
Revise from	-- embolism T85.81
Revise to	-- embolism T85.818
Revise from	-- fibrosis T85.82
Revise to	-- fibrosis T85.828
Revise from	-- hemorrhage T85.83
Revise to	-- hemorrhage T85.838
Revise from	-- pain T85.84
Revise to	-- pain T85.848
Revise from	-- specified type NEC T85.89
Revise to	-- specified type NEC T85.898
Revise from	-- stenosis T85.85
Revise to	-- stenosis T85.858
Revise from	-- thrombosis T85.86
Revise to	-- thrombosis T85.868
No Change	- catheter (device) NEC - see also Complications, prosthetic device or implant
Add	-- cranial infusion
Add	--- infection and inflammation T85.735
Add	--- mechanical
Add	---- breakdown T85.610
Add	---- displacement T85.620
Add	---- leakage T85.630
Add	---- malfunction T85.690
Add	---- malposition T85.620
Add	---- obstruction T85.690
Add	---- perforation T85.690
Add	---- protrusion T85.690
Add	---- specified NEC T85.690
No Change	-- cystostomy T83.9
Revise from	--- infection and inflammation T83.59
Revise to	--- infection and inflammation T83.510
No Change	-- epidural infusion T85.9
Revise from	--- embolism T85.81
Revise to	--- embolism T85.810
Revise from	--- fibrosis T85.82
Revise to	--- fibrosis T85.820

Revise from --- hemorrhage T85.83
 Revise to --- hemorrhage T85.830
 Revise from --- infection and inflammation T85.79
 Revise to --- infection and inflammation T85.735
 Revise from --- pain T85.84
 Revise to --- pain T85.840
 Revise from --- specified type NEC T85.89
 Revise to --- specified type NEC T85.890
 Revise from --- stenosis T85.85
 Revise to --- stenosis T85.850
 Revise from --- thrombosis T85.86
 Revise to --- thrombosis T85.860
 No Change -- intraperitoneal dialysis T85.9
 Revise from --- embolism T85.81
 Revise to --- embolism T85.818
 Revise from --- fibrosis T85.82
 Revise to --- fibrosis T85.828
 Revise from --- hemorrhage T85.83
 Revise to --- hemorrhage T85.838
 Revise from --- pain T85.84
 Revise to --- pain T85.848
 Revise from --- specified type NEC T85.89
 Revise to --- specified type NEC T85.898
 Revise from --- stenosis T85.85
 Revise to --- stenosis T85.858
 Revise from --- thrombosis T85.86
 Revise to --- thrombosis T85.868
 Add -- intrathecal infusion
 Add --- infection and inflammation T85.735
 Add --- mechanical
 Add ---- breakdown T85.610
 Add ---- displacement T85.620
 Add ---- leakage T85.630
 Add ---- malfunction T85.690
 Add ---- malposition T85.620
 Add ---- obstruction T85.690
 Add ---- perforation T85.690
 Add ---- protrusion T85.690
 Add ---- specified NEC T85.690
 Add -- spinal infusion
 Add --- infection and inflammation T85.735
 Add --- mechanical
 Add ---- breakdown T85.610
 Add ---- displacement T85.620
 Add ---- leakage T85.630
 Add ---- malfunction T85.690
 Add ---- malposition T85.620
 Add ---- obstruction T85.690
 Add ---- perforation T85.690
 Add ---- protrusion T85.690
 Add ---- specified NEC T85.690
 Add -- subarachnoid infusion
 Add --- infection and inflammation T85.735
 Add --- mechanical
 Add ---- breakdown T85.610
 Add ---- displacement T85.620
 Add ---- leakage T85.630
 Add ---- malfunction T85.690
 Add ---- malposition T85.620
 Add ---- obstruction T85.690

Add	----	perforation T85.690
Add	----	protrusion T85.690
Add	----	specified NEC T85.690
No Change	--	subdural infusion T85.9
Revise from	---	embolism T85.81
Revise to	---	embolism T85.810
Revise from	---	fibrosis T85.82
Revise to	---	fibrosis T85.820
Revise from	---	hemorrhage T85.83
Revise to	---	hemorrhage T85.830
Revise from	---	infection and inflammation T85.79
Revise to	---	infection and inflammation T85.735
Revise from	---	pain T85.84
Revise to	---	pain T85.840
Revise from	---	specified type NEC T85.89
Revise to	---	specified type NEC T85.890
Revise from	---	stenosis T85.85
Revise to	---	stenosis T85.850
Revise from	---	thrombosis T85.86
Revise to	---	thrombosis T85.860
Delete	--	urethral, indwelling T83.9
Delete	---	displacement T83.028
Delete	---	embolism T83.81
Delete	---	fibrosis T83.82
Delete	---	hemorrhage T83.83
Delete	---	infection and inflammation T83.51
Delete	---	leakage T83.038
Delete	---	malposition T83.028
Delete	---	mechanical
Delete	----	breakdown T83.018
Delete	---	obstruction (mechanical) T83.098
Delete	---	pain T83.84
Delete	---	perforation T83.098
Delete	---	protrusion T83.098
Delete	---	specified type NEC T83.098
Delete	---	stenosis T83.85
Delete	---	thrombosis T83.86
Delete	--	urinary (indwelling) - see Complications, catheter, urethral, indwelling
Add	--	urethral T83.9
Add	---	displacement T83.028
Add	---	embolism T83.81
Add	---	fibrosis T83.82
Add	---	hemorrhage T83.83
Add	---	indwelling
Add	----	breakdown T83.011
Add	----	displacement T83.021
Add	----	infection and inflammation T83.511
Add	----	leakage T83.031
Add	----	specified complication NEC T83.091
Add	---	infection and inflammation T83.511
Add	---	leakage T83.038
Add	---	malposition T83.028
Add	---	mechanical
Add	----	breakdown T83.011
Add	---	obstruction (mechanical) T83.091
Add	---	pain T83.84
Add	---	perforation T83.091
Add	---	protrusion T83.091
Add	---	specified type NEC T83.091
Add	---	stenosis T83.85

Add	--- thrombosis T83.86
Add	-- urinary NEC
Add	--- breakdown T83.018
Add	--- displacement T83.028
Add	--- infection and inflammation T83.518
Add	--- leakage T83.038
Add	--- specified complication NEC T83.098
No Change	- coronary artery (bypass) graft T82.9
Revise from	-- specified type NEC T82.897
Revise to	-- specified type NEC T82.898
No Change	- ear procedure - see also Disorder, ear
No Change	-- postoperative H95.89
Revise from	--- hematoma - see Complications, postprocedural, hemorrhage (hematoma) (of), ear
Revise to	--- hematoma - see Complications, postprocedural, hematoma (of), ear
Revise from	--- hemorrhage - see Complications, postprocedural, hemorrhage (hematoma) (of), ear
Revise to	--- hemorrhage - see Complications, postprocedural, hemorrhage (of), ear
Add	--- seroma - see Complications, postprocedural, seroma (of), mastoid process
No Change	- electronic stimulator device
No Change	-- brain T85.9
Revise from	--- embolism T85.81
Revise to	--- embolism T85.810
Revise from	--- fibrosis T85.82
Revise to	--- fibrosis T85.820
Revise from	--- hemorrhage T85.83
Revise to	--- hemorrhage T85.830
Revise from	--- infection and inflammation T85.79
Revise to	--- infection and inflammation T85.731
Revise from	--- pain T85.84
Revise to	--- pain T85.840
Revise from	--- specified type NEC T85.89
Revise to	--- specified type NEC T85.890
Revise from	--- stenosis T85.85
Revise to	--- stenosis T85.850
Revise from	--- thrombosis T85.86
Revise to	--- thrombosis T85.860
Add	-- generator (brain) (gastric) (peripheral) (sacral) (spinal)
Add	--- breakdown T85.113
Add	--- displacement T85.123
Add	--- leakage T85.193
Add	--- malposition T85.123
Add	--- obstruction T85.193
Add	--- perforation T85.193
Add	--- protrusion T85.193
Add	--- specified type NEC T85.193
No Change	-- nervous system T85.9
Add	--- cranial nerve - see Complications, electronic stimulator device, peripheral nerve
Revise from	--- embolism T85.81
Revise to	--- embolism T85.810
Revise from	--- fibrosis T85.82
Revise to	--- fibrosis T85.820
Add	--- gastric nerve - see Complications, electronic stimulator device, peripheral nerve
Revise from	--- hemorrhage T85.83
Revise to	--- hemorrhage T85.830
Revise from	--- infection and inflammation T85.79
Revise to	--- infection and inflammation T85.738
Revise from	--- pain T85.84
Revise to	--- pain T85.840
Add	--- sacral nerve - see Complications, electronic stimulator device, peripheral nerve
Revise from	--- specified type NEC T85.89
Revise to	--- specified type NEC T85.890

Revise from --- stenosis T85.85
 Revise to --- stenosis T85.850
 Revise from --- thrombosis T85.86
 Revise to --- thrombosis T85.860
 Add --- vagal nerve - see Complications, electronic stimulator device, peripheral nerve
 No Change -- peripheral nerve T85.9
 Revise from --- embolism T85.81
 Revise to --- embolism T85.810
 Revise from --- fibrosis T85.82
 Revise to --- fibrosis T85.820
 Revise from --- hemorrhage T85.83
 Revise to --- hemorrhage T85.830
 Revise from --- infection and inflammation T85.79
 Revise to --- infection and inflammation T85.732
 Revise from --- pain T85.84
 Revise to --- pain T85.840
 Revise from --- specified type NEC T85.89
 Revise to --- specified type NEC T85.890
 Revise from --- stenosis T85.85
 Revise to --- stenosis T85.850
 Revise from --- thrombosis T85.86
 Revise to --- thrombosis T85.860
 No Change -- spinal cord T85.9
 Revise from --- embolism T85.81
 Revise to --- embolism T85.810
 Revise from --- fibrosis T85.82
 Revise to --- fibrosis T85.820
 Revise from --- hemorrhage T85.83
 Revise to --- hemorrhage T85.830
 Revise from --- infection and inflammation T85.79
 Revise to --- infection and inflammation T85.733
 Revise from --- pain T85.84
 Revise to --- pain T85.840
 Revise from --- specified type NEC T85.89
 Revise to --- specified type NEC T85.890
 Revise from --- stenosis T85.85
 Revise to --- stenosis T85.850
 Revise from --- thrombosis T85.86
 Revise to --- thrombosis T85.860
 No Change -- urinary T83.9
 Revise from --- infection and inflammation T83.59
 Revise to --- infection and inflammation T83.598
 No Change - esophageal anti-reflux device T85.9
 Revise from -- embolism T85.81
 Revise to -- embolism T85.818
 Revise from -- fibrosis T85.82
 Revise to -- fibrosis T85.828
 Revise from -- hemorrhage T85.83
 Revise to -- hemorrhage T85.838
 Revise from -- pain T85.84
 Revise to -- pain T85.848
 Revise from -- specified type NEC T85.89
 Revise to -- specified type NEC T85.898
 Revise from -- stenosis T85.85
 Revise to -- stenosis T85.858
 Revise from -- thrombosis T85.86
 Revise to -- thrombosis T85.868
 No Change - eye H57.9
 No Change -- implant (prosthetic) T85.9
 Revise from --- embolism T85.81

Revise to	--- embolism T85.818
Revise from	--- fibrosis T85.82
Revise to	--- fibrosis T85.828
Revise from	--- hemorrhage T85.83
Revise to	--- hemorrhage T85.838
Revise from	--- pain T85.84
Revise to	--- pain T85.848
Revise from	--- specified type NEC T85.89
Revise to	--- specified type NEC T85.898
Revise from	--- stenosis T85.85
Revise to	--- stenosis T85.858
Revise from	--- thrombosis T85.86
Revise to	--- thrombosis T85.868
No Change	- gastrointestinal K92.9
No Change	-- prosthetic device or implant
No Change	--- specified type NEC
Revise from	---- embolism T85.81
Revise to	---- embolism T85.818
Revise from	---- fibrosis T85.82
Revise to	---- fibrosis T85.828
Revise from	---- hemorrhage T85.83
Revise to	---- hemorrhage T85.838
Revise from	---- pain T85.84
Revise to	---- pain T85.848
Revise from	---- specified complication NEC T85.89
Revise to	---- specified complication NEC T85.898
Revise from	---- stenosis T85.85
Revise to	---- stenosis T85.858
Revise from	---- thrombosis T85.86
Revise to	---- thrombosis T85.868
No Change	- genitourinary
No Change	-- device or implant T83.9
No Change	--- genital tract T83.9
Revise from	---- infection or inflammation T83.6
Revise to	---- infection or inflammation T83.69
No Change	--- urinary system T83.9
Revise from	---- infection or inflammation T83.59
Revise to	---- infection or inflammation T83.598
Delete	----- indwelling urinary catheter T83.51
Add	----- indwelling urethral catheter T83.511
No Change	---- specified type NEC T83.89
Delete	----- pain T83.84
Delete	----- specified complication NEC T83.89
Delete	----- stenosis T83.85
Delete	----- thrombosis T83.86
Add	---- sphincter, implanted T83.191
Add	---- stent (ileal conduit) (nephroureteral) T83.193
Add	----- ureteral indwelling T83.192
Add	----- pain T83.84
Add	----- specified complication NEC T83.89
Add	----- stenosis T83.85
Add	----- thrombosis T83.86
No Change	- graft (bypass) (patch) - see also Complications, prosthetic device or implant
No Change	-- urinary organ T83.9
Revise from	--- infection and inflammation T83.59
Revise to	--- infection and inflammation T83.598
Delete	---- indwelling urinary catheter T83.51
Add	---- indwelling urethral catheter T83.511
No Change	--- mechanical
Add	---- erosion T83.24

Add	---- exposure T83.25
No Change	- hematoma
Revise from	-- postprocedural - see Complication, postprocedural, hemorrhage
Revise to	-- postprocedural - see Complication, postprocedural, hematoma
No Change	- implant - see also Complications, by site and type
No Change	-- urinary sphincter T83.9
Revise from	--- infection and inflammation T83.59
Revise to	--- infection and inflammation T83.591
No Change	- intraocular lens (prosthetic) T85.9
Revise from	-- embolism T85.81
Revise to	-- embolism T85.818
Revise from	-- fibrosis T85.82
Revise to	-- fibrosis T85.828
Revise from	-- hemorrhage T85.83
Revise to	-- hemorrhage T85.838
Revise from	-- pain T85.84
Revise to	-- pain T85.848
Revise from	-- specified type NEC T85.89
Revise to	-- specified type NEC T85.898
Revise from	-- stenosis T85.85
Revise to	-- stenosis T85.858
Revise from	-- thrombosis T85.86
Revise to	-- thrombosis T85.868
Add	- intrathecal infusion pump
Add	-- infection and inflammation T85.738
Add	-- mechanical
Add	--- breakdown T85.615
Add	--- displacement T85.625
Add	--- leakage T85.635
Add	--- malfunction T85.695
Add	--- malposition T85.625
Add	--- obstruction T85.695
Add	--- perforation T85.695
Add	--- protrusion T85.695
Add	--- specified NEC T85.695
No Change	- intrauterine
No Change	-- contraceptive device
Revise from	--- infection and inflammation T83.6
Revise to	--- infection and inflammation T83.69
No Change	- joint prosthesis, internal T84.9
No Change	-- mechanical
No Change	--- perforation - see Complications, joint prosthesis, mechanical, specified NEC
Add	---- osteolysis T84.059
Add	----- hip T84.05-
Add	----- knee T84.05-
Add	----- other specified joint T84.058
Delete	--- periprosthetic
Delete	---- fracture T84.049
Delete	----- hip T84.04-
Delete	----- knee T84.04-
Delete	----- other specified joint T84.048
Delete	---- osteolysis T84.059
Delete	----- hip T84.05-
Delete	----- knee T84.05-
Delete	----- other specified joint T84.058
No Change	- mastoid (process) procedure
No Change	-- postoperative H95.89
Revise from	--- hematoma - see Complications..., postprocedural, hemorrhage (hematoma) (of), mastoid process
Revise to	--- hematoma - see Complications..., postprocedural, hematoma (of), mastoid process
Revise from	--- hemorrhage - see Complications..., postprocedural, hemorrhage (hematoma) (of), mastoid process

<i>Revise to</i>	--- hemorrhage - see Complications..., postprocedural, hemorrhage (of), mastoid process
<i>Add</i>	--- seroma - see Complications, postprocedural, seroma (of), mastoid process
<i>No Change</i>	- musculoskeletal system - see also Complication, intraoperative (intraprocedural), by site
<i>No Change</i>	-- post radiation M96.89
<i>Revise from</i>	--- kyphosis M96.3
<i>Revise to</i>	--- kyphosis M96.2
<i>No Change</i>	- nervous system G98.8
<i>No Change</i>	-- device, implant or graft - see also Complication, prosthetic device or implant, specified NEC
<i>Add</i>	--- specified NEC
<i>Add</i>	---- infection and inflammation T85.738
<i>Add</i>	---- mechanical T85.695
<i>Add</i>	----- breakdown T85.615
<i>Add</i>	----- displacement T85.625
<i>Add</i>	----- leakage T85.635
<i>Add</i>	----- malfunction T85.695
<i>Add</i>	----- malposition T85.625
<i>Add</i>	----- obstruction T85.695
<i>Add</i>	----- perforation T85.695
<i>Add</i>	----- protrusion T85.695
<i>Add</i>	----- specified NEC T85.695
<i>No Change</i>	- orbital prosthesis T85.9
<i>Revise from</i>	-- embolism T85.81
<i>Revise to</i>	-- embolism T85.818
<i>Revise from</i>	-- fibrosis T85.82
<i>Revise to</i>	-- fibrosis T85.828
<i>Revise from</i>	-- hemorrhage T85.83
<i>Revise to</i>	-- hemorrhage T85.838
<i>Revise from</i>	-- pain T85.84
<i>Revise to</i>	-- pain T85.848
<i>Revise from</i>	-- specified type NEC T85.89
<i>Revise to</i>	-- specified type NEC T85.898
<i>Revise from</i>	-- stenosis T85.85
<i>Revise to</i>	-- stenosis T85.858
<i>Revise from</i>	-- thrombosis T85.86
<i>Revise to</i>	-- thrombosis T85.868
<i>No Change</i>	- postprocedural - see also Complications, surgical procedure
<i>Add</i>	-- hematoma (of)
<i>Add</i>	--- circulatory system organ or structure
<i>Add</i>	---- following cardiac bypass I97.631
<i>Add</i>	---- following cardiac catheterization I97.630
<i>Add</i>	---- following other circulatory system procedure I97.638
<i>Add</i>	---- following other procedure I97.621
<i>Add</i>	--- digestive system
<i>Add</i>	---- following procedure on digestive system K91.870
<i>Add</i>	---- following procedure on other organ K91.871
<i>Add</i>	--- ear
<i>Add</i>	---- following other procedure H95.52
<i>Add</i>	---- following procedure on ear and mastoid process H95.51
<i>Add</i>	--- endocrine system
<i>Add</i>	---- following endocrine system procedure E89.820
<i>Add</i>	---- following other procedure E89.821
<i>Add</i>	--- eye and adnexa
<i>Add</i>	---- following ophthalmic procedure H59.33-
<i>Add</i>	---- following other procedure H59.34-
<i>Add</i>	--- genitourinary organ or structure
<i>Add</i>	---- following procedure on genitourinary organ or structure N99.840
<i>Add</i>	---- following procedure on other organ N99.841
<i>Add</i>	--- mastoid process
<i>Add</i>	---- following other procedure H95.52
<i>Add</i>	---- following procedure on ear and mastoid process H95.51

Add	--- musculoskeletal structure
Add	---- following musculoskeletal surgery M96.840
Add	---- following non-orthopedic surgery M96.841
Add	---- following orthopedic surgery M96.840
Add	--- nervous system
Add	---- following nervous system procedure G97.61
Add	---- following other procedure G97.62
Add	--- respiratory system
Add	---- following other procedure J95.861
Add	---- following procedure on respiratory system organ or structure J95.860
Add	--- skin and subcutaneous tissue
Add	---- following dermatologic procedure L76.31
Add	---- following procedure on other organ L76.32
Add	--- spleen
Add	---- following procedure on other organ D78.32
Add	---- following procedure on the spleen D78.31
Revise from	-- hemorrhage (hematoma) (of)
Revise to	-- hemorrhage (of)
No Change	--- circulatory system organ or structure
Delete	---- following a cardiac bypass I97.611
Delete	---- following a cardiac catheterization I97.610
Add	---- following cardiac bypass I97.611
Add	---- following cardiac catheterization I97.610
Revise from	---- following other procedure I97.62
Revise to	---- following other procedure I97.620
No Change	--- nervous system
Delete	---- following a nervous system procedure G97.51
Add	---- following nervous system procedure G97.51
No Change	--- skin and subcutaneous tissue
Delete	---- following a dermatologic procedure L76.21
Add	---- following dermatologic procedure L76.21
Add	-- seroma (of)
Add	--- circulatory system organ or structure
Add	---- following cardiac bypass I97.641
Add	---- following cardiac catheterization I97.640
Add	---- following other circulatory system procedure I97.648
Add	---- following other procedure I97.622
Add	--- digestive system
Add	---- following procedure on digestive system K91.872
Add	---- following procedure on other organ K91.873
Add	--- ear
Add	---- following other procedure H95.54
Add	---- following procedure on ear and mastoid process H95.53
Add	--- endocrine system
Add	---- following endocrine system procedure E89.822
Add	---- following other procedure E89.823
Add	--- eye and adnexa
Add	---- following ophthalmic procedure H59.35-
Add	---- following other procedure H59.36-
Add	--- genitourinary organ or structure
Add	---- following procedure on genitourinary organ or structure N99.842
Add	---- following procedure on other organ N99.843
Add	--- mastoid process
Add	---- following other procedure H95.54
Add	---- following procedure on ear and mastoid process H95.53
Add	--- musculoskeletal structure
Add	---- following musculoskeletal surgery M96.842
Add	---- following non-orthopedic surgery M96.843
Add	---- following orthopedic surgery M96.842
Add	--- nervous system

Add	----	following nervous system procedure G97.63
Add	----	following other procedure G97.64
Add	---	respiratory system
Add	----	following other procedure J95.863
Add	----	following procedure on respiratory system organ or structure J95.862
Add	---	skin and subcutaneous tissue
Add	----	following dermatologic procedure L76.33
Add	----	following procedure on other organ L76.34
Add	---	spleen
Add	----	following procedure on other organ D78.34
Add	----	following procedure on the spleen D78.33
No Change	-	prosthetic device or implant T85.9
Add	--	bulking agent
Add	---	ureteral
Add	----	erosion T83.714
Add	----	exposure T83.724
Add	---	urethral
Add	----	erosion T83.713
Add	----	exposure T83.723
No Change	--	genital organ or tract - see Complications, genitourinary, device or implant, genital tract
Add	---	specified NEC T83.79
No Change	--	mesh
Revise from	---	erosion (to surrounding organ or tissue) T83.718
Revise to	---	erosion (to surrounding organ or tissue) T83.717
Add	----	urethral (into pelvic floor muscles) T83.712
Revise from	---	exposure (into surrounding organ or tissue) T83.728
Revise to	---	exposure (into surrounding organ or tissue) T83.727
Add	----	urethral (through urethral wall) T83.722
No Change	--	penile T83.9
Revise from	---	infection and inflammation T83.6
Revise to	---	infection and inflammation T83.61
No Change	--	prosthetic materials NEC
No Change	---	erosion (to surrounding organ or tissue) T83.718
Delete	----	vaginal (into pelvic floor muscles) T83.711
No Change	---	exposure (into surrounding organ or tissue) T83.728
Delete	----	vaginal (into vagina) (through vaginal wall) T83.721
No Change	--	skin graft T86.829
No Change	---	artificial skin or decellularized allodermis
Revise from	----	embolism T85.81
Revise to	----	embolism T85.818
Revise from	----	fibrosis T85.82
Revise to	----	fibrosis T85.828
Revise from	----	hemorrhage T85.83
Revise to	----	hemorrhage T85.838
Revise from	----	pain T85.84
Revise to	----	pain T85.848
Revise from	----	specified type NEC T85.89
Revise to	----	specified type NEC T85.898
Revise from	----	stenosis T85.85
Revise to	----	stenosis T85.858
Revise from	----	thrombosis T85.86
Revise to	----	thrombosis T85.868
Add	--	sling
Add	---	urethral (female) (male)
Add	----	erosion T83.712
Add	----	exposure T83.722
No Change	--	specified NEC T85.9
Revise from	---	embolism T85.81
Revise to	---	embolism T85.818
Revise from	---	fibrosis T85.82

Revise to --- fibrosis T85.828
 Revise from --- hemorrhage T85.83
 Revise to --- hemorrhage T85.838
 Revise from --- pain T85.84
 Revise to --- pain T85.848
 Revise from --- specified type NEC T85.89
 Revise to --- specified type NEC T85.898
 Revise from --- stenosis T85.85
 Revise to --- stenosis T85.858
 Revise from --- thrombosis T85.86
 Revise to --- thrombosis T85.868
 No Change - stent
 Delete -- urinary T83.9
 Delete --- embolism T83.81
 Delete --- fibrosis T83.82
 Delete --- hemorrhage T83.83
 Delete --- infection and inflammation T83.59
 Delete --- mechanical
 Delete ---- breakdown T83.112
 Delete ---- displacement T83.122
 Delete ---- leakage T83.192
 Delete ---- malposition T83.122
 Delete ---- obstruction T83.192
 Delete ---- perforation T83.192
 Delete ---- protrusion T83.192
 Delete ---- specified NEC T83.192
 Delete --- pain T83.84
 Delete --- specified type NEC T83.89
 Delete --- stenosis T83.85
 Delete --- thrombosis T83.86
 Add -- ureteral indwelling
 Add --- breakdown T83.112
 Add --- displacement T83.122
 Add --- leakage T83.192
 Add --- malposition T83.122
 Add --- obstruction T83.192
 Add --- perforation T83.192
 Add --- protrusion T83.192
 Add --- specified NEC T83.192
 Add -- urinary NEC (ileal conduit) (nephroureteral) T83.193
 Add --- embolism T83.81
 Add --- fibrosis T83.82
 Add --- hemorrhage T83.83
 Add --- infection and inflammation T83.593
 Add --- mechanical
 Add ---- breakdown T83.113
 Add ---- displacement T83.123
 Add ---- leakage T83.193
 Add ---- malposition T83.123
 Add ---- obstruction T83.193
 Add ---- perforation T83.193
 Add ---- protrusion T83.193
 Add ---- specified NEC T83.193
 Add --- pain T83.84
 Add --- specified type NEC T83.89
 Add --- stenosis T83.85
 Add --- thrombosis T83.86
 Add -- vascular
 Add --- end stent stenosis - see Restenosis, stent
 Add --- in stent stenosis - see Restenosis, stent

<i>No Change</i>	- stoma
<i>Revise from</i>	-- urinary tract N99.538
<i>Revise to</i>	-- urinary tract N99.528
<i>Add</i>	--- continent N99.538
<i>Add</i>	---- hemorrhage N99.530
<i>Add</i>	---- herniation N99.533
<i>Add</i>	---- infection N99.531
<i>Add</i>	---- malfunction N99.532
<i>Add</i>	---- specified type NEC N99.538
<i>Add</i>	---- stenosis N99.534
<i>No Change</i>	--- external NOS N99.528
<i>Delete</i>	---- hemorrhage N99.520
<i>Delete</i>	---- infection N99.521
<i>Delete</i>	---- malfunction N99.522
<i>Delete</i>	---- specified type NEC N99.528
<i>Revise from</i>	--- hemorrhage N99.530
<i>Revise to</i>	--- hemorrhage N99.520
<i>Add</i>	--- herniation N99.523
<i>Add</i>	--- incontinent N99.528
<i>Add</i>	---- hemorrhage N99.520
<i>Add</i>	---- herniation N99.523
<i>Add</i>	---- infection N99.521
<i>Add</i>	---- malfunction N99.522
<i>Add</i>	---- specified type NEC N99.528
<i>Add</i>	---- stenosis N99.524
<i>Revise from</i>	--- infection N99.531
<i>Revise to</i>	--- infection N99.521
<i>Revise from</i>	--- malfunction N99.532
<i>Revise to</i>	--- malfunction N99.522
<i>Revise from</i>	--- specified type NEC N99.538
<i>Revise to</i>	--- specified type NEC N99.528
<i>Add</i>	--- stenosis N99.524
<i>No Change</i>	- surgical procedure (on) T81.9
<i>No Change</i>	-- hematoma
<i>Revise from</i>	--- postprocedural - see Complication, postprocedural, hemorrhage
<i>Revise to</i>	--- postprocedural - see Complication, postprocedural, hematoma
<i>Revise from</i>	-- stitch abscess T81.4
<i>Revise to</i>	-- stitch abscess T81.48
<i>Revise from</i>	-- wound infection T81.4
<i>Revise to</i>	-- wound infection T81.40
<i>No Change</i>	- suture, permanent (wire) NEC T85.9
<i>Revise from</i>	-- embolism T85.81
<i>Revise to</i>	-- embolism T85.818
<i>Revise from</i>	-- fibrosis T85.82
<i>Revise to</i>	-- fibrosis T85.828
<i>Revise from</i>	-- hemorrhage T85.83
<i>Revise to</i>	-- hemorrhage T85.838
<i>Revise from</i>	-- pain T85.84
<i>Revise to</i>	-- pain T85.848
<i>Revise from</i>	-- specified type NEC T85.89
<i>Revise to</i>	-- specified type NEC T85.898
<i>Revise from</i>	-- stenosis T85.85
<i>Revise to</i>	-- stenosis T85.858
<i>Revise from</i>	-- thrombosis T85.86
<i>Revise to</i>	-- thrombosis T85.868
<i>No Change</i>	- vaccination T88.1
<i>Revise from</i>	-- myelitis G04.89
<i>Revise to</i>	-- myelitis G04.02
<i>No Change</i>	- ventricular (communicating) shunt (device) T85.9
<i>Revise from</i>	-- embolism T85.81

<i>Revise to</i>	-- embolism T85.810
<i>Revise from</i>	-- fibrosis T85.82
<i>Revise to</i>	-- fibrosis T85.820
<i>Revise from</i>	-- hemorrhage T85.83
<i>Revise to</i>	-- hemorrhage T85.830
<i>Revise from</i>	-- infection and inflammation T85.79
<i>Revise to</i>	-- infection and inflammation T85.730
<i>Revise from</i>	-- pain T85.84
<i>Revise to</i>	-- pain T85.840
<i>Revise from</i>	-- specified type NEC T85.89
<i>Revise to</i>	-- specified type NEC T85.890
<i>Revise from</i>	-- stenosis T85.85
<i>Revise to</i>	-- stenosis T85.850
<i>Revise from</i>	-- thrombosis T85.86
<i>Revise to</i>	-- thrombosis T85.860
<i>No Change</i>	Compression
<i>Revise from</i>	- fracture - see Fracture
<i>Revise to</i>	- fracture
<i>Add</i>	-- nontraumatic NOS - see Collapse, vertebra
<i>Add</i>	-- pathological - see Fracture, pathological
<i>Add</i>	-- traumatic - see Fracture, traumatic
<i>No Change</i>	Compulsion, compulsive
<i>Revise from</i>	- neurosis F42
<i>Revise to</i>	- neurosis F42.8
<i>Revise from</i>	- states F42
<i>Revise to</i>	- states F42.8
<i>Revise from</i>	- swearing F42
<i>Revise to</i>	- swearing F42.8
<i>No Change</i>	Concretion - see also Calculus
<i>Revise from</i>	- seminal vesicle N50.8
<i>Revise to</i>	- seminal vesicle N50.89
<i>Revise from</i>	Concussion (brain) (cerebral) (current) S06.0X-
<i>Revise to</i>	Concussion (brain) (cerebral) (current) S06.0X9
<i>Add</i>	- with
<i>Add</i>	-- loss of consciousness of 30 minutes or less S06.0X1
<i>Add</i>	-- loss of consciousness of unspecified duration S06.0X9
<i>Add</i>	without loss of consciousness S06.0X0
<i>No Change</i>	Congenital - see also condition
<i>Revise from</i>	- aortic septum Q25.4
<i>Revise to</i>	- aortic septum Q25.49
<i>No Change</i>	Congestion, congestive
<i>Revise from</i>	- pancreas K86.8
<i>Revise to</i>	- pancreas K86.89
<i>No Change</i>	Constipation (atonic) (neurogenic) (simple) (spastic) K59.00
<i>Add</i>	- chronic K59.09
<i>Add</i>	-- idiopathic K59.04
<i>Revise from</i>	- drug-induced - see Table of Drugs and Chemicals
<i>Revise to</i>	- drug-induced K59.03
<i>Add</i>	- functional K59.04
<i>No Change</i>	Contraception, contraceptive
<i>No Change</i>	- initial prescription Z30.019
<i>Add</i>	-- barrier Z30.018
<i>Add</i>	-- diaphragm Z30.018
<i>Revise from</i>	-- subdermal implantable Z30.019
<i>Revise to</i>	-- subdermal implantable Z30.017
<i>Add</i>	-- transdermal patch hormonal Z30.016
<i>Add</i>	-- vaginal ring hormonal Z30.015
<i>No Change</i>	- maintenance Z30.40
<i>Add</i>	-- barrier Z30.49
<i>Add</i>	-- diaphragm Z30.49

Revise from	-- subdermal implantable Z30.49
Revise to	-- subdermal implantable Z30.46
Add	-- transdermal patch hormonal Z30.45
Add	-- vaginal ring hormonal Z30.44
No Change	Contusion (skin surface intact) T14.8
Add	- heart (see also Injury, heart) S26.91
No Change	Convulsions (idiopathic) (see also Seizure(s)) R56.9
Delete	- benign neonatal (familial) - see Epilepsy, generalized, idiopathic
Delete	- neonatal, benign (familial) - see Epilepsy, generalized, idiopathic
Revise from	Coprophagy F50.8
Revise to	Coprophagy F50.89
Revise from	Cornual gestation or pregnancy O00.8
Revise to	Cornual gestation or pregnancy O00.80
Add	- with intrauterine pregnancy O00.81
No Change	Counseling (for) Z71.9
Add	- gestational carrier Z31.7
No Change	Cyclical vomiting (see also Vomiting, cyclical) G43.A0
Revise from	- psychogenic F50.8
Revise to	- psychogenic F50.89
No Change	Cyst (colloid) (mucous) (simple) (retention)
Add	- aneurysmal M27.49
Revise from	- cervical lateral Q18.1
Revise to	- cervical lateral Q18.0
No Change	- corpus
Revise from	-- albicans N83.29
Revise to	-- albicans N83.29-
Revise from	-- luteum (hemorrhagic) (ruptured) N83.1
Revise to	-- luteum (hemorrhagic) (ruptured) N83.1-
Revise from	- follicle (graafian) (hemorrhagic) N83.0
Revise to	- follicle (graafian) (hemorrhagic) N83.0-
Revise from	- follicular (atretic) (hemorrhagic) (ovarian) N83.0
Revise to	- follicular (atretic) (hemorrhagic) (ovarian) N83.0-
Revise from	- graafian follicle (hemorrhagic) N83.0
Revise to	- graafian follicle (hemorrhagic) N83.0-
Revise from	- granulosa lutein (hemorrhagic) N83.1
Revise to	- granulosa lutein (hemorrhagic) N83.1-
Add	- hemorrhagic M27.49
Revise from	- lutein N83.1
Revise to	- lutein N83.1-
Revise from	- ovary, ovarian (twisted) N83.20
Revise to	- ovary, ovarian (twisted) N83.20-
Revise from	-- adherent N83.20
Revise to	-- adherent N83.20-
No Change	-- corpus
Revise from	--- albicans N83.29
Revise to	--- albicans N83.29-
Revise from	--- luteum (hemorrhagic) N83.1
Revise to	--- luteum (hemorrhagic) N83.1-
Revise from	-- due to failure of involution NEC N83.20
Revise to	-- due to failure of involution NEC N83.20-
Revise from	-- follicular (graafian) (hemorrhagic) N83.0
Revise to	-- follicular (graafian) (hemorrhagic) N83.0-
Revise from	-- hemorrhagic N83.20
Revise to	-- hemorrhagic N83.20-
Revise from	-- retention N83.29
Revise to	-- retention N83.29-
Revise from	-- serous N83.20
Revise to	-- serous N83.20-
Revise from	-- specified NEC N83.29
Revise to	-- specified NEC N83.29-

Revise from - - theca lutein (hemorrhagic) N83.1
 Revise to - - theca lutein (hemorrhagic) N83.1-
 Revise from - retention (ovary) N83.29
 Revise to - retention (ovary) N83.29-
 No Change - sebaceous (duct) (gland) L72.3
 No Change - - genital organ NEC
 Revise from - - - male N50.8
 Revise to - - - male N50.89
 Revise from - seminal vesicle N50.8
 Revise to - seminal vesicle N50.89
 Revise from - serous (ovary) N83.20
 Revise to - serous (ovary) N83.20-
 No Change - skin L72.9
 No Change - - genital organ NEC
 Revise from - - - male N50.8
 Revise to - - - male N50.89
 Revise from - spermatic cord N50.8
 Revise to - spermatic cord N50.89
 Revise from - theca lutein (ovary) N83.1
 Revise to - theca lutein (ovary) N83.1-
 No Change - tunica
 Revise from - - vaginalis N50.8
 Revise to - - vaginalis N50.89
 No Change **Cystic** - see also condition
 Revise from - corpora lutea (hemorrhagic) N83.1
 Revise to - corpora lutea (hemorrhagic) N83.1-
 Revise from - ovary N83.20
 Revise to - ovary N83.20-
 No Change **Cystoma** - see also Neoplasm, benign, by site
 Revise from - simple (ovary) N83.29
 Revise to - simple (ovary) N83.29-

No Change **D**

No Change **Deafness (acquired) (complete) (hereditary) (partial)** H91.9-
 No Change - conductive H90.2
 Delete - - and sensorineural, mixed H90.8
 Delete - - - bilateral H90.6
 Add - - and sensorineural
 Add - - - mixed H90.8
 Add - - - - bilateral H90.6
 No Change - - unilateral H90.1-
 Add - - - with restricted hearing on the contralateral side H90.A-
 No Change - sensorineural H90.5
 Delete - - and conductive, mixed H90.8
 Delete - - - bilateral H90.6
 Add - - and conductive
 Add - - - mixed H90.8
 Add - - - - bilateral H90.6
 No Change - - unilateral H90.4-
 Add - - - with restricted hearing on the contralateral side H90.A-
 No Change **Decrease (d)**
 No Change - function
 Revise from - - parenchyma of pancreas K86.8
 Revise to - - parenchyma of pancreas K86.89
 No Change - tolerance
 Revise from - - fat K90.4
 Revise to - - fat K90.49
 No Change **Defect, defective** Q89.9
 No Change - filling

Revise from -- bladder R93.4
 Revise to -- bladder R93.41
 Revise from -- kidney R93.4
 Revise to -- kidney R93.42-
 Add -- renal pelvis R93.41
 Revise from -- ureter R93.4
 Revise to -- ureter R93.41
 Add -- urinary organs, specified NEC R93.49
 No Change **Deficiency, deficient**
 Revise from - lipocaic K86.8
 Revise to - lipocaic K86.89
 Add - mevalonate kinase M04.1
 Add - of interleukin 1 receptor antagonist [DIRA] M04.8
 Add - vertical ridge K06.8
 No Change **Deficit** - see also Deficiency
 No Change - attention and concentration R41.840
 Add -- following
 Add --- cerebral infarction I69.310
 Add --- cerebrovascular disease I69.910
 Add ---- specified disease NEC I69.810
 Add --- nontraumatic
 Add ---- intracerebral hemorrhage I69.110
 Add ---- specified intracranial hemorrhage NEC I69.210
 Add ---- subarachnoid hemorrhage I69.010
 Delete - cognitive communication R41.841
 Add - cognitive
 Add -- communication R41.841
 Add -- emotional
 Add --- following
 Add ---- cerebral infarction I69.315
 Add ---- cerebrovascular disease I69.915
 Add ----- specified disease NEC I69.815
 Add ---- nontraumatic
 Add ----- intracerebral hemorrhage I69.115
 Add ----- specified intracranial hemorrhage NEC I69.215
 Add ----- subarachnoid hemorrhage I69.015
 Add -- following
 Add --- cerebral infarction I69.319
 Add --- cerebrovascular disease I69.919
 Add ---- specified disease NEC I69.819
 Add --- nontraumatic
 Add ---- intracerebral hemorrhage I69.119
 Add ---- specified intracranial hemorrhage NEC I69.219
 Add ---- subarachnoid hemorrhage I69.019
 Add -- social
 Add --- following
 Add ---- cerebral infarction I69.315
 Add ---- cerebrovascular disease I69.915
 Add ----- specified disease NEC I69.815
 Add ---- nontraumatic
 Add ----- intracerebral hemorrhage I69.115
 Add ----- specified intracranial hemorrhage NEC I69.215
 Add ----- subarachnoid hemorrhage I69.015
 No Change - cognitive NEC R41.89
 No Change -- following
 Revise from --- cerebral infarction I69.31
 Revise to --- cerebral infarction I69.318
 Revise from --- cerebrovascular disease I69.91
 Revise to --- cerebrovascular disease I69.918
 Revise from ---- specified disease NEC I69.81

<i>Revise to</i>	---- specified disease NEC I69.818
<i>Delete</i>	--- intracerebral hemorrhage I69.11
<i>Delete</i>	--- nontraumatic intracranial hemorrhage NEC I69.21
<i>Delete</i>	--- subarachnoid hemorrhage I69.01
<i>Add</i>	--- nontraumatic
<i>Add</i>	---- intracerebral hemorrhage I69.118
<i>Add</i>	---- specified intracranial hemorrhage NEC I69.218
<i>Add</i>	---- subarachnoid hemorrhage I69.018
<i>No Change</i>	- executive function R41.844
<i>Add</i>	-- following
<i>Add</i>	--- cerebral infarction I69.314
<i>Add</i>	--- cerebrovascular disease I69.914
<i>Add</i>	---- specified disease NEC I69.814
<i>Add</i>	--- nontraumatic
<i>Add</i>	---- intracerebral hemorrhage I69.114
<i>Add</i>	---- specified intracranial hemorrhage NEC I69.214
<i>Add</i>	---- subarachnoid hemorrhage I69.014
<i>No Change</i>	- frontal lobe R41.844
<i>Add</i>	-- following
<i>Add</i>	--- cerebral infarction I69.314
<i>Add</i>	--- cerebrovascular disease I69.914
<i>Add</i>	---- specified disease NEC I69.814
<i>Add</i>	--- nontraumatic
<i>Add</i>	---- intracerebral hemorrhage I69.114
<i>Add</i>	---- specified intracranial hemorrhage NEC I69.214
<i>Add</i>	---- subarachnoid hemorrhage I69.014
<i>Add</i>	- memory
<i>Add</i>	-- following
<i>Add</i>	--- cerebral infarction I69.311
<i>Add</i>	--- cerebrovascular disease I69.911
<i>Add</i>	---- specified disease NEC I69.811
<i>Add</i>	--- nontraumatic
<i>Add</i>	---- intracerebral hemorrhage I69.111
<i>Add</i>	---- specified intracranial hemorrhage NEC I69.211
<i>Add</i>	---- subarachnoid hemorrhage I69.011
<i>No Change</i>	- psychomotor R41.843
<i>Add</i>	-- following
<i>Add</i>	--- cerebral infarction I69.313
<i>Add</i>	--- cerebrovascular disease I69.913
<i>Add</i>	---- specified disease NEC I69.813
<i>Add</i>	--- nontraumatic
<i>Add</i>	---- intracerebral hemorrhage I69.113
<i>Add</i>	---- specified intracranial hemorrhage NEC I69.213
<i>Add</i>	---- subarachnoid hemorrhage I69.013
<i>No Change</i>	- visuospatial R41.842
<i>Add</i>	-- following
<i>Add</i>	--- cerebral infarction I69.312
<i>Add</i>	--- cerebrovascular disease I69.912
<i>Add</i>	---- specified disease NEC I69.812
<i>Add</i>	--- nontraumatic
<i>Add</i>	---- intracerebral hemorrhage I69.112
<i>Add</i>	---- specified intracranial hemorrhage NEC I69.212
<i>Add</i>	---- subarachnoid hemorrhage I69.012
<i>No Change</i>	Deformity Q89.9
<i>Revise from</i>	- aorta (arch) (congenital) Q25.4
<i>Revise to</i>	- aorta (arch) (congenital) Q25.40
<i>No Change</i>	- ejaculatory duct (congenital) Q55.4
<i>Revise from</i>	-- acquired N50.8
<i>Revise to</i>	-- acquired N50.89
<i>No Change</i>	- epididymis (congenital) Q55.4

Revise from -- acquired N50.8
Revise to -- acquired N50.89
No Change - genitalia, genital organ(s) or system NEC
No Change -- male (congenital) Q55.9
Revise from --- acquired N50.8
Revise to --- acquired N50.89
No Change - pancreas (congenital) Q45.3
Revise from -- acquired K86.8
Revise to -- acquired K86.89
No Change - scrotum (congenital) - see also Malformation, testis and scrotum
Revise from -- acquired N50.8
Revise to -- acquired N50.89
No Change - seminal vesicles (congenital) Q55.4
Revise from -- acquired N50.8
Revise to -- acquired N50.89
No Change - spermatic cord (congenital) Q55.4
Revise from -- acquired N50.8
Revise to -- acquired N50.89
Revise from - transverse aortic arch (congenital) Q25.4
Revise to - transverse aortic arch (congenital) Q25.49
No Change - vas deferens (congenital) Q55.4
Revise from -- acquired N50.8
Revise to -- acquired N50.89
No Change **Degeneration, degenerative**
Revise from - Kuhnt-Junius (see also Degeneration, macula) H35.32
Revise to - Kuhnt-Junius (see also Degeneration, macula) H35.32-
No Change - macula, macular (acquired) (age-related) (senile) H35.30
Revise from -- atrophic age-related H35.31
Revise to -- atrophic age-related H35.31-
Add -- dry age-related H35.31-
Revise from -- exudative H35.32
Revise to -- exudative H35.32-
Revise from -- nonexudative H35.31
Revise to -- nonexudative H35.31-
Add -- wet age-related H35.32-
No Change - ovary N83.8
Revise from -- cystic N83.20
Revise to -- cystic N83.20-
Revise from -- microcystic N83.20
Revise to -- microcystic N83.20-
Revise from - pancreas K86.8
Revise to - pancreas K86.89
No Change - retina H35.9
Revise from -- Kuhnt-Junius (see also Degeneration, macula) H35.32
Revise to -- Kuhnt-Junius (see also Degeneration, macula) H35.32-
No Change **Dehydration** E86.0
Delete - hypertonic E87.0
Delete - hypotonic E87.1
No Change **Delay, delayed**
Add - ejaculation F52.32
No Change **Delirium, delirious (acute or subacute) (not alcohol- or drug-induced) (with dementia)** R41.0
No Change - due to (secondary to)
Add -- other (or unknown) substance F19.921
No Change **Delivery (childbirth) (labor)**
No Change - cesarean (for)
Revise from -- placenta previa O44.1-
Revise to -- placenta previa O44.0-
Delete --- without hemorrhage O44.0-
Add --- complete O44.0-
Add --- with hemorrhage O44.1-

Revise from -- pre-eclampsia O14.9-
 Revise to -- pre-eclampsia O14.94
 Revise from --- mild O14.0-
 Revise to --- mild O14.04
 Revise from --- moderate O14.0-
 Revise to --- moderate O14.04
 Revise from --- severe
 Revise to --- severe O14.14
 Revise from ---- with hemolysis, elevated liver enzymes and low platelet count (HELLP) O14.2-
 Revise to ---- with hemolysis, elevated liver enzymes and low platelet count (HELLP) O14.24
 No Change -- previous
 Revise from --- cesarean delivery O34.21
 Revise to --- cesarean delivery O34.219
 Add ---- classical (vertical) scar O34.212
 Add ---- low transverse scar O34.211
 No Change -- scar(s)
 Revise from --- cesarean delivery O34.21
 Revise to --- cesarean delivery O34.219
 Add ---- classical (vertical) O34.212
 Add ---- low transverse O34.211
 Add --- transmural uterine O34.29
 Delete -- streptococcus B carrier state O99.824
 Add -- streptococcus group B (GBS) carrier state O99.824
 Add -- transmural uterine scar O34.29
 No Change - complicated O75.9
 No Change -- by
 No Change --- diabetes O24.92
 No Change ---- gestational O24.429
 Add ----- oral drug controlled (antidiabetic) (hypoglycemic) O24.425
 Delete --- gestational diabetes O24.429
 Delete ---- diet controlled O24.420
 Delete ---- insulin (and diet) controlled O24.424
 Add --- gestational
 Add ---- diabetes O24.429
 Add ----- diet controlled O24.420
 Add ----- insulin (and diet) controlled O24.424
 Add ----- oral drug controlled (antidiabetic) (hypoglycemic) O24.425
 Add ---- edema O12.04
 Add ----- with proteinuria O12.24
 Add ---- proteinuria O12.14
 No Change --- hemorrhage (uterine) O67.9
 No Change ---- due to
 Add ----- low implantation of placenta O44.5-
 Revise from ----- low-lying placenta O44.1-
 Revise to ----- low lying placenta O44.5-
 No Change ----- placenta previa O44.1-
 Add ----- marginal O44.3-
 Add ----- partial O44.3-
 No Change --- laceration (perineal) O70.9
 No Change ---- anus (sphincter) O70.4
 Revise from ----- with third degree laceration O70.2
 Revise to ----- with third degree laceration (see also Delivery, complicated, by, laceration, perineum, third degree) O70.20
 No Change ---- perineum, perineal O70.9
 Revise from ----- third degree O70.2
 Revise to ----- third degree O70.20
 Add ----- with
 Add ----- both external anal sphincter (EAS) and internal anal sphincter (IAS) torn (IIIc) O70.23
 Add ----- less than 50% of external anal sphincter (EAS) thickness torn (IIIa) O70.21
 Add ----- more than 50% external anal sphincter (EAS) thickness torn (IIIb) O70.22

Add ----- IIIa O70.21
 Add ----- IIIb O70.22
 Add ----- IIIc O70.23
 No Change ---- rectovaginal (septum) (without perineal laceration) O71.4
 Revise from ----- with perineum O70.2
 Revise to ----- with perineum (see also Delivery, complicated, by, laceration, perineum, third degree) O70.20
 No Change --- malposition, malpresentation
 Revise from ---- placenta (with hemorrhage) O44.1-
 Revise to ---- placenta O44.0-
 Delete ----- without hemorrhage O44.0-
 Add ----- with hemorrhage O44.1-
 No Change --- placenta, placental
 Revise from ---- low (implantation) O44.1-
 Revise to ---- low (implantation) (lying) O44.4-
 Delete ----- without hemorrhage O44.0-
 Add ----- with hemorrhage O44.5-
 Revise from ---- malposition O44.1-
 Revise to ---- malposition O44.0-
 Revise from ----- without hemorrhage O44.0-
 Revise to ----- without hemorrhage O44.1-
 Revise from ---- previa (central) (lateral) (low) (marginal) (partial) (total) O44.1-
 Revise to ---- previa (central) (complete) (lateral) (total) O44.0-
 Delete ----- without hemorrhage O44.0-
 Add ----- with hemorrhage O44.1-
 Add ----- marginal O44.2-
 Add ----- with hemorrhage O44.3-
 Add ----- partial O44.2-
 Add ----- with hemorrhage O44.3-
 Delete --- streptococcus B carrier state O99.824
 Add --- streptococcus group B (GBS) carrier state O99.824
 Revise from - vaginal, following previous cesarean delivery O34.21
 Revise to - vaginal, following previous cesarean delivery O34.219
 Add -- classical (vertical) scar O34.212
 Add -- low transverse scar O34.211
 No Change **Dependence (on) (syndrome) F19.20**
 Revise from - PCP (phencyclidine) (see also Abuse, drug, hallucinogen) F16.20
 Revise to - PCP (phencyclidine) (or related substance) - see Dependence, drug, hallucinogen
 Revise from - phencyclidine (PCP) (and related substances) (see also Abuse, drug, hallucinogen) F16.20
 Revise to - phencyclidine (PCP) (or related substance) - see Dependence, drug, hallucinogen
 No Change **Depression (acute) (mental) F32.9**
 Revise from - atypical (single episode) F32.8
 Revise to - atypical (single episode) F32.89
 Add -- recurrent episode F33.8
 Revise from - climacteric (single episode) F32.8
 Revise to - climacteric (single episode) F32.89
 Add -- recurrent episode F33.8
 Revise from - involutional (single episode) F32.8
 Revise to - involutional (single episode) F32.89
 Add -- recurrent episode F33.8
 Revise from - masked (single episode) F32.8
 Revise to - masked (single episode) F32.89
 Revise from - menopausal (single episode) F32.8
 Revise to - menopausal (single episode) F32.89
 Add -- recurrent episode F33.8
 Revise from - post-psychotic of schizophrenia F32.8
 Revise to - post-psychotic of schizophrenia F32.89
 Revise from - post-schizophrenic F32.8
 Revise to - post-schizophrenic F32.89
 Revise from - specified NEC (single episode) F32.8
 Revise to - specified NEC (single episode) F32.89

No Change **Dermatitis (eczematous) L30.9**
No Change - contact (occupational) L25.9
No Change - - irritant L24.9
No Change - - - due to
Revise from - - - - cement L25.3
Revise to - - - - cement L24.5
No Change - stasis I87.2
Delete - - with varicose ulcer - see Varix, leg, with ulcer, with inflammation
Add - - with
Add - - - varicose ulcer - see Varix, leg, with ulcer, with inflammation
Add - - - varicose veins - see Varix, leg, with, inflammation
No Change **Developmental** - see condition
Delete - testing, child - see Examination, child
Add - testing, infant or child - see Examination, child
No Change **Diabetes, diabetic (mellitus) (sugar) E11.9**
No Change - with
Add - - gastroparalysis E11.43
Add - - osteomyelitis E11.69
No Change - - retinopathy E11.319
No Change - - - with macular edema E11.311
Add - - - - resolved following treatment E11.37
No Change - - - proliferative E11.359
Delete - - - - with macular edema E11.351
Add - - - - with
Add - - - - - combined traction retinal detachment and rhegmatogenous retinal detachment E11.354
Add - - - - - macular edema E11.351
Add - - - - - stable proliferative diabetic retinopathy E11.355
Add - - - - - traction retinal detachment involving the macula E11.352
Add - - - - - traction retinal detachment not involving the macula E11.353
Add - brittle - see Diabetes, type 1
Add - due to
Add - - autoimmune process - see Diabetes, type 1
Add - - immune mediated pancreatic islet beta-cell destruction - see Diabetes, type 1
No Change - due to drug or chemical E09.9
No Change - - with
Add - - - gastroparalysis E09.43
No Change - - - retinopathy E09.319
Add - - - - resolved following treatment E09.37
No Change - - - - proliferative E09.359
Delete - - - - - with macular edema E09.351
Add - - - - - with
Add - - - - - - combined traction retinal detachment and rhegmatogenous retinal detachment E09.354
Add - - - - - - macular edema E09.351
Add - - - - - - stable proliferative diabetic retinopathy E09.355
Add - - - - - - traction retinal detachment involving the macula E09.352
Add - - - - - - traction retinal detachment not involving the macula E09.353
No Change - due to underlying condition E08.9
No Change - - with
Add - - - gastroparalysis E08.43
No Change - - - retinopathy E08.319
Add - - - - resolved following treatment E08.37
No Change - - - - proliferative E08.359
Delete - - - - - with macular edema E08.351
Add - - - - - with
Add - - - - - - combined traction retinal detachment and rhegmatogenous retinal detachment E08.354
Add - - - - - - macular edema E08.351
Add - - - - - - stable proliferative diabetic retinopathy E08.355
Add - - - - - - traction retinal detachment involving the macula E08.352
Add - - - - - - traction retinal detachment not involving the macula E08.353
No Change - gestational (in pregnancy) O24.419

No Change -- in childbirth O24.429
Add --- oral drug controlled (antidiabetic) (hypoglycemic) O24.425
Add -- oral drug controlled (antidiabetic) (hypoglycemic) O24.415
No Change -- puerperal O24.439
Add --- oral drug controlled (antidiabetic) (hypoglycemic) O24.435
Add - idiopathic - see Diabetes, type 1
Revise from - latent R73.09
Revise to - latent R73.03
No Change - specified type NEC E13.9
No Change -- with
Add --- gastroparalysis E13.43
No Change --- retinopathy E13.319
Add ---- resolved following treatment E13.37
No Change ---- proliferative E13.359
Delete ----- with macular edema E13.351
Add ----- with
Add ----- combined traction retinal detachment and rhegmatogenous retinal detachment E13.354
Add ----- macular edema E13.351
Add ----- stable proliferative diabetic retinopathy E13.355
Add ----- traction retinal detachment involving the macula E13.352
Add ----- traction retinal detachment not involving the macula E13.353
No Change - type 1 E10.9
No Change -- with
Add --- gastroparalysis E10.43
No Change --- retinopathy E10.319
Add ---- resolved following treatment E10.37
No Change ---- proliferative E10.359
Delete ----- with macular edema E10.351
Add ----- with
Add ----- combined traction retinal detachment and rhegmatogenous retinal detachment E10.354
Add ----- macular edema E10.351
Add ----- stable proliferative diabetic retinopathy E10.355
Add ----- traction retinal detachment involving the macula E10.352
Add ----- traction retinal detachment not involving the macula E10.353
No Change - type 2 E11.9
No Change -- with
Add --- gastroparalysis E11.43
No Change --- retinopathy E11.319
Add ---- resolved following treatment E11.37
No Change ---- proliferative E11.359
Delete ----- with macular edema E11.351
Add ----- with
Add ----- combined traction retinal detachment and rhegmatogenous retinal detachment E11.354
Add ----- macular edema E11.351
Add ----- stable proliferative diabetic retinopathy E11.355
Add ----- traction retinal detachment involving the macula E11.352
Add ----- traction retinal detachment not involving the macula E11.353
Add - uncontrolled
Add -- meaning
Add --- hyperglycemia - see Diabetes, by type, with, hyperglycemia
Add --- hypoglycemia - see Diabetes, by type, with, hypoglycemia
No Change **Diarrhea, diarrheal (disease) (infantile) (inflammatory) R19.7**
Revise from - allergic K52.2
Revise to - allergic K52.29
Add -- due to
Add --- colitis - see Colitis, allergic
Add --- enteritis - see Enteritis, allergic
Revise from - dietetic K52.2
Revise to - dietetic (see also Diarrhea, allergic) K52.29
No Change - due to

<i>Revise from</i>	- - food hypersensitivity K52.2
<i>Revise to</i>	- - food hypersensitivity (see also Diarrhea, allergic) K52.29
<i>No Change</i>	Difficult, difficulty (in)
<i>Add</i>	- micturition
<i>Add</i>	- - need to immediately re-void R39.191
<i>Add</i>	- - position dependent R39.192
<i>Add</i>	- - specified NEC R39.198
<i>No Change</i>	Dilatation
<i>No Change</i>	- aorta (focal) (general) - see Ectasia, aorta
<i>Add</i>	- - congenital Q25.44
<i>Revise from</i>	- colon K59.3
<i>Revise to</i>	- colon K59.39
<i>Add</i>	- - toxic K59.31
<i>Revise from</i>	- pancreatic duct K86.8
<i>Revise to</i>	- pancreatic duct K86.89
<i>Revise from</i>	- rectum K59.3
<i>Revise to</i>	- rectum K59.39
<i>No Change</i>	Dimple
<i>Delete</i>	- parasacral, pilonidal or postanal - see Cyst, pilonidal
<i>Add</i>	- congenital sacral Q82.6
<i>Add</i>	- parasacral Q82.6
<i>Add</i>	- pilonidal or postanal - see Cyst, pilonidal
<i>Add</i>	DIRA (deficiency of interleukin 1 receptor antagonist) M04.8
<i>No Change</i>	Disease, diseased - see also Syndrome
<i>Delete</i>	- Ayala's Q78.5
<i>Add</i>	- Castleman (unicentric) (multicentric) D47.Z2
<i>Add</i>	- - HHV-8-associated (see also Herpesvirus, human, 8) D47.Z2
<i>Revise from</i>	- celiac (adult) (infantile) K90.0
<i>Revise to</i>	- celiac (adult) (infantile) (with steatorrhea) K90.0
<i>No Change</i>	- colon K63.9
<i>Revise from</i>	- - ischemic K55.0
<i>Revise to</i>	- - ischemic (see also Ischemia, intestine, acute) K55.039
<i>Add</i>	- colonic inflammatory bowel, unclassified (IBDU) K52.3
<i>No Change</i>	- gingiva K06.9
<i>Add</i>	- - plaque induced K05.00
<i>Revise from</i>	- mediastinum J98.5
<i>Revise to</i>	- mediastinum J98.59
<i>Revise from</i>	- mesenteric embolic K55.0
<i>Revise to</i>	- mesenteric embolic (see also Ischemia, intestine, acute) K55.039
<i>No Change</i>	- ovary (noninflammatory) N83.9
<i>Revise from</i>	- - cystic N83.20
<i>Revise to</i>	- - cystic N83.20-
<i>No Change</i>	- pancreas K86.9
<i>Revise from</i>	- - specified NEC K86.8
<i>Revise to</i>	- - specified NEC K86.89
<i>No Change</i>	- pelvis, pelvic
<i>No Change</i>	- - inflammatory (female) N73.9
<i>Add</i>	- - - chlamydial A56.11
<i>No Change</i>	- Pick's G31.01 [F02.80]
<i>Add</i>	- - brain G31.01 [F02.80]
<i>Add</i>	- - - with behavioral disturbance G31.01 [F02.81]
<i>Add</i>	- - of pericardium (pericardial pseudocirrhosis of liver) I31.1
<i>Revise from</i>	- Pyle (-Cohn) (craniometaphyseal dysplasia) Q78.5
<i>Revise to</i>	- Pyle (-Cohn) (metaphyseal dysplasia) Q78.5
<i>No Change</i>	- supporting structures of teeth K08.9
<i>Revise from</i>	- - specified NEC K08.8
<i>Revise to</i>	- - specified NEC K08.89
<i>No Change</i>	- tooth, teeth K08.9
<i>Revise from</i>	- - specified NEC K08.8
<i>Revise to</i>	- - specified NEC K08.89

Add	- Zika virus A92.5
No Change	Dislocation (articular)
Revise from	- jaw (cartilage) (meniscus) S03.0
Revise to	- jaw (cartilage) (meniscus) S03.0-
Revise from	- mandible S03.0
Revise to	- mandible S03.0-
Revise from	- temporomandibular (joint) S03.0
Revise to	- temporomandibular (joint) S03.0-
No Change	Disorder (of) - see also Disease
Add	- alcohol use
Add	-- mild F10.10
Add	--- with
Add	---- alcohol-induced
Add	----- anxiety disorder F10.180
Add	----- bipolar and related disorder F10.14
Add	----- depressive disorder F10.14
Add	----- psychotic disorder F10.159
Add	----- sexual dysfunction F10.181
Add	----- sleep disorder F10.182
Add	---- alcohol intoxication F10.129
Add	----- delirium F10.121
Add	-- moderate or severe F10.20
Add	--- with
Add	---- alcohol-induced
Add	----- anxiety disorder F10.280
Add	----- bipolar and related disorder F10.24
Add	----- depressive disorder F10.24
Add	----- major neurocognitive disorder, amnesic-confabulatory type F10.26
Add	----- major neurocognitive disorder, nonamnesic-confabulatory type F10.27
Add	----- mild neurocognitive disorder F10.288
Add	----- psychotic disorder F10.259
Add	----- sexual dysfunction F10.281
Add	----- sleep disorder F10.282
Add	---- alcohol intoxication F10.229
Add	----- delirium F10.221
Add	- amphetamine-type substance use
Add	-- mild F15.10
Add	-- moderate F15.20
Add	-- severe F15.20
Add	- amphetamine (or other stimulant) use
Add	-- mild
Add	--- with
Add	---- amphetamine (or other stimulant) -induced
Add	----- anxiety disorder F15.180
Add	----- bipolar and related disorder F15.14
Add	----- depressive disorder F15.14
Add	----- obsessive-compulsive and related disorder F15.188
Add	----- psychotic disorder F15.159
Add	----- sexual dysfunction F15.181
Add	---- amphetamine, cocaine, or other stimulant intoxication
Add	----- with perceptual disturbances F15.122
Add	----- without perceptual disturbances F15.129
Add	---- intoxication delirium F15.121
Add	-- moderate or severe
Add	--- with
Add	---- amphetamine (or other stimulant) -induced
Add	----- anxiety disorder F15.280
Add	----- obsessive-compulsive and related disorder F15.288
Add	----- sexual dysfunction F15.281
Add	----- bipolar and related disorder F15.24

Add	----- depressive disorder F15.24
Add	----- psychotic disorder F15.259
Add	---- amphetamine, cocaine, or other stimulant intoxication
Add	----- with perceptual disturbances F15.222
Add	----- without perceptual disturbances F15.229
Add	---- intoxication delirium F15.221
No Change	- anxiety F41.9
Add	-- illness F45.21
Revise from	- attention-deficit without hyperactivity (adolescent) (adult) (child) F90.0
Revise to	- attention-deficit without hyperactivity (adolescent) (adult) (child) F98.8
Delete	- avoidant, child or adolescent F40.10
Add	- autism spectrum F84.0
Add	- avoidant
Add	-- child or adolescent F40.10
Add	-- restrictive food intake F50.89
Add	- binge eating F50.81
Add	- caffeine use
Add	-- mild
Add	--- with
Add	---- caffeine-induced
Add	----- anxiety disorder F15.180
Add	----- sleep disorder F15.182
Add	-- moderate or severe
Add	--- with
Add	---- caffeine-induced
Add	----- anxiety disorder F15.280
Add	----- sleep disorder F15.282
No Change	- cannabis use
Delete	-- due to drug abuse - see Abuse, drug, cannabis
Delete	-- due to drug dependence - see Dependence, drug, cannabis
Add	-- mild F12.10
Add	--- with
Add	---- cannabis-induced
Add	----- anxiety disorder F12.180
Add	----- psychotic disorder F12.159
Add	----- sleep disorder F12.188
Add	---- cannabis intoxication delirium F12.121
Add	----- with perceptual disturbances F12.122
Add	----- without perceptual disturbances F12.129
Add	-- moderate or severe F12.20
Add	--- with
Add	---- cannabis-induced
Add	----- anxiety disorder F12.280
Add	----- psychotic disorder F12.259
Add	----- sleep disorder F12.288
Add	---- cannabis intoxication
Add	----- with perceptual disturbances F12.222
Add	----- without perceptual disturbances F12.229
Add	---- delirium F12.221
Add	- catatonia (due to known physiological condition) (with another mental disorder) F06.1
Add	- cocaine use
Add	-- mild F14.10
Add	--- with
Add	---- amphetamine, cocaine, or other stimulant intoxication
Add	----- with perceptual disturbances F14.122
Add	----- without perceptual disturbances F14.129
Add	---- cocaine-induced
Add	----- anxiety disorder F14.180
Add	----- bipolar and related disorder F14.14
Add	----- depressive disorder F14.14

Add	----- obsessive-compulsive and related disorder F14.188
Add	----- psychotic disorder F14.159
Add	----- sexual dysfunction F14.181
Add	----- sleep disorder F14.182
Add	---- cocaine intoxication delirium F14.121
Add	-- moderate or severe F14.20
Add	--- with
Add	---- amphetamine, cocaine, or other stimulant intoxication
Add	----- with perceptual disturbances F14.222
Add	----- without perceptual disturbances F14.229
Add	---- cocaine-induced
Add	----- anxiety disorder F14.280
Add	----- bipolar and related disorder F14.24
Add	----- depressive disorder F14.24
Add	----- obsessive-compulsive and related disorder F14.288
Add	----- psychotic disorder F14.259
Add	----- sexual dysfunction F14.281
Add	----- sleep disorder F14.282
Add	---- cocaine intoxication delirium F14.221
No Change	- communication F80.9
Add	-- social pragmatic F80.82
Revise from	- conversion - see Disorder, dissociative
Revise to	- conversion (functional neurological symptom disorder)
Add	-- with
Add	--- abnormal movement F44.4
Add	--- anesthesia or sensory loss F44.6
Add	--- attacks or seizures F44.5
Add	--- mixed symptoms F44.7
Add	--- special sensory symptoms F44.6
Add	--- speech symptoms F44.4
Add	--- swallowing symptoms F44.4
Add	--- weakness or paralysis F44.4
No Change	- depressive F32.9
Add	-- persistent F34.1
Add	-- specified NEC F32.89
No Change	- disc (intervertebral) M51.9
No Change	-- with
No Change	--- myelopathy
Revise from	---- mid-cervical region M50.02
Revise to	---- mid-cervical region M50.020
No Change	--- radiculopathy
Revise from	---- mid-cervical region M50.12
Revise to	---- mid-cervical region M50.120
No Change	-- cervical M50.90
No Change	--- with
No Change	---- myelopathy M50.00
Delete	----- C4-C5 M50.02
Delete	----- C5-C6 M50.02
Revise from	----- C6-C7 M50.02
Revise to	----- C4-C5 M50.021
Revise from	----- C6-C7 M50.02
Revise to	----- C5-C6 M50.022
Revise from	----- C6-C7 M50.02
Revise to	----- C6-C7 M50.023
Revise from	----- mid-cervical region M50.02
Revise to	----- mid-cervical region M50.020
No Change	---- neuritis, radiculitis or radiculopathy M50.10
Delete	----- C4-C5 M50.12
Delete	----- C5-C6 M50.12
Revise from	----- C6-C7 M50.12

Revise to ----- C4-C5 M50.121
 Revise from ----- C6-C7 M50.12
 Revise to ----- C5-C6 M50.122
 Revise from ----- C6-C7 M50.12
 Revise to ----- C6-C7 M50.123
 Revise from ----- mid-cervical region M50.12
 Revise to ----- mid-cervical region M50.120
 Delete --- C4-C5 M50.92
 Delete --- C5-C6 M50.92
 Revise from --- C6-C7 M50.92
 Revise to --- C4-C5 M50.921
 Revise from --- C6-C7 M50.92
 Revise to --- C5-C6 M50.922
 Revise from --- C6-C7 M50.92
 Revise to --- C6-C7 M50.923
 No Change --- degeneration M50.30
 Delete ----- C4-C5 M50.32
 Delete ----- C5-C6 M50.32
 Revise from ----- C6-C7 M50.32
 Revise to ----- C4-C5 M50.321
 Revise from ----- C6-C7 M50.32
 Revise to ----- C5-C6 M50.322
 Revise from ----- C6-C7 M50.32
 Revise to ----- C6-C7 M50.323
 Revise from ----- mid-cervical region M50.32
 Revise to ----- mid-cervical region M50.320
 No Change --- displacement M50.20
 Delete ----- C4-C5 M50.22
 Delete ----- C5-C6 M50.22
 Revise from ----- C6-C7 M50.22
 Revise to ----- C4-C5 M50.221
 Revise from ----- C6-C7 M50.22
 Revise to ----- C5-C6 M50.222
 Revise from ----- C6-C7 M50.22
 Revise to ----- C6-C7 M50.223
 Revise from ----- mid-cervical region M50.22
 Revise to ----- mid-cervical region M50.220
 Revise from --- mid-cervical region M50.92
 Revise to --- mid-cervical region M50.920
 No Change --- specified type NEC M50.80
 Delete ----- C4-C5 M50.82
 Delete ----- C5-C6 M50.82
 Revise from ----- C6-C7 M50.82
 Revise to ----- C4-C5 M50.821
 Revise from ----- C6-C7 M50.82
 Revise to ----- C5-C6 M50.822
 Revise from ----- C6-C7 M50.82
 Revise to ----- C6-C7 M50.823
 Revise from ----- mid-cervical region M50.82
 Revise to ----- mid-cervical region M50.820
 Add - disruptive F91.9
 Add -- mood dysregulation F34.81
 Add -- specified NEC F91.8
 Revise from - disruptive behavior F98.9
 Revise to - disruptive behavior F91.9
 Revise from - dysmorphic body F45.1
 Revise to - dysmorphic body F45.22
 No Change - eating (adult) (psychogenic) F50.9
 Add -- binge F50.81
 Revise from -- pica F50.8

Revise to -- pica F50.89
 No Change - gender-identity or -role F64.9
 Revise from -- of adolescence or adulthood (nontranssexual) F64.1
 Revise to -- of adolescence or adulthood F64.0
 Add --- nontranssexual F64.8
 Add - genito-pelvic pain penetration F52.6
 Add - hallucinogen use
 Add -- mild F16.10
 Add --- with
 Add ---- hallucinogen-induced
 Add ----- anxiety disorder F16.180
 Add ----- bipolar and related disorder F16.14
 Add ----- depressive disorder F16.14
 Add ----- psychotic disorder F16.159
 Add ---- hallucinogen intoxication delirium F16.121
 Add ---- other hallucinogen intoxication F16.129
 Add -- moderate or severe F16.20
 Add --- with
 Add ---- hallucinogen-induced
 Add ----- anxiety disorder F16.280
 Add ----- bipolar and related disorder F16.24
 Add ----- depressive disorder F16.24
 Add ----- psychotic disorder F16.259
 Add ---- hallucinogen intoxication delirium F16.221
 Add ---- other hallucinogen intoxication F16.229
 Add - hoarding F42.3
 No Change - identity
 Add -- illness anxiety F45.21
 Add - inhalant use
 Add -- mild F18.10
 Add --- with
 Add ---- inhalant-induced
 Add ----- anxiety disorder F18.180
 Add ----- depressive disorder F18.14
 Add ----- major neurocognitive disorder F18.17
 Add ----- mild neurocognitive disorder F18.188
 Add ----- psychotic disorder F18.159
 Add ---- inhalant intoxication F18.129
 Add ---- inhalant intoxication delirium F18.121
 Add -- moderate or severe F18.20
 Add --- with
 Add ---- inhalant-induced
 Add ----- anxiety disorder F18.280
 Add ----- depressive disorder F18.24
 Add ----- major neurocognitive disorder F18.27
 Add ----- mild neurocognitive disorder F18.288
 Add ----- psychotic disorder F18.259
 Add ---- inhalant intoxication F18.229
 Add ---- inhalant intoxication delirium F18.221
 No Change - jaw, developmental M27.0
 Revise from -- temporomandibular - see Anomaly, dentofacial, temporomandibular joint
 Revise to -- temporomandibular (see also Anomaly, dentofacial, temporomandibular joint) M26.60-
 Add - major neurocognitive - see Dementia, in (due to)
 Add - mast cell activation - see Activation, mast cell
 Revise from - micturition NEC R39.19
 Revise to - micturition NEC (see also Difficulty, micturition) R39.198
 Add - mild neurocognitive G31.84
 No Change - mood F39
 No Change -- persistent F34.9
 Revise from --- specified type NEC F34.8

Revise to - - - specified type NEC F34.89
Add - neonatal onset multisystemic inflammatory (NOMID) M04.2
Add - neurocognitive
Add - - major
Add - - - with
Add - - - - aggressive behavior F01.51
Add - - - - combative behavior F01.51
Add - - - - violent behavior F01.51
Add - - - due to vascular disease, with behavioral disturbance F01.51
Add - - - in (due to) (other diseases classified elsewhere) (see also Dementia, in (due to)) F02.80
Add - - - - with
Add - - - - - aggressive behavior F02.81
Add - - - - - combative behavior F02.81
Add - - - - - violent behavior F02.81
Add - - - without behavioral disturbance F01.50
Add - - mild G31.84
Add - neurodevelopmental F89
Add - - specified NEC F88
Revise from - obsessive-compulsive F42
Revise to - obsessive-compulsive F42.9
No Change - opioid use
Add - - mild F11.10
Add - - - with
Add - - - - opioid-induced
Add - - - - - anxiety disorder F11.188
Add - - - - - depressive disorder F11.14
Add - - - - - sexual dysfunction F11.181
Add - - - - opioid intoxication
Add - - - - - with perceptual disturbances F11.122
Add - - - - - delirium F11.121
Add - - - - - without perceptual disturbances F11.129
Add - - moderate or severe F11.20
Add - - - with
Add - - - - opioid-induced
Add - - - - - anxiety disorder F11.288
Add - - - - - anxiety disorder F11.988
Add - - - - - depressive disorder F11.24
Add - - - - - depressive disorder F11.94
Add - - - - - sexual dysfunction F11.281
Add - - - - - sexual dysfunction F11.981
Add - - - - opioid intoxication
Add - - - - - with perceptual disturbances F11.222
Add - - - - - delirium F11.221
Add - - - - - without perceptual disturbances F11.229
No Change - pain
Add - - genito-pelvic penetration disorder F52.6
Add - phencyclidine use
Add - - mild F16.10
Add - - - with
Add - - - - phencyclidine-induced
Add - - - - - anxiety disorder F16.180
Add - - - - - bipolar and related disorder F16.14
Add - - - - - depressive disorder F16.14
Add - - - - - psychotic disorder F16.159
Add - - - - phencyclidine intoxication F16.129
Add - - - - phencyclidine intoxication delirium F16.121
Add - - moderate or severe F16.20
Add - - - with
Add - - - - phencyclidine-induced
Add - - - - - anxiety disorder F16.280

Add	----- bipolar and related disorder F16.24
Add	----- depressive disorder F16.24
Add	----- psychotic disorder F16.259
Add	---- phencyclidine intoxication F16.229
Add	---- phencyclidine intoxication delirium F16.221
Revise from	- premenstrual dysphoric (PMDD) N94.3
Revise to	- premenstrual dysphoric (PMDD) F32.81
No Change	- psychogenic NOS (see also condition) F45.9
Revise from	-- compulsive F42
Revise to	-- compulsive F42.8
Revise from	-- obsessive F42
Revise to	-- obsessive F42.8
No Change	- psychological F99
No Change	-- associated with
Revise from	--- uncertainty about gender identity F66
Revise to	--- uncertainty about gender identity F64.9
Add	- sedative, hypnotic, or anxiolytic use
Add	-- mild F13.10
Add	--- with
Add	---- sedative, hypnotic, or anxiolytic-induced
Add	----- anxiety disorder F13.180
Add	----- bipolar and related disorder F13.14
Add	----- depressive disorder F13.14
Add	----- psychotic disorder F13.159
Add	----- sexual dysfunction F13.181
Add	---- sedative, hypnotic, or anxiolytic intoxication F13.129
Add	---- sedative, hypnotic, or anxiolytic intoxication delirium F13.121
Add	-- moderate or severe F13.20
Add	--- with
Add	---- sedative, hypnotic, or anxiolytic-induced
Add	----- anxiety disorder F13.280
Add	----- bipolar and related disorder F13.24
Add	----- depressive disorder F13.24
Add	----- major neurocognitive disorder F13.27
Add	----- mild neurocognitive disorder F13.288
Add	----- psychotic disorder F13.259
Add	----- sexual dysfunction F13.281
Add	---- sedative, hypnotic, or anxiolytic intoxication F13.229
Add	---- sedative, hypnotic, or anxiolytic intoxication delirium F13.221
No Change	- skin L98.9
Add	-- picking F42.4
No Change	- social
Add	-- pragmatic F80.82
Add	- somatic symptom F45.1
Add	- speech-sound F80.0
Add	- stimulant use (other) (unspecified)
Add	-- mild F15.10
Add	-- moderate or severe F15.20
No Change	- stress F43.9
Add	-- acute F43.0
Add	- substance use (other) (unknown)
Add	-- mild F19.10
Add	--- with substance-induced
Add	---- anxiety disorder F19.180
Add	---- bipolar and related disorder F19.14
Add	---- depressive disorder F19.14
Add	---- major neurocognitive disorder F19.17
Add	---- mild neurocognitive disorder F19.188
Add	---- obsessive-compulsive and related disorder F19.188
Add	---- sexual dysfunction F19.181

Add	- - - substance intoxication F19.129
Add	- - - substance intoxication delirium F19.121
Add	- - moderate or severe F19.20
Add	- - - with substance-induced
Add	- - - - anxiety disorder F19.280
Add	- - - - bipolar and related disorder F19.24
Add	- - - - depressive disorder F19.24
Add	- - - - major neurocognitive disorder F19.27
Add	- - - - mild neurocognitive disorder F19.288
Add	- - - - obsessive-compulsive and related disorder F19.288
Add	- - - - sexual dysfunction F19.281
Add	- - - substance intoxication F19.229
Add	- - - substance intoxication delirium F19.221
Revise from	- temporomandibular joint - see Anomaly, dentofacial, temporomandibular joint
Revise to	- temporomandibular joint M26.60-
Add	- tobacco use
Add	- - mild Z72.0
Add	- - moderate F17.200
Add	- - severe F17.200
Add	- trauma and stressor-related F43.9
Add	- - other specified F43.8
No Change	Displacement, displaced
No Change	- device, implant or graft (see also Complications, by site and type, mechanical) T85.628
No Change	- - catheter NEC T85.628
Revise from	- - - urinary (indwelling) T83.028
Revise to	- - - urinary
Add	- - - - Hopkins T83.028
Add	- - - - ileostomy T83.028
Add	- - - - indwelling T83.021
Add	- - - - nephrostomy T83.022
Add	- - - - specified NEC T83.028
Add	- - - - urostomy T83.028
No Change	- - genital NEC T83.428
Revise from	- - - intrauterine contraceptive device T83.32
Revise to	- - - intrauterine contraceptive device (string) T83.32
Revise from	- - - penile prosthesis T83.420
Revise to	- - - penile prosthesis (cylinder) (implanted) (pump) (resevoir) T83.420
Add	- - - testicular prosthesis T83.421
Revise from	- - urinary NEC - see also Complication, genitourinary, device, urinary, mechanical
Revise to	- - urinary NEC T83.128
Add	- - - sphincter, implanted T83.121
Add	- - - stent (ileal conduit) (nephroureteral) T83.123
Add	- - - - ureteral indwelling T83.122
Revise from	- fallopian tube (acquired) N83.4
Revise to	- fallopian tube (acquired) N83.4-
Revise from	- intrauterine device T83.32
Revise to	- intrauterine device (string) T83.32
Revise from	- ovary (acquired) N83.4
Revise to	- ovary (acquired) N83.4-
Revise from	- - into hernial sac N83.4
Revise to	- - into hernial sac N83.4-
Revise from	- oviduct (acquired) N83.4
Revise to	- oviduct (acquired) N83.4-
No Change	Dissection
Revise from	- artery
Revise to	- artery I77.70
Add	- - basilar (trunk) I77.75
Add	- - extremity
Add	- - - lower I77.77
Add	- - - upper I77.76

Add	-- precerebral
Add	--- congenital (nonruptured) Q28.1
Add	--- specified site NEC I77.75
No Change	Distension, distention
Revise from	- seminal vesicle N50.8
Revise to	- seminal vesicle N50.89
No Change	Distress
Revise from	- acute respiratory (adult) (child) J80
Revise to	- acute respiratory R06.00
Add	-- syndrome (adult) (child) J80
Revise from	- respiratory R06.00
Revise to	- respiratory (adult) (child) R06.00
Delete	-- adult J80
Delete	-- child J80
No Change	Disturbance(s) - see also Disease
No Change	- absorption K90.9
Revise from	-- carbohydrate K90.4
Revise to	-- carbohydrate K90.49
Revise from	-- fat K90.4
Revise to	-- fat K90.49
Revise from	-- protein K90.4
Revise to	-- protein K90.49
Revise from	-- starch K90.4
Revise to	-- starch K90.49
No Change	- perceptual due to
Revise from	-- phencyclidine intoxication (acute) F19.922
Revise to	-- phencyclidine intoxication (acute) F16.122
Delete	--- in
Delete	---- abuse F19.122
Delete	---- dependence F19.222
No Change	Diverticulum, diverticula (multiple) K57.90
Revise from	- seminal vesicle N50.8
Revise to	- seminal vesicle N50.89
No Change	Double
Revise from	- aortic arch Q25.4
Revise to	- aortic arch Q25.45
No Change	Dwarfism E34.3
Revise from	- pancreatic K86.8
Revise to	- pancreatic K86.89
No Change	Dysfunction
Add	- erectile - see Dysfunction, sexual, male, erectile
No Change	- sexual (due to) R37
No Change	-- female N94.9
Revise from	--- dyspareunia N94.1
Revise to	--- dyspareunia N94.10
No Change	-- male N53.9
No Change	--- erectile N52.9
No Change	---- postoperative (postprocedural) N52.39
No Change	----- following
Add	----- cryotherapy N52.37
Add	----- interstitial seed therapy N52.36
Add	----- prostate ablative therapy N52.37
Add	----- radiation therapy N52.35
Add	----- ultrasound ablative therapy N52.37
No Change	- temporomandibular (joint) M26.69
Revise from	-- joint-pain syndrome M26.62
Revise to	-- joint-pain syndrome M26.62-
No Change	Dysorexia R63.0
Revise from	- psychogenic F50.8
Revise to	- psychogenic F50.89

Revise from **Dyspareunia (female) N94.1**
 Revise to **Dyspareunia (female) N94.10**
 Add - deep N94.12
 Revise from - secondary N94.1
 Revise to - secondary N94.19
 Add - specified NEC N94.19
 Add - superficial (introital) N94.11
 Delete **Dysphoria, postpartal O90.6**
 Add **Dysphoria**
 Add - gender
 Add - - in
 Add - - - adolescence and adulthood F64.0
 Add - - - children F64.2
 Add - postpartal O90.6
 No Change **Dysplasia** - see also Anomaly
 Revise from - craniometaphyseal Q78.5
 Revise to - craniometaphyseal Q78.8
 Revise from - metaphyseal (Jansen's) (McKusick's) (Schmid's) Q78.5
 Revise to - metaphyseal Q78.5
 Revise from - prostate (see also Neoplasia, intraepithelial, prostate) N42.3
 Revise to - prostate (see also Neoplasia, intraepithelial, prostate) N42.30
 Add - - specified NEC N42.39

No Change

E

No Change **Ear** - see also condition
 Delete - tropical B36.8
 Add - tropical NEC B36.9 [H62.40]
 Add - - in
 Add - - - aspergillosis B44.89
 Add - - - candidiasis B37.84
 Add - - - moniliasis B37.84
 No Change **Echinococcus (infection) B67.90**
 No Change - granulosus B67.4
 Revise from - - thyroid B67.31 [E35]
 Revise to - - thyroid B67.31
 No Change - thyroid NEC B67.99
 Revise from - - granulosus B67.31 [E35]
 Revise to - - granulosus B67.31
 No Change **Eclampsia, eclamptic (coma) (convulsions) (delirium) (with hypertension) NEC O15.9**
 Delete - during labor and delivery O15.1
 Delete - postpartum O15.2
 Delete - pregnancy O15.0-
 Delete - puerperal O15.2
 Add - complicating
 Add - - labor and delivery O15.1
 Add - - postpartum O15.2
 Add - - pregnancy O15.0-
 Add - - puerperium O15.2
 No Change **Eczema (acute) (chronic) (erythematous) (fissum) (rubrum) (squamous) (see also Dermatitis) L30.9**
 Revise from - stasis - see Varix, leg, with, inflammation
 Revise to - stasis I87.2
 Add - - with varicose veins - see Varix, leg, with, inflammation
 No Change **Edema, edematous (infectious) (pitting) (toxic) R60.9**
 Revise from - pancreas K86.8
 Revise to - pancreas K86.89
 Revise from - scrotum N50.8
 Revise to - scrotum N50.89
 Revise from - seminal vesicle N50.8
 Revise to - seminal vesicle N50.89

Revise from	- spermatic cord N50.8
Revise to	- spermatic cord N50.89
Revise from	- tunica vaginalis N50.8
Revise to	- tunica vaginalis N50.89
Revise from	- vas deferens N50.8
Revise to	- vas deferens N50.89
No Change	Effect, adverse
No Change	- anesthesia (see also Anesthesia) T88.59
Delete	- - in pregnancy NEC O29.3-
No Change	- - local, toxic
Add	- - - in pregnancy NEC O29.3-
No Change	Ejaculation
Add	- delayed F52.32
No Change	Elevated, elevation
Revise from	- cholesterol E78.0
Revise to	- cholesterol E78.00
Revise from	- prostate specific antigen [PSA] R97.2
Revise to	- prostate specific antigen [PSA] R97.20
No Change	Elongated, elongation (congenital) - see also Distortion
Revise from	- labia minora (acquired) N90.6
Revise to	- labia minora (acquired) N90.69
No Change	Embolism (multiple) (paradoxical) I74.9
No Change	- artery I74.9
Revise from	- - mesenteric (with gangrene) K55.0
Revise to	- - mesenteric (with gangrene) (see also Ischemia, intestine, acute) K55.059
No Change	- cardiac - see also Infarct, myocardium
Revise from	- - not resulting in infarction I24.0
Revise to	- - not resulting in infarction I51.3
No Change	- due to device, implant or graft - see also Complications, by site and type, specified NEC
Revise from	- - breast (implant) T85.81
Revise to	- - breast (implant) T85.818
Revise from	- - catheter NEC T85.81
Revise to	- - catheter NEC T85.818
No Change	- - - dialysis (renal) T82.818
Revise from	- - - - intraperitoneal T85.81
Revise to	- - - - intraperitoneal T85.818
No Change	- - - infusion NEC T82.818
Revise from	- - - - spinal (epidural) (subdural) T85.81
Revise to	- - - - spinal (epidural) (subdural) T85.810
No Change	- - electronic (electrode) (pulse generator) (stimulator)
Revise from	- - - nervous system (brain) (peripheral nerve) (spinal) T85.81
Revise to	- - - nervous system (brain) (peripheral nerve) (spinal) T85.810
Revise from	- - gastrointestinal (bile duct) (esophagus) T85.81
Revise to	- - gastrointestinal (bile duct) (esophagus) T85.818
Revise from	- - ocular (corneal graft) (orbital implant) T85.81
Revise to	- - ocular (corneal graft) (orbital implant) T85.818
Revise from	- - specified NEC T85.81
Revise to	- - specified NEC T85.818
Revise from	- - ventricular intracranial shunt T85.81
Revise to	- - ventricular intracranial shunt T85.810
No Change	- heart (fatty) - see also Infarct, myocardium
Revise from	- - not resulting in infarction I24.0
Revise to	- - not resulting in infarction I51.3
Revise from	- intestine (artery) (vein) (with gangrene) K55.0
Revise to	- intestine (artery) (vein) (with gangrene) (see also Ischemia, intestine, acute) K55.039
Revise from	- mesenteric (artery) (vein) (with gangrene) K55.0
Revise to	- mesenteric (artery) (vein) (with gangrene) (see also Ischemia, intestine, acute) K55.059
No Change	- obstetric (in) (pulmonary)
Revise from	- - childbirth O88.82
Revise to	- - childbirth O88.22

Revise from -- pregnancy O88.81-
Revise to -- pregnancy O88.21-
Revise from -- puerperal O88.83
Revise to -- puerperal O88.23
No Change **Encounter (with health service) (for) Z76.89**
Add - desensitization to allergens Z51.6
Add - procreative management and counseling for gestational carrier Z31.7
Add - prophylactic measures Z29.9
Add - - antivenin Z29.12
Add - - fluoride administration Z29.3
Add - - immunotherapy for respiratory syncytial virus (RSV) Z29.11
Add - - rabies immune globin Z29.14
Add - - Rho (D) immune globulin Z29.13
Add - - specified NEC Z29.8
No Change **Endocervicitis** - see also Cervicitis
Revise from - due to intrauterine (contraceptive) device T83.6
Revise to - due to intrauterine (contraceptive) device T83.69
Revise from **Endodontitis K04.0**
Revise to **Endodontitis K04.01**
Add - irreversible K04.02
Add - reversible K04.01
No Change **Enlargement, enlarged** - see also Hypertrophy
Revise from - alveolar ridge K08.8
Revise to - alveolar ridge K08.89
Add - labium majus, childhood asymmetric (CALME) N90.61
Revise from **Enteritis (acute) (diarrheal) (hemorrhagic) (noninfective) (septic) K52.9**
Revise to **Enteritis (acute) (diarrheal) (hemorrhagic) (noninfective) K52.9**
Revise from - allergic K52.2
Revise to - allergic K52.29
Add - - with
Add - - - eosinophilic gastritis or gastroenteritis K52.81
Add - - - food protein-induced enterocolitis syndrome K52.21
Add - - - food protein-induced enteropathy K52.22
Revise from - dietetic K52.2
Revise to - dietetic (see also Enteritis, allergic) K52.29
No Change - due to
Revise from - - food hypersensitivity K52.2
Revise to - - food hypersensitivity (see also Enteritis, allergic) K52.29
Revise from - fulminant K55.0
Revise to - fulminant (see also Ischemia, intestine, acute) K55.019
No Change - ischemic K55.9
Revise from - - acute K55.0
Revise to - - acute (see also Ischemia, intestine, acute) K55.019
No Change **Enterocolitis (see also Enteritis) K52.9**
Revise from - fulminant ischemic K55.0
Revise to - fulminant ischemic (see also Ischemia, intestine, acute) K55.059
Revise from - hemorrhagic (acute) K55.0
Revise to - hemorrhagic (acute) (see also Ischemia, intestine, acute) K55.059
Revise from - necrotizing
Revise to - necrotizing K55.30
Add - - with
Add - - - perforation K55.33
Add - - - pneumatosis K55.32
Add - - - - and perforation K55.33
Add - - in non-newborn K55.30
Add - - - stage 1 (without pneumatosis, without perforation) K55.31
Add - - - stage 2 (with pneumatosis, without perforation) K55.32
Add - - - stage 3 (with pneumatosis, with perforation) K55.33
Add - - without pneumatosis or perforation K55.31
No Change **Enteropathy K63.9**

Add - food protein-induced enterocolitis K52.22
No Change - gluten-sensitive K90.0
Add - - non-celiac K90.41
Revise from - hemorrhagic, terminal K55.0
Revise to - hemorrhagic, terminal (see also Ischemia, intestine, acute) K55.059
Revise from - protein-losing K90.4
Revise to - protein-losing K90.49
No Change **Epilepsy, epileptic, epilepsia (attack) (cerebral) (convulsion) (fit) (seizure)** G40.909
Revise from - myoclonus, myoclonic (progressive) - see Epilepsy, generalized, specified NEC
Revise to - myoclonus, myoclonic - see Epilepsy, generalized, specified NEC
Add - - progressive - see Epilepsy, generalized, idiopathic
No Change **Episode**
No Change - depressive F32.9
Revise from - - specified NEC F32.8
Revise to - - specified NEC F32.89
No Change **Erosion**
Add - subcutaneous device pocket
Add - - nervous system prosthetic device, implant, or graft T85.890
Add - - other internal prosthetic device, implant, or graft T85.898
No Change **Escherichia coli (E. coli), as cause of disease classified elsewhere** B96.20
Delete - O157:H7 with or without confirmation of Shiga toxin-production B96.21
No Change - O157:H7 with or without confirmation of Shiga toxin-production B96.21
Delete - - specified NEC B96.22
No Change **Excess, excessive, excessively**
No Change - large
Revise from - - colon K59.3
Revise to - - colon K59.39
Delete - skin, eyelid (acquired) - see Blepharochalasis
Delete - - congenital Q10.3
Add - skin L98.7
Add - - and subcutaneous tissue L98.7
Add - - eyelid (acquired) - see Blepharochalasis
Add - - - congenital Q10.3
No Change **Excoriation (traumatic)** - see also Abrasion
Add - skin picking disorder F42.4
No Change **Exposure (to) (see also Contact, with)** T75.89
Revise from - prenatal (drugs) (toxic chemicals) - see Newborn, affected by (suspected to be), noxious substances transmitted via placenta or breast milk
Revise to - prenatal (drugs) (toxic chemicals) - see Newborn, affected by, noxious substances transmitted via placenta or breast milk

No Change

F

No Change **Failure, failed**
No Change - erection (penile) (see also Dysfunction, sexual, male, erectile) N52.9
Delete - - nonorganic F52.21
Add - - nonorganic F52.21
No Change **Fever (inanimation) (of unknown origin) (persistent) (with chills) (with rigor)** R50.9
No Change - Mediterranean (see also Brucellosis) A23.9
Revise from - - familial E85.0
Revise to - - familial M04.1
Revise from - periodic (Mediterranean) E85.0
Revise to - periodic (Mediterranean) M04.1
No Change - postoperative R50.82
Revise from - - due to infection T81.4
Revise to - - due to infection T81.40
Delete - Zika (viral) A92.8
Add - Zika virus A92.5
No Change **Fibrosis, fibrotic**
Revise from - due to device, implant or graft (see also Complications, by site and type, specified NEC) T85.82

<i>Revise to</i>	- due to device, implant or graft (see also Complications, by site and type, specified NEC) T85.828
<i>Revise from</i>	-- breast (implant) T85.82
<i>Revise to</i>	-- breast (implant) T85.828
<i>Revise from</i>	-- catheter NEC T85.82
<i>Revise to</i>	-- catheter NEC T85.828
<i>No Change</i>	--- dialysis (renal) T82.828
<i>Revise from</i>	---- intraperitoneal T85.82
<i>Revise to</i>	---- intraperitoneal T85.828
<i>No Change</i>	--- infusion NEC T82.828
<i>Revise from</i>	---- spinal (epidural) (subdural) T85.82
<i>Revise to</i>	---- spinal (epidural) (subdural) T85.820
<i>No Change</i>	-- electronic (electrode) (pulse generator) (stimulator)
<i>Revise from</i>	--- nervous system (brain) (peripheral nerve) (spinal) T85.82
<i>Revise to</i>	--- nervous system (brain) (peripheral nerve) (spinal) T85.820
<i>Revise from</i>	-- gastrointestinal (bile duct) (esophagus) T85.82
<i>Revise to</i>	-- gastrointestinal (bile duct) (esophagus) T85.828
<i>Revise from</i>	-- ocular (corneal graft) (orbital implant) NEC T85.82
<i>Revise to</i>	-- ocular (corneal graft) (orbital implant) NEC T85.828
<i>Revise from</i>	-- specified NEC T85.82
<i>Revise to</i>	-- specified NEC T85.828
<i>Revise from</i>	-- ventricular intracranial shunt T85.82
<i>Revise to</i>	-- ventricular intracranial shunt T85.820
<i>Revise from</i>	- ejaculatory duct N50.8
<i>Revise to</i>	- ejaculatory duct N50.89
<i>Revise from</i>	- epididymis N50.8
<i>Revise to</i>	- epididymis N50.89
<i>Revise from</i>	- intrascrotal N50.8
<i>Revise to</i>	- intrascrotal N50.89
<i>Revise from</i>	- mediastinum (idiopathic) J98.5
<i>Revise to</i>	- mediastinum (idiopathic) J98.59
<i>Revise from</i>	- pancreas K86.8
<i>Revise to</i>	- pancreas K86.89
<i>Revise from</i>	- scrotum N50.8
<i>Revise to</i>	- scrotum N50.89
<i>Revise from</i>	- seminal vesicle N50.8
<i>Revise to</i>	- seminal vesicle N50.89
<i>Revise from</i>	- spermatic cord N50.8
<i>Revise to</i>	- spermatic cord N50.89
<i>Revise from</i>	- tunica vaginalis N50.8
<i>Revise to</i>	- tunica vaginalis N50.89
<i>Revise from</i>	- vas deferens N50.8
<i>Revise to</i>	- vas deferens N50.89
<i>No Change</i>	Filling defect
<i>Revise from</i>	- bladder R93.4
<i>Revise to</i>	- bladder R93.41
<i>Revise from</i>	- kidney R93.4
<i>Revise to</i>	- kidney R93.42-
<i>Revise from</i>	- ureter R93.4
<i>Revise to</i>	- ureter R93.41
<i>Add</i>	- urinary organs, specified NEC R93.49
<i>No Change</i>	Findings, abnormal, inconclusive, without diagnosis - see also Abnormal
<i>Revise from</i>	- bacteriuria N39.0
<i>Revise to</i>	- bacteriuria R82.71
<i>No Change</i>	- cholesterol E78.9
<i>Revise from</i>	-- high E78.0
<i>Revise to</i>	-- high E78.00
<i>No Change</i>	- urine R82.90
<i>Revise from</i>	-- bacteria N39.0
<i>Revise to</i>	-- bacteria R82.71
<i>Revise from</i>	-- culture positive R82.7

Revise to	-- culture positive R82.79
No Change	Fistula (cutaneous) L98.8
Revise from	- breast N61
Revise to	- breast N61.0
Revise from	- epididymis N50.8
Revise to	- epididymis N50.89
Revise from	- mammary (gland) N61
Revise to	- mammary (gland) N61.0
Revise from	- pancreatic K86.8
Revise to	- pancreatic K86.89
Revise from	- pancreaticoduodenal K86.8
Revise to	- pancreaticoduodenal K86.89
Revise from	- scrotum (urinary) N50.8
Revise to	- scrotum (urinary) N50.89
Revise from	- urethroscrotal N50.8
Revise to	- urethroscrotal N50.89
No Change	Fitting (and adjustment) (of)
Add	- CRT-D (resynchronization therapy defibrillator) Z45.02
Add	- CRT-P (cardiac resynchronization therapy pacemaker) Z45.018
Add	-- pulse generator Z45.010
Revise from	- pacemaker (cardiac) Z45.018
Revise to	- pacemaker (cardiac) (cardiac resynchronization therapy (CRT-P)) Z45.018
Revise from	Fitz's syndrome (acute hemorrhagic pancreatitis) K85.8
Revise to	Fitz's syndrome (acute hemorrhagic pancreatitis) (see also Pancreatitis, acute) K85.80
No Change	Fluid
No Change	- loss (acute) E86.9
Delete	-- with
Delete	--- hypernatremia E87.0
Delete	--- hyponatremia E87.1
No Change	Follicle
Revise from	- graafian, ruptured, with hemorrhage N83.0
Revise to	- graafian, ruptured, with hemorrhage N83.0-
No Change	Folliculitis (superficial) L73.9
Revise from	- cyst N83.0
Revise to	- cyst N83.0-
Revise from	Fong's syndrome (hereditary osteo-onychodysplasia) Q78.5
Revise to	Fong's syndrome (hereditary osteo-onychodysplasia) Q87.2
Add	Fracture, nontraumatic, NEC
Add	- atypical
Add	-- femur M84.750-
Add	--- complete
Add	---- oblique M84.759
Add	----- left side M84.758
Add	----- right side M84.757
Add	---- transverse M84.756
Add	----- left side M84.755
Add	----- right side M84.754
Add	--- incomplete M84.753
Add	---- left side M84.752
Add	---- right side M84.751
No Change	Fracture, pathological (pathologic) - see also Fracture, traumatic M84.40
Add	- compression (not due to trauma) (see also Collapse, vertebra) M48.50-
No Change	- due to
Revise from	-- osteoporosis M80.80
Revise to	-- osteoporosis M80.00
No Change	- joint prosthesis - see Complications, joint prosthesis, mechanical, breakdown, by site
Revise from	-- periprosthetic - see Complications, joint prosthesis, mechanical, periprosthetic, fracture, by site
Revise to	-- periprosthetic - see Fracture, pathological, periprosthetic
Add	- periprosthetic M97.9
Add	-- ankle M97.2-

Add	-- elbow M97.4-
Add	-- finger M97.8
Add	-- hip M97.0-
Add	-- knee M97.1-
Add	-- other specified joint M97.8
Add	-- shoulder M97.3-
Add	-- spinal joint M97.8
Add	-- toe joint M97.8
Add	-- wrist joint M97.8
No Change	Fracture, traumatic (abduction) (adduction) (separation) (see also Fracture, pathological) T14.8
Revise from	- blow-out S02.3
Revise to	- blow-out S02.3-
Delete	- compression, not due to trauma - see Collapse, vertebra
No Change	- foot S92.90-
Add	-- sesamoid S92.81-
Add	-- specified NEC S92.81-
No Change	- humerus S42.30-
No Change	-- lower end S42.40-
No Change	--- supracondylar (simple) (displaced) S42.41-
Add	---- with intercondylar fracture - see Fracture, humerus, lower end
No Change	- joint prosthesis - see Complications, joint prosthesis, mechanical, breakdown, by site
Revise from	-- periprosthetic - see Complications, joint prosthesis, mechanical, periprosthetic, fracture, by site
Revise to	-- periprosthetic - see Fracture, traumatic, periprosthetic
No Change	- malar bone (see also Fracture, maxilla) S02.400
Add	-- left side S02.40B
Add	-- right side S02.40A
No Change	- mandible (lower jaw (bone)) S02.609
Revise from	-- alveolus S02.67
Revise to	-- alveolus S02.67-
Revise from	-- angle (of jaw) S02.65
Revise to	-- angle (of jaw) S02.65-
No Change	-- body, unspecified S02.600
Add	--- left side S02.602
Add	--- right side S02.601
Revise from	-- condylar process S02.61
Revise to	-- condylar process S02.61-
Revise from	-- coronoid process S02.63
Revise to	-- coronoid process S02.63-
Revise from	-- ramus, unspecified S02.64
Revise to	-- ramus, unspecified S02.64-
Revise from	-- subcondylar process S02.62
Revise to	-- subcondylar process S02.62-
No Change	- maxilla, maxillary (bone) (sinus) (superior) (upper jaw) S02.401
Add	-- left side S02.40D
Add	-- right side S02.40C
No Change	- metatarsal bone S92.30-
Add	-- physeal S99.10-
Add	--- Salter-Harris
Add	---- Type I S99.11-
Add	---- Type II S99.12-
Add	---- Type III S99.13-
Add	---- Type IV S99.14-
Add	--- specified NEC S99.19-
No Change	- neck S12.9
No Change	-- cervical vertebra S12.9
No Change	--- seventh (displaced) S12.600
No Change	---- specified type NEC (displaced) S12.690
Delete	----- displaced S12.691
Add	----- nondisplaced S12.691
No Change	--- sixth (displaced) S12.500

No Change ---- specified type NEC (displaced) S12.590
Delete ----- displaced S12.591
Add ----- nondisplaced S12.591
No Change --- third (displaced) S12.200
No Change ---- specified type NEC (displaced) S12.290
Delete ----- displaced S12.291
Add ----- nondisplaced S12.291
Revise from - orbit, orbital (bone) (region) S02.8
Revise to - orbit, orbital (bone) (region) S02.8-
Revise from -- floor (blow-out) S02.3
Revise to -- floor (blow-out) S02.3-
Revise from - palate S02.8
Revise to - palate S02.8-
Add - periprosthetic, around internal prosthetic joint M97.9
Add -- ankle M97.2-
Add -- elbow M97.4-
Add -- finger M97.8
Add -- hip M97.0-
Add -- knee M97.1--
Add -- shoulder M97.3-
Add -- specified joint NEC M97.8
Add -- spine M97.8
Add -- toe M97.8
Add -- wrist M97.8
No Change - sesamoid bone
Delete -- other - code by site under Fracture
Add -- foot S92.81-
Add -- other - see Fracture, traumatic, by site
No Change - skull S02.91
Revise from -- base S02.10
Revise to -- base S02.10-
No Change --- occiput S02.119
No Change ---- condyle S02.113
No Change ----- type I S02.110
Add ----- left side S02.11B
Add ----- right side S02.11A
No Change ----- type II S02.111
Add ----- left side S02.11D
Add ----- right side S02.11C
No Change ----- type III S02.112
Add ----- left side S02.11F
Add ----- right side S02.11E
Add ----- specified NEC S02.118
Add ----- left side S02.11H
Add ----- right side S02.11G
Delete ---- specified NEC S02.118
Revise from -- specified site NEC S02.8
Revise to -- specified site NEC S02.8-
No Change - tarsal bone(s) S92.20-
No Change -- calcaneus S92.00-
Add --- physeal S99.00-
Add ---- Salter-Harris
Add ----- Type I S99.01-
Add ----- Type II S99.02-
Add ----- Type III S99.03-
Add ----- Type IV S99.04-
Add ---- specified NEC S99.09-
No Change - toe S92.91-
Add -- physeal
Add --- phalanx S99.20-

Add - - - - Salter-Harris
 Add - - - - Type I S99.21-
 Add - - - - Type II S99.22-
 Add - - - - Type III S99.23-
 Add - - - - Type IV S99.24-
 Add - - - - specified NEC S99.29-
 Revise from - tuberosity (external) - code by site under Fracture
 Revise to - tuberosity (external) - see Fracture, traumatic, by site
 No Change - zygoma S02.402
 Add - - left side S02.40F
 Add - - right side S02.40E
 No Change **Frederickson's hyperlipoproteinemia, type**
 Revise from - IIA E78.0
 Revise to - IIA E78.00
 No Change **Furuncle** L02.92
 Revise from - breast N61
 Revise to - breast N61.1

No Change

G

Revise from **Galactophoritis** N61
 Revise to **Galactophoritis** N61.0
 No Change **Gangrene, gangrenous (connective tissue) (dropsical) (dry) (moist) (skin) (ulcer) (see also Necrosis)** I96
 Revise from - intestine, intestinal (hemorrhagic) (massive) K55.0
 Revise to - intestine, intestinal (hemorrhagic) (massive) (see also Infarct, intestine) K55.069
 No Change - - with
 Revise from - - - mesenteric embolism K55.0
 Revise to - - - mesenteric embolism (see also Infarct, intestine) K55.069
 Revise from - mesentery K55.0
 Revise to - mesentery (see also Infarct, intestine) K55.069
 No Change - - with
 Revise from - - - embolism K55.0
 Revise to - - - embolism (see also Infarct, intestine) K55.069
 Revise from - pancreas K85.9
 Revise to - pancreas - see Pancreatitis, acute
 No Change - scrotum N49.3
 Revise from - - noninfective N50.8
 Revise to - - noninfective N50.89
 No Change - spermatic cord N49.1
 Revise from - - noninfective N50.8
 Revise to - - noninfective N50.89
 No Change - tunica vaginalis N49.1
 Revise from - - noninfective N50.8
 Revise to - - noninfective N50.89
 No Change - vas deferens N49.1
 Revise from - - noninfective N50.8
 Revise to - - noninfective N50.89
 No Change **Gastroenteritis (acute) (chronic) (noninfectious) (see also Enteritis)** K52.9
 Revise from - allergic K52.2
 Revise to - allergic K52.29
 Add - - with
 Add - - - eosinophilic gastritis or gastroenteritis K52.81
 Add - - - food protein-induced enterocolitis syndrome K52.21
 Add - - - food protein-induced enteropathy K52.22
 Revise from - dietetic K52.2
 Revise to - dietetic (see also Gastroenteritis, allergic) K52.29
 Revise from - food hypersensitivity K52.2
 Revise to - food hypersensitivity (see also Gastroenteritis, allergic) K52.29
 No Change **Gingivitis** K05.10

<i>Revise from</i>	- chronic (desquamative) (hyperplastic) (simple marginal) (ulcerative) K05.10
<i>Revise to</i>	- chronic (desquamative) (hyperplastic) (simple marginal) (pregnancy associated) (ulcerative) K05.10
<i>No Change</i>	Glaucoma H40.9
<i>Revise from</i>	- simple (chronic) H40.11
<i>Revise to</i>	- simple (chronic) H40.11-
<i>Revise from</i>	- simplex H40.11
<i>Revise to</i>	- simplex H40.11-

No Change

H

<i>No Change</i>	HELLP syndrome (hemolysis, elevated liver enzymes and low platelet count) O14.2-
<i>Add</i>	- complicating
<i>Add</i>	-- childbirth O14.24
<i>Add</i>	-- puerperium O14.25
<i>No Change</i>	Hemangioma D18.00
<i>Add</i>	- intrathoracic structures D18.09
<i>No Change</i>	Hematocoele
<i>No Change</i>	- female NEC N94.89
<i>Revise from</i>	-- with ectopic pregnancy O00.9
<i>Revise to</i>	-- with ectopic pregnancy O00.90
<i>Add</i>	--- with intrauterine pregnancy O00.91
<i>No Change</i>	Hematoma (traumatic) (skin surface intact) - see also Contusion
<i>Revise from</i>	- postoperative (postprocedural) - see Complication, postprocedural, hemorrhage
<i>Revise to</i>	- postoperative (postprocedural) - see Complication, postprocedural, hematoma
<i>No Change</i>	Hematuria R31.9
<i>Revise from</i>	- microscopic NEC R31.2
<i>Revise to</i>	- microscopic NEC (with symptoms) R31.29
<i>Add</i>	-- asymptomatic R31.21
<i>No Change</i>	Hemiplegia G81.9-
<i>Revise from</i>	- thrombotic (current episode) I63.3
<i>Revise to</i>	- thrombotic (current episode) I63.3-
<i>No Change</i>	Hemorrhage, hemorrhagic (concealed) R58
<i>No Change</i>	- alveolar
<i>Revise from</i>	-- process K08.8
<i>Revise to</i>	-- process K08.89
<i>Revise from</i>	- alveolus K08.8
<i>Revise to</i>	- alveolus K08.89
<i>Revise from</i>	- corpus luteum (ruptured) cyst N83.1
<i>Revise to</i>	- corpus luteum (ruptured) cyst N83.1-
<i>No Change</i>	- due to or associated with
<i>Revise from</i>	-- device, implant or graft (see also Complications, by site and type, specified NEC) T85.83
<i>Revise to</i>	-- device, implant or graft (see also Complications, by site and type, specified NEC) T85.838
<i>Revise from</i>	--- breast T85.83
<i>Revise to</i>	--- breast T85.838
<i>Revise from</i>	--- catheter NEC T85.83
<i>Revise to</i>	--- catheter NEC T85.838
<i>No Change</i>	---- dialysis (renal) T82.838
<i>Revise from</i>	----- intraperitoneal T85.83
<i>Revise to</i>	----- intraperitoneal T85.838
<i>No Change</i>	---- infusion NEC T82.838
<i>Revise from</i>	----- spinal (epidural) (subdural) T85.83
<i>Revise to</i>	----- spinal (epidural) (subdural) T85.830
<i>No Change</i>	--- electronic (electrode) (pulse generator) (stimulator)
<i>Revise from</i>	---- nervous system (brain) (peripheral nerve) (spinal) T85.83
<i>Revise to</i>	---- nervous system (brain) (peripheral nerve) (spinal) T85.830
<i>Revise from</i>	--- gastrointestinal (bile duct) (esophagus) T85.83
<i>Revise to</i>	--- gastrointestinal (bile duct) (esophagus) T85.838
<i>Revise from</i>	--- ocular (corneal graft) (orbital implant) NEC T85.83
<i>Revise to</i>	--- ocular (corneal graft) (orbital implant) NEC T85.838
<i>Revise from</i>	--- specified NEC T85.83

Revise to	- - - specified NEC T85.838
Revise from	- - - ventricular intracranial shunt T85.83
Revise to	- - - ventricular intracranial shunt T85.830
Revise from	- graafian follicle cyst (ruptured) N83.0
Revise to	- graafian follicle cyst (ruptured) N83.0-
No Change	- intracranial (nontraumatic) I62.9
No Change	- - subarachnoid (nontraumatic) (from) I60.9
No Change	- - - intracranial (cerebral) artery I60.7
Revise from	- - - - anterior communicating I60.2-
Revise to	- - - - anterior communicating I60.2
No Change	- - - - communicating I60.7
Revise from	- - - - - anterior I60.2-
Revise to	- - - - - anterior I60.2
Revise from	- pancreas K86.8
Revise to	- pancreas K86.89
Revise from	- subgaleal P12.1
Revise to	- subgaleal P12.2
No Change	Hepatitis K75.9
No Change	- acute B17.9
Revise from	- - infectious B15.9
Revise to	- - infectious B17.9
Delete	- - - with hepatic coma B15.0
Add	- - non-viral K72.0
Revise from	- infectious, infective (acute) (chronic) (subacute) B15.9
Revise to	- infectious, infective B15.9
Delete	- - with hepatic coma B15.0
Add	- - acute (subacute) B17.9
Add	- - chronic B18.9
No Change	Hernia, hernial (acquired) (recurrent) K46.9
Revise from	- fallopian tube N83.4
Revise to	- fallopian tube N83.4-
Revise from	- mediastinum J98.5
Revise to	- mediastinum J98.59
Revise from	- ovary N83.4
Revise to	- ovary N83.4-
Revise from	- oviduct N83.4
Revise to	- oviduct N83.4-
No Change	Herniation - see also Hernia
Revise from	- mediastinum J98.5
Revise to	- mediastinum J98.59
No Change	HGSIL (cytology finding) (high grade squamous intraepithelial lesion on cytologic smear) (Pap smear finding)
No Change	- cervix R87.613
Revise from	- - biopsy (histology) finding - code to CIN II or CIN III
Revise to	- - biopsy (histology) finding - see Neoplasia, intraepithelial, cervix, grade II or grade III
No Change	- vagina R87.623
Revise from	- - biopsy (histology) finding - code to VAIN II or VAIN III
Revise to	- - biopsy (histology) finding - see Neoplasia, intraepithelial, vagina, grade II or grade III
No Change	High
Revise from	- cholesterol E78.0
Revise to	- cholesterol E78.00
No Change	History
No Change	- family (of) - see also History, personal (of)
No Change	- - disease or disorder (of)
Add	- - - familial hypercholesterolemia Z83.42
Delete	- - sudden cardiac death Z82.41
Add	- - familial hypercholesterolemia Z83.42
Add	- - SIDS (sudden infant death syndrome) Z84.82
Add	- - sudden
Add	- - - cardiac death Z82.41

Add --- infant death syndrome (SIDS) Z84.82
 No Change - personal (of) - see also History, family (of)
 No Change -- dysplasia
 Revise from --- cervical Z87.410
 Revise to --- cervical (mild) (moderate) Z87.410
 Add ---- severe (grade III) Z86.001
 Revise from --- vaginal Z87.411
 Revise to --- vaginal (mild) (moderate) Z87.411
 Add ---- severe (grade III) Z86.008
 Revise from --- vulvar Z87.412
 Revise to --- vulvar (mild) (moderate) Z87.412
 Add ---- severe (grade III) Z86.008
 Revise from -- surgery NEC Z98.89
 Revise to -- surgery NEC Z98.890
 Add --- with uterine scar Z98.891
 Add -- unintended awareness under general anesthesia Z92.84
 Add -- uterine scar from previous surgery Z98.891
 No Change **Hydronephrosis (atrophic) (early) (functionless) (intermittent) (primary) (secondary) NEC N13.30**
 No Change - with
 No Change -- obstruction (by) (of)
 No Change --- ureteropelvic junction (congenital) Q62.0
 Delete ---- with infection N13.6
 Add ---- acquired N13.0
 Add ---- with infection N13.6
 No Change - congenital Q62.0
 Add -- due to acquired occlusion of ureteropelvic junction N13.0
 Revise from **Hyperbetalipoproteinemia (familial) E78.0**
 Revise to **Hyperbetalipoproteinemia (familial) E78.00**
 Revise from **Hypercholesterolemia (essential) (familial) (hereditary) (primary) (pure) E78.0**
 Revise to **Hypercholesterolemia (essential) (primary) (pure) E78.00**
 Add - familial E78.01
 Add - hereditary E78.01
 No Change **Hyperfunction**
 Revise from - pancreas K86.8
 Revise to - pancreas K86.89
 No Change **Hyperlipemia, hyperlipidemia E78.5**
 No Change - group
 Revise from -- A E78.0
 Revise to -- A E78.00
 No Change **Hyperlipoproteinemia E78.5**
 No Change - Fredrickson's type
 Revise from -- IIa E78.0
 Revise to -- IIa E78.00
 Revise from - low-density-lipoprotein-type (LDL) E78.0
 Revise to - low-density-lipoprotein-type (LDL) E78.00
 No Change **Hyperplasia, hyperplastic**
 No Change - genital
 Revise from -- male N50.8
 Revise to -- male N50.89
 Revise from - labia N90.6
 Revise to - labia N90.69
 Revise from - vulva N90.6
 Revise to - vulva N90.69
 No Change **Hypersensitive, hypersensitiveness, hypersensitivity - see also Allergy**
 Revise from - gastrointestinal K52.2
 Revise to - gastrointestinal K52.29
 Add -- immediate K52.29
 No Change **Hypertension, hypertensive (accelerated) (benign) (essential) (idiopathic) (malignant) (systemic) I10**
 No Change - complicating
 Revise from -- childbirth (labor) O10.92

Revise to	-- childbirth (labor) O16.4
Delete	--- with
Delete	---- heart disease O10.12
Delete	----- with renal disease O10.32
Delete	----- renal disease O10.22
Delete	----- with heart disease O10.32
Delete	--- essential O10.02
Add	--- pre-existing O10.92
Add	---- with
Add	----- heart disease O10.12
Add	----- with renal disease O10.32
Add	----- pre-eclampsia O11.4
Add	----- renal disease O10.22
Add	----- with heart disease O10.32
Add	---- essential O10.02
No Change	-- pregnancy O16.-
Revise from	--- gestational (pregnancy induced) (transient) (without proteinuria) O13.-
Revise to	--- gestational (pregnancy induced) (without proteinuria) O13.-
No Change	--- pre-existing O10.91-
No Change	---- with
Revise from	----- pre-eclampsia O11.-
Revise to	----- pre-eclampsia - see category O11
Add	--- transient O13.-
Revise from	-- puerperium, pre-existing O10.93
Revise to	-- puerperium, pre-existing O16.5
Delete	--- with
Delete	---- heart disease O10.13
Delete	----- with renal disease O10.33
Delete	----- renal disease O10.23
Delete	----- with heart disease O10.33
Delete	--- essential O10.03
Add	--- pre-existing
Add	---- with
Add	----- heart disease O10.13
Add	----- with renal disease O10.33
Add	----- pre-eclampsia O11.5
Add	----- renal disease O10.23
Add	----- with heart disease O10.33
Add	---- essential O10.03
Add	- crisis I16.9
Add	- emergency I16.2
No Change	- gestational (without significant proteinuria) (pregnancy-induced) (transient) O13.-
Add	-- complicating
Add	--- delivery O13.4
Add	--- puerperium O13.5
Add	- maternal O16.-
Add	- transient, of pregnancy O13.-
Add	- urgency I16.0
No Change	Hypertrophy, hypertrophic
Revise from	- epididymis N50.8
Revise to	- epididymis N50.89
Revise from	- labium (majus) (minus) N90.6
Revise to	- labium (majus) (minus) N90.60
Revise from	- scrotum N50.8
Revise to	- scrotum N50.89
Revise from	- seminal vesicle N50.8
Revise to	- seminal vesicle N50.89
Revise from	- spermatic cord N50.8
Revise to	- spermatic cord N50.89
Revise from	- tunica vaginalis N50.8

Revise to - tunica vaginalis N50.89
 Revise from - vas deferens N50.8
 Revise to - vas deferens N50.89
 Revise from - vulva N90.6
 Revise to - vulva N90.60
 Revise from - - stasis (nonfilarial) N90.6
 Revise to - - stasis (nonfilarial) N90.69
 No Change **Hypopituitarism (juvenile) E23.0**
 Revise from - postpartum E23.0
 Revise to - postpartum O99.285
 No Change **Hypoplasia, hypoplastic**
 Revise from - aorta, aortic Q25.4
 Revise to - aorta, aortic Q25.42
 Revise from - cartilage hair Q78.5
 Revise to - cartilage hair Q78.8

No Change



Add **IBDU (colonic inflammatory bowel disease unclassified) K52.3**
 No Change **Impaired, impairment (function)**
 Revise from - mastication K08.8
 Revise to - mastication K08.89
 No Change **Incarceration, incarcerated**
 Delete - exophthalmos K42.0
 Delete - - gangrenous K42.1
 Add - exomphalos K42.0
 Add - - gangrenous K42.1
 No Change **Incontinence R32**
 Add - coital N39.491
 Add - insensible (urinary) N39.42
 Add - postural (urinary) N39.492
 No Change - urine (urinary) R32
 Add - - insensible N39.42
 Add - - postural N39.492
 No Change **Infancy, infantile, infantilism** - see also condition
 Revise from - pancreatic K86.8
 Revise to - pancreatic K86.89
 No Change **Infarct, infarction**
 Revise from - appendices epiploicae K55.0
 Revise to - appendices epiploicae (see also Infarct, intestine) K55.069
 Revise from - bowel K55.0
 Revise to - bowel (see also Infarct, intestine) K55.069
 Revise from - colon (acute) (agnogenic) (embolic) (hemorrhagic) (nonocclusive) (nonthrombotic) (occlusive) (segmental) (thrombotic) (with gangrene) K55.0
 Revise to - colon (acute) (agnogenic) (embolic) (hemorrhagic) (nonocclusive) (nonthrombotic) (occlusive) (segmental) (thrombotic) (with gangrene) (see also Infarct, intestine) K55.049
 Revise from - intestine (acute) (agnogenic) (embolic) (hemorrhagic) (nonocclusive) (nonthrombotic) (occlusive) (thrombotic) (with gangrene) K55.0
 Revise to - intestine (acute) (agnogenic) (embolic) (hemorrhagic) (nonocclusive) (nonthrombotic) (occlusive) (thrombotic) (with gangrene) K55.069
 Add - - diffuse K55.062
 Add - - focal K55.061
 Add - - large K55.049
 Add - - - diffuse K55.042
 Add - - - focal K55.041
 Add - - small K55.029
 Add - - - diffuse K55.022
 Add - - - focal K55.021
 Revise from - mesentery, mesenteric (embolic) (thrombotic) (with gangrene) K55.0
 Revise to - mesentery, mesenteric (embolic) (thrombotic) (with gangrene) (see also Infarct, intestine) K55.069

Revise from - omentum K55.0
 Revise to - omentum (see also Infarct, intestine) K55.069
 Revise from - pancreas K86.8
 Revise to - pancreas K86.89
 No Change **Infection, infected, infective (opportunistic) B99.9**
 No Change - due to or resulting from
 No Change -- device, implant or graft (see also Complications, by site and type, infection or inflammation) T85.79
 No Change --- catheter NEC T85.79
 No Change ---- infusion NEC T82.7
 Add ----- cranial T85.735
 Add ----- intrathecal T85.735
 Revise from ----- spinal (epidural) (subdural) T85.79
 Revise to ----- spinal (epidural) (subdural) T85.735
 Add ----- subarachnoid T85.735
 Revise from ---- urinary (indwelling) T83.51
 Revise to ---- urinary T83.518
 Add ----- cystostomy T83.510
 Add ----- Hopkins T83.518
 Add ----- ileostomy T83.518
 Add ----- nephrostomy T83.512
 Add ----- specified NEC T83.518
 Add ----- urethral indwelling T83.511
 Add ----- urostomy T83.518
 No Change --- electronic (electrode) (pulse generator) (stimulator)
 Revise from ---- nervous system (brain) (peripheral nerve) (spinal) T85.79
 Revise to ---- nervous system T85.738
 Add ----- brain T85.731
 Add ----- cranial nerve T85.732
 Add ----- gastric nerve T85.732
 Add ----- generator pocket T85.734
 Add ----- neurostimulator generator T85.734
 Add ----- peripheral nerve T85.732
 Add ----- sacral nerve T85.732
 Add ----- spinal cord T85.733
 Add ----- vagal nerve T85.732
 Revise from ---- urinary T83.59
 Revise to ---- urinary T83.590
 No Change --- gastrointestinal (bile duct) (esophagus) T85.79
 Add ---- neurostimulator electrode (lead) T85.732
 Revise from --- genital NEC T83.6
 Revise to --- genital NEC T83.69
 Add --- penile (cylinder) (pump) (reservoir) T83.61
 Add --- testicular T83.62
 Revise from --- urinary NEC T83.59
 Revise to --- urinary NEC T83.598
 Add ---- ileal conduit stent T83.593
 Add ---- implanted neurostimulation T83.590
 Add ---- implanted sphincter T83.591
 Add ---- indwelling ureteral stent T83.592
 Add ---- nephroureteral stent T83.593
 Add ---- specified stent NEC T83.593
 Delete --- ventricular intracranial shunt T85.79
 Add --- ventricular intracranial (communicating) shunt T85.730
 Add -- pulmonary artery catheter - see Infection, due to or resulting from, central venous catheter
 Revise from -- surgery T81.4
 Revise to -- surgery T81.40
 Add -- Swan Ganz catheter - see Infection, due to or resulting from, central venous catheter
 Add - generator pocket, implanted electronic neurostimulator T85.734
 Revise from - mammary gland N61
 Revise to - mammary gland N61.0

Revise from - mediastinum J98.5
Revise to - mediastinum J98.51
Revise from - nipple N61
Revise to - nipple N61.0
Revise from - operation wound T81.4
Revise to - operation wound T81.40
Revise from - pancreas (acute) K85.9
Revise to - pancreas (acute) - see Pancreatitis, acute
Revise from - - specified NEC K85.8
Revise to - - specified NEC (see also Pancreatitis, acute) K85.80
No Change - peridental, periodontal K05.20
Revise from - - generalized K05.22
Revise to - - generalized - see Peridontitis, aggressive, generalized
Revise from - - localized K05.21
Revise to - - localized - see Peridontitis, aggressive, localized
Revise from - postoperative T81.4
Revise to - postoperative T81.40
Revise from - postoperative wound T81.4
Revise to - postoperative wound T81.40
Revise from - postprocedural T81.4
Revise to - postprocedural T81.40
Add - - deep incisional surgical site T81.42
Add - - organ and space surgical site T81.43
Add - - sepsis T81.49
Add - - specified surgical site NEC T81.48
Add - - superficial incisional surgical site T81.41
No Change - tooth, teeth K04.7
No Change - - peridental, periodontal K05.20
Revise from - - - generalized K05.22
Revise to - - - generalized - see Peridontitis, aggressive, generalized
Revise from - - - localized K05.21
Revise to - - - localized - see Peridontitis, aggressive, localized
Revise from - - pulp K04.0
Revise to - - pulp K04.01
Add - - irreversible K04.02
Add - - reversible K04.01
Add - Zika virus A92.5
No Change **Inflammation, inflamed, inflammatory (with exudation)**
Revise from - areola N61
Revise to - areola N61.0
Revise from - breast N61
Revise to - breast N61.0
No Change - due to device, implant or graft - see also Complications, by site and type, infection or inflammation
No Change - - catheter T85.79
No Change - - - infusion T82.7
Add - - - - cranial T85.735
Add - - - - intrathecal T85.735
Revise from - - - - spinal (epidural) (subdural) T85.79
Revise to - - - - spinal (epidural) (subdural) T85.735
Add - - - - subarachnoid T85.735
Revise from - - - urinary (indwelling) T83.51
Revise to - - - urinary T83.518
Add - - - - cystostomy T83.510
Add - - - - Hopkins T83.518
Add - - - - ileostomy T83.518
Add - - - - nephrostomy T83.512
Add - - - - specified NEC T83.518
Add - - - - urethral indwelling T83.511
Add - - - - urostomy T83.518
No Change - - electronic (electrode) (pulse generator) (stimulator)

Revise from --- nervous system (brain) (peripheral nerve) (spinal) T85.79
Revise to --- nervous system T85.738
Add ---- brain T85.731
Add ---- cranial nerve T85.732
Add ---- gastric nerve T85.732
Add ---- neurostimulator generator T85.734
Add ---- peripheral nerve T85.732
Add ---- sacral nerve T85.732
Add ---- spinal cord T85.733
Add ---- vagal nerve T85.732
Revise from --- urinary T83.59
Revise to --- urinary T83.590
No Change -- gastrointestinal (bile duct) (esophagus) T85.79
Add --- neurostimulator electrode (lead) T85.732
Revise from -- genital NEC T83.6
Revise to -- genital NEC T83.69
Add -- penile (cylinder) (pump) (resevoir) T83.61
Add -- testicular T83.62
Revise from -- urinary NEC T83.59
Revise to -- urinary NEC T83.598
Add --- ileal conduit stent T83.593
Add --- implanted neurostimulation T83.590
Add --- implanted sphincter T83.591
Add --- indwelling ureteral stent T83.592
Add --- nephroureteral stent T83.593
Add --- specified stent NEC T83.593
Delete -- ventricular intracranial shunt T85.79
Add -- ventricular intracranial (communicating) shunt T85.730
Revise from - nipple N61
Revise to - nipple N61.0
Add **Inhalant-induced**
Add - anxiety disorder F18.980
Add - depressive disorder F18.94
Add - major neurocognitive disorder F18.97
Add - mild neurocognitive disorder F18.988
Add - psychotic disorder F18.959
No Change **Injury (see also specified injury type) T14.90**
No Change - brain (traumatic) S06.9-
Delete -- traumatic - see category S06
No Change - gland
Revise from -- salivary S09.90
Revise to -- salivary S09.93
No Change **Insufficiency, insufficient**
Add - anatomic crown height K08.89
Add - clinical crown length K08.89
Revise from - pancreatic K86.8
Revise to - pancreatic K86.89
Add -- exocrine K86.81
No Change - vascular I99.8
No Change -- intestine K55.9
Revise from --- acute K55.0
Revise to --- acute (see also Ischemia, intestine, acute) K55.059
No Change **Interruption**
Add - aortic arch Q25.21
No Change **Intolerance**
Revise from - carbohydrate K90.4
Revise to - carbohydrate K90.49
Revise from - fat NEC K90.4
Revise to - fat NEC K90.49
Revise from - food K90.4

Revise to - food K90.49
 Revise from - gluten K90.0
 Revise to - gluten K90.41
 Revise from - milk NEC K90.4
 Revise to - milk NEC K90.49
 Revise from - protein K90.4
 Revise to - protein K90.49
 Revise from - starch NEC K90.4
 Revise to - starch NEC K90.49
 No Change **Intoxication**
 Revise from - caffeine (acute) (without dependence) - see Abuse, drug, stimulant, with intoxication
 Revise to - caffeine F15.929
 Revise from - cannabinoids (acute) (without dependence) - see Abuse, drug, cannabis, with intoxication
 Revise to - cannabinoids (acute) (without dependence) - see Use, cannabis, with intoxication
 Delete - - with dependence - see Dependence, drug, cannabis, with intoxication
 Add - - with
 Add - - - abuse - see Abuse, drug, cannabis, with intoxication
 Add - - - dependence - see Dependence, drug, cannabis, with intoxication
 Revise from - phencyclidine (without dependence) - see Abuse, drug, psychoactive NEC, with intoxication
 Revise to - phencyclidine (without dependence) - see Abuse, drug, hallucinogen, with intoxication
 Revise from - - with dependence - see Dependence, drug, psychoactive NEC, with intoxication
 Revise to - - with dependence - - see Dependence, drug, hallucinogen, with intoxication
 No Change **Involution, involutional** - see also condition
 Revise from - depression (single episode) F32.8
 Revise to - depression (single episode) F32.89
 Revise from - melancholia (recurrent episode) (single episode) F32.8
 Revise to - melancholia (single episode) F32.89
 Add - - recurrent episode F33.8
 No Change **Iritis** - see also Iridocyclitis
 Revise from - gouty M10.9
 Revise to - gouty (see also Gout, by type) M10.9 [H22]
 No Change **Irregular, irregularity**
 Revise from - alveolar process K08.8
 Revise to - alveolar process K08.89
 No Change **Irritable, irritability** R45.4
 No Change - bowel (syndrome) K58.9
 Delete - - with diarrhea K58.0
 Add - - with
 Add - - - constipation K58.1
 Add - - - diarrhea K58.0
 Add - - mixed K58.2
 Add - - specified NEC K58.8
 Revise from - colon K58.9
 Revise to - colon (see also Irritable, bowel) K58.9
 No Change **Ischemia, ischemic** I99.8
 No Change - bowel (transient)
 Revise from - - acute K55.0
 Revise to - - acute (see also Ischemia, intestine, acute) K55.059
 No Change - intestine (large) (small) (transient) K55.9
 Revise from - - acute K55.0
 Revise to - - acute K55.059
 Add - - - diffuse K55.052
 Add - - - focal K55.051
 Add - - - large K55.039
 Add - - - - diffuse K55.032
 Add - - - - focal K55.031
 Add - - - small K55.019
 Add - - - - diffuse K55.012
 Add - - - - focal K55.011
 Revise from - mesenteric, acute K55.0

Revise to - mesenteric, acute (see also Ischemia, intestine, acute) K55.059
 No Change - myocardium, myocardial (chronic or with a stated duration of over 4 weeks) I25.9
 Revise from - - acute, without myocardial infarction I24.0
 Revise to - - acute, without myocardial infarction I51.3
 No Change - small bowel
 Revise from - - acute K55.0
 Revise to - - acute K55.019
 Add - - - diffuse K55.012
 Add - - - focal K55.011

No Change

K

No Change **Keratosis** L57.0
 Revise from - male genital (external) N50.8
 Revise to - male genital (external) N50.89
 Revise from - scrotal N50.8
 Revise to - scrotal N50.89
 Revise from **Kuhnt-Junius degeneration (see also Degeneration, macula)** H35.32
 Revise to **Kuhnt-Junius degeneration (see also Degeneration, macula)** H35.32-

No Change

L

No Change **Laceration**
 No Change - perineum
 No Change - - female S31.41
 No Change - - - during delivery O70.9
 Revise from - - - - third degree O70.2
 Revise to - - - - third degree (see also Delivery, complicated, by, laceration, perineum, third degree) O70.20
 Revise from **Laennec's cirrhosis** K74.69
 Revise to **Laennec's cirrhosis** K70.30
 Delete - alcoholic K70.30
 Delete - - with ascites K70.31
 Add - with ascites K70.31
 Add - nonalcoholic K74.69
 No Change **Leak, leakage**
 No Change - device, implant or graft - see also Complications, by site and type, mechanical
 No Change - - catheter NEC T85.638
 Delete - - - urinary, indwelling T83.038
 Delete - - - - cystostomy T83.030
 Add - - - urinary T83.038
 Add - - - - cystostomy T83.030
 Add - - - - Hopkins T83.038
 Add - - - - ileostomy T83.038
 Add - - - - indwelling T83.031
 Add - - - - nephrostomy T83.032
 Add - - - - specified NEC T83.038
 Add - - - - urostomy T83.038
 No Change - - genital NEC T83.498
 Revise from - - - penile prosthesis T83.490
 Revise to - - - penile prosthesis (cylinder) (implanted) (pump) (resevoir) T83.490
 Add - - - testicular prosthesis T83.491
 No Change **Lesion(s) (nontraumatic)**
 Revise from - cardia K22.9
 Revise to - cardia K31.9
 Add - combined periodontic - endodontic K05.5
 No Change **Light-for-dates (infant)** P05.00
 No Change - with weight of
 Add - - 2500 grams and over P05.09
 Add - specified NEC P05.09
 No Change **Long-term (current) (prophylactic) drug therapy (use of)**

Delete	- oral contraceptive Z79.3
Add	- oral
Add	-- antidiabetic Z79.84
Add	-- contraceptive Z79.3
Add	-- hypoglycemic Z79.84
No Change	Loose - see also condition
Add	- skin and subcutaneous tissue (following bariatric surgery weight loss) (following dietary weight loss) L98.7
Revise from	- tooth, teeth K08.8
Revise to	- tooth, teeth K08.89
No Change	Loss (of)
No Change	- appetite (see Anorexia) R63.0
Revise from	-- hysterical F50.8
Revise to	-- hysterical F50.89
Revise from	-- nonorganic origin F50.8
Revise to	-- nonorganic origin F50.89
Revise from	-- psychogenic F50.8
Revise to	-- psychogenic F50.89
Add	- bone - see Loss, substance of, bone
No Change	- fluid (acute) E86.9
Delete	-- with
Delete	--- hypernatremia E87.0
Delete	--- hyponatremia E87.1
No Change	- hearing - see also Deafness
Add	-- conductive H90.2
Add	--- bilateral H90.0
Add	--- unilateral
Add	---- with
Add	----- restricted hearing on the contralateral side H90.A1-
Add	----- unrestricted hearing on the contralateral side H90.1-
Add	-- mixed conductive and sensorineural hearing loss H90.8
Add	--- bilateral H90.6
Add	--- unilateral
Add	---- with
Add	----- restricted hearing on the contralateral side H90.A3-
Add	----- unrestricted hearing on the contralateral side H90.7-
No Change	-- sensorineural NOS H90.5
Add	--- bilateral H90.3
Add	--- unilateral
Add	---- with
Add	----- restricted hearing on the contralateral side H90.A2-
Add	----- unrestricted hearing on the contralateral side H90.4-
No Change	- substance of
No Change	-- bone - see Disorder, bone, density and structure, specified NEC
Add	--- horizontal alveolar K06.3
Revise from	Low-density-lipoprotein-type (LDL) hyperlipoproteinemia E78.0
Revise to	Low-density-lipoprotein-type (LDL) hyperlipoproteinemia E78.00
No Change	Lymphoma (of) (malignant) C85.90
No Change	- Hodgkin C81.9
Delete	-- classical C81.7-
Delete	--- lymphocyte-rich C81.4-
Delete	--- lymphocyte depleted C81.3-
Delete	--- mixed cellularity C81.2-
Delete	--- nodular sclerosis C81.1-
Delete	--- specified NEC C81.7-
Add	-- lymphocyte-rich (classical) C81.4-
Add	-- lymphocyte depleted (classical) C81.3-
Add	-- mixed cellularity (classical) C81.2-
Add	-- nodular sclerosis (classical) C81.1-
Add	-- specified NEC (classical) C81.7-
No Change	-- nodular

Delete --- sclerosis classical C81.1-
Add --- sclerosis (classical) C81.1-

No Change

M

Revise from **Macrosigmoid** K59.3
Revise to **Macrosigmoid** K59.39
No Change **Malabsorption** K90.9
Revise from - carbohydrate K90.4
Revise to - carbohydrate K90.49
Revise from - fat K90.4
Revise to - fat K90.49
Revise from - protein K90.4
Revise to - protein K90.49
Revise from - starch K90.4
Revise to - starch K90.49
Revise from **Malassez's disease (cystic)** N50.8
Revise to **Malassez's disease (cystic)** N50.89
No Change **Malformation (congenital)** - see also Anomaly
Revise from - aorta Q25.9
Revise to - aorta Q25.40
Add - - absence Q25.41
Add - - aneurysm, congenital Q25.43
Add - - aplasia Q25.41
Revise from - - atresia Q25.2
Revise to - - atresia Q25.29
Add - - - aortic arch Q25.21
Add - - dilatation, congenital Q25.44
Add - - hypoplasia Q25.42
Revise from - - specified type NEC Q25.4
Revise to - - specified type NEC Q25.49
Revise from - - stenosis (supravalvular) Q25.3
Revise to - - stenosis Q25.1
Add - - - supravalvular Q25.3
No Change **Malfunction** - see also Dysfunction
No Change - catheter device NEC T85.618
No Change - - infusion NEC T82.514
Add - - - cranial T85.610
Add - - - epidural T85.610
Add - - - intrathecal T85.610
Revise from - - - spinal (epidural) (subdural) T85.610
Revise to - - - spinal T85.610
Add - - - subarachnoid T85.610
Add - - - subdural T85.610
Delete - - urinary, indwelling T83.018
Add - - urinary (see also Breakdown, device, catheter) T83.018
Add - intrathecal infusion pump T85.615
Add - nervous system device, implant or graft, specified NEC T85.615
No Change **Malposition**
No Change - congenital
Revise from - - aorta Q25.4
Revise to - - aorta Q25.49
No Change - device, implant or graft (see also Complications, by site and type, mechanical) T85.628
No Change - - catheter NEC T85.628
Delete - - - urinary, indwelling T83.028
Add - - - urinary (see also Displacement, device, catheter, urinary) T83.028
No Change - - genital NEC T83.428
Revise from - - - intrauterine contraceptive device T83.32
Revise to - - - intrauterine contraceptive device (string) T83.32
Revise from - - - penile prosthesis T83.420

Revise to - - - penile prosthesis (cylinder) (implanted) (pump) (resevoir) T83.420
 Add - - - testicular prosthesis T83.421
 Revise from **Mammillitis N61**
 Revise to **Mammillitis N61.0**
 Revise from **Mastitis (acute) (diffuse) (nonpuerperal) (subacute) N61**
 Revise to **Mastitis (acute) (diffuse) (nonpuerperal) (subacute) N61.0**
 Add - with abscess N61.1
 Revise from - infective N61
 Revise to - infective N61.0
 Add - without abscess N61.0
 Revise from **Mediastinitis (acute) (chronic) J98.5**
 Revise to **Mediastinitis (acute) (chronic) J98.51**
 No Change **Mediterranean**
 No Change - fever - see Brucellosis
 Revise from - - familial E85.0
 Revise to - - familial M04.1
 Revise from **Megacolon (acquired) (functional) (not Hirschsprung's disease) (in) K59.3**
 Revise to **Megacolon (acquired) (functional) (not Hirschsprung's disease) (in) K59.39**
 Revise from - toxic NEC K59.3
 Revise to - toxic NEC K59.31
 Revise from **Megasigmoid K59.3**
 Revise to **Megasigmoid K59.39**
 No Change **Melancholia F32.9**
 Revise from - climacteric (single episode) F32.8
 Revise to - climacteric (single episode) F32.89
 Revise from - - recurrent episode F33.9
 Revise to - - recurrent episode F33.8
 Revise from - intermittent (single episode) F32.8
 Revise to - intermittent (single episode) F32.89
 Revise from - - recurrent episode F33.9
 Revise to - - recurrent episode F33.8
 Revise from - involutional (single episode) F32.8
 Revise to - involutional (single episode) F32.89
 Revise from - - recurrent episode F33.9
 Revise to - - recurrent episode F33.8
 Revise from - menopausal (single episode) F32.8
 Revise to - menopausal (single episode) F32.89
 Revise from - - recurrent episode F33.9
 Revise to - - recurrent episode F33.8
 Revise from - puerperal F32.8
 Revise to - puerperal F32.89
 Revise from - stuporous (single episode) F32.8
 Revise to - stuporous (single episode) F32.89
 Revise from - - recurrent episode F33.9
 Revise to - - recurrent episode F33.8
 Revise from **Melanocytoma, eyeball D31.4-**
 Revise to **Melanocytoma, eyeball D31.9-**
 No Change **Meningitis (basal) (basic) (brain) (cerebral) (cervical) (congestive) (diffuse) (hemorrhagic) (infantile) (membranous) (metastatic) (nonspecific) (pontine) (progressive) (simple) (spinal) (subacute) (sympathetic) (toxic) G03.9**
 No Change - in (due to)
 Add - - Streptococcal pneumoniae G00.1
 Delete - pneumococcal G00.1
 Add - pneumococcal streptococcus pneumoniae G00.1
 Revise from - streptococcal (acute) G00.2
 Revise to - Streptococcal (acute) G00.2
 Add - - pneumoniae G00.1
 No Change **Meningoencephalitis (see also Encephalitis) G04.90**
 No Change - in (due to)
 Revise from - - Hemophilus influenzae (H .influenzae) G04.2

Revise to - - Hemophilus influenzae (H .influenzae) G00.0
 Revise from - influenzal (H. influenzae) G04.2
 Revise to - influenzal (H. influenzae) G00.0
 Revise from - pneumococcal G00.1
 Revise to - pneumococcal G04.2
 No Change **Menopause, menopausal (asymptomatic) (state) Z78.0**
 Revise from - depression (single episode) F32.8
 Revise to - depression (single episode) F32.89
 Revise from - - psychotic (single episode) F32.8
 Revise to - - psychotic (single episode) F32.89
 Revise from - - recurrent episode F33.9
 Revise to - - recurrent episode F33.8
 Revise from - melancholia (single episode) F32.8
 Revise to - melancholia (single episode) F32.89
 Revise from - - recurrent episode F33.9
 Revise to - - recurrent episode F33.8
 No Change **Metaplasia**
 Revise from - esophagus
 Revise to - esophagus K22.7-
 No Change **Metatarsus, metatarsal** - see also condition
 Add - adductus, congenital Q66.22
 Revise from - varus (adductus) (congenital) Q66.2
 Revise to - varus (congenital) Q66.22
 Add - - primus Q66.21
 Revise from **Methadone use F11.20**
 Revise to **Methadone use** - see Use, opioid
 No Change **Micturition**
 Revise from - disorder NEC R39.19
 Revise to - disorder NEC (see also Difficulty, micturition) R39.198
 Add - position dependent R39.192
 Revise from **Minamata disease T26.1-**
 Revise to **Minamata disease T56.1**
 Revise from **Missing** - see Absence
 Revise to **Missing** - see also Absence
 Add - string of intrauterine contraceptive device T83.32
 Add **MMN (multifocal motor neuropathy) G61.82**
 No Change **Mole (pigmented)** - see also Nevus
 Revise from - tubal O00.1
 Revise to - tubal O00.10
 Add - - with intrauterine pregnancy O00.11
 No Change **Monoplegia G83.3-**
 Revise from - embolic (current episode) I63.4
 Revise to - embolic (current episode) I63.4-
 Revise from - thrombotic (current episode) I63.3
 Revise to - thrombotic (current episode) I63.3-
 No Change **Murmur (cardiac) (heart) (organic) R01.1**
 Revise from - systolic (valvular) - see Endocarditis
 Revise to - systolic R01.1
 No Change **Mycosis, mycotic B49**
 Revise from - ear B36.8
 Revise to - ear B36.9
 Add - - in
 Add - - - aspergillosis B44.89
 Add - - - candidiasis B37.84
 Add - - - moniliasis B37.84

No Change

N

No Change

Narrow

Add - gingival width (of periodontal soft tissue) K05.5

No Change **Narrowing** - see also Stenosis
Revise from - mesenteric artery K55.0
Revise to - mesenteric artery (see also Ischemia, intestine, acute) K55.059
No Change **Necrosis, necrotic (ischemic)** - see also Gangrene
Revise from - colon K55.0
Revise to - colon (see also Infarct, intestine) K55.049
Revise from - cornea H18.40
Revise to - cornea H18.89-
No Change - fat, fatty (generalized) - see also Disorder, soft tissue, specified type NEC
Revise from - - pancreas K86.8
Revise to - - pancreas K86.89
Revise from - intestine (acute) (hemorrhagic) (massive) K55.0
Revise to - intestine (acute) (hemorrhagic) (massive) (see also Infarct, intestine) K55.069
Revise from - mesentery K55.0
Revise to - mesentery (see also Infarct, intestine) K55.069
Revise from - omentum (with mesenteric infarction) K55.0
Revise to - omentum (with mesenteric infarction) (see also Infarct, intestine) K55.069
Revise from - pancreas (aseptic) (duct) (fat) K86.8
Revise to - pancreas (aseptic) (duct) (fat) K86.89
Revise from - peritoneum (with mesenteric infarction) K55.0
Revise to - peritoneum (with mesenteric infarction) (see also Infarct, intestine) K55.069
Revise from - pituitary (gland) (postpartum) (Sheehan) E23.0
Revise to - pituitary (gland) E23.0
Add - - postpartum O99.285
Add - - Sheehan O99.285
Revise from - scrotum N50.8
Revise to - scrotum N50.89
Revise from - testis N50.8
Revise to - testis N50.89
No Change **Neoplasia**
No Change - intraepithelial (histologically confirmed)
Revise from - - prostate (histologically confirmed) (PIN I) (PIN II) N42.3
Revise to - - prostate (histologically confirmed) (PIN) N42.31
Revise from - - - grade I N42.3
Revise to - - - grade I N42.31
Revise from - - - grade II N42.3
Revise to - - - grade II N42.31
Delete - - - severe D07.5
Add - - - grade III (severe dysplasia) D07.5
No Change **Neuritis (rheumatoid)** M79.2
Revise from - gouty M10.00 [G63]
Revise to - gouty (see also Gout, by type) M10.9 [G63]
No Change **Neuroma** - see also Neoplasm, nerve, benign
Revise from - interdigital (toe) G58.8
Revise to - interdigital G58.8
Revise from - - lower limb G57.8-
Revise to - - lower limb (toe) G57.8-
No Change **Neuropathy, neuropathic** G62.9
Add - multifocal motor (MMN) G61.82
No Change **Neurosis, neurotic** F48.9
Revise from - anankastic F42
Revise to - anankastic F42.8
Revise from - compulsive, compulsion F42
Revise to - compulsive, compulsion F42.8
Revise from - obsessional F42
Revise to - obsessional F42.8
Revise from - obsessive-compulsive F42
Revise to - obsessive-compulsive F42.8
No Change **Newborn (infant) (liveborn) (singleton)** Z38.2
Revise from - affected by (suspected to be)

Revise to - affected by
 Revise from - apnea P28.3
 Revise to - apnea P28.4
 Delete - - specified P28.4
 Add - - sleep (central) (obstructive) (primary) P28.3
 Revise from - jaundice P59.8
 Revise to - jaundice P59.9
 Add **NIHSS (National Institutes of Health Stroke Scale) score R29.7-**
 Add **NOMID (neonatal onset multisystemic inflammatory disorder) M04.2**
 No Change **Nonunion**
 Add - joint, following fusion or arthrodesis M96.0

No Change **O**

No Change **Obesity E66.9**
 Delete - with alveolar hyperventilation E66.2
 Add - with alveolar hypoventilation E66.2
 Add - exogenous E66.09
 Add - hypoventilation syndrome (OHS) E66.2
 No Change - morbid E66.01
 Delete - - with alveolar hypoventilation E66.2
 Add - - with
 Add - - - alveolar hypoventilation E66.2
 Add - - - obesity hypoventilation syndrome (OHS) E66.2
 No Change **Obliteration**
 Revise from - vestibule (oral) K08.8
 Revise to - vestibule (oral) K08.89
 No Change **Observation (following) (for) (without need for further medical care) Z04.9**
 Revise from - newborn (for suspected condition, ruled out) - see - Newborn, affected by (suspected to be), maternal (complication of) (use of)
 Revise to - newborn (for)
 Add - - suspected condition, related to exposure from the mother or birth process - see - Newborn, affected by, maternal
 Add - - - ruled out Z05.9
 Add - - - - cardiac Z05.0
 Add - - - - connective tissue Z05.73
 Add - - - - gastrointestinal Z05.5
 Add - - - - genetic Z05.41
 Add - - - - genitourinary Z05.6
 Add - - - - immunologic Z05.43
 Add - - - - infectious Z05.1
 Add - - - - metabolic Z05.42
 Add - - - - musculoskeletal Z05.72
 Add - - - - neurological Z05.2
 Add - - - - respiratory Z05.3
 Add - - - - skin and subcutaneous tissue Z05.71
 Add - - - - specified condition NEC Z05.8
 No Change - suspected, ruled out - see also Suspected condition, ruled out
 No Change - - condition NEC Z03.89
 Revise from - - - newborn - see - Newborn, affected by (suspected to be), maternal (complication of) (use of)
 Revise to - - - newborn (see also Observation, newborn (for), suspected condition, ruled out) Z05.9
 Revise from **Obsession, obsessional state F42**
 Revise to **Obsession, obsessional state F42.8**
 Add - mixed thoughts and acts F42.2
 Revise from **Obsessive-compulsive neurosis or reaction F42**
 Revise to **Obsessive-compulsive neurosis or reaction F42.8**
 No Change **Obstruction, obstructed, obstructive**
 No Change - artery (see also Embolism, artery) I74.9
 Add - - stent - see Restenosis, stent
 No Change - device, implant or graft (see also Complications, by site and type, mechanical) T85.698

No Change -- catheter NEC T85.628
Delete --- urinary, indwelling T83.098
Add --- Hopkins T83.098
Add --- ileostomy T83.098
Add --- nephrostomy T83.092
Add --- urethral indwelling T83.091
Add --- urinary T83.098
Add --- urostomy T83.098
No Change -- genital NEC T83.498
Revise from --- penile prosthesis T83.490
Revise to --- penile prosthesis (cylinder) (implanted) (pump) (resevoir) T83.490
Add --- testicular prosthesis T83.491
Revise from - ejaculatory duct N50.8
Revise to - ejaculatory duct N50.89
Revise from - pancreatic duct K86.8
Revise to - pancreatic duct K86.89
No Change - pelviureteral junction N13.5
Add -- with hydronephrosis N13.0
No Change - vessel NEC I99.8
Add -- stent - see Restenosis, stent
No Change **Occlusion, occluded**
No Change - artery (see also Embolism, artery) I74.9
No Change -- brain or cerebral I66.9
Revise from --- with infarction (due to) I63.5
Revise to --- with infarction (due to) I63.5-
Revise from ---- embolism I63.4
Revise to ---- embolism I63.4-
Revise from ---- thrombosis I63.3
Revise to ---- thrombosis I63.3-
No Change -- cerebral I66.9
No Change --- specified NEC I66.8
No Change ---- with infarction I63.59
No Change ----- due to
Revise from ----- embolism I63.4
Revise to ----- embolism I63.4-
Revise from ----- thrombosis I63.3
Revise to ----- thrombosis I63.3-
Revise from -- mesenteric (embolic) (thrombotic) K55.0
Revise to -- mesenteric (embolic) (thrombotic) (see also Infarct, intestine) K55.069
No Change - cerebrovascular - see also Occlusion, artery, cerebral
Revise from -- with infarction I63.5
Revise to -- with infarction I63.5-
Revise from - mesenteric artery (embolic) (thrombotic) K55.0
Revise to - mesenteric artery (embolic) (thrombotic) (see also Infarct, intestine) K55.069
Revise from **Odontalgia** K08.8
Revise to **Odontalgia** K08.89
Revise from **Odontomyelitis (closed) (open)** K04.0
Revise to **Odontomyelitis (closed) (open)** K04.01
Add - irreversible K04.02
Add - reversible K04.01
Revise from **Odontorrhagia** K08.8
Revise to **Odontorrhagia** K08.89
Add **OHS (obesity hypoventilation syndrome)** E66.2
Revise from **Onycho-osteodysplasia** Q79.8
Revise to **Onycho-osteodysplasia** Q87.2
Revise from **Oophorocele** N83.4
Revise to **Oophorocele** N83.4-
No Change **Opioid(s)**
Add - induced, without use disorder
Add -- anxiety disorder F11.988

Add -- delirium F11.921
 Add -- depressive disorder F11.94
 Add -- sexual dysfunction F11.981
 Add -- sleep disorder F11.982
 No Change **Osteomyelitis (general) (infective) (localized) (neonatal) (purulent) (septic) (staphylococcal) (streptococcal) (suppurative) (with periostitis) M86.9**
 Add - in diabetes mellitus - see E08-E13 with .69
 Revise from **Osteomyelofibrosis D75.89**
 Revise to **Osteomyelofibrosis D47.4**
 Revise from **Osteo-onycho-arthro-dysplasia Q79.8**
 Revise to **Osteo-onycho-arthro-dysplasia Q87.2**
 Revise from **Osteo-onychodysplasia, hereditary Q79.8**
 Revise to **Osteo-onychodysplasia, hereditary Q87.2**
 No Change **Otitis (acute) H66.90**
 No Change - externa H60.9-
 Delete -- mycotic B36.9 [H62.40]
 Delete -- tropical B36.8
 Add -- mycotic NEC B36.9 [H62.40]
 Add --- in
 Add ---- aspergillosis B44.89
 Add ---- candidiasis B37.84
 Add ---- moniliasis B37.84
 Add -- tropical NEC B36.9 [H62.40]
 Add --- in
 Add ---- aspergillosis B44.89
 Add ---- candidiasis B37.84
 Add ---- moniliasis B37.84
 No Change - media (hemorrhagic) (staphylococcal) (streptococcal) H66.9-
 No Change -- acute, subacute H66.90
 Revise from --- exudative - see Otitis, media, nonsuppurative, acute
 Revise to --- exudative - see Otitis, media, suppurative, acute
 Revise from -- exudative - see Otitis, media, nonsuppurative
 Revise to -- exudative - see Otitis, media, suppurative
 Revise from **Ovariocele N83.4**
 Revise to **Ovariocele N83.4-**
 No Change **Overeating R63.2**
 Revise from - nonorganic origin F50.8
 Revise to - nonorganic origin F50.89
 Revise from - psychogenic F50.8
 Revise to - psychogenic F50.89
 No Change **Overriding**
 Revise from - aorta Q25.4
 Revise to - aorta Q25.49

No Change **P**

No Change **Pain(s) (see also Painful) R52**
 No Change - bladder R39.89
 Add -- chronic R39.82
 Revise from - due to device, implant or graft (see also Complications, by site and type, specified NEC) T85.84
 Revise to - due to device, implant or graft (see also Complications, by site and type, specified NEC) T85.848
 Revise from -- breast (implant) T85.84
 Revise to -- breast (implant) T85.848
 Revise from -- catheter NEC T85.84
 Revise to -- catheter NEC T85.848
 No Change --- dialysis (renal) T82.848
 Revise from ---- intraperitoneal T85.84
 Revise to ---- intraperitoneal T85.848
 No Change --- infusion NEC T82.848
 Revise from ---- spinal (epidural) (subdural) T85.84

Revise to - - - - spinal (epidural) (subdural) T85.840
 No Change - - electronic (electrode) (pulse generator) (stimulator)
 Revise from - - - nervous system (brain) (peripheral nerve) (spinal) T85.84
 Revise to - - - nervous system (brain) (peripheral nerve) (spinal) T85.840
 Revise from - - gastrointestinal (bile duct) (esophagus) T85.84
 Revise to - - gastrointestinal (bile duct) (esophagus) T85.848
 Revise from - - infusion NEC T85.84
 Revise to - - infusion NEC T85.848
 Revise from - - ocular (corneal graft) (orbital implant) NEC T85.84
 Revise to - - ocular (corneal graft) (orbital implant) NEC T85.848
 Revise from - - specified NEC T85.84
 Revise to - - specified NEC T85.848
 Revise from - - ventricular intracranial shunt T85.84
 Revise to - - ventricular intracranial shunt T85.840
 No Change - genital organ
 Revise from - - male N50.8
 Revise to - - male N50.89
 No Change - joint M25.50
 Revise from - - finger M79.64-
 Revise to - - finger M25.54-
 Revise from - - hand M79.64-
 Revise to - - hand M25.54-
 Revise from - - scrotum N50.8
 Revise to - - scrotum N50.82
 Revise from - - seminal vesicle N50.8
 Revise to - - seminal vesicle N50.89
 Revise from - - spermatic cord N50.8
 Revise to - - spermatic cord N50.89
 Revise from - - temporomandibular (joint) M26.62
 Revise to - - temporomandibular (joint) M26.62-
 Revise from - - testis N50.8
 Revise to - - testis N50.81-
 Revise from - - tooth K08.8
 Revise to - - tooth K08.89
 No Change **Painful** - see also Pain
 No Change - coitus
 Revise from - - female N94.1
 Revise to - - female N94.10
 Revise from **Pancreatitis (annular) (apoplectic) (calcareous) (edematous) (hemorrhagic) (malignant) (recurrent) (subacute) (suppurative) K85.9**
 Revise to **Pancreatitis (annular) (apoplectic) (calcareous) (edematous) (hemorrhagic) (malignant) (recurrent) (subacute) (suppurative) K85.90**
 Add - with necrosis (uninfected) K85.91
 Add - - infected K85.92
 Revise from - acute K85.9
 Revise to - acute (without necrosis or infection) K85.90
 Add - - with necrosis (uninfected) K85.91
 Add - - - infected K85.92
 Revise from - - alcohol induced K85.2
 Revise to - - alcohol induced (without necrosis or infection) K85.20
 Add - - - with necrosis (uninfected) K85.21
 Add - - - - infected K85.22
 Revise from - - biliary K85.1
 Revise to - - biliary (without necrosis or infection) K85.10
 Add - - - with necrosis (uninfected) K85.11
 Add - - - - infected K85.12
 Revise from - - drug induced K85.3
 Revise to - - drug induced (without necrosis or infection) K85.30
 Add - - - with necrosis (uninfected) K85.31
 Add - - - - infected K85.32

Revise from -- gallstone K85.1
 Revise to -- gallstone (without necrosis or infection) K85.10
 Add --- with necrosis (uninfected) K85.11
 Add ---- infected K85.12
 Revise from -- idiopathic K85.0
 Revise to -- idiopathic (without necrosis or infection) K85.00
 Add --- with necrosis (uninfected) K85.01
 Add ---- infected K85.02
 Revise from -- specified NEC K85.8
 Revise to -- specified NEC (without necrosis or infection) K85.80
 Add --- with necrosis (uninfected) K85.81
 Add ---- infected K85.82
 Revise from - gangrenous K85.8
 Revise to - gangrenous - see Pancreatitis, acute
 Revise from - gallstone K85.1
 Revise to - gallstone (without necrosis or infection) K85.10
 Add -- with necrosis (uninfected) K85.11
 Add --- infected K85.12
 No Change - interstitial (chronic) K86.1
 Revise from -- acute K85.8
 Revise to -- acute (see also Pancreatitis, acute) K85.80
 Revise from **Pancreolithiasis** K86.8
 Revise to **Pancreolithiasis** K86.89
 Add **PAPA (pyogenic arthritis, pyoderma gangrenosum, and acne syndrome)** M04.8
 No Change **Papilloma** - see also Neoplasm, benign, by site
 Add - basal cell L82.1
 Add -- inflamed L82.0
 No Change **Paralysis, paralytic (complete) (incomplete)** G83.9
 Revise from - embolic (current episode) I63.4
 Revise to - embolic (current episode) I63.4-
 Revise from - thrombotic (current episode) I63.3
 Revise to - thrombotic (current episode) I63.3-
 Revise from **Parorexia (psychogenic)** F50.8
 Revise to **Parorexia (psychogenic)** F50.89
 No Change **Perforation, perforated (nontraumatic) (of)**
 No Change - appendix K35.2
 Add -- with localized peritonitis K35.3
 No Change - by
 No Change -- device, implant or graft (see also Complications, by site and type, mechanical) T85.628
 No Change --- catheter NEC T85.698
 Add ---- urinary (see also Complications, catheter, urinary) T83.098
 Delete --- urinary, indwelling T83.098
 No Change - cecum K35.2
 Add -- with localized peritonitis K35.3
 No Change **Pericementitis (chronic) (suppurative)** - see also Periodontitis
 No Change - acute K05.20
 Revise from -- generalized K05.22
 Revise to -- generalized - see Periodontitis, aggressive, generalized
 Revise from -- localized K05.21
 Revise to -- localized - see Periodontitis, aggressive, localized
 No Change **Periodontitis (chronic) (complex) (compound) (local) (simplex)** K05.30
 No Change - acute K05.20
 Revise from -- generalized K05.22
 Revise to -- generalized K05.229
 Add --- moderate K05.222
 Add --- severe K05.223
 Add --- slight K05.221
 Revise from -- localized K05.21
 Revise to -- localized K05.219
 Add --- moderate K05.212

Add	- - - severe K05.213
Add	- - - slight K05.211
Revise from	- generalized K05.32
Revise to	- generalized K05.329
Add	- - moderate K05.322
Add	- - severe K05.323
Add	- - slight K05.321
Revise from	- localized K05.31
Revise to	- localized K05.319
Add	- - moderate K05.312
Add	- - severe K05.313
Add	- - slight K05.311
No Change	Peritonitis (adhesive) (bacterial) (fibrinous) (hemorrhagic) (idiopathic) (localized) (perforative) (primary) (with adhesions) (with effusion) K65.9
No Change	- with or following
Revise from	- - appendicitis K35.2
Revise to	- - appendicitis K35.3
No Change	Persistence, persistent (congenital)
No Change	- convolutions
Revise from	- - aortic arch Q25.4
Revise to	- - aortic arch Q25.46
Revise from	- double aortic arch Q25.4
Revise to	- double aortic arch Q25.45
No Change	- left
Revise from	- - root with right arch of aorta Q25.4
Revise to	- - root with right arch of aorta Q25.49
Revise from	- right aortic arch Q25.4
Revise to	- right aortic arch Q25.47
No Change	Personality (disorder) F60.9
Revise from	- mixed (nonspecific) F60.81
Revise to	- mixed (nonspecific) F60.89
No Change	Perversion, perverted
Revise from	- appetite F50.8
Revise to	- appetite F50.89
Revise from	- - psychogenic F50.8
Revise to	- - psychogenic F50.89
Add	PFAPA (periodic fever, aphthous stomatitis, pharyngitis, and adenopathy syndrome) M04.8
Add	Phencyclidine-induced
Add	- anxiety disorder F16.980
Add	- bipolar and related disorder F16.94
Add	- depressive disorder F16.94
Add	- psychotic disorder F16.959
Revise from	Pica F50.8
Revise to	Pica F50.89
Revise from	- in adults F50.8
Revise to	- in adults F50.89
No Change	Pick's
No Change	- disease or syndrome (brain) G31.01 [F02.80]
Add	- - brain G31.01 [F02.80]
Add	- - - with behavioral disturbance G31.01 [F02.81]
Add	- - pericardium (pericardial pseudocirrhosis of liver) I31.1
Add	- syndrome
Add	- - brain G31.01 [F02.80]
Add	- - - with behavioral disturbance G31.01 [F02.81]
Add	- - of heart (pericardial pseudocirrhosis of liver) I31.1
Add	PIN - see Neoplasia, intraepithelial, prostate
No Change	Pneumonia (acute) (double) (migratory) (purulent) (septic) (unresolved) J18.9
Add	- MRSA (Methicillin resistant Staphylococcus aureus) J15.212
Revise from	- nitrogen dioxide J68.9
Revise to	- nitrogen dioxide J68.0

No Change	Polyp, polypus
Revise from	- dental K04.0
Revise to	- dental K04.01
Add	- - irreversible K04.02
Add	- - reversible K04.01
Revise from	- pulpal (dental) K04.0
Revise to	- pulpal (dental) K04.01
Add	- - irreversible K04.02
Add	- - reversible K04.01
No Change	Positive
No Change	- culture (nonspecific)
Revise from	- - urine R82.7
Revise to	- - urine R82.79
No Change	Postoperative (postprocedural) - see Complication, postoperative
Revise from	- state NEC Z98.89
Revise to	- state NEC Z98.890
Revise from	Postschizophrenic depression F32.8
Revise to	Postschizophrenic depression F32.89
Revise from	Prediabetes, prediabetic R73.09
Revise to	Prediabetes, prediabetic R73.03
No Change	Pre-eclampsia O14.9-
Add	- complicating
Add	- - childbirth O14.94
Add	- - puerperium O14.95
No Change	- mild O14.0-
Add	- - complicating
Add	- - - childbirth O14.04
Add	- - - puerperium O14.05
No Change	- moderate O14.0-
Add	- - complicating
Add	- - - childbirth O14.04
Add	- - - puerperium O14.05
No Change	- severe O14.1-
No Change	- - with hemolysis, elevated liver enzymes and low platelet count (HELLP) O14.2-
Add	- - - complicating
Add	- - - - childbirth O14.24
Add	- - - - puerperium O14.25
Add	- - complicating
Add	- - - childbirth O14.14
Add	- - - puerperium O14.15
No Change	Pregnancy (single) (uterine) - see also Delivery and Puerperal
Revise from	- abdominal (ectopic) O00.0
Revise to	- abdominal (ectopic) O00.00
Add	- - with intrauterine pregnancy O00.01
Revise from	- ampullar O00.1
Revise to	- ampullar O00.10
Add	- - with intrauterine pregnancy O00.11
Revise from	- broad ligament O00.8
Revise to	- broad ligament O00.80
Add	- - with intrauterine pregnancy O00.81
Revise from	- cervical O00.8
Revise to	- cervical O00.80
Add	- - with intrauterine pregnancy O00.81
No Change	- complicated by (care of) (management affected by)
No Change	- - abnormal, abnormality
No Change	- - - position
Revise from	- - - - placenta O44.1-
Revise to	- - - - placenta O44.0-
Delete	- - - - - without hemorrhage O44.0-
Add	- - - - - with hemorrhage O44.1-

Revise from -- albuminuria O12.1-
 Revise to -- albuminuria (see also Proteinuria, gestational) O12.1-
 Revise from -- bicornis or bicornuate uterus O34.59-
 Revise to -- bicornis or bicornuate uterus O34.0-
 No Change -- disproportion (due to) O33.9
 Delete --- fetal deformities NEC O33.7
 Add --- fetal (ascites) (hydrops) (meningomyelocele) (sacral teratoma) (tumor) deformities NEC O33.7
 Revise from -- double uterus O34.59-
 Revise to -- double uterus O34.0-
 Revise from -- placenta previa O44.1-
 Revise to -- placenta previa O44.0-
 Delete --- without hemorrhage O44.0-
 Add --- complete O44.0-
 Add --- with hemorrhage O44.1-
 Add --- marginal O44.2-
 Add --- with hemorrhage O44.3-
 Add --- partial O44.2-
 Add --- with hemorrhage O44.3-
 No Change -- premature rupture of membranes O42.90
 Delete --- full-term O42.92
 Add --- full-term, unspecified as to length of time between rupture and onset of labor O42.92
 No Change --- with onset of labor
 No Change ---- within 24 hours O42.00
 Delete ----- after 37 weeks gestation O42.02
 Add ----- at or after 37 weeks gestation, onset of labor within 24 hours of rupture O42.02
 No Change ---- after 24 hours O42.10
 Delete ----- after 37 weeks gestation O42.12
 Add ----- at or after 37 weeks gestation, onset of labor more than 24 hours following rupture O42.12
 Delete --- after 37 weeks gestation O42.92
 Add --- at or after 37 weeks gestation, unspecified as to length of time between rupture and onset of labor O42.92
 Revise from -- proteinuria (gestational) O12.1-
 Revise to -- proteinuria (gestational) (see also Proteinuria, gestational) O12.1-
 Delete -- streptococcus B carrier state O99.820
 Add -- streptococcus group B (GBS) carrier state O99.820
 Add -- tobacco use disorder (smoking) O99.33-
 Revise from - cornual O00.8
 Revise to - cornual O00.80
 Add -- with intrauterine pregnancy O00.81
 Revise from - ectopic (ruptured) O00.9
 Revise to - ectopic (ruptured) O00.90
 Add -- with intrauterine pregnancy O00.91
 Revise from -- abdominal O00.0
 Revise to -- abdominal O00.00
 Delete --- with viable fetus O36.7-
 Add --- with
 Add ---- intrauterine pregnancy O00.01
 Add ---- viable fetus O36.7-
 Revise from -- cervical O00.8
 Revise to -- cervical O00.80
 Add --- with intrauterine pregnancy O00.81
 Revise from -- cornual O00.8
 Revise to -- cornual O00.80
 Add --- with intrauterine pregnancy O00.81
 Revise from -- intraligamentous O00.8
 Revise to -- intraligamentous O00.80
 Add --- with intrauterine pregnancy O00.81
 Revise from -- mural O00.8
 Revise to -- mural O00.80
 Add --- with intrauterine pregnancy O00.81
 Revise from -- ovarian O00.2

Revise to	- - ovarian O00.20
Add	- - - with intrauterine pregnancy O00.21
Revise from	- - specified site NEC O00.8
Revise to	- - specified site NEC O00.80
Add	- - - with intrauterine pregnancy O00.81
Revise from	- - tubal (ruptured) O00.1
Revise to	- - tubal (ruptured) O00.10
Add	- - - with intrauterine pregnancy O00.11
Revise from	- fallopian O00.1
Revise to	- fallopian O00.10
Add	- - with intrauterine pregnancy O00.11
Add	- gestational carrier Z33.3
Revise from	- interstitial O00.8
Revise to	- interstitial O00.80
Add	- - with intrauterine pregnancy O00.81
Revise from	- intraligamentous O00.8
Revise to	- intraligamentous O00.80
Add	- - with intrauterine pregnancy O00.81
Revise from	- intramural O00.8
Revise to	- intramural O00.80
Add	- - with intrauterine pregnancy O00.81
Revise from	- intraperitoneal O00.0
Revise to	- intraperitoneal O00.00
Add	- - with intrauterine pregnancy O00.01
Revise from	- isthmian O00.1
Revise to	- isthmian O00.10
Add	- - with intrauterine pregnancy O00.11
Revise from	- mesometric (mural) O00.8
Revise to	- mesometric (mural) O00.80
Add	- - with intrauterine pregnancy O00.81
Revise from	- mural O00.8
Revise to	- mural O00.80
Add	- - with intrauterine pregnancy O00.81
Revise from	- ovarian O00.2
Revise to	- ovarian O00.20
Add	- - with intrauterine pregnancy O00.21
No Change	- supervision of
No Change	- - high-risk O09.9-
No Change	- - - due to (history of)
Revise from	- - - - molar pregnancy O09.1-
Revise to	- - - - molar pregnancy O09.A-
Revise from	- tubal (with abortion) (with rupture) O00.1
Revise to	- tubal (with abortion) (with rupture) O00.10
Add	- - with intrauterine pregnancy O00.11
No Change	Premenstrual
Revise from	- dysphoric disorder (PMDD) N94.3
Revise to	- dysphoric disorder (PMDD) F32.81
No Change	Prescription of contraceptives (initial) Z30.019
Add	- barrier Z30.018
Add	- diaphragm Z30.018
Revise from	- implantable subdermal Z30.019
Revise to	- implantable subdermal Z30.017
No Change	- repeat Z30.40
Add	- - barrier Z30.49
Add	- - diaphragm Z30.49
Revise from	- - implantable subdermal Z30.49
Revise to	- - implantable subdermal Z30.46
Add	- - transdermal patch hormonal Z30.45
Add	- - vaginal ring hormonal Z30.44
No Change	- specified type NEC Z30.018

Add	-- transdermal patch hormonal Z30.016
Add	-- vaginal ring hormonal Z30.015
No Change	Presence (of)
No Change	- cardiac
Add	-- resynchronization therapy
Add	--- defibrillator Z95.810
Add	--- pacemaker Z95.0
Add	- CRT-D (cardiac resynchronization therapy defibrillator) Z95.810
Add	- CRT-P (cardiac resynchronization therapy pacemaker) Z95.0
Add	- cardioverter-defibrillator (ICD) Z95.810
Add	- ICD (cardioverter-defibrillator) Z95.810
No Change	Pressure
Revise from	- mediastinum J98.5
Revise to	- mediastinum J98.59
No Change	Previa
Revise from	- placenta (low) (marginal) (partial) (total) (with hemorrhage) O44.1-
Revise to	- placenta (total) (without hemorrhage) O44.0-
Delete	-- without hemorrhage O44.0-
Add	-- with hemorrhage O44.1-
Add	-- complete O44.0-
Add	--- with hemorrhage O44.1-
Add	-- low (see also Delivery, complicated, by, placenta, low) O44.4-
Add	--- with hemorrhage O44.5-
Add	-- marginal O44.2-
Add	--- with hemorrhage O44.3-
Add	-- partial O44.2-
Add	--- with hemorrhage O44.3-
No Change	Problem (with) (related to)
No Change	- behavioral (adult) F69
Revise from	-- drug seeking Z72.89
Revise to	-- drug seeking Z76.5
No Change	- feeding (elderly) (infant) R63.3
Revise from	-- nonorganic F50.8
Revise to	-- nonorganic F50.89
Revise from	- mastication K08.8
Revise to	- mastication K08.89
No Change	Procedure (surgical)
Add	- converted
Add	-- arthroscopic to open Z53.33
Add	-- laparoscopic to open Z53.31
Add	-- specified procedure NEC to open Z53.39
Add	-- thoracoscopic to open Z53.32
Delete	Proctocolitis, mucosal - see Rectosigmoiditis, ulcerative
Add	Proctocolitis
Add	- food-induced eosinophilic K52.82
Add	- food protein-induced K52.82
Add	- milk protein-induced K52.82
Add	- mucosal - see Rectosigmoiditis, ulcerative
No Change	Prolapse, prolapsed
Revise from	- fallopian tube N83.4
Revise to	- fallopian tube N83.4-
Revise from	- ovary N83.4
Revise to	- ovary N83.4-
No Change	Proliferation(s)
Add	- prostate, atypical small acinar N42.32
No Change	Proteinuria R80.9
Revise from	- gestational O12.1-
Revise to	- gestational
Delete	-- with edema O12.2-
Add	-- complicating

Add --- childbirth O12.14
Add --- pregnancy O12.1-
Add --- with edema O12.2-
Add --- puerperium O12.15
Add - puerperal O12.15
No Change **Protrusion, protrusio**
No Change - device, implant or graft (see also Complications, by site and type, mechanical) T85.698
No Change -- catheter NEC T85.698
Delete --- urinary, indwelling T83.098
Add --- urinary (see also Complications, catheter, urinary) T83.098
No Change -- genital NEC T83.498
Revise from --- penile prosthesis T83.490
Revise to --- penile prosthesis (cylinder) (implanted) (pump) (resevoir) T83.490
Add --- testicular prosthesis T83.491
No Change **Pseudohermaphroditism** Q56.3
No Change - female Q56.2
Delete -- adrenal, congenital E25.0
Add -- adrenal (congenital) E25.0
Revise from **Pseudotruncus arteriosus** Q25.4
Revise to **Pseudotruncus arteriosus** Q25.49
No Change **Psychosis, psychotic** F29
Revise from - manic-depressive - see Disorder, mood
Revise to - manic-depressive - see Disorder, bipolar
No Change **Puerperal, puerperium (complicated by, complications)**
Delete - gestational diabetes O24.439
Delete -- diet controlled O24.430
Delete -- insulin (and diet) controlled O24.434
Add - gestational
Add -- diabetes O24.439
Add --- diet controlled O24.430
Add --- insulin (and diet) controlled O24.434
Add --- oral drug controlled (antidiabetic) (hypoglycemic) O24.435
Add -- edema O12.05
Add --- with proteinuria O12.25
Add -- proteinuria O12.15
No Change - infection O86.4
No Change -- maternal O98.93
Delete --- streptococcus B carrier state O99.825
Add --- streptococcus group B (GBS) carrier state O99.825
Revise from - necrosis, liver (acute) (subacute) (conditions in subcategory K72.0) O26.63
Revise to - necrosis, liver (acute) (subacute) (conditions in subcategory K72.0) O26.63
Revise from **Pulpitis (acute) (anachoretic) (chronic) (hyperplastic) (irreversible) (putrescent) (reversible) (suppurative) (ulcerative)** K04.0
Revise to **Pulpitis (acute) (anachoretic) (chronic) (hyperplastic) (putrescent) (suppurative) (ulcerative)** K04.01
Add - irreversible K04.02
Add - reversible K04.01

No Change

Q

No Change **Quadriplegia** G82.50
Revise from - embolic (current episode) I63.4
Revise to - embolic (current episode) I63.4-
Revise from - thrombotic (current episode) I63.3
Revise to - thrombotic (current episode) I63.3-

No Change

R

No Change **Radiculopathy** M54.10
No Change - due to
No Change -- disc disorder

Delete --- C5 M50.12
Delete --- C6 M50.12
Delete --- C7 M50.12
Revise from --- C8 M50.13
Revise to --- C5 M50.121
Revise from --- C8 M50.13
Revise to --- C6 M50.122
Revise from --- C8 M50.13
Revise to --- C7 M50.123
Add **RAEB (refractory anemia with excess blasts) D46.2-**
No Change **Reaction** - see also Disorder
Revise from - compulsive F42
Revise to - compulsive F42.8
Revise from - obsessive-compulsive F42
Revise to - obsessive-compulsive F42.8
No Change - psychoneurotic - see also Neurosis
Revise from - - compulsive F42
Revise to - - compulsive F42.8
Revise from - - obsessive F42
Revise to - - obsessive F42.8
Revise from - toxic, to local anesthesia T81.89
Revise to - toxic, to local anesthesia T88.59
No Change **Recession, receding**
Revise from - gingival (generalized) (localized) (postinfective) (postoperative) K06.0
Revise to - gingival (generalized) (localized) (postinfective) (postoperative) K06.00
Add - - Miller Class I K06.01
Add - - Miller Class II K06.02
Add - - Miller Class III K06.03
Add - - Miller Class IV K06.04
No Change **Redundant, redundancy**
Revise from - labia N90.6
Revise to - labia N90.69
Revise from - scrotum N50.8
Revise to - scrotum N50.89
Revise from - skin (of face) L57.4
Revise to - skin L98.7
Delete - - eyelids - see Blepharochalasis
Add - - and subcutaneous tissue L98.7
Add - - of face L57.4
Add - - - eyelids - see Blepharochalasis
No Change **Refusal of**
Revise from - food, psychogenic F50.8
Revise to - food, psychogenic F50.89
Delete **Reinsertion, contraceptive device Z30.433**
Add **Reinsertion**
Add - implantable subdermal contraceptive Z30.46
Add - intrauterine contraceptive device Z30.433
No Change **Rejection**
Revise from - food, psychogenic F50.8
Revise to - food, psychogenic F50.89
No Change **Relaxation**
Revise from - scrotum N50.8
Revise to - scrotum N50.89
No Change **Removal (from) (of)**
No Change - device Z46.9
No Change - - contraceptive Z30.432
Add - - - implantable subdermal Z30.46
No Change **Residual** - see also condition
Revise from - urine R39.19
Revise to - urine R39.198

No Change	Resistance, resistant (to)
No Change	- organism(s)
No Change	-- to
Revise from	--- drug
Revise to	--- drug Z16.30
Delete	---- antimycobacterial (single) Z16.341
Delete	----- multiple Z16.342
Add	---- antimycobacterial (single) Z16.341
Add	----- multiple Z16.342
No Change	---- multiple drugs (MDRO)
Add	----- antimicrobial Z16.35
Add	----- antimycobacterials Z16.342
Add	Restenosis
Add	- stent
Add	-- vascular
Add	--- end stent
Add	---- adjacent to stent - see Arteriosclerosis
Add	---- within the stent
Add	----- coronary T82.855
Add	----- peripheral T82.856
Add	--- in stent
Add	---- coronary vessel T82.855
Add	---- peripheral vessel T82.856
No Change	Reticuloendotheliosis
Delete	- malignant C96.9
No Change	Reticulosis (skin)
Revise from	- histiocytic medullary C96.9
Revise to	- histiocytic medullary C96.A
Delete	- nonlipid C96.0
No Change	Retraction
Revise from	- mediastinum J98.5
Revise to	- mediastinum J98.59
Add	Right aortic arch Q25.47
No Change	Ring(s)
Revise from	- aorta (vascular) Q25.4
Revise to	- aorta (vascular) Q25.45
No Change	- vascular (congenital) Q25.8
Revise from	-- aorta Q25.4
Revise to	-- aorta Q25.45
Add	Rising, PSA following treatment for malignant neoplasm of prostate R97.21
No Change	Rumination R11.10
Revise from	- neurotic F42
Revise to	- neurotic F42.8
Revise from	- obsessional F42
Revise to	- obsessional F42.8
Revise from	- psychogenic F42
Revise to	- psychogenic F42.8
No Change	Rupture, ruptured
No Change	- appendix (with peritonitis) K35.2
Add	-- with localized peritonitis K35.3
Revise from	- corpus luteum (infected) (ovary) N83.1
Revise to	- corpus luteum (infected) (ovary) N83.1-
No Change	- fallopian tube NEC (nonobstetric) (nontraumatic) N83.8
Revise from	-- due to pregnancy O00.1
Revise to	-- due to pregnancy O00.10
Add	--- with intrauterine pregnancy O00.11
Revise from	- graafian follicle (hematoma) N83.0
Revise to	- graafian follicle (hematoma) N83.0-
No Change	- ovary, ovarian N83.8
Revise from	-- corpus luteum cyst N83.1

Revise to - - corpus luteum cyst N83.1-
 Revise from - - follicle (graafian) N83.0
 Revise to - - follicle (graafian) N83.0-
 No Change - oviduct (nonobstetric) (nontraumatic) N83.8
 Revise from - - due to pregnancy O00.1
 Revise to - - due to pregnancy O00.10
 Add - - - with intrauterine pregnancy O00.11
 Revise from - pancreas (nontraumatic) K86.8
 Revise to - pancreas (nontraumatic) K86.89
 No Change - tube, tubal (nonobstetric) (nontraumatic) N83.8
 Revise from - - due to pregnancy O00.1
 Revise to - - due to pregnancy O00.10
 Add - - - with intrauterine pregnancy O00.11

No Change

S

Add **Sagging**
 Add - skin and subcutaneous tissue (following bariatric surgery weight loss) (following dietary weight loss) L98.7
 Revise from **Salpingocele** N83.4
 Revise to **Salpingocele** N83.4-
 Add **Sarcopenia (age-related)** M62.84
 No Change **Scar, scarring (see also Cicatrix)** L90.5
 Add - transmural uterine, in pregnancy O34.29
 No Change **Schizophrenia, schizophrenic** F20.9
 Revise from - post-psychotic depression F32.8
 Revise to - post-psychotic depression F32.89
 No Change **Sclerosis, sclerotic**
 Revise from - funicular (spermatic cord) N50.8
 Revise to - funicular (spermatic cord) N50.89
 Revise from - pancreas K86.8
 Revise to - pancreas K86.89
 No Change **Scoliosis (acquired) (postural)** M41.9
 Revise from - adolescent (idiopathic) - see Scoliosis, idiopathic, juvenile
 Revise to - adolescent (idiopathic) - see Scoliosis, idiopathic, adolescent
 Add - infantile - see Scoliosis, idiopathic, infantile
 Add **Score, NIHSS (National Institutes of Health Stroke Scale)** R29.7-
 No Change **Screening (for)** Z13.9
 Revise from - developmental handicap Z13.4
 Revise to - developmental handicap Z13.42
 Revise from - - in early childhood Z13.4
 Revise to - - in early childhood Z13.42
 Add - - infant Z13.41
 Revise from - disability, intellectual Z13.4
 Revise to - disability, intellectual Z13.42
 Add - - infant Z13.41
 No Change - disease or disorder Z13.9
 Revise from - - developmental Z13.4
 Revise to - - developmental Z13.42
 Add - - - in child Z13.42
 Add - - - infant Z13.41
 Revise from - intellectual disability Z13.4
 Revise to - intellectual disability Z13.42
 Add - - infant Z13.41
 Add **Sedative, hypnotic, or anxiolytic-induced**
 Add - anxiety disorder F13.980
 Add - bipolar and related disorder F13.94
 Add - delirium F13.921
 Add - depressive disorder F13.94
 Add - major neurocognitive disorder F13.97
 Add - mild neurocognitive disorder F13.988

Add - psychotic disorder F13.959
Add - sexual dysfunction F13.981
Add - sleep disorder F13.982
No Change **Sensitive, sensitivity** - see also Allergy
Add - gluten (non-celiac) K90.41
No Change **Sepsis (generalized) (unspecified organism)** A41.9
No Change - due to device, implant or graft T85.79
No Change -- catheter NEC T85.79
No Change --- infusion NEC T82.7
Revise from ---- spinal (epidural) (subdural) T85.79
Revise to ---- spinal (cranial) (epidural) (intrathecal) (spinal) (subarachnoid) (subdural) T85.735
Add --- urethral indwelling T83.511
Revise from --- urinary (indwelling) T83.51
Revise to --- urinary T83.518
No Change -- electronic (electrode) (pulse generator) (stimulator)
Revise from --- nervous system (brain) (peripheral nerve) (spinal) T85.79
Revise to --- nervous system T85.738
Add ---- brain T85.731
Add ---- neurostimulator generator T85.734
Add ---- peripheral nerve T85.732
Add ---- spinal cord T85.733
Revise from --- urinary T83.59
Revise to --- urinary T83.590
No Change -- gastrointestinal (bile duct) (esophagus) T85.79
Add --- neurostimulator electrode (lead) T85.732
Revise from -- genital T83.6
Revise to -- genital T83.69
Delete -- ventricular intracranial shunt T85.79
Add -- ventricular intracranial (communicating) shunt T85.730
No Change - localized - code to specific localized infection
Revise from -- in operation wound T81.4
Revise to -- in operation wound T81.49
Revise from - postprocedural T81.4
Revise to - postprocedural T81.49
No Change **Septum, septate (congenital)** - see also Anomaly, by site
No Change - vagina Q52.10
Revise from -- longitudinal (with or without obstruction) Q52.12
Revise to -- longitudinal Q52.129
Add --- microperforate
Add ---- left side Q52.124
Add ---- right side Q52.123
Add --- nonobstruction Q52.120
Add --- obstructing Q52.129
Add ---- left side Q52.122
Add ---- right side Q52.121
No Change **Sequelae (of)** - see also condition
No Change - hemorrhage
No Change -- subarachnoid I69.00
Revise from --- cognitive deficits I69.01
Revise to --- cognitive deficits - see subcategory I69.01-
No Change **Sequestration** - see also Sequestrum
Add - disk - see Displacement, intervertebral disk
No Change **Seroma** - see also Hematoma
Add - postprocedural - see Complication, postprocedural, seroma
No Change **Serum**
No Change - hepatitis - see also Hepatitis, viral, type B
Revise from -- carrier (suspected) of Z22.51
Revise to -- carrier (suspected) of B18.1
No Change **Shock** R57.9
No Change - anaphylactic T78.2

No Change	-- due to food (nonpoisonous) T78.00
No Change	--- nuts T78.05
Add	---- multiple types T78.05
No Change	- endotoxic R65.21
Revise from	-- postprocedural (during or resulting from a procedure, not elsewhere classified) T81.12
Revise to	-- postprocedural (resulting from a procedure, not elsewhere classified) T81.12
No Change	- gram-negative R65.21
Revise from	-- postprocedural (during or resulting from a procedure, not elsewhere classified) T81.12
Revise to	-- postprocedural (resulting from a procedure, not elsewhere classified) T81.12
Add	- liver K72.00
No Change	Sinus - see also Fistula
Revise from	- tarsi syndrome - M25.57-
Revise to	- tarsi syndrome M25.57-
Revise from	- testis N50.8
Revise to	- testis N50.89
No Change	Sloughing (multiple) (phagedena) (skin) - see also Gangrene
Revise from	- scrotum N50.8
Revise to	- scrotum N50.89
Revise from	Slowing, urinary stream R39.19
Revise to	Slowing, urinary stream R39.198
No Change	Small-for-dates (infant) P05.10
No Change	- with weight of
Add	-- 2500 grams and over P05.19
Add	- specified NEC P05.19
No Change	Softening
No Change	- brain (necrotic) (progressive) G93.89
Revise from	-- embolic I63.4
Revise to	-- embolic I63.4-
Revise from	-- occlusive I63.5
Revise to	-- occlusive I63.5-
Revise from	-- thrombotic I63.3
Revise to	-- thrombotic I63.3-
No Change	Spasm(s), spastic, spasticity (see also condition) R25.2
Revise from	- colon K58.9
Revise to	- colon (see also Irritable, bowel) K58.9
Revise from	Spermatorrhea N50.8
Revise to	Spermatorrhea N50.89
No Change	Split, splitting
Add	- hand Q71.6
No Change	Spondylitis (chronic) - see also Spondylopathy, inflammatory
Revise from	- gouty M10.08
Revise to	- gouty (see also Gout, by type, vertebrae) M10.08
No Change	Sprain (joint) (ligament)
Revise from	- jaw (articular disc) (cartilage) (meniscus) S03.4
Revise to	- jaw (articular disc) (cartilage) (meniscus) S03.4-
Revise from	- mandible (articular disc) S03.4
Revise to	- mandible (articular disc) S03.4-
No Change	- meniscus
Revise from	-- jaw S03.4
Revise to	-- jaw S03.4-
Revise from	-- mandible S03.4
Revise to	-- mandible S03.4-
No Change	- symphysis
Revise from	-- jaw S03.4
Revise to	-- jaw S03.4-
Revise from	-- mandibular S03.4
Revise to	-- mandibular S03.4-
Revise from	- temporomandibular S03.4
Revise to	- temporomandibular S03.4-
No Change	Sprue (tropical) K90.1

Revise from - idiopathic K90.0
 Revise to - idiopathic K90.49
 No Change **Stasis**
 Revise from - dermatitis - see Varix, leg, with, inflammation
 Revise to - dermatitis I87.2
 Add - - with
 Add - - - varicose ulcer - see Varix, leg, with ulcer, with inflammation
 Add - - - varicose veins - see Varix, leg, with, inflammation
 Add - - due to postthrombotic syndrome - see Syndrome, postthrombotic
 No Change **State (of)**
 Revise from - compulsive F42
 Revise to - compulsive F42.8
 Revise from - - mixed with obsessional thoughts F42
 Revise to - - mixed with obsessional thoughts F42.2
 Revise from - obsessional F42
 Revise to - obsessional F42.8
 Delete - pregnant, incidental Z33.1
 Add - pregnant
 Add - - gestational carrier Z33.3
 Add - - incidental Z33.1
 No Change - transient organic psychotic NEC F06.8
 Revise from - - hallucinatory type F06.30
 Revise to - - hallucinatory type F06.0
 No Change **Status (post)** - see also Presence (of)
 Add - malignancy
 Add - - castrate resistant prostate Z19.2
 Add - - hormone resistant Z19.2
 Add - - hormone sensitive Z19.1
 Revise from - postoperative (postprocedural) NEC Z98.89
 Revise to - postoperative (postprocedural) NEC Z98.890
 Add - - uterine scar Z98.891
 Revise from - postsurgical (postprocedural) NEC Z98.89
 Revise to - postsurgical (postprocedural) NEC Z98.890
 Revise from **Steatorrhea (chronic) K90.4**
 Revise to **Steatorrhea (chronic) K90.9**
 Revise from - idiopathic (adult) (infantile) K90.0
 Revise to - idiopathic (adult) (infantile) K90.9
 No Change **Stenosis, stenotic (cicatricial)** - see also Stricture
 Revise from - aorta (ascending) (supraventricular) (congenital) Q25.3
 Revise to - aorta (ascending) (supraventricular) (congenital) Q25.1
 Add - - supraaortic Q25.3
 No Change - artery NEC (see also Arteriosclerosis) I77.1
 Add - - stent
 Add - - - coronary T82.855
 Add - - - peripheral T82.856
 Revise from - due to presence of device, implant or graft (see also Complications, by site and type, specified NEC) T85.85
 Revise to - due to presence of device, implant or graft (see also Complications, by site and type, specified NEC)
 T85.858
 Revise from - - breast (implant) T85.85
 Revise to - - breast (implant) T85.858
 Revise from - - catheter T85.85
 Revise to - - catheter T85.858
 No Change - - - dialysis (renal) T82.858
 Revise from - - - - intraperitoneal T85.85
 Revise to - - - - intraperitoneal T85.858
 No Change - - - infusion NEC T82.858
 Revise from - - - - spinal (epidural) (subdural) T85.85
 Revise to - - - - spinal (epidural) (subdural) T85.850
 Revise from - - gastrointestinal (bile duct) (esophagus) T85.85
 Revise to - - gastrointestinal (bile duct) (esophagus) T85.858

Revise from -- ocular (corneal graft) (orbital implant) NEC T85.85
 Revise to -- ocular (corneal graft) (orbital implant) NEC T85.858
 Revise from -- specified NEC T85.85
 Revise to -- specified NEC T85.858
 Revise from -- ventricular intracranial shunt T85.85
 Revise to -- ventricular intracranial shunt T85.850
 Revise from - ejaculatory duct NEC N50.8
 Revise to - ejaculatory duct NEC N50.89
 Add - stent
 Add -- vascular
 Add --- end stent
 Add ---- adjacent to stent - see Arteriosclerosis
 Add ---- within the stent
 Add ----- coronary T82.855
 Add ----- peripheral T82.856
 Add --- in stent
 Add ---- coronary vessel T82.855
 Add ---- peripheral vessel T82.856
 No Change **Stitch**
 Revise from - abscess T81.4
 Revise to - abscess T81.48
 No Change **Strabismus (congenital) (nonparalytic) H50.9**
 Revise from - cyclotropia H50.1-
 Revise to - cyclotropia H50.41
 No Change **Stricture** - see also Stenosis
 Revise from - aorta (ascending) (congenital) Q25.3
 Revise to - aorta (ascending) (congenital) Q25.1
 Revise from - ejaculatory duct N50.8
 Revise to - ejaculatory duct N50.89
 No Change - pelviureteric junction (congenital) Q62.11
 Add - - acquired, with hydronephrosis N13.0
 Revise from - spermatic cord N50.8
 Revise to - spermatic cord N50.89
 Revise from - tunica vaginalis N50.8
 Revise to - tunica vaginalis N50.89
 No Change - ureteropelvic junction (congenital) Q62.11
 Add - - acquired, with hydronephrosis N13.0
 No Change - urethra (organic) (spasmodic) N35.9
 No Change - - postprocedural
 No Change - - - male N99.114
 Delete - - - - anterior urethra N99.113
 Add - - - - anterior bulbous urethra N99.113
 Add - - - - fossa navicularis N99.115
 Revise from - vas deferens N50.8
 Revise to - vas deferens N50.89
 No Change **Stupor (catatonic) R40.1**
 Revise from - depressive F32.8
 Revise to - depressive (single episode) F32.89
 Add - - recurrent episode F33.8
 Add **Substance (other psychoactive) -induced**
 Add - anxiety disorder F19.980
 Add - bipolar and related disorder F19.94
 Add - delirium F19.921
 Add - depressive disorder F19.94
 Add - major neurocognitive disorder F19.97
 Add - mild neurocognitive disorder F19.988
 Add - obsessive-compulsive and related disorder F19.988
 Add - psychotic disorder F19.959
 Add - sexual dysfunction F19.981
 Add - sleep disorder F19.982

No Change **Sunburn** L55.9
Add - due to
Add - - tanning bed (acute) L56.8
Add - - - chronic L57.8
Add - - ultraviolet radiation (acute) L56.8
Add - - - chronic L57.8
No Change **Suppuration, suppurative** - see also condition
Revise from - breast N61
Revise to - breast N61.1
No Change - gum K05.20
Revise from - - generalized K05.22
Revise to - - generalized - see Peridontitis, aggressive, generalized
Revise from - - localized K05.21
Revise to - - localized - see Peridontitis, aggressive, localized
Revise from - mammary gland N61
Revise to - mammary gland N61.1
Revise from - pancreas, acute K85.8
Revise to - pancreas, acute (see also Pancreatitis, acute) K85.80
No Change **Suspected condition, ruled out** - see also Observation, suspected
Add - newborn (see also Observation, newborn, suspected condition ruled out) Z05.9
Revise from **Swearing, compulsive** F42
Revise to **Swearing, compulsive** F42.8
No Change **Swelling (of)** R60.9
Revise from - scrotum N50.8
Revise to - scrotum N50.89
Revise from - testis N50.8
Revise to - testis N50.89
No Change **Syndrome** - see also Disease
No Change - acute respiratory distress (adult) (child) J80
Add - - idiopathic J84.114
Add - arterial tortuosity Q87.82
Add - arteriovenous steal T82.898-
Add - autoinflammatory M04.9
Add - - specified type NEC M04.8
Revise from - Bakwin-Krida Q79.8
Revise to - Bakwin-Krida Q78.5
Add - Blau M04.8
Revise from - Burke's K86.8
Revise to - Burke's K86.89
No Change - chronic
Add - - infantile neurological, cutaneous and articular (CINCA) M04.2
Revise from - Clarke-Hadfield K86.8
Revise to - Clarke-Hadfield K86.89
Add - cryopyrin-associated periodic M04.2
Revise from - Danlos' Q79.8
Revise to - Danlos' Q79.6
Add - dialysis associated steal T82.898-
Add - familial cold autoinflammatory M04.2
Revise from - faulty bowel habit K59.3
Revise to - faulty bowel habit K59.39
Revise from - Fitz's K85.8
Revise to - Fitz's (see also Pancreatitis, acute) K85.80
Revise from - Fong's Q79.8
Revise to - Fong's Q87.2
Add - food protein-induced enterocolitis K52.21
Revise from - Hadfield-Clarke K86.8
Revise to - Hadfield-Clarke K86.89
No Change - HELLP (hemolysis, elevated liver enzymes and low platelet count) O14.2-
Add - - complicating
Add - - - childbirth O14.24

Add - - - puerperium O14.25
Add - hyperimmunoglobulin D M04.1
Add - hypoventilation, obesity (OHS) E66.2
No Change - irritable
No Change - - bowel K58.9
Delete - - - with diarrhea K58.0
Add - - - with
Add - - - - constipation K58.1
Add - - - - diarrhea K58.0
Add - - - mixed K58.2
Add - - - specified NEC K58.8
Delete - ischemic bowel (transient) K55.9
Delete - - chronic K55.1
Delete - - due to mesenteric artery insufficiency K55.1
Add - ischemic
Add - - bowel (transient) K55.9
Add - - - chronic K55.1
Add - - - due to mesenteric artery insufficiency K55.1
Add - - steal T82.898
Add - Majeed M04.8
Revise from - manic-depressive - see Disorder, bipolar, affective
Revise to - manic-depressive - see Disorder, bipolar
Add - mast cell activation - see Activation, mast cell
Add - Muckle-Wells M04.2
Add - obesity hypoventilation (OHS) E66.2
Add - oral allergy T78.1
Revise from - Osterreicher-Turner Q79.8
Revise to - Osterreicher-Turner Q87.2
Add - periodic fever M04.1
Add - periodic fever, aphthous stomatitis, pharyngitis, and adenopathy [PFAPA] M04.8
Revise from - Pick's (heart) (liver) I31.1
Revise to - Pick's - see Disease, Pick's
Revise from - premenstrual dysphoric N94.3
Revise to - premenstrual dysphoric F32.89
Add - pyogenic arthritis, pyoderma gangrenosum, and acne [PAPA] M04.8
No Change - respiratory
No Change - - distress
No Change - - - acute J80
Add - - - - idiopathic J84.114
Revise from - sinus tarsi - M25.57-
Revise to - sinus tarsi M25.57-
Revise from - Sotos' E22.0
Revise to - Soto's Q87.3
Add - steal
Add - - arteriovenous T82.898-
Add - - ischemic T82.898-
Add - - subclavian G45.8
Revise from - temporomandibular joint-pain-dysfunction M26.62
Revise to - temporomandibular joint-pain-dysfunction M26.62-
Add - tumor necrosis factor receptor associated periodic (TRAPS) M04.1
Revise from **Synovitis** - see also Tenosynovitis
Revise to **Synovitis (see also Tenosynovitis)** M65.9
Revise from - gouty - see Gout, idiopathic
Revise to - gouty - see Gout

No Change

T

Revise from **TBI (traumatic brain injury)** - see category S06
Revise to **TBI (traumatic brain injury)** S06.9
No Change **Tear, torn (traumatic)** - see also Laceration

No Change - anus, anal (sphincter) S31.831
No Change - - complicating delivery
Revise from - - - with third degree perineal laceration O70.2
Revise to - - - with third degree perineal laceration (see also Delivery, complicated, by, laceration, perineum, third degree) O70.20
Revise from **Temporomandibular joint pain-dysfunction syndrome** M26.62
Revise to **Temporomandibular joint pain-dysfunction syndrome** M26.62-
Revise from **Thelitis** N61
Revise to **Thelitis** N61.0
No Change **Threatened**
No Change - labor (without delivery) O47.9
Delete - - after 37 completed weeks of gestation O47.1
Add - - at or after 37 completed weeks of gestation O47.1
No Change **Thrombosis, thrombotic (bland) (multiple) (progressive) (silent) (vessel)** I82.90
Revise from - apoplexy I63.3
Revise to - apoplexy I63.3-
No Change - artery, arteries (postinfectious) I74.9
Revise from - - mesenteric (with gangrene) K55.0
Revise to - - mesenteric (with gangrene) (see also Infarct, intestine) K55.069
No Change - atrium, auricular - see also Infarct, myocardium
Revise from - - not resulting in infarction I24.0
Revise to - - not resulting in infarction I51.3
No Change - cardiac - see also Infarct, myocardium
Revise from - - not resulting in infarction I24.0
Revise to - - not resulting in infarction I51.3
Revise from - due to device, implant or graft (see also Complications, by site and type, specified NEC) T85.86
Revise to - due to device, implant or graft (see also Complications, by site and type, specified NEC) T85.868
Revise from - - breast (implant) T85.86
Revise to - - breast (implant) T85.868
Revise from - - catheter NEC T85.86
Revise to - - catheter NEC T85.868
No Change - - - dialysis (renal) T82.868
Revise from - - - - intraperitoneal T85.86
Revise to - - - - intraperitoneal T85.868
No Change - - - infusion NEC T82.868
Revise from - - - - spinal (epidural) (subdural) T85.86
Revise to - - - - spinal (epidural) (subdural) T85.860
No Change - - electronic (electrode) (pulse generator) (stimulator)
Revise from - - - nervous system (brain) (peripheral nerve) (spinal) T85.86
Revise to - - - nervous system (brain) (peripheral nerve) (spinal) T85.860
Revise from - - gastrointestinal (bile duct) (esophagus) T85.86
Revise to - - gastrointestinal (bile duct) (esophagus) T85.868
Revise from - - ocular (corneal graft) (orbital implant) NEC T85.86
Revise to - - ocular (corneal graft) (orbital implant) NEC T85.868
Revise from - - specified NEC T85.86
Revise to - - specified NEC T85.868
Revise from - - ventricular intracranial shunt T85.86
Revise to - - ventricular intracranial shunt T85.860
No Change - endocardial - see also Infarct, myocardium
Revise from - - not resulting in infarction I24.0
Revise to - - not resulting in infarction I51.3
No Change - heart (chamber) - see also Infarct, myocardium
Revise from - - not resulting in infarction I24.0
Revise to - - not resulting in infarction I51.3
Revise from - intestine (with gangrene) K55.0
Revise to - intestine (with gangrene) (see also Infarct, intestine) K55.069
No Change - intramural - see also Infarct, myocardium
Revise from - - not resulting in infarction I24.0
Revise to - - not resulting in infarction I51.3
Revise from - mesenteric (artery) (with gangrene) K55.0

Revise to	- mesenteric (artery) (with gangrene) (see also Infarct, intestine) K55.069
No Change	- mural - see also Infarct, myocardium
Revise from	- - not resulting in infarction I24.0
Revise to	- - not resulting in infarction I51.3
Revise from	- omentum (with gangrene) K55.0
Revise to	- omentum (with gangrene) (see also Infarct, intestine) K55.069
No Change	Tic (disorder) F95.9
Add	- provisional F95.0
Delete	Tinnitus (audible) (aurium) (subjective) - see subcategory H93.1
Add	Tinnitus NOS H93.1-
Add	- audible H93.1-
Add	- aurium H93.1-
Add	- pulsatile H93.A-
Add	- subjective H93.1-
No Change	Tobacco (nicotine)
Add	- abuse - see Tobacco, use
No Change	- use Z72.0
Add	- - history Z87.891
Revise from	- withdrawal state - see Dependence, drug, nicotine
Revise to	- withdrawal state (see also Dependence, drug, nicotine) F17.203
Revise from	Toothache K08.8
Revise to	Toothache K08.89
No Change	Torsion
Revise from	- fallopian tube N83.52
Revise to	- fallopian tube N83.52-
No Change	- hydatid of Morgagni
Revise from	- - female N83.52
Revise to	- - female N83.52-
Revise from	- ovary (pedicle) N83.51
Revise to	- ovary (pedicle) N83.51-
No Change	Tortuous
Add	- aortic arch Q25.46
Revise from	Transsexualism F64.1
Revise to	Transsexualism F64.0
Add	TRAPS (tumor necrosis factor receptor associated periodic syndrome) M04.1
No Change	Trauma, traumatism - see also Injury
Add	- occlusal
Add	- - primary K08.81
Add	- - secondary K08.82
No Change	Traumatic - see also condition
Revise from	- brain injury - see category S06
Revise to	- brain injury S06.9
No Change	Tumor - see also Neoplasm, unspecified behavior, by site
No Change	- stromal
Revise from	- - gastrointestinal
Revise to	- - gastrointestinal C49.A-
Add	- - - esophagus C49.A1
Add	- - - large intestine C49.A4
Revise from	- - - malignant C49.4
Revise to	- - - malignant C49.A0
Add	- - - - colon C49.A4
Add	- - - - duodenum C49.A3
Add	- - - - esophagus C49.A1
Add	- - - - ileum C49.A3
Add	- - - - jejunum C49.A3
Add	- - - - Meckel diverticulum C49.A3
Add	- - - - large intestine C49.A4
Add	- - - - omentum C49.A9
Add	- - - - peritoneum C49.A9
Add	- - - - rectum C49.A5

Add - - - - small intestine C49.A3
 Add - - - - specified site NEC C49.A9
 Add - - - - stomach C49.A2
 Add - - - large intestine C49.A4
 Add - - - rectum C49.A5
 Add - - - small intestine C49.A3
 Add - - - specified site NEC C49.A9
 Add - - - stomach C49.A2
 No Change - - intestine
 Revise from - - - malignant C49.4
 Revise to - - - malignant
 Add - - - - large C49.A4
 Add - - - - small C49.A3
 Revise from - - stomach
 Revise to - - stomach C49.A2
 Revise from - - - malignant C16.9
 Revise to - - - malignant C49.A2
 Revise from **Turner-Kieser syndrome Q79.8**
 Revise to **Turner-Kieser syndrome Q87.2**

No Change

U

No Change **Ulcer, ulcerated, ulcerating, ulceration, ulcerative**
 No Change - aphthous (oral) (recurrent) K12.0
 No Change - - genital organ(s)
 Revise from - - - male N50.8
 Revise to - - - male N50.89
 Revise from - breast N61
 Revise to - breast N61.1
 Revise from - scrotum N50.8
 Revise to - scrotum N50.89
 Revise from - seminal vesicle N50.8
 Revise to - seminal vesicle N50.89
 Revise from - spermatic cord N50.8
 Revise to - spermatic cord N50.89
 Revise from - testis N50.8
 Revise to - testis N50.89
 Revise from - tunica vaginalis N50.8
 Revise to - tunica vaginalis N50.89
 Revise from - vas deferens N50.8
 Revise to - vas deferens N50.89
 Revise from **Ullrich (-Bonnevie)(-Turner) syndrome Q87.1**
 Revise to **Ullrich (-Bonnevie)(-Turner) syndrome (see also Turner's syndrome) Q87.1**
 No Change **Urgency**
 Revise from - urinary N39.41
 Revise to - urinary R39.15
 No Change **Urine**
 Revise from - intermittent stream R39.19
 Revise to - intermittent stream R39.198
 No Change - stream
 Revise from - - intermittent R39.19
 Revise to - - intermittent R39.198
 Revise from - - slowing R39.19
 Revise to - - slowing R39.198
 No Change **Urticaria L50.9**
 Add - familial cold M04.2
 No Change **Use (of)**
 Revise from - alcohol F10.99
 Revise to - alcohol Z72.89
 Delete - - with sleep disorder F10.982

Add - - with
 Add - - - intoxication F10.929
 Add - - - sleep disorder F10.982
 Revise from - methadone F11.20
 Revise to - methadone - see Use, opioid

No Change

V

No Change **Virus, viral** - see also condition
 Delete - swine influneza (viruses that normally cause infections in pigs) (see also Influenza, due to, identified novel influenza A virus) J09.X2
 Add - swine influenza (viruses that normally cause infections in pigs) (see also Influenza, due to, identified novel influenza A virus) J09.X2
 Revise from **Volvulus (bowel) (colon) (duodenum) (intestine)** K56.2
 Revise to **Volvulus (bowel) (colon) (intestine)** K56.2
 Add - duodenum K31.5
 No Change **Vomiting** R11.10
 No Change - cyclical G43.A0
 Revise from - - psychogenic F50.8
 Revise to - - psychogenic F50.89
 No Change - following gastrointestinal surgery K91.0
 Revise from - - psychogenic F50.8
 Revise to - - psychogenic F50.89
 Revise from - hysterical F50.8
 Revise to - hysterical F50.89
 Revise from - nervous F50.8
 Revise to - nervous F50.89
 Revise from - neurotic F50.8
 Revise to - neurotic F50.89
 No Change - periodic R11.10
 Revise from - - psychogenic F50.8
 Revise to - - psychogenic F50.89
 Revise from - psychogenic F50.8
 Revise to - psychogenic F50.89

No Change

W

No Change **Weight**
 Add - and length below 10th percentile for gestational age P05.1-
 Add - below but length above 10th percentile for gestational age P05.0-
 No Change **Withdrawal state** - see also Dependence, drug by type, with withdrawal
 Add - alcohol
 Add - - with perceptual disturbances F10.232
 Add - - without perceptual disturbances F10.239
 Add - caffeine F15.93
 Add - cannabis F12.288

No Change

X

No Change **Xanthoma(s), xanthomatosis (primary) (familial) (hereditary)** E75.5
 Revise from - hypercholesterinemic E78.0
 Revise to - hypercholesterinemic E78.00
 Revise from - hypercholesterolemic E78.0
 Revise to - hypercholesterolemic E78.00

No Change

Z

Add **Zika NOS** A92.5