

# ICD-10-CM TABLE of NEOPLASMS

## 2017 Addenda

-	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain Behavior	Unspecified Behavior
<b>Neoplasm, neoplastic</b>	C80.1	C79.9	D09.9	D36.9	D48.9	D49.9
- adnexa (uterine)	C57.4	C79.89	D07.39	D28.7	D39.8	Revise from: D49.5 Revise to: D49.59
- auditory						
Revise from: - - canal (external) (skin) A81 Revise to: - - canal (external) (skin)						
- Bartholin's gland	C51.0	C79.82	D07.1	D28.0	D39.8	Revise from: D49.5 Revise to: D49.59
- broad ligament	C57.1	C79.82	D07.39	D28.2	D39.8	Revise from: D49.5 Revise to: D49.59
- bulbourethral gland	C68.0	C79.19	D09.19	D30.4	D41.3	Revise from: D49.5 Revise to: D49.59
- calyx, renal	C65.-	C79.0-	D09.19	D30.1-	D41.1-	Revise from: D49.5 Revise to: D49.51-
- cervix (cervical) (uteri) (uterus)	C53.9	C79.82	D06.9	D26.0	D39.0	Revise from: D49.5 Revise to: D49.59
- - canal	C53.0	C79.82	D06.0	D26.0	D39.0	Revise from: D49.5 Revise to: D49.59
- - endocervix (canal) (gland)	C53.0	C79.82	D06.0	D26.0	D39.0	Revise from: D49.5 Revise to: D49.59
- - exocervix	C53.1	C79.82	D06.1	D26.0	D39.0	Revise from: D49.5 Revise to: D49.59
- - external os	C53.1	C79.82	D06.1	D26.0	D39.0	Revise from: D49.5 Revise to: D49.59
- - internal os	C53.0	C79.82	D06.0	D26.0	D39.0	Revise from: D49.5 Revise to: D49.59
- - nabothian gland	C53.0	C79.82	D06.0	D26.0	D39.0	Revise from: D49.5 Revise to: D49.59
- - squamocolumnar junction	C53.8	C79.82	D06.7	D26.0	D39.0	Revise from: D49.5 Revise to: D49.59

-	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain Behavior	Unspecified Behavior
- - stump	C53.8	C79.82	D06.7	D26.0	D39.0	Revise from: D49.5 Revise to: D49.59
- clitoris	C51.2	C79.82	D07.1	D28.0	D39.8	Revise from: D49.5 Revise to: D49.59
- cord (true) (vocal)	C32.0	C78.39	D02.0	D14.1	D38.0	D49.1
- - spermatic	C63.1-	C79.82	D07.69	D29.8	D40.8	Revise from: D49.5 Revise to: D49.59
- corpus						
- - albicans	C56.-	C79.6-	D07.39	D27.-	D39.1-	Revise from: D49.5 Revise to: D49.59
- - cavernosum	C60.2	C79.82	D07.4	D29.0	D40.8	Revise from: D49.5 Revise to: D49.59
- - penis	C60.2	C79.82	D07.4	D29.0	D40.8	Revise from: D49.5 Revise to: D49.59
- - uteri	C54.9	C79.82	D07.0	D26.1	D39.0	Revise from: D49.5 Revise to: D49.59
- - - isthmus	C54.0	C79.82	D07.0	D26.1	D39.0	Revise from: D49.5 Revise to: D49.59
- Cowper's gland	C68.0	C79.19	D09.19	D30.4	D41.3	Revise from: D49.5 Revise to: D49.59
- ejaculatory duct	C63.7	C79.82	D07.69	D29.8	D40.8	Revise from: D49.5 Revise to: D49.59
- endocervix (canal) (gland)	C53.0	C79.82	D06.0	D26.0	D39.0	Revise from: D49.5 Revise to: D49.59
- endometrium (gland) (stroma)	C54.1	C79.82	D07.0	D26.1	D39.0	Revise from: D49.5 Revise to: D49.59
- epididymis	C63.0-	C79.82	D07.69	D29.3-	D40.8	Revise from: D49.5 Revise to: D49.59
- exocervix	C53.1	C79.82	D06.1	D26.0	D39.0	Revise from: D49.5 Revise to: D49.59
- external						
- - os, cervix uteri	C53.1	C79.82	D06.1	D26.0	D39.0	Revise from: D49.5 Revise to: D49.59
- fallopian tube (accessory)	C57.0-	C79.82	D07.39	D28.2	D39.8	Revise from: D49.5 Revise to: D49.59

-	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain Behavior	Unspecified Behavior
- fetal membrane	C58	C79.82	D07.0	D26.7	D39.2	Revise from: D49.5 Revise to: D49.59
- follicle, nabothian	C53.0	C79.82	D06.0	D26.0	D39.0	Revise from: D49.5 Revise to: D49.59
- foreskin	C60.0	C79.82	D07.4	D29.0	D40.8	Revise from: D49.5 Revise to: D49.59
- fornix						
- - vagina	C52	C79.82	D07.2	D28.1	D39.8	Revise from: D49.5 Revise to: D49.59
- fourchette	C51.9	C79.82	D07.1	D28.0	D39.8	Revise from: D49.5 Revise to: D49.59
- fundus						
- - uterus	C54.3	C79.82	D07.0	D26.1	D39.0	Revise from: D49.5 Revise to: D49.59
- Gartner's duct	C52	C79.82	D07.2	D28.1	D39.8	Revise from: D49.5 Revise to: D49.59
- genital organ or tract						
- - female NEC	C57.9	C79.82	D07.30	D28.9	D39.9	Revise from: D49.5 Revise to: D49.59
- - - specified site NEC	C57.7	C79.82	D07.39	D28.7	D39.8	Revise from: D49.5 Revise to: D49.59
- - male NEC	C63.9	C79.82	D07.60	D29.9	D40.9	Revise from: D49.5 Revise to: D49.59
- - - specified site NEC	C63.7	C79.82	D07.69	D29.8	D40.8	Revise from: D49.5 Revise to: D49.59
- genitourinary tract						
- - female	C57.9	C79.82	D07.30	D28.9	D39.9	Revise from: D49.5 Revise to: D49.59
- - male	C63.9	C79.82	D07.60	D29.9	D40.9	Revise from: D49.5 Revise to: D49.59
- glans penis	C60.1	C79.82	D07.4	D29.0	D40.8	Revise from: D49.5 Revise to: D49.59
- hymen	C52	C79.82	D07.2	D28.1	D39.8	Revise from: D49.5 Revise to: D49.59
- internal						
- - os (cervix)	C53.0	C79.82	D06.0	D26.0	D39.0	Revise from: D49.5 Revise to: D49.59

-	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain Behavior	Unspecified Behavior
- isthmus uteri	C54.0	C79.82	D07.0	D26.1	D39.0	Revise from: D49.5 Revise to: D49.59
- junction						
- - pelviureteric	C65.-	C79.0-	D09.19	D30.1-	D41.1-	Revise from: D49.5 Revise to: D49.59
- - squamocolumnar, of cervix	C53.8	C79.82	D06.7	D26.0	D39.0	Revise from: D49.5 Revise to: D49.59
- kidney (parenchymal)	C64.-	C79.0-	D09.19	D30.0-	D41.0-	Revise from: D49.5 Revise to: D49.51-
- - calyx	C65.-	C79.0-	D09.19	D30.1-	D41.1-	Revise from: D49.5 Revise to: D49.51-
- - hilus	C65.-	C79.0-	D09.19	D30.1-	D41.1-	Revise from: D49.5 Revise to: D49.51-
- - pelvis	C65.-	C79.0-	D09.19	D30.1-	D41.1-	Revise from: D49.5 Revise to: D49.51-
- labia (skin)	C51.9	C79.82	D07.1	D28.0	D39.8	Revise from: D49.5 Revise to: D49.59
- - majora	C51.0	C79.82	D07.1	D28.0	D39.8	Revise from: D49.5 Revise to: D49.59
- - minora	C51.1	C79.82	D07.1	D28.0	D39.8	Revise from: D49.5 Revise to: D49.59
- labium (skin)	C51.9	C79.82	D07.1	D28.0	D39.8	Revise from: D49.5 Revise to: D49.59
- - majus	C51.0	C79.82	D07.1	D28.0	D39.8	Revise from: D49.5 Revise to: D49.59
- - minus	C51.1	C79.82	D07.1	D28.0	D39.8	Revise from: D49.5 Revise to: D49.59
- ligament - see also Neoplasm, connective tissue						
- - broad	C57.1	C79.82	D07.39	D28.2	D39.8	Revise from: D49.5 Revise to: D49.59
- - Mackenrodt's	C57.7	C79.82	D07.39	D28.7	D39.8	Revise from: D49.5 Revise to: D49.59
- - round	C57.2	C79.82	-	D28.2	D39.8	Revise from: D49.5 Revise to: D49.59
- - sacro-uterine	C57.3	C79.82	-	D28.2	D39.8	Revise from: D49.5 Revise to: D49.59

-	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain Behavior	Unspecified Behavior
- - uterine	C57.3	C79.82	-	D28.2	D39.8	Revise from: D49.5 Revise to: D49.59
- - utero-ovarian	C57.7	C79.82	D07.39	D28.2	D39.8	Revise from: D49.5 Revise to: D49.59
- - uterosacral	C57.3	C79.82	-	D28.2	D39.8	Revise from: D49.5 Revise to: D49.59
- Mackenrodt's ligament	C57.7	C79.82	D07.39	D28.7	D39.8	Revise from: D49.5 Revise to: D49.59
- mesosalpinx	C57.1	C79.82	D07.39	D28.2	D39.8	Revise from: D49.5 Revise to: D49.59
- mesovarium	C57.1	C79.82	D07.39	D28.2	D39.8	Revise from: D49.5 Revise to: D49.59
- mons						
- - pubis	C51.9	C79.82	D07.1	D28.0	D39.8	Revise from: D49.5 Revise to: D49.59
- - veneris	C51.9	C79.82	D07.1	D28.0	D39.8	Revise from: D49.5 Revise to: D49.59
- Mullerian duct						
- - female	C57.7	C79.82	D07.39	D28.7	D39.8	Revise from: D49.5 Revise to: D49.59
- - male	C63.7	C79.82	D07.69	D29.8	D40.8	Revise from: D49.5 Revise to: D49.59
- myometrium	C54.2	C79.82	D07.0	D26.1	D39.0	Revise from: D49.5 Revise to: D49.59
- nabothian gland (follicle)	C53.0	C79.82	D06.0	D26.0	D39.0	Revise from: D49.5 Revise to: D49.59
- os						
- - external	C53.1	C79.82	D06.1	D26.0	D39.0	Revise from: D49.5 Revise to: D49.59
- - internal	C53.0	C79.82	D06.0	D26.0	D39.0	Revise from: D49.5 Revise to: D49.59
- ovary	C56.-	C79.6-	D07.39	D27.-	D39.1-	Revise from: D49.5 Revise to: D49.59
- oviduct	C57.0-	C79.82	D07.39	D28.2	D39.8	Revise from: D49.5 Revise to: D49.59

-	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain Behavior	Unspecified Behavior
- parametrium	C57.3	C79.82	-	D28.2	D39.8	Revise from: D49.5 Revise to: D49.59
- paraurethral	C76.3	C79.89	-	D36.7	D48.7	D49.89
- - gland	C68.1	C79.19	D09.19	D30.8	D41.8	Revise from: D49.5 Revise to: D49.59
- parenchyma, kidney	C64.-	C79.0-	D09.19	D30.0-	D41.0-	Revise from: D49.5 Revise to: D49.51-
- paroophoron	C57.1	C79.82	D07.39	D28.2	D39.8	Revise from: D49.5 Revise to: D49.59
- parovarium	C57.1	C79.82	D07.39	D28.2	D39.8	Revise from: D49.5 Revise to: D49.59
- pelvis, pelvic	C76.3	C79.89	D09.8	D36.7	D48.7	D49.89
- - renal	C65.-	C79.0-	D09.19	D30.1-	D41.1-	Revise from: D49.5 Revise to: D49.51-
- penis	C60.9	C79.82	D07.4	D29.0	D40.8	Revise from: D49.5 Revise to: D49.59
- - body	C60.2	C79.82	D07.4	D29.0	D40.8	Revise from: D49.5 Revise to: D49.59
- - corpus (cavernosum)	C60.2	C79.82	D07.4	D29.0	D40.8	Revise from: D49.5 Revise to: D49.59
- - glans	C60.1	C79.82	D07.4	D29.0	D40.8	Revise from: D49.5 Revise to: D49.59
- - skin NEC	C60.9	C79.82	D07.4	D29.0	D40.8	Revise from: D49.5 Revise to: D49.59
- placenta	C58	C79.82	D07.0	D26.7	D39.2	Revise from: D49.5 Revise to: D49.59
- prepuce	C60.0	C79.82	D07.4	D29.0	D40.8	Revise from: D49.5 Revise to: D49.59
- prostate (gland)	C61	C79.82	D07.5	D29.1	D40.0	Revise from: D49.5 Revise to: D49.59
- - utricle	C68.0	C79.19	D09.19	D30.4	D41.3	Revise from: D49.5 Revise to: D49.59
- pudenda, pudendum (femaie)	C51.9	C79.82	D07.1	D28.0	D39.8	Revise from: D49.5 Revise to: D49.59
- renal	C64.-	C79.0-	D09.19	D30.0-	D41.0-	Revise from: D49.5 Revise to: D49.51-

-	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain Behavior	Unspecified Behavior
- - calyx	C65.-	C79.0-	D09.19	D30.1-	D41.1-	Revise from: D49.5 Revise to: D49.51-
- - hilus	C65.-	C79.0-	D09.19	D30.1-	D41.1-	Revise from: D49.5 Revise to: D49.51-
- - parenchyma	C64.-	C79.0-	D09.19	D30.0-	D41.0-	Revise from: D49.5 Revise to: D49.51-
- - pelvis	C65.-	C79.0-	D09.19	D30.1-	D41.1-	Revise from: D49.5 Revise to: D49.51-
- round ligament	C57.2	C79.82	-	D28.2	D39.8	Revise from: D49.5 Revise to: D49.59
- sacrouterine ligament	C57.3	C79.82	-	D28.2	D39.8	Revise from: D49.5 Revise to: D49.59
- salpinx (uterine)	C57.0-	C79.82	D07.39	D28.2	D39.8	Revise from: D49.5 Revise to: D49.59
- scrotum (skin)	C63.2	C79.82	D07.61	D29.4	D40.8	Revise from: D49.5 Revise to: D49.59
- seminal vesicle	C63.7	C79.82	D07.69	D29.8	D40.8	Revise from: D49.5 Revise to: D49.59
- septum						
- - urethrovaginal	C57.9	C79.82	D07.30	D28.9	D39.9	Revise from: D49.5 Revise to: D49.59
- - vesicovaginal	C57.9	C79.82	D07.30	D28.9	D39.9	Revise from: D49.5 Revise to: D49.59
- Skene's gland	C68.1	C79.19	D09.19	D30.8	D41.8	Revise from: D49.5 Revise to: D49.59
- skin NOS	C44.90	C79.2	D04.9	D23.9	D48.5	D49.2
- - clitoris	C51.2	C79.82	D07.1	D28.0	D39.8	Revise from: D49.5 Revise to: D49.59
- - female genital organs (external)	C51.9	C79.82	D07.1	D28.0	D39.8	Revise from: D49.5 Revise to: D49.59
- - - clitoris	C51.2	C79.82	D07.1	D28.0	D39.8	Revise from: D49.5 Revise to: D49.59
- - - labium NEC	C51.9	C79.82	D07.1	D28.0	D39.8	Revise from: D49.5 Revise to: D49.59
- - - - majus	C51.0	C79.82	D07.1	D28.0	D39.8	Revise from: D49.5 Revise to: D49.59

-	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain Behavior	Unspecified Behavior
- - - minus	C51.1	C79.82	D07.1	D28.0	D39.8	Revise from: D49.5 Revise to: D49.59
- - - pudendum	C51.9	C79.82	D07.1	D28.0	D39.8	Revise from: D49.5 Revise to: D49.59
- - - vulva	C51.9	C79.82	D07.1	D28.0	D39.8	Revise from: D49.5 Revise to: D49.59
- - labia						
- - - majora	C51.0	C79.82	D07.1	D28.0	D39.8	Revise from: D49.5 Revise to: D49.59
- - - minora	C51.1	C79.82	D07.1	D28.0	D39.8	Revise from: D49.5 Revise to: D49.59
- - male genital organs	C63.9	C79.82	D07.60	D29.9	D40.8	Revise from: D49.5 Revise to: D49.59
- - - penis	C60.9	C79.82	D07.4	D29.0	D40.8	Revise from: D49.5 Revise to: D49.59
- - - prepuce	C60.0	C79.82	D07.4	D29.0	D40.8	Revise from: D49.5 Revise to: D49.59
- - - scrotum	C63.2	C79.82	D07.61	D29.4	D40.8	Revise from: D49.5 Revise to: D49.59
- - penis NEC	C60.9	C79.82	D07.4	D29.0	D40.8	Revise from: D49.5 Revise to: D49.59
- - prepuce	C60.0	C79.82	D07.4	D29.0	D40.8	Revise from: D49.5 Revise to: D49.59
- - scrotum	C63.2	C79.82	D07.61	D29.4	D40.8	Revise from: D49.5 Revise to: D49.59
- - vulva	C51.9	C79.82	D07.1	D28.0	D39.8	Revise from: D49.5 Revise to: D49.59
- spermatic cord	C63.1-	C79.82	D07.69	D29.8	D40.8	Revise from: D49.5 Revise to: D49.59
- stroma, endometrial	C54.1	C79.82	D07.0	D26.1	D39.0	Revise from: D49.5 Revise to: D49.59
- stump, cervical	C53.8	C79.82	D06.7	D26.0	D39.0	Revise from: D49.5 Revise to: D49.59
- testis, testes	C62.9-	C79.82	D07.69	D29.2-	D40.1-	Revise from: D49.5 Revise to: D49.59



-	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain Behavior	Unspecified Behavior
- - descended	C62.1-	C79.82	D07.69	D29.2-	D40.1-	Revise from: D49.5 Revise to: D49.59
- - ectopic	C62.0-	C79.82	D07.69	D29.2-	D40.1-	Revise from: D49.5 Revise to: D49.59
- - retained	C62.0-	C79.82	D07.69	D29.2-	D40.1-	Revise from: D49.5 Revise to: D49.59
- - scrotal	C62.1-	C79.82	D07.69	D29.2-	D40.1-	Revise from: D49.5 Revise to: D49.59
- - undescended	C62.0-	C79.82	D07.69	D29.2-	D40.1-	Revise from: D49.5 Revise to: D49.59
- - unspecified whether descended or undescended	C62.9-	C79.82	D07.69	D29.2-	D40.1-	Revise from: D49.5 Revise to: D49.59
- tubo-ovarian	C57.8	C79.82	D07.39	D28.7	D39.8	Revise from: D49.5 Revise to: D49.59
- tunica vaginalis	C63.7	C79.82	D07.69	D29.8	D40.8	Revise from: D49.5 Revise to: D49.59
- ureter, ureteral	C66.-	C79.19	D09.19	D30.2-	D41.2-	Revise from: D49.5 Revise to: D49.59
- urethra, urethral (gland)	C68.0	C79.19	D09.19	D30.4	D41.3	Revise from: D49.5 Revise to: D49.59
- urethrovaginal (septum)	C57.9	C79.82	D07.30	D28.9	D39.8	Revise from: D49.5 Revise to: D49.59
- urinary organ or system	C68.9	C79.10	D09.10	D30.9	D41.9	Revise from: D49.5 Revise to: D49.59
- - specified sites NEC	C68.8	C79.19	D09.19	D30.8	D41.8	Revise from: D49.5 Revise to: D49.59
- utero-ovarian	C57.8	C79.82	D07.39	D28.7	D39.8	Revise from: D49.5 Revise to: D49.59
- - ligament	C57.1	C79.82	D07.39	D28.2	D39.8	Revise from: D49.5 Revise to: D49.59
- uterosacral ligament	C57.3	C79.82	-	D28.2	D39.8	Revise from: D49.5 Revise to: D49.59
- uterus, uteri, uterine	C55	C79.82	D07.0	D26.9	D39.0	Revise from: D49.5 Revise to: D49.59

-	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain Behavior	Unspecified Behavior
-- adnexa NEC	C57.4	C79.82	D07.39	D28.7	D39.8	Revise from: D49.5 Revise to: D49.59
-- body	C54.9	C79.82	D07.0	D26.1	D39.0	Revise from: D49.5 Revise to: D49.59
-- cervix	C53.9	C79.82	D06.9	D26.0	D39.0	Revise from: D49.5 Revise to: D49.59
-- cornu	C54.9	C79.82	D07.0	D26.1	D39.0	Revise from: D49.5 Revise to: D49.59
-- corpus	C54.9	C79.82	D07.0	D26.1	D39.0	Revise from: D49.5 Revise to: D49.59
-- endocervix (canal) (gland)	C53.0	C79.82	D06.0	D26.0	D39.0	Revise from: D49.5 Revise to: D49.59
-- endometrium	C54.1	C79.82	D07.0	D26.1	D39.0	Revise from: D49.5 Revise to: D49.59
-- exocervix	C53.1	C79.82	D06.1	D26.0	D39.0	Revise from: D49.5 Revise to: D49.59
-- external os	C53.1	C79.82	D06.1	D26.0	D39.0	Revise from: D49.5 Revise to: D49.59
-- fundus	C54.3	C79.82	D07.0	D26.1	D39.0	Revise from: D49.5 Revise to: D49.59
-- internal os	C53.0	C79.82	D06.0	D26.0	D39.0	Revise from: D49.5 Revise to: D49.59
-- isthmus	C54.0	C79.82	D07.0	D26.1	D39.0	Revise from: D49.5 Revise to: D49.59
-- ligament	C57.3	C79.82	-	D28.2	D39.8	Revise from: D49.5 Revise to: D49.59
-- - broad	C57.1	C79.82	D07.39	D28.2	D39.8	Revise from: D49.5 Revise to: D49.59
-- - round	C57.2	C79.82	-	D28.2	D39.8	Revise from: D49.5 Revise to: D49.59
-- lower segment	C54.0	C79.82	D07.0	D26.1	D39.0	Revise from: D49.5 Revise to: D49.59
-- myometrium	C54.2	C79.82	D07.0	D26.1	D39.0	Revise from: D49.5 Revise to: D49.59

-	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain Behavior	Unspecified Behavior
- - squamocolumnar junction	C53.8	C79.82	D06.7	D26.0	D39.0	Revise from: D49.5 Revise to: D49.59
- - tube	C57.0-	C79.82	D07.39	D28.2	D39.8	Revise from: D49.5 Revise to: D49.59
- - utricule, prostatic	C68.0	C79.19	D09.19	D30.4	D41.3	Revise from: D49.5 Revise to: D49.59
- - vagina, vaginal (fornix) (vault) (wall)	C52	C79.82	D07.2	D28.1	D39.8	Revise from: D49.5 Revise to: D49.59
- - vaginovesical	C57.9	C79.82	D07.30	D28.9	D39.9	Revise from: D49.5 Revise to: D49.59
- - septum	C57.9	C79.82	D07.30	D28.9	D39.9	Revise from: D49.5 Revise to: D49.59
- - vas deferens	C63.1-	C79.82	D07.69	D29.8	D40.8	Revise from: D49.5 Revise to: D49.59
- - vesicle, seminal	C63.7	C79.82	D07.69	D29.8	D40.8	Revise from: D49.5 Revise to: D49.59
- - vesicocervical tissue	C57.9	C79.82	D07.30	D28.9	D39.9	Revise from: D49.5 Revise to: D49.59
- - vesicovaginal	C57.9	C79.82	D07.30	D28.9	D39.9	Revise from: D49.5 Revise to: D49.59
- - septum	C57.9	C79.82	D07.30	D28.9	D39.8	Revise from: D49.5 Revise to: D49.59
- - vestibular gland, greater	C51.0	C79.82	D07.1	D28.0	D39.8	Revise from: D49.5 Revise to: D49.59
- - vulva	C51.9	C79.82	D07.1	D28.0	D39.8	Revise from: D49.5 Revise to: D49.59
- - vulvovaginal gland	C51.0	C79.82	D07.1	D28.0	D39.8	Revise from: D49.5 Revise to: D49.59
- - wolffian (body) (duct)						
- - female	C57.7	C79.82	D07.39	D28.7	D39.8	Revise from: D49.5 Revise to: D49.59
- - male	C63.7	C79.82	D07.69	D29.8	D40.8	Revise from: D49.5 Revise to: D49.59