

# ICD-10-CM INDEX to DISEASES and INJURIES

## 2019 Addenda

No Change

### A

- Abnormal, abnormality, abnormalities** - see also Anomaly
- No Change - diagnostic imaging
  - Revise from - - genitourinary organs R93.8
  - Revise to - - genitourinary organs R93.89
  - Revise from - - intrathoracic organ NEC R93.8
  - Revise to - - intrathoracic organ NEC R93.89
  - Revise from - - site specified NEC R93.8
  - Revise to - - site specified NEC R93.89
  - Revise from - - skin and subcutaneous tissue R93.8
  - Revise to - - skin and subcutaneous tissue R93.89
  - Add - - testis R93.81-
  - Revise from - thermography (see also Abnormal, diagnostic imaging) R93.8
  - Revise to - thermography (see also Abnormal, diagnostic imaging) R93.89
  - No Change - urine (constituents) R82.90
  - Revise from - - specified substance NEC R82.99
  - Revise to - - specified substance NEC R82.998
  - No Change **Abscess (connective tissue) (embolic) (fistulous) (infective) (metastatic) (multiple) (pernicious) (pyogenic) (septic) L02.91**
  - Revise from - appendix K35.3
  - Revise to - appendix K35.33
  - Revise from - cecum K35.3
  - Revise to - cecum K35.33
  - Revise from - gingival - see Peridontitis, aggressive, localized
  - Revise to - gingival - see Peridontitis, localized
  - Revise from - gum - see Peridontitis, aggressive, localized
  - Revise to - gum - see Peridontitis, localized
  - Add - horseshoe K61.31
  - Revise from - ileocecal K35.3
  - Revise to - ileocecal K35.33
  - No Change - iliac (region) L02.214
  - Revise from - - fossa K35.3
  - Revise to - - fossa K35.33
  - Add - intersphincteric K61.4
  - No Change - intra-abdominal (see also Abscess, peritoneum) K65.1
  - Add - - following procedure T81.43
  - Add - - - obstetrical O86.03
  - Revise from - - postprocedural T81.4
  - Revise to - - postprocedural T81.49
  - Add - intramuscular, following procedure T81.42
  - Add - - obstetrical O86.02
  - Revise from - ischiorectal (fossa) K61.3
  - Revise to - ischiorectal (fossa) (specified NEC) K61.39
  - Revise from - operative wound T81.4
  - Revise to - operative wound T81.49
  - Revise from - periappendicular K35.3
  - Revise to - periappendicular K35.33
  - Revise from - pericecal K35.3
  - Revise to - pericecal K35.33
  - No Change - peritoneum, peritoneal (perforated) (ruptured) K65.1
  - Revise from - - with appendicitis K35.3
  - Revise to - - with appendicitis (see also Appendicitis) K35.33
  - Revise from - - postoperative T81.4

*Revise to* -- postoperative T81.49  
*Revise from* - perityphlic K35.3  
*Revise to* - perityphlic K35.33  
*Revise from* - postcecal K35.3  
*Revise to* - postcecal K35.33  
*Revise from* - postoperative (any site) T81.4  
*Revise to* - postoperative (any site) (see also Infection, postoperative wound) T81.49  
*Revise from* - stitch T81.4  
*Revise to* - stitch T81.41  
*Add* -- following an obstetrical procedure O86.01  
*Revise from* - subcecal K35.3  
*Revise to* - subcecal K35.33  
*No Change* - subcutaneous - see also Abscess, by site  
*Add* -- following procedure T81.41  
*Add* --- obstetrical O86.01  
*Add* - sub-fascial, following an obstetrical procedure O86.02  
*No Change* - subphrenic K65.1  
*Add* -- following an obstetrical procedure O86.03  
*Revise from* -- postoperative T81.4  
*Revise to* -- postoperative T81.43  
*Add* - supralelevator K61.5  
*Revise from* - vermiform appendix K35.3  
*Revise to* - vermiform appendix K35.33  
*Revise from* - wound T81.4  
*Revise to* - wound T81.49  
*No Change* **Absorption**  
*No Change* - drug NEC - see Table of Drugs and Chemicals  
*No Change* -- addictive  
*Revise from* --- through placenta (newborn) P04.49  
*Revise to* --- through placenta (newborn) (see also Newborn, affected by, maternal, use of) P04.40  
*Add* ---- hallucinogens P04.42  
*Add* ---- specified drug NEC P04.49  
*No Change* -- medicinal  
*Revise from* --- through placenta (newborn) P04.1  
*Revise to* --- through placenta (newborn) P04.19  
*Revise from* -- through placenta (newborn) P04.1  
*Revise to* -- through placenta (newborn) P04.19  
*No Change* **Accessory (congenital)**  
*Revise from* - uterus Q51.2  
*Revise to* - uterus Q51.28  
*No Change* **Acidosis (lactic) (respiratory) E87.2**  
*No Change* - metabolic NEC E87.2  
*Add* -- hyperchloremic, of newborn P74.421  
*No Change* **Aciduria**  
*Add* - 4-hydroxybutyric E72.81  
*Add* - gamma-hydroxybutyric E72.81  
*No Change* **Admission (for) - see also Encounter (for)**  
*No Change* - examination at health care facility (adult) (see also Examination) Z00.00  
*No Change* -- hearing Z01.10  
*Add* --- infant or child (over 28 days old) Z00.129  
*Add* ---- with abnormal findings Z00.121  
*No Change* -- vision Z01.00  
*Add* --- infant or child (over 28 days old) Z00.129  
*Add* ---- with abnormal findings Z00.121  
*No Change* - vision examination Z01.00  
*Add* -- infant or child (over 28 days old) Z00.129  
*Add* --- with abnormal findings Z00.121  
*No Change* **Alkalosis E87.3**  
*No Change* - metabolic E87.3  
*Add* -- of newborn P74.41

Revise from **Angelman syndrome Q93.5**  
 Revise to **Angelman syndrome Q93.51**  
 Revise from **Angiocholitis (see also Cholecystitis, acute) K83.0**  
 Revise to **Angiocholitis (see also Cholecystitis, acute) K83.09**  
 No Change **Appendicitis (pneumococcal) (retrocecal) K37**  
 No Change - with  
 Delete -- perforation or rupture K35.2  
 Add -- gangrene K35.891  
 Add -- perforation NOS K35.32  
 Revise from -- peritoneal abscess K35.3  
 Revise to -- peritoneal abscess K35.33  
 Revise from -- peritonitis NEC K35.3  
 Revise to -- peritonitis NEC K35.33  
 Revise from --- generalized (with perforation or rupture) K35.2  
 Revise to --- generalized (with perforation or rupture) K35.20  
 Add ---- with abscess K35.21  
 Revise from --- localized (with perforation or rupture) K35.3  
 Revise to --- localized K35.30  
 Add ---- with  
 Add ----- gangrene K35.31  
 Add ----- perforation K35.32  
 Add ----- and abscess K35.33  
 Add --- rupture (with localized peritonitis) K35.32  
 No Change - acute (catarrhal) (fulminating) (gangrenous) (obstructive) (retrocecal) (suppurative) K35.80  
 No Change -- with  
 Add --- gangrene K35.891  
 Revise from --- peritoneal abscess K35.3  
 Revise to --- peritoneal abscess K35.33  
 Revise from --- peritonitis NEC K35.3  
 Revise to --- peritonitis NEC K35.33  
 Revise from ---- generalized (with perforation or rupture) K35.2  
 Revise to ---- generalized (with perforation or rupture) K35.20  
 Add ----- with abscess K35.21  
 Revise from ---- localized (with perforation or rupture) K35.3  
 Revise to ---- localized K35.30  
 Add ----- with  
 Add ----- gangrene K35.31  
 Add ----- perforation K35.32  
 Add ----- and abscess K35.33  
 Revise from -- specified NEC K35.89  
 Revise to -- specified NEC K35.890  
 Add --- with gangrene K35.891  
 Add - ruptured NOS (with localized peritonitis) K35.32  
 No Change **Arteriopathy I77.9**  
 Add - cerebral autosomal dominant, with subcortical infarcts and leukoencephalopathy (CADASIL) I67.850  
 No Change **Atrophy, atrophic (of)**  
 Revise from - fascioscapulohumeral (Landouzy- Déjérine) G71.0  
 Revise to - fascioscapulohumeral (Landouzy- Déjérine) G71.02  
 Revise from - Landouzy-Déjérine G71.0  
 Revise to - Landouzy-Déjérine G71.02  
 No Change - muscle, muscular (diffuse) (general) (idiopathic) (primary) M62.50  
 Revise from -- pseudohypertrophic G71.0  
 Revise to -- pseudohypertrophic G71.02  
 Revise from - pseudohypertrophic (muscle) G71.0  
 Revise to - pseudohypertrophic (muscle) G71.02

No Change

## B

No Change **Balanitis (circinata) (erosiva) (gangrenosa) (phagedenic) (vulgaris) N48.1**  
 Revise from - gonococcal (acute) (chronic) A54.09

Revise to	- gonococcal (acute) (chronic) A54.23
No Change	<b>Balanoposthitis</b> N47.6
Revise from	- gonococcal (acute) (chronic) A54.09
Revise to	- gonococcal (acute) (chronic) A54.23
No Change	<b>Becker's</b>
Revise from	- dystrophy G71.0
Revise to	- dystrophy G71.01
No Change	<b>Bell's</b>
Revise from	- spasm G51.3
Revise to	- spasm G51.3-
No Change	<b>Blepharitis (angularis) (ciliaris) (eyelid) (marginal) (nonulcerative)</b> H01.009
No Change	- left H01.006
Add	- - upper and lower H01.00B
No Change	- right H01.003
Add	- - upper and lower H01.00A
No Change	- squamous H01.029
No Change	- - left H01.026
Add	- - - upper and lower H01.02B
No Change	- - right H01.023
Add	- - - upper and lower H01.02A
No Change	- ulcerative H01.019
No Change	- - left H01.016
Add	- - - upper and lower H01.01B
No Change	- - right H01.013
Add	- - - upper and lower H01.01A
No Change	<b>Bruise (skin surface intact)</b> - see also Contusion
No Change	- with
Revise from	- - open wound - see Wound, ope
Revise to	- - open wound - see Wound, open

No Change

## C

Add	<b>CADASIL (cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy)</b> I67.850
Revise from	<b>Calciuria</b> R82.99
Revise to	<b>Calciuria</b> R82.994
No Change	<b>Cardiomyopathy (familial) (idiopathic)</b> I42.9
No Change	- due to
Revise from	- - progressive muscular dystrophy G71.0 [I43]
Revise to	- - progressive muscular dystrophy G71.09 [I43]
Delete	<b>Carotinemias (dietary)</b> E67.1
Delete	<b>Carotinoses (cutis) (skin)</b> E67.1
Add	<b>Carotenemia (dietary)</b> E67.1
Add	<b>Carotenosis (cutis) (skin)</b> E67.1
Revise from	<b>Casts in urine</b> R82.99
Revise to	<b>Casts in urine</b> R82.998
No Change	<b>Cell(s), cellular</b> - see also condition
Revise from	- in urine R82.99
Revise to	- in urine R82.998
No Change	<b>Cellulitis (diffuse) (phlegmonous) (septic) (suppurative)</b> L03.90
Revise from	- drainage site (following operation) T81.4
Revise to	- drainage site (following operation) T81.49
Revise from	<b>Cholangiolitis (acute) (chronic) (extrahepatic) (gangrenous) (intrahepatic)</b> K83.0
Revise to	<b>Cholangiolitis (acute) (chronic) (extrahepatic) (gangrenous) (intrahepatic)</b> K83.09
Revise from	<b>Cholangitis (ascending) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative)</b> K83.0
Revise to	<b>Cholangitis (ascending) (recurrent) (secondary) (stenosing) (suppurative)</b> K83.09
Add	- primary K83.09
Add	- - sclerosing K83.01
Add	- sclerosing K83.09
No Change	<b>Cholecystitis</b> K81.9

*No Change* - with  
*Add* -- gangrene of gallbladder K82.A1  
*Add* -- perforation of gallbladder K82.A2  
*Revise from* **Cholelithiasis (suppurative) K83.0**  
*Revise to* **Cholelithiasis (suppurative) K83.09**  
*No Change* **Coma R40.20**  
*No Change* - with  
*No Change* -- motor response (none) R40.231  
*Add* --- score of  
*Add* ---- 1 R40.231  
*Add* ---- 2 R40.232  
*Add* ---- 3 R40.233  
*Add* ---- 4 R40.234  
*Add* ---- 5 R40.235  
*Add* ---- 6 R40.236  
*No Change* -- opening of eyes (never) R40.211  
*Add* --- score of  
*Add* ---- 1 R40.211  
*Add* ---- 2 R40.212  
*Add* ---- 3 R40.213  
*Add* ---- 4 R40.214  
*No Change* -- verbal response (none) R40.221  
*Add* --- score of  
*Add* ---- 1 R40.221  
*Add* ---- 2 R40.222  
*Add* ---- 3 R40.223  
*Add* ---- 4 R40.224  
*Add* ---- 5 R40.225  
*No Change* **Complication(s) (from) (of)**  
*No Change* - cesarean delivery wound NEC O90.89  
*Revise from* -- infection (following delivery) O86.0  
*Revise to* -- infection (following delivery) O86.00  
*No Change* - obstetric O75.9  
*No Change* -- surgical wound NEC O90.89  
*Revise from* --- infection O86.0  
*Revise to* --- infection O86.00  
*No Change* - perineal repair (obstetrical) NEC O90.89  
*Revise from* -- infection (following delivery) O86.0  
*Revise to* -- infection (following delivery) O86.09  
*No Change* - surgical procedure (on) T81.9  
*Revise from* -- stitch abscess T81.4  
*Revise to* -- stitch abscess T81.41  
*Revise from* -- wound infection T81.4  
*Revise to* -- wound infection T81.49  
*No Change* - transfusion (blood) (lymphocytes) (plasma) T80.92  
*No Change* -- incompatibility reaction (antigen unspecified) T80.919  
*Revise from* --- Non-ABO (minor antigens (Duffy) (Kell) (Kidd) (Lewis) (M) (N) (P) (S)) T80.A0  
*Revise to* --- Non-ABO (minor antigens (Duffy) (K) (Kell) (Kidd) (Lewis) (M) (N) (P) (S)) T80.A0  
*Revise from* **Concealed penis Q55.69**  
*Revise to* **Concealed penis Q55.64**  
*No Change* **Conjunctivitis (staphylococcal) (streptococcal) NOS H10.9**  
*No Change* - in (due to)  
*Revise from* -- rosacea L71.9  
*Revise to* -- rosacea H10.82-  
*Revise from* - rosacea L71.9  
*Revise to* - rosacea H10.82-  
*No Change* **Contact (with) - see also Exposure (to)**  
*No Change* - communicable disease Z20.9  
*Add* -- Zika virus Z20.821  
*Add* - Zika virus Z20.821

Revise from **Crystalluria** R82.99  
 Revise to **Crystalluria** R82.998  
 Revise from **Cylindruria** R82.99  
 Revise to **Cylindruria** R82.998  
 No Change **Cyst (colloid) (mucous) (simple) (retention)**  
 Revise from - eye NEC H57.8  
 Revise to - eye NEC H57.89

No Change

## D

No Change **Defect, defective** Q89.9  
 Add - GABA (gamma aminobutyric acid) metabolic E72.81  
 No Change **Deficiency, deficient**  
 Add - GABA (gamma aminobutyric acid) transaminase E72.81  
 Add - GABA-T (gamma aminobutyric acid transaminase) E72.81  
 Add - multiple sulfatase (MSD) E75.26  
 Add - plasminogen (type 1) (type 2) E88.02  
 Add - succinic semialdehyde dehydrogenase E72.81  
 Revise from - sulfatase E75.29  
 Revise to - sulfatase E75.26  
 No Change **Deletion(s)**  
 No Change - chromosome  
 Revise from - - part of NEC Q93.5  
 Revise to - - part of NEC Q93.59  
 No Change **Dependence (on) (syndrome)** F19.20  
 No Change - drug NEC F19.20  
 No Change - - cannabis F12.20  
 No Change - - - with  
 Add - - - - withdrawal F12.23  
 No Change **Depression (acute) (mental)** F32.9  
 Revise from - postnatal F53  
 Revise to - postnatal (NOS) F53.0  
 Revise from - postpartum F53  
 Revise to - postpartum (NOS) F53.0  
 No Change **Disease, diseased** - see also Syndrome  
 Add - autoinflammatory M04.9  
 Add - - NOD2-associated M04.8  
 Add - - specified type NEC M04.8  
 No Change - cerebrovascular I67.9  
 Add - - hereditary NEC I67.858  
 Revise from - Duchenne-Griesinger G71.0  
 Revise to - Duchenne-Griesinger G71.01  
 No Change - Duchenne's  
 Revise from - - muscular dystrophy G71.0  
 Revise to - - muscular dystrophy G71.01  
 Revise from - - pseudohypertrophy, muscles G71.0  
 Revise to - - pseudohypertrophy, muscles G71.01  
 Revise from - Erb (-Landouzy) G71.0  
 Revise to - Erb (-Landouzy) G71.02  
 No Change - eye H57.9  
 Revise from - - inflammatory NEC H57.8  
 Revise to - - inflammatory NEC H57.89  
 Revise from - - specified NEC H57.8  
 Revise to - - specified NEC H57.89  
 No Change - hemolytic (newborn) P55.9  
 No Change - - due to or with  
 No Change - - - incompatibility  
 Revise from - - - - blood (group) (Duffy) (K(ell)) (Kidd) (Lewis) (M) (S) NEC P55.8  
 Revise to - - - - blood (group) (Duffy) (K) (Kell) (Kidd) (Lewis) (M) (S) NEC P55.8  
 No Change - Zika virus A92.5

Add	-- congenital P35.4
No Change	<b>Dislocation (articular)</b>
No Change	- interphalangeal (joint(s))
No Change	-- thumb S63.12-
Delete	--- distal joint S63.14-
Delete	--- proximal joint S63.13-
No Change	<b>Disorder (of)</b> - see also Disease
No Change	- amino-acid
No Change	-- metabolism - see Disturbance, metabolism, amino-acid
Revise from	--- specified NEC E72.8
Revise to	--- specified NEC E72.89
Revise from	- beta-amino-acid metabolism E72.8
Revise to	- beta-amino-acid metabolism E72.89
Revise from	- factitious F68.10
Revise to	- factitious
Delete	-- with predominantly
Delete	--- psychological symptoms F68.11
Delete	---- with physical symptoms F68.13
Delete	--- physical symptoms F68.12
Delete	---- with psychological symptoms F68.13
Add	-- by proxy F68.A
Add	-- imposed on another F68.A
Add	-- imposed on self F68.10
Add	--- with predominantly
Add	---- psychological symptoms F68.11
Add	----- with physical symptoms F68.13
Add	---- physical symptoms F68.12
Add	----- with psychological symptoms F68.13
Add	- gamma aminobutyric acid (GABA) metabolism E72.81
Revise from	- gamma-glutamyl cycle E72.8
Revise to	- gamma-glutamyl cycle E72.89
No Change	- glycine metabolism E72.50
Revise from	-- hyperoxaluria E72.53
Revise to	-- hyperoxaluria R82.992
Add	--- primary E72.53
No Change	- mental (or behavioral) (nonpsychotic) F99
Revise from	-- puerperal F53
Revise to	-- puerperal F53.0
No Change	- metabolism NOS E88.9
No Change	-- amino-acid E72.9
No Change	--- glycine E72.50
Revise from	---- hyperoxaluria E72.53
Revise to	---- hyperoxaluria R82.992
Add	----- primary E72.53
Revise from	--- other specified E72.8
Revise to	--- other specified E72.89
Revise from	---- beta-amino acid E72.8
Revise to	---- beta-amino acid E72.89
Revise from	---- gamma-glutamyl cycle E72.8
Revise to	---- gamma-glutamyl cycle E72.89
Revise from	--- straight-chain E72.8
Revise to	--- straight-chain E72.89
Revise from	-- glutamine E72.8
Revise to	-- glutamine E72.89
Revise from	-- serine E72.8
Revise to	-- serine E72.89
Revise from	-- threonine E72.8
Revise to	-- threonine E72.89
No Change	<b>Dissection</b>
Revise from	- precerebral artery, congenital (nonruptured) Q28.1

Revise to	- precerebral artery, congenital (nonruptured) Q28.1
No Change	<b>Disturbance(s)</b> - see also Disease
No Change	- electrolyte - see also Imbalance, electrolyte
Revise from	-- newborn, transitory P74.4
Revise to	-- newborn, transitory P74.49
Add	--- hyperchloremia P74.421
Add	--- hyperchloremic metabolic acidosis P74.421
Add	--- hypochloremia P74.422
Revise from	--- potassium balance P74.3
Revise to	--- potassium balance
Add	---- hyperkalemia P74.31
Add	---- hypokalemia P74.32
Revise from	--- sodium balance P74.2
Revise to	--- sodium balance
Add	---- hypernatremia P74.21
Add	---- hyponatremia P74.22
Revise from	--- specified type NEC P74.4
Revise to	--- specified type NEC P74.49
No Change	- metabolism E88.9
No Change	-- amino-acid E72.9
Revise from	--- straight-chain E72.8
Revise to	--- straight-chain E72.89
Revise from	-- glutamine E72.8
Revise to	-- glutamine E72.89
Revise from	-- threonine E72.8
Revise to	-- threonine E72.89
Revise from	- potassium balance, newborn P74.3
Revise to	- potassium balance, newborn
Add	-- hyperkalemia P74.31
Add	-- hypokalemia P74.32
Revise from	- sodium balance, newborn P74.2
Revise to	- sodium balance, newborn
Add	-- hypernatremia P74.21
Add	-- hyponatremia P74.22
No Change	<b>Double</b>
Revise from	- uterus Q51.2
Revise to	- uterus Q51.20
Add	-- complete Q51.21
Add	-- partial Q51.22
Add	-- specified NEC Q51.28
Revise from	<b>Duchenne-Griesinger disease</b> G71.0
Revise to	<b>Duchenne-Griesinger disease</b> G71.01
No Change	<b>Duchenne's</b>
No Change	- disease or syndrome
Revise from	-- muscular dystrophy G71.0
Revise to	-- muscular dystrophy G71.01
No Change	- paralysis
No Change	-- due to or associated with
Revise from	--- muscular dystrophy G71.0
Revise to	--- muscular dystrophy G71.01
No Change	<b>Dysfunction</b>
No Change	- gland, glandular NOS E34.9
Add	-- meibomian, of eyelid - see Dysfunction, meibomian gland
Add	- meibomian gland, of eyelid H02.889
Add	-- left H02.886
Add	--- lower H02.885
Add	--- upper H02.884
Add	--- upper and lower eyelids H02.88B
Add	-- right H02.883
Add	--- lower H02.882

Add	- - - upper H02.881
Add	- - - upper and lower eyelids H02.88A
Add	<b>Dysplasminogenemia</b> E88.02
No Change	<b>Dystonia</b> G24.9
Add	- cervical G24.3
No Change	<b>Dystrophy, dystrophia</b>
Add	- autosomal recessive, childhood type, muscular dystrophy resembling Duchenne or Becker G71.01
Revise from	- Becker's type G71.0
Revise to	- Becker's type G71.01
Revise from	- Duchenne's type G71.0
Revise to	- Duchenne's type G71.01
Revise from	- Erb's G71.0
Revise to	- Erb's G71.02
Revise from	- Gower's muscular G71.0
Revise to	- Gower's muscular G71.01
Revise from	- Landouzy-Déjérine G71.0
Revise to	- Landouzy-Déjérine G71.02
Revise from	- Leyden-Möbius G71.0
Revise to	- Leyden-Möbius G71.09
Revise from	- muscular G71.0
Revise to	- muscular G71.00
Add	- - autosomal recessive, childhood type, muscular dystrophy resembling Duchenne or Becker G71.01
Revise from	- - benign (Becker type) G71.0
Revise to	- - benign (Becker type) G71.01
Add	- - - scapuloperoneal with early contractures [Emery-Dreifuss] G71.09
Revise from	- - congenital (hereditary) (progressive) (with specific morphological abnormalities of the muscle fiber) G71.0
Revise to	- - congenital (hereditary) (progressive) (with specific morphological abnormalities of the muscle fiber) G71.09
Revise from	- - distal G71.0
Revise to	- - distal G71.09
Revise from	- - Duchenne type G71.0
Revise to	- - Duchenne type G71.01
Revise from	- - Emery-Dreifuss G71.0
Revise to	- - Emery-Dreifuss G71.09
Revise from	- - Erb type G71.0
Revise to	- - Erb type G71.02
Revise from	- - facioscapulohumeral G71.0
Revise to	- - facioscapulohumeral G71.02
Revise from	- - Gower's G71.0
Revise to	- - Gower's G71.01
Revise from	- - hereditary (progressive) G71.0
Revise to	- - hereditary (progressive) G71.09
Revise from	- - Landouzy-Déjérine type G71.0
Revise to	- - Landouzy-Déjérine type G71.02
Revise from	- - limb-girdle G71.0
Revise to	- - limb-girdle G71.09
Revise from	- - progressive (hereditary) G71.0
Revise to	- - progressive (hereditary) G71.09
Revise from	- - pseudohypertrophic (infantile) G71.0
Revise to	- - pseudohypertrophic (infantile) G71.01
Add	- - scapulohumeral G71.02
Add	- - scapuloperoneal G71.09
Revise from	- - severe (Duchenne type) G71.0
Revise to	- - severe (Duchenne type) G71.01
Add	- - specified type NEC G71.09
Revise from	- ocular G71.0
Revise to	- ocular G71.09
Revise from	- oculopharyngeal G71.0
Revise to	- oculopharyngeal G71.09
Revise from	- scapuloperoneal G71.0
Revise to	- scapuloperoneal G71.09

No Change

## E

No Change

**Ectropion** H02.109

Revise from

- eyelid (paralytic) H02.109

Revise to

- eyelid H02.109

Add

- - paralytic H02.159

Add

- - - left H02.156

Add

- - - - lower H02.155

Add

- - - - upper H02.154

Add

- - - right H02.153

Add

- - - - lower H02.152

Add

- - - - upper H02.151

No Change

**Elevated, elevation**

Revise from

- lipoprotein a level E78.8

Revise to

- lipoprotein a (Lp(a)) level E78.41

Add

- Lp(a) (lipoprotein(a)) E78.41

No Change

**Enteritis (acute) (diarrheal) (hemorrhagic) (noninfective)** K52.9

No Change

- allergic K52.29

No Change

- - with

Add

- - - FPIES K52.21

No Change

**Enteropathy** K63.9

Revise from

- food protein-induced enterocolitis K52.22

Revise to

- food protein-induced enterocolitis (FPIES) K52.22

No Change

**Erb's**

Revise from

- disease G71.0

Revise to

- disease G71.02

Revise from

- pseudohypertrophic muscular dystrophy G71.0

Revise to

- pseudohypertrophic muscular dystrophy G71.02

Revise from

**Ewing's sarcoma or tumor** - - see Neoplasm, bone, malignant

Revise to

**Ewing's sarcoma or tumor** - see Neoplasm, bone, malignant

No Change

**Examination (for) (following) (general) (of) (routine)** Z00.00

Add

- forced sexual exploitation Z04.81

Add

- forced labor exploitation Z04.82

No Change

- hearing Z01.10

Add

- - infant or child (over 28 days old) Z00.129

Add

- - - with abnormal findings Z00.121

No Change

- medical (adult) (for) (of) Z00.00

Revise from

- - medicolegal reasons NEC Z04.8

Revise to

- - medicolegal reasons NEC Z04.89

Revise from

- medicolegal reason NEC Z04.8

Revise to

- medicolegal reason NEC Z04.89

Add

- - following

Add

- - - forced sexual exploitation Z04.81

Add

- - - forced labor exploitation Z04.82

Revise from

- specified type or reason NEC Z04.8

Revise to

- specified type or reason NEC Z04.89

No Change

- vision Z01.00

Add

- - infant or child (over 28 days old) Z00.129

Add

- - - with abnormal findings Z00.121

No Change

**Exposure (to) (see also Contact, with)** T75.89

No Change

- communicable disease Z20.9

Add

- - Zika virus Z20.821

Add

- Zika virus Z20.821

Revise from

**Extrauterine gestation or pregnancy** - - see Pregnancy, by site

Revise to

**Extrauterine gestation or pregnancy** - see Pregnancy, by site

No Change

## F

Revise from

**Fascioscapulohumeral myopathy** G71.0

Revise to	<b>Fascioscapulohumeral myopathy</b> G71.02
No Change	<b>Fever (inanition) (of unknown origin) (persistent) (with chills) (with rigor)</b> R50.9
Revise from	- Charcot's (biliary) (hepatic) (intermittent) - - see Calculus, bile duct
Revise to	- Charcot's (biliary) (hepatic) (intermittent) - see Calculus, bile duct
No Change	- postoperative R50.82
Revise from	- - due to infection T81.4
Revise to	- - due to infection T81.40
No Change	- rheumatic (active) (acute) (chronic) (subacute) I00
No Change	- - inactive or quiescent with
Revise from	- - - heart failure (congestive) (conditions in I50.) I09.81
Revise to	- - - heart failure (congestive) (conditions in category I50.) I09.81
Revise from	<b>Fibrodysplasia ossificans progressiva</b> - - see Myositis, ossificans, progressiva
Revise to	<b>Fibrodysplasia ossificans progressiva</b> - see Myositis, ossificans, progressiva
No Change	<b>Findings, abnormal, inconclusive, without diagnosis</b> - see also Abnormal
Revise from	- casts, urine R82.99
Revise to	- casts, urine R82.998
Revise from	- cells, urine R82.99
Revise to	- cells, urine R82.998
Revise from	- crystals, urine R82.99
Revise to	- crystals, urine R82.998
Revise from	- electrolyte level, urinary R82.99
Revise to	- electrolyte level, urinary R82.998
Revise from	- mediastinal shift R93.8
Revise to	- mediastinal shift R93.89
Revise from	- melanin, urine R82.99
Revise to	- melanin, urine R82.998
Revise from	- radiologic (X-ray) R93.8
Revise to	- radiologic (X-ray) R93.89
Revise from	- - genitourinary organs R93.8
Revise to	- - genitourinary organs R93.89
Revise from	- - placenta R93.8
Revise to	- - placenta R93.89
Revise from	- - skin R93.8
Revise to	- - skin R93.89
Revise from	- - subcutaneous tissue R93.8
Revise to	- - subcutaneous tissue R93.89
Add	- - testis R93.81-
No Change	- urine R82.90
Revise from	- - casts or cells R82.99
Revise to	- - casts or cells R82.998
No Change	<b>Fistula (cutaneous)</b> L98.8
Revise from	- ischiorectal (fossa) K61.3
Revise to	- ischiorectal (fossa) K61.39
Add	<b>FPIES (food protein-induced enteropathy syndrome)</b> K52.21
No Change	<b>Fracture, traumatic (abduction) (adduction) (separation) (see also Fracture, pathological)</b> T14.8
No Change	- finger (except thumb) S62.60-
No Change	- - index S62.60-
Revise from	- - - medial phalanx (displaced) S62.62-
Revise to	- - - middle phalanx (displaced) S62.62-
No Change	- - little S62.60-
Revise from	- - - medial phalanx (displaced) S62.62-
Revise to	- - - middle phalanx (displaced) S62.62-
Revise from	- - medial phalanx (displaced) S62.62-
Revise to	- - middle phalanx (displaced) S62.62-
No Change	- - middle S62.60-
Revise from	- - - medial phalanx (displaced) S62.62-
Revise to	- - - middle phalanx (displaced) S62.62-
No Change	- - ring S62.60-
Revise from	- - - medial phalanx (displaced) S62.62-
Revise to	- - - middle phalanx (displaced) S62.62-

No Change

## G

No Change

**Gangrene, gangrenous (connective tissue) (dropsical) (dry) (moist) (skin) (ulcer) (see also Necrosis) I96**

No Change - appendix K35.80

No Change - - with

Delete - - - perforation or rupture K35.2

Delete - - - peritoneal abscess K35.3

Delete - - - peritonitis NEC K35.3

Delete - - - - generalized (with perforation or rupture) K35.2

Delete - - - - localized (with perforation or rupture) K35.3

Add - - - peritonitis, localized (see also Appendicitis) K35.31

No Change **Gower's**

Revise from - muscular dystrophy G71.0

Revise to - muscular dystrophy G71.01

No Change

## H

Revise from

**Happy puppet syndrome Q93.5**

Revise to

**Happy puppet syndrome Q93.51**

No Change

**Hearing examination Z01.10**

Add

- infant or child (over 28 days old) Z00.129

Add

- - with abnormal findings Z00.121

No Change

**Hemorrhage, hemorrhagic (concealed) R58**

Revise from

- eye NEC H57.8

Revise to

- eye NEC H57.89

No Change

**History**

No Change

- family (of) - see also History, personal (of)

No Change

- - disease or disorder (of)

Add

- - - elevated lipoprotein(a) (Lp(a)) Z83.430

Add

- - - lipoprotein metabolism Z83.438

Add

- - elevated lipoprotein(a) (Lp(a)) Z83.430

Add

- - hyperlipidemia, familial combined Z83.438

Add

- - lipidemia NEC Z83.438

No Change

- personal (of) - see also History, family (of)

No Change

- - abuse

No Change

- - - childhood Z62.819

Add

- - - - forced labor or sexual exploitation in childhood Z62.813

No Change

- - - adult Z91.419

Add

- - - - forced labor or sexual exploitation Z91.42

Add

- - forced labor or sexual exploitation Z91.42

Add

- - - in childhood Z62.813

Add

**Hyperbicarbonatemia P74.41**

Revise from

**Hypercalciuria, idiopathic E83.52**

Revise to

**Hypercalciuria, idiopathic R82.994**

Delete

**Hypercarotenemia, hypercarotinemia (dietary) E67.1**

Add

**Hypercarotenemia (dietary) E67.1**

No Change

**Hyperlipemia, hyperlipidemia E78.5**

No Change

- combined E78.2

Revise from

- - familial E78.4

Revise to

- - familial E78.49

Revise from

- specified NEC E78.4

Revise to

- specified NEC E78.49

Revise from

**Hyperoxaluria (primary) E72.53**

Revise to

**Hyperoxaluria R82.992**

Add

- primary E72.53

No Change

**Hypertension, hypertensive (accelerated) (benign) (essential) (idiopathic) (malignant) (systemic) I10**

Delete

- transient, of pregnancy O13.-

Add

- transient R03.0

Add -- of pregnancy O13.-  
 No Change **Hypertrophy, hypertrophic**  
 Revise from - pseudomuscular G71.0  
 Revise to - pseudomuscular G71.09  
 Add **Hyperuricosuria** R82.993  
 Add **Hypocitraturia** R82.991  
 Add **Hypoplasminogenemia** E88.02

No Change

## I

No Change **Imbalance** R26.89  
 No Change - electrolyte E87.8  
 Revise from -- neonatal, transitory NEC P74.4  
 Revise to -- neonatal, transitory NEC P74.49  
 Revise from --- potassium P74.3  
 Revise to --- potassium  
 Add ---- hyperkalemia P74.31  
 Add ---- hypokalemia P74.32  
 Revise from --- sodium P74.2  
 Revise to --- sodium  
 Add ---- hypernatremia P74.21  
 Add ---- hyponatremia P74.22  
 No Change **Immunization** - see also Vaccination  
 Add - appropriate for age  
 Add -- child (over 28 days old) Z00.129  
 Add --- with abnormal findings Z00.121  
 No Change - not done (not carried out) Z28.9  
 No Change -- because (of)  
 Add --- delay in delivery of vaccine Z28.83  
 Add --- lack of availability of vaccine Z28.83  
 Add --- manufacturer delay of vaccine Z28.83  
 Add --- unavailability of vaccine Z28.83  
 No Change **Incompatibility**  
 Revise from - blood (group) (Duffy) (K(ell)) (Kidd) (Lewis) (M) (S) NEC  
 Revise to - blood (group) (Duffy) (K) (Kell) (Kidd) (Lewis) (M) (S) NEC  
 No Change **Infarct, infarction**  
 No Change - cerebral (see also Occlusion, artery cerebral or precerebral, with infarction) I63.9-  
 No Change -- due to  
 No Change --- occlusion NEC  
 Add ---- small artery I63.81  
 No Change --- stenosis NEC  
 Add ---- small artery I63.81  
 Revise from -- specified NEC I63.8  
 Revise to -- specified NEC I63.89  
 Add - lacunar I63.81  
 No Change **Infection, infected, infective (opportunistic)** B99.9  
 Revise from - cesarean delivery wound (puerperal) O86.0  
 Revise to - cesarean delivery wound (puerperal) O86.00  
 No Change - due to or resulting from  
 Revise from -- surgery T81.4  
 Revise to -- surgery T81.40  
 Revise from - episiotomy (puerperal) O86.0  
 Revise to - episiotomy (puerperal) O86.09  
 Revise from - obstetrical surgical wound (puerperal) O86.0  
 Revise to - obstetrical surgical wound (puerperal) O86.00  
 Add -- incisional site  
 Add --- deep O86.02  
 Add --- superficial O86.01  
 Add -- organ and space site O86.03  
 Add -- surgical site specified NEC O86.09

Revise from - operation wound T81.4  
 Revise to - operation wound T81.49  
 Revise from - perineal repair (puerperal) O86.0  
 Revise to - perineal repair (puerperal) O86.09  
 Revise from - postoperative T81.4  
 Revise to - postoperative T81.40  
 Revise from - postoperative wound T81.4  
 Revise to - postoperative wound T81.49  
 Add - - surgical site  
 Add - - - deep incisional T81.42  
 Add - - - organ and space T81.43  
 Add - - - specified NEC T81.49  
 Add - - - superficial incisional T81.41  
 Revise from - postprocedural T81.4  
 Revise to - postprocedural T81.40  
 No Change - Zika virus A92.5  
 Add - - congenital P35.4

No Change

## L

No Change **Lagophthalmos (eyelid) (nervous) H02.209**  
 Add - bilateral, upper and lower eyelids H02.20C  
 No Change - cicatricial H02.219  
 Add - - bilateral, upper and lower eyelids H02.21C  
 No Change - - left H02.216  
 Add - - - upper and lower eyelids H02.21B  
 No Change - - right H02.213  
 Add - - - upper and lower eyelids H02.21A  
 No Change - left H02.206  
 Add - - upper and lower eyelids H02.20B  
 No Change - mechanical H02.229  
 Add - - bilateral, upper and lower eyelids H02.22C  
 No Change - - left H02.226  
 Add - - - upper and lower eyelids H02.22B  
 No Change - - right H02.223  
 Add - - - upper and lower eyelids H02.22A  
 No Change - paralytic H02.239  
 Add - - bilateral, upper and lower eyelids H02.23C  
 No Change - - left H02.236  
 Add - - - upper and lower eyelids H02.23B  
 No Change - - right H02.233  
 Add - - - upper and lower eyelids H02.23A  
 No Change - right H02.203  
 Add - - upper and lower eyelids H02.20A  
 Revise from **Landouzy-Déjérine dystrophy or facioscapulohumeral atrophy G71.0**  
 Revise to **Landouzy-Déjérine dystrophy or facioscapulohumeral atrophy G71.02**  
 No Change **Lesion(s) (nontraumatic)**  
 Add - vagina N89.8  
 Add - vulva N90.89  
 No Change **Leukemia, leukemic C95.9-**  
 Revise from - acute myeloid  
 Revise to - acute myeloid, NOS C92.0-  
 Revise from **Leyden-Moebius dystrophy G71.0**  
 Revise to **Leyden-Moebius dystrophy G71.09**  
 Revise from **Lithuria R82.99**  
 Revise to **Lithuria R82.998**

No Change

## M

No Change **Maltreatment**

*No Change* - adult  
*Add* -- bullying  
*Add* --- confirmed T74.31  
*Add* --- suspected T76.31  
*Add* -- intimidation (through social media)  
*Add* --- confirmed T74.31  
*Add* --- suspected T76.31  
*No Change* - child  
*Add* -- bullying  
*Add* --- confirmed T74.32  
*Add* --- suspected T76.32  
*Add* -- intimidation (through social media)  
*Add* --- confirmed T74.32  
*Add* --- suspected T76.32  
*Revise from* **Mediastinal shift** R93.8  
*Revise to* **Mediastinal shift** R93.89  
*No Change* **Melanosis** L81.4  
*Revise from* - eye NEC H57.8  
*Revise to* - eye NEC H57.89  
*Revise from* **Melanuria** R82.99  
*Revise to* **Melanuria** R82.998  
*Add* **MSD (multiple sulfatase deficiency)** E75.26  
*Revise from* **Myalgia** M79.1  
*Revise to* **Myalgia** M79.10  
*Add* - auxiliary muscles, head and neck M79.12  
*Add* - mastication muscle M79.11  
*Add* - site specified NEC M79.18  
*No Change* **Myocardiopathy (congestive) (constrictive) (familial) (hypertrophic nonobstructive) (idiopathic) (infiltrative) (obstructive) (primary) (restrictive) (sporadic) (see also Cardiomyopathy)** I42.9  
*No Change* - in (due to)  
*Revise from* -- progressive muscular dystrophy G71.0 [I43]  
*Revise to* -- progressive muscular dystrophy G71.09 [I43]  
*No Change* **Myoclonus, myoclonic, myoclonia (familial) (essential) (multifocal) (simplex)** G25.3  
*Revise from* - facial G51.3  
*Revise to* - facial G51.3-  
*No Change* **Myopathy** G72.9  
*Revise from* - distal G71.0  
*Revise to* - distal G71.09  
*Revise from* - facioscapulohumeral G71.0  
*Revise to* - facioscapulohumeral G71.02  
*Revise from* - limb-girdle G71.0  
*Revise to* - limb-girdle G71.09  
*Revise from* - ocular G71.0  
*Revise to* - ocular G71.09  
*Revise from* - oculopharyngeal G71.0  
*Revise to* - oculopharyngeal G71.09  
*Revise from* - scapulohumeral G71.0  
*Revise to* - scapulohumeral G71.02

*No Change* **N**

*No Change* **Neurosis, neurotic** F48.9  
*Revise from* - compensation F68.1  
*Revise to* - compensation F68.10  
*No Change* **Newborn (infant) (liveborn) (singleton)** Z38.2  
*No Change* - affected by  
*Revise from* -- amnionitis P02.7  
*Revise to* -- amnionitis P02.78  
*Revise from* -- chemotherapy agents P04.1  
*Revise to* -- chemotherapy agents P04.11

*Revise from* -- chorioamnionitis P02.7  
*Revise to* -- chorioamnionitis P02.78  
*Add* -- drugs of addiction P04.40  
*Add* --- cocaine P04.41  
*Add* --- hallucinogens P04.42  
*Add* --- specified drug NEC P04.49  
*No Change* -- fetal (intrauterine)  
*Add* --- inflammatory response syndrome (FIRS) P02.70  
*Add* -- FIRS (fetal inflammatory response syndrome) P02.70  
*No Change* -- maternal (complication of) (use of)  
*Add* --- amphetamines P04.16  
*Add* --- anticonvulsants P04.13  
*Add* --- antidepressants P04.15  
*Add* --- antineoplastic chemotherapy P04.11  
*Add* --- anxiolytics P04.1A  
*Add* --- cannabis P04.81  
*Add* --- cytotoxic drugs P04.12  
*Revise from* --- medication P04.1  
*Revise to* --- medication P04.19  
*Add* ---- specified type NEC P04.18  
*Add* --- opiates P04.14  
*Add* ---- administered for procedures during pregnancy or labor and delivery P04.0  
*Add* --- sedative-hypnotics P04.17  
*Add* --- tranquilizers administered for procedures during pregnancy or labor and delivery P04.0  
*Revise from* -- medication (legal) (maternal use) (prescribed) P04.1  
*Revise to* -- medication (legal) (maternal use) (prescribed) P04.19  
*Revise from* -- membranitis P02.7  
*Revise to* -- membranitis P02.78  
*No Change* -- noxious substances transmitted via placenta or breast milk P04.9  
*Add* --- cannabis P04.81  
*Revise from* --- specified NEC P04.8  
*Revise to* --- specified NEC P04.89  
*Revise from* -- placentitis P02.7  
*Revise to* -- placentitis P02.78  
*Revise from* - hypernatremia P74.2  
*Revise to* - hypernatremia P74.21  
*Revise from* - hyponatremia P74.2  
*Revise to* - hyponatremia P74.22

*No Change*

## O

*No Change* **Observation (following) (for) (without need for further medical care) Z04.9**  
*Revise from* - criminal assault Z04.8  
*Revise to* - criminal assault Z04.89  
*Add* - forced sexual exploitation Z04.81  
*Add* - forced labor exploitation Z04.82  
*No Change* - suspected, ruled out - see also Suspected condition, ruled out  
*Revise from* -- inflicted injury NEC Z04.8  
*Revise to* -- inflicted injury NEC Z04.89

*No Change*

## P

*No Change* **Pain(s) (see also Painful) R52**  
*Revise from* - musculoskeletal (see also Pain, by site) M79.1  
*Revise to* - musculoskeletal (see also Pain, by site) M79.18  
*Revise from* - myofascial M79.1  
*Revise to* - myofascial M79.18  
*No Change* **Paralysis, paralytic (complete) (incomplete) G83.9**  
*No Change* - Duchenne's  
*No Change* -- due to or associated with

Revise from --- muscular dystrophy G71.0  
 Revise to --- muscular dystrophy G71.01  
 No Change - muscle, muscular NEC G72.89  
 Revise from -- pseudohypertrophic G71.0  
 Revise to -- pseudohypertrophic G71.02  
 Revise from - pseudohypertrophic (muscle) G71.0  
 Revise to - pseudohypertrophic (muscle) G71.09  
 No Change **Paraplegia (lower) G82.20**  
 Add - traumatic  
 Add -- current injury - code to injury with seventh character A  
 Add --- sequela of previous injury - code to injury with seventh character S  
 No Change **Paresis** - see also Paralysis  
 Revise from - pseudohypertrophic G71.0  
 Revise to - pseudohypertrophic G71.09  
 No Change **Perforation, perforated (nontraumatic) (of)**  
 Revise from - appendix K35.2  
 Revise to - appendix K35.32  
 Revise from -- with localized peritonitis K35.3  
 Revise to -- with localized peritonitis K35.32  
 Revise from - cecum K35.2  
 Revise to - cecum K35.32  
 Revise from -- with localized peritonitis K35.3  
 Revise to -- with localized peritonitis K35.32  
 No Change **Peritonitis (adhesive) (bacterial) (fibrinous) (hemorrhagic) (idiopathic) (localized) (perforative) (primary) (with adhesions) (with effusion) K65.9**  
 No Change - with or following  
 Revise from -- appendicitis K35.3  
 Revise to -- appendicitis  
 Revise from --- with perforation or rupture K35.2  
 Revise to --- with perforation or rupture K35.32  
 Revise from --- generalized K35.2  
 Revise to --- generalized (see also Appendicitis) K35.20  
 Revise from --- localized K35.3  
 Revise to --- localized (see also Appendicitis) K35.30  
 Revise from **Pinhole meatus (see also Stricture, urethra) N35.9**  
 Revise to **Pinhole meatus (see also Stricture, urethra) N35.919**  
 No Change **Pregnancy (single) (uterine)** - see also Delivery and Puerperal  
 No Change - complicated by (care of) (management affected by)  
 No Change -- diabetes (mellitus) O24.91-  
 Revise from --- gestational (pregnancy induced) - see - Diabetes, gestational  
 Revise to --- gestational (pregnancy induced) - see Diabetes, gestational  
 Revise from -- presentation, fetal -- see Delivery, complicated by, malposition  
 Revise to -- presentation, fetal - see Delivery, complicated by, malposition  
 Revise from -- psychosis or psychoneurosis (puerperal) F53  
 Revise to -- psychosis or psychoneurosis (puerperal) F53.1  
 Add - heptachorionic, hepta-amniotic (septuplets) O30.83-  
 Add - hexachorionic, hexa-amniotic (sextuplets) O30.83-  
 No Change - multiple (gestation) O30.9-  
 No Change -- specified NEC O30.80-  
 Add --- number of chorions and amnions are both equal to the number of fetuses O30.83-  
 Add - pentachorionic, penta-amniotic (quintuplets) O30.83-  
 No Change - quadruplet O30.20-  
 Add -- quadrachorionic/quadra-amniotic O30.23-  
 No Change - triplet O30.10-  
 Add -- trichorionic/triamniotic O30.13-  
 Revise from **Pseudohypertrophic muscular dystrophy (Erb's) G71.0**  
 Revise to **Pseudohypertrophic muscular dystrophy (Erb's) G71.02**  
 Revise from **Pseudohypertrophy, muscle G71.0**  
 Revise to **Pseudohypertrophy, muscle G71.09**  
 No Change **Psychosis, psychotic F29**

*No Change* - organic F09  
*No Change* -- due to or associated with  
*No Change* --- intoxication  
*Delete* ---- drug F19 with .x59 F11-  
*Add* ---- drug F11-F19 with .x59  
*Revise from* - postpartum F53  
*Revise to* - postpartum (NOS) F53.1  
*Revise from* - puerperal F53  
*Revise to* - puerperal (NOS) F53.1  
*No Change* **Ptosis** - see also Blepharoptosis  
*Add* - brow H57.81-  
*Add* - eyebrow H57.81-  
*No Change* **Puerperal, puerperium (complicated by, complications)**  
*No Change* - infection O86.4  
*No Change* -- genital tract NEC O86.19  
*Revise from* --- obstetric surgical wound O86.0  
*Revise to* --- obstetric surgical wound O86.09  
*Revise from* - psychosis F53  
*Revise to* - psychosis (NOS) F53.1

*No Change*

## R

*No Change* **Rapid**  
*Revise from* - time-zone change syndrome - see Disorder, sleep, circadian rhythm, psychogenic  
*Revise to* - time-zone change syndrome G47.25  
*No Change* **Reaction** - see also Disorder  
*No Change* - incompatibility  
*Revise from* -- minor blood group (Duffy) (E) (K(ell)) (Kidd) (Lewis) (M) (N) (P) (S) T80.89  
*Revise to* -- minor blood group (Duffy) (E) (K) (Kell) (Kidd) (Lewis) (M) (N) (P) (S) T80.89  
*Revise from* **Request for expert evidence** Z04.8  
*Revise to* **Request for expert evidence** Z04.89  
*No Change* **Retained** - see also Retention  
*No Change* - foreign body fragments (type of) Z18.9  
*Revise from* -- diethylhexylphthalates Z18.2  
*Revise to* -- diethylhexyl phthalates Z18.2  
*No Change* - fragments (type of ) Z18.9  
*Revise from* -- diethylhexylphthalates Z18.2  
*Revise to* -- diethylhexyl phthalates Z18.2  
*No Change* **Rupture, ruptured**  
*Revise from* - appendix (with peritonitis) K35.2  
*Revise to* - appendix (with peritonitis) (see also Appendicitis) K35.32  
*Revise from* -- with localized peritonitis K35.3  
*Revise to* -- with localized peritonitis (see also Appendicitis) K35.32  
*No Change* - cecum (with peritonitis) K65.0  
*Revise from* -- with peritoneal abscess K35.3  
*Revise to* -- with peritoneal abscess K35.33

*No Change*

## S

*Revise from* **Scapulohumeral myopathy** G71.0  
*Revise to* **Scapulohumeral myopathy** G71.02  
*No Change* **Screening (for)** Z13.9  
*Revise from* - alcoholism Z13.89  
*Revise to* - alcoholism Z13.39  
*Add* - autism Z13.41  
*Revise from* - behavioral disorder Z13.89  
*Revise to* - behavioral disorder Z13.30  
*Add* -- specified NEC Z13.39  
*Revise from* - depression Z13.89  
*Revise to* - depression (adult) (adolescent) (child) Z13.31

Add	-- maternal Z13.32
Add	-- perinatal Z13.32
Delete	- developmental handicap Z13.42
Delete	-- in early childhood Z13.42
Delete	-- infant Z13.41
Add	- developmental
Add	-- delays Z13.40
Add	--- global (milestones) Z13.42
Add	--- specified NEC Z13.49
Add	-- handicap Z13.42
Add	--- in early childhood Z13.42
Revise from	- disability, intellectual Z13.42
Revise to	- disability, intellectual Z13.39
Delete	-- infant Z13.41
No Change	- disease or disorder Z13.9
Delete	-- developmental Z13.42
Delete	--- in child Z13.42
Delete	--- infant Z13.41
Delete	-- mental Z13.89
Add	-- behavioral Z13.30
Add	--- specified NEC Z13.39
Add	-- developmental delays Z13.40
Add	--- global (milestones) Z13.42
Add	--- specified NEC Z13.49
Add	-- mental health and behavioral Z13.30
Add	--- specified NEC Z13.39
Add	- infant or child (over 28 days old) Z00.129
Add	-- with abnormal findings Z00.121
Revise from	- intellectual disability Z13.42
Revise to	- intellectual disability Z13.39
Delete	-- infant Z13.41
Delete	- mental disorder Z13.89
Add	- mental health disorder Z13.30
Add	-- specified NEC Z13.39
No Change	<b>Sepsis (generalized) (unspecified organism) A41.9</b>
No Change	- following
Add	-- obstetrical procedure O86.04
No Change	- localized - code to specific localized infection
Revise from	-- in operation wound T81.4
Revise to	-- in operation wound T81.49
Revise from	- postprocedural T81.4
Revise to	- postprocedural T81.44
No Change	<b>Septum, septate (congenital) - see also Anomaly, by site</b>
Revise from	- uterus (complete) (partial) Q51.2
Revise to	- uterus Q51.20
Add	-- complete Q51.21
Add	-- partial Q51.22
Add	-- specified NEC Q51.28
No Change	<b>Shift</b>
Revise from	- mediastinal R93.8
Revise to	- mediastinal R93.89
No Change	<b>Sore</b>
Revise from	- muscle M79.1
Revise to	- muscle M79.10
No Change	<b>Spasm(s), spastic, spasticity (see also condition) R25.2</b>
Revise from	- Bell's G51.3
Revise to	- Bell's G51.3-
Revise from	- facial G51.3
Revise to	- facial G51.3-
Revise from	- hemifacial (clonic) G51.3

Revise to	- hemifacial (clonic) G51.3-
Revise from	- urethra (sphincter) N35.9
Revise to	- urethra (sphincter) N35.919
Add	<b>SSADHD (succinic semialdehyde dehydrogenase deficiency) E72.81</b>
No Change	<b>Stitch</b>
Revise from	- abscess T81.4
Revise to	- abscess T81.41
No Change	<b>Stricture</b> - see also Stenosis
Revise from	- urethra (organic) (spasmodic) N35.9
Revise to	- urethra (organic) (spasmodic) (see also Stricture, urethra, male) N35.919
Add	-- female N35.92
Add	-- male N35.919
Add	--- anterior urethra N35.914
Add	--- bulbous urethra N35.912
Add	--- meatal N35.911
Add	--- membranous urethra N35.913
Add	--- overlapping sites N35.916
No Change	-- postinfective NEC
No Change	--- male N35.119
Add	---- overlapping sites N35.116
No Change	-- postprocedural
No Change	--- male N99.114
Add	---- overlapping sites N99.116
No Change	-- post-traumatic
No Change	--- male N35.014
Add	---- overlapping sites N35.016
Revise from	-- specified cause NEC N35.8
Revise to	-- specified cause NEC
Add	--- female N35.82
Add	--- male N35.819
Add	---- anterior urethra N35.814
Add	---- bulbous urethra N35.812
Add	---- meatal N35.811
Add	---- membranous urethra N35.813
Add	---- overlapping sites N35.816
No Change	<b>Subluxation</b> - see also Dislocation
No Change	- interphalangeal (joint)
No Change	-- thumb S63.12-
Delete	--- distal joint S63.14-
Delete	--- proximal joint S63.13-
Revise from	<b>Subseptus uterus Q51.2</b>
Revise to	<b>Subseptus uterus Q51.28</b>
No Change	<b>Supernumerary (congenital)</b>
Revise from	- uterus Q51.2
Revise to	- uterus Q51.28
No Change	<b>Syndrome</b> - see also Disease
Revise from	- Angelman Q93.5
Revise to	- Angelman Q93.51
Revise from	- fish odor E72.8
Revise to	- fish odor E72.89
Revise from	- food protein-induced enterocolitis K52.21
Revise to	- food protein-induced enterocolitis (FPIES) K52.21
Revise from	- happy puppet Q93.5
Revise to	- happy puppet Q93.51
Revise from	- myofascial pain M79.1
Revise to	- myofascial pain M79.18
Revise from	- scapuloperoneal G71.0
Revise to	- scapuloperoneal G71.09
No Change	- superior
Revise from	-- cerebellar artery I63.8

Revise to - - cerebellar artery I63.89  
Add - Williams Q93.82  
Add - Yao M04.8

No Change

## T

No Change **Test, tests, testing (for)**  
Revise from - blood-alcohol Z04.8  
Revise to - blood-alcohol Z04.89  
Revise from - blood-drug Z04.8  
Revise to - blood-drug Z04.89  
No Change - hearing Z01.10  
Add - - infant or child (over 28 days old) Z00.129  
Add - - - with abnormal findings Z00.121  
No Change - laboratory (as part of a general medical examination) Z00.00  
Revise from - - for medicolegal reason NEC Z04.8  
Revise to - - for medicolegal reason NEC Z04.89  
No Change - vision Z01.00  
Add - - infant or child (over 28 days old) Z00.129  
Add - - - with abnormal findings Z00.121  
Revise from **Thermography (abnormal) (see also Abnormal, diagnostic imaging) R93.8**  
Revise to **Thermography (abnormal) (see also Abnormal, diagnostic imaging) R93.89**  
No Change **Thickening**  
Revise from - endometrium R93.8  
Revise to - endometrium R93.89  
No Change **Tight, tightness**  
Revise from - urethral sphincter N35.9  
Revise to - urethral sphincter N35.919  
No Change **Transfusion**  
No Change - blood  
Revise from - - minor blood group (Duffy) (E) (K(ell)) (Kidd) (Lewis) (M) (N) (P) (S) T80.89  
Revise to - - minor blood group (Duffy) (E) (K) (Kell) (Kidd) (Lewis) (M) (N) (P) (S) T80.89

No Change

## U

Revise from **Uricosuria R82.99**  
Revise to **Uricosuria R82.998**  
No Change **Use (of)**  
No Change - cannabis F12.90  
No Change - - with  
Add - - - withdrawal F12.93

No Change

## W

Add **Williams syndrome Q93.82**  
No Change **Withdrawal state** - see also Dependence, drug by type, with withdrawal  
Revise from - cannabis F12.288  
Revise to - cannabis F12.23

No Change

## Z

No Change **Zika NOS A92.5**  
Add - congenital P35.4