

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
F41.0	Panic disorder [episodic paroxysmal anxiety]	N	N	19	880
H02.051	Trichiasis without entropion right upper eyelid	N	N	02	124,125
H02.052	Trichiasis without entropion right lower eyelid	N	N	02	124,125
H02.053	Trichiasis without entropion right eye, unspecified eyelid	N	N	02	124,125
H02.054	Trichiasis without entropion left upper eyelid	N	N	02	124,125
H02.055	Trichiasis without entropion left lower eyelid	N	N	02	124,125
H02.056	Trichiasis without entropion left eye, unspecified eyelid	N	N	02	124,125
H02.059	Trichiasis without entropion unspecified eye, unspecified eyelid	N	N	02	124,125
I50.1	Left ventricular failure, unspecified	C	N	05 15	222,223,224,225,226,227, 291,292,293 791,793
I63.211	Cerebral infarction due to unspecified occlusion or stenosis of right vertebral artery	M	N	01 15	023,024,025,026,027,061, 062,063,064,065,066 791,793

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
I63.212	Cerebral infarction due to unspecified occlusion or stenosis of left vertebral artery	M	N	01 15	023,024,025,026,027,061, 062,063,064,065,066 791,793
I63.22	Cerebral infarction due to unspecified occlusion or stenosis of basilar artery	M	N	01 15	023,024,025,026,027,061, 062,063,064,065,066 791,793
I63.323	Cerebral infarction due to thrombosis of bilateral anterior cerebral arteries	M	N	01 15	023,024,025,026,027,061, 062,063,064,065,066 791,793
I63.333	Cerebral infarction to thrombosis of bilateral posterior cerebral arteries	M	N	01 15	023,024,025,026,027,061, 062,063,064,065,066 791,793
I63.513	Cerebral infarction due to unspecified occlusion or stenosis of bilateral middle cerebral arteries	M	N	01 15	023,024,025,026,027,061, 062,063,064,065,066 791,793
I63.523	Cerebral infarction due to unspecified occlusion or stenosis of bilateral anterior cerebral arteries	M	N	01 15	023,024,025,026,027,061, 062,063,064,065,066 791,793
I63.533	Cerebral infarction due to unspecified occlusion or stenosis of bilateral posterior cerebral arteries	M	N	01 15	023,024,025,026,027,061, 062,063,064,065,066 791,793
I82.811	Embolism and thrombosis of superficial veins of right lower extremity	C	N	05	299,300,301

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
I82.812	Embolism and thrombosis of superficial veins of left lower extremity	C	N	05	299,300,301
I82.819	Embolism and thrombosis of superficial veins of unspecified lower extremity	C	N	05	299,300,301
I83.811	Varicose veins of right lower extremity with pain	N	N	05	299,300,301
I83.812	Varicose veins of left lower extremity with pain	N	N	05	299,300,301
I83.819	Varicose veins of unspecified lower extremity with pain	N	N	05	299,300,301
I83.891	Varicose veins of right lower extremity with other complications	N	N	05	299,300,301
I83.892	Varicose veins of left lower extremity with other complications	N	N	05	299,300,301
I83.899	Varicose veins of unspecified lower extremity with other complications	N	N	05	299,300,301
J15.6	Pneumonia due to other Gram-negative bacteria	M	N	04 15 25	177,178,179 791,793 974,975,976
M33.00	Juvenile dermatomyositis, organ	C	N	08	545,546,547

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	involvement unspecified				
M33.01	Juvenile dermatomyositis with respiratory involvement	C	N	08	545,546,547
M33.02	Juvenile dermatomyositis with myopathy	C	C	08	545,546,547
M33.09	Juvenile dermatomyositis with other organ involvement	C	N	08	545,546,547
M33.10	Other dermatomyositis, organ involvement unspecified	C	N	08	545,546,547
M33.11	Other dermatomyositis with respiratory involvement	C	N	08	545,546,547
M33.12	Other dermatomyositis with myopathy	C	C	08	545,546,547
M33.19	Other dermatomyositis with other organ involvement	C	N	08	545,546,547
N35.112	Postinfective bulbous urethral stricture, not elsewhere classified, male	N	N	11	697
N35.113	Postinfective membranous urethral stricture, not elsewhere classified, male	N	N	11	697
N35.114	Postinfective anterior urethral stricture, not	N	N	11	697

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	elsewhere classified, male				
N99.111	Postprocedural bulbous urethral stricture, male	N	N	11	697
N99.112	Postprocedural membranous urethral stricture, male	N	N	11	697
N99.113	Postprocedural anterior bulbous urethral stricture, male	N	N	11	697
Q64.12	Cloacal exstrophy of urinary bladder	C	N	11	698,699,700
Q82.2	Congenital cutaneous mastocytosis	N	N	09 15	606,607 795
S04.031A	Injury of optic tract and pathways, right side, initial encounter	C	N	01 24	091,092,093 955,956,957,958,959,963, 964,965
S04.031D	Injury of optic tract and pathways, right side, subsequent encounter	N	N	23	949,950
S04.031S	Injury of optic tract and pathways, right side, sequela	N	N	01	091,092,093
S04.032A	Injury of optic tract and pathways, left side, initial encounter	C	N	01 24	091,092,093 955,956,957,958,959,963, 964,965
S04.032D	Injury of optic tract and pathways, left side, subsequent encounter	N	N	23	949,950
S04.032S	Injury of optic tract and pathways, left side, sequela	N	N	01	091,092,093

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
S04.039A	Injury of optic tract and pathways, unspecified side, initial encounter	C	N	01 24	091,092,093 955,956,957,958,959,963, 964,965
S04.039D	Injury of optic tract and pathways, unspecified side, subsequent encounter	N	N	23	949,950
S04.039S	Injury of optic tract and pathways, unspecified side, sequela	N	N	01	091,092,093
S04.041A	Injury of visual cortex, right side, initial encounter	C	N	01 24	091,092,093 955,956,957,958,959,963, 964,965
S04.041D	Injury of visual cortex, right side, subsequent encounter	N	N	23	949,950
S04.041S	Injury of visual cortex, right side, sequela	N	N	01	091,092,093
S04.042A	Injury of visual cortex, left side, initial encounter	C	N	01 24	091,092,093 955,956,957,958,959,963, 964,965
S04.042D	Injury of visual cortex, left side, subsequent encounter	N	N	23	949,950
S04.042S	Injury of visual cortex, left side, sequela	N	N	01	091,092,093
S04.049A	Injury of visual cortex, unspecified side, initial encounter	C	N	01 24	091,092,093 955,956,957,958,959,963, 964,965
S04.049D	Injury of visual cortex, unspecified side, subsequent encounter	N	N	23	949,950

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
S04.049S	Injury of visual cortex, unspecified side, sequela	N	N	01	091,092,093
S62.311A	Displaced fracture of base of second metacarpal bone, left hand, initial encounter for closed fracture	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.311B	Displaced fracture of base of second metacarpal bone, left hand, initial encounter for open fracture	C	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.311D	Displaced fracture of base of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing	N	N	08	559,560,561
S62.311G	Displaced fracture of base of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	N	N	08	559,560,561
S62.311K	Displaced fracture of base of second metacarpal bone, left hand, subsequent encounter for fracture with nonunion	C	N	08	564,565,566
S62.311P	Displaced fracture of base of second metacarpal bone, left hand, subsequent	C	N	08	564,565,566

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	encounter for fracture with malunion				
S62.311S	Displaced fracture of base of second metacarpal bone, left hand, sequela	N	N	08	559,560,561
S62.317A	Displaced fracture of base of fifth metacarpal bone, left hand, initial encounter for closed fracture	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.317B	Displaced fracture of base of fifth metacarpal bone, left hand, initial encounter for open fracture	C	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.317D	Displaced fracture of base of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	N	N	08	559,560,561
S62.317G	Displaced fracture of base of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	N	N	08	559,560,561
S62.317K	Displaced fracture of base of fifth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	C	N	08	564,565,566
S62.317P	Displaced fracture of base of fifth metacarpal	C	N	08	564,565,566

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	bone, left hand, subsequent encounter for fracture with malunion				
S62.317S	Displaced fracture of base of fifth metacarpal bone, left hand, sequela	N	N	08	559,560,561
S62.341A	Nondisplaced fracture of base of second metacarpal bone, left hand, initial encounter for closed fracture	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.341B	Nondisplaced fracture of base of second metacarpal bone, left hand, initial encounter for open fracture	C	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.341D	Nondisplaced fracture of base of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing	N	N	08	559,560,561
S62.341G	Nondisplaced fracture of base of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	N	N	08	559,560,561
S62.341K	Nondisplaced fracture of base of second metacarpal bone, left hand, subsequent encounter for fracture with nonunion	C	N	08	564,565,566

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
S62.341P	Nondisplaced fracture of base of second metacarpal bone, left hand, subsequent encounter for fracture with malunion	C	N	08	564,565,566
S62.341S	Nondisplaced fracture of base of second metacarpal bone, left hand, sequela	N	N	08	559,560,561
S62.347A	Nondisplaced fracture of base of fifth metacarpal bone, left hand, initial encounter for closed fracture	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.347B	Nondisplaced fracture of base of fifth metacarpal bone, left hand, initial encounter for open fracture	C	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.347D	Nondisplaced fracture of base of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	N	N	08	559,560,561
S62.347G	Nondisplaced fracture of base of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	N	N	08	559,560,561
S62.347K	Nondisplaced fracture of base of fifth metacarpal bone, left hand, subsequent	C	N	08	564,565,566

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	encounter for fracture with nonunion				
S62.347P	Nondisplaced fracture of base of fifth metacarpal bone, left hand, subsequent encounter for fracture with malunion	C	N	08	564,565,566
S62.347S	Nondisplaced fracture of base of fifth metacarpal bone, left hand, sequela	N	N	08	559,560,561
S62.620A	Displaced fracture of middle phalanx of right index finger, initial encounter for closed fracture	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.620B	Displaced fracture of middle phalanx of right index finger, initial encounter for open fracture	C	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.620D	Displaced fracture of middle phalanx of right index finger, subsequent encounter for fracture with routine healing	N	N	08	559,560,561
S62.620G	Displaced fracture of middle phalanx of right index finger, subsequent encounter for fracture with delayed healing	N	N	08	559,560,561
S62.620K	Displaced fracture of middle phalanx of right	C	N	08	564,565,566

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	index finger, subsequent encounter for fracture with nonunion				
S62.620P	Displaced fracture of middle phalanx of right index finger, subsequent encounter for fracture with malunion	C	N	08	564,565,566
S62.620S	Displaced fracture of middle phalanx of right index finger, sequela	N	N	08	559,560,561
S62.621A	Displaced fracture of middle phalanx of left index finger, initial encounter for closed fracture	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.621B	Displaced fracture of middle phalanx of left index finger, initial encounter for open fracture	C	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.621D	Displaced fracture of middle phalanx of left index finger, subsequent encounter for fracture with routine healing	N	N	08	559,560,561
S62.621G	Displaced fracture of middle phalanx of left index finger, subsequent encounter for fracture with delayed healing	N	N	08	559,560,561

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
S62.621K	Displaced fracture of middle phalanx of left index finger, subsequent encounter for fracture with nonunion	C	N	08	564,565,566
S62.621P	Displaced fracture of middle phalanx of left index finger, subsequent encounter for fracture with malunion	C	N	08	564,565,566
S62.621S	Displaced fracture of middle phalanx of left index finger, sequela	N	N	08	559,560,561
S62.622A	Displaced fracture of middle phalanx of right middle finger, initial encounter for closed fracture	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.622B	Displaced fracture of middle phalanx of right middle finger, initial encounter for open fracture	C	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.622D	Displaced fracture of middle phalanx of right middle finger, subsequent encounter for fracture with routine healing	N	N	08	559,560,561
S62.622G	Displaced fracture of middle phalanx of right middle finger, subsequent encounter	N	N	08	559,560,561

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	for fracture with delayed healing				
S62.622K	Displaced fracture of middle phalanx of right middle finger, subsequent encounter for fracture with nonunion	C	N	08	564,565,566
S62.622P	Displaced fracture of middle phalanx of right middle finger, subsequent encounter for fracture with malunion	C	N	08	564,565,566
S62.622S	Displaced fracture of middle phalanx of right middle finger, sequela	N	N	08	559,560,561
S62.623A	Displaced fracture of middle phalanx of left middle finger, initial encounter for closed fracture	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.623B	Displaced fracture of middle phalanx of left middle finger, initial encounter for open fracture	C	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.623D	Displaced fracture of middle phalanx of left middle finger, subsequent encounter for fracture with routine healing	N	N	08	559,560,561
S62.623G	Displaced fracture of middle phalanx of left middle finger,	N	N	08	559,560,561

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	subsequent encounter for fracture with delayed healing				
S62.623K	Displaced fracture of middle phalanx of left middle finger, subsequent encounter for fracture with nonunion	C	N	08	564,565,566
S62.623P	Displaced fracture of middle phalanx of left middle finger, subsequent encounter for fracture with malunion	C	N	08	564,565,566
S62.623S	Displaced fracture of middle phalanx of left middle finger, sequela	N	N	08	559,560,561
S62.624A	Displaced fracture of middle phalanx of right ring finger, initial encounter for closed fracture	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.624B	Displaced fracture of middle phalanx of right ring finger, initial encounter for open fracture	C	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.624D	Displaced fracture of middle phalanx of right ring finger, subsequent encounter for fracture with routine healing	N	N	08	559,560,561
S62.624G	Displaced fracture of middle phalanx of right ring finger, subsequent	N	N	08	559,560,561

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	encounter for fracture with delayed healing				
S62.624K	Displaced fracture of middle phalanx of right ring finger, subsequent encounter for fracture with nonunion	C	N	08	564,565,566
S62.624P	Displaced fracture of middle phalanx of right ring finger, subsequent encounter for fracture with malunion	C	N	08	564,565,566
S62.624S	Displaced fracture of middle phalanx of right ring finger, sequela	N	N	08	559,560,561
S62.625A	Displaced fracture of middle phalanx of left ring finger, initial encounter for closed fracture	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.625B	Displaced fracture of middle phalanx of left ring finger, initial encounter for open fracture	C	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.625D	Displaced fracture of middle phalanx of left ring finger, subsequent encounter for fracture with routine healing	N	N	08	559,560,561
S62.625G	Displaced fracture of middle phalanx of left ring finger, subsequent encounter for fracture with delayed healing	N	N	08	559,560,561

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
S62.625K	Displaced fracture of middle phalanx of left ring finger, subsequent encounter for fracture with nonunion	C	N	08	564,565,566
S62.625P	Displaced fracture of middle phalanx of left ring finger, subsequent encounter for fracture with malunion	C	N	08	564,565,566
S62.625S	Displaced fracture of middle phalanx of left ring finger, sequela	N	N	08	559,560,561
S62.650A	Nondisplaced fracture of middle phalanx of right index finger, initial encounter for closed fracture	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.650B	Nondisplaced fracture of middle phalanx of right index finger, initial encounter for open fracture	C	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.650D	Nondisplaced fracture of middle phalanx of right index finger, subsequent encounter for fracture with routine healing	N	N	08	559,560,561
S62.650G	Nondisplaced fracture of middle phalanx of right index finger, subsequent encounter for fracture with delayed healing	N	N	08	559,560,561

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
S62.650K	Nondisplaced fracture of middle phalanx of right index finger, subsequent encounter for fracture with nonunion	C	N	08	564,565,566
S62.650P	Nondisplaced fracture of middle phalanx of right index finger, subsequent encounter for fracture with malunion	C	N	08	564,565,566
S62.650S	Nondisplaced fracture of middle phalanx of right index finger, sequela	N	N	08	559,560,561
S62.651A	Nondisplaced fracture of middle phalanx of left index finger, initial encounter for closed fracture	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.651B	Nondisplaced fracture of middle phalanx of left index finger, initial encounter for open fracture	C	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.651D	Nondisplaced fracture of middle phalanx of left index finger, subsequent encounter for fracture with routine healing	N	N	08	559,560,561
S62.651G	Nondisplaced fracture of middle phalanx of left index finger, subsequent encounter	N	N	08	559,560,561

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	for fracture with delayed healing				
S62.651K	Nondisplaced fracture of middle phalanx of left index finger, subsequent encounter for fracture with nonunion	C	N	08	564,565,566
S62.651P	Nondisplaced fracture of middle phalanx of left index finger, subsequent encounter for fracture with malunion	C	N	08	564,565,566
S62.651S	Nondisplaced fracture of middle phalanx of left index finger, sequela	N	N	08	559,560,561
S62.652A	Nondisplaced fracture of middle phalanx of right middle finger, initial encounter for closed fracture	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.652B	Nondisplaced fracture of middle phalanx of right middle finger, initial encounter for open fracture	C	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.652D	Nondisplaced fracture of middle phalanx of right middle finger, subsequent encounter for fracture with routine healing	N	N	08	559,560,561
S62.652G	Nondisplaced fracture of middle phalanx of	N	N	08	559,560,561

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	right middle finger, subsequent encounter for fracture with delayed healing				
S62.652K	Nondisplaced fracture of middle phalanx of right middle finger, subsequent encounter for fracture with nonunion	C	N	08	564,565,566
S62.652P	Nondisplaced fracture of middle phalanx of right middle finger, subsequent encounter for fracture with malunion	C	N	08	564,565,566
S62.652S	Nondisplaced fracture of middle phalanx of right middle finger, sequela	N	N	08	559,560,561
S62.653A	Nondisplaced fracture of middle phalanx of left middle finger, initial encounter for closed fracture	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.653B	Nondisplaced fracture of middle phalanx of left middle finger, initial encounter for open fracture	C	N	08 24	562,563 955,956,957,958,959,963, 964,965
S62.653D	Nondisplaced fracture of middle phalanx of left middle finger, subsequent encounter for fracture with routine healing	N	N	08	559,560,561

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
S62.653G	Nondisplaced fracture of middle phalanx of left middle finger, subsequent encounter for fracture with delayed healing	N	N	08	559,560,561
S62.653K	Nondisplaced fracture of middle phalanx of left middle finger, subsequent encounter for fracture with nonunion	C	N	08	564,565,566
S62.653P	Nondisplaced fracture of middle phalanx of left middle finger, subsequent encounter for fracture with malunion	C	N	08	564,565,566
S62.653S	Nondisplaced fracture of middle phalanx of left middle finger, sequela	N	N	08	559,560,561
S63.121A	Subluxation of interphalangeal joint of right thumb, initial encounter	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S63.121D	Subluxation of interphalangeal joint of right thumb, subsequent encounter	N	N	23	949,950
S63.121S	Subluxation of interphalangeal joint of right thumb, sequela	N	N	08	562,563

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
S63.122A	Subluxation of interphalangeal joint of left thumb, initial encounter	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S63.122D	Subluxation of interphalangeal joint of left thumb, subsequent encounter	N	N	23	949,950
S63.122S	Subluxation of interphalangeal joint of left thumb, sequela	N	N	08	562,563
S63.123A	Subluxation of interphalangeal joint of unspecified thumb, initial encounter	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S63.123D	Subluxation of interphalangeal joint of unspecified thumb, subsequent encounter	N	N	23	949,950
S63.123S	Subluxation of interphalangeal joint of unspecified thumb, sequela	N	N	08	562,563
S63.124A	Dislocation of interphalangeal joint of right thumb, initial encounter	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S63.124D	Dislocation of interphalangeal joint of right thumb, subsequent encounter	N	N	23	949,950
S63.124S	Dislocation of interphalangeal joint of right thumb, sequela	N	N	08	562,563

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
S63.125A	Dislocation of interphalangeal joint of left thumb, initial encounter	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S63.125D	Dislocation of interphalangeal joint of left thumb, subsequent encounter	N	N	23	949,950
S63.125S	Dislocation of interphalangeal joint of left thumb, sequela	N	N	08	562,563
S63.126A	Dislocation of interphalangeal joint of unspecified thumb, initial encounter	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S63.126D	Dislocation of interphalangeal joint of unspecified thumb, subsequent encounter	N	N	23	949,950
S63.126S	Dislocation of interphalangeal joint of unspecified thumb, sequela	N	N	08	562,563
S92.521A	Displaced fracture of middle phalanx of right lesser toe(s), initial encounter for closed fracture	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S92.521B	Displaced fracture of middle phalanx of right lesser toe(s), initial encounter for open fracture	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S92.521D	Displaced fracture of middle phalanx of right	N	N	08	559,560,561

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	lesser toe(s), subsequent encounter for fracture with routine healing				
S92.521G	Displaced fracture of middle phalanx of right lesser toe(s), subsequent encounter for fracture with delayed healing	N	N	08	559,560,561
S92.521K	Displaced fracture of middle phalanx of right lesser toe(s), subsequent encounter for fracture with nonunion	C	N	08	564,565,566
S92.521P	Displaced fracture of middle phalanx of right lesser toe(s), subsequent encounter for fracture with malunion	C	N	08	564,565,566
S92.521S	Displaced fracture of middle phalanx of right lesser toe(s), sequela	N	N	08	559,560,561
S92.522A	Displaced fracture of middle phalanx of left lesser toe(s), initial encounter for closed fracture	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S92.522B	Displaced fracture of middle phalanx of left lesser toe(s), initial encounter for open fracture	N	N	08 24	562,563 955,956,957,958,959,963, 964,965

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
S92.522D	Displaced fracture of middle phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing	N	N	08	559,560,561
S92.522G	Displaced fracture of middle phalanx of left lesser toe(s), subsequent encounter for fracture with delayed healing	N	N	08	559,560,561
S92.522K	Displaced fracture of middle phalanx of left lesser toe(s), subsequent encounter for fracture with nonunion	C	N	08	564,565,566
S92.522P	Displaced fracture of middle phalanx of left lesser toe(s), subsequent encounter for fracture with malunion	C	N	08	564,565,566
S92.522S	Displaced fracture of middle phalanx of left lesser toe(s), sequela	N	N	08	559,560,561
S92.523A	Displaced fracture of middle phalanx of unspecified lesser toe(s), initial encounter for closed fracture	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S92.523B	Displaced fracture of middle phalanx of unspecified lesser	N	N	08 24	562,563 955,956,957,958,959,963, 964,965

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	toe(s), initial encounter for open fracture				
S92.523D	Displaced fracture of middle phalanx of unspecified lesser toe(s), subsequent encounter for fracture with routine healing	N	N	08	559,560,561
S92.523G	Displaced fracture of middle phalanx of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing	N	N	08	559,560,561
S92.523K	Displaced fracture of middle phalanx of unspecified lesser toe(s), subsequent encounter for fracture with nonunion	C	N	08	564,565,566
S92.523P	Displaced fracture of middle phalanx of unspecified lesser toe(s), subsequent encounter for fracture with malunion	C	N	08	564,565,566
S92.523S	Displaced fracture of middle phalanx of unspecified lesser toe(s), sequela	N	N	08	559,560,561
S92.524A	Nondisplaced fracture of middle phalanx of right lesser toe(s), initial encounter for closed fracture	N	N	08 24	562,563 955,956,957,958,959,963, 964,965

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
S92.524B	Nondisplaced fracture of middle phalanx of right lesser toe(s), initial encounter for open fracture	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S92.524D	Nondisplaced fracture of middle phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing	N	N	08	559,560,561
S92.524G	Nondisplaced fracture of middle phalanx of right lesser toe(s), subsequent encounter for fracture with delayed healing	N	N	08	559,560,561
S92.524K	Nondisplaced fracture of middle phalanx of right lesser toe(s), subsequent encounter for fracture with nonunion	C	N	08	564,565,566
S92.524P	Nondisplaced fracture of middle phalanx of right lesser toe(s), subsequent encounter for fracture with malunion	C	N	08	564,565,566
S92.524S	Nondisplaced fracture of middle phalanx of right lesser toe(s), sequela	N	N	08	559,560,561
S92.525A	Nondisplaced fracture of middle phalanx of left lesser toe(s), initial	N	N	08 24	562,563 955,956,957,958,959,963, 964,965

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	encounter for closed fracture				
S92.525B	Nondisplaced fracture of middle phalanx of left lesser toe(s), initial encounter for open fracture	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S92.525D	Nondisplaced fracture of middle phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing	N	N	08	559,560,561
S92.525G	Nondisplaced fracture of middle phalanx of left lesser toe(s), subsequent encounter for fracture with delayed healing	N	N	08	559,560,561
S92.525K	Nondisplaced fracture of middle phalanx of left lesser toe(s), subsequent encounter for fracture with nonunion	C	N	08	564,565,566
S92.525P	Nondisplaced fracture of middle phalanx of left lesser toe(s), subsequent encounter for fracture with malunion	C	N	08	564,565,566
S92.525S	Nondisplaced fracture of middle phalanx of left lesser toe(s), sequela	N	N	08	559,560,561

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
S92.526A	Nondisplaced fracture of middle phalanx of unspecified lesser toe(s), initial encounter for closed fracture	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S92.526B	Nondisplaced fracture of middle phalanx of unspecified lesser toe(s), initial encounter for open fracture	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S92.526D	Nondisplaced fracture of middle phalanx of unspecified lesser toe(s), subsequent encounter for fracture with routine healing	N	N	08	559,560,561
S92.526G	Nondisplaced fracture of middle phalanx of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing	N	N	08	559,560,561
S92.526K	Nondisplaced fracture of middle phalanx of unspecified lesser toe(s), subsequent encounter for fracture with nonunion	C	N	08	564,565,566
S92.526P	Nondisplaced fracture of middle phalanx of unspecified lesser toe(s), subsequent encounter for fracture with malunion	C	N	08	564,565,566
S92.526S	Nondisplaced fracture of middle phalanx of	N	N	08	559,560,561

TABLE 6E. - REVISED DIAGNOSIS CODE TITLES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	unspecified lesser toe(s), sequela				
W29.8XXA	Contact with other powered hand tools and household machinery, initial encounter	N	N		
W29.8XXD	Contact with other powered hand tools and household machinery, subsequent encounter	N	N		
W29.8XXS	Contact with other powered hand tools and household machinery, sequela	N	N		
Z31.5	Encounter for procreative genetic counseling	N	N	23	951
Z40.02	Encounter for prophylactic removal of ovary(s)	N	N	13	742,743,760,761
Z68.1	Body mass index (BMI) 19.9 or less, adult	C	N	23	951
Z79.890	Hormone replacement therapy	N	N	23	951