

**TABLE 7B.—MEDICARE PROSPECTIVE PAYMENT SYSTEM SELECTED  
PERCENTILE LENGTHS OF STAY; FY 2010 MedPAR UPDATE – DECEMBER 2010  
GROUPER V29.0 MS-DRGs**

<b>MS- DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
1	1,112	37.0692	11	17	26	37	49
2	412	21.2791	9	11	22	37	49
3	20,043	34.9963	14	20	29	42	60
4	20,842	25.9446	10	15	22	31	44
5	974	21.3922	7	9	14	23	35
6	356	9.3961	5	7	8	13	35
7	501	18.7625	8	10	14	23	35
8	508	12.0965	6	7	9	13	20
10	128	9.9141	5	6	8	10	17
11	1,531	15.2299	6	8	11	16	24
12	1,900	10.0484	4	6	8	13	19
13	875	6.4137	3	4	6	8	10
14	525	24.7962	3	4	6	8	10
16	1,226	19.9331	3	4	6	8	10
17	279	14.5950	3	4	6	8	10
20	1,108	16.7699	5	9	15	22	29
21	434	14.2903	7	11	14	18	23
22	130	7.6462	1	4	7	11	14
23	4,586	11.7586	2	5	9	16	22
24	1,713	7.4542	1	3	6	11	17
25	12,480	10.9477	3	5	9	13	19
26	10,587	6.9974	2	4	6	9	15
27	11,837	3.7031	1	2	3	5	7
28	1,806	12.9568	4	6	9	15	20
29	3,593	6.2179	1	3	5	8	14
30	3,476	3.1482	1	1	3	4	6
31	1,197	12.5522	2	5	9	15	21
32	2,545	5.1792	1	2	3	7	13
33	3,140	2.5631	1	1	2	3	5
34	826	6.8620	1	2	4	7	9
35	2,292	3.0554	1	1	2	4	10
36	5,689	1.5456	1	1	1	1	3
37	4,659	8.0753	1	3	5	8	11
38	13,418	3.5348	1	1	2	5	10
39	40,624	1.6525	1	1	1	2	3
40	4,740	11.9534	3	5	8	11	15
41	7,169	6.5691	2	3	6	10	15
42	3,435	3.2969	1	1	2	4	7

MS-DRG	Number of Discharges	Arithmetic Mean LOS	10th Percentile	25th Percentile	50th Percentile	75th Percentile	90th Percentile
52	1,240	5.7032	1	3	4	7	11
53	460	3.2804	1	2	3	4	6
54	8,398	5.9624	1	3	4	7	9
55	11,305	4.4703	1	2	3	6	10
56	9,602	7.3115	2	3	4	6	7
57	39,349	4.8084	2	3	4	6	12
58	852	6.7664	2	3	4	7	8
59	3,096	4.7997	2	3	4	6	10
60	3,370	3.6852	1	2	3	5	6
61	2,711	8.0159	2	4	6	9	12
62	4,395	5.3777	2	3	5	7	12
63	1,527	3.7924	2	2	3	5	6
64	61,803	6.7913	1	3	4	7	9
65	111,992	4.6203	2	3	4	7	17
66	64,867	3.1335	1	2	3	4	5
67	1,322	5.4448	1	2	3	4	5
68	9,406	3.2076	1	2	3	4	8
69	90,046	2.7048	1	1	2	3	5
70	11,008	6.9984	2	3	4	5	7
71	15,381	4.8776	2	3	5	5	7
72	5,035	2.9543	1	1	2	4	5
73	8,968	5.4377	1	2	3	4	5
74	30,524	3.9538	1	2	3	6	5
75	1,363	6.7872	2	4	6	8	13
76	642	3.8006	1	2	3	5	7
77	1,640	6.0110	2	3	4	6	7
78	2,357	4.2126	2	2	4	7	7
79	814	2.8931	1	2	2	4	5
80	1,704	4.9149	1	2	3	4	5
81	5,330	3.3233	1	2	3	5	10
82	2,510	5.9801	1	1	3	7	11
83	2,601	4.6448	1	2	4	7	13
84	2,480	2.6198	1	1	2	3	5
85	7,961	7.2000	1	3	5	7	9
86	14,937	4.4093	1	2	4	6	14
87	13,203	2.8328	1	1	2	4	5
88	802	5.4090	1	2	3	5	6
89	2,982	3.5728	1	2	3	5	9
90	2,332	2.2753	1	1	2	3	4
91	9,160	5.9017	1	2	3	5	6
92	19,068	4.0445	1	2	3	6	6
93	12,112	2.7584	1	1	2	3	5

<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
94	1,363	11.4629	3	6	9	13	16
95	1,116	7.7025	2	5	7	11	16
96	490	5.6224	1	3	5	7	9
97	1,204	11.0872	3	5	8	12	15
98	1,078	7.5937	3	4	7	13	15
99	423	5.1064	1	3	4	7	9
100	20,218	5.7677	2	2	4	6	8
101	54,868	3.3329	1	2	3	4	7
102	1,266	4.3341	1	2	2	4	4
103	12,765	2.9095	1	1	2	4	6
113	648	5.7392	1	3	5	7	11
114	352	2.6080	1	1	2	3	5
115	805	4.3913	1	2	4	5	7
116	472	4.5042	1	1	2	4	7
117	425	2.4094	1	1	1	2	3
121	747	5.3414	2	3	4	6	9
122	464	3.7177	1	2	3	5	6
123	2,813	2.6079	1	1	2	3	5
124	786	5.0789	1	2	3	4	5
125	4,186	3.2109	1	2	3	5	9
129	1,443	5.3597	1	2	4	7	10
130	975	2.7938	1	1	2	3	5
131	1,155	5.6805	1	2	4	7	11
132	702	2.7066	1	1	2	3	5
133	2,207	5.4277	1	2	4	7	11
134	2,377	2.1279	1	1	1	3	4
135	430	6.5326	1	2	5	8	14
136	344	2.3517	1	1	1	3	5
137	992	4.9718	1	2	4	6	9
138	685	2.3912	1	1	2	3	5
139	1,211	1.7234	1	1	1	2	3
146	696	8.3865	2	3	5	8	11
147	1,238	5.5897	1	2	4	8	17
148	514	3.0584	1	1	2	4	6
149	32,816	2.5394	1	1	2	3	4
150	1,238	5.2019	1	2	3	4	5
151	6,132	2.8407	1	1	2	4	7
152	2,352	4.0723	1	2	2	3	4
153	11,272	2.9729	1	2	2	4	5
154	2,443	5.6410	1	2	3	5	6
155	6,026	4.1021	1	2	4	6	6
156	3,253	2.7965	1	1	2	3	5

<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
157	1,405	6.7096	1	2	4	6	7
158	4,135	4.1761	1	2	3	6	14
159	1,451	2.6051	1	1	2	3	5
163	12,805	13.8611	5	7	11	16	21
164	17,882	7.1126	3	4	6	9	15
165	10,087	4.2637	2	3	4	5	7
166	20,782	11.6210	4	6	9	13	17
167	17,478	7.0926	2	4	6	11	17
168	3,837	4.1631	1	2	3	6	8
175	15,696	6.7335	2	4	5	7	8
176	38,507	4.7367	2	3	5	7	11
177	68,999	8.3306	3	4	6	9	11
178	66,622	6.5465	3	4	6	11	11
179	15,048	4.8045	2	3	4	6	8
180	20,804	7.3269	2	3	5	8	11
181	23,919	5.2824	1	3	4	8	15
182	2,542	3.5740	1	2	3	5	7
183	2,522	6.2109	2	3	4	6	8
184	5,380	4.2634	2	3	4	6	10
185	1,973	3.0035	1	2	3	4	5
186	10,421	6.6016	2	3	5	7	10
187	10,298	4.7761	1	2	4	7	26
188	2,980	3.4044	1	2	3	4	6
189	93,746	5.3368	2	3	4	7	10
190	139,008	5.2899	2	3	4	6	7
191	145,089	4.4840	2	3	4	7	23
192	122,634	3.5117	1	2	3	4	6
193	118,153	6.3757	2	3	4	6	7
194	203,381	4.8305	2	3	5	8	7
195	82,945	3.5919	1	2	3	4	6
196	6,833	7.0139	2	3	5	8	10
197	6,208	4.8802	2	3	4	7	10
198	2,812	3.5775	1	2	3	4	6
199	3,935	7.8368	2	4	6	8	11
200	8,460	4.5426	1	2	4	6	11
201	2,957	3.4653	1	2	3	4	6
202	37,979	4.0520	1	2	3	5	7
203	26,407	3.0859	1	2	3	4	5
204	22,518	2.6395	1	1	2	3	5
205	6,923	5.2664	1	2	3	5	7
206	19,397	3.1569	1	2	3	4	8
207	34,471	14.6614	6	9	13	18	24

<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
208	72,102	6.9566	1	3	6	9	13
215	139	13.1799	1	4	8	15	30
216	9,723	16.6926	7	10	14	19	24
217	6,522	10.6036	6	7	10	16	24
218	1,161	7.7735	4	6	7	10	14
219	15,211	12.7919	5	7	10	15	22
220	18,474	7.6386	4	6	7	11	22
221	5,080	5.6719	4	5	6	8	22
222	2,421	11.9620	4	6	9	12	14
223	3,455	6.1734	1	3	6	10	14
224	2,590	9.8734	3	5	7	10	14
225	4,108	5.0587	2	3	4	7	12
226	6,212	8.6892	1	3	6	8	10
227	27,009	3.0875	1	1	1	4	9
228	1,927	13.5387	5	7	10	13	15
229	2,379	8.1404	4	5	7	10	15
230	641	5.3619	2	4	5	7	8
231	1,385	12.7227	5	7	10	14	18
232	1,083	8.8301	5	6	8	12	17
233	14,197	13.3109	6	8	11	14	16
234	24,851	8.7905	5	6	8	11	19
235	9,062	10.8316	5	6	8	10	13
236	23,602	6.5060	4	5	6	8	12
237	19,740	10.1668	1	4	7	10	12
238	37,997	4.0250	1	1	3	6	10
239	10,522	14.2711	4	7	10	15	19
240	10,159	9.1719	3	5	8	14	19
241	1,512	5.8022	2	3	5	7	10
242	17,749	7.8398	2	3	5	7	8
243	38,676	4.8004	1	2	4	8	8
244	39,225	2.8240	1	1	2	4	5
245	3,661	3.8883	1	1	3	5	8
246	31,447	5.0868	1	2	3	5	7
247	130,038	2.3485	1	1	2	3	5
248	14,172	6.0949	1	3	4	6	8
249	39,838	2.8742	1	1	2	4	6
250	8,105	6.8453	2	3	5	7	9
251	33,338	2.9443	1	1	2	4	7
252	40,007	7.6652	1	3	5	8	12
253	42,589	5.9044	1	3	5	9	12
254	35,611	2.6706	1	1	2	3	5
255	2,487	8.9731	2	4	7	9	12

<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
256	3,112	6.8846	2	4	6	11	12
257	390	4.0641	1	2	3	5	8
258	675	6.9778	2	3	4	6	7
259	3,908	3.2561	1	1	2	5	8
260	1,816	10.5072	2	4	7	10	13
261	3,831	4.3284	1	2	4	7	15
262	2,153	2.6424	1	1	2	3	5
263	462	4.8052	1	2	3	6	10
264	22,071	8.0079	1	3	6	10	16
265	1,493	3.4735	1	1	2	4	8
280	67,476	6.3463	2	3	5	6	8
281	50,608	4.2508	1	3	4	11	8
282	32,742	2.6548	1	1	2	3	5
283	11,961	5.0380	1	1	2	5	7
284	3,427	2.8086	1	1	4	5	7
285	1,225	1.7029	1	1	1	2	3
286	25,590	6.4680	2	3	4	6	7
287	128,991	3.1360	1	1	2	4	8
288	2,317	10.3168	3	5	8	11	15
289	1,191	7.4400	3	5	7	14	15
290	218	4.9541	2	3	5	6	8
291	181,398	6.0492	2	3	4	5	7
292	235,149	4.7236	2	3	5	34	7
293	104,172	3.2049	1	2	3	4	5
294	1,261	5.2895	2	3	5	7	9
295	639	4.0955	2	3	4	5	7
296	2,164	2.9755	1	1	1	3	5
297	730	1.5945	1	1	1	3	5
298	422	1.1185	1	1	1	1	1
299	20,667	5.8489	2	3	4	6	7
300	46,585	4.6940	2	3	4	7	7
301	27,315	3.3802	1	2	3	5	6
302	7,243	3.9629	1	1	2	3	4
303	46,352	2.3717	1	1	2	3	5
304	2,946	4.1735	1	2	2	3	4
305	33,484	2.6460	1	1	2	3	5
306	2,826	5.3319	1	2	3	5	6
307	5,645	3.2324	1	2	3	5	13
308	61,093	5.0700	1	2	3	5	6
309	107,074	3.5831	1	2	3	6	6
310	121,765	2.4132	1	1	2	3	4
311	14,145	2.1734	1	1	2	3	4

<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
312	161,513	2.8711	1	1	2	4	5
313	161,754	2.0235	1	1	2	2	4
314	58,501	6.7269	1	3	5	7	10
315	29,747	4.0821	1	2	4	9	10
316	9,606	2.5175	1	1	2	3	4
326	11,047	15.4910	5	8	12	18	24
327	10,391	8.6245	2	5	8	12	21
328	9,168	3.4906	1	1	2	5	7
329	44,367	15.0982	5	8	11	16	21
330	57,863	8.8864	4	5	8	12	21
331	23,962	5.1209	3	3	5	6	8
332	1,567	13.5239	5	7	9	14	17
333	4,891	7.8653	4	5	7	10	15
334	3,070	4.7762	2	3	4	6	8
335	7,140	13.6259	5	7	10	13	16
336	13,197	8.5576	3	5	8	13	16
337	7,400	4.9730	1	2	4	7	9
338	1,341	10.0537	3	5	7	9	11
339	3,147	6.3225	3	4	6	9	11
340	3,060	3.7239	1	2	3	5	6
341	907	6.8280	1	3	4	7	8
342	2,815	3.6810	1	2	3	5	10
343	6,310	1.9479	1	1	2	2	3
344	821	11.2728	3	5	7	10	12
345	3,151	6.6696	3	4	6	9	15
346	2,497	4.5366	2	3	4	6	7
347	1,550	8.7632	2	3	5	8	10
348	4,290	5.3615	2	3	4	8	18
349	3,779	2.7666	1	1	2	4	5
350	1,645	7.9404	2	3	5	7	9
351	4,569	4.4887	1	2	4	7	9
352	5,922	2.3110	1	1	2	3	4
353	3,329	8.3473	2	4	6	8	10
354	9,861	4.9297	2	3	4	7	13
355	12,591	2.7584	1	1	2	4	5
356	7,805	12.0055	3	5	8	12	16
357	7,549	7.2484	2	4	6	12	16
358	1,839	3.9141	1	2	3	5	7
368	3,340	6.6183	2	3	4	6	7
369	5,545	4.3748	2	3	4	8	7
370	1,607	3.0579	1	2	3	4	5
371	21,462	8.4986	2	3	5	7	8

<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
372	33,769	6.2055	3	4	7	7	8
373	10,569	4.3854	2	3	4	5	7
374	8,252	8.3758	2	3	5	8	10
375	16,840	5.5972	2	3	5	9	10
376	2,288	3.5878	1	2	3	4	7
377	49,812	6.2608	2	3	4	5	6
378	138,054	4.0727	2	3	4	7	6
379	44,598	2.9375	1	2	3	4	5
380	2,937	7.1423	2	3	4	6	7
381	6,018	4.6397	2	3	4	8	7
382	2,445	3.3162	1	2	3	4	6
383	1,154	5.2227	2	2	3	4	5
384	7,474	3.6038	1	2	3	5	9
385	2,132	8.0150	2	3	4	5	6
386	8,670	5.1623	2	3	5	8	6
387	4,165	3.8605	1	2	3	5	7
388	18,552	7.1406	2	3	4	5	6
389	55,409	4.6509	2	3	4	8	6
390	40,147	3.2889	1	2	3	4	6
391	47,973	5.1097	1	2	3	4	4
392	256,387	3.4124	1	2	3	5	11
393	21,729	6.6869	1	2	4	6	7
394	48,981	4.5226	1	2	4	7	7
395	19,382	3.0069	1	2	3	4	5
405	4,250	15.4687	5	7	11	17	25
406	5,136	7.8516	2	5	7	10	17
407	1,960	5.0571	1	3	5	7	9
408	1,435	13.0293	5	7	9	14	19
409	1,368	8.1477	3	5	7	11	26
410	461	5.4967	2	3	5	7	9
411	699	11.6753	4	7	9	13	16
412	730	7.8164	3	5	7	11	18
413	463	5.1210	2	3	5	7	8
414	4,400	11.0041	4	6	8	11	14
415	5,482	7.0507	3	4	7	10	14
416	3,737	4.3693	2	3	4	6	7
417	17,832	7.8373	3	4	6	8	10
418	27,609	5.2208	2	3	5	8	10
419	26,942	3.0016	1	2	3	4	6
420	665	11.6767	3	5	8	14	17
421	818	6.6259	2	3	5	9	20
422	204	3.6961	1	2	3	5	7



MS-DRG	Number of Discharges	Arithmetic Mean LOS	10th Percentile	25th Percentile	50th Percentile	75th Percentile	90th Percentile
423	1,480	13.6466	4	6	10	15	21
424	733	8.8895	3	4	8	16	21
425	88	4.9659	1	2	4	6	8
432	11,053	6.3712	2	3	4	7	9
433	7,625	4.4161	1	2	4	7	9
434	336	2.9077	1	2	2	3	5
435	12,054	7.1344	2	3	5	7	10
436	11,692	5.2431	2	3	5	9	10
437	1,959	3.5549	1	2	3	5	7
438	15,093	7.2681	2	3	4	5	7
439	28,879	4.7977	2	3	5	9	7
440	20,457	3.3899	1	2	3	4	6
441	16,443	7.1124	2	3	4	6	8
442	19,752	4.5556	2	2	4	11	8
443	4,569	3.2515	1	2	3	4	6
444	12,508	6.2323	2	3	4	6	7
445	19,008	4.3699	1	2	4	7	7
446	11,861	2.9418	1	1	2	4	5
453	1,267	13.1492	4	6	9	14	18
454	3,346	6.3497	3	4	5	8	13
455	3,007	3.6245	1	2	3	4	6
456	1,192	13.1661	5	6	9	14	18
457	3,362	6.7380	3	4	6	8	14
458	1,514	3.9069	2	3	3	5	6
459	3,959	8.8820	3	4	6	7	9
460	66,062	3.7508	2	2	3	5	6
461	664	8.6175	3	3	4	5	6
462	11,032	3.9516	3	3	3	4	7
463	4,756	14.6381	4	6	9	14	18
464	8,279	8.5107	3	4	7	12	46
465	2,392	4.8265	2	3	4	6	8
466	3,762	8.8054	3	4	6	7	9
467	20,959	4.7498	3	3	4	6	10
468	15,562	3.4480	2	3	3	4	5
469	27,686	7.7212	3	4	5	6	8
470	430,953	3.5534	2	3	3	4	5
471	2,943	8.9297	2	4	6	10	15
472	9,324	3.7647	1	1	2	5	9
473	26,424	1.7961	1	1	1	2	3
474	2,962	11.7576	3	5	8	12	16
475	3,680	7.3984	2	4	7	11	16
476	1,148	4.0462	1	2	3	5	7

<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
477	2,594	11.2028	4	5	7	10	12
478	7,922	6.9148	2	4	6	10	24
479	4,114	3.8308	1	1	3	5	8
480	24,310	8.7481	4	4	6	7	9
481	80,864	5.4097	3	4	5	7	16
482	30,701	4.3492	3	3	4	5	6
483	12,006	3.5576	1	2	3	4	6
484	20,265	2.1134	1	1	2	3	3
485	1,056	10.6458	4	5	7	9	11
486	2,426	7.0515	3	4	6	10	11
487	992	5.0101	2	3	4	6	8
488	3,307	4.4545	2	3	3	5	8
489	4,634	2.7754	1	2	3	3	4
490	21,311	4.2440	1	2	3	5	9
491	41,525	2.0481	1	1	2	3	4
492	5,373	8.3110	3	4	5	7	8
493	20,990	4.7885	2	3	4	7	14
494	24,499	3.0457	1	2	3	4	5
495	1,706	9.9355	3	4	7	9	12
496	5,112	5.2467	1	3	4	7	13
497	4,930	2.4495	1	1	2	3	5
498	1,410	7.0383	2	3	5	9	13
499	777	2.6808	1	1	2	3	5
500	2,099	10.8018	3	4	7	10	12
501	5,415	5.7546	2	3	5	8	19
502	5,412	2.8001	1	1	2	3	5
503	929	8.3477	2	4	6	8	9
504	2,932	6.1330	2	3	5	9	9
505	2,214	3.1567	1	2	3	4	6
506	697	3.5265	1	1	2	4	7
507	678	5.3614	1	2	4	7	10
508	1,046	2.0918	1	1	2	3	4
509	283	3.7951	1	1	2	5	8
510	1,103	6.3581	2	3	4	6	7
511	4,363	3.8004	1	2	3	5	9
512	7,480	2.1607	1	1	2	3	4
513	1,364	4.8109	1	2	4	6	9
514	912	2.6480	1	1	2	3	5
515	3,795	9.8079	3	4	6	9	11
516	10,852	5.7542	2	3	5	8	20
517	8,955	3.4079	1	2	3	5	7
533	850	6.3600	1	2	4	5	7

<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
534	3,335	3.8297	1	2	3	5	10
535	7,301	5.5198	2	3	3	5	6
536	31,948	3.6310	1	3	3	5	8
537	857	4.0373	2	2	3	5	7
538	628	3.1019	1	2	3	4	5
539	3,034	8.6912	3	4	6	8	11
540	4,024	6.4197	2	4	6	9	11
541	1,122	4.7914	1	3	4	6	8
542	5,266	8.2205	2	3	5	7	8
543	15,447	5.4625	2	3	5	8	8
544	5,507	3.8742	2	3	3	5	7
545	3,664	8.4681	2	3	5	7	9
546	5,876	5.1724	2	3	5	9	9
547	3,113	3.4886	1	2	3	4	6
548	557	8.2603	2	4	5	7	9
549	1,252	5.9257	2	3	6	9	9
550	508	3.9783	1	2	3	5	7
551	11,198	6.6859	2	3	4	5	6
552	72,253	3.9019	1	2	3	5	8
553	2,265	5.5214	1	2	3	3	4
554	16,995	3.6016	1	2	3	5	4
555	2,657	4.9405	1	2	3	4	5
556	17,884	3.1462	1	2	3	4	7
557	3,640	6.5423	2	3	3	4	5
558	17,624	4.2661	2	3	4	8	5
559	1,848	7.0287	2	3	4	7	8
560	4,915	4.5410	1	2	4	6	13
561	4,914	2.5452	1	1	2	3	5
562	5,655	5.7515	2	3	3	5	5
563	30,652	3.5147	1	2	3	5	8
564	2,009	6.2593	2	3	4	6	7
565	3,994	4.6845	2	3	4	7	7
566	1,539	3.2183	1	2	3	4	6
570	5,187	10.0640	1	2	3	4	6
571	5,558	6.8744	1	2	3	4	6
572	2,526	4.7023	1	2	3	4	6
573	2,447	12.5398	3	4	5	7	7
574	1,341	10.7062	1	2	2	3	3
575	557	5.1759	1	1	2	2	2
576	398	10.7613	2	3	5	6	7
577	1,755	5.8444	1	2	3	5	7
578	2,064	3.1269	1	1	2	4	5

<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
579	5,509	9.6805	3	5	8	14	28
580	10,426	5.0795	1	2	4	6	9
581	10,069	2.3717	1	1	2	3	5
582	4,477	2.7391	1	1	2	3	5
583	6,554	1.7238	1	1	1	2	3
584	835	5.3222	1	2	4	6	10
585	1,384	2.1611	1	1	1	3	4
592	6,790	6.9782	3	4	8	3	4
593	7,358	5.3799	2	3	4	6	7
594	969	4.1104	1	2	3	4	4
595	1,169	7.9837	2	3	4	5	7
596	4,984	4.5676	1	2	4	7	7
597	568	7.4648	2	3	5	7	9
598	1,483	5.3284	1	2	4	8	21
599	176	3.4261	1	1	2	4	5
600	1,063	4.8683	2	3	4	6	9
601	790	3.3671	1	2	3	4	6
602	24,756	6.4639	2	3	4	5	6
603	141,053	4.4310	2	3	4	6	13
604	2,641	5.3756	1	2	3	4	5
605	18,437	3.2372	1	2	3	4	7
606	1,503	5.9528	1	2	3	4	5
607	6,972	3.6502	1	2	3	5	5
614	1,506	6.1016	2	3	4	6	8
615	1,341	2.7785	1	2	2	3	4
616	1,644	14.5602	5	7	12	17	24
617	7,173	7.6649	3	4	7	10	14
618	124	4.9435	1	2	4	6	9
619	796	7.5905	1	2	3	5	7
620	3,122	3.1355	1	2	3	4	7
621	10,912	1.8602	1	1	2	2	3
622	1,244	13.4759	4	6	9	14	21
623	2,760	7.5830	3	4	6	10	16
624	214	4.3037	1	3	4	7	11
625	1,238	6.5323	1	2	4	7	10
626	2,863	2.9155	1	1	2	3	8
627	11,124	1.4053	1	1	1	1	2
628	3,723	9.8219	2	4	7	11	15
629	5,013	7.7802	3	4	7	10	16
630	337	4.2641	1	2	3	5	8
637	19,380	5.8025	1	2	3	4	5
638	54,757	3.8803	1	2	4	7	5

<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
639	22,943	2.6878	1	1	2	3	5
640	56,968	4.7583	1	2	2	3	4
641	168,473	3.5087	1	2	3	6	4
642	1,390	4.7727	1	2	3	6	9
643	6,139	7.0881	2	3	4	6	7
644	13,265	5.0170	2	3	5	8	7
645	6,102	3.4536	1	2	3	4	6
652	10,114	7.1003	4	4	6	8	12
653	1,700	16.0535	6	8	11	15	19
654	3,762	9.1393	5	6	8	12	26
655	1,224	5.5025	2	3	6	7	9
656	3,354	9.9064	3	4	5	7	8
657	8,515	5.6206	2	4	5	11	8
658	6,665	3.2501	1	2	3	4	5
659	4,172	10.7653	2	4	6	8	10
660	8,411	5.8999	2	3	5	12	10
661	3,969	2.8151	1	1	2	3	5
662	807	10.2020	2	4	6	9	11
663	1,958	5.1037	1	2	4	8	11
664	2,875	1.8671	1	1	1	2	3
665	566	12.1219	3	5	7	9	11
666	1,939	6.2398	1	2	5	11	11
667	2,235	2.3342	1	1	2	2	5
668	3,131	8.9431	1	2	3	5	5
669	14,929	4.2427	1	2	4	9	5
670	7,896	2.2484	1	1	2	3	4
671	807	5.4102	1	2	4	7	11
672	652	2.3252	1	1	2	3	4
673	11,432	9.5221	1	3	7	11	16
674	8,397	6.7045	1	3	6	10	19
675	2,574	2.2751	1	1	1	3	7
682	98,716	6.6454	2	3	5	8	11
683	106,910	4.7934	2	3	4	6	9
684	26,972	3.1656	1	2	3	4	6
685	3,021	3.4098	1	1	2	4	7
686	1,141	7.7853	1	2	3	4	5
687	3,326	4.7646	1	3	5	21	5
688	605	2.6727	1	1	2	3	5
689	64,299	5.5990	2	2	3	4	5
690	215,238	3.9974	2	2	4	6	5
691	923	3.9567	1	2	3	5	8
692	372	1.9866	1	1	2	2	4

<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
693	1,842	5.1298	1	1	2	2	2
694	18,193	2.5228	1	1	2	4	2
695	1,340	5.5776	1	2	3	5	6
696	10,549	3.0949	1	2	3	4	6
697	602	3.1744	1	1	2	4	6
698	25,891	6.6314	2	3	4	5	6
699	31,560	4.5504	2	3	5	5	6
700	7,251	3.1743	1	2	3	4	6
707	5,126	4.2680	1	2	3	5	8
708	15,584	1.7977	1	1	1	2	3
709	827	5.8489	1	2	3	7	13
710	1,422	1.6160	1	1	1	2	3
711	724	7.3412	1	3	6	9	15
712	380	2.7105	1	1	2	3	5
713	8,940	4.0539	1	2	3	5	9
714	20,016	1.8079	1	1	2	2	3
715	482	5.9253	1	2	4	8	12
716	592	1.3564	1	1	1	1	2
717	801	6.1336	1	3	5	8	12
718	470	2.5213	1	1	2	3	5
722	479	7.0689	1	2	3	4	5
723	1,760	4.9966	2	3	5	4	5
724	247	2.7571	1	1	2	3	5
725	483	6.0621	1	1	2	2	2
726	4,384	3.5436	1	2	4	2	2
727	1,605	6.4629	2	3	4	5	5
728	6,143	4.0635	2	2	4	6	5
729	803	5.0187	1	2	3	6	9
730	289	2.7682	1	1	2	3	5
734	1,498	6.8685	2	3	5	8	14
735	1,073	2.5107	1	1	2	3	4
736	862	13.1613	4	7	9	14	18
737	3,072	6.5085	3	4	6	8	12
738	708	3.4703	2	2	3	4	6
739	863	9.9119	3	4	6	8	11
740	4,244	4.3464	1	2	4	5	9
741	5,314	2.3088	1	1	2	3	4
742	10,322	3.9943	1	2	3	5	8
743	26,353	1.9732	1	1	2	2	3
744	1,645	5.4723	1	2	4	7	11
745	1,074	2.2793	1	1	2	3	4
746	2,482	4.0024	1	2	3	5	8

<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
747	6,717	1.7210	1	1	1	2	3
748	15,711	1.6630	1	1	1	2	3
749	1,002	8.5489	2	4	6	11	17
750	320	2.8625	1	1	2	3	5
754	1,146	8.7836	2	3	4	6	8
755	3,326	5.2321	1	2	4	9	8
756	390	2.9846	1	1	2	4	5
757	1,474	7.3589	2	3	5	6	8
758	2,210	5.5195	2	3	6	12	8
759	976	3.9385	1	2	3	5	7
760	2,175	3.6216	1	2	3	5	7
761	1,030	2.3117	1	1	2	3	4
765	3,555	5.2256	2	3	4	5	8
766	2,805	3.0424	2	2	3	3	4
767	458	2.6026	2	2	2	3	3
768	9	3.8889	0	2	3	6	7
769	97	5.0103	1	2	4	7	11
770	165	1.9091	1	1	1	2	3
774	1,622	3.3730	2	2	2	3	5
775	5,742	2.2818	1	2	2	3	3
776	588	3.2823	1	2	2	4	6
777	183	2.0546	1	1	2	3	3
778	456	2.7083	1	1	2	3	5
779	105	2.2000	1	1	1	3	3
780	40	1.2750	1	1	1	1	2
781	3,213	3.8472	1	1	2	4	7
782	149	1.8121	1	1	1	2	3
793	2	10.5000	0	0	14	14	14
799	509	12.9745	4	6	9	14	20
800	615	7.2472	3	4	6	9	19
801	364	3.8956	1	2	3	4	7
802	919	11.5343	3	5	7	10	14
803	1,104	5.8469	2	3	5	9	14
804	596	2.8356	1	1	2	4	5
808	7,986	8.0389	2	3	5	8	10
809	13,525	5.0818	2	3	4	7	27
810	1,972	3.6440	1	2	3	5	7
811	30,106	5.0516	1	2	3	4	5
812	98,991	3.5032	1	2	3	5	19
813	10,397	5.0423	1	2	4	6	10
814	1,516	6.6372	2	2	4	5	7
815	3,551	4.4987	1	2	4	7	7

<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
816	1,394	3.2116	1	2	3	4	6
820	1,156	17.1877	5	8	12	18	25
821	1,994	7.1409	1	3	6	10	19
822	1,577	3.0304	1	1	2	4	6
823	1,734	15.4487	4	6	9	12	15
824	2,947	8.4381	2	4	8	19	15
825	1,282	4.0343	1	1	3	5	8
826	594	14.2643	4	7	10	15	19
827	1,301	7.2098	2	4	6	10	18
828	818	3.3619	1	2	3	5	6
829	1,441	9.7641	2	4	7	12	20
830	391	3.1049	1	1	2	4	7
834	3,611	16.9380	2	4	8	17	27
835	2,928	8.8245	2	3	6	27	27
836	1,062	4.3023	1	1	3	5	8
837	1,275	22.7655	5	6	19	28	32
838	1,492	12.1233	4	5	7	25	32
839	1,191	5.6331	3	4	5	6	7
840	7,382	10.7423	2	4	6	8	11
841	10,171	6.5808	2	3	7	20	11
842	3,166	4.1150	1	2	3	5	8
843	1,428	7.8431	2	3	5	7	9
844	2,894	5.4105	2	3	5	9	9
845	635	3.6425	1	2	3	4	6
846	2,381	8.0109	2	3	5	6	9
847	20,469	3.4290	1	2	3	4	6
848	1,041	2.8732	1	1	2	4	5
849	890	5.8281	1	3	5	6	12
853	40,615	14.9807	5	7	11	16	22
854	8,870	9.3958	4	6	12	16	22
855	315	5.4825	1	2	4	7	10
856	5,717	14.4959	4	6	10	14	20
857	9,501	7.5827	3	4	6	10	21
858	2,114	4.9967	2	3	4	6	9
862	9,587	7.4832	2	3	5	8	10
863	21,186	4.8064	2	3	4	6	10
864	18,271	3.6892	1	2	3	4	7
865	2,052	6.1686	1	2	3	4	5
866	7,010	3.4949	1	2	3	5	5
867	5,055	9.3381	2	4	6	10	14
868	2,546	5.0079	2	3	5	8	14
869	657	3.4307	1	2	3	4	6



<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
870	27,153	14.9130	6	9	13	18	25
871	276,017	7.0303	2	3	5	7	10
872	112,617	5.2387	2	3	6	7	10
876	632	12.2263	2	4	7	14	23
880	8,253	3.0376	1	1	2	4	6
881	4,829	4.2429	1	2	3	5	8
882	1,784	4.5701	1	2	3	6	8
883	887	7.8591	1	3	5	8	16
884	19,252	5.2835	2	3	4	6	9
885	92,406	7.2987	2	3	6	9	13
886	541	5.6636	1	2	4	6	10
887	443	4.5192	1	2	3	5	8
894	4,375	2.9762	1	1	2	3	4
895	5,840	11.8716	3	4	6	8	9
896	7,219	6.4017	1	2	4	5	7
897	36,828	4.0061	1	2	3	5	7
901	753	14.4250	3	4	8	13	18
902	1,683	7.4789	2	3	6	10	22
903	784	4.0676	1	2	3	5	8
904	1,925	10.7075	2	4	7	12	22
905	845	4.4639	1	2	4	6	8
906	777	3.1840	1	1	2	4	6
907	8,523	11.2054	2	4	7	12	17
908	9,447	6.0191	2	3	5	8	17
909	4,627	3.2596	1	1	3	4	6
913	997	5.2076	1	2	3	4	5
914	5,539	3.1760	1	2	3	4	7
915	1,548	4.9774	1	2	3	4	5
916	6,052	2.0744	1	1	2	3	6
917	21,359	5.0514	1	2	3	4	6
918	37,143	2.7088	1	1	2	4	6
919	10,729	6.1071	1	2	4	6	8
920	14,795	4.0742	1	2	3	6	17
921	6,744	2.7693	1	1	2	3	5
922	1,174	5.7777	1	2	2	3	4
923	3,685	3.0445	1	1	3	5	4
927	171	27.2164	7	12	22	36	50
928	938	15.2793	3	7	12	20	30
929	370	7.1243	1	3	5	10	14
933	150	5.4467	1	1	2	5	11
934	612	5.6650	1	2	4	7	11
935	2,139	4.8079	1	2	3	6	10

<b>MS-DRG</b>	<b>Number of Discharges</b>	<b>Arithmetic Mean LOS</b>	<b>10th Percentile</b>	<b>25th Percentile</b>	<b>50th Percentile</b>	<b>75th Percentile</b>	<b>90th Percentile</b>
939	809	10.2831	2	4	6	10	13
940	1,622	5.1998	1	2	4	7	17
941	1,203	2.6101	1	1	2	3	5
945	5,610	10.0086	4	6	8	11	14
946	2,359	7.6176	4	5	6	7	8
947	13,749	4.8729	1	2	3	4	5
948	57,079	3.3551	1	2	3	5	9
949	539	4.1150	1	1	3	5	8
950	222	3.2477	1	1	2	4	5
951	1,014	4.7110	1	1	2	3	6
955	439	11.4829	2	5	9	15	22
956	4,484	8.4817	4	5	6	10	16
957	1,417	14.3931	2	6	11	18	24
958	1,218	9.2348	3	5	8	13	20
959	191	5.7906	1	3	5	7	10
963	1,856	8.4698	1	3	6	9	12
964	2,909	5.4710	2	3	5	8	15
965	854	3.6698	1	2	3	5	6
969	562	17.1085	4	8	13	21	30
970	91	8.1868	2	3	7	15	30
974	5,053	9.7698	2	4	6	9	13
975	3,995	6.3955	2	3	6	13	13
976	1,367	4.3453	1	2	4	5	8
977	3,195	4.9146	1	2	4	6	9
981	24,757	13.8161	4	7	10	15	20
982	17,680	8.1396	2	4	7	13	20
983	4,558	4.0557	1	2	3	5	8
984	450	13.9356	3	6	8	11	12
985	901	8.7026	2	4	9	11	12
986	471	3.8110	1	1	2	5	8
987	7,831	11.6825	3	5	8	12	16
988	9,781	7.0260	2	3	6	11	16
989	3,433	3.2820	1	1	2	4	7
	10,768,556						

Note: This table reflects the totality of claims paid under the IPPS received in the fiscal year, including statistical outliers.