

Data Submission Specifications for the IRF-PAI (V1.12.0)

Detailed Data Specifications Report

Section: Function Modifiers

Item ID: 29A	2
Item ID: 29D	3
Item ID: 30A	4
Item ID: 30D	5
Item ID: 31A	6
Item ID: 31D	7
Item ID: 32A	8
Item ID: 32D	9
Item ID: 33A	10
Item ID: 33D	11
Item ID: 34A	12
Item ID: 34D	13
Item ID: 35A	14
Item ID: 35D	15
Item ID: 36A	16
Item ID: 36D	17
Item ID: 37A	18
Item ID: 37D	19
Item ID: 38A	20
Item ID: 38D	21

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Function Modifiers

Item ID: 29A

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Bladder Level of Assistance: Admission	R29A	Asmt	Code	2	842-843

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Function Modifiers

Item ID: 29D

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Bladder Level of Assistance: Discharge	R29D	Asmt	Code	2	844-845

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Function Modifiers

Item ID: 30A

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Bladder Frequency of Accidents: Admission	R30A	Asmt	Code	2	846-847

Item Values

Value	Value Text
07	No accidents
06	No accidents; uses device such as a catheter
05	One accident in the past 7 days
04	Two accidents in the past 7 days
03	Three accidents in the past 7 days
02	Four accidents in the past 7 days
01	Five or more accidents in the past 7 days

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Function Modifiers

Item ID: 30D

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Bladder Frequency of Accidents: Discharge	R30D	Asmt	Code	2	848-849

Item Values

Value	Value Text
07	No accidents
06	No accidents; uses device such as a catheter
05	One accident in the past 7 days
04	Two accidents in the past 7 days
03	Three accidents in the past 7 days
02	Four accidents in the past 7 days
01	Five or more accidents in the past 7 days

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Function Modifiers

Item ID: 31A

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Bowel Level of Assistance: Admission	R31A	Asmt	Code	2	850-851

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Function Modifiers

Item ID: 31D

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Bowel Level of Assistance: Discharge	R31D	Asmt	Code	2	852-853

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Function Modifiers

Item ID: 32A

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Bowel Frequency of Accidents: Admission	R32A	Asmt	Code	2	854-855

Item Values

Value	Value Text
07	No accidents
06	No accidents; uses device such as a ostomy
05	One accident in the past 7 days
04	Two accidents in the past 7 days
03	Three accidents in the past 7 days
02	Four accidents in the past 7 days
01	Five or more accidents in the past 7 days

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Function Modifiers

Item ID: 32D

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Bowel Frequency of Accidents: Discharge	R32D	Asmt	Code	2	856-857

Item Values

Value	Value Text
07	No accidents
06	No accidents; uses device such as a ostomy
05	One accident in the past 7 days
04	Two accidents in the past 7 days
03	Three accidents in the past 7 days
02	Four accidents in the past 7 days
01	Five or more accidents in the past 7 days

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Function Modifiers

Item ID: 33A

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Tub Transfer: Admission	R33A	Asmt	Code	2	858-859

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
00	Activity does not occur
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1110	Consistency	Fatal	Inconsistent 33A/34A values: One of the admission transfer items must be scored. The other must be skipped with value of [^].

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Function Modifiers

Item ID: 33D

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Tub Transfer: Discharge	R33D	Asmt	Code	2	860-861

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
00	Activity does not occur
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1111	Consistency	Fatal	Inconsistent 33D/34D values: One of the discharge transfer items must be scored. The other must be skipped with value of [^].

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Function Modifiers

Item ID: 34A

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Shower Transfer: Admission	R34A	Asmt	Code	2	862-863

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
00	Activity does not occur
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1110	Consistency	Fatal	Inconsistent 33A/34A values: One of the admission transfer items must be scored. The other must be skipped with value of [^].

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Function Modifiers

Item ID: 34D

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Shower Transfer: Discharge	R34D	Asmt	Code	2	864-865

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
00	Activity does not occur
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1111	Consistency	Fatal	Inconsistent 33D/34D values: One of the discharge transfer items must be scored. The other must be skipped with value of [^].

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Function Modifiers

Item ID: 35A

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Distance Walked: Admission	R35A	Asmt	Code	2	866-867
Item Values					
Value	Value Text				
03	150 feet				
02	50 to 149 feet				
01	Less than 50 feet				
00	Activity does not occur				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
Version Changes					
Type	ID	Description			
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.			

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Function Modifiers

Item ID: 35D

Item Label		XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Distance Walked: Discharge		R35D	Asmt	Code	2	868-869
Item Values						
Value		Value Text				
03		150 feet				
02		50 to 149 feet				
01		Less than 50 feet				
00		Activity does not occur				
Item Edits						
Edit ID	Edit Type	Severity	Edit Text			
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.			
Version Changes						
Type	ID	Description				
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.				

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Function Modifiers

Item ID: 36A

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Distance Traveled in Wheelchair: Admission	R36A	Asmt	Code	2	870-871
Item Values					
Value	Value Text				
03	150 feet				
02	50 to 149 feet				
01	Less than 50 feet				
00	Activity does not occur				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
Version Changes					
Type	ID	Description			
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.			

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Function Modifiers

Item ID: 36D

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Distance Traveled in Wheelchair: Discharge	R36D	Asmt	Code	2	872-873

Item Values

Value	Value Text
03	150 feet
02	50 to 149 feet
01	Less than 50 feet
00	Activity does not occur

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Function Modifiers

Item ID: 37A

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Walk: Admission	R37A	Asmt	Code	2	874-875
Item Values					
Value	Value Text				
07	Complete Independence (Timely, Safely)				
06	Modified Independence (Device)				
05	Supervision (Subject = 100%)				
04	Minimal Assistance (Subject = 75% or more)				
03	Moderate Assistance (Subject = 50% or more)				
02	Maximal Assistance (Subject = 25% or more)				
01	Total Assistance (Subject less than 25%)				
00	Activity does not occur				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
Version Changes					
Type	ID	Description			
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.			

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Function Modifiers

Item ID: 37D

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Walk: Discharge	R37D	Asmt	Code	2	876-877
Item Values					
Value	Value Text				
07	Complete Independence (Timely, Safely)				
06	Modified Independence (Device)				
05	Supervision (Subject = 100%)				
04	Minimal Assistance (Subject = 75% or more)				
03	Moderate Assistance (Subject = 50% or more)				
02	Maximal Assistance (Subject = 25% or more)				
01	Total Assistance (Subject less than 25%)				
00	Activity does not occur				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
Version Changes					
Type	ID	Description			
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.			

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Function Modifiers

Item ID: 38A

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Wheelchair: Admission	R38A	Asmt	Code	2	878-879

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
00	Activity does not occur

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Function Modifiers

Item ID: 38D

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Wheelchair: Discharge	R38D	Asmt	Code	2	880-881

Item Values

Value	Value Text
07	Complete Independence (Timely, Safely)
06	Modified Independence (Device)
05	Supervision (Subject = 100%)
04	Minimal Assistance (Subject = 75% or more)
03	Moderate Assistance (Subject = 50% or more)
02	Maximal Assistance (Subject = 25% or more)
01	Total Assistance (Subject less than 25%)
00	Activity does not occur

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.