

Data Submission Specifications for the IRF-PAI (V1.12.0)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 21A	3
Item ID: 21D	6
Item ID: 22A	9
Item ID: 22B	10
Item ID: 22C	11
Item ID: 23	12
Item ID: 24A	13
Item ID: 24B	14
Item ID: 24C	15
Item ID: 24D	16
Item ID: 24E	17
Item ID: 24F.....	18
Item ID: 24G.....	19
Item ID: 24H	20
Item ID: 24I	21
Item ID: 24J	22
Item ID: 24K	23
Item ID: 24L.....	24
Item ID: 24M	25
Item ID: 24N.....	26
Item ID: 24O.....	27
Item ID: 24P	28
Item ID: 24Q.....	29
Item ID: 24R	30
Item ID: 24S.....	31
Item ID: 24T	32

Data Submission Specifications for the IRF-PAI (V1.12.1)
Detailed Data Specifications Report
Section: Medical Information

Item ID: 24U	33
Item ID: 24V	34
Item ID: 24W	35
Item ID: 24X	36
Item ID: 24Y	37
Item ID: 24A1	38
Item ID: 25A	39
Item ID: 26A	40
Item ID: 27A	41
Item ID: 27D	42

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 21A

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Impairment Group: Admission	R21A	Asmt	Code	9	720-728
Item Values					
Value	Value Text				
0001.1	Stroke: Left Body Involvement (Right Brain)				
0001.2	Stroke: Right Body Involvement (Left Brain)				
0001.3	Stroke: Bilateral Involvement				
0001.4	Stroke: No Paresis				
0001.9	Stroke: Other Stroke				
0002.1	Brain Dysfunction: Non-traumatic				
0002.21	Brain Dysfunction: Traumatic, Open Injury				
0002.22	Brain Dysfunction: Traumatic, Closed Injury				
0002.9	Brain Dysfunction: Other Brain				
0003.1	Neurologic Conditions: Multiple Sclerosis				
0003.2	Neurologic Conditions: Parkinsonism				
0003.3	Neurologic Conditions: Polyneuropathy				
0003.4	Neurologic Conditions: Guillain-Barré Syndrome				
0003.5	Neurologic Conditions: Cerebral Palsy				
0003.8	Neurologic Conditions: Neuromuscular Disorders				
0003.9	Neurologic Conditions: Other Neurologic				
0004.110	Spinal Cord Dysfunction, Non-Traumatic: Paraplegia, Unspecified				
0004.111	Spinal Cord Dysfunction, Non-Traumatic: Paraplegia, Incomplete				
0004.112	Spinal Cord Dysfunction, Non-Traumatic: Paraplegia, Complete				
0004.120	Spinal Cord Dysfunction, Non-Traumatic: Quadriplegia, Unspecified				
0004.1211	Spinal Cord Dysfunction, Non-Traumatic: Quadriplegia, Incomplete C1-4				
0004.1212	Spinal Cord Dysfunction, Non-Traumatic: Quadriplegia, Incomplete C5-8				
0004.1221	Spinal Cord Dysfunction, Non-Traumatic: Quadriplegia, Complete C1-4				
0004.1222	Spinal Cord Dysfunction, Non-Traumatic: Quadriplegia, Complete C5-8				
0004.130	Spinal Cord Dysfunction, Non-Traumatic: Other Non-Traumatic Spinal Cord Dysfunction				
0004.210	Spinal Cord Dysfunction, Traumatic: Paraplegia, Unspecified				
0004.211	Spinal Cord Dysfunction, Traumatic: Paraplegia, Incomplete				
0004.212	Spinal Cord Dysfunction, Traumatic: Paraplegia, Complete				
0004.220	Spinal Cord Dysfunction, Traumatic: Quadriplegia, Unspecified				
0004.2211	Spinal Cord Dysfunction, Traumatic: Quadriplegia, Incomplete C1-4				
0004.2212	Spinal Cord Dysfunction, Traumatic: Quadriplegia, Incomplete C5-8				
0004.2221	Spinal Cord Dysfunction, Traumatic: Quadriplegia, Complete C1-4				

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

0004.2222	Spinal Chord Dysfunction, Traumatic: Quadriplegia, Complete C5-8
0004.230	Spinal Chord Dysfunction, Traumatic: Other Traumatic Spinal Cord Dysfunction
0005.1	Amputation: Unilateral Upper Limb Above the Elbow (AE)
0005.2	Amputation: Unilateral Upper Limb Below the Elbow (BE)
0005.3	Amputation: Unilateral Lower Limb Above the Knee (AK)
0005.4	Amputation: Unilateral Lower Limb Below the Knee (BK)
0005.5	Amputation: Bilateral Lower Limb Above the Knee (AK/AK)
0005.6	Amputation: Bilateral Lower Limb Above/Below the Knee (AK/BK)
0005.7	Amputation: Bilateral Lower Limb Below the Knee (BK/BK)
0005.9	Amputation: Other Amputation
0006.1	Arthritis: Rheumatoid Arthritis
0006.2	Arthritis: Osteoarthritis
0006.9	Arthritis: Other Arthritis
0007.1	Pain Syndromes: Neck Pain
0007.2	Pain Syndromes: Back Pain
0007.3	Pain Syndromes: Limb Pain
0007.9	Pain Syndromes: Other Pain
0008.11	Orthopaedic Disorders: Status Post Unilateral Hip Fracture
0008.12	Orthopaedic Disorders: Status Post Bilateral Hip Fractures
0008.2	Orthopaedic Disorders: Status Post Femur (Shaft) Fracture
0008.3	Orthopaedic Disorders: Status Post Pelvic Fracture
0008.4	Orthopaedic Disorders: Status Post Major Multiple Fractures
0008.51	Orthopaedic Disorders: Status Post Unilateral Hip Replacement
0008.52	Orthopaedic Disorders: Status Post Bilateral Hip Replacements
0008.61	Orthopaedic Disorders: Status Post Unilateral Knee Replacement
0008.62	Orthopaedic Disorders: Status Post Bilateral Knee Replacements
0008.71	Orthopaedic Disorders: Status Post Knee and Hip Replacements (Same Side)
0008.72	Orthopaedic Disorders: Status Post Knee and Hip Replacements (Different Sides)
0008.9	Orthopaedic Disorders: Other Orthopaedic
0009	Cardiac
0010.1	Pulmonary Disorders: Chronic Obstructive Pulmonary Disease
0010.9	Pulmonary Disorders: Other Pulmonary
0011	Burns
0012.1	Congenital Deformities: Spina Bifida
0012.9	Congenital Deformities: Other Congenital
0013	Other Disabling Impairments
0014.1	Major Multiple Trauma: Brain + Spinal Cord Injury
0014.2	Major Multiple Trauma: Brain + Multiple Fracture/Amputation
0014.3	Major Multiple Trauma: Spinal Cord + Multiple Fracture/Amputation
0014.9	Major Multiple Trauma: Other Multiple Trauma

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

0015	Developmental Disability
0016	Debility (Non-cardiac, Non-pulmonary)
0017.1	Medically Complex: Infections
0017.2	Medically Complex: Neoplasms
0017.31	Medically Complex: Nutrition with Intubation/Parenteral Nutrition
0017.32	Medically Complex: Nutrition without Intubation/Parenteral Nutrition
0017.4	Medically Complex: Circulatory Disorders
0017.51	Medically Complex: Respiratory Disorders – Ventilator Dependent
0017.52	Medically Complex: Respiratory Disorders - Non-ventilator Dependent
0017.6	Medically Complex: Terminal Care
0017.7	Medically Complex: Skin Disorders
0017.8	Medically Complex: Medical/Surgical Complications
0017.9	Medically Complex: Other Medically Complex Conditions

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Item	21A	[V1.12.0]-Revised valid values: 0004.11 corrected to 0004.110 0004.12 corrected to 0004.120 0004.13 corrected to 0004.130 0004.21 corrected to 0004.210 0004.22 corrected to 0004.220 0004.23 corrected to 0004.230
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 21D

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Impairment Group: Discharge	R21D	Asmt	Code	9	729-737
Item Values					
Value	Value Text				
0001.1	Stroke: Left Body Involvement (Right Brain)				
0001.2	Stroke: Right Body Involvement (Left Brain)				
0001.3	Stroke: Bilateral Involvement				
0001.4	Stroke: No Paresis				
0001.9	Stroke: Other Stroke				
0002.1	Brain Dysfunction: Non-traumatic				
0002.21	Brain Dysfunction: Traumatic, Open Injury				
0002.22	Brain Dysfunction: Traumatic, Closed Injury				
0002.9	Brain Dysfunction: Other Brain				
0003.1	Neurologic Conditions: Multiple Sclerosis				
0003.2	Neurologic Conditions: Parkinsonism				
0003.3	Neurologic Conditions: Polyneuropathy				
0003.4	Neurologic Conditions: Guillain-Barre Syndrome				
0003.5	Neurologic Conditions: Cerebral Palsy				
0003.8	Neurologic Conditions: Neuromuscular Disorders				
0003.9	Neurologic Conditions: Other Neurologic				
0004.110	Spinal Cord Dysfunction, Non-Traumatic: Paraplegia, Unspecified				
0004.111	Spinal Cord Dysfunction, Non-Traumatic: Paraplegia, Incomplete				
0004.112	Spinal Cord Dysfunction, Non-Traumatic: Paraplegia, Complete				
0004.120	Spinal Cord Dysfunction, Non-Traumatic: Quadriplegia, Unspecified				
0004.1211	Spinal Cord Dysfunction, Non-Traumatic: Quadriplegia, Incomplete C1-4				
0004.1212	Spinal Cord Dysfunction, Non-Traumatic: Quadriplegia, Incomplete C5-8				
0004.1221	Spinal Cord Dysfunction, Non-Traumatic: Quadriplegia, Complete C1-4				
0004.1222	Spinal Cord Dysfunction, Non-Traumatic: Quadriplegia, Complete C5-8				
0004.130	Spinal Cord Dysfunction, Non-Traumatic: Other Non-Traumatic Spinal Cord Dysfunction				
0004.210	Spinal Cord Dysfunction, Traumatic: Paraplegia, Unspecified				
0004.211	Spinal Cord Dysfunction, Traumatic: Paraplegia, Incomplete				
0004.212	Spinal Cord Dysfunction, Traumatic: Paraplegia, Complete				
0004.220	Spinal Cord Dysfunction, Traumatic: Quadriplegia, Unspecified				
0004.2211	Spinal Cord Dysfunction, Traumatic: Quadriplegia, Incomplete C1-4				
0004.2212	Spinal Cord Dysfunction, Traumatic: Quadriplegia, Incomplete C5-8				
0004.2221	Spinal Cord Dysfunction, Traumatic: Quadriplegia, Complete C1-4				

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

0004.2222	Spinal Chord Dysfunction, Traumatic: Quadriplegia, Complete C5-8
0004.230	Spinal Chord Dysfunction, Traumatic: Other Traumatic Spinal Cord Dysfunction
0005.1	Amputation: Unilateral Upper Limb Above the Elbow (AE)
0005.2	Amputation: Unilateral Upper Limb Below the Elbow (BE)
0005.3	Amputation: Unilateral Lower Limb Above the Knee (AK)
0005.4	Amputation: Unilateral Lower Limb Below the Knee (BK)
0005.5	Amputation: Bilateral Lower Limb Above the Knee (AK/AK)
0005.6	Amputation: Bilateral Lower Limb Above/Below the Knee (AK/BK)
0005.7	Amputation: Bilateral Lower Limb Below the Knee (BK/BK)
0005.9	Amputation: Other Amputation
0006.1	Arthritis: Rheumatoid Arthritis
0006.2	Arthritis: Osteoarthritis
0006.9	Arthritis: Other Arthritis
0007.1	Pain Syndromes: Neck Pain
0007.2	Pain Syndromes: Back Pain
0007.3	Pain Syndromes: Limb Pain
0007.9	Pain Syndromes: Other Pain
0008.11	Orthopaedic Disorders: Status Post Unilateral Hip Fracture
0008.12	Orthopaedic Disorders: Status Post Bilateral Hip Fractures
0008.2	Orthopaedic Disorders: Status Post Femur (Shaft) Fracture
0008.3	Orthopaedic Disorders: Status Post Pelvic Fracture
0008.4	Orthopaedic Disorders: Status Post Major Multiple Fractures
0008.51	Orthopaedic Disorders: Status Post Unilateral Hip Replacement
0008.52	Orthopaedic Disorders: Status Post Bilateral Hip Replacements
0008.61	Orthopaedic Disorders: Status Post Unilateral Knee Replacement
0008.62	Orthopaedic Disorders: Status Post Bilateral Knee Replacements
0008.71	Orthopaedic Disorders: Status Post Knee and Hip Replacements (Same Side)
0008.72	Orthopaedic Disorders: Status Post Knee and Hip Replacements (Different Sides)
0008.9	Orthopaedic Disorders: Other Orthopaedic
0009	Cardiac
0010.1	Pulmonary Disorders: Chronic Obstructive Pulmonary Disease
0010.9	Pulmonary Disorders: Other Pulmonary
0011	Burns
0012.1	Congenital Deformities: Spina Bifida
0012.9	Congenital Deformities: Other Congenital
0013	Other Disabling Impairments
0014.1	Major Multiple Trauma: Brain + Spinal Cord Injury
0014.2	Major Multiple Trauma: Brain + Multiple Fracture/Amputation
0014.3	Major Multiple Trauma: Spinal Cord + Multiple Fracture/Amputation
0014.9	Major Multiple Trauma: Other Multiple Trauma

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

0015	Developmental Disability
0016	Debility (Non-cardiac, Non-pulmonary)
0017.1	Medically Complex: Infections
0017.2	Medically Complex: Neoplasms
0017.31	Medically Complex: Nutrition with Intubation/Parenteral Nutrition
0017.32	Medically Complex: Nutrition without Intubation/Parenteral Nutrition
0017.4	Medically Complex: Circulatory Disorders
0017.51	Medically Complex: Respiratory Disorders – Ventilator Dependent
0017.52	Medically Complex: Respiratory Disorders - Non-ventilator Dependent
0017.6	Medically Complex: Terminal Care
0017.7	Medically Complex: Skin Disorders
0017.8	Medically Complex: Medical/Surgical Complications
0017.9	Medically Complex: Other Medically Complex Conditions

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Item	21D	[V1.12.0]-Revised valid values: 0004.11 corrected to 0004.110 0004.12 corrected to 0004.120 0004.13 corrected to 0004.130 0004.21 corrected to 0004.210 0004.22 corrected to 0004.220 0004.23 corrected to 0004.230
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 22A

Item Label		XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Etiologic Diagnosis Code A (ICD Code)		R22A	Asmt	ICD	8	1426-1433
Item Values						
Value	Value Text					
ICD	Valid ICD Code					
Item Edits						
Edit ID	Edit Type	Severity	Edit Text			
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].			
-1014	Consistency	Fatal	Required Item Is blank: The value for this item is blank. Update the value in your IRF-PAI encoding software and resubmit the record.			
-1127	Consistency	Fatal	ICD-10-CM Codes Not Allowed: This item cannot contain the following ICD-10-CM codes: V00.01 through Y99.9			
Version Changes						
Type	ID	Description				
Item	22A	[V1.12.0]-New item. (Replaces Item 22)				
Format	-1100	[V1.12.0]-New edit.				
Consistency	-1127	[V1.12.0]-New edit.				

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 22B

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Etiologic Diagnosis Code B (ICD Code)	R22B	Asmt	ICD	8	1313-1320
Item Values					
Value	Value Text				
^	No info				
ICD	Valid ICD Code				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].		
-1127	Consistency	Fatal	ICD-10-CM Codes Not Allowed: This item cannot contain the following ICD-10-CM codes: V00.01 through Y99.9		
-1128	Consistency	Fatal	Inconsistent Etiologic Diagnosis ICD codes. If Item 22B is "No information" [^], then Item 22C must be "No information" [^].		
Version Changes					
Type	ID	Description			
Item	22B	[V1.12.0]-New Item.			
Format	-1100	[V1.12.0]-New edit.			
Consistency	-1127	[V1.12.0]-New edit.			
Consistency	-1128	[V1.12.0]-New edit.			

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 22C

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Etiologic Diagnosis Code C (ICD Code)	R22C	Asmt	ICD	8	1321-1328
Item Values					
Value	Value Text				
^	No info				
ICD	Valid ICD Code				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].		
-1127	Consistency	Fatal	ICD-10-CM Codes Not Allowed: This item cannot contain the following ICD-10-CM codes: V00.01 through Y99.9		
-1128	Consistency	Fatal	Inconsistent Etiologic Diagnosis ICD codes. If Item 22B is "No information" [^], then Item 22C must be "No information" [^].		
Version Changes					
Type	ID	Description			
Item	22C	[V1.12.0]-New Item.			
Format	-1100	[V1.12.0]-New edit.			
Consistency	-1127	[V1.12.0]-New edit.			
Consistency	-1128	[V1.12.0]-New edit.			

Data Submission Specifications for the IRF-PAI (V1.12.1)
Detailed Data Specifications Report
Section: Medical Information

Item ID: 23

Item Label		XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Date of Onset		R23	Asmt	Date	8	746-753
Item Values						
Value	Value Text					
YYYYMMDD	Date of Onset					
^	No information					
Item Edits						
Edit ID	Edit Type	Severity	Edit Text			
-1045	Format	Fatal	Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values.			
-1047	Consistency	Fatal	Dates Out of Order: The submitted dates are out of order or in the future. These dates must occur chronologically as follows: Birth Date (6) <= Date of Onset (23) <= Admission Date (12) <= Assessment Reference Date (13) <= Discharge Date (40) <= Submission Date (SUBMISSION_DATE)			

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 24A

Item Label				XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Comorbid Condition 1 (ICD Code)				R24A	Asmt	ICD	8	754-761
Item Values								
Value		Value Text						
ICD		Valid ICD Code						
^		No information						
Item Edits								
Edit ID	Edit Type	Severity	Edit Text					
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].					
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a cormorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].					
Version Changes								
Type	ID	Description						
Item	24A	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes). [V1.12.0]-Edit -1112 text revised (item list removed from text.						
Format	-1100	[V1.12.0]-New edit.						

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 24B

Item Label				XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Comorbid Condition 2 (ICD Code)				R24B	Asmt	ICD	8	762-769
Item Values								
Value		Value Text						
ICD		Valid ICD Code						
^		No information						
Item Edits								
Edit ID	Edit Type	Severity	Edit Text					
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].					
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a cormorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].					
Version Changes								
Type	ID	Description						
Item	24B	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes). [V1.12.0]-Edit -1112 text revised (item list removed from text.						
Format	-1100	[V1.12.0]-New edit.						

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 24C

Item Label				XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Comorbid Condition 3 (ICD Code)				R24C	Asmt	ICD	8	770-777
Item Values								
Value		Value Text						
ICD		Valid ICD Code						
^		No information						
Item Edits								
Edit ID	Edit Type	Severity	Edit Text					
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].					
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a cormorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].					
Version Changes								
Type	ID	Description						
Item	24C	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes). [V1.12.0]-Edit -1112 text revised (item list removed from text.						
Format	-1100	[V1.12.0]-New edit.						

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 24D

				Item	Item	Max	Fixed Format
Item Label				Group	Type	Length	Start-End
Comorbid Condition 4 (ICD Code)				Asmt	ICD	8	778-785
Item Values							
Value		Value Text					
ICD		Valid ICD Code					
^		No information					
Item Edits							
Edit ID	Edit Type	Severity	Edit Text				
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].				
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a cormorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].				
Version Changes							
Type	ID	Description					
Item	24D	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes). [V1.12.0]-Edit -1112 text revised (item list removed from text.					
Format	-1100	[V1.12.0]-New edit.					

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 24E

				Item	Item	Max	Fixed Format
Item Label				Group	Type	Length	Start-End
Comorbid Condition 5 (ICD Code)				Asmt	ICD	8	786-793
Item Values							
Value		Value Text					
ICD		Valid ICD Code					
^		No information					
Item Edits							
Edit ID	Edit Type	Severity	Edit Text				
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].				
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a cormorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].				
Version Changes							
Type	ID	Description					
Item	24E	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes). [V1.12.0]-Edit -1112 text revised (item list removed from text.					
Format	-1100	[V1.12.0]-New edit.					

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 24F

Item Label		XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Comorbid Condition 6 (ICD Code)		R24F	Asmt	ICD	8	794-801
Item Values						
Value		Value Text				
ICD		Valid ICD Code				
^		No information				
Item Edits						
Edit ID	Edit Type	Severity	Edit Text			
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].			
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a cormorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].			
Version Changes						
Type	ID	Description				
Item	24F	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes). [V1.12.0]-Edit -1112 text revised (item list removed from text.				
Format	-1100	[V1.12.0]-New edit.				

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 24G

Item Label		XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Comorbid Condition 7 (ICD Code)		R24G	Asmt	ICD	8	802-809
Item Values						
Value		Value Text				
ICD		Valid ICD Code				
^		No information				
Item Edits						
Edit ID	Edit Type	Severity	Edit Text			
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].			
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a cormorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].			
Version Changes						
Type	ID	Description				
Item	24G	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes). [V1.12.0]-Edit -1112 text revised (item list removed from text.				
Format	-1100	[V1.12.0]-New edit.				

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 24H

Item Label		XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Comorbid Condition 8 (ICD Code)		R24H	Asmt	ICD	8	810-817
Item Values						
Value		Value Text				
ICD		Valid ICD Code				
^		No information				
Item Edits						
Edit ID	Edit Type	Severity	Edit Text			
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].			
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a cormorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].			
Version Changes						
Type	ID	Description				
Item	24H	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes). [V1.12.0]-Edit -1112 text revised (item list removed from text.				
Format	-1100	[V1.12.0]-New edit.				

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 24I

Item Label				XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Comorbid Condition 9 (ICD Code)				R24I	Asmt	ICD	8	818-825
Item Values								
Value		Value Text						
ICD		Valid ICD Code						
^		No information						
Item Edits								
Edit ID	Edit Type	Severity	Edit Text					
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].					
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a cormorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].					
Version Changes								
Type	ID	Description						
Item	24I	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes). [V1.12.0]-Edit -1112 text revised (item list removed from text.						
Format	-1100	[V1.12.0]-New edit.						

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 24J

Item Label		XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Comorbid Condition 10 (ICD Code)		R24J	Asmt	ICD	8	826-833
Item Values						
Value		Value Text				
ICD		Valid ICD Code				
^		No information				
Item Edits						
Edit ID	Edit Type	Severity	Edit Text			
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].			
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a cormorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].			
Version Changes						
Type	ID	Description				
Item	24J	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes). [V1.12.0]-Edit -1112 text revised (item list removed from text.				
Format	-1100	[V1.12.0]-New edit.				

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 24K

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Comorbid Condition 11 (ICD Code)	R24K	Asmt	ICD	8	1132-1139
Item Values					
Value	Value Text				
ICD	Valid ICD Code				
^	No information				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].		
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a cormorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].		
Version Changes					
Type	ID	Description			
Item	24K	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes). [V1.12.0]-Edit -1112 text revised (item list removed from text.			
Format	-1100	[V1.12.0]-New edit.			

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 24L

				Item	Item	Max	Fixed Format
Item Label				Group	Type	Length	Start-End
Comorbid Condition 12 (ICD Code)				Asmt	ICD	8	1140-1147
Item Values							
Value		Value Text					
ICD		Valid ICD Code					
^		No information					
Item Edits							
Edit ID	Edit Type	Severity	Edit Text				
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].				
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a cormorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].				
Version Changes							
Type	ID	Description					
Item	24L	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes). [V1.12.0]-Edit -1112 text revised (item list removed from text.					
Format	-1100	[V1.12.0]-New edit.					

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 24M

Item Label		XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Comorbid Condition 13 (ICD Code)		R24M	Asmt	ICD	8	1148-1155
Item Values						
Value		Value Text				
ICD		Valid ICD Code				
^		No information				
Item Edits						
Edit ID	Edit Type	Severity	Edit Text			
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].			
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a cormorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].			
Version Changes						
Type	ID	Description				
Item	24M	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes). [V1.12.0]-Edit -1112 text revised (item list removed from text.				
Format	-1100	[V1.12.0]-New edit.				

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 24N

Item Label				XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Comorbid Condition 14 (ICD Code)				R24N	Asmt	ICD	8	1156-1163
Item Values								
Value		Value Text						
ICD		Valid ICD Code						
^		No information						
Item Edits								
Edit ID	Edit Type	Severity	Edit Text					
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].					
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a cormorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].					
Version Changes								
Type	ID	Description						
Item	24N	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes).						
Format	-1100	[V1.12.0]-Edit -1112 text revised (item list removed from text. [V1.12.0]-New edit.						

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 24O

				Item	Item	Max	Fixed Format
Item Label				Group	Type	Length	Start-End
Comorbid Condition 15 (ICD Code)				Asmt	ICD	8	1164-1171
Item Values							
Value		Value Text					
ICD		Valid ICD Code					
^		No information					
Item Edits							
Edit ID	Edit Type	Severity	Edit Text				
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].				
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a cormorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].				
Version Changes							
Type	ID	Description					
Item	24O	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes). [V1.12.0]-Edit -1112 text revised (item list removed from text.					
Format	-1100	[V1.12.0]-New edit.					

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 24P

Item Label		XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Comorbid Condition 16 (ICD Code)		R24P	Asmt	ICD	8	1172-1179
Item Values						
Value		Value Text				
ICD		Valid ICD Code				
^		No information				
Item Edits						
Edit ID	Edit Type	Severity	Edit Text			
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].			
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a cormorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].			
Version Changes						
Type	ID	Description				
Item	24P	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes). [V1.12.0]-Edit -1112 text revised (item list removed from text.				
Format	-1100	[V1.12.0]-New edit.				

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 24Q

Item Label		XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Comorbid Condition 17 (ICD Code)		R24Q	Asmt	ICD	8	1180-1187
Item Values						
Value		Value Text				
ICD		Valid ICD Code				
^		No information				
Item Edits						
Edit ID	Edit Type	Severity	Edit Text			
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].			
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a cormorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].			
Version Changes						
Type	ID	Description				
Item	24Q	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes). [V1.12.0]-Edit -1112 text revised (item list removed from text.				
Format	-1100	[V1.12.0]-New edit.				

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 24R

Item Label		XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Comorbid Condition 18 (ICD Code)		R24R	Asmt	ICD	8	1188-1195
Item Values						
Value		Value Text				
ICD		Valid ICD Code				
^		No information				
Item Edits						
Edit ID	Edit Type	Severity	Edit Text			
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].			
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a cormorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].			
Version Changes						
Type	ID	Description				
Item	24R	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes). [V1.12.0]-Edit -1112 text revised (item list removed from text.				
Format	-1100	[V1.12.0]-New edit.				

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 24S

Item Label		XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Comorbid Condition 19 (ICD Code)		R24S	Asmt	ICD	8	1196-1203
Item Values						
Value		Value Text				
ICD		Valid ICD Code				
^		No information				
Item Edits						
Edit ID	Edit Type	Severity	Edit Text			
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].			
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a cormorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].			
Version Changes						
Type	ID	Description				
Item	24S	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes). [V1.12.0]-Edit -1112 text revised (item list removed from text.				
Format	-1100	[V1.12.0]-New edit.				

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 24T

Item Label				XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Comorbid Condition 20 (ICD Code)				R24T	Asmt	ICD	8	1204-1211
Item Values								
Value		Value Text						
ICD		Valid ICD Code						
^		No information						
Item Edits								
Edit ID	Edit Type	Severity	Edit Text					
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].					
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a cormorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].					
Version Changes								
Type	ID	Description						
Item	24T	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes). [V1.12.0]-Edit -1112 text revised (item list removed from text.						
Format	-1100	[V1.12.0]-New edit.						

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 24U

Item Label				XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Comorbid Condition 21 (ICD Code)				R24U	Asmt	ICD	8	1212-1219
Item Values								
Value		Value Text						
ICD		Valid ICD Code						
^		No information						
Item Edits								
Edit ID	Edit Type	Severity	Edit Text					
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].					
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a cormorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].					
Version Changes								
Type	ID	Description						
Item	24U	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes).						
Format	-1100	[V1.12.0]-Edit -1112 text revised (item list removed from text. [V1.12.0]-New edit.						

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 24V

Item Label				XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Comorbid Condition 22 (ICD Code)				R24V	Asmt	ICD	8	1220-1227
Item Values								
Value		Value Text						
ICD		Valid ICD Code						
^		No information						
Item Edits								
Edit ID	Edit Type	Severity	Edit Text					
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].					
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a cormorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].					
Version Changes								
Type	ID	Description						
Item	24V	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes). [V1.12.0]-Edit -1112 text revised (item list removed from text.						
Format	-1100	[V1.12.0]-New edit.						

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 24W

Item Label				XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Comorbid Condition 23 (ICD Code)				R24W	Asmt	ICD	8	1228-1235
Item Values								
Value		Value Text						
ICD		Valid ICD Code						
^		No information						
Item Edits								
Edit ID	Edit Type	Severity	Edit Text					
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].					
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a cormorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].					
Version Changes								
Type	ID	Description						
Item	24W	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes). [V1.12.0]-Edit -1112 text revised (item list removed from text.						
Format	-1100	[V1.12.0]-New edit.						

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 24X

Item Label				XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Comorbid Condition 24 (ICD Code)				R24X	Asmt	ICD	8	1236-1243
Item Values								
Value		Value Text						
ICD		Valid ICD Code						
^		No information						
Item Edits								
Edit ID	Edit Type	Severity	Edit Text					
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].					
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a cormorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].					
Version Changes								
Type	ID	Description						
Item	24X	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes). [V1.12.0]-Edit -1112 text revised (item list removed from text.						
Format	-1100	[V1.12.0]-New edit.						

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 24Y

Item Label				XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Comorbid Condition 25 (ICD Code)				R24Y	Asmt	ICD	8	1244-1251
Item Values								
Value		Value Text						
ICD		Valid ICD Code						
^		No information						
Item Edits								
Edit ID	Edit Type	Severity	Edit Text					
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].					
-1112	Consistency	Fatal	Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a cormorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].					
Version Changes								
Type	ID	Description						
Item	24Y	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes). [V1.12.0]-Edit -1112 text revised (item list removed from text.						
Format	-1100	[V1.12.0]-New edit.						

Data Submission Specifications for the IRF-PAI (V1.12.1)
Detailed Data Specifications Report
Section: Medical Information

Item ID: 24A1

Item Label		XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Arthritis Conditions Recorded		R24A1	Asmt	Code	1	1329-1329
Item Values						
Value		Value Text				
1		Yes				
0		No				
Item Edits						
Edit ID	Edit Type	Severity	Edit Text			
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.			
Version Changes						
Type	ID	Description				
Item	24A1	[V1.12.0]-New item.				
		[V1.12.1]-XML Tag corrected from “R241” to “R24A1”.				
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.				

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 25A

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Height	R25A	Asmt	Number	2	1252-1253
Item Values					
Value	Value Text				
00	Minimum value				
99	Maximum value				
-	Not assessed/no information				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.		
Version Changes					
Type	ID	Description			
Item	25A	[V1.12.0]-Edit-5004 added.			
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.			
Consistency	-5004	[V1.12.0]-Revised to not apply to O0250A, O0250B and O0250C.			

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 26A

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Weight	R26A	Asmt	Number	3	1254-1256

Item Values

Value	Value Text
000	Minimum value
999	Maximum value
-	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.

Version Changes

Type	ID	Description
Item	26A	[V1.12.0]-Edit-5004 added.
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5004	[V1.12.0]-Revised to not apply to O0250A, O0250B and O0250C.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 27A

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Swallowing Status: Admission	R27A	Asmt	Code	2	836-837
Item Values					
Value	Value Text				
03	Regular Food				
02	Modified Food Consistency/Supervision				
01	Tube/Parenteral Feeding				
^	No information				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
Version Changes					
Type	ID	Description			
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.			

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Medical Information

Item ID: 27D

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Swallowing Status: Discharge	R27D	Asmt	Code	2	838-839
Item Values					
Value	Value Text				
03	Regular Food				
02	Modified Food Consistency/Supervision				
01	Tube/Parenteral Feeding				
^	No information				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
Version Changes					
Type	ID	Description			
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.			