

The Centers for Medicare & Medicaid Services' Office of Research, Development, and Information (ORDI) strives to make information available to all. Nevertheless, portions of our files including charts, tables, and graphics may be difficult to read using assistive technology.

HIP and KNEE REPLACEMENT
CMS/Premier Hospital Quality Incentive Demonstration Project – Year 4
Participants in Hip and Knee Replacement

- † Hospital received Attainment Award
- * Hospital received Top Performer Award
- ◆ Hospital received Improvement Award

Date range = Acute care inpatient discharges from October 1, 2006 - September 30, 2007
Low Sample (10 or Less) = Hospital provided service, but had ten (10) eligible patients or less during this date range
Data sorted by State (ascending order) then City (ascending order)

State	City	Hospital	CMS Certification Number	Prophylactic antibiotic received within 1 hour prior to surgical incision % Patients Received	Prophylactic antibiotic selection for surgical patients % Patients Received	Prophylactic antibiotic discontinued within 24 hours after surgery end time % Patients Received	Post-op physiologic /metabolic derangement avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Post-op hemorrhage /hematoma avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Readmission (30 day) avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Hip/Knee Replacement patients with recommended venous thrombo- embolism (VTE) prophylaxis ordered % Patients Received	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time % Patients Received	Total Case Count
AL	Dothan	SOUTHEAST ALABAMA MEDICAL CENTER*†	010001	100.00%	100.00%	97.68%	100.00%	100.00%	97.09%	100.00%	97.14%	328
AL	Opelika	EAST ALABAMA MEDICAL CENTER AND SNF*†	010029	99.75%	99.75%	96.52%	100.00%	101.33%	101.22%	99.35%	98.37%	422
AR	Pine Bluff	JEFFERSON REGIONAL MED CENTER-AR†	040071	98.35%	90.08%	85.53%	100.00%	100.00%	100.40%	100.00%	92.13%	257
CA	Apple Valley	ST MARY MEDICAL CENTER	050300	89.20%	95.77%	63.46%	100.00%	100.00%	85.58%	82.05%	78.85%	227
CA	Bakersfield	SAN JOAQUIN COMMUNITY HOSPITAL	050455	80.88%	97.79%	87.22%	100.00%	100.00%	88.94%	99.04%	96.15%	140
CA	Escondido	PALOMAR MEDICAL CENTER†	050115	94.12%	100.00%	97.77%	100.00%	100.00%	98.55%	99.51%	99.51%	282
CA	Fullerton	ST JUDE MEDICAL CENTER†	050168	97.97%	98.99%	97.42%	100.00%	100.00%	98.73%	96.14%	90.68%	430
CA	Gilroy	SAINT LOUISE REGIONAL HOSPITAL	050688	91.80%	96.88%	76.67%	100.00%	100.00%	96.07%	100.00%	100.00%	68

State	City	Hospital	CMS Certification Number	Prophylactic antibiotic received within 1 hour prior to surgical incision % Patients Received	Prophylactic antibiotic selection for surgical patients % Patients Received	Prophylactic antibiotic discontinued within 24 hours after surgery end time % Patients Received	Post-op physiologic /metabolic derangement avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Post-op hemorrhage /hematoma avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Readmission (30 day) avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Hip/Knee Replacement patients with recommended venous thrombo- embolism (VTE) prophylaxis ordered % Patients Received	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time % Patients Received	Total Case Count
CA	Glendale	GLENDALE ADVENTIST MEDICAL CENTER	050239	97.86%	99.47%	60.23%	100.00%	100.00%	95.83%	91.11%	76.30%	202
CA	Los Angeles	WHITE MEMORIAL MEDICAL CENTER†◆	050103	99.38%	99.38%	94.70%	100.00%	100.00%	92.33%	100.00%	94.49%	166
CA	Los Angeles	SAINT VINCENT MEDICAL CENTER†◆	050502	96.46%	99.49%	78.76%	100.00%	100.00%	98.71%	81.44%	74.23%	210
CA	Lynwood	ST FRANCIS MEDICAL CENTER*†	050104	97.87%	100.00%	97.87%	100.00%	100.00%	Low Sample (10 or less)	100.00%	90.63%	52
CA	Orange	ST JOSEPH HOSPITAL†	050069	97.55%	99.51%	93.84%	100.00%	100.67%	100.32%	98.57%	87.12%	870
CA	Paradise	FEATHER RIVER HOSPITAL†	050225	95.33%	98.67%	93.06%	100.00%	100.00%	100.61%	99.11%	96.43%	157
CA	Poway	POMERADO HOSPITAL†	050636	95.58%	97.59%	99.60%	100.00%	100.00%	97.94%	81.48%	80.95%	250
CA	Saint Helena	ST HELENA HOSPITAL*†	050013	100.00%	100.00%	97.62%	100.00%	100.00%	104.33%	100.00%	96.97%	43
CA	San Jose	O'CONNOR HOSPITAL†	050153	97.49%	100.00%	92.93%	100.00%	100.00%	99.84%	92.06%	82.54%	203
CA	Simi Valley	SIMI VALLEY HOSPITAL & HEALTH CARE SVC	050236	86.49%	81.08%	60.00%	100.00%	100.00%	96.58%	86.36%	86.36%	39
CA	Sonora	SONORA REGIONAL MEDICAL CENTER*†	050335	94.67%	99.56%	98.67%	100.00%	100.00%	101.38%	98.73%	98.73%	232
CO	Grand Junction	ST MARYS HOSPITAL AND MEDICAL CENTER*†	060023	98.55%	99.13%	97.08%	100.00%	100.00%	98.63%	99.60%	99.20%	357
FL	Clearwater	MORTON PLANT HOSPITAL†	100127	94.49%	98.83%	94.79%	100.00%	100.56%	97.59%	95.12%	93.45%	908
FL	Dunedin	MEASE HEALTHCARE DUNEDIN†	100043	97.77%	100.00%	91.12%	100.00%	100.00%	96.42%	98.41%	96.03%	189
FL	Hollywood	MEMORIAL REGIONAL HOSPITAL†	100038	88.10%	99.21%	90.32%	100.00%	100.00%	99.79%	96.94%	96.94%	143
FL	Jacksonville	BAPTIST MEDICAL CENTER	100088	80.52%	89.36%	82.56%	100.75%	100.00%	96.23%	96.63%	93.25%	445

State	City	Hospital	CMS Certification Number	Prophylactic antibiotic received within 1 hour prior to surgical incision % Patients Received	Prophylactic antibiotic selection for surgical patients % Patients Received	Prophylactic antibiotic discontinued within 24 hours after surgery end time % Patients Received	Post-op physiologic /metabolic derangement avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Post-op hemorrhage /hematoma avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Readmission (30 day) avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Hip/Knee Replacement patients with recommended venous thrombo- embolism (VTE) prophylaxis ordered % Patients Received	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time % Patients Received	Total Case Count
FL	Miami	BAPTIST HOSPITAL OF MIAMI INC*†	100008	98.77%	99.30%	98.02%	100.00%	100.00%	98.92%	99.29%	98.34%	618
FL	Miami	SOUTH MIAMI HOSPITAL†	100154	97.58%	100.00%	96.34%	100.00%	100.00%	100.89%	97.64%	91.34%	171
FL	Miami Beach	MOUNT SINAI MEDICAL CENTER	100034	77.38%	98.41%	81.35%	100.00%	100.00%	99.02%	96.74%	95.11%	270
FL	Naples	NAPLES COMMUNITY HOSPITAL†	100018	89.97%	98.94%	91.01%	100.00%	100.00%	97.55%	99.22%	98.00%	1277
FL	New Port Richey	MORTON PLANT NORTH BAY HOSPITAL	100063	90.16%	100.00%	78.57%	100.00%	100.00%	93.73%	97.92%	97.92%	67
FL	Pembroke Pines	MEMORIAL HOSPITAL PEMBROKE*†	100230	100.00%	100.00%	97.18%	100.00%	100.00%	95.52%	100.00%	100.00%	75
FL	Pembroke Pines	MEMORIAL HOSPITAL WEST†	100281	96.10%	100.00%	95.95%	100.00%	100.00%	93.15%	100.00%	94.74%	80
FL	Plant City	SOUTH FLORIDA BAPTIST HOSPITAL†	100132	92.86%	98.61%	92.75%	100.00%	100.00%	101.14%	76.60%	76.60%	77
FL	Safety Harbor	MORTON PLANT MEASE HEALTHCARE COUNTRYSID†◆	100265	89.52%	100.00%	88.29%	100.00%	100.00%	95.85%	95.73%	93.29%	222
FL	Saint Petersburg	ST ANTHONY'S HOSPITAL†◆	100067	91.63%	97.07%	87.01%	100.00%	100.00%	101.33%	97.69%	97.69%	257
FL	Tampa	ST JOSEPH'S HOSPITAL†◆	100075	97.95%	97.42%	90.37%	100.70%	100.00%	91.38%	96.32%	89.30%	411
FL	Winter Haven	WINTER HAVEN HOSPITAL†	100052	98.66%	100.00%	87.50%	100.00%	100.00%	101.91%	100.00%	94.39%	155
GA	La Grange	WEST GEORGIA HEALTH SYSTEM, INC*†	110016	100.00%	100.00%	98.08%	100.00%	100.00%	105.40%	100.00%	100.00%	67
GA	Savannah	MEMORIAL HEALTH UNIVERSITY MEDICAL CENTER†	110036	97.08%	100.00%	96.99%	100.00%	100.00%	99.34%	97.59%	92.77%	144
GA	Savannah	ST. JOSEPH'S HOSPITAL†	110043	95.38%	97.32%	95.13%	100.00%	100.00%	98.71%	99.50%	99.50%	552
IA	Council Bluffs	ALEGENT HEALTH MERCY HOSPITAL*†	160028	97.30%	99.19%	98.90%	100.00%	100.00%	100.44%	99.64%	97.13%	416

State	City	Hospital	CMS Certification Number	Prophylactic antibiotic received within 1 hour prior to surgical incision % Patients Received	Prophylactic antibiotic selection for surgical patients % Patients Received	Prophylactic antibiotic discontinued within 24 hours after surgery end time % Patients Received	Post-op physiologic /metabolic derangement avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Post-op hemorrhage /hematoma avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Readmission (30 day) avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Hip/Knee Replacement patients with recommended venous thrombo- embolism (VTE) prophylaxis ordered % Patients Received	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time % Patients Received	Total Case Count
IA	Mason City	MERCY MEDICAL CENTER-NORTH IOWA†	160064	94.00%	99.31%	95.31%	100.00%	100.00%	97.88%	88.75%	85.94%	465
ID	Coeur D'Alene	KOOTENAI MEDICAL CENTER	130049	90.81%	98.94%	66.55%	100.00%	100.00%	100.49%	93.19%	40.31%	298
IL	Chicago	MT SINAI HOSPITAL MEDICAL CENTER	140018	77.14%	25.71%	55.88%	100.00%	100.00%	95.63%	100.00%	97.06%	40
IL	Elmhurst	ELMHURST MEMORIAL HOSPITAL†◆	140200	97.84%	84.57%	74.04%	100.00%	100.00%	100.08%	100.00%	99.66%	410
IL	Peoria	METHODIST MEDICAL CENTER OF ILLINOIS†	140209	96.96%	99.18%	93.71%	100.00%	101.43%	98.76%	81.65%	74.91%	385
IL	Springfield	MEMORIAL MEDICAL CENTER*†	140148	97.78%	99.51%	98.88%	100.00%	100.00%	96.78%	100.00%	99.82%	883
KS	Kansas City	PROVIDENCE MEDICAL CENTER*†	170146	98.81%	99.60%	98.78%	100.00%	100.00%	95.89%	99.07%	98.13%	267
KS	Topeka	ST FRANCIS HEALTH CENTER†	170016	93.13%	99.82%	97.70%	100.00%	100.00%	100.43%	97.63%	95.73%	605
KY	Ashland	OUR LADY OF BELLEFONTE HOSPITAL†	180036	93.66%	99.26%	96.64%	100.00%	101.81%	96.89%	94.30%	93.26%	285
KY	Bowling Green	MEDICAL CENTER, THE†	180013	99.20%	100.00%	95.97%	100.00%	100.00%	98.66%	98.20%	85.03%	257
KY	Lexington	CENTRAL BAPTIST HOSPITAL*†	180103	98.73%	100.00%	95.90%	100.00%	100.00%	100.30%	99.33%	98.00%	420
KY	Murray	MURRAY-CALLOWAY COUNTY HOSPITAL†	180027	96.10%	98.70%	84.21%	100.00%	100.00%	101.66%	100.00%	100.00%	77
KY	Paducah	WESTERN BAPTIST HOSPITAL†	180104	95.72%	100.00%	94.02%	101.21%	100.00%	95.63%	95.06%	82.72%	209
MA	Fall River	SOUTHCOAST HOSPITAL GROUP, INC†◆	220074	93.24%	98.62%	95.79%	100.00%	101.66%	97.78%	99.37%	95.37%	677
MA	Pittsfield	BERKSHIRE MEDICAL CENTER INC*†	220046	99.18%	100.00%	97.54%	100.00%	102.03%	97.60%	99.42%	95.95%	250
MA	Springfield	BAYSTATE MEDICAL CENTER*†	220077	99.42%	99.61%	93.99%	100.00%	100.00%	101.71%	100.00%	100.00%	527

State	City	Hospital	CMS Certification Number	Prophylactic antibiotic received within 1 hour prior to surgical incision % Patients Received	Prophylactic antibiotic selection for surgical patients % Patients Received	Prophylactic antibiotic discontinued within 24 hours after surgery end time % Patients Received	Post-op physiologic /metabolic derangement avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Post-op hemorrhage /hematoma avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Readmission (30 day) avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Hip/Knee Replacement patients with recommended venous thrombo- embolism (VTE) prophylaxis ordered % Patients Received	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time % Patients Received	Total Case Count
MD	Baltimore	BON SECOURS HOSPITAL	210013	88.89%	100.00%	74.07%	100.00%	100.00%	Low Sample (10 or less)	79.17%	75.00%	31
MD	Frederick	FREDERICK MEMORIAL HOSPITAL†♦	210005	96.46%	100.00%	94.31%	100.00%	100.00%	100.48%	100.00%	97.92%	452
MD	Salisbury	PENINSULA REGIONAL MEDICAL CENTER†♦	210019	96.50%	99.30%	83.70%	100.00%	100.00%	95.72%	99.05%	99.05%	144
MI	Grosse Pointe	BON SECOURS COTTAGE HEALTH SERVICES†	230089	93.08%	100.00%	91.62%	100.00%	100.00%	97.58%	95.60%	95.34%	556
MI	Lapeer	LAPEER REGIONAL MEDICAL CENTER†♦	230193	99.25%	99.62%	98.84%	100.00%	100.00%	93.69%	99.47%	99.47%	276
MN	Burnsville	FAIRVIEW RIDGES HOSPITAL†	240207	96.42%	99.49%	96.38%	100.00%	100.00%	99.06%	97.74%	96.98%	395
MN	Edina	FAIRVIEW SOUTHDAL HOSPITAL†	240078	98.38%	99.77%	95.06%	100.00%	100.00%	98.37%	94.95%	94.08%	893
MN	Minneapolis	UNIVERSITY OF MINNESOTA MEDICAL CENTER,†	240080	94.87%	99.64%	91.01%	100.00%	100.00%	98.29%	99.74%	98.71%	582
MN	Princeton	FAIRVIEW NORTHLAND REGIONAL HOSPITAL†	240141	96.97%	100.00%	98.41%	100.00%	100.00%	98.43%	100.00%	96.15%	75
MN	Saint Louis Park	METHODIST HOSPITAL†	240053	98.32%	100.00%	97.87%	100.00%	100.00%	98.50%	82.89%	81.24%	758
MN	Winona	WINONA COMMUNITY MEMORIAL HOSPITAL	240044	80.65%	100.00%	51.61%	100.00%	123.72%	105.21%	100.00%	100.00%	31
MN	Wyoming	FAIRVIEW LAKES REGIONAL HEALTH CARE†	240050	89.47%	99.25%	90.08%	100.00%	100.00%	103.14%	100.00%	96.23%	141
MO	Blue Springs	ST. MARY'S MEDICAL CENTER†	260193	97.43%	97.43%	92.99%	100.00%	100.00%	95.52%	100.00%	100.00%	277
MO	Bridgeton	SSM DEPAUL HEALTH CENTER*†	260104	98.91%	99.35%	98.30%	100.00%	100.00%	97.06%	99.58%	99.02%	969
MO	Kansas City	ST. JOSEPH MEDICAL CENTER†	260085	97.62%	97.58%	95.65%	100.00%	100.00%	100.17%	97.35%	97.35%	214
MO	Saint Joseph	HEARTLAND REGIONAL MEDICAL CENTER*†	260006	98.31%	100.00%	95.53%	100.00%	101.35%	101.13%	100.00%	98.43%	439

State	City	Hospital	CMS Certification Number	Prophylactic antibiotic received within 1 hour prior to surgical incision % Patients Received	Prophylactic antibiotic selection for surgical patients % Patients Received	Prophylactic antibiotic discontinued within 24 hours after surgery end time % Patients Received	Post-op physiologic /metabolic derangement avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Post-op hemorrhage /hematoma avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Readmission (30 day) avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Hip/Knee Replacement patients with recommend ed venous thrombo- embolism (VTE) prophylaxis ordered % Patients Received	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time % Patients Received	Total Case Count
MO	Saint Louis	SSM ST MARYS HEALTH CENTER†	260091	97.24%	97.24%	90.70%	100.00%	100.00%	95.35%	98.83%	94.55%	370
MS	Meridian	RUSH FOUNDATION HOSPITAL*†	250069	100.00%	99.06%	94.31%	100.00%	100.00%	100.81%	100.00%	99.32%	219
MT	Billings	ST VINCENT HEALTHCARE†	270049	99.32%	98.98%	97.24%	100.00%	100.00%	97.76%	99.53%	97.67%	632
MT	Butte	ST JAMES HEALTHCARE†	270017	97.87%	98.95%	98.91%	Low Sample (10 or less)	100.00%	88.10%	100.00%	97.14%	97
MT	Miles City	HOLY ROSARY HEALTHCARE†	270002	100.00%	95.56%	77.27%	100.00%	100.00%	96.19%	100.00%	100.00%	46
MT	Missoula	ST PATRICK HOSPITAL AND HEALTH SCIENCES†	270014	97.12%	99.18%	97.93%	100.00%	100.00%	98.75%	86.93%	81.82%	268
NC	Albemarle	STANLY REGIONAL MEDICAL CENTER†	340119	98.08%	96.23%	94.12%		100.00%	100.94%	100.00%	97.56%	54
NC	Asheboro	RANDOLPH HOSPITAL†	340123	95.45%	98.48%	93.44%		100.00%	94.53%	100.00%	100.00%	68
NC	Asheville	MISSION HOSPITALS, INC†	340002	93.11%	99.84%	87.84%	100.00%	100.00%	100.54%	96.91%	93.81%	1320
NC	Boone	WATAUGA MEDICAL CENTER†	340051	93.80%	99.24%	83.46%	100.00%	100.00%	97.27%	100.00%	97.14%	138
NC	Burlington	ALAMANCE REGIONAL MEDICAL CENTER†◆	340070	95.04%	99.24%	87.16%		100.00%	101.51%	99.50%	99.00%	274
NC	Clyde	HAYWOOD REGIONAL MEDICAL CENTER†	340025	86.89%	100.00%	88.52%	100.00%	100.00%	99.48%	100.00%	100.00%	64
NC	Durham	DUKE UNIVERSITY HOSPITAL†◆	340030	96.36%	98.70%	98.69%	100.00%	100.00%	98.35%	99.52%	99.05%	406
NC	Durham	DURHAM REGIONAL HOSPITAL†	340155	97.35%	100.00%	94.96%	100.00%	100.00%	94.67%	99.75%	97.49%	551
NC	Fayetteville	CAPE FEAR VALLEY MEDICAL CENTER*†	340028	99.29%	100.00%	98.73%	100.00%	100.00%	102.11%	99.52%	99.05%	598
NC	Gastonia	GASTON MEMORIAL HOSPITAL*†	340032	99.60%	100.00%	98.77%	100.00%	100.00%	99.13%	99.74%	99.48%	522

State	City	Hospital	CMS Certification Number	Prophylactic antibiotic received within 1 hour prior to surgical incision % Patients Received	Prophylactic antibiotic selection for surgical patients % Patients Received	Prophylactic antibiotic discontinued within 24 hours after surgery end time % Patients Received	Post-op physiologic /metabolic derangement avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Post-op hemorrhage /hematoma avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Readmission (30 day) avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Hip/Knee Replacement patients with recommended venous thrombo- embolism (VTE) prophylaxis ordered % Patients Received	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time % Patients Received	Total Case Count
NC	Goldsboro	WAYNE MEMORIAL HOSPITAL†♦	340010	93.85%	99.18%	93.80%	100.00%	100.00%	97.67%	99.51%	99.02%	269
NC	Hickory	CATAWBA VALLEY MEDICAL CENTER†	340143	92.38%	99.42%	90.32%	100.00%	100.00%	100.50%	98.91%	95.26%	363
NC	Lumberton	SOUTHEASTERN REGIONAL MEDICAL CENTER†	340050	100.00%	98.82%	84.34%	100.00%	100.00%	96.31%	100.00%	92.54%	89
NC	Pinehurst	FIRSTHEALTH MOORE REGIONAL HOSPITAL*†	340115	95.86%	99.88%	97.36%	100.00%	100.00%	100.16%	99.52%	98.88%	884
NC	Raleigh	DUKE HEALTH RALEIGH HOSPITAL†♦	340073	96.30%	93.98%	84.76%	100.00%	100.00%	99.56%	99.39%	98.78%	219
NC	Shelby	CLEVELAND REGIONAL MEDICAL CENTER*†	340021	98.67%	99.01%	96.00%		101.82%	99.17%	99.57%	99.57%	308
NC	Sylva	HARRIS REGIONAL HOSPITAL, INC†	340016	96.63%	100.00%	87.00%	100.00%	100.00%	100.19%	96.25%	72.50%	211
NC	Wilmington	NEW HANOVER REGIONAL MEDICAL CENTER†	340141	97.18%	97.18%	97.14%	100.00%	100.00%	104.73%	98.15%	88.89%	151
NC	Wilson	WILSON MEDICAL CENTER	340126	96.43%	99.70%	65.86%	100.00%	100.00%	100.96%	100.00%	93.26%	357
NE	Fremont	FREMONT AREA MEDICAL CENTER†	280077	98.30%	100.00%	89.20%	100.00%	100.00%	103.54%	100.00%	100.00%	181
NE	Omaha	ALEGENT HEALTH-BERGAN MERCY MEDICAL CTR*†	280060	98.02%	100.00%	97.69%	100.00%	100.00%	100.08%	100.00%	99.80%	724
NE	Omaha	ALEGENT HEALTH IMMANUEL MEDICAL CTR†	280081	94.69%	99.52%	89.50%	100.00%	100.00%	100.40%	100.00%	97.37%	222
NJ	Hackensack	HACKENSACK UNIVERSITY MEDICAL CENTER†	310001	98.95%	99.44%	95.83%	100.00%	100.79%	97.68%	97.54%	88.39%	1300
NY	Bay Shore	SOUTHSIDE HOSPITAL	330043	100.00%	100.00%	90.74%	100.00%	100.00%	78.44%	100.00%	100.00%	62
NY	Elmira	ARNOT OGDEN MEDICAL CENTER*†	330090	99.56%	100.00%	99.55%	100.00%	100.00%	98.42%	100.00%	99.41%	236
NY	Forest Hills	NS-LIJ HS-NORTH SHORE UNIV HOSP AT FOREST HILLS†♦	330353	97.08%	98.54%	96.30%	100.00%	100.00%	99.51%	93.88%	83.67%	138

State	City	Hospital	CMS Certification Number	Prophylactic antibiotic received within 1 hour prior to surgical incision % Patients Received	Prophylactic antibiotic selection for surgical patients % Patients Received	Prophylactic antibiotic discontinued within 24 hours after surgery end time % Patients Received	Post-op physiologic /metabolic derangement avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Post-op hemorrhage /hematoma avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Readmission (30 day) avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Hip/Knee Replacement patients with recommended venous thrombo- embolism (VTE) prophylaxis ordered % Patients Received	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time % Patients Received	Total Case Count
NY	Glen Cove	NS-LIJ HS-NORTH SHORE UNIV HOSP AT GLEN COVE†	330181	98.53%	99.26%	99.25%	100.00%	100.00%	101.99%	66.28%	66.28%	143
NY	Huntington	HUNTINGTON HOSPITAL†	330045	96.99%	97.74%	97.69%	100.00%	100.00%	98.55%	83.87%	83.87%	143
NY	Manhasset	NS-LIJ HS-NORTH SHORE UNIVERSITY HOSPITAL†	330106	97.16%	100.00%	97.08%	100.00%	100.00%	98.35%	68.35%	65.82%	144
NY	New Hyde Park	LONG ISLAND JEWISH MEDICAL CENTER*†	330195	99.22%	98.45%	94.49%	100.00%	100.00%	102.01%	100.00%	100.00%	138
NY	Plainview	NS-LIJ HS-NORTH SHORE UNIV HOSP AT PLAINVIEW†	330331	100.00%	100.00%	95.93%	100.00%	100.00%	84.54%	78.08%	73.97%	136
NY	Rochester	ROCHESTER GENERAL HOSPITAL*†	330125	98.22%	100.00%	99.82%	100.00%	100.00%	102.46%	99.76%	99.52%	577
NY	Schenectady	ST CLARE'S HOSPITAL†♦	330066	93.75%	100.00%	92.13%	100.00%	100.00%	87.90%	100.00%	69.23%	135
NY	Staten Island	STATEN ISLAND UNIVERSITY HOSPITAL†	330160	98.60%	99.30%	98.59%	100.00%	100.00%	92.65%	100.00%	100.00%	144
NY	Suffern	GOOD SAMARITAN HOSPITAL OF SUFFERN	330158	79.75%	100.00%	84.42%	100.00%	100.00%	94.49%	96.67%	93.33%	82
NY	Valley Stream	FRANKLIN HOSPITAL MED CTR†	330372	98.77%	100.00%	97.44%	100.00%	100.00%	95.91%	95.31%	93.75%	86
OH	Akron	SUMMA HEALTH SYSTEMS HOSPITALS†	360020	96.11%	100.00%	97.77%	100.00%	100.00%	96.65%	100.00%	99.23%	185
OH	Dayton	GRANDVIEW HOSPITAL & MEDICAL CENTER†	360133	93.62%	99.66%	95.61%	100.00%	100.00%	93.11%	99.58%	96.64%	313
OH	Kettering	KETTERING MEDICAL CENTER*†	360079	99.33%	100.00%	99.05%	100.00%	100.00%	101.55%	99.89%	99.09%	1256
OH	Lorain	COMMUNITY HEALTH PARTNERS OF OH-WEST†	360172	95.07%	98.94%	94.93%	100.00%	100.00%	98.73%	81.60%	81.20%	323
OH	Miamisburg	SYCAMORE HOSPITAL*†	360239	97.99%	100.00%	97.88%	100.00%	100.00%	101.43%	100.00%	97.14%	210
OH	Springfield	MERCY MEDICAL CENTER OF SPRINGFIELD†	360086	95.73%	100.00%	97.37%	100.00%	100.00%	97.84%	96.30%	93.83%	135

State	City	Hospital	CMS Certification Number	Prophylactic antibiotic received within 1 hour prior to surgical incision % Patients Received	Prophylactic antibiotic selection for surgical patients % Patients Received	Prophylactic antibiotic discontinued within 24 hours after surgery end time % Patients Received	Post-op physiologic /metabolic derangement avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Post-op hemorrhage /hematoma avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Readmission (30 day) avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Hip/Knee Replacement patients with recommend ed venous thrombo- embolism (VTE) prophylaxis ordered % Patients Received	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time % Patients Received	Total Case Count
OH	Toledo	ST. VINCENT MERCY MEDICAL CENTER	360112	84.68%	99.10%	88.18%	100.00%	100.00%	82.96%	96.55%	95.40%	115
OK	Oklahoma City	ST ANTHONY HOSPITAL†	370037	98.48%	100.00%	89.15%	100.00%	100.00%	94.95%	98.96%	98.96%	138
OK	Oklahoma City	BONE AND JOINT HOSPITAL†	370105	98.54%	100.00%	95.98%	100.00%	100.00%	97.77%	89.24%	86.71%	220
OK	Tulsa	SAINT FRANCIS HOSPITAL, INC	370091	95.82%	99.71%	70.70%	100.00%	100.00%	98.49%	98.19%	95.16%	736
OK	Tulsa	ST. FRANCIS HOSPITAL SOUTH*†	370218	99.10%	99.10%	100.00%	100.00%	100.00%	97.34%	100.00%	100.00%	112
OR	Medford	ROGUE VALLEY MEDICAL CENTER†♦	380018	97.17%	99.80%	97.76%	100.00%	100.00%	99.29%	96.80%	96.80%	502
OR	Portland	ADVENTIST MEDICAL CENTER†	380060	89.39%	99.49%	84.62%	100.00%	100.00%	101.17%	98.08%	95.19%	204
PA	Bethlehem	ST. LUKES HOSPITAL NETWORK†	390049	97.46%	100.00%	91.95%	100.00%	100.00%	100.25%	100.00%	98.38%	569
PA	Bryn Mawr	MAIN LINE HEALTH-BRYN MAWR HOSPITAL†	390139	98.17%	99.22%	97.48%	100.00%	100.00%	98.13%	99.30%	62.76%	803
PA	Erie	SAINT VINCENT HEALTH CENTER*†	390009	98.66%	100.00%	98.38%	100.00%	100.00%	101.31%	99.27%	99.27%	386
PA	Meadville	MEADVILLE MEDICAL CENTER†	390113	98.50%	99.62%	94.68%	100.00%	100.00%	100.03%	100.00%	97.74%	289
PA	Paoli	MAIN LINE HOSPITALS-PAOLI MEMORIAL HOSPITAL†	390153	99.29%	97.88%	74.80%	100.00%	100.00%	95.61%	100.00%	99.00%	300
PA	Philadelphia	FRANKFORD HOSPITAL	390115	80.00%	97.44%	81.21%	100.00%	100.00%	94.58%	99.08%	97.25%	161
PA	Philadelphia	ALBERT EINSTEIN MEDICAL CENTER†	390142	96.53%	99.62%	98.45%	100.00%	100.00%	79.53%	100.00%	99.51%	267
PA	Philadelphia	THOMAS JEFFERSON UNIVERSITY HOSPITAL†	390174	95.43%	100.00%	93.23%	100.00%	100.00%	96.88%	94.81%	93.33%	206
PA	Wynnewood	MAIN LINE HEALTH-LANKENAU HOSPITAL	390195	88.71%	98.39%	75.69%	100.00%	100.00%	89.77%	95.14%	93.06%	191

State	City	Hospital	CMS Certification Number	Prophylactic antibiotic received within 1 hour prior to surgical incision % Patients Received	Prophylactic antibiotic selection for surgical patients % Patients Received	Prophylactic antibiotic discontinued within 24 hours after surgery end time % Patients Received	Post-op physiologic /metabolic derangement avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Post-op hemorrhage /hematoma avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Readmission (30 day) avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Hip/Knee Replacement patients with recommended venous thrombo- embolism (VTE) prophylaxis ordered % Patients Received	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time % Patients Received	Total Case Count
SC	Anderson	ANMED HEALTH†	420027	93.88%	100.00%	96.19%	100.00%	100.00%	101.02%	96.81%	95.74%	266
SC	Columbia	PALMETTO HEALTH RICHLAND†	420018	98.51%	99.75%	95.84%	100.00%	100.00%	99.42%	99.83%	94.63%	828
SC	Columbia	PALMETTO HEALTH BAPTIST†◆	420086	97.35%	99.34%	93.50%	100.00%	100.00%	100.54%	100.00%	92.08%	466
SC	Conway	CONWAY MEDICAL CENTER	420049	96.67%	97.50%	82.76%		100.00%	91.29%	100.00%	100.00%	131
SC	Easley	PALMETTO HEALTH BAPTIST EASLEY†	420015	97.17%	100.00%	92.38%	100.00%	100.00%	99.29%	98.72%	93.59%	113
SC	Florence	MCLEOD REGIONAL MEDICAL CENTER†	420051	94.15%	99.17%	92.29%	100.00%	100.00%	97.19%	99.26%	92.62%	391
SC	Greenville	ST FRANCIS HOSPITAL*†	420023	98.06%	100.00%	99.50%	100.00%	100.00%	99.89%	100.00%	100.00%	422
SC	Greenville	GREENVILLE MEMORIAL HOSPITAL†	420078	96.72%	99.10%	96.96%	100.00%	101.38%	101.12%	93.07%	92.08%	351
SC	Greenwood	SELF REGIONAL HEALTHCARE†	420071	97.93%	100.00%	97.92%	100.00%	100.00%	98.60%	97.39%	67.83%	380
SC	Greer	ALLEN BENNETT MEMORIAL HOSPITAL†	420033	100.00%	100.00%	100.00%		100.00%	98.99%	80.77%	73.08%	34
SC	Simpsonville	HILLCREST HOSPITAL†◆	420037	96.55%	98.85%	94.12%	100.00%	100.00%	100.43%	96.20%	91.14%	95
SD	Aberdeen	AVERA ST. LUKE'S†◆	430014	94.85%	91.91%	92.54%	100.00%	100.00%	101.54%	96.94%	96.94%	143
SD	Mitchell	AVERA QUEEN OF PEACE†◆	430013	100.00%	98.89%	96.63%	100.00%	100.00%	95.39%	100.00%	98.46%	99
SD	Rapid City	RAPID CITY REGIONAL HOSPITAL†	430077	97.24%	100.00%	96.63%	100.91%	100.00%	101.52%	99.26%	93.33%	230
SD	Sioux Falls	AVERA MCKENNAN HOSP&UNIVERSITY HLTH CT†	430016	98.69%	100.00%	99.24%	100.28%	100.00%	99.23%	95.50%	91.43%	700
SD	Yankton	AVERA SACRED HEART HOSPITAL†	430012	98.98%	100.00%	86.17%	100.00%	100.00%	92.49%	92.06%	90.48%	105

State	City	Hospital	CMS Certification Number	Prophylactic antibiotic received within 1 hour prior to surgical incision % Patients Received	Prophylactic antibiotic selection for surgical patients % Patients Received	Prophylactic antibiotic discontinued within 24 hours after surgery end time % Patients Received	Post-op physiologic /metabolic derangement avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Post-op hemorrhage /hematoma avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Readmission (30 day) avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Hip/Knee Replacement patients with recommended venous thrombo- embolism (VTE) prophylaxis ordered % Patients Received	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time % Patients Received	Total Case Count
TN	Johnson City	JOHNSON CITY MEDICAL CENTER†	440063	97.16%	97.87%	94.12%	100.00%	100.00%	102.97%	99.04%	79.81%	144
TN	Kingsport	INDIAN PATH MEDICAL CENTER	440176	86.67%	98.33%	78.45%	100.00%	100.00%	95.64%	98.86%	81.82%	128
TN	Memphis	METHODIST HEALTHCARE MEMPHIS HOSPITALS†◆	440049	97.46%	98.93%	93.79%	100.86%	100.00%	99.71%	97.18%	80.95%	809
TX	Allen	PRESBYTERIAN HOSPITAL OF ALLEN	450840	41.76%	49.45%	84.27%	100.00%	100.00%	101.56%	100.00%	100.00%	98
TX	Arlington	ARLINGTON MEMORIAL HOSPITAL†	450064	91.18%	99.20%	90.19%	100.00%	100.00%	99.50%	97.55%	97.55%	398
TX	Azle	HARRIS METHODIST NORTHWEST	450419	96.97%	93.94%	75.76%		100.00%	Low Sample (10 or less)	100.00%	100.00%	37
TX	Bedford	HARRIS METHODIST H E B HOSPITAL†◆	450639	91.48%	95.41%	88.05%	100.00%	100.00%	101.68%	99.56%	97.38%	322
TX	Cleburne	WALLS REGIONAL HOSPITAL†◆	450148	96.30%	100.00%	98.50%	100.00%	100.00%	93.18%	100.00%	100.00%	141
TX	Dallas	METHODIST DALLAS MEDICAL CENTER†	450051	99.36%	99.37%	96.18%	100.00%	100.00%	97.53%	99.24%	92.37%	170
TX	Dallas	PRESBYTERIAN HOSPITAL OF DALLAS†	450462	96.93%	99.76%	96.18%	100.00%	100.00%	97.39%	96.01%	92.33%	882
TX	Dallas	METHODIST CHARLTON MEDICAL CENTER†	450723	96.32%	100.00%	97.34%	100.00%	100.00%	100.82%	100.00%	95.65%	195
TX	Denison	TEXOMA MEDICAL CENTER†	450324	95.16%	99.19%	99.18%	100.00%	100.00%	95.19%	98.88%	98.88%	128
TX	Fort Worth	HARRIS METHODIST FORT WORTH†◆	450135	98.72%	94.40%	80.00%	100.00%	101.29%	98.13%	88.61%	85.05%	419
TX	Fort Worth	HARRIS METHODIST SOUTHWEST†	450779	95.89%	93.15%	82.86%	100.00%	100.00%	97.02%	100.00%	100.00%	74
TX	Harlingen	VALLEY BAPTIST MEDICAL CENTER†◆	450033	93.70%	99.39%	78.53%	100.00%	100.00%	98.15%	100.00%	97.50%	513
TX	Livingston	MEMORIAL MEDICAL CENTER LIVINGSTON	450395	92.06%	100.00%	19.67%	100.00%	100.00%	97.67%	96.30%	96.30%	77

State	City	Hospital	CMS Certification Number	Prophylactic antibiotic received within 1 hour prior to surgical incision % Patients Received	Prophylactic antibiotic selection for surgical patients % Patients Received	Prophylactic antibiotic discontinued within 24 hours after surgery end time % Patients Received	Post-op physiologic /metabolic derangement avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Post-op hemorrhage /hematoma avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Readmission (30 day) avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Hip/Knee Replacement patients with recommended venous thrombo- embolism (VTE) prophylaxis ordered % Patients Received	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time % Patients Received	Total Case Count
TX	Lufkin	MEMORIAL MEDICAL CENTER OF EAST TEXAS†◆	450211	95.06%	74.07%	75.95%	100.00%	100.00%	104.26%	96.30%	95.06%	113
TX	Plano	PRESBYTERIAN HOSP OF PLANO	450771	85.10%	98.65%	79.39%	100.37%	100.00%	97.36%	90.77%	90.61%	903
TX	Stephenville	HARRIS METHODIST ERATH COUNTY†	450351	96.88%	98.97%	93.62%	100.00%	100.00%	102.17%	100.00%	100.00%	101
TX	Tomball	TOMBALL REGIONAL HOSPITAL†◆	450670	93.92%	93.96%	79.41%	100.00%	100.00%	97.88%	82.52%	81.55%	160
TX	Victoria	CITIZENS MEDICAL CENTER†	450023	98.78%	100.00%	93.47%	100.00%	100.00%	99.57%	100.00%	98.27%	248
VA	Chesapeake	CHESAPEAKE GENERAL HOSPITAL†◆	490120	91.96%	100.00%	91.13%	100.00%	100.00%	96.85%	100.00%	98.54%	298
VA	Gloucester	RIVERSIDE WALTER REED HOSPITAL	490130	92.41%	17.72%	22.08%	100.00%	100.00%	98.91%	96.92%	92.31%	82
VA	Mechanicsville	BON SECOURS - MEMORIAL REGIONAL MEDICAL*†	490069	97.01%	99.70%	99.08%	100.00%	100.00%	99.21%	100.00%	100.00%	354
VA	Newport News	BON SECOURS - MARY IMMACULATE HOSPITAL†	490041	93.91%	99.58%	92.08%	100.00%	100.00%	96.37%	100.00%	99.18%	493
VA	Newport News	RIVERSIDE REGIONAL MEDICAL CENTER†	490052	93.33%	100.00%	93.29%	100.00%	100.00%	99.80%	97.38%	72.93%	328
VA	Norfolk	BON SECOURS-DEPAUL MEDICAL CENTER*†	490011	97.62%	100.00%	99.20%	100.00%	100.00%	99.07%	100.00%	100.00%	131
VA	Portsmouth	BON SECOURS MARYVIEW MEDICAL CENTER†	490017	93.39%	98.68%	97.26%	100.00%	100.00%	97.59%	97.65%	94.71%	243
VA	Richmond	BON SECOURS - ST MARYS HOSPITAL OF RICHM*†	490059	98.07%	99.72%	96.38%	100.00%	100.00%	99.98%	99.78%	98.04%	749
VA	South Hill	COMMUNITY MEM HEALTHCENTER	490098	95.00%	100.00%	74.36%	103.38%	100.00%	95.18%	100.00%	100.00%	43
VA	Tappahannock	RIVERSIDE TAPPAHANNOCK HOSP INC	490084	83.33%	100.00%	76.19%	100.00%	100.00%	94.69%	94.59%	94.59%	42
WA	Spokane	SACRED HEART MEDICAL CENTER†	500054	98.05%	99.14%	94.44%	100.00%	100.00%	100.58%	97.08%	97.08%	967

State	City	Hospital	CMS Certification Number	Prophylactic antibiotic received within 1 hour prior to surgical incision % Patients Received	Prophylactic antibiotic selection for surgical patients % Patients Received	Prophylactic antibiotic discontinued within 24 hours after surgery end time % Patients Received	Post-op physiologic /metabolic derangement avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Post-op hemorrhage /hematoma avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Readmission (30 day) avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Hip/Knee Replacement patients with recommend ed venous thrombo- embolism (VTE) prophylaxis ordered % Patients Received	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time % Patients Received	Total Case Count
WA	Spokane	HOLY FAMILY HOSPITAL†‡	500077	99.03%	99.76%	94.09%	100.00%	100.00%	97.53%	100.00%	100.00%	433
WA	Walla Walla	ST MARY MEDICAL CENTER†	500002	94.52%	100.00%	86.30%	100.00%	100.00%	96.02%	98.02%	98.02%	150
WI	Burlington	MEMORIAL HOSPITAL OF BURLINGTON*†	520059	98.00%	99.34%	100.00%	100.00%	100.00%	95.98%	100.00%	98.26%	161
WI	Elkhorn	AURORA LAKELAND MED CTR†	520102	98.36%	100.00%	96.61%	100.00%	100.00%	93.96%	97.62%	88.10%	72
WI	Green Bay	AURORA BAYCARE MED CTR*†	520193	98.32%	100.00%	99.43%	100.00%	100.00%	100.32%	99.32%	99.32%	188
WI	Hartford	AURORA MEDICAL CENTER OF WASHINGTON COUNTY†	520038	100.00%	100.00%	97.39%	100.00%	100.00%	92.55%	95.04%	91.74%	171
WI	Kenosha	AURORA MED CTR KENOSHA*†	520189	100.00%	100.00%	97.67%	100.00%	100.00%	100.10%	100.00%	100.00%	100
WI	Madison	ST MARYS HSPTL MED CTR†	520083	97.59%	100.00%	96.34%	100.00%	100.00%	99.19%	89.09%	88.76%	908
WI	Milwaukee	AURORA SINAI MEDICAL CENTER†	520064	97.47%	98.73%	97.46%	100.00%	100.00%	98.20%	96.47%	88.82%	243
WI	Milwaukee	ST LUKES MEDICAL CENTER†	520138	97.58%	99.67%	94.83%	100.00%	100.00%	98.35%	99.49%	96.10%	998
WI	Sheboygan	AURORA SHEBOYGAN MEMORIAL MEDICAL CENTER*†	520035	100.00%	100.00%	99.61%	100.00%	100.00%	100.83%	100.00%	100.00%	269
WI	Two Rivers	AURORA MEDICAL CENTER MANITOWOC COUNTY*†	520034	100.00%	100.00%	99.07%	100.00%	100.00%	102.96%	100.00%	100.00%	120
WI	West Allis	WEST ALLIS MEMORIAL HOSPITAL†	520139	98.25%	100.00%	98.81%	100.00%	100.00%	98.92%	98.88%	93.28%	356
WV	Bluefield	BLUEFIELD REGIONAL MEDICAL CENTER†‡	510071	94.78%	98.39%	90.36%	100.00%	100.00%	93.59%	99.42%	98.84%	255
WV	Charleston	CHARLESTON AREA MEDICAL CENTER†	510022	100.00%	100.00%	95.81%	100.00%	100.00%	99.28%	94.51%	91.76%	483
WV	Clarksburg	UNITED HOSPITAL CENTER*†	510006	100.00%	100.00%	100.00%	100.00%	100.00%	98.91%	100.00%	100.00%	259

State	City	Hospital	CMS Certification Number	Prophylacti c antibiotic received within 1 hour prior to surgical incision % Patients Received	Prophylactic antibiotic selection for surgical patients % Patients Received	Prophylactic antibiotic discontinued within 24 hours after surgery end time % Patients Received	Post-op physiologic /metabolic derangement avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Post-op hemorrhage /hematoma avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Readmission (30 day) avoidance index Occurrence rate expressed as Avoidance Index, can exceed 100%	Hip/Knee Replacement patients with recommende d venous thrombo- embolism (VTE) prophylaxis ordered % Patients Received	Hip/Knee Replacement patients who received appropriate VTE prophylaxis within 24 hours prior to surgery up to 24 hours after surgery end time % Patients Received	Total Case Count
WV	Huntington	ST MARY'S MEDICAL CENTER†◆	510007	95.88%	98.97%	91.67%	100.00%	100.00%	98.37%	67.12%	54.79%	103
WV	Huntington	CABELL HUNTINGTON HOSPITAL†◆	510055	99.50%	99.50%	90.93%	100.00%	100.00%	99.33%	99.69%	99.69%	423
WV	Morgantown	WEST VIRGINIA UNIVERSITY HOSPITALS†	510001	90.20%	99.51%	83.58%	100.00%	100.00%	98.11%	97.99%	95.30%	218
WV	Morgantown	MONONGALIA COUNTY GENERAL HOSPITAL*†	510024	99.18%	100.00%	99.18%	100.00%	100.00%	99.04%	98.86%	95.71%	504
WV	Weirton	WEIRTON MEDICAL CENTER	510023	85.58%	99.05%	92.16%	100.00%	100.00%	91.72%	94.52%	94.52%	105