

**Track Changes  
from Chapter 3, Section K V1.11  
to Chapter 3, Section K V1.12**

Chapter	Section	Page	Change																								
3	K0510	K-10	<p><b>DEFINITIONS</b></p> <p><b>PARENTERAL/IV FEEDING</b> Introduction of a nutritive substance into the body by means other than the intestinal tract (e.g., subcutaneous, intravenous).</p> <p><b>FEEDING TUBE</b> Presence of any type of tube that can deliver food/ nutritional substances/ fluids/ medications directly into the gastrointestinal system. Examples include, but are not limited to, nasogastric tubes, gastrostomy tubes, jejunostomy tubes, percutaneous endoscopic gastrostomy (PEG) tubes.</p>																								
3	K0710	K-16 & K-17	<p>3. Mr. K. has been able to take some fluids orally, however, due to his progressing multiple sclerosis, his dysphagia is not allowing him to remain hydrated enough. Therefore, he received the following fluid amounts over the last 7 days via supplemental tube feedings while in the hospital and after he was admitted to the nursing home.</p> <table border="1"> <thead> <tr> <th colspan="2">While in the Hospital</th> <th colspan="2">While in the Nursing Home</th> </tr> </thead> <tbody> <tr> <td>Mon.</td> <td>400 cc</td> <td>Mon.</td> <td>510 cc</td> </tr> <tr> <td>Tues.</td> <td>520 cc</td> <td>Tues.</td> <td>520 cc</td> </tr> <tr> <td>Weds.</td> <td>500 cc</td> <td>Weds.</td> <td>490 cc</td> </tr> <tr> <td>Thurs.</td> <td>480 cc</td> <td></td> <td></td> </tr> <tr> <td>Total</td> <td>1,900 cc</td> <td>Total</td> <td>1,520 cc</td> </tr> </tbody> </table> <p><b>Coding:</b> K0710B1 would be coded 1, 500 cc/day or less. K0710B2 would be coded 2, 501 cc/day or more, and K0710B3 would be coded 1, 500 cc/day or less.</p> <p><b>Rationale:</b> The total fluid intake within the last 7 days while Mr. K. was not a resident was 1,900 cc (400 cc + 520 cc + 500 cc + 480 cc =</p>	While in the Hospital		While in the Nursing Home		Mon.	400 cc	Mon.	510 cc	Tues.	520 cc	Tues.	520 cc	Weds.	500 cc	Weds.	490 cc	Thurs.	480 cc			Total	1,900 cc	Total	1,520 cc
While in the Hospital		While in the Nursing Home																									
Mon.	400 cc	Mon.	510 cc																								
Tues.	520 cc	Tues.	520 cc																								
Weds.	500 cc	Weds.	490 cc																								
Thurs.	480 cc																										
Total	1,900 cc	Total	1,520 cc																								

**Track Changes  
from Chapter 3, Section K V1.11  
to Chapter 3, Section K V1.12**

Chapter	Section	Page	Change
			<p>1,900 cc). Average fluid intake while not a resident totaled 475 cc (1,900 cc divided by 4 days). 475 cc is less than 500 cc, therefore <b>code 1, 500 cc/day or less is correct for K0710B1, While NOT a Resident.</b></p> <p>The total fluid intake within the last 7 days while Mr. K. was a resident of the nursing home was 1,520 cc (510 cc + 520 cc + 490 cc = 1,520 cc). Average fluid intake while a resident totaled 507 cc (1,520 cc divided by 3 days). 507 cc is greater than 500 cc, therefore <b>code 2, 501 cc/day or more is correct for K0710B2, While a Resident.</b></p> <p>The total fluid intake during the entire 7 days (includes fluid intake while Mr. K. was in the hospital AND while Mr. K. was a resident of the nursing home) was 3,420 cc (1,900 cc + 1,520 cc). Average fluid intake during the entire 7 days was 489 cc (3,420 cc divided by 7 days). 489 cc is less than 500 cc, therefore <b>code 1, 500 cc/day or less is correct for K0710B3, During Entire 7 Days.</b></p>