

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

Item ID: K0100A.....	2
Item ID: K0100B.....	3
Item ID: K0100C.....	4
Item ID: K0100D.....	5
Item ID: K0100Z	6
Item ID: K0200A.....	7
Item ID: K0200B.....	9
Item ID: K0300	11
Item ID: K0310	12
Item ID: K0510A1.....	13
Item ID: K0510A2.....	15
Item ID: K0510B1.....	17
Item ID: K0510B2.....	19
Item ID: K0510C1.....	21
Item ID: K0510C2.....	23
Item ID: K0510D1.....	24
Item ID: K0510D2.....	26
Item ID: K0510Z1	27
Item ID: K0510Z2	29
Item ID: K0710A1.....	30
Item ID: K0710A2.....	31
Item ID: K0710A3.....	32
Item ID: K0710B1.....	33
Item ID: K0710B2.....	34
Item ID: K0710B3.....	35

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

Item ID: K0100A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Swallow disorder: loss liquids/solids from mouth	Asmt		Checklist	1	867-867

Item Subsets

Active: NC,NQ,NP
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3511	None of above	Fatal	If K0100A through K0100D and K0100Z are all active, then the following rules apply: a) If K0100Z=[0], then at least one item from K0100A through K0100D must equal [1]. b) If K0100Z=[1], then all items from K0100A through K0100D must equal [0]. c) If K0100Z=[-], then at least one item from K0100A through K0100D must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

Item ID: K0100B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Swallow disorder: holds food in mouth/cheeks	Asmt		Checklist	1	868-868

Item Subsets

Active: NC,NQ,NP
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3511	None of above	Fatal	If K0100A through K0100D and K0100Z are all active, then the following rules apply: a) If K0100Z=[0], then at least one item from K0100A through K0100D must equal [1]. b) If K0100Z=[1], then all items from K0100A through K0100D must equal [0]. c) If K0100Z=[-], then at least one item from K0100A through K0100D must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

Item ID: K0100C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Swallow disorder: cough/choke with meals/meds	Asmt		Checklist	1	869-869

Item Subsets

Active: NC,NQ,NP
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3511	None of above	Fatal	If K0100A through K0100D and K0100Z are all active, then the following rules apply: a) If K0100Z=[0], then at least one item from K0100A through K0100D must equal [1]. b) If K0100Z=[1], then all items from K0100A through K0100D must equal [0]. c) If K0100Z=[-], then at least one item from K0100A through K0100D must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

Item ID: K0100D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Swallow disorder: difficulty or pain swallowing	Asmt		Checklist	1	870-870

Item Subsets

Active: NC,NQ,NP
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3511	None of above	Fatal	If K0100A through K0100D and K0100Z are all active, then the following rules apply: a) If K0100Z=[0], then at least one item from K0100A through K0100D must equal [1]. b) If K0100Z=[1], then all items from K0100A through K0100D must equal [0]. c) If K0100Z=[-], then at least one item from K0100A through K0100D must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

Item ID: K0100Z

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Swallow disorder: none of the above	Asmt		Checklist	1	871-871

Item Subsets

Active: NC,NQ,NP
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3511	None of above	Fatal	If K0100A through K0100D and K0100Z are all active, then the following rules apply: a) If K0100Z=[0], then at least one item from K0100A through K0100D must equal [1]. b) If K0100Z=[1], then all items from K0100A through K0100D must equal [0]. c) If K0100Z=[-], then at least one item from K0100A through K0100D must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

Item ID: K0200A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Height (in inches)	Asmt		Number	2	872-873

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE

State optional:

Item Values

Value	LOINC Code	Value Text
00		Minimum value
99		Maximum value
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

Supplemental Information

Info ID	Type	Text
-9013	Information	Rounding of Integer Items: This item should be rounded to the nearest integer. If the value in the tenths decimal place is equal to 0 through 4, round the value down to the nearest integer (i.e., discard the fractional portion of the number). If the value in the tenths decimal place is equal to 5 through 9, round the value up to the next largest integer.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT
Detailed Data Specifications Report
Section: K

Version Changes

Type	ID	Description
Format	-3679	[V2.01.0]-Added mapping to the following item: N0410H.
Format	-3680	[V2.01.0]-Added mapping to the following item: N0410H.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

Item ID: K0200B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Weight (in pounds)	Asmt		Number	3	874-876

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE

State optional:

Item Values

Value	LOINC Code	Value Text
000		Minimum value
999		Maximum value
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

Supplemental Information

Info ID	Type	Text
-9013	Information	Rounding of Integer Items: This item should be rounded to the nearest integer. If the value in the tenths decimal place is equal to 0 through 4, round the value down to the nearest integer (i.e., discard the fractional portion of the number). If the value in the tenths decimal place is equal to 5 through 9, round the value up to the next largest integer.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT
Detailed Data Specifications Report
Section: K

Version Changes

Type	ID	Description
Format	-3679	[V2.01.0]-Added mapping to the following item: N0410H.
Format	-3680	[V2.01.0]-Added mapping to the following item: N0410H.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

Item ID: K0300

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Weight loss	Asmt		Code	1	877-877

Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD

Inactive: NS,NT,SS,ST,XX,NPE

State optional:

Item Values

Value	LOINC Code	Value Text
0		No or unknown
1		Yes, on physician-prescribed weight-loss regimen
2		Yes, not on physician-prescribed weight-loss regimen
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

Item ID: K0310

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Weight Gain	Asmt		Code	1	1443-1443

Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD

Inactive: NS,NT,SS,ST,XX,NPE

State optional:

Item Values

Value	LOINC Code	Value Text
0		No or unknown
1		Yes, on physician-prescribed weight-gain regimen
2		Yes, not on physician-prescribed weight-gain regimen
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

Item ID: K0510A1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutrition approach: Not Res: parenteral/IV feeding	Asmt		Checklist	1	1444-1444

Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD

Inactive: NS,NT,SS,ST,XX,NPE

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3827	Consistency	Fatal	If K0510A1 through K0510D1 and K0510Z1 in Column 1 are all active and K0510Z1 is not equal to [^], then the following rules apply: a) If K0510Z1=[0], then at least one item from K0510A1 through K0510D1 in Column 1 must equal [1]. b) If K0510Z1=[1], then all items from K0510A1 through K0510D1 in Column 1 must equal [0]. c) If K0510Z1=[-], then at least one item from K0510A1 through K0510D1 in Column 1 must equal [-] and all remaining items in Column 1 must equal [0,-].
-3819	Consistency	Fatal	a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 7 days, then the following items in Column 1 must be equal to [^]: K0510A1, K0510B1, K0510C1, K0510D1, K0510Z1. b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 6 days, then the following rules apply: ---b1) If the following items in Column 1 are active, they must not equal [^]: K0510A1 and K0510B1. ---b2) If A0310G=[2] and A0310A=[99] and A0310B=[99], then if the following items in Column 1 are active, they must equal [^]: K0510C1, K0510D1 and K0510Z1. ---b3) If A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if the following items in Column 1 are active, they must not equal [^]: K0510C1, K0510D1 and K0510Z1. ---b4) If A0310G=[1,^], then if the following items in Column 1 are active, they must not equal [^]: K0510C1, K0510D1 and K0510Z1.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

-3840	Consistency	Fatal	<p>a) If K0510A1 or K0510B1 is equal to [1], then if K0710A1 or K0710B1 are active, they must not equal [^].</p> <p>b) If K0510A1 and K0510B1 are equal to [0,^], then if K0710A1 or K0710B1 are active, they must be equal to [^].</p> <p>c) If either K0510A1 or K0510B1 is equal to [-] and the other item is equal to [0,-], then if K0710A1 or K0710B1 are active, they must be equal to [-].</p> <p>d) If K0510A1 and K0510B1 are both equal to [-], then if K0710A1 or K0710B1 are active, they must be equal to [-].</p>
-3842	Consistency	Fatal	<p>The following sub-edits are based upon the values of items K0510A1, K0510A2, K0510B1, and K0510B2. These will be referred to as the "feeding items" below.</p> <p>a) If one or more of the four feeding items is equal to [1], then K0710A3 and K0710B3 must not equal [^].</p> <p>b) If all four of the feeding items are equal to [0,^], then K0710A3 and K0710B3 must be equal to [^].</p> <p>c) If at least one of the four feeding items is equal to [-] and the remaining feeding items are equal to [0,-,^], then K0710A3 and K0710B3 must be equal to [-].</p>

Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

Item ID: K0510A2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutrition approach: Res: parenteral /IV feeding	Asmt		Checklist	1	1445-1445

Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD

Inactive: NS,NT,SS,ST,XX,NPE

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3816	Consistency	Fatal	If K0510A2 through K0510D2 and K0510Z2 in Column 2 are all active and K0510Z2 is not equal to [^], then the following rules apply: a) If K0510Z2=[0], then at least one item from K0510A2 through K0510D2 in Column 2 must equal [1]. b) If K0510Z2=[1], then all items from K0510A2 through K0510D2 in Column 2 must equal [0]. c) If K0510Z2=[-], then at least one item from K0510A2 through K0510D2 in Column 2 must equal [-] and all remaining items in Column 2 must equal [0,-].
-3841	Consistency	Fatal	a) If K0510A2 or K0510B2 is equal to [1], then if K0710A2 or K0710B2 are active, they must not equal [^]. b) If K0510A2 and K0510B2 are equal to [0], then if K0710A2 or K0710B2 are active, they must be equal to [^]. c) If either K0510A2 or K0510B2 is equal to [-] and the other item is equal to [0,-], then if K0710A2 or K0710B2 are active, they must be equal to [-]. d) If K0510A2 and K0510B2 are both equal to [-], then if K0710A2 or K0710B2 are active, they must be equal to [-].
-3842	Consistency	Fatal	The following sub-edits are based upon the values of items K0510A1, K0510A2, K0510B1, and K0510B2. These will be referred to as the "feeding items" below. a) If one or more of the four feeding items is equal to [1], then K0710A3 and K0710B3 must not equal [^]. b) If all four of the feeding items are equal to [0,^], then K0710A3 and K0710B3 must be equal to [^]. c) If at least one of the four feeding items is equal to [-] and the remaining feeding items are equal to [0,-,^], then K0710A3 and K0710B3 must be equal to [-].

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT
Detailed Data Specifications Report
Section: K

Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

Item ID: K0510B1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutrition approach: Not Res: feeding tube	Asmt		Checklist	1	1446-1446

Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD

Inactive: NS,NT,SS,ST,XX,NPE

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3827	Consistency	Fatal	If K0510A1 through K0510D1 and K0510Z1 in Column 1 are all active and K0510Z1 is not equal to [^], then the following rules apply: a) If K0510Z1=[0], then at least one item from K0510A1 through K0510D1 in Column 1 must equal [1]. b) If K0510Z1=[1], then all items from K0510A1 through K0510D1 in Column 1 must equal [0]. c) If K0510Z1=[-], then at least one item from K0510A1 through K0510D1 in Column 1 must equal [-] and all remaining items in Column 1 must equal [0,-].
-3819	Consistency	Fatal	a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 7 days, then the following items in Column 1 must be equal to [^]: K0510A1, K0510B1, K0510C1, K0510D1, K0510Z1. b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 6 days, then the following rules apply: ---b1) If the following items in Column 1 are active, they must not equal [^]: K0510A1 and K0510B1. ---b2) If A0310G=[2] and A0310A=[99] and A0310B=[99], then if the following items in Column 1 are active, they must equal [^]: K0510C1, K0510D1 and K0510Z1. ---b3) If A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if the following items in Column 1 are active, they must not equal [^]: K0510C1, K0510D1 and K0510Z1. ---b4) If A0310G=[1,^], then if the following items in Column 1 are active, they must not equal [^]: K0510C1, K0510D1 and K0510Z1.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

-3840	Consistency	Fatal	<p>a) If K0510A1 or K0510B1 is equal to [1], then if K0710A1 or K0710B1 are active, they must not equal [^].</p> <p>b) If K0510A1 and K0510B1 are equal to [0,^], then if K0710A1 or K0710B1 are active, they must be equal to [^].</p> <p>c) If either K0510A1 or K0510B1 is equal to [-] and the other item is equal to [0,-], then if K0710A1 or K0710B1 are active, they must be equal to [-].</p> <p>d) If K0510A1 and K0510B1 are both equal to [-], then if K0710A1 or K0710B1 are active, they must be equal to [-].</p>
-3842	Consistency	Fatal	<p>The following sub-edits are based upon the values of items K0510A1, K0510A2, K0510B1, and K0510B2. These will be referred to as the "feeding items" below.</p> <p>a) If one or more of the four feeding items is equal to [1], then K0710A3 and K0710B3 must not equal [^].</p> <p>b) If all four of the feeding items are equal to [0,^], then K0710A3 and K0710B3 must be equal to [^].</p> <p>c) If at least one of the four feeding items is equal to [-] and the remaining feeding items are equal to [0,-,^], then K0710A3 and K0710B3 must be equal to [-].</p>

Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

Item ID: K0510B2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutrition approach: Res: feeding tube	Asmt		Checklist	1	1447-1447

Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD

Inactive: NS,NT,SS,ST,XX,NPE

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3816	Consistency	Fatal	If K0510A2 through K0510D2 and K0510Z2 in Column 2 are all active and K0510Z2 is not equal to [^], then the following rules apply: a) If K0510Z2=[0], then at least one item from K0510A2 through K0510D2 in Column 2 must equal [1]. b) If K0510Z2=[1], then all items from K0510A2 through K0510D2 in Column 2 must equal [0]. c) If K0510Z2=[-], then at least one item from K0510A2 through K0510D2 in Column 2 must equal [-] and all remaining items in Column 2 must equal [0,-].
-3841	Consistency	Fatal	a) If K0510A2 or K0510B2 is equal to [1], then if K0710A2 or K0710B2 are active, they must not equal [^]. b) If K0510A2 and K0510B2 are equal to [0], then if K0710A2 or K0710B2 are active, they must be equal to [^]. c) If either K0510A2 or K0510B2 is equal to [-] and the other item is equal to [0,-], then if K0710A2 or K0710B2 are active, they must be equal to [-]. d) If K0510A2 and K0510B2 are both equal to [-], then if K0710A2 or K0710B2 are active, they must be equal to [-].
-3842	Consistency	Fatal	The following sub-edits are based upon the values of items K0510A1, K0510A2, K0510B1, and K0510B2. These will be referred to as the "feeding items" below. a) If one or more of the four feeding items is equal to [1], then K0710A3 and K0710B3 must not equal [^]. b) If all four of the feeding items are equal to [0,^], then K0710A3 and K0710B3 must be equal to [^]. c) If at least one of the four feeding items is equal to [-] and the remaining feeding items are equal to [0,-,^], then K0710A3 and K0710B3 must be equal to [-].

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT
Detailed Data Specifications Report
Section: K

Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

Item ID: K0510C1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutrition approach: Not Res: mechanic altered diet	Asmt		Checklist	1	1448-1448

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3827	Consistency	Fatal	If K0510A1 through K0510D1 and K0510Z1 in Column 1 are all active and K0510Z1 is not equal to [^], then the following rules apply: a) If K0510Z1=[0], then at least one item from K0510A1 through K0510D1 in Column 1 must equal [1]. b) If K0510Z1=[1], then all items from K0510A1 through K0510D1 in Column 1 must equal [0]. c) If K0510Z1=[-], then at least one item from K0510A1 through K0510D1 in Column 1 must equal [-] and all remaining items in Column 1 must equal [0,-].
-3819	Consistency	Fatal	a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 7 days, then the following items in Column 1 must be equal to [^]: K0510A1, K0510B1, K0510C1, K0510D1, K0510Z1. b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 6 days, then the following rules apply: ---b1) If the following items in Column 1 are active, they must not equal [^]: K0510A1 and K0510B1. ---b2) If A0310G=[2] and A0310A=[99] and A0310B=[99], then if the following items in Column 1 are active, they must equal [^]: K0510C1, K0510D1 and K0510Z1. ---b3) If A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if the following items in Column 1 are active, they must not equal [^]: K0510C1, K0510D1 and K0510Z1. ---b4) If A0310G=[1,^], then if the following items in Column 1 are active, they must not equal [^]: K0510C1, K0510D1 and K0510Z1.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT
Detailed Data Specifications Report
Section: K

Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

Item ID: K0510C2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutrition approach: Res: mechanic altered diet	Asmt		Checklist	1	1449-1449

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3816	Consistency	Fatal	If K0510A2 through K0510D2 and K0510Z2 in Column 2 are all active and K0510Z2 is not equal to [^], then the following rules apply: a) If K0510Z2=[0], then at least one item from K0510A2 through K0510D2 in Column 2 must equal [1]. b) If K0510Z2=[1], then all items from K0510A2 through K0510D2 in Column 2 must equal [0]. c) If K0510Z2=[-], then at least one item from K0510A2 through K0510D2 in Column 2 must equal [-] and all remaining items in Column 2 must equal [0,-].
-3824	Consistency	Fatal	a) If A0310G=[2] and A0310A=[99] and A0310B=[99], then if the following items in Column 2 are active, they must equal [^]: K0510C2, K0510D2 and K0510Z2. b) If A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if the following items in Column 2 are active, they must not equal [^]: K0510C2, K0510D2 and K0510Z2. c) If A0310G=[1,^], then if the following items in Column 2 are active, they must not equal [^]: K0510C2, K0510D2 and K0510Z2.

Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

Item ID: K0510D1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutrition approach: Not Res: therapeutic diet	Asmt		Checklist	1	1450-1450

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3827	Consistency	Fatal	If K0510A1 through K0510D1 and K0510Z1 in Column 1 are all active and K0510Z1 is not equal to [^], then the following rules apply: a) If K0510Z1=[0], then at least one item from K0510A1 through K0510D1 in Column 1 must equal [1]. b) If K0510Z1=[1], then all items from K0510A1 through K0510D1 in Column 1 must equal [0]. c) If K0510Z1=[-], then at least one item from K0510A1 through K0510D1 in Column 1 must equal [-] and all remaining items in Column 1 must equal [0,-].
-3819	Consistency	Fatal	a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 7 days, then the following items in Column 1 must be equal to [^]: K0510A1, K0510B1, K0510C1, K0510D1, K0510Z1. b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 6 days, then the following rules apply: ---b1) If the following items in Column 1 are active, they must not equal [^]: K0510A1 and K0510B1. ---b2) If A0310G=[2] and A0310A=[99] and A0310B=[99], then if the following items in Column 1 are active, they must equal [^]: K0510C1, K0510D1 and K0510Z1. ---b3) If A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if the following items in Column 1 are active, they must not equal [^]: K0510C1, K0510D1 and K0510Z1. ---b4) If A0310G=[1,^], then if the following items in Column 1 are active, they must not equal [^]: K0510C1, K0510D1 and K0510Z1.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT
Detailed Data Specifications Report
Section: K

Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

Item ID: K0510D2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutrition approach: Res: therapeutic diet	Asmt		Checklist	1	1451-1451

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3816	Consistency	Fatal	If K0510A2 through K0510D2 and K0510Z2 in Column 2 are all active and K0510Z2 is not equal to [^], then the following rules apply: a) If K0510Z2=[0], then at least one item from K0510A2 through K0510D2 in Column 2 must equal [1]. b) If K0510Z2=[1], then all items from K0510A2 through K0510D2 in Column 2 must equal [0]. c) If K0510Z2=[-], then at least one item from K0510A2 through K0510D2 in Column 2 must equal [-] and all remaining items in Column 2 must equal [0,-].
-3824	Consistency	Fatal	a) If A0310G=[2] and A0310A=[99] and A0310B=[99], then if the following items in Column 2 are active, they must equal [^]: K0510C2, K0510D2 and K0510Z2. b) If A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if the following items in Column 2 are active, they must not equal [^]: K0510C2, K0510D2 and K0510Z2. c) If A0310G=[1,^], then if the following items in Column 2 are active, they must not equal [^]: K0510C2, K0510D2 and K0510Z2.

Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

Item ID: K0510Z1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutrition approach: Not Res: none of the above	Asmt		Checklist	1	1452-1452

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3827	Consistency	Fatal	If K0510A1 through K0510D1 and K0510Z1 in Column 1 are all active and K0510Z1 is not equal to [^], then the following rules apply: a) If K0510Z1=[0], then at least one item from K0510A1 through K0510D1 in Column 1 must equal [1]. b) If K0510Z1=[1], then all items from K0510A1 through K0510D1 in Column 1 must equal [0]. c) If K0510Z1=[-], then at least one item from K0510A1 through K0510D1 in Column 1 must equal [-] and all remaining items in Column 1 must equal [0,-].
-3819	Consistency	Fatal	a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 7 days, then the following items in Column 1 must be equal to [^]: K0510A1, K0510B1, K0510C1, K0510D1, K0510Z1. b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 6 days, then the following rules apply: ---b1) If the following items in Column 1 are active, they must not equal [^]: K0510A1 and K0510B1. ---b2) If A0310G=[2] and A0310A=[99] and A0310B=[99], then if the following items in Column 1 are active, they must equal [^]: K0510C1, K0510D1 and K0510Z1. ---b3) If A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if the following items in Column 1 are active, they must not equal [^]: K0510C1, K0510D1 and K0510Z1. ---b4) If A0310G=[1,^], then if the following items in Column 1 are active, they must not equal [^]: K0510C1, K0510D1 and K0510Z1.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT
Detailed Data Specifications Report
Section: K

Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

Item ID: K0510Z2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutrition approach: Res: none of the above	Asmt		Checklist	1	1453-1453

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3816	Consistency	Fatal	If K0510A2 through K0510D2 and K0510Z2 in Column 2 are all active and K0510Z2 is not equal to [^], then the following rules apply: a) If K0510Z2=[0], then at least one item from K0510A2 through K0510D2 in Column 2 must equal [1]. b) If K0510Z2=[1], then all items from K0510A2 through K0510D2 in Column 2 must equal [0]. c) If K0510Z2=[-], then at least one item from K0510A2 through K0510D2 in Column 2 must equal [-] and all remaining items in Column 2 must equal [0,-].
-3824	Consistency	Fatal	a) If A0310G=[2] and A0310A=[99] and A0310B=[99], then if the following items in Column 2 are active, they must equal [^]: K0510C2, K0510D2 and K0510Z2. b) If A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if the following items in Column 2 are active, they must not equal [^]: K0510C2, K0510D2 and K0510Z2. c) If A0310G=[1,^], then if the following items in Column 2 are active, they must not equal [^]: K0510C2, K0510D2 and K0510Z2.

Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

Item ID: K0710A1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Prop calories parenteral/tube feed: not resident	Asmt		Code	1	1466-1466

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE
 State optional:

Item Values

Value	LOINC Code	Value Text
1		25% or less
2		26-50%
3		51% or more
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3840	Consistency	Fatal	a) If K0510A1 or K0510B1 is equal to [1], then if K0710A1 or K0710B1 are active, they must not equal [^]. b) If K0510A1 and K0510B1 are equal to [0,^], then if K0710A1 or K0710B1 are active, they must be equal to [^]. c) If either K0510A1 or K0510B1 is equal to [-] and the other item is equal to [0,-], then if K0710A1 or K0710B1 are active, they must be equal to [-]. d) If K0510A1 and K0510B1 are both equal to [-], then if K0710A1 or K0710B1 are active, they must be equal to [-].

Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

Item ID: K0710A2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Prop calories parenteral/tube feed: while resident	Asmt		Code	1	1467-1467

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE
 State optional:

Item Values

Value	LOINC Code	Value Text
1		25% or less
2		26-50%
3		51% or more
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3841	Consistency	Fatal	a) If K0510A2 or K0510B2 is equal to [1], then if K0710A2 or K0710B2 are active, they must not equal [^]. b) If K0510A2 and K0510B2 are equal to [0], then if K0710A2 or K0710B2 are active, they must be equal to [^]. c) If either K0510A2 or K0510B2 is equal to [-] and the other item is equal to [0,-], then if K0710A2 or K0710B2 are active, they must be equal to [-]. d) If K0510A2 and K0510B2 are both equal to [-], then if K0710A2 or K0710B2 are active, they must be equal to [-].

Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

Item ID: K0710A3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Prop calories parenteral/tube feed: 7 days	Asmt		Code	1	1468-1468

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE
 State optional:

Item Values

Value	LOINC Code	Value Text
1		25% or less
2		26-50%
3		51% or more
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3842	Consistency	Fatal	The following sub-edits are based upon the values of items K0510A1, K0510A2, K0510B1, and K0510B2. These will be referred to as the "feeding items" below. a) If one or more of the four feeding items is equal to [1], then K0710A3 and K0710B3 must not equal [^]. b) If all four of the feeding items are equal to [0,^], then K0710A3 and K0710B3 must be equal to [^]. c) If at least one of the four feeding items is equal to [-] and the remaining feeding items are equal to [0,-,^], then K0710A3 and K0710B3 must be equal to [-].

Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

Item ID: K0710B1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Avg fluid intake per day IV/tube: not resident	Asmt		Code	1	1469-1469

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE
 State optional:

Item Values

Value	LOINC Code	Value Text
1		500 cc/day or less
2		501 cc/day or more
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3840	Consistency	Fatal	a) If K0510A1 or K0510B1 is equal to [1], then if K0710A1 or K0710B1 are active, they must not equal [^]. b) If K0510A1 and K0510B1 are equal to [0,^], then if K0710A1 or K0710B1 are active, they must be equal to [^]. c) If either K0510A1 or K0510B1 is equal to [-] and the other item is equal to [0,-], then if K0710A1 or K0710B1 are active, they must be equal to [-]. d) If K0510A1 and K0510B1 are both equal to [-], then if K0710A1 or K0710B1 are active, they must be equal to [-].

Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

Item ID: K0710B2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Avg fluid intake per day IV/ tube: while resident	Asmt		Code	1	1470-1470

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE
 State optional:

Item Values

Value	LOINC Code	Value Text
1		500 cc/day or less
2		501 cc/day or more
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3841	Consistency	Fatal	a) If K0510A2 or K0510B2 is equal to [1], then if K0710A2 or K0710B2 are active, they must not equal [^]. b) If K0510A2 and K0510B2 are equal to [0], then if K0710A2 or K0710B2 are active, they must be equal to [^]. c) If either K0510A2 or K0510B2 is equal to [-] and the other item is equal to [0,-], then if K0710A2 or K0710B2 are active, they must be equal to [-]. d) If K0510A2 and K0510B2 are both equal to [-], then if K0710A2 or K0710B2 are active, they must be equal to [-].

Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: K

Item ID: K0710B3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Avg fluid intake per day IV/tube: 7 days	Asmt		Code	1	1471-1471

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE
 State optional:

Item Values

Value	LOINC Code	Value Text
1		500 cc/day or less
2		501 cc/day or more
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3842	Consistency	Fatal	The following sub-edits are based upon the values of items K0510A1, K0510A2, K0510B1, and K0510B2. These will be referred to as the "feeding items" below. a) If one or more of the four feeding items is equal to [1], then K0710A3 and K0710B3 must not equal [^]. b) If all four of the feeding items are equal to [0,^], then K0710A3 and K0710B3 must be equal to [^]. c) If at least one of the four feeding items is equal to [-] and the remaining feeding items are equal to [0,-,^], then K0710A3 and K0710B3 must be equal to [-].

Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.