

**Track Changes  
from Chapter 3 Section M V1.07  
to Chapter 3 Section M V1.08**

Chapter	Section	Page	Change
3	M0300B	M-8	Replaced screen shot.

OLD

Enter Number

Enter Number

**M0300. Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage**

**B. Stage 2:** Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister

1. Number of Stage 2 pressure ulcers - If 0 → Skip to M0300C, Stage 3

2. Number of these Stage 2 pressure ulcers that were present upon admission/reentry - enter how many were noted at the time of admission

3. Date of oldest Stage 2 pressure ulcer - Enter dashes if date is unknown:

Month

Day

Year

NEW

Enter Number

Enter Number

**B. Stage 2:** Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister

1. Number of Stage 2 pressure ulcers - If 0 → Skip to M0300C, Stage 3

2. Number of these Stage 2 pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry

3. Date of oldest Stage 2 pressure ulcer - Enter dashes if date is unknown:

Month

Day

Year

3	M0300B	M-9	5. Identify the number of these these pressure ulcers that were present on admission/entry or re-entry reentry (see instructions on page M-6).
3	M0300C	M-10	Replaced screen shot.

OLD

Enter Number

Enter Number

**M0300. Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage**

**C. Stage 3:** Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling

1. Number of Stage 3 pressure ulcers - If 0 → Skip to M0300D, Stage 4

2. Number of these Stage 3 pressure ulcers that were present upon admission/reentry - enter how many were noted at the time of admission

NEW

Enter Number

Enter Number

**C. Stage 3:** Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling

1. Number of Stage 3 pressure ulcers - If 0 → Skip to M0300D, Stage 4

2. Number of these Stage 3 pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry

3	M0300C	M-10	4. Identify the number of these these pressure ulcers that
---	--------	------	--

**Track Changes  
from Chapter 3 Section M V1.07  
to Chapter 3 Section M V1.08**

Chapter	Section	Page	Change
			were present on admission/entry or <del>re-entry</del> <b>reentry</b> .
3	M0300C	M-11	<p>Example #1 Coding: The current Stage 3 pressure ulcer would be coded at M0300C1 as Code 1, and at M0300C2 as 0, not present on admission/entry or <del>re-entry</del> <b>reentry</b>.</p> <p>Example #2 Coding: The pressure ulcer would be coded at M0300C1 as Code 1, and at M0300C2 as 1, present on admission/entry or <del>re-entry</del> <b>reentry</b>.</p>
3	M0300C	M-12	<p>Example #3 Coding: The two merged pressure ulcers would be coded at M0300B1 as 1, and at M0300B2 as 1, present on admission/entry or <del>re-entry</del> <b>reentry</b>. The Stage 3 pressure ulcer would be coded at M0300C1 as 1, and at M0300C2 as 0, not present on admission/entry or <del>re-entry</del> <b>reentry</b>.</p> <p>Example #4 Coding: The Stage 2 pressure ulcer would be coded at M0300B1 as 1, and at M0300B2 as 0, not present on admission; the Stage 3 would be coded at M0300C1 as 1, and at M0300C2 as 1, present on admission/entry or <del>re-entry</del> <b>reentry</b>.</p>

**Track Changes  
from Chapter 3 Section M V1.07  
to Chapter 3 Section M V1.08**

3	M0300C	M-12	Replaced screen shot.
<p><b>OLD</b></p> <div style="border: 1px solid black; padding: 5px;"> <p><b>M0300. Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage</b></p> <p><b>D. Stage 4:</b> Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling</p> <div style="display: flex; align-items: flex-start;"> <div style="margin-right: 10px;"> <p>Enter Number</p> <input type="text"/>  <p>Enter Number</p> <input type="text"/> </div> <div> <p><b>1. Number of Stage 4 pressure ulcers</b> - If 0 → Skip to M0300E, Unstageable: Non-removable dressing</p> <p><b>2. Number of these Stage 4 pressure ulcers that were present upon admission/reentry</b> - enter how many were noted at the time of admission</p> </div> </div> </div> <p><b>NEW</b></p> <div style="border: 1px solid black; padding: 5px;"> <p><b>D. Stage 4:</b> Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling</p> <div style="display: flex; align-items: flex-start;"> <div style="margin-right: 10px;"> <p>Enter Number</p> <input type="text"/>  <p>Enter Number</p> <input type="text"/> </div> <div> <p><b>1. Number of Stage 4 pressure ulcers</b> - If 0 → Skip to M0300E, Unstageable: Non-removable dressing</p> <p><b>2. Number of these Stage 4 pressure ulcers that were present upon admission/entry or reentry</b> - enter how many were noted at the time of admission/entry or reentry</p> </div> </div> <p style="background-color: #f0f0f0; padding: 2px; margin-top: 5px;">M0300 continued on next page</p> </div>			
3	M0300D	M-13	4. Identify the number of <del>these</del> <b>these</b> pressure ulcers that were present on admission/entry or re-entry.
3	M0300D	M-13	<p><b>Coding Instructions for M0300D</b></p> <ul style="list-style-type: none"> <li>Enter 0 if no Stage 4 pressure ulcers were first noted at the time of admission/entry or <del>re-entry</del> <b>reentry</b>.</li> </ul>
3	M0300E	M-14	Replaced screen shot.
<p><b>OLD</b></p> <div style="border: 1px solid black; padding: 5px;"> <p><b>M0300. Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage - Continued</b></p> <p><b>E. Unstageable - Non-removable dressing:</b> Known but not stageable due to non-removable dressing/device</p> <div style="display: flex; align-items: flex-start;"> <div style="margin-right: 10px;"> <p>Enter Number</p> <input type="text"/>  <p>Enter Number</p> <input type="text"/> </div> <div> <p><b>1. Number of unstageable pressure ulcers due to non-removable dressing/device</b> - If 0 → Skip to M0300F, Unstageable: Slough and/or eschar</p> <p><b>2. Number of these unstageable pressure ulcers that were present upon admission/reentry</b> - enter how many were noted at the time of admission</p> </div> </div> </div> <p><b>NEW</b></p> <div style="border: 1px solid black; padding: 5px;"> <p><b>E. Unstageable - Non-removable dressing:</b> Known but not stageable due to non-removable dressing/device</p> <div style="display: flex; align-items: flex-start;"> <div style="margin-right: 10px;"> <p>Enter Number</p> <input type="text"/>  <p>Enter Number</p> <input type="text"/> </div> <div> <p><b>1. Number of unstageable pressure ulcers due to non-removable dressing/device</b> - If 0 → Skip to M0300F, Unstageable: Slough and/or eschar</p> <p><b>2. Number of these unstageable pressure ulcers that were present upon admission/entry or reentry</b> - enter how many were noted at the time of admission/entry or reentry</p> </div> </div> </div>			
3	M0300E	M-14	3. Identify the number of <del>these</del> <b>these</b> pressure ulcers that were present on admission/entry or re-entry (see page M-6 for assessment process).
3	M0300E	M-15	<b>Coding Instructions for M0300E</b>

**Track Changes  
from Chapter 3 Section M V1.07  
to Chapter 3 Section M V1.08**

			<ul style="list-style-type: none"> <li>Enter 0 if no unstageable pressure ulcers related to non-removable dressing/device were first noted at the time of admission/entry or <del>re-entry</del> <b>reentry</b>.</li> </ul>
3	M0300F	M-15	Replaced screen shot.
<p>OLD</p> <div style="border: 1px solid black; padding: 5px;"> <p><b>M0300. Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage - Continued</b></p> <p><b>F. Unstageable - Slough and/or eschar:</b> Known but not stageable due to coverage of wound bed by slough and/or eschar</p> <div style="display: flex;"> <div style="width: 100px;"> <p>Enter Number</p> <input type="text"/> </div> <div> <p><b>1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar - If 0 → Skip to M0300G, Unstageable: Deep tissue</b></p> </div> </div> <div style="display: flex;"> <div style="width: 100px;"> <p>Enter Number</p> <input type="text"/> </div> <div> <p><b>2. Number of these unstageable pressure ulcers that were present upon admission/reentry - enter how many were noted at the time of admission</b></p> </div> </div> </div> <p>NEW</p> <div style="border: 1px solid black; padding: 5px;"> <p><b>F. Unstageable - Slough and/or eschar:</b> Known but not stageable due to coverage of wound bed by slough and/or eschar</p> <div style="display: flex;"> <div style="width: 100px;"> <p>Enter Number</p> <input type="text"/> </div> <div> <p><b>1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar - If 0 → Skip to M0300G, Unstageable: Deep tissue</b></p> </div> </div> <div style="display: flex;"> <div style="width: 100px;"> <p>Enter Number</p> <input type="text"/> </div> <div> <p><b>2. Number of these unstageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry</b></p> </div> </div> </div>			
3	M0300F	M-16	<p><b>Steps for Assessment</b></p> <p>2. Identify the number of <del>these</del> <b>these</b> pressure ulcers that were present on admission/entry or re-entry (see page M-6 for assessment process).</p>
3	M0300F	M-16	<p><b>Coding Instructions for M0300F</b></p> <p>Enter 0 if no unstageable pressure ulcers related to slough and/or eschar were first noted at the time of admission/entry or <del>re-entry</del> <b>reentry</b>.</p>
3	M0300F	M-17	<p><b>Example #1</b></p> <p>Coding: The pressure ulcer would be coded at M0300F1 as 1, and at M0300F2 as 1, present on admission/entry or <del>re-entry</del> <b>reentry</b>.</p> <p><b>Example #2</b></p> <p>Coding: The ulcer is reclassified as a Stage 4 pressure ulcer. On the subsequent MDS, it is coded at M0300D1 as 1, and at M0300D2 as 1, present on admission/entry or <del>re-entry</del> <b>reentry</b>.</p>

**Track Changes  
from Chapter 3 Section M V1.07  
to Chapter 3 Section M V1.08**

3	M0300G	M-17	Replaced screen shot.
OLD			
<div style="border: 1px solid black; padding: 5px;"> <p><b>M0300. Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage - Continued</b></p> <p><b>G. Unstageable - Deep tissue:</b> Suspected deep tissue injury in evolution</p> <div style="display: flex; align-items: flex-start;"> <div style="margin-right: 10px;"> Enter Number  <input type="text"/>  Enter Number  <input type="text"/> </div> <div> <p>1. <b>Number of unstageable pressure ulcers with suspected deep tissue injury in evolution</b> - If 0 → Skip to M0610, Dimension of Unhealed Stage 3 or 4 Pressure Ulcers or Eschar</p> <p>2. <b>Number of these unstageable pressure ulcers that were present upon admission/reentry</b> - enter how many were noted at the time of admission</p> </div> </div> </div>			
NEW			
<div style="border: 1px solid black; padding: 5px;"> <p><b>G. Unstageable - Deep tissue:</b> Suspected deep tissue injury in evolution</p> <div style="display: flex; align-items: flex-start;"> <div style="margin-right: 10px;"> Enter Number  <input type="text"/>  Enter Number  <input type="text"/> </div> <div> <p>1. <b>Number of unstageable pressure ulcers with suspected deep tissue injury in evolution</b> - If 0 → Skip to M0610, Dimension of Unhealed Stage 3 or 4 Pressure Ulcers or Eschar</p> <p>2. <b>Number of <u>these</u> unstageable pressure ulcers that were present upon admission/entry or reentry</b> - enter how many were noted at the time of admission/entry or reentry</p> </div> </div> </div>			
3	M0300G	M-18	<b>Steps for Assessment</b>
			6. Identify the number of <del>these</del> <b>these</b> pressure ulcers that were present on admission/entry or re-entry (see page M-6 for instructions).
3	M0300G	M-19	<b>Coding Instructions for M0300G</b>
			<ul style="list-style-type: none"> <li>Enter 0 if no unstageable pressure ulcers related to suspected deep tissue injury were first noted at the time of admission/entry or <del>re-entry</del> <b>reentry</b>.</li> </ul>
3	M0700	M-21	Replaced screen shot.
OLD			
<div style="border: 1px solid black; padding: 5px;"> <p><b>M0700. Most Severe Tissue Type for Any Pressure Ulcer</b></p> <p>Select the best description of the most severe type of tissue present in any pressure ulcer bed</p> <div style="display: flex; align-items: flex-start;"> <div style="margin-right: 10px;"> Enter Code  <input type="text"/> </div> <div> <p>1. <b>Epithelial tissue</b> - new skin growing in superficial ulcer. It can be light pink and shiny, even in persons with darkly pigmented skin</p> <p>2. <b>Granulation tissue</b> - pink or red tissue with shiny, moist, granular appearance</p> <p>3. <b>Slough</b> - yellow or white tissue that adheres to the ulcer bed in strings or thick clumps, or is mucinous</p> <p>4. <b>Necrotic tissue (Eschar)</b> - black, brown, or tan tissue that adheres firmly to the wound bed or ulcer edges, may be softer or harder than surrounding skin</p> </div> </div> </div>			
NEW			
<div style="border: 1px solid black; padding: 5px;"> <p><b>M0700. Most Severe Tissue Type for Any Pressure Ulcer</b></p> <p>Select the best description of the most severe type of tissue present in any pressure ulcer bed</p> <div style="display: flex; align-items: flex-start;"> <div style="margin-right: 10px;"> Enter Code  <input type="text"/> </div> <div> <p>1. <b>Epithelial tissue</b> - new skin growing in superficial ulcer. It can be light pink and shiny, even in persons with darkly pigmented skin</p> <p>2. <b>Granulation tissue</b> - pink or red tissue with shiny, moist, granular appearance</p> <p>3. <b>Slough</b> - yellow or white tissue that adheres to the ulcer bed in strings or thick clumps, or is mucinous</p> <p>4. <b>Necrotic tissue (Eschar)</b> - black, brown, or tan tissue that adheres firmly to the wound bed or ulcer edges, may be softer or harder than surrounding skin</p> <p>9. <b>None of the Above</b></p> </div> </div> </div>			

**Track Changes  
from Chapter 3 Section M V1.07  
to Chapter 3 Section M V1.08**

3	M0700	M-22	<ul style="list-style-type: none"> <li>Code 9, None of the above: if none of the above apply.</li> </ul>
3	M0700	M-23	<ul style="list-style-type: none"> <li>Code this item with <b>Code 9, None of the above</b>, <del>at</del> in the following situations <ul style="list-style-type: none"> <li>— Stage 1 pressure ulcer</li> <li>— Stage 2 pressure ulcer with intact blister</li> <li>— Unstageable pressure ulcer related to non-removable dressing /device</li> <li>— Unstageable pressure ulcer related to suspected deep tissue injury</li> </ul> </li> </ul> <p><b>Code 9</b> The dash is being used in these instances because the wound bed cannot be visualized and therefore cannot be assessed.</p>
3	M0800	M-23	<b>M0800: Worsening in Pressure Ulcer Status Since Prior Assessment (OBRA or scheduled, PPS), or Last Admission/Entry or ReentryDischarge)</b>
3	M0800	M-23	Replaced screen shot.

**OLD**

<b>M0800. Worsening in Pressure Ulcer Status Since Prior Assessment (OBRA, PPS, or Discharge)</b>	
Complete only if A0310E = 0	
Indicate the number of current pressure ulcers that were <b>not present or were at a lesser stage</b> on prior assessment (OBRA, PPS, or Discharge). If no current pressure ulcer at a given stage, enter 0	
Enter Number <input type="text"/>	<b>A. Stage 2</b>
Enter Number <input type="text"/>	<b>B. Stage 3</b>
Enter Number <input type="text"/>	<b>C. Stage 4</b>

**NEW**

<b>M0800. Worsening in Pressure Ulcer Status Since Prior Assessment (OBRA or Scheduled PPS) or Last Admission/Entry or Reentry</b>	
Complete only if A0310E = 0	
Indicate the number of current pressure ulcers that were <b>not present or were at a lesser stage</b> on prior assessment (OBRA or scheduled PPS) or last entry. If no current pressure ulcer at a given stage, enter 0.	
Enter Number <input type="text"/>	<b>A. Stage 2</b>
Enter Number <input type="text"/>	<b>B. Stage 3</b>
Enter Number <input type="text"/>	<b>C. Stage 4</b>



**Track Changes  
from Chapter 3 Section M V1.07  
to Chapter 3 Section M V1.08**

3	M0800	M-24	<i>Look-back period for this item is back to the ARD of the prior assessment. <b>If there was no prior assessment (i.e., if this is the first OBRA or scheduled PPS assessment), do not complete this item.</b> Skip to M1030, Number of Venous and Arterial Ulcers.</i>
3	M0800	M-24 & M-25	<ul style="list-style-type: none"> <li>• If a pressure ulcer is acquired during a hospital admission, it is coded as present on admission/entry or <del>re-entry</del> <b>reentry</b> and not included in a count of worsening pressure ulcers.</li> <li>• If a pressure ulcer worsens to a more severe stage during a hospital admission, it should also be coded as present on admission/entry or <del>re-entry</del> <b>reentry</b> and not included in counts of worsening pressure ulcers. While not included in counts of worsening pressure ulcers, it is important to recognize clinically on reentry that the resident's overall skin status deteriorated while in the hospital. In either case, if the pressure ulcer deteriorates (worsens) to a higher (deeper) stage on subsequent MDS assessments, it would then be included in counts of worsening pressure ulcers.</li> </ul>
3	M0900	M-26	Replaced screen shot.

**OLD**

<b>M0900. Healed Pressure Ulcers</b>	
Complete only if A0310E = 0	
Enter Code <input type="checkbox"/>	<b>A. Were pressure ulcers present on the prior assessment (OBRA, PPS, or Discharge)?</b> 0. <b>No</b> → Skip to M1030, Number of Venous and Arterial Ulcers 1. <b>Yes</b> → Continue to M0900B, Stage 2
Indicate the number of pressure ulcers that were noted on the prior assessment (OBRA, PPS, or Discharge) that have completely closed (resurfaced with epithelium). If no healed pressure ulcer at a given stage since the prior assessment (OBRA, PPS, or Discharge), enter 0	
Enter Number <input type="checkbox"/>	<b>B. Stage 2</b>
Enter Number <input type="checkbox"/>	<b>C. Stage 3</b>
Enter Number <input type="checkbox"/>	<b>D. Stage 4</b>

**Track Changes  
from Chapter 3 Section M V1.07  
to Chapter 3 Section M V1.08**

NEW

<b>M0900. Healed Pressure Ulcers</b>	
Complete only if A0310E = 0	
Enter Code <input type="checkbox"/>	<b>A. Were pressure ulcers present on the prior assessment (OBRA or scheduled PPS)?</b> 0. <b>No</b> → Skip to M1030, Number of Venous and Arterial Ulcers 1. <b>Yes</b> → Continue to M0900B, Stage 2  Indicate the number of pressure ulcers that were noted on the prior assessment (OBRA or scheduled PPS) that have completely closed (resurfaced with epithelium). If no healed pressure ulcer at a given stage since the prior assessment (OBRA or scheduled PPS), enter 0.
Enter Number <input type="checkbox"/>	<b>B. Stage 2</b>
Enter Number <input type="checkbox"/>	<b>C. Stage 3</b>
Enter Number <input type="checkbox"/>	<b>D. Stage 4</b>

3	M0900	M-27	<b>Steps for Assessment</b>  <i>Complete on all residents, including those without a current pressure ulcer.</i>  <i>Look-back period for this item is the ARD of the prior assessment. <b>If no prior assessment (i.e., if this is the first OBRA or <span style="background-color: yellow;">scheduled</span> PPS assessment), do not complete this item.</b> Skip to M1030.</i>
3	M1040	M-29	Replaced screen shot.

OLD

<b>M1040. Other Ulcers, Wounds and Skin Problems</b>	
↓ Check all that apply	
<b>Foot Problems</b>	
<input type="checkbox"/>	<b>A. Infection of the foot</b> (e.g., cellulitis, purulent drainage)
<input type="checkbox"/>	<b>B. Diabetic foot ulcer(s)</b>
<input type="checkbox"/>	<b>C. Other open lesion(s) on the foot</b>
<b>Other Problems</b>	
<input type="checkbox"/>	<b>D. Open lesion(s) other than ulcers, rashes, cuts</b> (e.g., cancer lesion)
<input type="checkbox"/>	<b>E. Surgical wound(s)</b>
<input type="checkbox"/>	<b>F. Burn(s)</b> (second or third degree)
<b>None of the Above</b>	
<input type="checkbox"/>	<b>Z. None of the above</b> were present



**Track Changes**  
**from Chapter 3 Section M V1.07**  
**to Chapter 3 Section M V1.08**

NEW

M1040. Other Ulcers, Wounds and Skin Problems	
↓	Check all that apply
<b>Foot Problems</b>	
<input type="checkbox"/>	<b>A. Infection of the foot</b> (e.g., cellulitis, purulent drainage)
<input type="checkbox"/>	<b>B. Diabetic foot ulcer(s)</b>
<input type="checkbox"/>	<b>C. Other open lesion(s) on the foot</b>
<b>Other Problems</b>	
<input type="checkbox"/>	<b>D. Open lesion(s) other than ulcers, rashes, cuts</b> (e.g., cancer lesion)
<input type="checkbox"/>	<b>E. Surgical wound(s)</b>
<input type="checkbox"/>	<b>F. Burn(s)</b> (second or third degree)
<input type="checkbox"/>	<b>G. Skin tear(s)</b>
<input type="checkbox"/>	<b>H. Moisture Associated Skin Damage (MASD)</b> (i.e. incontinence (IAD), perspiration, drainage)
<b>None of the Above</b>	
<input type="checkbox"/>	<b>Z. None of the above</b> were present

3	M1040	M-31	<ul style="list-style-type: none"> <li>M1040G, skin tear(s)</li> <li>M1040H, Moisture Associated Skin Damage (MASD) (i.e., incontinence (IAD), perspiration, drainage)</li> </ul>
3	M1040	M-32	<p><b>M1040G Skin Tear(s)</b></p> <ul style="list-style-type: none"> <li>Skin tears are a result of shearing, friction or trauma to the skin that causes a separation of the skin layers. They can be partial or full thickness. Code all skin tears in this item, even if already coded in Item J1900B.</li> </ul> <p><b>M1040H Moisture Associated Skin Damage (MASD)</b></p> <ul style="list-style-type: none"> <li>Moisture associated skin damage is a result of skin damage caused by moisture rather than pressure. It is caused by sustained exposure to moisture which can be caused, for example, by incontinence, wound exudate and perspiration. MASD is also referred to as incontinence dermatitis.</li> </ul>

**Track Changes  
from Chapter 3 Section M V1.07  
to Chapter 3 Section M V1.08**

3

M1200

M-32

Replaced screen shot.

OLD

M1200. Skin and Ulcer Treatments	
↓ Check all that apply	
<input type="checkbox"/>	A. Pressure reducing device for chair
<input type="checkbox"/>	B. Pressure reducing device for bed
<input type="checkbox"/>	C. Turning/repositioning program
<input type="checkbox"/>	D. Nutrition or hydration intervention to manage skin problems
<input type="checkbox"/>	E. Ulcer care
<input type="checkbox"/>	F. Surgical wound care
<input type="checkbox"/>	G. Application of nonsurgical dressings (with or without topical medications) other than to feet
<input type="checkbox"/>	H. Applications of ointments/medications other than to feet
<input type="checkbox"/>	I. Application of dressings to feet (with or without topical medications)
<input type="checkbox"/>	Z. None of the above were provided

NEW

M1200. Skin and Ulcer Treatments	
↓ Check all that apply	
<input type="checkbox"/>	A. Pressure reducing device for chair
<input type="checkbox"/>	B. Pressure reducing device for bed
<input type="checkbox"/>	C. Turning/repositioning program
<input type="checkbox"/>	D. Nutrition or hydration intervention to manage skin problems
<input type="checkbox"/>	E. Pressure ulcer care
<input type="checkbox"/>	F. Surgical wound care
<input type="checkbox"/>	G. Application of nonsurgical dressings (with or without topical medications) other than to feet
<input type="checkbox"/>	H. Applications of ointments/medications other than to feet
<input type="checkbox"/>	I. Application of dressings to feet (with or without topical medications)
<input type="checkbox"/>	Z. None of the above were provided

3	M1200	M-33	<b>Coding Instructions</b> <ul style="list-style-type: none"><li>M1200E, <b>pressure</b> ulcer care</li></ul>
3	M1200	M-34	Page length change.
3	M1200	M-35	<b>M1200E <b>Pressure</b> Ulcer Care</b> <ul style="list-style-type: none"><li><b>Pressure u</b>lcer care includes <b>any</b> intervention for treating pressure ulcers coded in <b>Current Number of Unhealed Pressure Ulcers at Each Stage</b> item (M0300). Examples may include the use of topical dressings, chemical or surgical debridement, wound irrigations, negative pressure wound therapy (NPWT), and/or hydrotherapy.</li></ul>
3	M1200	M-35	<b>M1200G...</b> <ul style="list-style-type: none"><li>Do NOT code application of non-surgical dressings for</li></ul>

**Track Changes  
from Chapter 3 Section M V1.07  
to Chapter 3 Section M V1.08**

			pressure ulcer(s) other than to feet in this item; use <b>Pressure Ulcer Care</b> item (M1200E).
3	M1200	M-36	<b>M1200H</b> <ul style="list-style-type: none"> <li>Do NOT code application of ointments/medications (e.g. chemical or enzymatic debridement) for pressure ulcers here; use <b>Pressure Ulcer Care</b>, item (M1200E).</li> </ul>
3	M1200	M-36	<b>M1200I</b> <ul style="list-style-type: none"> <li>Do NOT code application of dressings to pressure ulcers on the foot, use <b>Pressure Ulcer Care</b> item (M1200E).</li> </ul>
3	M1200	M-37	Page length change.
3	M1200	M-38	— M0300B2 (Number of <b>these</b> Stage 2 pressure ulcers present on admission/entry or <del>re-entry</del> <b>reentry</b> ), Code 1.
3	M1200	M-38	Replaced screen shot.

**OLD**

M0300. Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage	
Enter Number <div style="border: 1px solid black; width: 30px; text-align: center; margin: 0 auto;">0</div>	<b>A. Number of Stage 1 pressure ulcers</b> <b>Stage 1:</b> Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues
Enter Number <div style="border: 1px solid black; width: 30px; text-align: center; margin: 0 auto;">1</div>	<b>B. Stage 2:</b> Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister
Enter Number <div style="border: 1px solid black; width: 30px; text-align: center; margin: 0 auto;">1</div>	<ol style="list-style-type: none"> <li><b>Number of Stage 2 pressure ulcers</b> - If 0 → Skip to M0300C, Stage 3</li> <li><b>Number of these Stage 2 pressure ulcers that were present upon admission/reentry</b> - enter how many were noted at the time of admission</li> <li><b>Date of oldest Stage 2 pressure ulcer</b> - Enter dashes if date is unknown:  <div style="display: flex; align-items: center; gap: 5px;"> <div style="border: 1px solid black; width: 20px; height: 20px; text-align: center;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; text-align: center;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; text-align: center;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; text-align: center;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; text-align: center;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; text-align: center;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; text-align: center;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; text-align: center;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; text-align: center;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; text-align: center;">-</div> </div> <div style="display: flex; justify-content: space-around; font-size: 0.8em;"> <span>Month</span><span>Day</span><span>Year</span> </div> </li> </ol>

**NEW**

M0300. Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage	
Enter Number <div style="border: 1px solid black; width: 30px; text-align: center; margin: 0 auto;">0</div>	<b>A. Number of Stage 1 pressure ulcers</b> <b>Stage 1:</b> Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues
Enter Number <div style="border: 1px solid black; width: 30px; text-align: center; margin: 0 auto;">1</div>	<b>B. Stage 2:</b> Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister
Enter Number <div style="border: 1px solid black; width: 30px; text-align: center; margin: 0 auto;">1</div>	<ol style="list-style-type: none"> <li><b>Number of Stage 2 pressure ulcers</b> - If 0 → Skip to M0300C, Stage 3</li> <li><b>Number of <b>these</b> Stage 2 pressure ulcers that were present upon admission/entry or reentry</b> - enter how many were noted at the time of admission/entry or reentry</li> <li><b>Date of oldest Stage 2 pressure ulcer</b> - Enter dashes if date is unknown:  <div style="display: flex; align-items: center; gap: 5px;"> <div style="border: 1px solid black; width: 20px; height: 20px; text-align: center;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; text-align: center;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; text-align: center;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; text-align: center;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; text-align: center;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; text-align: center;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; text-align: center;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; text-align: center;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; text-align: center;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; text-align: center;">-</div> </div> <div style="display: flex; justify-content: space-around; font-size: 0.8em;"> <span>Month</span><span>Day</span><span>Year</span> </div> </li> </ol>

3	M1200	M-38	Quarterly Assessment #1: — M0300B2 (Number of <b>these</b> Stage 2 pressure ulcers present upon admission/entry or <del>re-entry</del> <b>reentry</b> ), Code 1.
---	-------	------	---

**Track Changes  
from Chapter 3 Section M V1.07  
to Chapter 3 Section M V1.08**

3	M1200	M-38	Replaced screen shot.
OLD			
<div><div><div>Enter Number</div><div>0</div></div><div>Enter Number</div><div>1</div><div>Enter Number</div><div>1</div></div> <div><div><b>M0300. Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage</b></div><div><div><b>A. Number of Stage 1 pressure ulcers</b> <b>Stage 1:</b> Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues</div><div><b>B. Stage 2:</b> Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister</div><div><b>1. Number of Stage 2 pressure ulcers</b> - If 0 → Skip to M0300C, Stage 3</div><div><b>2. Number of these Stage 2 pressure ulcers that were present upon admission/reentry</b> - enter how many were noted at the time of admission</div><div><b>3. Date of oldest Stage 2 pressure ulcer</b> - Enter dashes if date is unknown: <div><div>-</div><div>-</div></div> - <div><div>-</div><div>-</div></div> - <div><div>-</div><div>-</div><div>-</div><div>-</div></div><div>Month</div><div>Day</div><div>Year</div></div></div></div>			
NEW			
<div><div><div>Enter Number</div><div>0</div></div><div>Enter Number</div><div>1</div><div>Enter Number</div><div>1</div></div> <div><div><b>M0300. Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage</b></div><div><div><b>A. Number of Stage 1 pressure ulcers</b> <b>Stage 1:</b> Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues</div><div><b>B. Stage 2:</b> Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister</div><div><b>1. Number of Stage 2 pressure ulcers</b> - If 0 → Skip to M0300C, Stage 3</div><div><b>2. Number of these Stage 2 pressure ulcers that were present upon admission/entry or reentry</b> - enter how many were noted at the time of admission/entry or reentry</div><div><b>3. Date of oldest Stage 2 pressure ulcer</b> - Enter dashes if date is unknown: <div><div>-</div><div>-</div></div> - <div><div>-</div><div>-</div></div> - <div><div>-</div><div>-</div><div>-</div><div>-</div></div><div>Month</div><div>Day</div><div>Year</div></div></div></div>			
3	M1200	M-39	— M0800 (Worsening in pressure ulcer status since prior assessment – (OBRA or scheduled, PPS, or Last Admission/Entry or ReentryDischarge) – M0800A (Stage 2) Code 0, M0800B (Stage 3) Code 1, M0800C (Stage 4) Code 0.

**Track Changes  
from Chapter 3 Section M V1.07  
to Chapter 3 Section M V1.08**

3	M1200	M-40	Replaced screen shot.
---	-------	------	-----------------------

OLD

M0300. Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage	
Enter Number <div style="border: 1px solid black; width: 20px; text-align: center; margin: 2px;">0</div>	<b>A. Number of Stage 1 pressure ulcers</b> <b>Stage 1:</b> Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues
Enter Number <div style="border: 1px solid black; width: 20px; text-align: center; margin: 2px;">0</div>	<b>B. Stage 2:</b> Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister  <b>1. Number of Stage 2 pressure ulcers - If 0 → Skip to M0300C, Stage 3</b>  <b>2. Number of these Stage 2 pressure ulcers that were present upon admission/reentry - enter how many were noted at the time of admission</b>  <b>3. Date of oldest Stage 2 pressure ulcer - Enter dashes if date is unknown:</b> <div style="display: flex; align-items: center; gap: 5px;"> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div> <div style="margin: 0 5px;">-</div> </div>

**Track Changes  
from Chapter 3 Section M V1.07  
to Chapter 3 Section M V1.08**

3	M1200	M-41	Replaced screen shot.
---	-------	------	-----------------------

**OLD**

**M0300. Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage - Continued**

Enter Number <input style="width: 30px; text-align: center;" type="text" value="0"/>	<b>E. Unstageable - Non-removable dressing:</b> Known but not stageable due to non-removable dressing/device  <b>1. Number of unstageable pressure ulcers due to non-removable dressing/device</b> - If 0 → Skip to M0300F, Unstageable: Slough and/or eschar  <b>2. Number of these unstageable pressure ulcers that were present upon admission/reentry</b> - enter how many were noted at the time of admission
Enter Number <input style="width: 30px; text-align: center;" type="text"/>	
Enter Number <input style="width: 30px; text-align: center;" type="text" value="0"/>	<b>F. Unstageable - Slough and/or eschar:</b> Known but not stageable due to coverage of wound bed by slough and/or eschar  <b>1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar</b> - If 0 → Skip to M0300G, Unstageable: Deep tissue  <b>2. Number of these unstageable pressure ulcers that were present upon admission/reentry</b> - enter how many were noted at the time of admission
Enter Number <input style="width: 30px; text-align: center;" type="text" value="0"/>	
Enter Number <input style="width: 30px; text-align: center;" type="text"/>	
Enter Number <input style="width: 30px; text-align: center;" type="text" value="0"/>	<b>G. Unstageable - Deep tissue:</b> Suspected deep tissue injury in evolution  <b>1. Number of unstageable pressure ulcers with suspected deep tissue injury in evolution</b> - If 0 → Skip to M0610, Dimension of Unhealed Stage 3 or 4 Pressure Ulcers or Eschar  <b>2. Number of these unstageable pressure ulcers that were present upon admission/reentry</b> - enter how many were noted at the time of admission
Enter Number <input style="width: 30px; text-align: center;" type="text"/>	

**M0610. Dimensions of Unhealed Stage 3 or 4 Pressure Ulcers or Eschar**  
 Complete only if M0300C1, M0300D1 or M0300F1 is greater than 0  
 If the resident has one or more unhealed (non-epithelialized) Stage 3 or 4 pressure ulcers or an unstageable pressure ulcer due to slough or eschar, identify the pressure ulcer with the largest surface area (length x width) and record in centimeters:

<input style="width: 20px; text-align: center;" type="text" value="0"/> <input style="width: 20px; text-align: center;" type="text" value="3"/> . <input style="width: 20px; text-align: center;" type="text" value="0"/> cm	<b>A. Pressure ulcer length:</b> Longest length from head to toe
<input style="width: 20px; text-align: center;" type="text" value="0"/> <input style="width: 20px; text-align: center;" type="text" value="2"/> . <input style="width: 20px; text-align: center;" type="text" value="4"/> cm	<b>B. Pressure ulcer width:</b> Widest width of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length
<input style="width: 20px; text-align: center;" type="text" value="0"/> <input style="width: 20px; text-align: center;" type="text" value="0"/> . <input style="width: 20px; text-align: center;" type="text" value="2"/> cm	<b>C. Pressure ulcer depth:</b> Depth of the same pressure ulcer from the visible surface to the deepest area (if depth is unknown, enter a dash in each box)

**M0700. Most Severe Tissue Type for Any Pressure Ulcer**

Enter Code <input style="width: 30px; text-align: center;" type="text" value="2"/>	Select the best description of the most severe type of tissue present in any pressure ulcer bed  <b>1. Epithelial tissue</b> - new skin growing in superficial ulcer. It can be light pink and shiny, even in persons with darkly pigmented skin <b>2. Granulation tissue</b> - pink or red tissue with shiny, moist, granular appearance <b>3. Slough</b> - yellow or white tissue that adheres to the ulcer bed in strings or thick clumps, or is mucinous <b>4. Necrotic tissue (Eschar)</b> - black, brown, or tan tissue that adheres firmly to the wound bed or ulcer edges, may be softer or harder than surrounding skin
---	---

**M0800. Worsening in Pressure Ulcer Status Since Prior Assessment (OBRA, PPS, or Discharge)**  
 Complete only if A0310E = 0  
 Indicate the number of current pressure ulcers that were **not present or were at a lesser stage** on prior assessment (OBRA, PPS, or Discharge).  
 If no current pressure ulcer at a given stage, enter 0

Enter Number <input style="width: 30px; text-align: center;" type="text" value="0"/>	<b>A. Stage 2</b>
Enter Number <input style="width: 30px; text-align: center;" type="text" value="1"/>	<b>B. Stage 3</b>
Enter Number <input style="width: 30px; text-align: center;" type="text" value="0"/>	<b>C. Stage 4</b>



**Track Changes  
from Chapter 3 Section M V1.07  
to Chapter 3 Section M V1.08**

**NEW**

**M0300. Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage - Continued**

Enter Number <div style="border: 1px solid black; width: 30px; text-align: center; margin: 2px;">0</div>	<b>E. Unstageable - Non-removable dressing:</b> Known but not stageable due to non-removable dressing/device
Enter Number <div style="border: 1px solid black; width: 30px; text-align: center; margin: 2px;"></div>	<b>1. Number of unstageable pressure ulcers due to non-removable dressing/device</b> - If 0 → Skip to M0300F, Unstageable: Slough and/or eschar  <b>2. Number of <u>these</u> unstageable pressure ulcers that were present upon admission/entry or reentry</b> - enter how many were noted at the time of admission/entry or reentry
Enter Number <div style="border: 1px solid black; width: 30px; text-align: center; margin: 2px;">0</div>	<b>F. Unstageable - Slough and/or eschar:</b> Known but not stageable due to coverage of wound bed by slough and/or eschar
Enter Number <div style="border: 1px solid black; width: 30px; text-align: center; margin: 2px;"></div>	<b>1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar</b> - If 0 → Skip to M0300G, Unstageable: Deep tissue  <b>2. Number of <u>these</u> unstageable pressure ulcers that were present upon admission/entry or reentry</b> - enter how many were noted at the time of admission/entry or reentry
Enter Number <div style="border: 1px solid black; width: 30px; text-align: center; margin: 2px;">0</div>	<b>G. Unstageable - Deep tissue:</b> Suspected deep tissue injury in evolution
Enter Number <div style="border: 1px solid black; width: 30px; text-align: center; margin: 2px;"></div>	<b>1. Number of unstageable pressure ulcers with suspected deep tissue injury in evolution</b> - If 0 → Skip to M0610, Dimension of Unhealed Stage 3 or 4 Pressure Ulcers or Eschar  <b>2. Number of <u>these</u> unstageable pressure ulcers that were present upon admission/entry or reentry</b> - enter how many were noted at the time of admission/entry or reentry

**M0610. Dimensions of Unhealed Stage 3 or 4 Pressure Ulcers or Eschar**

Complete only if M0300C1, M0300D1 or M0300F1 is greater than 0

If the resident has one or more unhealed (non-epithelialized) Stage 3 or 4 pressure ulcers or an unstageable pressure ulcer due to slough or eschar, identify the pressure ulcer with the largest surface area (length x width) and record in centimeters:

<div style="border: 1px solid black; width: 30px; text-align: center; margin: 2px;">0</div> <div style="border: 1px solid black; width: 30px; text-align: center; margin: 2px;">3</div> <div style="border: 1px solid black; width: 30px; text-align: center; margin: 2px;">0</div> cm	<b>A. Pressure ulcer length:</b> Longest length from head to toe
<div style="border: 1px solid black; width: 30px; text-align: center; margin: 2px;">0</div> <div style="border: 1px solid black; width: 30px; text-align: center; margin: 2px;">2</div> <div style="border: 1px solid black; width: 30px; text-align: center; margin: 2px;">4</div> cm	<b>B. Pressure ulcer width:</b> Widest width of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length
<div style="border: 1px solid black; width: 30px; text-align: center; margin: 2px;">0</div> <div style="border: 1px solid black; width: 30px; text-align: center; margin: 2px;">0</div> <div style="border: 1px solid black; width: 30px; text-align: center; margin: 2px;">2</div> cm	<b>C. Pressure ulcer depth:</b> Depth of the same pressure ulcer from the visible surface to the deepest area (if depth is unknown, enter a dash in each box)

**M0700. Most Severe Tissue Type for Any Pressure Ulcer**

Enter Code <div style="border: 1px solid black; width: 30px; text-align: center; margin: 2px;">2</div>	Select the best description of the most severe type of tissue present in any pressure ulcer bed 1. <b>Epithelial tissue</b> - new skin growing in superficial ulcer. It can be light pink and shiny, even in persons with darkly pigmented skin 2. <b>Granulation tissue</b> - pink or red tissue with shiny, moist, granular appearance 3. <b>Slough</b> - yellow or white tissue that adheres to the ulcer bed in strings or thick clumps, or is mucinous 4. <b>Necrotic tissue (Eschar)</b> - black, brown, or tan tissue that adheres firmly to the wound bed or ulcer edges, may be softer or harder than surrounding skin 9. <b>None of the Above</b>
---	--

**M0800. Worsening in Pressure Ulcer Status Since Prior Assessment (OBRA or Scheduled PPS) or Last Admission/Entry or Reentry**

Complete only if A0310E = 0

Indicate the number of current pressure ulcers that were **not present or were at a lesser stage** on prior assessment (OBRA or scheduled PPS) or last entry. If no current pressure ulcer at a given stage, enter 0.

Enter Number <div style="border: 1px solid black; width: 30px; text-align: center; margin: 2px;">0</div>	<b>A. Stage 2</b>
Enter Number <div style="border: 1px solid black; width: 30px; text-align: center; margin: 2px;">1</div>	<b>B. Stage 3</b>
Enter Number <div style="border: 1px solid black; width: 30px; text-align: center; margin: 2px;">0</div>	<b>C. Stage 4</b>

**Track Changes  
from Chapter 3 Section M V1.07  
to Chapter 3 Section M V1.08**

3	M1200	M-42	MO900 (Healed pressure ulcers). Skip to M1030 since this item is only completed if AO310E=0. The 5-Day PPS Assessment is the first assessment since the most recent entry of any kind (admission/entry or re-entry <b>reentry</b> ), therefore, AO310E=1.
3	M1200	M-43	Replaced screen shot.

OLD

<b>M1030. Number of Venous and Arterial Ulcers</b>	
Enter Number	Enter the total number of venous and arterial ulcers present
<input type="text" value="0"/>	
<b>M1040. Other Ulcers, Wounds and Skin Problems</b>	
↓ Check all that apply	
<b>Foot Problems</b>	
<input type="checkbox"/>	A. Infection of the foot (e.g., cellulitis, purulent drainage)
<input type="checkbox"/>	B. Diabetic foot ulcer(s)
<input type="checkbox"/>	C. Other open lesion(s) on the foot
<b>Other Problems</b>	
<input type="checkbox"/>	D. Open lesion(s) other than ulcers, rashes, cuts (e.g., cancer lesion)
<input type="checkbox"/>	E. Surgical wound(s)
<input type="checkbox"/>	F. Burn(s) (second or third degree)
<b>None of the Above</b>	
<input checked="" type="checkbox"/>	Z. None of the above were present
<b>M1200. Skin and Ulcer Treatments</b>	
↓ Check all that apply	
<input type="checkbox"/>	A. Pressure reducing device for chair
<input type="checkbox"/>	B. Pressure reducing device for bed
<input type="checkbox"/>	C. Turning/repositioning program
<input type="checkbox"/>	D. Nutrition or hydration intervention to manage skin problems
<input type="checkbox"/>	E. Ulcer care
<input type="checkbox"/>	F. Surgical wound care
<input type="checkbox"/>	G. Application of nonsurgical dressings (with or without topical medications) other than to feet
<input type="checkbox"/>	H. Applications of ointments/medications other than to feet
<input type="checkbox"/>	I. Application of dressings to feet (with or without topical medications)
<input checked="" type="checkbox"/>	Z. None of the above were provided

**Track Changes  
from Chapter 3 Section M V1.07  
to Chapter 3 Section M V1.08**

NEW

<b>M1030. Number of Venous and Arterial Ulcers</b>	
Enter Number	Enter the total number of venous and arterial ulcers present
<input style="width: 30px; border: 1px solid black;" type="text" value="0"/>	
<b>M1040. Other Ulcers, Wounds and Skin Problems</b>	
↓ Check all that apply	
<b>Foot Problems</b>	
<input type="checkbox"/>	<b>A. Infection of the foot</b> (e.g., cellulitis, purulent drainage)
<input type="checkbox"/>	<b>B. Diabetic foot ulcer(s)</b>
<input type="checkbox"/>	<b>C. Other open lesion(s) on the foot</b>
<b>Other Problems</b>	
<input type="checkbox"/>	<b>D. Open lesion(s) other than ulcers, rashes, cuts</b> (e.g., cancer lesion)
<input type="checkbox"/>	<b>E. Surgical wound(s)</b>
<input type="checkbox"/>	<b>F. Burn(s)</b> (second or third degree)
<input type="checkbox"/>	<b>G. Skin tear(s)</b>
<input type="checkbox"/>	<b>H. Moisture Associated Skin Damage (MASD)</b> (i.e. incontinence (IAD), perspiration, drainage)
<b>None of the Above</b>	
<input checked="" type="checkbox"/>	<b>Z. None of the above</b> were present
<b>M1200. Skin and Ulcer Treatments</b>	
↓ Check all that apply	
<input type="checkbox"/>	<b>A. Pressure reducing device for chair</b>
<input type="checkbox"/>	<b>B. Pressure reducing device for bed</b>
<input type="checkbox"/>	<b>C. Turning/repositioning program</b>
<input type="checkbox"/>	<b>D. Nutrition or hydration intervention</b> to manage skin problems
<input type="checkbox"/>	<b>E. Pressure ulcer care</b>
<input type="checkbox"/>	<b>F. Surgical wound care</b>
<input type="checkbox"/>	<b>G. Application of nonsurgical dressings</b> (with or without topical medications) other than to feet
<input type="checkbox"/>	<b>H. Applications of ointments/medications</b> other than to feet
<input type="checkbox"/>	<b>I. Application of dressings to feet</b> (with or without topical medications)
<input checked="" type="checkbox"/>	<b>Z. None of the above</b> were provided

**Track Changes  
from Chapter 3 Section M V1.07  
to Chapter 3 Section M V1.08**

3	M1200	M-44	<p>— M0300B2 (Number of <b>these</b> Stage 2 pressure ulcers present on admission/entry or re-entry), Code 0.</p> <p>— M0800 (Worsening in pressure ulcer status since prior assessment (OBRA <b>or scheduled</b>, PPS, or <b>Last Admission/Entry or Reentry</b> <del>Discharge</del>)), M0800A, Code 1; M0800B, Code 0; M0800C, Code 0. This item is completed because the 14-Day PPS is NOT the first assessment since the most recent <del>entry of any kind</del> (admission/entry or <b>re-entry</b> <del>reentry</del>). Therefore, A0310E=0. M0800A is coded 1 because the resident has a new Stage 2 pressure ulcer that was not present on the prior assessment.</p> <p>— M0900A (Healed pressure ulcers), Code 0. This is completed because the 14-Day PPS is NOT the first assessment since the most recent <del>entry of any kind</del> (admission/entry or <b>re-entry</b> <del>reentry</del>). Therefore A0310E=0. Since there were no pressure ulcers noted on the 5-Day PPS assessment, this is coded 0, and skip to M1030.</p>
3	M1200	M-45	<p>— M1200A (Pressure reducing device for chair), M1200B (Pressure reducing device for bed), M1200C (Turning/repositioning program), and M1200E (<b>Pressure u</b>lcer care) are all checked.</p> <p>Rationale: The resident had a formal assessment using the Braden scale and also had a head-to-toe skin assessment completed. Pressure ulcer risk was identified via formal assessment. On the 5-Day PPS assessment the resident's skin was noted to be intact, however, on the 14-Day PPS assessment, it was noted that the resident had a new Stage 2 pressure ulcer. Since the resident has had both a 5-day and 14-Day PPS completed, the 14-Day PPS would be coded 0 at A0310E. This is because the 14-Day PPS is NOT the first assessment since the most recent admission/entry or re-entry. Since A0310E=0, items M0800 (Worsening in pressure ulcer status) and M0900 (Healed pressure ulcers) would be completed. Since the resident did not have a pressure ulcer on the 5-Day PPS and did have one on the 14-Day PPS, the new Stage 2 pressure ulcer is documented under M0800 (Worsening in pressure ulcer status). M0900 (Healed pressure ulcers) is coded as 0 because there were no pressure ulcers noted on the prior assessment (5-Day PPS). There were no other skin problems noted. However the resident, since she is at an even higher risk of</p>

**Track Changes  
from Chapter 3 Section M V1.07  
to Chapter 3 Section M V1.08**

			breakdown since the development of a new ulcer, has preventative measures put in place with pressure redistribution devices for her chair and bed. She was also placed on a turning and repositioning program based on tissue tolerance. Therefore M1200A, M1200B, and M1200C were all checked. She also now requires ulcer care and application of a dressing to the coccygeal ulcer, so M1200E is also checked. M1200G (Application of nonsurgical dressings – with or without topical medications) would <b>NOT</b> be coded here because <b>any</b> intervention for treating pressure ulcers is coded in M1200E (Pressure uUlcer care)
--	--	--	---

**Track Changes  
from Chapter 3 Section M V1.07  
to Chapter 3 Section M V1.08**

3	M1200	M-46	Replaced screen shot.
---	-------	------	-----------------------

OLD

<b>M0100. Determination of Pressure Ulcer Risk</b>	
↓ Check all that apply	
<input checked="" type="checkbox"/>	A. Resident has a stage 1 or greater, a scar over bony prominence, or a non-removable dressing/device
<input checked="" type="checkbox"/>	B. Formal assessment instrument/tool (e.g., Braden, Norton, or other)
<input checked="" type="checkbox"/>	C. Clinical assessment
<input type="checkbox"/>	Z. None of the above
<b>M0150. Risk of Pressure Ulcers</b>	
Enter Code	Is this resident at risk of developing pressure ulcers?
1	0. No 1. Yes
<b>M0210. Unhealed Pressure Ulcer(s)</b>	
Enter Code	Does this resident have one or more unhealed pressure ulcer(s) at Stage 1 or higher?
1	0. No → Skip to M0900, Healed Pressure Ulcers 1. Yes → Continue to M0300, Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage
<b>M0300. Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage</b>	
Enter Number	A. Number of Stage 1 pressure ulcers
0	Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues
Enter Number	B. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister
1	1. Number of Stage 2 pressure ulcers - If 0 → Skip to M0300C, Stage 3
Enter Number	2. Number of these Stage 2 pressure ulcers that were present upon admission/reentry - enter how many were noted at the time of admission
0	3. Date of oldest Stage 2 pressure ulcer - Enter dashes if date is unknown: <div style="display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; padding: 2px 5px; margin: 0 2px;">1</div> <div style="border: 1px solid black; padding: 2px 5px; margin: 0 2px;">1</div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; padding: 2px 5px; margin: 0 2px;">0</div> <div style="border: 1px solid black; padding: 2px 5px; margin: 0 2px;">1</div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; padding: 2px 5px; margin: 0 2px;">2</div> <div style="border: 1px solid black; padding: 2px 5px; margin: 0 2px;">0</div> <div style="border: 1px solid black; padding: 2px 5px; margin: 0 2px;">1</div> <div style="border: 1px solid black; padding: 2px 5px; margin: 0 2px;">0</div> </div> <div style="display: flex; justify-content: space-around; width: 100%; font-size: small;"> <span>Month</span> <span>Day</span> <span>Year</span> </div>
Enter Number	C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling
0	1. Number of Stage 3 pressure ulcers - If 0 → Skip to M0300D, Stage 4
Enter Number	2. Number of these Stage 3 pressure ulcers that were present upon admission/reentry - enter how many were noted at the time of admission
0	D. Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling
Enter Number	1. Number of Stage 4 pressure ulcers - If 0 → Skip to M0300E, Unstageable: Non-removable dressing
Enter Number	2. Number of these Stage 4 pressure ulcers that were present upon admission/reentry - enter how many were noted at the time of admission
<b>M0300 continued on next page</b>	



**Track Changes**  
**from Chapter 3 Section M V1.07**  
**to Chapter 3 Section M V1.08**

NEW

<b>M0100. Determination of Pressure Ulcer Risk</b>	
↓ Check all that apply	
<input checked="" type="checkbox"/>	A. Resident has a stage 1 or greater, a scar over bony prominence, or a non-removable dressing/device
<input checked="" type="checkbox"/>	B. Formal assessment instrument/tool (e.g., Braden, Norton, or other)
<input checked="" type="checkbox"/>	C. Clinical assessment
<input type="checkbox"/>	Z. None of the above
<b>M0150. Risk of Pressure Ulcers</b>	
Enter Code	Is this resident at risk of developing pressure ulcers?
1	0. No 1. Yes
<b>M0210. Unhealed Pressure Ulcer(s)</b>	
Enter Code	Does this resident have one or more unhealed pressure ulcer(s) at Stage 1 or higher?
1	0. No → Skip to M0900, Healed Pressure Ulcers 1. Yes → Continue to M0300, Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage
<b>M0300. Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage</b>	
Enter Number	<b>A. Number of Stage 1 pressure ulcers</b>
0	<b>Stage 1:</b> Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues
Enter Number	<b>B. Stage 2:</b> Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister
1	1. Number of Stage 2 pressure ulcers - If 0 → Skip to M0300C, Stage 3
Enter Number	2. Number of <u>these</u> Stage 2 pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry
0	3. Date of oldest Stage 2 pressure ulcer - Enter dashes if date is unknown: <div style="display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; padding: 2px 5px; margin: 0 2px;">1</div> <div style="border: 1px solid black; padding: 2px 5px; margin: 0 2px;">1</div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; padding: 2px 5px; margin: 0 2px;">0</div> <div style="border: 1px solid black; padding: 2px 5px; margin: 0 2px;">1</div> <div style="margin: 0 5px;">-</div> <div style="border: 1px solid black; padding: 2px 5px; margin: 0 2px;">2</div> <div style="border: 1px solid black; padding: 2px 5px; margin: 0 2px;">0</div> <div style="border: 1px solid black; padding: 2px 5px; margin: 0 2px;">1</div> <div style="border: 1px solid black; padding: 2px 5px; margin: 0 2px;">0</div> </div> <div style="display: flex; justify-content: space-around; width: 100%; font-size: small;"> <span>Month</span> <span>Day</span> <span>Year</span> </div>
Enter Number	<b>C. Stage 3:</b> Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling
0	1. Number of Stage 3 pressure ulcers - If 0 → Skip to M0300D, Stage 4
Enter Number	2. Number of <u>these</u> Stage 3 pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry
0	<b>D. Stage 4:</b> Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling
Enter Number	1. Number of Stage 4 pressure ulcers - If 0 → Skip to M0300E, Unstageable: Non-removable dressing
Enter Number	2. Number of <u>these</u> Stage 4 pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry
<b>M0300 continued on next page</b>	

**Track Changes  
from Chapter 3 Section M V1.07  
to Chapter 3 Section M V1.08**

3	M1200	M-47	Replaced screen shot.
---	-------	------	-----------------------

OLD

M0300. Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage - Continued	
Enter Number <input style="width: 30px; text-align: center;" type="text" value="0"/>	<b>E. Unstageable - Non-removable dressing:</b> Known but not stageable due to non-removable dressing/device
Enter Number <input style="width: 30px; text-align: center;" type="text"/>	1. Number of unstageable pressure ulcers due to non-removable dressing/device - If 0 → Skip to M0300F, Unstageable: Slough and/or eschar  2. Number of these unstageable pressure ulcers that were present upon admission/reentry - enter how many were noted at the time of admission
Enter Number <input style="width: 30px; text-align: center;" type="text" value="0"/>	<b>F. Unstageable - Slough and/or eschar:</b> Known but not stageable due to coverage of wound bed by slough and/or eschar
Enter Number <input style="width: 30px; text-align: center;" type="text"/>	1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar - If 0 → Skip to M0300G, Unstageable: Deep tissue  2. Number of these unstageable pressure ulcers that were present upon admission/reentry - enter how many were noted at the time of admission
Enter Number <input style="width: 30px; text-align: center;" type="text" value="0"/>	<b>G. Unstageable - Deep tissue:</b> Suspected deep tissue injury in evolution
Enter Number <input style="width: 30px; text-align: center;" type="text"/>	1. Number of unstageable pressure ulcers with suspected deep tissue injury in evolution - If 0 → Skip to M0610, Dimension of Unhealed Stage 3 or 4 Pressure Ulcers or Eschar  2. Number of these unstageable pressure ulcers that were present upon admission/reentry - enter how many were noted at the time of admission

NEW

M0300. Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage - Continued	
Enter Number <input style="width: 30px; text-align: center;" type="text" value="0"/>	<b>E. Unstageable - Non-removable dressing:</b> Known but not stageable due to non-removable dressing/device
Enter Number <input style="width: 30px; text-align: center;" type="text"/>	1. Number of unstageable pressure ulcers due to non-removable dressing/device - If 0 → Skip to M0300F, Unstageable: Slough and/or eschar  2. Number of <u>these</u> unstageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry
Enter Number <input style="width: 30px; text-align: center;" type="text" value="0"/>	<b>F. Unstageable - Slough and/or eschar:</b> Known but not stageable due to coverage of wound bed by slough and/or eschar
Enter Number <input style="width: 30px; text-align: center;" type="text"/>	1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar - If 0 → Skip to M0300G, Unstageable: Deep tissue  2. Number of <u>these</u> unstageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry
Enter Number <input style="width: 30px; text-align: center;" type="text" value="0"/>	<b>G. Unstageable - Deep tissue:</b> Suspected deep tissue injury in evolution
Enter Number <input style="width: 30px; text-align: center;" type="text"/>	1. Number of unstageable pressure ulcers with suspected deep tissue injury in evolution - If 0 → Skip to M0610, Dimension of Unhealed Stage 3 or 4 Pressure Ulcers or Eschar  2. Number of <u>these</u> unstageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry

**Track Changes  
from Chapter 3 Section M V1.07  
to Chapter 3 Section M V1.08**

3	M1200	M-47	Replaced screen shot.
---	-------	------	-----------------------

OLD

M0700. Most Severe Tissue Type for Any Pressure Ulcer	
Enter Code <div style="border: 1px solid black; width: 20px; text-align: center; margin: 0 auto;">1</div>	Select the best description of the most severe type of tissue present in any pressure ulcer bed <ol style="list-style-type: none"> <li>1. <b>Epithelial tissue</b> - new skin growing in superficial ulcer. It can be light pink and shiny, even in persons with darkly pigmented skin</li> <li>2. <b>Granulation tissue</b> - pink or red tissue with shiny, moist, granular appearance</li> <li>3. <b>Slough</b> - yellow or white tissue that adheres to the ulcer bed in strings or thick clumps, or is mucinous</li> <li>4. <b>Necrotic tissue (Eschar)</b> - black, brown, or tan tissue that adheres firmly to the wound bed or ulcer edges, may be softer or harder than surrounding skin</li> </ol>
M0800. Worsening in Pressure Ulcer Status Since Prior Assessment (OBRA, PPS, or Discharge)	
Complete only if A0310E = 0	
Indicate the number of current pressure ulcers that were <b>not present</b> or were at a <b>lesser stage</b> on prior assessment (OBRA, PPS, or Discharge). If no current pressure ulcer at a given stage, enter 0	
Enter Number <div style="border: 1px solid black; width: 20px; text-align: center; margin: 0 auto;">1</div>	A. Stage 2
Enter Number <div style="border: 1px solid black; width: 20px; text-align: center; margin: 0 auto;">0</div>	B. Stage 3
Enter Number <div style="border: 1px solid black; width: 20px; text-align: center; margin: 0 auto;">0</div>	C. Stage 4

NEW

M0700. Most Severe Tissue Type for Any Pressure Ulcer	
Enter Code <div style="border: 1px solid black; width: 20px; text-align: center; margin: 0 auto;">1</div>	Select the best description of the most severe type of tissue present in any pressure ulcer bed <ol style="list-style-type: none"> <li>1. <b>Epithelial tissue</b> - new skin growing in superficial ulcer. It can be light pink and shiny, even in persons with darkly pigmented skin</li> <li>2. <b>Granulation tissue</b> - pink or red tissue with shiny, moist, granular appearance</li> <li>3. <b>Slough</b> - yellow or white tissue that adheres to the ulcer bed in strings or thick clumps, or is mucinous</li> <li>4. <b>Necrotic tissue (Eschar)</b> - black, brown, or tan tissue that adheres firmly to the wound bed or ulcer edges, may be softer or harder than surrounding skin</li> <li>9. <b>None of the Above</b></li> </ol>
M0800. Worsening in Pressure Ulcer Status Since Prior Assessment (OBRA or Scheduled PPS) or Last Admission/Entry or Reentry	
Complete only if A0310E = 0	
Indicate the number of current pressure ulcers that were <b>not present</b> or were at a <b>lesser stage</b> on prior assessment (OBRA or scheduled PPS) or last entry. If no current pressure ulcer at a given stage, enter 0.	
Enter Number <div style="border: 1px solid black; width: 20px; text-align: center; margin: 0 auto;">1</div>	A. Stage 2
Enter Number <div style="border: 1px solid black; width: 20px; text-align: center; margin: 0 auto;">0</div>	B. Stage 3
Enter Number <div style="border: 1px solid black; width: 20px; text-align: center; margin: 0 auto;">0</div>	C. Stage 4

**Track Changes**  
**from Chapter 3 Section M V1.07**  
**to Chapter 3 Section M V1.08**

3	M1200	M-48	Replaced screen shot.
OLD			
<b>M0900. Healed Pressure Ulcers</b> Complete only if A0310E = 0			
Enter Code <input style="width: 30px; text-align: center;" type="text" value="0"/>	<b>A. Were pressure ulcers present on the prior assessment (OBRA, PPS, or Discharge)?</b> 0. No → Skip to M1030, Number of Venous and Arterial Ulcers 1. Yes → Continue to M0900B, Stage 2  Indicate the number of pressure ulcers that were noted on the prior assessment (OBRA, PPS, or Discharge) that have completely closed (resurfaced with epithelium). If no healed pressure ulcer at a given stage since the prior assessment (OBRA, PPS, or Discharge), enter 0		
Enter Number <input style="width: 30px;" type="text"/>	<b>B. Stage 2</b>		
Enter Number <input style="width: 30px;" type="text"/>	<b>C. Stage 3</b>		
Enter Number <input style="width: 30px;" type="text"/>	<b>D. Stage 4</b>		
<b>M1030. Number of Venous and Arterial Ulcers</b>			
Enter Number <input style="width: 30px; text-align: center;" type="text" value="0"/>	Enter the total number of venous and arterial ulcers present		
<b>M1040. Other Ulcers, Wounds and Skin Problems</b>			
↓ Check all that apply			
<b>Foot Problems</b>			
<input type="checkbox"/>	<b>A. Infection of the foot</b> (e.g., cellulitis, purulent drainage)		
<input type="checkbox"/>	<b>B. Diabetic foot ulcer(s)</b>		
<input type="checkbox"/>	<b>C. Other open lesion(s) on the foot</b>		
<b>Other Problems</b>			
<input type="checkbox"/>	<b>D. Open lesion(s) other than ulcers, rashes, cuts</b> (e.g., cancer lesion)		
<input type="checkbox"/>	<b>E. Surgical wound(s)</b>		
<input type="checkbox"/>	<b>F. Burn(s)</b> (second or third degree)		
<b>None of the Above</b>			
<input checked="" type="checkbox"/>	<b>Z. None of the above</b> were present		
<b>M1200. Skin and Ulcer Treatments</b>			
↓ Check all that apply			
<input checked="" type="checkbox"/>	<b>A. Pressure reducing device for chair</b>		
<input checked="" type="checkbox"/>	<b>B. Pressure reducing device for bed</b>		
<input checked="" type="checkbox"/>	<b>C. Turning/repositioning program</b>		
<input type="checkbox"/>	<b>D. Nutrition or hydration intervention</b> to manage skin problems		
<input checked="" type="checkbox"/>	<b>E. Ulcer care</b>		
<input type="checkbox"/>	<b>F. Surgical wound care</b>		
<input type="checkbox"/>	<b>G. Application of nonsurgical dressings</b> (with or without topical medications) other than to feet		
<input type="checkbox"/>	<b>H. Applications of ointments/medications</b> other than to feet		
<input type="checkbox"/>	<b>I. Application of dressings to feet</b> (with or without topical medications)		
<input type="checkbox"/>	<b>Z. None of the above</b> were provided		

**Track Changes**  
**from Chapter 3 Section M V1.07**  
**to Chapter 3 Section M V1.08**

NEW

**M0900. Healed Pressure Ulcers**

Complete only if A0310E = 0

Enter Code	<input type="text" value="0"/>	<b>A. Were pressure ulcers present on the prior assessment (OBRA or scheduled PPS)?</b> 0. <b>No</b> → Skip to M1030, Number of Venous and Arterial Ulcers 1. <b>Yes</b> → Continue to M0900B, Stage 2  Indicate the number of pressure ulcers that were noted on the prior assessment (OBRA or scheduled PPS) that have completely closed (resurfaced with epithelium). If no healed pressure ulcer at a given stage since the prior assessment (OBRA or scheduled PPS), enter 0.
Enter Number	<input type="text"/>	<b>B. Stage 2</b>
Enter Number	<input type="text"/>	<b>C. Stage 3</b>
Enter Number	<input type="text"/>	<b>D. Stage 4</b>

**M1030. Number of Venous and Arterial Ulcers**

Enter Number	<input type="text" value="0"/>	Enter the total number of venous and arterial ulcers present
--------------	--------------------------------	--

**M1040. Other Ulcers, Wounds and Skin Problems**

↓ Check all that apply	
	<b>Foot Problems</b>
<input type="checkbox"/>	<b>A. Infection of the foot</b> (e.g., cellulitis, purulent drainage)
<input type="checkbox"/>	<b>B. Diabetic foot ulcer(s)</b>
<input type="checkbox"/>	<b>C. Other open lesion(s) on the foot</b>
	<b>Other Problems</b>
<input type="checkbox"/>	<b>D. Open lesion(s) other than ulcers, rashes, cuts</b> (e.g., cancer lesion)
<input type="checkbox"/>	<b>E. Surgical wound(s)</b>
<input type="checkbox"/>	<b>F. Burn(s)</b> (second or third degree)
<input type="checkbox"/>	<b>G. Skin tear(s)</b>
<input type="checkbox"/>	<b>H. Moisture Associated Skin Damage (MASD)</b> (i.e. incontinence (IAD), perspiration, drainage)
	<b>None of the Above</b>
<input checked="" type="checkbox"/>	<b>Z. None of the above</b> were present

**M1200. Skin and Ulcer Treatments**

↓ Check all that apply	
<input checked="" type="checkbox"/>	<b>A. Pressure reducing device for chair</b>
<input checked="" type="checkbox"/>	<b>B. Pressure reducing device for bed</b>
<input checked="" type="checkbox"/>	<b>C. Turning/repositioning program</b>
<input type="checkbox"/>	<b>D. Nutrition or hydration intervention</b> to manage skin problems
<input checked="" type="checkbox"/>	<b>E. Pressure ulcer care</b>
<input type="checkbox"/>	<b>F. Surgical wound care</b>
<input type="checkbox"/>	<b>G. Application of nonsurgical dressings</b> (with or without topical medications) other than to feet
<input type="checkbox"/>	<b>H. Applications of ointments/medications</b> other than to feet
<input type="checkbox"/>	<b>I. Application of dressings to feet</b> (with or without topical medications)
<input type="checkbox"/>	<b>Z. None of the above</b> were provided

**Track Changes  
from Chapter 3 Section M V1.07  
to Chapter 3 Section M V1.08**

3	M1200	M-49 to M-53	<p><b>Scenarios for Pressure Ulcer Coding (cont.)</b></p> <p>Discharge Assessment:</p> <p><u>Coding:</u></p> <ul style="list-style-type: none"> <li>— <del>M0100A (Resident has a Stage 1 or greater, a scar over bony prominence, or a non-removable dressing/device), Check box.</del></li> <li>— <del>M0100B (Formal assessment instrument), Check box.</del></li> <li>— <del>M0100C (Clinical assessment), Check box.</del></li> <li>— <del>M0150 (Risk of Pressure Ulcers), Code 1.</del></li> <li>— <del>M0210 (One or more unhealed pressure ulcer(s) at Stage 1 or higher), Code 1.</del></li> <li>— <del>M0300A (Number of Stage 1 pressure ulcers), Code 0.</del></li> <li>— <del>M0300B1 (Number of Stage 2 pressure ulcers), Code 1.</del></li> <li>— <del>M0300B2 (Number of Stage 2 pressure ulcers present on admission/entry or re-entry), Code 0.</del></li> <li>— <del>M0300B3 (Date of the oldest Stage 2 pressure ulcer), Enter 11-01-2010.</del></li> <li>— <del>M0300C1 (Number of Stage 3 pressure ulcers), Code 0 and skip to M0300D (Stage 4).</del></li> <li>— <del>M0300D1 (Number of Stage 4 pressure ulcers), Code 0 and skip to M0300E (Unstageable: Non-removable dressing).</del></li> <li>— <del>M0300E1 (Unstageable: Non-removable dressing), Code 0 and skip to M0300F (Unstageable: Slough and/or eschar).</del></li> <li>— <del>M0300F1 (Unstageable: Slough and/or eschar), Code 0 and skip to M0300G (Unstageable: Deep tissue).</del></li> <li>— <del>M0300G1 (Unstageable: Deep tissue), Code 0 and skip to M0610 (Dimension of Unhealed Stage 3 or 4 Pressure Ulcers or Eschar).</del></li> <li>— <del>M0610 (Dimension of Unhealed Stage 3 or 4 Pressure Ulcers or Eschar), is NOT completed, as the resident has a Stage 2 pressure ulcer.</del></li> <li>— <del>M0700 (Most severe tissue type for any pressure ulcer), Code 1 (Epithelial tissue).</del></li> <li>— <del>M0800 (Worsening in pressure ulcer status</del></li> </ul>
---	-------	-----------------	--



**Track Changes  
from Chapter 3 Section M V1.07  
to Chapter 3 Section M V1.08**

			<p>since prior assessment (OBRA, PPS, or Discharge)), M0800A, Code 0; M0800B, Code 0; M0800C, Code 0. This item is completed because the Discharge assessment is NOT the first assessment since the most recent entry of any kind (admission/entry or reentry). Therefore, A0310E=0. M0800A is coded 0 because the Stage 2 pressure ulcer has not worsened since the prior assessment (14 Day PPS).</p> <p>— M0900A (Were pressure ulcers present on the prior assessment (OBRA, PPS, or Discharge?)), Code 1. This item is completed because the Discharge assessment is NOT the first assessment since the most recent entry of any kind (admission/entry or reentry). Therefore, A0310E=0. M0900A is coded 1 because there was a Stage 2 pressure ulcer present on the prior assessment (14 Day PPS). M0900B (Stage 2), M0900C (Stage 3), and M0900D (Stage 4) are all Coded 0 because the Stage 2 pressure ulcer is not completely resurfaced with epithelial tissue and there are no healed pressure ulcers at any other Stage.</p> <p>— M1030 (Number of Venous and Arterial ulcers), Code 0.</p> <p><b>Scenarios for Pressure Ulcer Coding (cont.)</b></p> <p>— M1040 (Other ulcers, wounds and skin problems), Check Z (None of the above).</p> <p>— M1200A (Pressure reducing device for chair), M1200B (Pressure reducing device for bed), M1200C (Turning/repositioning program), and M1200E (Ulcer care) are all checked.</p> <ul style="list-style-type: none"> <li>• Rationale: On Discharge, the resident's assessment was still that the Stage 2 pressure ulcer was present, all supportive care was being provided, there were no new pressure ulcers, wound had not yet healed, and there were no new skin problems or treatments. M0800A (Stage 2) is coded as 0 on the Discharge Assessment because the Stage 2 pressure ulcer that is present at the time of this assessment was not at a lesser stage on the prior assessment (14 Day PPS). M0900A (Were</li> </ul>
--	--	--	---

**Track Changes**  
**from Chapter 3 Section M V1.07**  
**to Chapter 3 Section M V1.08**

pressure ulcers present on the prior assessment (OBRA, PPS, or Discharge?)) is coded as a 1 because the Stage 2 pressure ulcer was present on the prior assessment (14 Day PPS).

## Scenarios for Pressure Ulcer Coding (cont.)

<b>M0100. Determination of Pressure Ulcer Risk</b>	
↓ Check all that apply	
<input checked="" type="checkbox"/>	A. Resident has a stage 1 or greater, a scar over bony prominence, or a non-removable dressing/device
<input checked="" type="checkbox"/>	B. Formal assessment instrument/tool (e.g., Braden, Norton, or other)
<input checked="" type="checkbox"/>	C. Clinical assessment
<input type="checkbox"/>	Z. None of the above
<b>M0150. Risk of Pressure Ulcers</b>	
Is this resident at risk of developing pressure ulcers?	
Enter Code <b>1</b>	0. No 1. Yes
<b>M0210. Unhealed Pressure Ulcer(s)</b>	
Does this resident have one or more unhealed pressure ulcer(s) at Stage 1 or higher?	
Enter Code <b>1</b>	0. No → Skip to M0900, Healed Pressure Ulcers 1. Yes → Continue to M0300, Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage
<b>M0300. Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage</b>	
<b>A. Number of Stage 1 pressure ulcers</b>	
Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues	
Enter Number <b>0</b>	
<b>B. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister</b>	
Enter Number <b>1</b>	1. Number of Stage 2 pressure ulcers - If 0 → Skip to M0300C, Stage 3
Enter Number <b>0</b>	2. Number of these Stage 2 pressure ulcers that were present upon admission/reentry - enter how many were noted at the time of admission
3. Date of oldest Stage 2 pressure ulcer - Enter dashes if date is unknown:	
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="border: 1px solid black; padding: 2px;">1</div> <div style="border: 1px solid black; padding: 2px;">1</div> <div style="border: 1px solid black; padding: 2px;">0</div> <div style="border: 1px solid black; padding: 2px;">1</div> <div style="border: 1px solid black; padding: 2px;">2</div> <div style="border: 1px solid black; padding: 2px;">0</div> <div style="border: 1px solid black; padding: 2px;">1</div> <div style="border: 1px solid black; padding: 2px;">0</div> </div> <div style="display: flex; justify-content: space-around; font-size: small;"> <span>Month</span> <span>Day</span> <span>Year</span> </div>	
<b>C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling</b>	
Enter Number <b>0</b>	1. Number of Stage 3 pressure ulcers - If 0 → Skip to M0300D, Stage 4
Enter Number <b>0</b>	2. Number of these Stage 3 pressure ulcers that were present upon admission/reentry - enter how many were noted at the time of admission
<b>D. Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling</b>	
Enter Number <b>0</b>	1. Number of Stage 4 pressure ulcers - If 0 → Skip to M0300E, Unstageable: Non-removable dressing
Enter Number <b>0</b>	2. Number of these Stage 4 pressure ulcers that were present upon admission/reentry - enter how many were noted at the time of admission
<b>M0300 continued on next page</b>	

## Scenarios for Pressure Ulcer Coding (cont.)

<b>M0300. Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage - Continued</b>	
<b>E. Unstageable - Non-removable dressing:</b> Known but not stageable due to non-removable dressing/device	
Enter Number <b>0</b>	1. Number of unstageable pressure ulcers due to non-removable dressing/device - If 0 → Skip to M0300F, Unstageable: Slough and/or eschar
Enter Number <b>0</b>	2. Number of these unstageable pressure ulcers that were present upon admission/reentry - enter how many were noted at the time of admission
<b>F. Unstageable - Slough and/or eschar:</b> Known but not stageable due to coverage of wound bed by slough and/or eschar	
Enter Number <b>0</b>	1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar - If 0 → Skip to M0300G, Unstageable: Deep tissue
Enter Number <b>0</b>	2. Number of these unstageable pressure ulcers that were present upon admission/reentry - enter how many were noted at the time of admission
<b>G. Unstageable - Deep tissue:</b> Suspected deep tissue injury in evolution	
Enter Number <b>0</b>	1. Number of unstageable pressure ulcers with suspected deep tissue injury in evolution - If 0 → Skip to M0610, Dimension of Unhealed Stage 3 or 4 Pressure Ulcers or Eschar
Enter Number <b>0</b>	2. Number of these unstageable pressure ulcers that were present upon admission/reentry - enter how many were noted at the time of admission

**Track Changes  
from Chapter 3 Section M V1.07  
to Chapter 3 Section M V1.08**

			<div style="border: 1px solid black; padding: 5px;"> <p><b>M0700. Most Severe Tissue Type for Any Pressure Ulcer</b></p> <p>Select the best description of the most severe type of tissue present in any pressure ulcer bed</p> <p>Enter Code <span style="border: 1px solid black; padding: 2px 5px;">1</span></p> <ol style="list-style-type: none"> <li>1. <b>Epithelial tissue</b> - new skin growing in superficial ulcer. It can be light pink and shiny, even in persons with darkly pigmented skin</li> <li>2. <b>Granulation tissue</b> - pink or red tissue with shiny, moist, granular appearance</li> <li>3. <b>Slough</b> - yellow or white tissue that adheres to the ulcer bed in strings or thick dumps, or is mucinous</li> <li>4. <b>Necrotic tissue (Eschar)</b> - black, brown, or tan tissue that adheres firmly to the wound bed or ulcer edges, may be softer or harder than surrounding skin</li> </ol> </div> <div style="border: 1px solid black; padding: 5px; margin-top: 5px;"> <p><b>M0800. Worsening in Pressure Ulcer Status Since Prior Assessment (OBRA, PPS, or Discharge)</b></p> <p>Complete only if A0310E = 0</p> <p>Indicate the number of current pressure ulcers that were <b>not present</b> or <b>were at a lesser stage</b> on prior assessment (OBRA, PPS, or Discharge). If no current pressure ulcer at a given stage, enter 0</p> <p>Enter Number <span style="border: 1px solid black; padding: 2px 5px;">0</span> <b>A. Stage 2</b></p> <p>Enter Number <span style="border: 1px solid black; padding: 2px 5px;">0</span> <b>B. Stage 3</b></p> <p>Enter Number <span style="border: 1px solid black; padding: 2px 5px;">0</span> <b>C. Stage 4</b></p> </div> <div style="border: 1px solid black; padding: 5px; margin-top: 5px;"> <p><b>M0900. Healed Pressure Ulcers</b></p> <p>Complete only if A0310E = 0</p> <p>Enter Code <span style="border: 1px solid black; padding: 2px 5px;">1</span> <b>A. Were pressure ulcers present on the prior assessment (OBRA, PPS, or Discharge)?</b></p> <p>0. <b>No</b> → Skip to M1030, Number of Venous and Arterial Ulcers</p> <p>1. <b>Yes</b> → Continue to M0900B, Stage 2</p> <p>Indicate the number of pressure ulcers that were noted on the prior assessment (OBRA, PPS, or Discharge) that have completely closed (resurfaced with epithelium). If no healed pressure ulcer at a given stage since the prior assessment (OBRA, PPS, or Discharge), enter 0</p> <p>Enter Number <span style="border: 1px solid black; padding: 2px 5px;">0</span> <b>B. Stage 2</b></p> <p>Enter Number <span style="border: 1px solid black; padding: 2px 5px;">0</span> <b>C. Stage 3</b></p> <p>Enter Number <span style="border: 1px solid black; padding: 2px 5px;">0</span> <b>D. Stage 4</b></p> </div>
--	--	--	---

**Scenarios for Pressure Ulcer Coding  
(cont.)**

			<div style="border: 1px solid black; padding: 5px;"> <p><b>M1030. Number of Venous and Arterial Ulcers</b></p> <p>Enter Number <span style="border: 1px solid black; padding: 2px 5px;">0</span> Enter the total number of venous and arterial ulcers present</p> </div> <div style="border: 1px solid black; padding: 5px; margin-top: 5px;"> <p><b>M1040. Other Ulcers, Wounds and Skin Problems</b></p> <p>↓ Check all that apply</p> <p><b>Foot Problems</b></p> <p><input type="checkbox"/> A. Infection of the foot (e.g., cellulitis, purulent drainage)</p> <p><input type="checkbox"/> B. Diabetic foot ulcer(s)</p> <p><input type="checkbox"/> C. Other open lesion(s) on the foot</p> <p><b>Other Problems</b></p> <p><input type="checkbox"/> D. Open lesion(s) other than ulcers, rashes, cuts (e.g., cancer lesion)</p> <p><input type="checkbox"/> E. Surgical wound(s)</p> <p><input type="checkbox"/> F. Burn(s) (second or third degree)</p> <p><input type="checkbox"/> None of the Above</p> <p><input checked="" type="checkbox"/> Z. None of the above were present</p> </div> <div style="border: 1px solid black; padding: 5px; margin-top: 5px;"> <p><b>M1200. Skin and Ulcer Treatments</b></p> <p>↓ Check all that apply</p> <p><input checked="" type="checkbox"/> A. Pressure reducing device for chair</p> <p><input checked="" type="checkbox"/> B. Pressure reducing device for bed</p> <p><input checked="" type="checkbox"/> C. Turning/repositioning program</p> <p><input type="checkbox"/> D. Nutrition or hydration intervention to manage skin problems</p> <p><input checked="" type="checkbox"/> E. Ulcer care</p> <p><input type="checkbox"/> F. Surgical wound care</p> <p><input type="checkbox"/> G. Application of nonsurgical dressings (with or without topical medications) other than to feet</p> <p><input type="checkbox"/> H. Applications of ointments/medications other than to feet</p> <p><input type="checkbox"/> I. Application of dressings to feet (with or without topical medications)</p> <p><input type="checkbox"/> Z. None of the above were provided</p> </div>
--	--	--	--