

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																																																															
-3502	None of above	Fatal	<p>If C0900A through C0900D and C0900Z are all active, then the following rules apply:</p> <p>a) If C0900Z=[0], then at least one item from C0900A through C0900D must equal [1].</p> <p>b) If C0900Z=[1], then all items from C0900A through C0900D must equal [0].</p> <p>c) If C0900Z=[-], then at least one item from C0900A through C0900D must equal [-] and all remaining items must equal [0,-].</p> <table><tr><td>Items:</td><td>C0900A</td><td>Staff asmt mental status: recall current season</td></tr><tr><td></td><td>C0900B</td><td>Staff asmt mental status: recall location of room</td></tr><tr><td></td><td>C0900C</td><td>Staff asmt mental status: recall staff names/faces</td></tr><tr><td></td><td>C0900D</td><td>Staff asmt mental status: recall in nursing home</td></tr><tr><td></td><td>C0900Z</td><td>Staff asmt mental status: none of above recalled</td></tr></table>	Items:	C0900A	Staff asmt mental status: recall current season		C0900B	Staff asmt mental status: recall location of room		C0900C	Staff asmt mental status: recall staff names/faces		C0900D	Staff asmt mental status: recall in nursing home		C0900Z	Staff asmt mental status: none of above recalled																																																
Items:	C0900A	Staff asmt mental status: recall current season																																																																
	C0900B	Staff asmt mental status: recall location of room																																																																
	C0900C	Staff asmt mental status: recall staff names/faces																																																																
	C0900D	Staff asmt mental status: recall in nursing home																																																																
	C0900Z	Staff asmt mental status: none of above recalled																																																																
-3503	None of above	Fatal	<p>If E0100A through E0100B and E0100Z are all active, then the following rules apply:</p> <p>a) If E0100Z=[0], then at least one item from E0100A through E0100B must equal [1].</p> <p>b) If E0100Z=[1], then all items from E0100A through E0100B must equal [0].</p> <p>c) If E0100Z=[-], then at least one item from E0100A through E0100B must equal [-] and all remaining items must equal [0,-].</p> <table><tr><td>Items:</td><td>E0100A</td><td>Psychosis: hallucinations</td></tr><tr><td></td><td>E0100B</td><td>Psychosis: delusions</td></tr><tr><td></td><td>E0100Z</td><td>Psychosis: none of the above</td></tr></table>	Items:	E0100A	Psychosis: hallucinations		E0100B	Psychosis: delusions		E0100Z	Psychosis: none of the above																																																						
Items:	E0100A	Psychosis: hallucinations																																																																
	E0100B	Psychosis: delusions																																																																
	E0100Z	Psychosis: none of the above																																																																
-3504	None of above	Fatal	<p>If F0800A through F0800T and F0800Z are all active, then the following rules apply:</p> <p>a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1].</p> <p>b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0].</p> <p>c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].</p> <table><tr><td>Items:</td><td>F0800A</td><td>Staff assessment: choosing clothes to wear</td></tr><tr><td></td><td>F0800B</td><td>Staff assessment: caring for personal belongings</td></tr><tr><td></td><td>F0800C</td><td>Staff assessment: receiving tub bath</td></tr><tr><td></td><td>F0800D</td><td>Staff assessment: receiving shower</td></tr><tr><td></td><td>F0800E</td><td>Staff assessment: receiving bed bath</td></tr><tr><td></td><td>F0800F</td><td>Staff assessment: receiving sponge bath</td></tr><tr><td></td><td>F0800G</td><td>Staff assessment: snacks between meals</td></tr><tr><td></td><td>F0800H</td><td>Staff assessment: staying up past 8PM</td></tr><tr><td></td><td>F0800I</td><td>Staff assessment: discuss care with family/other</td></tr><tr><td></td><td>F0800J</td><td>Staff assessment: use phone in private</td></tr><tr><td></td><td>F0800K</td><td>Staff assessment: place to lock personal things</td></tr><tr><td></td><td>F0800L</td><td>Staff assessment: reading books, newspapers, mags</td></tr><tr><td></td><td>F0800M</td><td>Staff assessment: listening to music</td></tr><tr><td></td><td>F0800N</td><td>Staff assessment: being around animals/pets</td></tr><tr><td></td><td>F0800O</td><td>Staff assessment: keeping up with news</td></tr><tr><td></td><td>F0800P</td><td>Staff assessment: doing things with groups</td></tr><tr><td></td><td>F0800Q</td><td>Staff assessment: participate favorite activities</td></tr><tr><td></td><td>F0800R</td><td>Staff assessment: spend time away from nursng home</td></tr><tr><td></td><td>F0800S</td><td>Staff assessment: spend time outdoors</td></tr><tr><td></td><td>F0800T</td><td>Staff assessment: participate religious activities</td></tr><tr><td></td><td>F0800Z</td><td>Staff assessment: none of above activities</td></tr></table>	Items:	F0800A	Staff assessment: choosing clothes to wear		F0800B	Staff assessment: caring for personal belongings		F0800C	Staff assessment: receiving tub bath		F0800D	Staff assessment: receiving shower		F0800E	Staff assessment: receiving bed bath		F0800F	Staff assessment: receiving sponge bath		F0800G	Staff assessment: snacks between meals		F0800H	Staff assessment: staying up past 8PM		F0800I	Staff assessment: discuss care with family/other		F0800J	Staff assessment: use phone in private		F0800K	Staff assessment: place to lock personal things		F0800L	Staff assessment: reading books, newspapers, mags		F0800M	Staff assessment: listening to music		F0800N	Staff assessment: being around animals/pets		F0800O	Staff assessment: keeping up with news		F0800P	Staff assessment: doing things with groups		F0800Q	Staff assessment: participate favorite activities		F0800R	Staff assessment: spend time away from nursng home		F0800S	Staff assessment: spend time outdoors		F0800T	Staff assessment: participate religious activities		F0800Z	Staff assessment: none of above activities
Items:	F0800A	Staff assessment: choosing clothes to wear																																																																
	F0800B	Staff assessment: caring for personal belongings																																																																
	F0800C	Staff assessment: receiving tub bath																																																																
	F0800D	Staff assessment: receiving shower																																																																
	F0800E	Staff assessment: receiving bed bath																																																																
	F0800F	Staff assessment: receiving sponge bath																																																																
	F0800G	Staff assessment: snacks between meals																																																																
	F0800H	Staff assessment: staying up past 8PM																																																																
	F0800I	Staff assessment: discuss care with family/other																																																																
	F0800J	Staff assessment: use phone in private																																																																
	F0800K	Staff assessment: place to lock personal things																																																																
	F0800L	Staff assessment: reading books, newspapers, mags																																																																
	F0800M	Staff assessment: listening to music																																																																
	F0800N	Staff assessment: being around animals/pets																																																																
	F0800O	Staff assessment: keeping up with news																																																																
	F0800P	Staff assessment: doing things with groups																																																																
	F0800Q	Staff assessment: participate favorite activities																																																																
	F0800R	Staff assessment: spend time away from nursng home																																																																
	F0800S	Staff assessment: spend time outdoors																																																																
	F0800T	Staff assessment: participate religious activities																																																																
	F0800Z	Staff assessment: none of above activities																																																																

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																																						
-3505	None of above	Fatal	<p>If G0600A through G0600D and G0600Z are all active, then the following rules apply:</p> <p>a) If G0600Z=[0], then at least one item from G0600A through G0600D must equal [1].</p> <p>b) If G0600Z=[1], then all items from G0600A through G0600D must equal [0].</p> <p>c) If G0600Z=[-], then at least one item from G0600A through G0600D must equal [-] and all remaining items must equal [0,-].</p> <p>Items:</p> <table><tr><td>G0600A</td><td>Mobility devices: cane/crutch</td></tr><tr><td>G0600B</td><td>Mobility devices: walker</td></tr><tr><td>G0600C</td><td>Mobility devices: wheelchair (manual or electric)</td></tr><tr><td>G0600D</td><td>Mobility devices: limb prosthesis</td></tr><tr><td>G0600Z</td><td>Mobility devices: none of the above</td></tr></table>	G0600A	Mobility devices: cane/crutch	G0600B	Mobility devices: walker	G0600C	Mobility devices: wheelchair (manual or electric)	G0600D	Mobility devices: limb prosthesis	G0600Z	Mobility devices: none of the above																												
G0600A	Mobility devices: cane/crutch																																								
G0600B	Mobility devices: walker																																								
G0600C	Mobility devices: wheelchair (manual or electric)																																								
G0600D	Mobility devices: limb prosthesis																																								
G0600Z	Mobility devices: none of the above																																								
-3506	None of above	Fatal	<p>If H0100A through H0100D and H0100Z are all active, then the following rules apply:</p> <p>a) If H0100Z=[0], then at least one item from H0100A through H0100D must equal [1].</p> <p>b) If H0100Z=[1], then all items from H0100A through H0100D must equal [0].</p> <p>c) If H0100Z=[-], then at least one item from H0100A through H0100D must equal [-] and all remaining items must equal [0,-].</p> <p>Items:</p> <table><tr><td>H0100A</td><td>Appliances: indwelling catheter</td></tr><tr><td>H0100B</td><td>Appliances: external catheter</td></tr><tr><td>H0100C</td><td>Appliances: ostomy</td></tr><tr><td>H0100D</td><td>Appliances: intermittent catheterization</td></tr><tr><td>H0100Z</td><td>Appliances: none of the above</td></tr></table>	H0100A	Appliances: indwelling catheter	H0100B	Appliances: external catheter	H0100C	Appliances: ostomy	H0100D	Appliances: intermittent catheterization	H0100Z	Appliances: none of the above																												
H0100A	Appliances: indwelling catheter																																								
H0100B	Appliances: external catheter																																								
H0100C	Appliances: ostomy																																								
H0100D	Appliances: intermittent catheterization																																								
H0100Z	Appliances: none of the above																																								
-3507	None of above	Fatal	<p>If I0100 through I6500 and I7900 are all active, then the following rules apply:</p> <p>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].</p> <p>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].</p> <p>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].</p> <p>Items:</p> <table><tr><td>I0100</td><td>Cancer (with or without metastasis)</td></tr><tr><td>I0200</td><td>Anemia</td></tr><tr><td>I0300</td><td>Atrial fibrillation and other dysrhythmias</td></tr><tr><td>I0400</td><td>Coronary artery disease (CAD)</td></tr><tr><td>I0500</td><td>Deep venous thrombosis (DVT), PE, or PTE</td></tr><tr><td>I0600</td><td>Heart failure</td></tr><tr><td>I0700</td><td>Hypertension</td></tr><tr><td>I0800</td><td>Orthostatic hypotension</td></tr><tr><td>I0900</td><td>Peripheral vascular disease (PVD) or PAD</td></tr><tr><td>I1100</td><td>Cirrhosis</td></tr><tr><td>I1200</td><td>Gastroesophageal reflux disease (GERD) or ulcer</td></tr><tr><td>I1300</td><td>Ulcerative colitis, Crohn's, inflam bowel disease</td></tr><tr><td>I1400</td><td>Benign prostatic hyperplasia (BPH)</td></tr><tr><td>I1500</td><td>Renal insufficiency, renal failure, ESRD</td></tr><tr><td>I1550</td><td>Neurogenic bladder</td></tr><tr><td>I1650</td><td>Obstructive uropathy</td></tr><tr><td>I1700</td><td>Multidrug resistant organism (MDRO)</td></tr><tr><td>I2000</td><td>Pneumonia</td></tr><tr><td>I2100</td><td>Septicemia</td></tr></table>	I0100	Cancer (with or without metastasis)	I0200	Anemia	I0300	Atrial fibrillation and other dysrhythmias	I0400	Coronary artery disease (CAD)	I0500	Deep venous thrombosis (DVT), PE, or PTE	I0600	Heart failure	I0700	Hypertension	I0800	Orthostatic hypotension	I0900	Peripheral vascular disease (PVD) or PAD	I1100	Cirrhosis	I1200	Gastroesophageal reflux disease (GERD) or ulcer	I1300	Ulcerative colitis, Crohn's, inflam bowel disease	I1400	Benign prostatic hyperplasia (BPH)	I1500	Renal insufficiency, renal failure, ESRD	I1550	Neurogenic bladder	I1650	Obstructive uropathy	I1700	Multidrug resistant organism (MDRO)	I2000	Pneumonia	I2100	Septicemia
I0100	Cancer (with or without metastasis)																																								
I0200	Anemia																																								
I0300	Atrial fibrillation and other dysrhythmias																																								
I0400	Coronary artery disease (CAD)																																								
I0500	Deep venous thrombosis (DVT), PE, or PTE																																								
I0600	Heart failure																																								
I0700	Hypertension																																								
I0800	Orthostatic hypotension																																								
I0900	Peripheral vascular disease (PVD) or PAD																																								
I1100	Cirrhosis																																								
I1200	Gastroesophageal reflux disease (GERD) or ulcer																																								
I1300	Ulcerative colitis, Crohn's, inflam bowel disease																																								
I1400	Benign prostatic hyperplasia (BPH)																																								
I1500	Renal insufficiency, renal failure, ESRD																																								
I1550	Neurogenic bladder																																								
I1650	Obstructive uropathy																																								
I1700	Multidrug resistant organism (MDRO)																																								
I2000	Pneumonia																																								
I2100	Septicemia																																								

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: I2200 Tuberculosis I2300 Urinary tract infection (UTI) (LAST 30 DAYS) I2400 Viral hepatitis (includes type A, B, C, D, and E) I2500 Wound infection (other than foot) I2900 Diabetes mellitus (DM) I3100 Hyponatremia I3200 Hyperkalemia I3300 Hyperlipidemia (e.g., hypercholesterolemia) I3400 Thyroid disorder I3700 Arthritis I3800 Osteoporosis I3900 Hip fracture I4000 Other fracture I4200 Alzheimer's disease I4300 Aphasia I4400 Cerebral palsy I4500 Cerebrovascular accident (CVA), TIA, or stroke I4800 Non-Alzheimer's dementia I4900 Hemiplegia or hemiparesis I5000 Paraplegia I5100 Quadriplegia I5200 Multiple sclerosis I5250 Huntington's disease I5300 Parkinson's disease I5350 Tourette's syndrome I5400 Seizure disorder or epilepsy I5500 Traumatic brain injury (TBI) I5600 Malnutrition (protein, calorie), risk of malnutrit I5700 Anxiety disorder I5800 Depression (other than bipolar) I5900 Manic depression (bipolar disease) I5950 Psychotic disorder (other than schizophrenia) I6000 Schizophrenia I6100 Post-traumatic stress disorder (PTSD) I6200 Asthma (COPD) or chronic lung disease I6300 Respiratory failure I6500 Cataracts, glaucoma, or macular degeneration I7900 None of above active diseases within last 7 days
-3508	None of above	Fatal	If J0800A through J0800D and J0800Z are all active, then the following rules apply: a) If J0800Z=[0], then at least one item from J0800A through J0800D must equal [1]. b) If J0800Z=[1], then all items from J0800A through J0800D must equal [0]. c) If J0800Z=[-], then at least one item from J0800A through J0800D must equal [-] and all remaining items must equal [0,-].

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: J0800A Staff pain asmt: non-verbal sounds J0800B Staff pain asmt: vocal complaints of pain J0800C Staff pain asmt: facial expressions J0800D Staff pain asmt: protective movements/postures J0800Z Staff pain asmt: none of these signs observed
-3509	None of above	Fatal	<p>If J1100A through J1100C and J1100Z are all active, then the following rules apply: a) If J1100Z=[0], then at least one item from J1100A through J1100C must equal [1]. b) If J1100Z=[1], then all items from J1100A through J1100C must equal [0]. c) If J1100Z=[-], then at least one item from J1100A through J1100C must equal [-] and all remaining items must equal [0,-].</p> Items: J1100A Short breath/trouble breathing: with exertion J1100B Short breath/trouble breathing: sitting at rest J1100C Short breath/trouble breathing: lying flat J1100Z Short breath/trouble breathing: none of above
-3510	None of above	Fatal	<p>If J1550A through J1550D and J1550Z are all active, then the following rules apply: a) If J1550Z=[0], then at least one item from J1550A through J1550D must equal [1]. b) If J1550Z=[1], then all items from J1550A through J1550D must equal [0]. c) If J1550Z=[-], then at least one item from J1550A through J1550D must equal [-] and all remaining items must equal [0,-].</p> Items: J1550A Problem conditions: fever J1550B Problem conditions: vomiting J1550C Problem conditions: dehydrated J1550D Problem conditions: internal bleeding J1550Z Problem conditions: none of the above
-3511	None of above	Fatal	<p>If K0100A through K0100D and K0100Z are all active, then the following rules apply: a) If K0100Z=[0], then at least one item from K0100A through K0100D must equal [1]. b) If K0100Z=[1], then all items from K0100A through K0100D must equal [0]. c) If K0100Z=[-], then at least one item from K0100A through K0100D must equal [-] and all remaining items must equal [0,-].</p> Items: K0100A Swallow disorder: loss liquids/solids from mouth K0100B Swallow disorder: holds food in mouth/cheeks K0100C Swallow disorder: cough/choke with meals/meds K0100D Swallow disorder: difficulty or pain swallowing K0100Z Swallow disorder: none of the above
-3513	None of above	Fatal	<p>If L0200A through L0200G and L0200Z are all active, then the following rules apply: a) If L0200Z=[0], then at least one item from L0200A through L0200G must equal [1]. b) If L0200Z=[1], then all items from L0200A through L0200G must equal [0]. c) If L0200Z=[-], then at least one item from L0200A through L0200G must equal [-] and all remaining items must equal [0,-].</p> Items: L0200A Dental: broken or loosely fitting denture L0200B Dental: no natural teeth or tooth fragment(s) L0200C Dental: abnormal mouth tissue L0200D Dental: cavity or broken natural teeth L0200E Dental: inflamed/bleeding gums or loose teeth L0200F Dental: pain, discomfort, difficulty chewing

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: L0200G Dental: unable to examine L0200Z Dental: none of the above
-3515	None of above	Fatal	<p>If M1200A through M1200I and M1200Z are all active, then the following rules apply:</p> <p>a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1].</p> <p>b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0].</p> <p>c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-].</p> <p>Items: M1200A Skin/ulcer treat: pressure reduce device for chair M1200B Skin/ulcer treat: pressure reducing device for bed M1200C Skin/ulcer treat: turning/repositioning M1200D Skin/ulcer treat: nutrition/hydration M1200E Skin/ulcer treat: pressure ulcer care M1200F Skin/ulcer treat: surgical wound care M1200G Skin/ulcer treat: application of dressings M1200H Skin/ulcer treat: apply ointments/medications M1200I Skin/ulcer treat: apply dressings to feet M1200Z Skin/ulcer treat: none of the above</p>
-3517	Skip pattern	Fatal	<p>a) If A2400A=[0], then all active items from A2400B through A2400C must equal [^].</p> <p>b) If A2400A=[1], then all active items from A2400B through A2400C must not equal [^].</p> <p>Items: A2400A Has resident had Medicare-covered stay A2400B Start date of most recent Medicare stay A2400C End date of most recent Medicare stay</p>
-3518	Skip pattern	Fatal	<p>a) If A0310A=[05,06], then if A2200 is active it must not equal [^].</p> <p>b) If A0310A=[01,02,03,04,99], then if A2200 is active it must equal [^].</p> <p>Items: A0310A Type of assessment: OBRA A2200 Previous asmt reference date for signif correction</p>
-3523	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from E0100A through E0300 must not equal [^].</p> <p>b) If B0100=[-], then all active items from E0100A through E0300 must equal [-].</p> <p>Items: B0100 Comatose E0100A Psychosis: hallucinations E0100B Psychosis: delusions E0100Z Psychosis: none of the above E0200A Physical behav symptoms directed toward others E0200B Verbal behav symptoms directed toward others E0200C Other behav symptoms not directed toward others E0300 Overall presence of behavioral symptoms</p>
-3524	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from E0800 through E0900 must not equal [^].</p> <p>b) If B0100=[-], then all active items from E0800 through E0900 must equal [-].</p> <p>Items: B0100 Comatose E0800 Rejection of care: presence and frequency E0900 Wandering: presence and frequency</p>

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3525	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from E1100 through F0300 must not equal [^]. b) If B0100=[-], then all active items from E1100 through F0300 must equal [-].</p> <p>Items: B0100 Comatose E1100 Change in behavioral or other symptoms F0300 Conduct res interview for daily/activity prefs</p>
-3527	Consistency	Fatal	<p>a) If C0100=[0,^], then all active items from C0200 through C0600 must equal [^]. b) If C0100=[1], then all active items from C0200 through C0600 must not equal [^]. c) If C0100=[-], then all active items from C0200 through C0500 must equal [-]. d) If C0100=[-], then if C0600 is active it must equal [1,-].</p> <p>Items: C0100 BIMS: should resident interview be conducted C0200 BIMS res interview: repetition of three words C0300A BIMS res interview: able to report correct year C0300B BIMS res interview: able to report correct month C0300C BIMS res interview: can report correct day of week C0400A BIMS res interview: able to recall "sock" C0400B BIMS res interview: able to recall "blue" C0400C BIMS res interview: able to recall "bed" C0500 BIMS res interview: summary score C0600 Staff asmt mental status: conduct asmt</p>
-3528	Consistency	Fatal	<p>a) If C0600=[0], then all active items from C0700 through C1000 must equal [^]. b) If C0600=[1], then all active items from C0700 through C1000 must not equal [^]. c) If C0600=[-], then all active items from C0700 through C1000 must equal [-]. d) If C0600=[^] and C0100=[0], then all active items from C0700 through C1000 must not equal [^].</p> <p>Items: C0100 BIMS: should resident interview be conducted C0600 Staff asmt mental status: conduct asmt C0700 Staff asmt mental status: short-term memory OK C0800 Staff asmt mental status: long-term memory OK C0900A Staff asmt mental status: recall current season C0900B Staff asmt mental status: recall location of room C0900C Staff asmt mental status: recall staff names/faces C0900D Staff asmt mental status: recall in nursing home C0900Z Staff asmt mental status: none of above recalled C1000 Cognitive skills for daily decision making</p>
-3529	Skip pattern	Fatal	<p>If D0100=[1], then if D0200A1 is active it must not equal [^].</p> <p>Items: D0100 PHQ: should resident mood interview be conducted D0200A1 PHQ res: little interest or pleasure - presence</p>
-3531	Skip pattern	Fatal	<p>a) If E0300=[0,^], then all active items from E0500A through E0600C must equal [^]. b) If E0300=[1], then all active items from E0500A through E0600C must not equal [^]. c) If E0300=[-], then all active items from E0500A through E0600C must equal [-].</p> <p>Items: E0300 Overall presence of behavioral symptoms E0500A Behav symptoms put res at risk for illness/injury E0500B Behav symptoms interfere with resident care</p>

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: E0500C Behav symptoms interfere with social activities E0600A Behav symptoms put others at risk for injury E0600B Behav symptoms intrude on privacy of others E0600C Behav symptoms disrupt care or living environment
			a) If E0900=[0,^], then all active items from E1000A through E1000B must equal [^]. b) If E0900=[1,2,3], then all active items from E1000A through E1000B must not equal [^]. c) If E0900=[-], then all active items from E1000A through E1000B must equal [-].
			Items: E0900 Wandering: presence and frequency E1000A Wandering: risk of getting to dangerous place E1000B Wandering: intrude on privacy of others
			a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
			Items: F0300 Conduct res interview for daily/activity prefs F0400A Res interview: choose clothes to wear F0400B Res interview: take care of personal belongings F0400C Res interview: choose tub, bath, shower, sponge F0400D Res interview: have snacks between meals F0400E Res interview: choose own bedtime F0400F Res interview: discuss care with family/friend F0400G Res interview: use phone in private F0400H Res interview: lock things to keep them safe F0500A Res interview: have books, newspaper, mags to read F0500B Res interview: listen to music F0500C Res interview: be around animals/pets F0500D Res interview: keep up with news F0500E Res interview: do things with groups of people F0500F Res interview: do favorite activities F0500G Res interview: go outside when good weather F0500H Res interview: participate in religious practices F0600 Primary respondent: daily/activities prefs F0700 Conduct staff assessment for daily/activity prefs
			a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
			Items: F0700 Conduct staff assessment for daily/activity prefs F0800A Staff assessment: choosing clothes to wear F0800B Staff assessment: caring for personal belongings F0800C Staff assessment: receiving tub bath F0800D Staff assessment: receiving shower F0800E Staff assessment: receiving bed bath F0800F Staff assessment: receiving sponge bath
			a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
			Items: F0700 Conduct staff assessment for daily/activity prefs F0800A Staff assessment: choosing clothes to wear F0800B Staff assessment: caring for personal belongings F0800C Staff assessment: receiving tub bath F0800D Staff assessment: receiving shower F0800E Staff assessment: receiving bed bath F0800F Staff assessment: receiving sponge bath
			a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
			Items: F0700 Conduct staff assessment for daily/activity prefs F0800A Staff assessment: choosing clothes to wear F0800B Staff assessment: caring for personal belongings F0800C Staff assessment: receiving tub bath F0800D Staff assessment: receiving shower F0800E Staff assessment: receiving bed bath F0800F Staff assessment: receiving sponge bath
			a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
			Items: F0700 Conduct staff assessment for daily/activity prefs F0800A Staff assessment: choosing clothes to wear F0800B Staff assessment: caring for personal belongings F0800C Staff assessment: receiving tub bath F0800D Staff assessment: receiving shower F0800E Staff assessment: receiving bed bath F0800F Staff assessment: receiving sponge bath
			a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
			Items: F0700 Conduct staff assessment for daily/activity prefs F0800A Staff assessment: choosing clothes to wear F0800B Staff assessment: caring for personal belongings F0800C Staff assessment: receiving tub bath F0800D Staff assessment: receiving shower F0800E Staff assessment: receiving bed bath F0800F Staff assessment: receiving sponge bath
			a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
			Items: F0700 Conduct staff assessment for daily/activity prefs F0800A Staff assessment: choosing clothes to wear F0800B Staff assessment: caring for personal belongings F0800C Staff assessment: receiving tub bath F0800D Staff assessment: receiving shower F0800E Staff assessment: receiving bed bath F0800F Staff assessment: receiving sponge bath
			a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
			Items: F0700 Conduct staff assessment for daily/activity prefs F0800A Staff assessment: choosing clothes to wear F0800B Staff assessment: caring for personal belongings F0800C Staff assessment: receiving tub bath F0800D Staff assessment: receiving shower F0800E Staff assessment: receiving bed bath F0800F Staff assessment: receiving sponge bath
			a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
			Items: F0700 Conduct staff assessment for daily/activity prefs F0800A Staff assessment: choosing clothes to wear F0800B Staff assessment: caring for personal belongings F0800C Staff assessment: receiving tub bath F0800D Staff assessment: receiving shower F0800E Staff assessment: receiving bed bath F0800F Staff assessment: receiving sponge bath

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: F0800G Staff assessment: snacks between meals F0800H Staff assessment: staying up past 8PM F0800I Staff assessment: discuss care with family/other F0800J Staff assessment: use phone in private F0800K Staff assessment: place to lock personal things F0800L Staff assessment: reading books, newspapers, mags F0800M Staff assessment: listening to music F0800N Staff assessment: being around animals/pets F0800O Staff assessment: keeping up with news F0800P Staff assessment: doing things with groups F0800Q Staff assessment: participate favorite activities F0800R Staff assessment: spend time away from nursng home F0800S Staff assessment: spend time outdoors F0800T Staff assessment: participate religious activities F0800Z Staff assessment: none of above activities
-3535	Skip pattern	Fatal	a) If A0310A=[02,03,04,05,06,99], then all active items from G0900A through G0900B must equal [^]. b) If A0310A=[01], then all active items from G0900A through G0900B must not equal [^]. Items: A0310A Type of assessment: OBRA G0900A Resident believes capable of increased independ G0900B Staff believes res capable of increased independ
-3536	Skip pattern	Fatal	a) If H0200A=[0,9], then if H0200B is active it must equal [^]. b) If H0200A=[1], then if H0200B is active it must not equal [^]. c) If H0200A=[-], then if H0200B is active it must equal [-]. Items: H0200A Urinary toileting program: has been attempted H0200B Urinary toileting program: response
-3537	Skip pattern	Fatal	a) If H0200A=[0], then if H0200C is active it must equal [^]. b) If H0200A=[1,9], then if H0200C is active it must not equal [^]. c) If H0200A=[-], then if H0200C is active it must equal [-]. Items: H0200A Urinary toileting program: has been attempted H0200C Urinary toileting program: current program/trial
-3542	Skip pattern	Fatal	If M0210=[1], then all active items from M0300A through M0300B1 must not equal [^]. Items: M0210 Resident has Stage 1 or higher pressure ulcers M0300A Stage 1 pressure ulcers: number present M0300B1 Stage 2 pressure ulcers: number present
-3543	Skip pattern	Fatal	If M0210=[1], then if M0300C1 is active it must not equal [^]. Items: M0210 Resident has Stage 1 or higher pressure ulcers M0300C1 Stage 3 pressure ulcers: number present
-3544	Skip pattern	Fatal	If M0210=[1], then if M0300D1 is active it must not equal [^]. Items: M0210 Resident has Stage 1 or higher pressure ulcers M0300D1 Stage 4 pressure ulcers: number present

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3545	Skip pattern	Fatal	<p>If M0210=[1], then if M0300E1 is active it must not equal [^].</p> <p>Items: M0210 Resident has Stage 1 or higher pressure ulcers M0300E1 Unstaged due to dressing: number present</p>
-3546	Skip pattern	Fatal	<p>If M0210=[1], then if M0300F1 is active it must not equal [^].</p> <p>Items: M0210 Resident has Stage 1 or higher pressure ulcers M0300F1 Unstaged slough/eschar: number present</p>
-3547	Skip pattern	Fatal	<p>If M0210=[1], then if M0300G1 is active it must not equal [^].</p> <p>Items: M0210 Resident has Stage 1 or higher pressure ulcers M0300G1 Unstageable - deep tissue: number present</p>
-3548	Skip pattern	Fatal	<p>a) If M0300B1=[1-9], then all active items from M0300B2 through M0300B3 must not equal [^]. b) If M0300B1=[0,^], then all active items from M0300B2 through M0300B3 must equal [^]. c) If M0300B1=[-], then all active items from M0300B2 through M0300B3 must equal [-].</p> <p>Items: M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit/reentry M0300B3 Stage 2 pressure ulcers: date of oldest</p>
-3549	Skip pattern	Fatal	<p>a) If M0300C1=[1-9], then if M0300C2 is active it must not equal [^]. b) If M0300C1=[0,^], then if M0300C2 is active it must equal [^]. c) If M0300C1=[-], then if M0300C2 is active it must equal [-].</p> <p>Items: M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit/reentry</p>
-3550	Skip pattern	Fatal	<p>a) If M0300D1=[1-9], then if M0300D2 is active it must not equal [^]. b) If M0300D1=[0,^], then if M0300D2 is active it must equal [^]. c) If M0300D1=[-], then if M0300D2 is active it must equal [-].</p> <p>Items: M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit/reentry</p>
-3551	Skip pattern	Fatal	<p>a) If M0300E1=[1-9], then if M0300E2 is active it must not equal [^]. b) If M0300E1=[0,^], then if M0300E2 is active it must equal [^]. c) If M0300E1=[-], then if M0300E2 is active it must equal [-].</p> <p>Items: M0300E1 Unstaged due to dressing: number present M0300E2 Unstaged due to dressing: number at admit/reentry</p>
-3552	Skip pattern	Fatal	<p>a) If M0300F1=[1-9], then if M0300F2 is active it must not equal [^]. b) If M0300F1=[0,^], then if M0300F2 is active it must equal [^]. c) If M0300F1=[-], then if M0300F2 is active it must equal [-].</p> <p>Items: M0300F1 Unstaged slough/eschar: number present M0300F2 Unstaged slough/eschar: number at admit/reentry</p>
-3553	Skip pattern	Fatal	<p>a) If M0300G1=[1-9], then if M0300G2 is active it must not equal [^]. b) If M0300G1=[0,^], then if M0300G2 is active it must equal [^]. c) If M0300G1=[-], then if M0300G2 is active it must equal [-].</p> <p>Items: M0300G1 Unstageable - deep tissue: number present M0300G2 Unstageable - deep tissue: number at admit/reentry</p>

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3555	Skip pattern	Fatal	<p>a) If O0250A=[1], then if O0250B is active it must not equal [^]. b) If O0250A=[0], then if O0250B is active it must equal [^]. c) If O0250A=[-], then if O0250B is active it must equal [-].</p> <p>Items: O0250A Was influenza vaccine received O0250B Date influenza vaccine received.</p>
-3556	Skip pattern	Fatal	<p>a) If O0300A=[0], then if O0300B is active it must not equal [^]. b) If O0300A=[1], then if O0300B is active it must equal [^]. c) If O0300A=[-], then if O0300B is active it must equal [-].</p> <p>Items: O0300A Is pneumococcal vaccination up to date O0300B If pneumococcal vacc not received, state reason</p>
-3557	Consistency	Fatal	<p>Skip pattern for O0400A4, O0400A5, and O0400A6.</p> <p>Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <p>a) If the sum is equal to zero and at least one of the items O0400A1, O0400A2, and O0400A3 is not equal to [-], then O0400A4 must equal [^]. b) If the sum is greater than zero, then O0400A4, O0400A5, and O0400A6 must not equal [^]. c) If O0400A1, O0400A2, and O0400A3 are all equal to [-], then O0400A4, O0400A5, and O0400A6 must equal [-].</p> <p>Items: O0400A1 Speech-language/audiology: individ minutes O0400A2 Speech-language/audiology: concur minutes O0400A3 Speech-language/audiology: group minutes O0400A4 Speech-language/audiology: number of days O0400A5 Speech-language/audiology: start date O0400A6 Speech-language/audiology: end date</p>
-3558	Consistency	Fatal	<p>Skip pattern for O0400B4, O0400B5, and O0400B6.</p> <p>Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <p>a) If the sum is equal to zero and at least one of the items O0400B1, O0400B2, and O0400B3 is not equal to [-], then O0400B4 must equal [^]. b) If the sum is greater than zero, then O0400B4, O0400B5, and O0400B6 must not equal [^]. c) If O0400B1, O0400B2, and O0400B3 are all equal to [-], then O0400B4, O0400B5, and O0400B6 must equal [-].</p> <p>Items: O0400B1 Occupational therapy: individ minutes O0400B2 Occupational therapy: concur minutes O0400B3 Occupational therapy: group minutes O0400B4 Occupational therapy: number of days O0400B5 Occupational therapy: start date O0400B6 Occupational therapy: end date</p>

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																		
-3559	Consistency	Fatal	<p>Skip pattern for O0400C4, O0400C5, and O0400C6.</p> <p>Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <p>a) If the sum is equal to zero and at least one of the items O0400C1, O0400C2, and O0400C3 is not equal to [-], then O0400C4 must equal [^].</p> <p>b) If the sum is greater than zero, then O0400C4, O0400C5, and O0400C6 must not equal [^].</p> <p>c) If O0400C1, O0400C2, and O0400C3 are all equal to [-], then O0400C4, O0400C5, and O0400C6 must equal [-].</p> <table><tr><td>Items:</td><td>O0400C1</td><td>Physical therapy: individ minutes</td></tr><tr><td></td><td>O0400C2</td><td>Physical therapy: concur minutes</td></tr><tr><td></td><td>O0400C3</td><td>Physical therapy: group minutes</td></tr><tr><td></td><td>O0400C4</td><td>Physical therapy: number of days</td></tr><tr><td></td><td>O0400C5</td><td>Physical therapy: start date</td></tr><tr><td></td><td>O0400C6</td><td>Physical therapy: end date</td></tr></table>	Items:	O0400C1	Physical therapy: individ minutes		O0400C2	Physical therapy: concur minutes		O0400C3	Physical therapy: group minutes		O0400C4	Physical therapy: number of days		O0400C5	Physical therapy: start date		O0400C6	Physical therapy: end date
Items:	O0400C1	Physical therapy: individ minutes																			
	O0400C2	Physical therapy: concur minutes																			
	O0400C3	Physical therapy: group minutes																			
	O0400C4	Physical therapy: number of days																			
	O0400C5	Physical therapy: start date																			
	O0400C6	Physical therapy: end date																			
-3560	Skip pattern	Fatal	<p>a) If O0400D1=[0001-9999], then if O0400D2 is active it must not equal [^].</p> <p>b) If O0400D1=[0000], then if O0400D2 is active it must equal [^].</p> <p>c) If O0400D1=[-], then if O0400D2 is active it must equal [-].</p> <table><tr><td>Items:</td><td>O0400D1</td><td>Respiratory therapy: number of minutes</td></tr><tr><td></td><td>O0400D2</td><td>Respiratory therapy: number of days</td></tr></table>	Items:	O0400D1	Respiratory therapy: number of minutes		O0400D2	Respiratory therapy: number of days												
Items:	O0400D1	Respiratory therapy: number of minutes																			
	O0400D2	Respiratory therapy: number of days																			
-3561	Skip pattern	Fatal	<p>a) If O0400E1=[0001-9999], then if O0400E2 is active it must not equal [^].</p> <p>b) If O0400E1=[0000], then if O0400E2 is active it must equal [^].</p> <p>c) If O0400E1=[-], then if O0400E2 is active it must equal [-].</p> <table><tr><td>Items:</td><td>O0400E1</td><td>Psychological therapy: number of minutes</td></tr><tr><td></td><td>O0400E2</td><td>Psychological therapy: number of days</td></tr></table>	Items:	O0400E1	Psychological therapy: number of minutes		O0400E2	Psychological therapy: number of days												
Items:	O0400E1	Psychological therapy: number of minutes																			
	O0400E2	Psychological therapy: number of days																			
-3562	Skip pattern	Fatal	<p>a) If O0400F1=[0001-9999], then if O0400F2 is active it must not equal [^].</p> <p>b) If O0400F1=[0000], then if O0400F2 is active it must equal [^].</p> <p>c) If O0400F1=[-], then if O0400F2 is active it must equal [-].</p> <table><tr><td>Items:</td><td>O0400F1</td><td>Recreational therapy: number of minutes</td></tr><tr><td></td><td>O0400F2</td><td>Recreational therapy: number of days</td></tr></table>	Items:	O0400F1	Recreational therapy: number of minutes		O0400F2	Recreational therapy: number of days												
Items:	O0400F1	Recreational therapy: number of minutes																			
	O0400F2	Recreational therapy: number of days																			
-3563	Skip pattern	Fatal	<p>a) If A0310E=[0], then all active items from Q0300A through Q0300B must equal [^].</p> <p>b) If A0310E=[1], then all active items from Q0300A through Q0300B must not equal [^].</p> <table><tr><td>Items:</td><td>A0310E</td><td>First assessment since most recent entry</td></tr><tr><td></td><td>Q0300A</td><td>Resident's overall goal</td></tr><tr><td></td><td>Q0300B</td><td>Information source for resident's goal</td></tr></table>	Items:	A0310E	First assessment since most recent entry		Q0300A	Resident's overall goal		Q0300B	Information source for resident's goal									
Items:	A0310E	First assessment since most recent entry																			
	Q0300A	Resident's overall goal																			
	Q0300B	Information source for resident's goal																			
-3565	Format	Fatal	<p>If the value is not equal to [^], it must be 9 characters long.</p> <table><tr><td>Items:</td><td>A0600A</td><td>Social Security Number</td></tr><tr><td></td><td>X0500</td><td>Correction: resident social security number</td></tr></table>	Items:	A0600A	Social Security Number		X0500	Correction: resident social security number												
Items:	A0600A	Social Security Number																			
	X0500	Correction: resident social security number																			
-3566	Format	Fatal	<p>If the value is not equal to [^], the first three characters must not be equal to [000].</p> <table><tr><td>Items:</td><td>A0600A</td><td>Social Security Number</td></tr><tr><td></td><td>X0500</td><td>Correction: resident social security number</td></tr></table>	Items:	A0600A	Social Security Number		X0500	Correction: resident social security number												
Items:	A0600A	Social Security Number																			
	X0500	Correction: resident social security number																			

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3567	Format	Fatal	<p>The value must not be equal to any of the following: [111111111, 333333333, 123456789, 999999999].</p> <p>Items: A0600A Social Security Number X0500 Correction: resident social security number</p>
-3568	Format	Fatal	<p>If A0100A is not equal to [^], then it must be 10 digits long.</p> <p>Items: A0100A Facility National Provider Identifier (NPI)</p>
-3569	Format	Fatal	<p>If the first character is numeric [0 through 9], then the first 9 characters must be digits [0 through 9].</p> <p>Items: A0600B Resident Medicare/railroad insurance number</p>
-3570	Format	Fatal	<p>If the first character is alphabetic, then there must be 1, 2, or 3 alphabetic characters followed by 6 or 9 numbers, up to the length of the item.</p> <p>Items: A0600B Resident Medicare/railroad insurance number</p>
-3571	Consistency	Fatal	<p>If this is a PPS assessment (A0310B=[01,02,03,04,05,06,07]), then either the SSN (A0600A) or the Medicare or comparable railroad insurance number (A0600B) must be present (not [^]). Thus, the submission will be rejected if this is a PPS assessment and both of the following conditions are true:</p> <p>a) A0600A is equal to [^]. b) A0600B is equal to [^].</p> <p>Items: A0310B Type of assessment: PPS A0600A Social Security Number A0600B Resident Medicare/railroad insurance number</p>
-3572	Skip pattern	Fatal	<p>a) If A1100A=[0,9], then if A1100B is active it must equal [^]. b) If A1100A=[1], then if A1100B is active it must not equal [^]. c) If A1100A=[-], then if A1100B is active it must equal [-].</p> <p>Items: A1100A Does the resident need or want an interpreter A1100B Preferred language</p>

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																								
-3573	Consistency	Fatal	<p>Date Item Consistency Rules</p> <p>Date items fall into two groups, designated Group A and B below. Each group has its own consistency rules.</p> <p>GROUP A RULES</p> <p>Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order:</p> <p>A0900 (birthdate) <=</p> <p>A1600 (entry date) <=</p> <p>A2200 (previous ARD for significant correction) <=</p> <p>A2300 (assessment reference date) = A2000 (discharge date) <=</p> <p>Z0500B (date RN signed assessment as complete) <=</p> <p>V0200B2 (CAT assessment process signature date) <=</p> <p>V0200C2 (CAT care planning signature date) <=</p> <p>X1100E (correction: attestation date) <=</p> <p>current date</p> <p>GROUP B DATES</p> <p>Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:</p> <ol style="list-style-type: none">1. Each Group B date must be greater than or equal to A0900 (birthdate).2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.4. For start/end date pairs shown below, the start date must be less than or equal to the end date.5. Otherwise, the Group B dates may be in any order. <p>The following is a list of Group B dates:</p> <p>A2400B <= A2400C (Medicare stay start/end)</p> <p>M0300B3 (date of oldest Stage 2 pressure ulcer)</p> <p>O0250B (date influenza vaccine received)</p> <p>O0400A5 <= O0400A6 (speech-language audiology therapy start/end)</p> <p>O0400B5 <= O0400B6 (occupational therapy start/end)</p> <p>O0400C5 <= O0400C6 (physical therapy start/end)</p> <p>V0100C (prior assessment reference date)</p> <p>Items:</p> <table><tr><td>A0310F</td><td>Entry/discharge reporting</td></tr><tr><td>A0900</td><td>Birthdate</td></tr><tr><td>A1600</td><td>Entry date (date of admission/reentry in facility)</td></tr><tr><td>A2000</td><td>Discharge date</td></tr><tr><td>A2200</td><td>Previous asmt reference date for signif correction</td></tr><tr><td>A2300</td><td>Assessment reference date</td></tr><tr><td>A2400B</td><td>Start date of most recent Medicare stay</td></tr><tr><td>A2400C</td><td>End date of most recent Medicare stay</td></tr><tr><td>M0300B3</td><td>Stage 2 pressure ulcers: date of oldest</td></tr><tr><td>O0250B</td><td>Date influenza vaccine received.</td></tr><tr><td>O0400A5</td><td>Speech-language/audiology: start date</td></tr><tr><td>O0400A6</td><td>Speech-language/audiology: end date</td></tr></table>	A0310F	Entry/discharge reporting	A0900	Birthdate	A1600	Entry date (date of admission/reentry in facility)	A2000	Discharge date	A2200	Previous asmt reference date for signif correction	A2300	Assessment reference date	A2400B	Start date of most recent Medicare stay	A2400C	End date of most recent Medicare stay	M0300B3	Stage 2 pressure ulcers: date of oldest	O0250B	Date influenza vaccine received.	O0400A5	Speech-language/audiology: start date	O0400A6	Speech-language/audiology: end date
A0310F	Entry/discharge reporting																										
A0900	Birthdate																										
A1600	Entry date (date of admission/reentry in facility)																										
A2000	Discharge date																										
A2200	Previous asmt reference date for signif correction																										
A2300	Assessment reference date																										
A2400B	Start date of most recent Medicare stay																										
A2400C	End date of most recent Medicare stay																										
M0300B3	Stage 2 pressure ulcers: date of oldest																										
O0250B	Date influenza vaccine received.																										
O0400A5	Speech-language/audiology: start date																										
O0400A6	Speech-language/audiology: end date																										

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: O0400B5 Occupational therapy: start date O0400B6 Occupational therapy: end date O0400C5 Physical therapy: start date O0400C6 Physical therapy: end date V0100C Prior assessment reference date V0200B2 CAA-Assessment process signature date V0200C2 CAA-Care planning signature date X1100E Correction: attestation date Z0500B Date RN signed assessment as complete
-3586	Skip pattern	Fatal	a) If C0500=[-,99], then if C0600 is active it must equal [1,-]. b) If C0500=[00-15], then if C0600 is active it must equal [0]. Items: C0500 BIMS res interview: summary score C0600 Staff asmt mental status: conduct asmt
-3587	Consistency	Fatal	D0300 must equal the sum of the values of the following nine items: D0200A2, D0200B2, D0200C2, D0200D2, D0200E2, D0200F2, D0200G2, D0200H2, D0200I2. These are referred to as the "items in Column 2", below.

The following rules describe the computation of the sum that is placed in D0300. Note that these rules apply only if D0100=[1]. If D0100=[0,-,^], then Edit -3703 applies instead. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-] or that are skipped and are therefore equal to [^].

a) If all of the items in Column 2 have valid values [0,1,2,3], then D0300 must equal the simple sum of those values.

b) If any of the items in Column 2 are equal to [-,^], then count their values as zero in computing the sum.

c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 9/8 (1.125), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).

d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the seven items in Column 2 that have valid values, multiply the sum by 9/7 (1.286), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).

e) If the number of missing items in Column 2 (as defined above) is equal to three or more and at least one of the items in Column 2 is not equal to [-], then D0300 must equal [99].

f) If all of the items in Column 2 are equal to [-], then D0300 must equal [-].

The MDS Submission System will recalculate the value in D0300. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.

Items: D0100 PHQ: should resident mood interview be conducted
D0200A2 PHQ res: little interest or pleasure - frequency
D0200B2 PHQ res: feeling down, depressed - frequency
D0200C2 PHQ res: trouble with sleep - frequency

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3588	Consistency	Fatal	Items: D0200D2 PHQ res: feeling tired/little energy - frequency D0200E2 PHQ res: poor appetite or overeating - frequency D0200F2 PHQ res: feeling bad about self - frequency D0200G2 PHQ res: trouble concentrating - frequency D0200H2 PHQ res: slow, fidgety, restless - frequency D0200I2 PHQ res: thoughts better off dead - frequency D0300 PHQ res: total mood severity score
			D0600 must equal the sum of the values of the following ten items: D0500A2, D0500B2, D0500C2, D0500D2, D0500E2, D0500F2, D0500G2, D0500H2, D0500I2, D0500J2. These are referred to as the "items in Column 2", below.
			The following rules describe the computation of the sum that is placed in D0600. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-].
			a) If all of the items in Column 2 have valid values [0,1,2,3], then D0600 must equal the simple sum of those values.
			b) If any of the items in Column 2 are equal to [-], then count their values as zero in computing the sum.
			c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the nine items in Column 2 that have valid values, multiply the sum by 10/9 (1.111), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).
			d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 10/8 (1.250), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).
			e) If the number of missing items in Column 2 (as defined above) is equal to three or more, then D0600 must equal [-].
			The MDS Submission System will recalculate the value in D0600. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.
			Items: D0500A2 PHQ staff: little interest or pleasure - frequency D0500B2 PHQ staff: feeling down, depressed - frequency D0500C2 PHQ staff: trouble with sleep - frequency D0500D2 PHQ staff: feeling tired/little energy - frequency D0500E2 PHQ staff: poor appetite or overeating - frequency D0500F2 PHQ staff: feeling bad about self - frequency D0500G2 PHQ staff: trouble concentrating - frequency D0500H2 PHQ staff: slow, fidgety, restless - frequency D0500I2 PHQ staff: thoughts better off dead - frequency D0500J2 PHQ staff: short-tempered - frequency D0600 PHQ staff: total mood score

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																																						
-3590	Consistency	Fatal	<p>If F0300 is equal to [1], then the following rules apply:</p> <p>a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -].</p> <p>b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -].</p> <p>c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].</p> <p>Items:</p> <table><tr><td>F0300</td><td>Conduct res interview for daily/activity prefs</td></tr><tr><td>F0400A</td><td>Res interview: choose clothes to wear</td></tr><tr><td>F0400B</td><td>Res interview: take care of personal belongings</td></tr><tr><td>F0400C</td><td>Res interview: choose tub, bath, shower, sponge</td></tr><tr><td>F0400D</td><td>Res interview: have snacks between meals</td></tr><tr><td>F0400E</td><td>Res interview: choose own bedtime</td></tr><tr><td>F0400F</td><td>Res interview: discuss care with family/friend</td></tr><tr><td>F0400G</td><td>Res interview: use phone in private</td></tr><tr><td>F0400H</td><td>Res interview: lock things to keep them safe</td></tr><tr><td>F0500A</td><td>Res interview: have books, newspaper, mags to read</td></tr><tr><td>F0500B</td><td>Res interview: listen to music</td></tr><tr><td>F0500C</td><td>Res interview: be around animals/pets</td></tr><tr><td>F0500D</td><td>Res interview: keep up with news</td></tr><tr><td>F0500E</td><td>Res interview: do things with groups of people</td></tr><tr><td>F0500F</td><td>Res interview: do favorite activities</td></tr><tr><td>F0500G</td><td>Res interview: go outside when good weather</td></tr><tr><td>F0500H</td><td>Res interview: participate in religious practices</td></tr><tr><td>F0600</td><td>Primary respondent: daily/activities prefs</td></tr><tr><td>F0700</td><td>Conduct staff assessment for daily/activity prefs</td></tr></table>	F0300	Conduct res interview for daily/activity prefs	F0400A	Res interview: choose clothes to wear	F0400B	Res interview: take care of personal belongings	F0400C	Res interview: choose tub, bath, shower, sponge	F0400D	Res interview: have snacks between meals	F0400E	Res interview: choose own bedtime	F0400F	Res interview: discuss care with family/friend	F0400G	Res interview: use phone in private	F0400H	Res interview: lock things to keep them safe	F0500A	Res interview: have books, newspaper, mags to read	F0500B	Res interview: listen to music	F0500C	Res interview: be around animals/pets	F0500D	Res interview: keep up with news	F0500E	Res interview: do things with groups of people	F0500F	Res interview: do favorite activities	F0500G	Res interview: go outside when good weather	F0500H	Res interview: participate in religious practices	F0600	Primary respondent: daily/activities prefs	F0700	Conduct staff assessment for daily/activity prefs
F0300	Conduct res interview for daily/activity prefs																																								
F0400A	Res interview: choose clothes to wear																																								
F0400B	Res interview: take care of personal belongings																																								
F0400C	Res interview: choose tub, bath, shower, sponge																																								
F0400D	Res interview: have snacks between meals																																								
F0400E	Res interview: choose own bedtime																																								
F0400F	Res interview: discuss care with family/friend																																								
F0400G	Res interview: use phone in private																																								
F0400H	Res interview: lock things to keep them safe																																								
F0500A	Res interview: have books, newspaper, mags to read																																								
F0500B	Res interview: listen to music																																								
F0500C	Res interview: be around animals/pets																																								
F0500D	Res interview: keep up with news																																								
F0500E	Res interview: do things with groups of people																																								
F0500F	Res interview: do favorite activities																																								
F0500G	Res interview: go outside when good weather																																								
F0500H	Res interview: participate in religious practices																																								
F0600	Primary respondent: daily/activities prefs																																								
F0700	Conduct staff assessment for daily/activity prefs																																								

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																														
-3591	Format	Fatal	<p>Formatting of ICD Items</p> <p>If the ICD-9 item is active, it must be submitted as an 8 character, fixed-format string with all blanks replaced with ^, and with a decimal point as the 6th character. The only exception to this rule is that an entirely blank ICD-9 item must be submitted as a single ^.</p> <p>For example:</p> <ul style="list-style-type: none">-The ICD-9 code "123.4" would be submitted as [^^123.4^].-The ICD-9 code "123." would be submitted as [^^123.^^].-The ICD-9 code "E123.4" would be submitted as [^E123.4^].-The ICD-9 code "V12.3" would be submitted as [^^V12.3^]-An entirely blank ICD-9 code would be submitted as [^]. <p>Other formatting rules are as follows:</p> <ul style="list-style-type: none">a) Character 1 must be [^].b) Character 2 must be [E,^].c) If character 2 is [^], then character 3 can be [V,0-9]. If character 2 is [E], then character 3 must be [0-9].d) Characters 4 through 5 must be [0-9].e) Character 6 must be a decimal point.f) Characters 7 and 8 must be [0-9,^].g) If character 7 is a [^], then character 8 must be a [^]. <p>Note that ICD-10 codes are formatted differently from ICD-9 codes and are not accepted at this time.</p> <table><tr><td>Items:</td><td>I8000A</td><td>Additional active ICD diagnosis 1</td></tr><tr><td></td><td>I8000B</td><td>Additional active ICD diagnosis 2</td></tr><tr><td></td><td>I8000C</td><td>Additional active ICD diagnosis 3</td></tr><tr><td></td><td>I8000D</td><td>Additional active ICD diagnosis 4</td></tr><tr><td></td><td>I8000E</td><td>Additional active ICD diagnosis 5</td></tr><tr><td></td><td>I8000F</td><td>Additional active ICD diagnosis 6</td></tr><tr><td></td><td>I8000G</td><td>Additional active ICD diagnosis 7</td></tr><tr><td></td><td>I8000H</td><td>Additional active ICD diagnosis 8</td></tr><tr><td></td><td>I8000I</td><td>Additional active ICD diagnosis 9</td></tr><tr><td></td><td>I8000J</td><td>Additional active ICD diagnosis 10</td></tr></table>	Items:	I8000A	Additional active ICD diagnosis 1		I8000B	Additional active ICD diagnosis 2		I8000C	Additional active ICD diagnosis 3		I8000D	Additional active ICD diagnosis 4		I8000E	Additional active ICD diagnosis 5		I8000F	Additional active ICD diagnosis 6		I8000G	Additional active ICD diagnosis 7		I8000H	Additional active ICD diagnosis 8		I8000I	Additional active ICD diagnosis 9		I8000J	Additional active ICD diagnosis 10
Items:	I8000A	Additional active ICD diagnosis 1																															
	I8000B	Additional active ICD diagnosis 2																															
	I8000C	Additional active ICD diagnosis 3																															
	I8000D	Additional active ICD diagnosis 4																															
	I8000E	Additional active ICD diagnosis 5																															
	I8000F	Additional active ICD diagnosis 6																															
	I8000G	Additional active ICD diagnosis 7																															
	I8000H	Additional active ICD diagnosis 8																															
	I8000I	Additional active ICD diagnosis 9																															
	I8000J	Additional active ICD diagnosis 10																															
-3593	Consistency	Fatal	<p>a) If M0300C1, M0300D1, or M0300F1 are equal to [1-9], then M0610A, M0610B, and M0610C must contain values that are not equal to [^].</p> <p>b) If M0300C1, M0300D1, and M0300F1 are all equal to [0,-,^], then M0610A, M0610B, and M0610C must equal [^].</p> <table><tr><td>Items:</td><td>M0300C1</td><td>Stage 3 pressure ulcers: number present</td></tr><tr><td></td><td>M0300D1</td><td>Stage 4 pressure ulcers: number present</td></tr><tr><td></td><td>M0300F1</td><td>Unstaged slough/eschar: number present</td></tr><tr><td></td><td>M0610A</td><td>Stage 3 or 4 pressure ulcer longest length</td></tr><tr><td></td><td>M0610B</td><td>Stage 3 or 4 pressure ulcer width (same ulcer)</td></tr><tr><td></td><td>M0610C</td><td>Stage 3 or 4 pressure ulcer depth (same ulcer)</td></tr></table>	Items:	M0300C1	Stage 3 pressure ulcers: number present		M0300D1	Stage 4 pressure ulcers: number present		M0300F1	Unstaged slough/eschar: number present		M0610A	Stage 3 or 4 pressure ulcer longest length		M0610B	Stage 3 or 4 pressure ulcer width (same ulcer)		M0610C	Stage 3 or 4 pressure ulcer depth (same ulcer)												
Items:	M0300C1	Stage 3 pressure ulcers: number present																															
	M0300D1	Stage 4 pressure ulcers: number present																															
	M0300F1	Unstaged slough/eschar: number present																															
	M0610A	Stage 3 or 4 pressure ulcer longest length																															
	M0610B	Stage 3 or 4 pressure ulcer width (same ulcer)																															
	M0610C	Stage 3 or 4 pressure ulcer depth (same ulcer)																															

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items										
-3595	None of above	Fatal	<p>If M0100A through M0100C and M0100Z are all active, then the following rules apply:</p> <p>a) If M0100Z=[0], then at least one item from M0100A through M0100C must equal [1].</p> <p>b) If M0100Z=[1], then all items from M0100A through M0100C must equal [0].</p> <p>c) If M0100Z=[-], then at least one item from M0100A through M0100C must equal [-] and all remaining items must equal [0,-].</p> <p>Items:</p> <table><tr><td>M0100A</td><td>Risk determination: has ulcer, scar, or dressing</td></tr><tr><td>M0100B</td><td>Risk determination: formal assessment</td></tr><tr><td>M0100C</td><td>Risk determination: clinical assessment</td></tr><tr><td>M0100Z</td><td>Risk determination: none of the above</td></tr></table>	M0100A	Risk determination: has ulcer, scar, or dressing	M0100B	Risk determination: formal assessment	M0100C	Risk determination: clinical assessment	M0100Z	Risk determination: none of the above		
M0100A	Risk determination: has ulcer, scar, or dressing												
M0100B	Risk determination: formal assessment												
M0100C	Risk determination: clinical assessment												
M0100Z	Risk determination: none of the above												
-3596	Consistency	Fatal	<p>a) If A0310E=[1], then all active items from M0800A through M0800C must equal [^].</p> <p>b) If A0310E=[0] and M0210=[1], then all active items from M0800A through M0800C must not equal [^].</p> <p>c) If A0310E=[0] and M0210=[-], then all active items from M0800A through M0800C must equal [-].</p> <p>Items:</p> <table><tr><td>A0310E</td><td>First assessment since most recent entry</td></tr><tr><td>M0210</td><td>Resident has Stage 1 or higher pressure ulcers</td></tr><tr><td>M0800A</td><td>Worsened since prior asmt: Stage 2 pressure ulcers</td></tr><tr><td>M0800B</td><td>Worsened since prior asmt: Stage 3 pressure ulcers</td></tr><tr><td>M0800C</td><td>Worsened since prior asmt: Stage 4 pressure ulcers</td></tr></table>	A0310E	First assessment since most recent entry	M0210	Resident has Stage 1 or higher pressure ulcers	M0800A	Worsened since prior asmt: Stage 2 pressure ulcers	M0800B	Worsened since prior asmt: Stage 3 pressure ulcers	M0800C	Worsened since prior asmt: Stage 4 pressure ulcers
A0310E	First assessment since most recent entry												
M0210	Resident has Stage 1 or higher pressure ulcers												
M0800A	Worsened since prior asmt: Stage 2 pressure ulcers												
M0800B	Worsened since prior asmt: Stage 3 pressure ulcers												
M0800C	Worsened since prior asmt: Stage 4 pressure ulcers												
-3597	Skip pattern	Fatal	<p>If A0310E=[0], then if M0900A is active it must equal [0,1,-].</p> <p>Items:</p> <table><tr><td>A0310E</td><td>First assessment since most recent entry</td></tr><tr><td>M0900A</td><td>Pressure ulcers on prior assessment</td></tr></table>	A0310E	First assessment since most recent entry	M0900A	Pressure ulcers on prior assessment						
A0310E	First assessment since most recent entry												
M0900A	Pressure ulcers on prior assessment												
-3598	Skip pattern	Fatal	<p>a) If M0900A=[1], then all active items from M0900B through M0900D must not equal [^].</p> <p>b) If M0900A=[0,^], then all active items from M0900B through M0900D must equal [^].</p> <p>c) If M0900A=[-], then all active items from M0900B through M0900D must equal [-].</p> <p>Items:</p> <table><tr><td>M0900A</td><td>Pressure ulcers on prior assessment</td></tr><tr><td>M0900B</td><td>Healed pressure ulcers: Stage 2</td></tr><tr><td>M0900C</td><td>Healed pressure ulcers: Stage 3</td></tr><tr><td>M0900D</td><td>Healed pressure ulcers: Stage 4</td></tr></table>	M0900A	Pressure ulcers on prior assessment	M0900B	Healed pressure ulcers: Stage 2	M0900C	Healed pressure ulcers: Stage 3	M0900D	Healed pressure ulcers: Stage 4		
M0900A	Pressure ulcers on prior assessment												
M0900B	Healed pressure ulcers: Stage 2												
M0900C	Healed pressure ulcers: Stage 3												
M0900D	Healed pressure ulcers: Stage 4												
-3605	Skip pattern	Fatal	<p>a) If J1800=[0], then all active items from J1900A through J1900C must equal [^].</p> <p>b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^].</p> <p>c) If J1800=[-], then all active items from J1900A through J1900C must equal [-].</p> <p>Items:</p> <table><tr><td>J1800</td><td>Falls since admit/prior asmt: any falls</td></tr><tr><td>J1900A</td><td>Falls since admit/prior asmt: no injury</td></tr><tr><td>J1900B</td><td>Falls since admit/prior asmt: injury (not major)</td></tr><tr><td>J1900C</td><td>Falls since admit/prior asmt: major injury</td></tr></table>	J1800	Falls since admit/prior asmt: any falls	J1900A	Falls since admit/prior asmt: no injury	J1900B	Falls since admit/prior asmt: injury (not major)	J1900C	Falls since admit/prior asmt: major injury		
J1800	Falls since admit/prior asmt: any falls												
J1900A	Falls since admit/prior asmt: no injury												
J1900B	Falls since admit/prior asmt: injury (not major)												
J1900C	Falls since admit/prior asmt: major injury												

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																		
-3607	Consistency	Fatal	<p>The Item Subset Code (ISC) is a two- or three-character code that indicates the type of record that is being submitted. The set of active items is controlled by the ISC. The characters of the ISC are defined as follows:</p> <p>Character 1 indicates the type of provider and is based upon the value of A0200, as follows:</p> <p>a) If A0200 is equal to [1] (nursing home record), then character 1 of the ISC is equal to [N].</p> <p>b) If A0200 is equal to [2] (swing bed record), then character 1 of the ISC is equal to [S].</p> <p>Characters 2 and 3 indicate the type of record and are based upon the values of the Reason For Assessment (RFA) items A0310A, A0310B, A0310C, A0310D, and A0310F. The "Item Subset Code (ISC) Report" that accompanies the data specs lists all possible combinations of the RFA items and their associated ISCs. If the ISC that is listed in the report is equal to dashes, then the combination of RFA items is not allowed. If a record is submitted with one of these invalid RFA combinations, a fatal error will occur and it will be rejected.</p> <p>The ISC_VAL table that is contained in the data specifications Access database is used to generate the ISC report and can be used by programmers as a lookup table. In addition, an appendix of the overview document that accompanies these data specifications contains source code for a Visual Basic function (GetISC()) that can be used to determine the ISC that is associated with any combination of the RFA items.</p> <p>For a more complete explanation of the meaning and use of the ISC codes, please refer to the documentation that accompanies these data specifications.</p> <table><tr><td>Items:</td><td>A0200</td><td>Type of provider</td></tr><tr><td></td><td>A0310A</td><td>Type of assessment: OBRA</td></tr><tr><td></td><td>A0310B</td><td>Type of assessment: PPS</td></tr><tr><td></td><td>A0310C</td><td>Type of assessment: OMRA</td></tr><tr><td></td><td>A0310D</td><td>Swing bed clinical change assessment</td></tr><tr><td></td><td>A0310F</td><td>Entry/discharge reporting</td></tr></table>	Items:	A0200	Type of provider		A0310A	Type of assessment: OBRA		A0310B	Type of assessment: PPS		A0310C	Type of assessment: OMRA		A0310D	Swing bed clinical change assessment		A0310F	Entry/discharge reporting
Items:	A0200	Type of provider																			
	A0310A	Type of assessment: OBRA																			
	A0310B	Type of assessment: PPS																			
	A0310C	Type of assessment: OMRA																			
	A0310D	Swing bed clinical change assessment																			
	A0310F	Entry/discharge reporting																			
-3608	Consistency	Fatal	<p>a) If A0200=[1] (this is a nursing home record) and A0310E is equal to [1], then A0310A must equal [01,02,03,04,05,06] OR A0310B must equal [01,02,03,04,05,06,07] OR A0310F must equal [10,11].</p> <p>b) If A0200=[2] (this is a swing bed record) and A0310E is equal to [1], then A0310B must equal [01,02,03,04,05,06,07] OR A0310F must equal [10,11].</p> <table><tr><td>Items:</td><td>A0200</td><td>Type of provider</td></tr><tr><td></td><td>A0310A</td><td>Type of assessment: OBRA</td></tr><tr><td></td><td>A0310B</td><td>Type of assessment: PPS</td></tr><tr><td></td><td>A0310E</td><td>First assessment since most recent entry</td></tr><tr><td></td><td>A0310F</td><td>Entry/discharge reporting</td></tr></table>	Items:	A0200	Type of provider		A0310A	Type of assessment: OBRA		A0310B	Type of assessment: PPS		A0310E	First assessment since most recent entry		A0310F	Entry/discharge reporting			
Items:	A0200	Type of provider																			
	A0310A	Type of assessment: OBRA																			
	A0310B	Type of assessment: PPS																			
	A0310E	First assessment since most recent entry																			
	A0310F	Entry/discharge reporting																			
-3609	Skip pattern	Fatal	<p>If B0100=[1], then all active items from B0200 through F0800Z must equal [^].</p> <table><tr><td>Items:</td><td>B0100</td><td>Comatose</td></tr><tr><td></td><td>B0200</td><td>Hearing</td></tr><tr><td></td><td>B0300</td><td>Hearing aid</td></tr><tr><td></td><td>B0600</td><td>Speech clarity</td></tr><tr><td></td><td>B0700</td><td>Makes self understood</td></tr><tr><td></td><td>B0800</td><td>Ability to understand others</td></tr></table>	Items:	B0100	Comatose		B0200	Hearing		B0300	Hearing aid		B0600	Speech clarity		B0700	Makes self understood		B0800	Ability to understand others
Items:	B0100	Comatose																			
	B0200	Hearing																			
	B0300	Hearing aid																			
	B0600	Speech clarity																			
	B0700	Makes self understood																			
	B0800	Ability to understand others																			

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	B1000 Vision
			B1200 Corrective lenses
			C0100 BIMS: should resident interview be conducted
			C0200 BIMS res interview: repetition of three words
			C0300A BIMS res interview: able to report correct year
			C0300B BIMS res interview: able to report correct month
			C0300C BIMS res interview: can report correct day of week
			C0400A BIMS res interview: able to recall "sock"
			C0400B BIMS res interview: able to recall "blue"
			C0400C BIMS res interview: able to recall "bed"
			C0500 BIMS res interview: summary score
			C0600 Staff asmt mental status: conduct asmt
			C0700 Staff asmt mental status: short-term memory OK
			C0800 Staff asmt mental status: long-term memory OK
			C0900A Staff asmt mental status: recall current season
			C0900B Staff asmt mental status: recall location of room
			C0900C Staff asmt mental status: recall staff names/faces
			C0900D Staff asmt mental status: recall in nursing home
			C0900Z Staff asmt mental status: none of above recalled
			C1000 Cognitive skills for daily decision making
			C1300A Signs of delirium: inattention
			C1300B Signs of delirium: disorganized thinking
			C1300C Signs of delirium: altered level of consciousness
			C1300D Signs of delirium: psychomotor retardation
			C1600 Acute onset mental status change
			D0100 PHQ: should resident mood interview be conducted
			D0200A1 PHQ res: little interest or pleasure - presence
			D0200A2 PHQ res: little interest or pleasure - frequency
			D0200B1 PHQ res: feeling down, depressed - presence
			D0200B2 PHQ res: feeling down, depressed - frequency
			D0200C1 PHQ res: trouble with sleep - presence
			D0200C2 PHQ res: trouble with sleep - frequency
			D0200D1 PHQ res: feeling tired/little energy - presence
			D0200D2 PHQ res: feeling tired/little energy - frequency
			D0200E1 PHQ res: poor appetite or overeating - presence
			D0200E2 PHQ res: poor appetite or overeating - frequency
			D0200F1 PHQ res: feeling bad about self - presence
			D0200F2 PHQ res: feeling bad about self - frequency
			D0200G1 PHQ res: trouble concentrating - presence
			D0200G2 PHQ res: trouble concentrating - frequency
			D0200H1 PHQ res: slow, fidgety, restless - presence
			D0200H2 PHQ res: slow, fidgety, restless - frequency
			D0200I1 PHQ res: thoughts better off dead - presence

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	D0200I2 PHQ res: thoughts better off dead - frequency
			D0300 PHQ res: total mood severity score
			D0350 PHQ res: safety notification
			D0500A1 PHQ staff: little interest or pleasure - presence
			D0500A2 PHQ staff: little interest or pleasure - frequency
			D0500B1 PHQ staff: feeling down, depressed - presence
			D0500B2 PHQ staff: feeling down, depressed - frequency
			D0500C1 PHQ staff: trouble with sleep - presence
			D0500C2 PHQ staff: trouble with sleep - frequency
			D0500D1 PHQ staff: feeling tired/little energy - presence
			D0500D2 PHQ staff: feeling tired/little energy - frequency
			D0500E1 PHQ staff: poor appetite or overeating - presence
			D0500E2 PHQ staff: poor appetite or overeating - frequency
			D0500F1 PHQ staff: feeling bad about self - presence
			D0500F2 PHQ staff: feeling bad about self - frequency
			D0500G1 PHQ staff: trouble concentrating - presence
			D0500G2 PHQ staff: trouble concentrating - frequency
			D0500H1 PHQ staff: slow, fidgety, restless - presence
			D0500H2 PHQ staff: slow, fidgety, restless - frequency
			D0500I1 PHQ staff: thoughts better off dead - presence
			D0500I2 PHQ staff: thoughts better off dead - frequency
			D0500J1 PHQ staff: short-tempered - presence
			D0500J2 PHQ staff: short-tempered - frequency
			D0600 PHQ staff: total mood score
			D0650 PHQ staff: safety notification
			E0100A Psychosis: hallucinations
			E0100B Psychosis: delusions
			E0100Z Psychosis: none of the above
			E0200A Physical behav symptoms directed toward others
			E0200B Verbal behav symptoms directed toward others
			E0200C Other behav symptoms not directed toward others
			E0300 Overall presence of behavioral symptoms
			E0500A Behav symptoms put res at risk for illness/injury
			E0500B Behav symptoms interfere with resident care
			E0500C Behav symptoms interfere with social activities
			E0600A Behav symptoms put others at risk for injury
			E0600B Behav symptoms intrude on privacy of others
			E0600C Behav symptoms disrupt care or living environment
			E0800 Rejection of care: presence and frequency
			E0900 Wandering: presence and frequency
			E1000A Wandering: risk of getting to dangerous place
			E1000B Wandering: intrude on privacy of others
			E1100 Change in behavioral or other symptoms

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: F0300 Conduct res interview for daily/activity prefs F0400A Res interview: choose clothes to wear F0400B Res interview: take care of personal belongings F0400C Res interview: choose tub, bath, shower, sponge F0400D Res interview: have snacks between meals F0400E Res interview: choose own bedtime F0400F Res interview: discuss care with family/friend F0400G Res interview: use phone in private F0400H Res interview: lock things to keep them safe F0500A Res interview: have books, newspaper, mags to read F0500B Res interview: listen to music F0500C Res interview: be around animals/pets F0500D Res interview: keep up with news F0500E Res interview: do things with groups of people F0500F Res interview: do favorite activities F0500G Res interview: go outside when good weather F0500H Res interview: participate in religious practices F0600 Primary respondent: daily/activities prefs F0700 Conduct staff assessment for daily/activity prefs F0800A Staff assessment: choosing clothes to wear F0800B Staff assessment: caring for personal belongings F0800C Staff assessment: receiving tub bath F0800D Staff assessment: receiving shower F0800E Staff assessment: receiving bed bath F0800F Staff assessment: receiving sponge bath F0800G Staff assessment: snacks between meals F0800H Staff assessment: staying up past 8PM F0800I Staff assessment: discuss care with family/other F0800J Staff assessment: use phone in private F0800K Staff assessment: place to lock personal things F0800L Staff assessment: reading books, newspapers, mags F0800M Staff assessment: listening to music F0800N Staff assessment: being around animals/pets F0800O Staff assessment: keeping up with news F0800P Staff assessment: doing things with groups F0800Q Staff assessment: participate favorite activities F0800R Staff assessment: spend time away from nursng home F0800S Staff assessment: spend time outdoors F0800T Staff assessment: participate religious activities F0800Z Staff assessment: none of above activities
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^]. Items: B0100 Comatose

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: J0200 Should pain assessment interview be conducted J0300 Res pain interview: presence J0400 Res pain interview: frequency J0500A Res pain interview: made it hard to sleep J0500B Res pain interview: limited daily activities J0600A Res pain interview: intensity rating scale J0600B Res pain interview: verbal descriptor scale J0700 Should staff assessment for pain be conducted J0800A Staff pain asmt: non-verbal sounds J0800B Staff pain asmt: vocal complaints of pain J0800C Staff pain asmt: facial expressions J0800D Staff pain asmt: protective movements/postures J0800Z Staff pain asmt: none of these signs observed J0850 Staff pain asmt: frequency of pain
-3612	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-]. Items: M0210 Resident has Stage 1 or higher pressure ulcers M0300A Stage 1 pressure ulcers: number present M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit/reentry M0300B3 Stage 2 pressure ulcers: date of oldest M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit/reentry M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit/reentry M0300E1 Unstaged due to dressing: number present M0300E2 Unstaged due to dressing: number at admit/reentry M0300F1 Unstaged slough/eschar: number present M0300F2 Unstaged slough/eschar: number at admit/reentry M0300G1 Unstageable - deep tissue: number present M0300G2 Unstageable - deep tissue: number at admit/reentry M0610A Stage 3 or 4 pressure ulcer longest length M0610B Stage 3 or 4 pressure ulcer width (same ulcer) M0610C Stage 3 or 4 pressure ulcer depth (same ulcer) M0700 Tissue type for ulcer at most advanced stage M0800A Worsened since prior asmt: Stage 2 pressure ulcers M0800B Worsened since prior asmt: Stage 3 pressure ulcers M0800C Worsened since prior asmt: Stage 4 pressure ulcers

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																											
-3616	Consistency	Warning	<p>If the item is active and contains a value, the value should be consistent with all of the MDS items used in the RUGs classification (i.e., the RUGs calculation should be correct).</p> <p>For items Z0100A, Z0100B, and Z0100C, and for items Z0150A and Z0150B, the submission system will recalculate the HIPPS code, the RUG version code, and, for Z0100C, the short stay indicator, and issue a warning if the recalculated values do not match the submitted values.</p> <p>For items Z0200A, Z0200B, Z0250A, and Z0250B, the submission system will recalculate the submitted RUGs code and RUG version code if the State is using a CMS supported RUG model. A warning will be issued if the recalculated codes do not match the submitted codes.</p> <table><tr><td>Items:</td><td>Z0100A</td><td>Medicare Part A: HIPPS code</td></tr><tr><td></td><td>Z0100B</td><td>Medicare Part A: RUG version code</td></tr><tr><td></td><td>Z0100C</td><td>Medicare Part A: Medicare short stay asmt</td></tr><tr><td></td><td>Z0150A</td><td>Medicare Part A: non-therapy HIPPS code</td></tr><tr><td></td><td>Z0150B</td><td>Medicare Part A: non-therapy RUG version code</td></tr><tr><td></td><td>Z0200A</td><td>State case mix: RUG group</td></tr><tr><td></td><td>Z0200B</td><td>State case mix: RUG version code</td></tr><tr><td></td><td>Z0250A</td><td>State case mix: Alternate RUG group</td></tr><tr><td></td><td>Z0250B</td><td>State case mix: Alternate RUG version code</td></tr></table>	Items:	Z0100A	Medicare Part A: HIPPS code		Z0100B	Medicare Part A: RUG version code		Z0100C	Medicare Part A: Medicare short stay asmt		Z0150A	Medicare Part A: non-therapy HIPPS code		Z0150B	Medicare Part A: non-therapy RUG version code		Z0200A	State case mix: RUG group		Z0200B	State case mix: RUG version code		Z0250A	State case mix: Alternate RUG group		Z0250B	State case mix: Alternate RUG version code
Items:	Z0100A	Medicare Part A: HIPPS code																												
	Z0100B	Medicare Part A: RUG version code																												
	Z0100C	Medicare Part A: Medicare short stay asmt																												
	Z0150A	Medicare Part A: non-therapy HIPPS code																												
	Z0150B	Medicare Part A: non-therapy RUG version code																												
	Z0200A	State case mix: RUG group																												
	Z0200B	State case mix: RUG version code																												
	Z0250A	State case mix: Alternate RUG group																												
	Z0250B	State case mix: Alternate RUG version code																												
-3617	Skip pattern	Fatal	<p>a) If D0200I1=[0,9,^,-], then if D0350 is active it must equal [^]. b) If D0200I1=[1], then if D0350 is active it must not equal [^].</p> <table><tr><td>Items:</td><td>D0200I1</td><td>PHQ res: thoughts better off dead - presence</td></tr><tr><td></td><td>D0350</td><td>PHQ res: safety notification</td></tr></table>	Items:	D0200I1	PHQ res: thoughts better off dead - presence		D0350	PHQ res: safety notification																					
Items:	D0200I1	PHQ res: thoughts better off dead - presence																												
	D0350	PHQ res: safety notification																												
-3618	Skip pattern	Fatal	<p>a) If D0500I1=[0,^,-], then if D0650 is active it must equal [^]. b) If D0500I1=[1], then if D0650 is active it must not equal [^].</p> <table><tr><td>Items:</td><td>D0500I1</td><td>PHQ staff: thoughts better off dead - presence</td></tr><tr><td></td><td>D0650</td><td>PHQ staff: safety notification</td></tr></table>	Items:	D0500I1	PHQ staff: thoughts better off dead - presence		D0650	PHQ staff: safety notification																					
Items:	D0500I1	PHQ staff: thoughts better off dead - presence																												
	D0650	PHQ staff: safety notification																												
-3619	Skip pattern	Fatal	<p>If D0100=[1], then if D0200B1 is active it must not equal [^].</p> <table><tr><td>Items:</td><td>D0100</td><td>PHQ: should resident mood interview be conducted</td></tr><tr><td></td><td>D0200B1</td><td>PHQ res: feeling down, depressed - presence</td></tr></table>	Items:	D0100	PHQ: should resident mood interview be conducted		D0200B1	PHQ res: feeling down, depressed - presence																					
Items:	D0100	PHQ: should resident mood interview be conducted																												
	D0200B1	PHQ res: feeling down, depressed - presence																												
-3620	Skip pattern	Fatal	<p>If D0100=[1], then if D0200C1 is active it must not equal [^].</p> <table><tr><td>Items:</td><td>D0100</td><td>PHQ: should resident mood interview be conducted</td></tr><tr><td></td><td>D0200C1</td><td>PHQ res: trouble with sleep - presence</td></tr></table>	Items:	D0100	PHQ: should resident mood interview be conducted		D0200C1	PHQ res: trouble with sleep - presence																					
Items:	D0100	PHQ: should resident mood interview be conducted																												
	D0200C1	PHQ res: trouble with sleep - presence																												
-3621	Skip pattern	Fatal	<p>If D0100=[1], then if D0200D1 is active it must not equal [^].</p> <table><tr><td>Items:</td><td>D0100</td><td>PHQ: should resident mood interview be conducted</td></tr><tr><td></td><td>D0200D1</td><td>PHQ res: feeling tired/little energy - presence</td></tr></table>	Items:	D0100	PHQ: should resident mood interview be conducted		D0200D1	PHQ res: feeling tired/little energy - presence																					
Items:	D0100	PHQ: should resident mood interview be conducted																												
	D0200D1	PHQ res: feeling tired/little energy - presence																												
-3622	Skip pattern	Fatal	<p>If D0100=[1], then if D0200E1 is active it must not equal [^].</p> <table><tr><td>Items:</td><td>D0100</td><td>PHQ: should resident mood interview be conducted</td></tr><tr><td></td><td>D0200E1</td><td>PHQ res: poor appetite or overeating - presence</td></tr></table>	Items:	D0100	PHQ: should resident mood interview be conducted		D0200E1	PHQ res: poor appetite or overeating - presence																					
Items:	D0100	PHQ: should resident mood interview be conducted																												
	D0200E1	PHQ res: poor appetite or overeating - presence																												
-3623	Skip pattern	Fatal	<p>If D0100=[1], then if D0200F1 is active it must not equal [^].</p> <table><tr><td>Items:</td><td>D0100</td><td>PHQ: should resident mood interview be conducted</td></tr><tr><td></td><td>D0200F1</td><td>PHQ res: feeling bad about self - presence</td></tr></table>	Items:	D0100	PHQ: should resident mood interview be conducted		D0200F1	PHQ res: feeling bad about self - presence																					
Items:	D0100	PHQ: should resident mood interview be conducted																												
	D0200F1	PHQ res: feeling bad about self - presence																												

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3624	Skip pattern	Fatal	<p>If D0100=[1], then if D0200G1 is active it must not equal [^].</p> <p>Items: D0100 PHQ: should resident mood interview be conducted D0200G1 PHQ res: trouble concentrating - presence</p>
-3625	Skip pattern	Fatal	<p>If D0100=[1], then if D0200H1 is active it must not equal [^].</p> <p>Items: D0100 PHQ: should resident mood interview be conducted D0200H1 PHQ res: slow, fidgety, restless - presence</p>
-3626	Skip pattern	Fatal	<p>If D0100=[1], then if D0200I1 is active it must not equal [^].</p> <p>Items: D0100 PHQ: should resident mood interview be conducted D0200I1 PHQ res: thoughts better off dead - presence</p>
-3627	Skip pattern	Fatal	<p>If D0100=[1], then if D0300 is active it must not equal [^].</p> <p>Items: D0100 PHQ: should resident mood interview be conducted D0300 PHQ res: total mood severity score</p>
-3658	Consistency	Fatal	<p>Coding of A0410 depends upon the resident's status on the target date for the assessment. The target date is defined as follows:</p> <p style="margin-left: 40px;">a) If A0310F is equal to [01], then the target date is equal to A1600 (entry date). b) If A0310F is equal to [10,11,12], then the target date is equal to A2000 (discharge date). c) If A0310F is equal to [99], then the target date is equal to A2300 (assessment reference date)..</p> <p>Given the target date, the following rules apply:</p> <p style="margin-left: 40px;">a) If the resident is on a Medicare/Medicaid certified unit on the target date for the assessment, then A0410 must be equal to [3] (federal required submission).</p> <p style="margin-left: 40px;">b) If the resident is on a unit that is not Medicare/Medicaid certified on the target date and if the State requires MDS submission for individuals on the resident's unit, then A0410 must be equal to [2] (state but not federal required submission).</p> <p style="margin-left: 40px;">c) If the facility is completing the assessment for another purpose (other than to satisfy Federal or State requirements), then A0410 must be equal to [1] (neither federal nor state required submission).</p> <p>If A0410 is equal to [2,3], then the assessment MUST be submitted to the MDS Submission System. If A0410 is equal to [1], then the assessment MUST NOT be submitted to the MDS Submission System.</p> <p>NOTE: It is a violation of a resident's right to privacy to submit data to CMS's data systems when the data are not required.</p> <p>Items: A0310F Entry/discharge reporting A0410 Submission requirement A1600 Entry date (date of admission/reentry in facility) A2000 Discharge date A2300 Assessment reference date</p>
-3659	Consistency	Fatal	<p>A0900 (birthdate) cannot be more than 140 years earlier than the current date.</p> <p>Items: A0900 Birthdate</p>

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																								
-3660	Consistency	Fatal	<p>The following rules refer to the "BIMS component items" which are C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C.</p> <p>a) If all of the BIMS component items are active and have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items.</p> <p>b) If all of the BIMS component items are active and have numeric values (not dash) and if four or more of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items OR it must equal [99].</p> <p>c) If some, but not all, of the BIMS component items have a value of [-], then C0500 must equal [99].</p> <p>d) If all of the BIMS component items have a value of [-], then C0500 must equal [-].</p> <table><tr><td>Items:</td><td>C0200</td><td>BIMS res interview: repetition of three words</td></tr><tr><td></td><td>C0300A</td><td>BIMS res interview: able to report correct year</td></tr><tr><td></td><td>C0300B</td><td>BIMS res interview: able to report correct month</td></tr><tr><td></td><td>C0300C</td><td>BIMS res interview: can report correct day of week</td></tr><tr><td></td><td>C0400A</td><td>BIMS res interview: able to recall "sock"</td></tr><tr><td></td><td>C0400B</td><td>BIMS res interview: able to recall "blue"</td></tr><tr><td></td><td>C0400C</td><td>BIMS res interview: able to recall "bed"</td></tr><tr><td></td><td>C0500</td><td>BIMS res interview: summary score</td></tr></table>	Items:	C0200	BIMS res interview: repetition of three words		C0300A	BIMS res interview: able to report correct year		C0300B	BIMS res interview: able to report correct month		C0300C	BIMS res interview: can report correct day of week		C0400A	BIMS res interview: able to recall "sock"		C0400B	BIMS res interview: able to recall "blue"		C0400C	BIMS res interview: able to recall "bed"		C0500	BIMS res interview: summary score
Items:	C0200	BIMS res interview: repetition of three words																									
	C0300A	BIMS res interview: able to report correct year																									
	C0300B	BIMS res interview: able to report correct month																									
	C0300C	BIMS res interview: can report correct day of week																									
	C0400A	BIMS res interview: able to recall "sock"																									
	C0400B	BIMS res interview: able to recall "blue"																									
	C0400C	BIMS res interview: able to recall "bed"																									
	C0500	BIMS res interview: summary score																									
-3662	Consistency	Fatal	<p>If M0300B1 is equal to [1-9], then one of the following must be true:</p> <p>a) M0300B2 must be equal to [-], OR</p> <p>b) M0300B2 must be equal to [0-9] and must be less than or equal to M0300B1.</p> <table><tr><td>Items:</td><td>M0300B1</td><td>Stage 2 pressure ulcers: number present</td></tr><tr><td></td><td>M0300B2</td><td>Stage 2 pressure ulcers: number at admit/reentry</td></tr></table>	Items:	M0300B1	Stage 2 pressure ulcers: number present		M0300B2	Stage 2 pressure ulcers: number at admit/reentry																		
Items:	M0300B1	Stage 2 pressure ulcers: number present																									
	M0300B2	Stage 2 pressure ulcers: number at admit/reentry																									
-3663	Consistency	Fatal	<p>If M0300C1 is equal to [1-9], then one of the following must be true:</p> <p>a) M0300C2 must be equal to [-], OR</p> <p>b) M0300C2 must be equal to [0-9] and must be less than or equal to M0300C1.</p> <table><tr><td>Items:</td><td>M0300C1</td><td>Stage 3 pressure ulcers: number present</td></tr><tr><td></td><td>M0300C2</td><td>Stage 3 pressure ulcers: number at admit/reentry</td></tr></table>	Items:	M0300C1	Stage 3 pressure ulcers: number present		M0300C2	Stage 3 pressure ulcers: number at admit/reentry																		
Items:	M0300C1	Stage 3 pressure ulcers: number present																									
	M0300C2	Stage 3 pressure ulcers: number at admit/reentry																									
-3664	Consistency	Fatal	<p>If M0300D1 is equal to [1-9], then one of the following must be true:</p> <p>a) M0300D2 must be equal to [-], OR</p> <p>b) M0300D2 must be equal to [0-9] and must be less than or equal to M0300D1.</p> <table><tr><td>Items:</td><td>M0300D1</td><td>Stage 4 pressure ulcers: number present</td></tr><tr><td></td><td>M0300D2</td><td>Stage 4 pressure ulcers: number at admit/reentry</td></tr></table>	Items:	M0300D1	Stage 4 pressure ulcers: number present		M0300D2	Stage 4 pressure ulcers: number at admit/reentry																		
Items:	M0300D1	Stage 4 pressure ulcers: number present																									
	M0300D2	Stage 4 pressure ulcers: number at admit/reentry																									
-3665	Consistency	Fatal	<p>If M0300E1 is equal to [1-9], then one of the following must be true:</p> <p>a) M0300E2 must be equal to [-], OR</p> <p>b) M0300E2 must be equal to [0-9] and must be less than or equal to M0300E1.</p> <table><tr><td>Items:</td><td>M0300E1</td><td>Unstaged due to dressing: number present</td></tr><tr><td></td><td>M0300E2</td><td>Unstaged due to dressing: number at admit/reentry</td></tr></table>	Items:	M0300E1	Unstaged due to dressing: number present		M0300E2	Unstaged due to dressing: number at admit/reentry																		
Items:	M0300E1	Unstaged due to dressing: number present																									
	M0300E2	Unstaged due to dressing: number at admit/reentry																									
-3666	Consistency	Fatal	<p>If M0300F1 is equal to [1-9], then one of the following must be true:</p> <p>a) M0300F2 must be equal to [-], OR</p> <p>b) M0300F2 must be equal to [0-9] and must be less than or equal to M0300F1.</p> <table><tr><td>Items:</td><td>M0300F1</td><td>Unstaged slough/eschar: number present</td></tr><tr><td></td><td>M0300F2</td><td>Unstaged slough/eschar: number at admit/reentry</td></tr></table>	Items:	M0300F1	Unstaged slough/eschar: number present		M0300F2	Unstaged slough/eschar: number at admit/reentry																		
Items:	M0300F1	Unstaged slough/eschar: number present																									
	M0300F2	Unstaged slough/eschar: number at admit/reentry																									

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3667	Consistency	Fatal	<p>If M0300G1 is equal to [1-9], then one of the following must be true:</p> <p>a) M0300G2 must be equal to [-], OR</p> <p>b) M0300G2 must be equal to [0-9] and must be less than or equal to M0300G1.</p> <p>Items: M0300G1 Unstageable - deep tissue: number present M0300G2 Unstageable - deep tissue: number at admit/reentry</p>
-3668	Consistency	Fatal	<p>a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 14 days, then the following items in Column 1 must be equal to [^]: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1.</p> <p>b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 13 days, then the following items in Column 1 must be equal to [0,1,-]: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1.</p> <p>Items: A1600 Entry date (date of admission/reentry in facility) A2300 Assessment reference date O0100A1 Treatment: chemotherapy - while not resident O0100B1 Treatment: radiation - while not resident O0100C1 Treatment: oxygen therapy - while not resident O0100D1 Treatment: suctioning - while not resident O0100E1 Treatment: tracheostomy care - while not resident O0100F1 Treatment: vent/respirator - while not resident O0100G1 Treatment: BiPAP/CPAP - while not resident O0100H1 Treatment: IV medications - while not resident O0100I1 Treatment: transfusions - while not resident O0100J1 Treatment: dialysis - while not resident O0100K1 Treatment: hospice care - while not resident O0100M1 Treatment: isolate/quarantine - while not resident O0100Z1 Treatment: none of above - while not resident</p>
-3669	None of above	Fatal	<p>If A1550A through A1550E and A1550Z are all active, then the following rules apply:</p> <p>a) If A1550Z=[0], then at least one item from A1550A through A1550E must equal [1].</p> <p>b) If A1550Z=[1], then all items from A1550A through A1550E must equal [0].</p> <p>c) If A1550Z=[-], then at least one item from A1550A through A1550E must equal [-] and all remaining items must equal [0,-].</p> <p>Items: A1550A ID/DD status: Down syndrome A1550B ID/DD status: Autism A1550C ID/DD status: Epilepsy A1550D ID/DD status: other organic ID/DD condition A1550E ID/DD status: ID/DD with no organic condition A1550Z ID/DD status: none of the above</p>
-3670	Skip pattern	Fatal	<p>If A0310E=[1], then all active items from M0900A through M0900D must equal [^].</p> <p>Items: A0310E First assessment since most recent entry M0900A Pressure ulcers on prior assessment M0900B Healed pressure ulcers: Stage 2</p>

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M0900C Healed pressure ulcers: Stage 3 M0900D Healed pressure ulcers: Stage 4
-3673	Consistency	Warning	If D020011 is equal to [1], then D0350 should equal [1]. Items: D020011 PHQ res: thoughts better off dead - presence D0350 PHQ res: safety notification
-3674	Consistency	Warning	If D050011 is equal to [1], then D0650 should equal [1]. Items: D050011 PHQ staff: thoughts better off dead - presence D0650 PHQ staff: safety notification
-3675	Consistency	Fatal	a) If E0200A or E0200B or E0200C is equal to [1,2,3], then E0300 must be equal to [1]. b) If E0200A and E0200B and E0200C are all equal to [0], then E0300 must be equal to [0]. c) If E0200A, E0200B or E0200C is equal to [-] and the remaining two items are equal to [0,-], then E0300 must be equal to [0,-]. Items: E0200A Physical behav symptoms directed toward others E0200B Verbal behav symptoms directed toward others E0200C Other behav symptoms not directed toward others E0300 Overall presence of behavioral symptoms
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. Items: ASMT_SYS_CD Assessment system code ITM_SBST_CD Item subset code PRODN_TEST_CD Production/test indicator STATE_CD Facility's state postal code A0050 Type of transaction (formerly X0100) A0200 Type of provider A0310A Type of assessment: OBRA A0310B Type of assessment: PPS A0310C Type of assessment: OMRA A0310D Swing bed clinical change assessment A0310E First assessment since most recent entry A0310F Entry/discharge reporting A0310G Planned/unplanned discharge A0410 Submission requirement A0800 Gender A1000A Ethnicity: American Indian or Alaska Native A1000B Ethnicity: Asian A1000C Ethnicity: Black or African American A1000D Ethnicity: Hispanic or Latino A1000E Ethnicity: Native Hawaiian/Pacific Islander A1000F Ethnicity: White A1100A Does the resident need or want an interpreter A1200 Marital status

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	A1500 Resident evaluated by PASRR
			A1510A Level II PASRR conditions: Serious Mental Illness
			A1510B Level II PASRR conditions: Mental Retardation
			A1510C Level II PASRR conditions: Other related condition
			A1550A ID/DD status: Down syndrome
			A1550B ID/DD status: Autism
			A1550C ID/DD status: Epilepsy
			A1550D ID/DD status: other organic ID/DD condition
			A1550E ID/DD status: ID/DD with no organic condition
			A1550Z ID/DD status: none of the above
			A1700 Type of entry
			A1800 Entered from
			A2100 Discharge status
			A2400A Has resident had Medicare-covered stay
			B0100 Comatose
			B0200 Hearing
			B0300 Hearing aid
			B0600 Speech clarity
			B0700 Makes self understood
			B0800 Ability to understand others
			B1000 Vision
			B1200 Corrective lenses
			C0100 BIMS: should resident interview be conducted
			C0200 BIMS res interview: repetition of three words
			C0300A BIMS res interview: able to report correct year
			C0300B BIMS res interview: able to report correct month
			C0300C BIMS res interview: can report correct day of week
			C0400A BIMS res interview: able to recall "sock"
			C0400B BIMS res interview: able to recall "blue"
			C0400C BIMS res interview: able to recall "bed"
			C0600 Staff asmt mental status: conduct asmt
			C0700 Staff asmt mental status: short-term memory OK
			C0800 Staff asmt mental status: long-term memory OK
			C0900A Staff asmt mental status: recall current season
			C0900B Staff asmt mental status: recall location of room
			C0900C Staff asmt mental status: recall staff names/faces
			C0900D Staff asmt mental status: recall in nursing home
			C0900Z Staff asmt mental status: none of above recalled
			C1000 Cognitive skills for daily decision making
			C1300A Signs of delirium: inattention
			C1300B Signs of delirium: disorganized thinking
			C1300C Signs of delirium: altered level of consciousness
			C1300D Signs of delirium: psychomotor retardation

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	C1600 Acute onset mental status change
			D0100 PHQ: should resident mood interview be conducted
			D0200A1 PHQ res: little interest or pleasure - presence
			D0200A2 PHQ res: little interest or pleasure - frequency
			D0200B1 PHQ res: feeling down, depressed - presence
			D0200B2 PHQ res: feeling down, depressed - frequency
			D0200C1 PHQ res: trouble with sleep - presence
			D0200C2 PHQ res: trouble with sleep - frequency
			D0200D1 PHQ res: feeling tired/little energy - presence
			D0200D2 PHQ res: feeling tired/little energy - frequency
			D0200E1 PHQ res: poor appetite or overeating - presence
			D0200E2 PHQ res: poor appetite or overeating - frequency
			D0200F1 PHQ res: feeling bad about self - presence
			D0200F2 PHQ res: feeling bad about self - frequency
			D0200G1 PHQ res: trouble concentrating - presence
			D0200G2 PHQ res: trouble concentrating - frequency
			D0200H1 PHQ res: slow, fidgety, restless - presence
			D0200H2 PHQ res: slow, fidgety, restless - frequency
			D0200I1 PHQ res: thoughts better off dead - presence
			D0200I2 PHQ res: thoughts better off dead - frequency
			D0350 PHQ res: safety notification
			D0500A1 PHQ staff: little interest or pleasure - presence
			D0500A2 PHQ staff: little interest or pleasure - frequency
			D0500B1 PHQ staff: feeling down, depressed - presence
			D0500B2 PHQ staff: feeling down, depressed - frequency
			D0500C1 PHQ staff: trouble with sleep - presence
			D0500C2 PHQ staff: trouble with sleep - frequency
			D0500D1 PHQ staff: feeling tired/little energy - presence
			D0500D2 PHQ staff: feeling tired/little energy - frequency
			D0500E1 PHQ staff: poor appetite or overeating - presence
			D0500E2 PHQ staff: poor appetite or overeating - frequency
			D0500F1 PHQ staff: feeling bad about self - presence
			D0500F2 PHQ staff: feeling bad about self - frequency
			D0500G1 PHQ staff: trouble concentrating - presence
			D0500G2 PHQ staff: trouble concentrating - frequency
			D0500H1 PHQ staff: slow, fidgety, restless - presence
			D0500H2 PHQ staff: slow, fidgety, restless - frequency
			D0500I1 PHQ staff: thoughts better off dead - presence
			D0500I2 PHQ staff: thoughts better off dead - frequency
			D0500J1 PHQ staff: short-tempered - presence
			D0500J2 PHQ staff: short-tempered - frequency
			D0650 PHQ staff: safety notification
			E0100A Psychosis: hallucinations

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	E0100B Psychosis: delusions
			E0100Z Psychosis: none of the above
			E0200A Physical behav symptoms directed toward others
			E0200B Verbal behav symptoms directed toward others
			E0200C Other behav symptoms not directed toward others
			E0300 Overall presence of behavioral symptoms
			E0500A Behav symptoms put res at risk for illness/injury
			E0500B Behav symptoms interfere with resident care
			E0500C Behav symptoms interfere with social activities
			E0600A Behav symptoms put others at risk for injury
			E0600B Behav symptoms intrude on privacy of others
			E0600C Behav symptoms disrupt care or living environment
			E0800 Rejection of care: presence and frequency
			E0900 Wandering: presence and frequency
			E1000A Wandering: risk of getting to dangerous place
			E1000B Wandering: intrude on privacy of others
			E1100 Change in behavioral or other symptoms
			F0300 Conduct res interview for daily/activity prefs
			F0400A Res interview: choose clothes to wear
			F0400B Res interview: take care of personal belongings
			F0400C Res interview: choose tub, bath, shower, sponge
			F0400D Res interview: have snacks between meals
			F0400E Res interview: choose own bedtime
			F0400F Res interview: discuss care with family/friend
			F0400G Res interview: use phone in private
			F0400H Res interview: lock things to keep them safe
			F0500A Res interview: have books, newspaper, mags to read
			F0500B Res interview: listen to music
			F0500C Res interview: be around animals/pets
			F0500D Res interview: keep up with news
			F0500E Res interview: do things with groups of people
			F0500F Res interview: do favorite activities
			F0500G Res interview: go outside when good weather
			F0500H Res interview: participate in religious practices
			F0600 Primary respondent: daily/activities prefs
			F0700 Conduct staff assessment for daily/activity prefs
			F0800A Staff assessment: choosing clothes to wear
			F0800B Staff assessment: caring for personal belongings
			F0800C Staff assessment: receiving tub bath
			F0800D Staff assessment: receiving shower
			F0800E Staff assessment: receiving bed bath
			F0800F Staff assessment: receiving sponge bath
			F0800G Staff assessment: snacks between meals

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		F0800H	Staff assessment: staying up past 8PM
		F0800I	Staff assessment: discuss care with family/other
		F0800J	Staff assessment: use phone in private
		F0800K	Staff assessment: place to lock personal things
		F0800L	Staff assessment: reading books, newspapers, mags
		F0800M	Staff assessment: listening to music
		F0800N	Staff assessment: being around animals/pets
		F0800O	Staff assessment: keeping up with news
		F0800P	Staff assessment: doing things with groups
		F0800Q	Staff assessment: participate favorite activities
		F0800R	Staff assessment: spend time away from nursng home
		F0800S	Staff assessment: spend time outdoors
		F0800T	Staff assessment: participate religious activities
		F0800Z	Staff assessment: none of above activities
		G0110A1	Bed mobility: self-performance
		G0110A2	Bed mobility: support provided
		G0110B1	Transfer: self-performance
		G0110B2	Transfer: support provided
		G0110C1	Walk in room: self-performance
		G0110C2	Walk in room: support provided
		G0110D1	Walk in corridor: self-performance
		G0110D2	Walk in corridor: support provided
		G0110E1	Locomotion on unit: self-performance
		G0110E2	Locomotion on unit: support provided
		G0110F1	Locomotion off unit: self-performance
		G0110F2	Locomotion off unit: support provided
		G0110G1	Dressing: self-performance
		G0110G2	Dressing: support provided
		G0110H1	Eating: self-performance
		G0110H2	Eating: support provided
		G0110I1	Toilet use: self-performance
		G0110I2	Toilet use: support provided
		G0110J1	Personal hygiene: self-performance
		G0110J2	Personal hygiene: support provided
		G0120A	Bathing: self-performance
		G0120B	Bathing: support provided
		G0300A	Balance: moving from seated to standing position
		G0300B	Balance: walking (with assistive device if used)
		G0300C	Balance: turning around while walking
		G0300D	Balance: moving on and off toilet
		G0300E	Balance: surface-to-surface transfer
		G0400A	ROM limitation: upper extremity
		G0400B	ROM limitation: lower extremity

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		G0600A	Mobility devices: cane/crutch
		G0600B	Mobility devices: walker
		G0600C	Mobility devices: wheelchair (manual or electric)
		G0600D	Mobility devices: limb prosthesis
		G0600Z	Mobility devices: none of the above
		G0900A	Resident believes capable of increased independ
		G0900B	Staff believes res capable of increased independ
		H0100A	Appliances: indwelling catheter
		H0100B	Appliances: external catheter
		H0100C	Appliances: ostomy
		H0100D	Appliances: intermittent catheterization
		H0100Z	Appliances: none of the above
		H0200A	Urinary toileting program: has been attempted
		H0200B	Urinary toileting program: response
		H0200C	Urinary toileting program: current program/trial
		H0300	Urinary continence
		H0400	Bowel continence
		H0500	Bowel toileting program being used
		H0600	Constipation
		I0100	Cancer (with or without metastasis)
		I0200	Anemia
		I0300	Atrial fibrillation and other dysrhythmias
		I0400	Coronary artery disease (CAD)
		I0500	Deep venous thrombosis (DVT), PE, or PTE
		I0600	Heart failure
		I0700	Hypertension
		I0800	Orthostatic hypotension
		I0900	Peripheral vascular disease (PVD) or PAD
		I1100	Cirrhosis
		I1200	Gastroesophageal reflux disease (GERD) or ulcer
		I1300	Ulcerative colitis, Crohn's, inflam bowel disease
		I1400	Benign prostatic hyperplasia (BPH)
		I1500	Renal insufficiency, renal failure, ESRD
		I1550	Neurogenic bladder
		I1650	Obstructive uropathy
		I1700	Multidrug resistant organism (MDRO)
		I2000	Pneumonia
		I2100	Septicemia
		I2200	Tuberculosis
		I2300	Urinary tract infection (UTI) (LAST 30 DAYS)
		I2400	Viral hepatitis (includes type A, B, C, D, and E)
		I2500	Wound infection (other than foot)
		I2900	Diabetes mellitus (DM)

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		I3100	Hyponatremia
		I3200	Hyperkalemia
		I3300	Hyperlipidemia (e.g., hypercholesterolemia)
		I3400	Thyroid disorder
		I3700	Arthritis
		I3800	Osteoporosis
		I3900	Hip fracture
		I4000	Other fracture
		I4200	Alzheimer's disease
		I4300	Aphasia
		I4400	Cerebral palsy
		I4500	Cerebrovascular accident (CVA), TIA, or stroke
		I4800	Non-Alzheimer's dementia
		I4900	Hemiplegia or hemiparesis
		I5000	Paraplegia
		I5100	Quadriplegia
		I5200	Multiple sclerosis
		I5250	Huntington's disease
		I5300	Parkinson's disease
		I5350	Tourette's syndrome
		I5400	Seizure disorder or epilepsy
		I5500	Traumatic brain injury (TBI)
		I5600	Malnutrition (protein, calorie), risk of malnutrit
		I5700	Anxiety disorder
		I5800	Depression (other than bipolar)
		I5900	Manic depression (bipolar disease)
		I5950	Psychotic disorder (other than schizophrenia)
		I6000	Schizophrenia
		I6100	Post-traumatic stress disorder (PTSD)
		I6200	Asthma (COPD) or chronic lung disease
		I6300	Respiratory failure
		I6500	Cataracts, glaucoma, or macular degeneration
		I7900	None of above active diseases within last 7 days
		J0100A	Pain: received scheduled pain med regimen
		J0100B	Pain: received PRN pain medications
		J0100C	Pain: received non-medication intervention
		J0200	Should pain assessment interview be conducted
		J0300	Res pain interview: presence
		J0400	Res pain interview: frequency
		J0500A	Res pain interview: made it hard to sleep
		J0500B	Res pain interview: limited daily activities
		J0600B	Res pain interview: verbal descriptor scale
		J0700	Should staff assessment for pain be conducted

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		J0800A	Staff pain asmt: non-verbal sounds
		J0800B	Staff pain asmt: vocal complaints of pain
		J0800C	Staff pain asmt: facial expressions
		J0800D	Staff pain asmt: protective movements/postures
		J0800Z	Staff pain asmt: none of these signs observed
		J0850	Staff pain asmt: frequency of pain
		J1100A	Short breath/trouble breathing: with exertion
		J1100B	Short breath/trouble breathing: sitting at rest
		J1100C	Short breath/trouble breathing: lying flat
		J1100Z	Short breath/trouble breathing: none of above
		J1300	Current tobacco use
		J1400	Prognosis: life expectancy of less than 6 months
		J1550A	Problem conditions: fever
		J1550B	Problem conditions: vomiting
		J1550C	Problem conditions: dehydrated
		J1550D	Problem conditions: internal bleeding
		J1550Z	Problem conditions: none of the above
		J1700A	Fall history: fall during month before admission
		J1700B	Fall history: fall 2-6 months before admission
		J1700C	Fall history: fracture from fall 6 month pre admit
		J1800	Falls since admit/prior asmt: any falls
		J1900A	Falls since admit/prior asmt: no injury
		J1900B	Falls since admit/prior asmt: injury (not major)
		J1900C	Falls since admit/prior asmt: major injury
		K0100A	Swallow disorder: loss liquids/solids from mouth
		K0100B	Swallow disorder: holds food in mouth/cheeks
		K0100C	Swallow disorder: cough/choke with meals/meds
		K0100D	Swallow disorder: difficulty or pain swallowing
		K0100Z	Swallow disorder: none of the above
		K0300	Weight loss
		K0310	Weight Gain
		K0510A1	Nutrition approach: Not Res: parenteral/IV feeding
		K0510A2	Nutrition approach: Res: parenteral /IV feeding
		K0510B1	Nutrition approach: Not Res: feeding tube
		K0510B2	Nutrition approach: Res: feeding tube
		K0510C1	Nutrition approach: Not Res: mechanically altered
		K0510C2	Nutrition approach: Res: mechanically altered diet
		K0510D1	Nutrition approach: Not Res: therapeutic diet
		K0510D2	Nutrition approach: Res: therapeutic diet
		K0510Z1	Nutrition approach: Not Res: none of the above
		K0510Z2	Nutrition approach: Res: none of the above
		K0700A	Proportion total calories via parenteral/tube feed
		K0700B	Average fluid intake per day by IV or tube

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		L0200A	Dental: broken or loosely fitting denture
		L0200B	Dental: no natural teeth or tooth fragment(s)
		L0200C	Dental: abnormal mouth tissue
		L0200D	Dental: cavity or broken natural teeth
		L0200E	Dental: inflamed/bleeding gums or loose teeth
		L0200F	Dental: pain, discomfort, difficulty chewing
		L0200G	Dental: unable to examine
		L0200Z	Dental: none of the above
		M0100A	Risk determination: has ulcer, scar, or dressing
		M0100B	Risk determination: formal assessment
		M0100C	Risk determination: clinical assessment
		M0100Z	Risk determination: none of the above
		M0150	Is resident at risk of developing pressure ulcer
		M0210	Resident has Stage 1 or higher pressure ulcers
		M0700	Tissue type for ulcer at most advanced stage
		M0900A	Pressure ulcers on prior assessment
		M1040A	Other skin probs: infection of the foot
		M1040B	Other skin probs: diabetic foot ulcer(s)
		M1040C	Other skin probs: other open lesion(s) on the foot
		M1040D	Other skin probs: lesions not ulcers, rashes, cuts
		M1040E	Other skin probs: surgical wound(s)
		M1040F	Other skin probs: burns (second or third degree)
		M1040G	Skin Tear(s)
		M1040H	Moisture Associated Skin Damage (MASD)
		M1040Z	Other skin probs: none of the above
		M1200A	Skin/ulcer treat: pressure reduce device for chair
		M1200B	Skin/ulcer treat: pressure reducing device for bed
		M1200C	Skin/ulcer treat: turning/repositioning
		M1200D	Skin/ulcer treat: nutrition/hydration
		M1200E	Skin/ulcer treat: pressure ulcer care
		M1200F	Skin/ulcer treat: surgical wound care
		M1200G	Skin/ulcer treat: application of dressings
		M1200H	Skin/ulcer treat: apply ointments/medications
		M1200I	Skin/ulcer treat: apply dressings to feet
		M1200Z	Skin/ulcer treat: none of the above
		O0100A1	Treatment: chemotherapy - while not resident
		O0100A2	Treatment: chemotherapy - while resident
		O0100B1	Treatment: radiation - while not resident
		O0100B2	Treatment: radiation - while resident
		O0100C1	Treatment: oxygen therapy - while not resident
		O0100C2	Treatment: oxygen therapy - while resident
		O0100D1	Treatment: suctioning - while not resident
		O0100D2	Treatment: suctioning - while resident

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		O0100E1	Treatment: tracheostomy care - while not resident
		O0100E2	Treatment: tracheostomy care - while resident
		O0100F1	Treatment: vent/respirator - while not resident
		O0100F2	Treatment: vent/respirator - while resident
		O0100G1	Treatment: BiPAP/CPAP - while not resident
		O0100G2	Treatment: BIPAP/CPAP - while resident
		O0100H1	Treatment: IV medications - while not resident
		O0100H2	Treatment: IV medications - while resident
		O0100I1	Treatment: transfusions - while not resident
		O0100I2	Treatment: transfusions - while resident
		O0100J1	Treatment: dialysis - while not resident
		O0100J2	Treatment: dialysis - while resident
		O0100K1	Treatment: hospice care - while not resident
		O0100K2	Treatment: hospice care - while resident
		O0100L2	Treatment: respite care - while resident
		O0100M1	Treatment: isolate/quarantine - while not resident
		O0100M2	Treatment: isolate/quarantine - while resident
		O0100Z1	Treatment: none of above - while not resident
		O0100Z2	Treatment: none of above - while resident
		O0250A	Was influenza vaccine received
		O0250C	If influenza vaccine not received, state reason
		O0300A	Is pneumococcal vaccination up to date
		O0300B	If pneumococcal vacc not received, state reason
		O0450A	Has therapy resumed
		P0100A	Restraints used in bed: bed rail
		P0100B	Restraints used in bed: trunk restraint
		P0100C	Restraints used in bed: limb restraint
		P0100D	Restraints used in bed: other
		P0100E	Restraints in chair/out of bed: trunk restraint
		P0100F	Restraints in chair/out of bed: limb restraint
		P0100G	Restraints in chair/out of bed: chair stops rising
		P0100H	Restraints in chair/out of bed: other
		Q0100A	Resident participated in assessment
		Q0100B	Family/signif other participated in assessment
		Q0100C	Guardian/legal rep participated in assessment
		Q0300A	Resident's overall goal
		Q0300B	Information source for resident's goal
		Q0400A	Active discharge planning for return to community
		Q0490	Resident's preference to avoid being asked
		Q0500B	Do you want to talk about returning to community
		Q0550A	Reasking resident preference
		Q0550B	Reasking resident preference source
		Q0600	Referral been made to Local Contact Agency

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	<div> <div>V0100A</div> <div>Prior OBRA reason for assessment</div> </div> <div> <div>V0100B</div> <div>Prior PPS reason for assessment</div> </div> <div> <div>V0200A01A</div> <div>CAA-Delirium: triggered</div> </div> <div> <div>V0200A01B</div> <div>CAA-Delirium: plan</div> </div> <div> <div>V0200A02A</div> <div>CAA-Cognitive loss/dementia: triggered</div> </div> <div> <div>V0200A02B</div> <div>CAA-Cognitive loss/dementia: plan</div> </div> <div> <div>V0200A03A</div> <div>CAA-Visual function: triggered</div> </div> <div> <div>V0200A03B</div> <div>CAA-Visual function: plan</div> </div> <div> <div>V0200A04A</div> <div>CAA-Communication: triggered</div> </div> <div> <div>V0200A04B</div> <div>CAA-Communication: plan</div> </div> <div> <div>V0200A05A</div> <div>CAA-ADL functional/rehab potential: triggered</div> </div> <div> <div>V0200A05B</div> <div>CAA-ADL functional/rehab potential: plan</div> </div> <div> <div>V0200A06A</div> <div>CAA-Urinary incont/indwell catheter: triggered</div> </div> <div> <div>V0200A06B</div> <div>CAA-Urinary incont/indwell catheter: plan</div> </div> <div> <div>V0200A07A</div> <div>CAA-Psychosocial well-being: triggered</div> </div> <div> <div>V0200A07B</div> <div>CAA-Psychosocial well-being: plan</div> </div> <div> <div>V0200A08A</div> <div>CAA-Mood state: triggered</div> </div> <div> <div>V0200A08B</div> <div>CAA-Mood state: plan</div> </div> <div> <div>V0200A09A</div> <div>CAA-Behavioral symptoms: triggered</div> </div> <div> <div>V0200A09B</div> <div>CAA-Behavioral symptoms: plan</div> </div> <div> <div>V0200A10A</div> <div>CAA-Activities: triggered</div> </div> <div> <div>V0200A10B</div> <div>CAA-Activities: plan</div> </div> <div> <div>V0200A11A</div> <div>CAA-Falls: triggered</div> </div> <div> <div>V0200A11B</div> <div>CAA-Falls: plan</div> </div> <div> <div>V0200A12A</div> <div>CAA-Nutritional status: triggered</div> </div> <div> <div>V0200A12B</div> <div>CAA-Nutritional status: plan</div> </div> <div> <div>V0200A13A</div> <div>CAA-Feeding tubes: triggered</div> </div> <div> <div>V0200A13B</div> <div>CAA-Feeding tubes: plan</div> </div> <div> <div>V0200A14A</div> <div>CAA-Dehydration/fluid maintenance: triggered</div> </div> <div> <div>V0200A14B</div> <div>CAA-Dehydration/fluid maintenance: plan</div> </div> <div> <div>V0200A15A</div> <div>CAA-Dental care: triggered</div> </div> <div> <div>V0200A15B</div> <div>CAA-Dental care: plan</div> </div> <div> <div>V0200A16A</div> <div>CAA-Pressure ulcer: triggered</div> </div> <div> <div>V0200A16B</div> <div>CAA-Pressure ulcer: plan</div> </div> <div> <div>V0200A17A</div> <div>CAA-Psychotropic drug use: triggered</div> </div> <div> <div>V0200A17B</div> <div>CAA-Psychotropic drug use: plan</div> </div> <div> <div>V0200A18A</div> <div>CAA-Physical restraints: triggered</div> </div> <div> <div>V0200A18B</div> <div>CAA-Physical restraints: plan</div> </div> <div> <div>V0200A19A</div> <div>CAA-Pain: triggered</div> </div> <div> <div>V0200A19B</div> <div>CAA-Pain: plan</div> </div> <div> <div>V0200A20A</div> <div>CAA-Return to community referral: triggered</div> </div> <div> <div>V0200A20B</div> <div>CAA-Return to community referral: plan</div> </div> <div> <div>X0150</div> <div>Correction: type of provider</div> </div>

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: X0300 Correction: resident gender X0600A Correction: OBRA reason for assessment X0600B Correction: PPS reason for assessment X0600C Correction: OMRA assessment X0600D Correction: Swing bed clinical change asmt X0600F Correction: entry/discharge reporting X0900A Correction: modif reasons - transcription error X0900B Correction: modif reasons - data entry error X0900C Correction: modif reasons - software error X0900D Correction: modif reasons - item coding error X0900E Correction: modif reasons - resume therapy date X0900Z Correction: modif reasons - other error X1050A Correction: inact reasons - event did not occur X1050Z Correction: inact reasons - other reason Z0100C Medicare Part A: Medicare short stay asmt
-3677	Format	Fatal	Values of Date Items: This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report. Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".
			Items: A1600 Entry date (date of admission/reentry in facility) A2000 Discharge date A2200 Previous asmt reference date for signif correction A2300 Assessment reference date A2400B Start date of most recent Medicare stay A2400C End date of most recent Medicare stay M0300B3 Stage 2 pressure ulcers: date of oldest O0250B Date influenza vaccine received. O0400A5 Speech-language/audiology: start date O0400A6 Speech-language/audiology: end date O0400B5 Occupational therapy: start date O0400B6 Occupational therapy: end date O0400C5 Physical therapy: start date O0400C6 Physical therapy: end date O0450B Therapy resumption date V0100C Prior assessment reference date V0200B2 CAA-Assessment process signature date V0200C2 CAA-Care planning signature date X0700A Correction: assessment reference date X0700B Correction: discharge date X0700C Correction: entry date

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3678	Format	Fatal	Items: X1100E Correction: attestation date Z0500B Date RN signed assessment as complete
			Formatting of Birthdate: This item must contain either (a) a valid date in YYYYMMDD, YYYYMM, or YYYY format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.
			<p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 1909 must be submitted as "19090101".</p>
			<p>If a date is submitted in YYYYMM format, it must be 6 characters in length and each of the 6 characters must contain the digits 0 (zero) through 9. YYYY and MM must be zero filled, where necessary. For example, January, 1909 must be submitted as "190901".</p>
-3679	Format	Fatal	<p>If a date is submitted in YYYY format, it must be 4 characters in length and each of the 4 characters must contain the digits 0 (zero) through 9. YYYY must be zero filled, where necessary. For example, 1909 must be submitted as "1909".</p>
			Items: A0900 Birthdate X0400 Correction: resident birth date
			Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
			Items: C0500 BIMS res interview: summary score D0300 PHQ res: total mood severity score D0600 PHQ staff: total mood score J0600A Res pain interview: intensity rating scale K0200A Height (in inches) K0200B Weight (in pounds) M0300A Stage 1 pressure ulcers: number present M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit/reentry M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit/reentry M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit/reentry M0300E1 Unstaged due to dressing: number present M0300E2 Unstaged due to dressing: number at admit/reentry M0300F1 Unstaged slough/eschar: number present M0300F2 Unstaged slough/eschar: number at admit/reentry M0300G1 Unstageable - deep tissue: number present M0300G2 Unstageable - deep tissue: number at admit/reentry M0610A Stage 3 or 4 pressure ulcer longest length

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		M0610B	Stage 3 or 4 pressure ulcer width (same ulcer)
		M0610C	Stage 3 or 4 pressure ulcer depth (same ulcer)
		M0800A	Worsened since prior asmt: Stage 2 pressure ulcers
		M0800B	Worsened since prior asmt: Stage 3 pressure ulcers
		M0800C	Worsened since prior asmt: Stage 4 pressure ulcers
		M0900B	Healed pressure ulcers: Stage 2
		M0900C	Healed pressure ulcers: Stage 3
		M0900D	Healed pressure ulcers: Stage 4
		M1030	Number of venous and arterial ulcers
		N0300	Number of days injectable medications received
		N0350A	Insulin: insulin injections
		N0350B	Insulin: orders for insulin
		N0410A	Medication received: Days: antipsychotic
		N0410B	Medication received: Days: antianxiety
		N0410C	Medication received: Days: antidepressant
		N0410D	Medication received: Days: hypnotic
		N0410E	Medication received: Days: anticoagulant
		N0410F	Medication received: Days: antibiotic
		N0410G	Medication received: Days: diuretic
		O0400A1	Speech-language/audiology: individ minutes
		O0400A2	Speech-language/audiology: concur minutes
		O0400A3	Speech-language/audiology: group minutes
		O0400A4	Speech-language/audiology: number of days
		O0400B1	Occupational therapy: individ minutes
		O0400B2	Occupational therapy: concur minutes
		O0400B3	Occupational therapy: group minutes
		O0400B4	Occupational therapy: number of days
		O0400C1	Physical therapy: individ minutes
		O0400C2	Physical therapy: concur minutes
		O0400C3	Physical therapy: group minutes
		O0400C4	Physical therapy: number of days
		O0400D1	Respiratory therapy: number of minutes
		O0400D2	Respiratory therapy: number of days
		O0400E1	Psychological therapy: number of minutes
		O0400E2	Psychological therapy: number of days
		O0400F1	Recreational therapy: number of minutes
		O0400F2	Recreational therapy: number of days
		O0500A	Range of motion (passive): number of days
		O0500B	Range of motion (active): number of days
		O0500C	Splint or brace assistance: number of days
		O0500D	Bed mobility training: number of days
		O0500E	Transfer training: number of days
		O0500F	Walking training: number of days

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: O0500G Dressing and/or grooming training: number of days O0500H Eating and/or swallowing training: number of days O0500I Amputation/prosthesis training: number of days O0500J Communication training: number of days O0600 Physician examinations: number of days O0700 Physician orders: number of days V0100D Prior assessment BIMS summary score V0100E Prior asmt PHQ res: total mood severity score V0100F Prior asmt PHQ staff: total mood score X0800 Correction: correction number
-3680	Format	Fatal	<p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p>
			Items: C0500 BIMS res interview: summary score D0300 PHQ res: total mood severity score D0600 PHQ staff: total mood score J0600A Res pain interview: intensity rating scale K0200A Height (in inches) K0200B Weight (in pounds) M0300A Stage 1 pressure ulcers: number present M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit/reentry M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit/reentry M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit/reentry M0300E1 Unstaged due to dressing: number present M0300E2 Unstaged due to dressing: number at admit/reentry M0300F1 Unstaged slough/eschar: number present M0300F2 Unstaged slough/eschar: number at admit/reentry M0300G1 Unstageable - deep tissue: number present M0300G2 Unstageable - deep tissue: number at admit/reentry M0800A Worsened since prior asmt: Stage 2 pressure ulcers M0800B Worsened since prior asmt: Stage 3 pressure ulcers M0800C Worsened since prior asmt: Stage 4 pressure ulcers M0900B Healed pressure ulcers: Stage 2 M0900C Healed pressure ulcers: Stage 3

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	M0900D Healed pressure ulcers: Stage 4
			M1030 Number of venous and arterial ulcers
			N0300 Number of days injectable medications received
			N0350A Insulin: insulin injections
			N0350B Insulin: orders for insulin
			N0410A Medication received: Days: antipsychotic
			N0410B Medication received: Days: antianxiety
			N0410C Medication received: Days: antidepressant
			N0410D Medication received: Days: hypnotic
			N0410E Medication received: Days: anticoagulant
			N0410F Medication received: Days: antibiotic
			N0410G Medication received: Days: diuretic
			O0400A1 Speech-language/audiology: individ minutes
			O0400A2 Speech-language/audiology: concur minutes
			O0400A3 Speech-language/audiology: group minutes
			O0400A4 Speech-language/audiology: number of days
			O0400B1 Occupational therapy: individ minutes
			O0400B2 Occupational therapy: concur minutes
			O0400B3 Occupational therapy: group minutes
			O0400B4 Occupational therapy: number of days
			O0400C1 Physical therapy: individ minutes
			O0400C2 Physical therapy: concur minutes
			O0400C3 Physical therapy: group minutes
			O0400C4 Physical therapy: number of days
			O0400D1 Respiratory therapy: number of minutes
			O0400D2 Respiratory therapy: number of days
			O0400E1 Psychological therapy: number of minutes
			O0400E2 Psychological therapy: number of days
			O0400F1 Recreational therapy: number of minutes
			O0400F2 Recreational therapy: number of days
			O0500A Range of motion (passive): number of days
			O0500B Range of motion (active): number of days
			O0500C Splint or brace assistance: number of days
			O0500D Bed mobility training: number of days
			O0500E Transfer training: number of days
			O0500F Walking training: number of days
			O0500G Dressing and/or grooming training: number of days
			O0500H Eating and/or swallowing training: number of days
			O0500I Amputation/prosthesis training: number of days
			O0500J Communication training: number of days
			O0600 Physician examinations: number of days
			O0700 Physician orders: number of days
			V0100D Prior assessment BIMS summary score

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: V0100E Prior asmt PHQ res: total mood severity score V0100F Prior asmt PHQ staff: total mood score X0800 Correction: correction number
-3682	Format	Fatal	<p>Formatting of Numeric Items with Tenths Decimal Values:</p> <p>Only integer values, values with tenths decimals, and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading and trailing zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and tenth value may be included; however the fractional portion beyond the tenths decimal place must not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1.2] and the maximum length is equal to 4: [1.2], [01.2]. The following values are NOT allowed and will lead to a fatal error: [1.21], [1.20].</p> <p>The following examples are allowable if the value to be submitted is an integer equal to [1] and the maximum length is equal to 4: [1], [01], [1.], [01.], [1.0], [01.0]. The following values are NOT allowed and will lead to a fatal error: [1.00], [01.00].</p>
-3686	Consistency	Fatal	Items: M0610A Stage 3 or 4 pressure ulcer longest length M0610B Stage 3 or 4 pressure ulcer width (same ulcer) M0610C Stage 3 or 4 pressure ulcer depth (same ulcer) <p>a) If the SFTWR_VNDR_ID is not equal to [^], then SFTWR_VNDR_NAME and SFTWR_VNDR_EMAIL_ADR must not equal [^].</p> <p>b) If the SFTWR_VNDR_ID is equal to [^], then SFTWR_VNDR_NAME and SFTWR_VNDR_EMAIL_ADR must equal [^].</p>
			Items: SFTWR_VNDR_ID Software vendor federal employer tax ID SFTWR_VNDR_NA Software vendor company name ME SFTWR_VNDR_EM Software vendor email address AIL_ADR
-3687	Format	Fatal	<p>Formatting of Numeric Text Items:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p>
			Items: SFTWR_VNDR_ID Software vendor federal employer tax ID A0100A Facility National Provider Identifier (NPI) A0600A Social Security Number X0500 Correction: resident social security number
-3688	Format	Fatal	<p>Formatting of Alphanumeric Text Items:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9]. b) The letters [A] through [Z] and [a] through [z].</p>
			Items: A0100B Facility CMS Certification Number (CCN)

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: A0100C State provider number A0600B Resident Medicare/railroad insurance number A0700 Resident Medicaid number
-3690	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters: If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9]. b) The letters [A] through [Z] and [a] through [z]. c) The character [-]. d) The following special characters: [@] (at sign) ['] (single quote) [/] (forward slash) [+] (plus sign) [,] (comma) [.] (period) [_] (underscore)</p> <p>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed.</p> Items: SFTWR_PROD_VRS Software product version code N_CD FAC_DOC_ID Facility document ID A0500A Resident first name A0500C Resident last name A0500D Resident name suffix A1100B Preferred language A1300A Medical record number A1300B Room number A1300C Name by which resident prefers to be addressed A1300D Lifetime occupation(s) X0200A Correction: resident first name X0200C Correction: resident last name X1100A Correction: attestor first name X1100B Correction: attestor last name
-3691	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Special Characters: If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9]. b) The letters [A] through [Z] and [a] through [z]. c) The following special characters: [@] (at sign) ['] (single quote) [/] (forward slash) [+] (plus sign) [,] (comma) [.] (period) [_] (underscore)</p>

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3692	Format	Fatal	<p>Items: A0500B Resident middle initial</p> <p>Formatting of email address. Any valid email address will be accepted. The text string may contain any printable characters except single-quotes or double-quotes.</p>
			<p>Items: SFTWR_VNDR_EM Software vendor email address AIL_ADR</p>
-3693	Format	Fatal	<p>FAC_ID is the facility/provider ID.</p> <p>a) This must be the FAC_ID assigned to the provider. The state agency assigns the FAC_ID to nursing homes. The QIES system (QTSO help desk) assigns the FAC_ID to swing bed units. The submitted value must match the FAC_ID in the QIES Assessment Processing System for the facility or provider.</p> <p>b) A user submitting a file for a provider must be authorized to submit for the provider identified by the FAC_ID item in the file.</p>
-3695	Consistency	Warning	<p>Items: FAC_ID Assigned facility/provider submission ID</p> <p>The value submitted for A0100B (provider's CMS Certification Number -- CCN) will be compared with the value that is currently in the MDS Submission System database. If the values do not match, a warning will be issued.</p>
-3696	Consistency	Fatal	<p>Items: A0100B Facility CMS Certification Number (CCN)</p> <p>Consistency between therapy minutes and days.</p> <p>Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <p>If the sum is greater than zero, then the following rules apply:</p> <p>a) The sum must be greater than or equal to O0400A4*15.</p> <p>b) If O0400A4>[0], then the sum must be less than or equal to O0400A4*1440 (there are 1440 minutes in a day).</p> <p>c) If O0400A4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).</p> <p>Items: O0400A1 Speech-language/audiology: individ minutes O0400A2 Speech-language/audiology: concur minutes O0400A3 Speech-language/audiology: group minutes O0400A4 Speech-language/audiology: number of days</p>
-3697	Consistency	Fatal	<p>Consistency between therapy minutes and days.</p> <p>Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <p>If the sum is greater than zero, then the following rules apply:</p> <p>a) The sum must be greater than or equal to O0400B4*15.</p> <p>b) If O0400B4>[0], then the sum must be less than or equal to O0400B4*1440 (there are 1440 minutes in a day).</p> <p>c) If O0400B4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).</p>

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: O0400B1 Occupational therapy: individ minutes O0400B2 Occupational therapy: concur minutes O0400B3 Occupational therapy: group minutes O0400B4 Occupational therapy: number of days
-3698	Consistency	Fatal	<p>Consistency between therapy minutes and days.</p> <p>Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <p>If the sum is greater than zero, then the following rules apply:</p> <p>a) The sum must be greater than or equal to O0400C4*15. b) If O0400C4>[0], then the sum must be less than or equal to O0400C4*1440 (there are 1440 minutes in a day). c) If O0400C4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).</p> Items: O0400C1 Physical therapy: individ minutes O0400C2 Physical therapy: concur minutes O0400C3 Physical therapy: group minutes O0400C4 Physical therapy: number of days
-3699	Consistency	Fatal	<p>If O0400D1 is not equal to [0000,-] and if O0400D2 is not equal to [-], then the following rules apply:</p> <p>a) O0400D1 must be greater than or equal to O0400D2*15. b) If O0400D2>[0], then O0400D1 must be less than or equal to O0400D2*1440 (there are 1440 minutes in a day). c) If O0400D2=[0], then O0400D1 must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).</p> Items: O0400D1 Respiratory therapy: number of minutes O0400D2 Respiratory therapy: number of days
-3700	Consistency	Fatal	<p>If O0400E1 is not equal to [0000,-] and if O0400E2 is not equal to [-], then the following rules apply:</p> <p>a) O0400E1 must be greater than or equal to O0400E2*15. b) If O0400E2>[0], then O0400E1 must be less than or equal to O0400E2*1440 (there are 1440 minutes in a day). c) If O0400E2=[0], then O0400E1 must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).</p> Items: O0400E1 Psychological therapy: number of minutes O0400E2 Psychological therapy: number of days
-3701	Consistency	Fatal	<p>If O0400F1 is not equal to [0000,-] and if O0400F2 is not equal to [-], then the following rules apply:</p> <p>a) O0400F1 must be greater than or equal to O0400F2*15. b) If O0400F2>[0], then O0400F1 must be less than or equal to O0400F2*1440 (there are 1440 minutes in a day). c) If O0400F2=[0], then O0400F1 must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).</p> Items: O0400F1 Recreational therapy: number of minutes O0400F2 Recreational therapy: number of days

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3702	Format	Fatal	<p>This is a required text item. A valid non-blank value must be submitted.</p> <p>Items: FAC_ID Assigned facility/provider submission ID A0500C Resident last name</p>
-3703	Skip pattern	Fatal	<p>a) If D0100=[0,^], then all active items from D0200A1 through D0300 must equal [^]. b) If D0100=[-], then all active items from D0200A1 through D0300 must equal [-].</p> <p>Items: D0100 PHQ: should resident mood interview be conducted D0200A1 PHQ res: little interest or pleasure - presence D0200A2 PHQ res: little interest or pleasure - frequency D0200B1 PHQ res: feeling down, depressed - presence D0200B2 PHQ res: feeling down, depressed - frequency D0200C1 PHQ res: trouble with sleep - presence D0200C2 PHQ res: trouble with sleep - frequency D0200D1 PHQ res: feeling tired/little energy - presence D0200D2 PHQ res: feeling tired/little energy - frequency D0200E1 PHQ res: poor appetite or overeating - presence D0200E2 PHQ res: poor appetite or overeating - frequency D0200F1 PHQ res: feeling bad about self - presence D0200F2 PHQ res: feeling bad about self - frequency D0200G1 PHQ res: trouble concentrating - presence D0200G2 PHQ res: trouble concentrating - frequency D0200H1 PHQ res: slow, fidgety, restless - presence D0200H2 PHQ res: slow, fidgety, restless - frequency D0200I1 PHQ res: thoughts better off dead - presence D0200I2 PHQ res: thoughts better off dead - frequency D0300 PHQ res: total mood severity score</p>
-3704	Skip pattern	Fatal	<p>a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^]. b) If D0300=[99,-], then all active items from D0500A1 through D0600 must not equal [^].</p> <p>Items: D0300 PHQ res: total mood severity score D0500A1 PHQ staff: little interest or pleasure - presence D0500A2 PHQ staff: little interest or pleasure - frequency D0500B1 PHQ staff: feeling down, depressed - presence D0500B2 PHQ staff: feeling down, depressed - frequency D0500C1 PHQ staff: trouble with sleep - presence D0500C2 PHQ staff: trouble with sleep - frequency D0500D1 PHQ staff: feeling tired/little energy - presence D0500D2 PHQ staff: feeling tired/little energy - frequency D0500E1 PHQ staff: poor appetite or overeating - presence D0500E2 PHQ staff: poor appetite or overeating - frequency D0500F1 PHQ staff: feeling bad about self - presence D0500F2 PHQ staff: feeling bad about self - frequency D0500G1 PHQ staff: trouble concentrating - presence D0500G2 PHQ staff: trouble concentrating - frequency</p>

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: D0500H1 PHQ staff: slow, fidgety, restless - presence D0500H2 PHQ staff: slow, fidgety, restless - frequency D0500I1 PHQ staff: thoughts better off dead - presence D0500I2 PHQ staff: thoughts better off dead - frequency D0500J1 PHQ staff: short-tempered - presence D0500J2 PHQ staff: short-tempered - frequency D0600 PHQ staff: total mood score
-3705	Skip pattern	Fatal	a) If M0210=[1], then if M0700 is active it must not equal [^]. b) If M0210=[-], then if M0700 is active it must equal [-]. Items: M0210 Resident has Stage 1 or higher pressure ulcers M0700 Tissue type for ulcer at most advanced stage
-3706	Consistency	Fatal	The submitted value of A0200 will be checked against the information stored in CMS's database. For nursing homes, A0200 must equal [1]. For swing-bed providers, A0200 must equal [2]. If the value submitted for A0200 is inconsistent with the information stored in CMS's database, a fatal error will occur and the submitted record will be rejected. Items: A0200 Type of provider
-3707	Consistency	Fatal	a) If A0200=[2] (if the provider is a swing bed provider), then A0410 (submission requirement) must equal [3] (it cannot equal [1,2]). b) If A0200=[1] (the provider is a nursing home), then A0410 must equal [2,3]. c) For both nursing homes and swing bed providers, A0410 must not be equal to [1]. Items: A0200 Type of provider A0410 Submission requirement
-3708	Consistency	Fatal	a) If D0200A1 is equal to [0], then D0200A2 must be equal to [0, -]. b) If D0200A1 is equal to [1], then D0200A2 must be equal to [0,1,2,3,-]. c) If D0200A1 is equal to [9], then D0200A2 must be skipped (must be equal to [^]). d) If D0200A1 is equal to [-], then D0200A2 must be equal to [-]. Items: D0200A1 PHQ res: little interest or pleasure - presence D0200A2 PHQ res: little interest or pleasure - frequency
-3709	Consistency	Fatal	a) If D0200B1 is equal to [0], then D0200B2 must be equal to [0, -]. b) If D0200B1 is equal to [1], then D0200B2 must be equal to [0,1,2,3,-]. c) If D0200B1 is equal to [9], then D0200B2 must be skipped (must be equal to [^]). d) If D0200B1 is equal to [-], then D0200B2 must be equal to [-]. Items: D0200B1 PHQ res: feeling down, depressed - presence D0200B2 PHQ res: feeling down, depressed - frequency
-3710	Consistency	Fatal	a) If D0200C1 is equal to [0], then D0200C2 must be equal to [0, -]. b) If D0200C1 is equal to [1], then D0200C2 must be equal to [0,1,2,3,-]. c) If D0200C1 is equal to [9], then D0200C2 must be skipped (must be equal to [^]). d) If D0200C1 is equal to [-], then D0200C2 must be equal to [-]. Items: D0200C1 PHQ res: trouble with sleep - presence D0200C2 PHQ res: trouble with sleep - frequency

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3711	Consistency	Fatal	<p>a) If D0200D1 is equal to [0], then D0200D2 must be equal to [0, -].</p> <p>b) If D0200D1 is equal to [1], then D0200D2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200D1 is equal to [9], then D0200D2 must be skipped (must be equal to [^]).</p> <p>d) If D0200D1 is equal to [-], then D0200D2 must be equal to [-].</p> <p>Items: D0200D1 PHQ res: feeling tired/little energy - presence D0200D2 PHQ res: feeling tired/little energy - frequency</p>
-3712	Consistency	Fatal	<p>a) If D0200E1 is equal to [0], then D0200E2 must be equal to [0, -].</p> <p>b) If D0200E1 is equal to [1], then D0200E2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200E1 is equal to [9], then D0200E2 must be skipped (must be equal to [^]).</p> <p>d) If D0200E1 is equal to [-], then D0200E2 must be equal to [-].</p> <p>Items: D0200E1 PHQ res: poor appetite or overeating - presence D0200E2 PHQ res: poor appetite or overeating - frequency</p>
-3713	Consistency	Fatal	<p>a) If D0200F1 is equal to [0], then D0200F2 must be equal to [0, -].</p> <p>b) If D0200F1 is equal to [1], then D0200F2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200F1 is equal to [9], then D0200F2 must be skipped (must be equal to [^]).</p> <p>d) If D0200F1 is equal to [-], then D0200F2 must be equal to [-].</p> <p>Items: D0200F1 PHQ res: feeling bad about self - presence D0200F2 PHQ res: feeling bad about self - frequency</p>
-3714	Consistency	Fatal	<p>a) If D0200G1 is equal to [0], then D0200G2 must be equal to [0, -].</p> <p>b) If D0200G1 is equal to [1], then D0200G2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200G1 is equal to [9], then D0200G2 must be skipped (must be equal to [^]).</p> <p>d) If D0200G1 is equal to [-], then D0200G2 must be equal to [-].</p> <p>Items: D0200G1 PHQ res: trouble concentrating - presence D0200G2 PHQ res: trouble concentrating - frequency</p>
-3715	Consistency	Fatal	<p>a) If D0200H1 is equal to [0], then D0200H2 must be equal to [0, -].</p> <p>b) If D0200H1 is equal to [1], then D0200H2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200H1 is equal to [9], then D0200H2 must be skipped (must be equal to [^]).</p> <p>d) If D0200H1 is equal to [-], then D0200H2 must be equal to [-].</p> <p>Items: D0200H1 PHQ res: slow, fidgety, restless - presence D0200H2 PHQ res: slow, fidgety, restless - frequency</p>
-3716	Consistency	Fatal	<p>a) If D0200I1 is equal to [0], then D0200I2 must be equal to [0, -].</p> <p>b) If D0200I1 is equal to [1], then D0200I2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200I1 is equal to [9], then D0200I2 must be skipped (must be equal to [^]).</p> <p>d) If D0200I1 is equal to [-], then D0200I2 must be equal to [-].</p> <p>Items: D0200I1 PHQ res: thoughts better off dead - presence D0200I2 PHQ res: thoughts better off dead - frequency</p>
-3717	Consistency	Fatal	<p>a) If D0500A1 is equal to [0], then D0500A2 must be equal to [0, -].</p> <p>b) If D0500A1 is equal to [1], then D0500A2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500A1 is equal to [-], then D0500A2 must be equal to [-].</p> <p>Items: D0500A1 PHQ staff: little interest or pleasure - presence D0500A2 PHQ staff: little interest or pleasure - frequency</p>
-3718	Consistency	Fatal	<p>a) If D0500B1 is equal to [0], then D0500B2 must be equal to [0, -].</p> <p>b) If D0500B1 is equal to [1], then D0500B2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500B1 is equal to [-], then D0500B2 must be equal to [-].</p>

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: D0500B1 PHQ staff: feeling down, depressed - presence D0500B2 PHQ staff: feeling down, depressed - frequency
-3719	Consistency	Fatal	a) If D0500C1 is equal to [0], then D0500C2 must be equal to [0, -]. b) If D0500C1 is equal to [1], then D0500C2 must be equal to [0,1,2,3,-]. c) If D0500C1 is equal to [-], then D0500C2 must be equal to [-]. Items: D0500C1 PHQ staff: trouble with sleep - presence D0500C2 PHQ staff: trouble with sleep - frequency
-3720	Consistency	Fatal	a) If D0500D1 is equal to [0], then D0500D2 must be equal to [0, -]. b) If D0500D1 is equal to [1], then D0500D2 must be equal to [0,1,2,3,-]. c) If D0500D1 is equal to [-], then D0500D2 must be equal to [-]. Items: D0500D1 PHQ staff: feeling tired/little energy - presence D0500D2 PHQ staff: feeling tired/little energy - frequency
-3721	Consistency	Fatal	a) If D0500E1 is equal to [0], then D0500E2 must be equal to [0, -]. b) If D0500E1 is equal to [1], then D0500E2 must be equal to [0,1,2,3,-]. c) If D0500E1 is equal to [-], then D0500E2 must be equal to [-]. Items: D0500E1 PHQ staff: poor appetite or overeating - presence D0500E2 PHQ staff: poor appetite or overeating - frequency
-3722	Consistency	Fatal	a) If D0500F1 is equal to [0], then D0500F2 must be equal to [0, -]. b) If D0500F1 is equal to [1], then D0500F2 must be equal to [0,1,2,3,-]. c) If D0500F1 is equal to [-], then D0500F2 must be equal to [-]. Items: D0500F1 PHQ staff: feeling bad about self - presence D0500F2 PHQ staff: feeling bad about self - frequency
-3723	Consistency	Fatal	a) If D0500G1 is equal to [0], then D0500G2 must be equal to [0, -]. b) If D0500G1 is equal to [1], then D0500G2 must be equal to [0,1,2,3,-]. c) If D0500G1 is equal to [-], then D0500G2 must be equal to [-]. Items: D0500G1 PHQ staff: trouble concentrating - presence D0500G2 PHQ staff: trouble concentrating - frequency
-3724	Consistency	Fatal	a) If D0500H1 is equal to [0], then D0500H2 must be equal to [0, -]. b) If D0500H1 is equal to [1], then D0500H2 must be equal to [0,1,2,3,-]. c) If D0500H1 is equal to [-], then D0500H2 must be equal to [-]. Items: D0500H1 PHQ staff: slow, fidgety, restless - presence D0500H2 PHQ staff: slow, fidgety, restless - frequency
-3725	Consistency	Fatal	a) If D0500I1 is equal to [0], then D0500I2 must be equal to [0, -]. b) If D0500I1 is equal to [1], then D0500I2 must be equal to [0,1,2,3,-]. c) If D0500I1 is equal to [-], then D0500I2 must be equal to [-]. Items: D0500I1 PHQ staff: thoughts better off dead - presence D0500I2 PHQ staff: thoughts better off dead - frequency
-3726	Consistency	Fatal	a) If D0500J1 is equal to [0], then D0500J2 must be equal to [0, -]. b) If D0500J1 is equal to [1], then D0500J2 must be equal to [0,1,2,3,-]. c) If D0500J1 is equal to [-], then D0500J2 must be equal to [-]. Items: D0500J1 PHQ staff: short-tempered - presence D0500J2 PHQ staff: short-tempered - frequency

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																																										
-3729	Consistency	Fatal	<p>a) If O0100Z1=[0], then at least one active item from O0100A1 through O0100K1 and O0100M1 in Column 1 must equal [1].</p> <p>b) If O0100Z1=[1], then all active items from O0100A1 through O0100K1 and O0100M1 in Column 1 must equal [0].</p> <p>c) If O0100Z1=[-], then at least one active item from O0100A1 through O0100M1 in Column 1 must equal [-] and all remaining active items must equal [0,-].</p> <table><tr><td>Items:</td><td>O0100A1</td><td>Treatment: chemotherapy - while not resident</td></tr><tr><td></td><td>O0100B1</td><td>Treatment: radiation - while not resident</td></tr><tr><td></td><td>O0100C1</td><td>Treatment: oxygen therapy - while not resident</td></tr><tr><td></td><td>O0100D1</td><td>Treatment: suctioning - while not resident</td></tr><tr><td></td><td>O0100E1</td><td>Treatment: tracheostomy care - while not resident</td></tr><tr><td></td><td>O0100F1</td><td>Treatment: vent/respirator - while not resident</td></tr><tr><td></td><td>O0100G1</td><td>Treatment: BiPAP/CPAP - while not resident</td></tr><tr><td></td><td>O0100H1</td><td>Treatment: IV medications - while not resident</td></tr><tr><td></td><td>O0100I1</td><td>Treatment: transfusions - while not resident</td></tr><tr><td></td><td>O0100J1</td><td>Treatment: dialysis - while not resident</td></tr><tr><td></td><td>O0100K1</td><td>Treatment: hospice care - while not resident</td></tr><tr><td></td><td>O0100M1</td><td>Treatment: isolate/quarantine - while not resident</td></tr><tr><td></td><td>O0100Z1</td><td>Treatment: none of above - while not resident</td></tr></table>	Items:	O0100A1	Treatment: chemotherapy - while not resident		O0100B1	Treatment: radiation - while not resident		O0100C1	Treatment: oxygen therapy - while not resident		O0100D1	Treatment: suctioning - while not resident		O0100E1	Treatment: tracheostomy care - while not resident		O0100F1	Treatment: vent/respirator - while not resident		O0100G1	Treatment: BiPAP/CPAP - while not resident		O0100H1	Treatment: IV medications - while not resident		O0100I1	Treatment: transfusions - while not resident		O0100J1	Treatment: dialysis - while not resident		O0100K1	Treatment: hospice care - while not resident		O0100M1	Treatment: isolate/quarantine - while not resident		O0100Z1	Treatment: none of above - while not resident			
Items:	O0100A1	Treatment: chemotherapy - while not resident																																											
	O0100B1	Treatment: radiation - while not resident																																											
	O0100C1	Treatment: oxygen therapy - while not resident																																											
	O0100D1	Treatment: suctioning - while not resident																																											
	O0100E1	Treatment: tracheostomy care - while not resident																																											
	O0100F1	Treatment: vent/respirator - while not resident																																											
	O0100G1	Treatment: BiPAP/CPAP - while not resident																																											
	O0100H1	Treatment: IV medications - while not resident																																											
	O0100I1	Treatment: transfusions - while not resident																																											
	O0100J1	Treatment: dialysis - while not resident																																											
	O0100K1	Treatment: hospice care - while not resident																																											
	O0100M1	Treatment: isolate/quarantine - while not resident																																											
	O0100Z1	Treatment: none of above - while not resident																																											
-3730	Consistency	Fatal	<p>a) If O0100Z2=[0], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [1].</p> <p>b) If O0100Z2=[1], then all active items from O0100A2 through O0100M2 in Column 2 must equal [0].</p> <p>c) If O0100Z2=[-], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [-] and all remaining active items must equal [0,-].</p> <table><tr><td>Items:</td><td>O0100A2</td><td>Treatment: chemotherapy - while resident</td></tr><tr><td></td><td>O0100B2</td><td>Treatment: radiation - while resident</td></tr><tr><td></td><td>O0100C2</td><td>Treatment: oxygen therapy - while resident</td></tr><tr><td></td><td>O0100D2</td><td>Treatment: suctioning - while resident</td></tr><tr><td></td><td>O0100E2</td><td>Treatment: tracheostomy care - while resident</td></tr><tr><td></td><td>O0100F2</td><td>Treatment: vent/respirator - while resident</td></tr><tr><td></td><td>O0100G2</td><td>Treatment: BIPAP/CPAP - while resident</td></tr><tr><td></td><td>O0100H2</td><td>Treatment: IV medications - while resident</td></tr><tr><td></td><td>O0100I2</td><td>Treatment: transfusions - while resident</td></tr><tr><td></td><td>O0100J2</td><td>Treatment: dialysis - while resident</td></tr><tr><td></td><td>O0100K2</td><td>Treatment: hospice care - while resident</td></tr><tr><td></td><td>O0100L2</td><td>Treatment: respite care - while resident</td></tr><tr><td></td><td>O0100M2</td><td>Treatment: isolate/quarantine - while resident</td></tr><tr><td></td><td>O0100Z2</td><td>Treatment: none of above - while resident</td></tr></table>	Items:	O0100A2	Treatment: chemotherapy - while resident		O0100B2	Treatment: radiation - while resident		O0100C2	Treatment: oxygen therapy - while resident		O0100D2	Treatment: suctioning - while resident		O0100E2	Treatment: tracheostomy care - while resident		O0100F2	Treatment: vent/respirator - while resident		O0100G2	Treatment: BIPAP/CPAP - while resident		O0100H2	Treatment: IV medications - while resident		O0100I2	Treatment: transfusions - while resident		O0100J2	Treatment: dialysis - while resident		O0100K2	Treatment: hospice care - while resident		O0100L2	Treatment: respite care - while resident		O0100M2	Treatment: isolate/quarantine - while resident		O0100Z2	Treatment: none of above - while resident
Items:	O0100A2	Treatment: chemotherapy - while resident																																											
	O0100B2	Treatment: radiation - while resident																																											
	O0100C2	Treatment: oxygen therapy - while resident																																											
	O0100D2	Treatment: suctioning - while resident																																											
	O0100E2	Treatment: tracheostomy care - while resident																																											
	O0100F2	Treatment: vent/respirator - while resident																																											
	O0100G2	Treatment: BIPAP/CPAP - while resident																																											
	O0100H2	Treatment: IV medications - while resident																																											
	O0100I2	Treatment: transfusions - while resident																																											
	O0100J2	Treatment: dialysis - while resident																																											
	O0100K2	Treatment: hospice care - while resident																																											
	O0100L2	Treatment: respite care - while resident																																											
	O0100M2	Treatment: isolate/quarantine - while resident																																											
	O0100Z2	Treatment: none of above - while resident																																											
-3735	Skip pattern	Fatal	<p>a) If N0300=[0], then all active items from N0350A through N0350B must equal [^].</p> <p>b) If N0300=[1-7], then all active items from N0350A through N0350B must not equal [^].</p> <p>c) If N0300=[-], then all active items from N0350A through N0350B must equal [-].</p> <table><tr><td>Items:</td><td>N0300</td><td>Number of days injectable medications received</td></tr><tr><td></td><td>N0350A</td><td>Insulin: insulin injections</td></tr></table>	Items:	N0300	Number of days injectable medications received		N0350A	Insulin: insulin injections																																				
Items:	N0300	Number of days injectable medications received																																											
	N0350A	Insulin: insulin injections																																											

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3736	Skip pattern	Fatal	Items: N0350B Insulin: orders for insulin a) If O0250A=[0], then if O0250C is active it must not equal [^]. b) If O0250A=[1], then if O0250C is active it must equal [^]. c) If O0250A=[-], then if O0250C is active it must equal [-].
			Items: O0250A Was influenza vaccine received O0250C If influenza vaccine not received, state reason
-3744	Consistency	Fatal	If A0310E=[1], then all active items from V0100A through V0100F must equal [^]. Items: A0310E First assessment since most recent entry V0100A Prior OBRA reason for assessment V0100B Prior PPS reason for assessment V0100C Prior assessment reference date V0100D Prior assessment BIMS summary score V0100E Prior asmt PHQ res: total mood severity score V0100F Prior asmt PHQ staff: total mood score
-3745	Consistency	Fatal	In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items: a) X0150 (provider type) b) X0200A (resident first name) c) X0200C (resident last name) d) X0300 (gender) e) X0400 (birth date) f) X0500 (social security number) g) X0600A (OBRA reason for assessment) h) X0600B (PPS reason for assessment) i) X0600C (PPS OMRA assessment) j) X0600D (Swing Bed clinical change assessment) -- if swing bed assessment k) X0600F (entry/discharge reporting) l) X0700A (assessment reference date) m) X0700B (discharge date) n) X0700C (entry date) If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected. Items: X0150 Correction: type of provider X0200A Correction: resident first name X0200C Correction: resident last name X0300 Correction: resident gender X0400 Correction: resident birth date X0500 Correction: resident social security number X0600A Correction: OBRA reason for assessment X0600B Correction: PPS reason for assessment X0600C Correction: OMRA assessment X0600D Correction: Swing bed clinical change asmt X0600F Correction: entry/discharge reporting

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: X0700A Correction: assessment reference date X0700B Correction: discharge date X0700C Correction: entry date
-3746	Consistency	Fatal	If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^]. Items: A0050 Type of transaction (formerly X0100) X0150 Correction: type of provider X0200A Correction: resident first name X0200C Correction: resident last name X0300 Correction: resident gender X0400 Correction: resident birth date X0500 Correction: resident social security number X0600A Correction: OBRA reason for assessment X0600B Correction: PPS reason for assessment X0600C Correction: OMRA assessment X0600D Correction: Swing bed clinical change asmt X0600F Correction: entry/discharge reporting X0700A Correction: assessment reference date X0700B Correction: discharge date X0700C Correction: entry date X0800 Correction: correction number X0900A Correction: modif reasons - transcription error X0900B Correction: modif reasons - data entry error X0900C Correction: modif reasons - software error X0900D Correction: modif reasons - item coding error X0900E Correction: modif reasons - resume therapy date X0900Z Correction: modif reasons - other error X1050A Correction: inactive reasons - event did not occur X1050Z Correction: inactive reasons - other reason X1100A Correction: attestor first name X1100B Correction: attestor last name X1100E Correction: attestation date
-3748	Consistency	Fatal	If A0050 (formerly X0100)=[3], then at least one item from X1050A through X1050Z must equal [1]. Items: A0050 Type of transaction (formerly X0100) X1050A Correction: inactive reasons - event did not occur X1050Z Correction: inactive reasons - other reason

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																																																			
-3749	Consistency	Warning	<p>Date Span Requirements</p> <p>The following rules describe allowable spans between pairs of dates. Each rule applies if both date items in the pair are active and contain valid dates (not dashes or other special values). Violation of these rules will result in warnings.</p> <p>a) Z0500B (completion date) - A2300 (assessment reference date) <= 14 days.</p> <p>b) If A0310A is equal to [03,04,05], then V0200B2 (CAA process signature date) - A2300 (assessment reference date) <= 14 days.</p> <p>c) V0200C2 (CAA care plan signature date) - V0200B2 (CAA process signature date) <= 7 days.</p> <p>d) If A0310A is equal to [01], then Z0500B (completion date) - A1600 (entry date) <= 13 days.</p> <p>e) If A0310A is equal to [01], then V0200B2 (CAA process signature date) - A1600 (entry date) <= 13 days.</p> <table><tr><td>Items:</td><td>A0310A</td><td>Type of assessment: OBRA</td></tr><tr><td></td><td>A1600</td><td>Entry date (date of admission/reentry in facility)</td></tr><tr><td></td><td>A2300</td><td>Assessment reference date</td></tr><tr><td></td><td>V0200B2</td><td>CAA-Assessment process signature date</td></tr><tr><td></td><td>V0200C2</td><td>CAA-Care planning signature date</td></tr><tr><td></td><td>Z0500B</td><td>Date RN signed assessment as complete</td></tr></table>	Items:	A0310A	Type of assessment: OBRA		A1600	Entry date (date of admission/reentry in facility)		A2300	Assessment reference date		V0200B2	CAA-Assessment process signature date		V0200C2	CAA-Care planning signature date		Z0500B	Date RN signed assessment as complete																																	
Items:	A0310A	Type of assessment: OBRA																																																				
	A1600	Entry date (date of admission/reentry in facility)																																																				
	A2300	Assessment reference date																																																				
	V0200B2	CAA-Assessment process signature date																																																				
	V0200C2	CAA-Care planning signature date																																																				
	Z0500B	Date RN signed assessment as complete																																																				
-3751	Consistency	Warning	<p>A warning will be issued if J0300=[1] (indicating pain is present) and J0600A=[00] (indicating a pain scale rating of "no pain").</p> <table><tr><td>Items:</td><td>J0300</td><td>Res pain interview: presence</td></tr><tr><td></td><td>J0600A</td><td>Res pain interview: intensity rating scale</td></tr></table>	Items:	J0300	Res pain interview: presence		J0600A	Res pain interview: intensity rating scale																																													
Items:	J0300	Res pain interview: presence																																																				
	J0600A	Res pain interview: intensity rating scale																																																				
-3752	Consistency	Fatal	<p>The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate).</p> <table><tr><td>Items:</td><td>V0200A01A</td><td>CAA-Delirium: triggered</td></tr><tr><td></td><td>V0200A02A</td><td>CAA-Cognitive loss/dementia: triggered</td></tr><tr><td></td><td>V0200A03A</td><td>CAA-Visual function: triggered</td></tr><tr><td></td><td>V0200A04A</td><td>CAA-Communication: triggered</td></tr><tr><td></td><td>V0200A05A</td><td>CAA-ADL functional/rehab potential: triggered</td></tr><tr><td></td><td>V0200A06A</td><td>CAA-Urinary incont/indwell catheter: triggered</td></tr><tr><td></td><td>V0200A07A</td><td>CAA-Psychosocial well-being: triggered</td></tr><tr><td></td><td>V0200A08A</td><td>CAA-Mood state: triggered</td></tr><tr><td></td><td>V0200A09A</td><td>CAA-Behavioral symptoms: triggered</td></tr><tr><td></td><td>V0200A10A</td><td>CAA-Activities: triggered</td></tr><tr><td></td><td>V0200A11A</td><td>CAA-Falls: triggered</td></tr><tr><td></td><td>V0200A12A</td><td>CAA-Nutritional status: triggered</td></tr><tr><td></td><td>V0200A13A</td><td>CAA-Feeding tubes: triggered</td></tr><tr><td></td><td>V0200A14A</td><td>CAA-Dehydration/fluid maintenance: triggered</td></tr><tr><td></td><td>V0200A15A</td><td>CAA-Dental care: triggered</td></tr><tr><td></td><td>V0200A16A</td><td>CAA-Pressure ulcer: triggered</td></tr><tr><td></td><td>V0200A17A</td><td>CAA-Psychotropic drug use: triggered</td></tr></table>	Items:	V0200A01A	CAA-Delirium: triggered		V0200A02A	CAA-Cognitive loss/dementia: triggered		V0200A03A	CAA-Visual function: triggered		V0200A04A	CAA-Communication: triggered		V0200A05A	CAA-ADL functional/rehab potential: triggered		V0200A06A	CAA-Urinary incont/indwell catheter: triggered		V0200A07A	CAA-Psychosocial well-being: triggered		V0200A08A	CAA-Mood state: triggered		V0200A09A	CAA-Behavioral symptoms: triggered		V0200A10A	CAA-Activities: triggered		V0200A11A	CAA-Falls: triggered		V0200A12A	CAA-Nutritional status: triggered		V0200A13A	CAA-Feeding tubes: triggered		V0200A14A	CAA-Dehydration/fluid maintenance: triggered		V0200A15A	CAA-Dental care: triggered		V0200A16A	CAA-Pressure ulcer: triggered		V0200A17A	CAA-Psychotropic drug use: triggered
Items:	V0200A01A	CAA-Delirium: triggered																																																				
	V0200A02A	CAA-Cognitive loss/dementia: triggered																																																				
	V0200A03A	CAA-Visual function: triggered																																																				
	V0200A04A	CAA-Communication: triggered																																																				
	V0200A05A	CAA-ADL functional/rehab potential: triggered																																																				
	V0200A06A	CAA-Urinary incont/indwell catheter: triggered																																																				
	V0200A07A	CAA-Psychosocial well-being: triggered																																																				
	V0200A08A	CAA-Mood state: triggered																																																				
	V0200A09A	CAA-Behavioral symptoms: triggered																																																				
	V0200A10A	CAA-Activities: triggered																																																				
	V0200A11A	CAA-Falls: triggered																																																				
	V0200A12A	CAA-Nutritional status: triggered																																																				
	V0200A13A	CAA-Feeding tubes: triggered																																																				
	V0200A14A	CAA-Dehydration/fluid maintenance: triggered																																																				
	V0200A15A	CAA-Dental care: triggered																																																				
	V0200A16A	CAA-Pressure ulcer: triggered																																																				
	V0200A17A	CAA-Psychotropic drug use: triggered																																																				

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: V0200A18A CAA-Physical restraints: triggered V0200A19A CAA-Pain: triggered V0200A20A CAA-Return to community referral: triggered
-3753	Consistency	Fatal	<p>If N0300 is equal to [1-7], then one of the following must be true: a) N0350A must be equal to [-], OR b) N0350A must be equal to [0-7] and must be less than or equal to N0300.</p> Items: N0300 Number of days injectable medications received N0350A Insulin: insulin injections
-3761	Consistency	Fatal	<p>If any item A1000A through A1000F is equal to [-], then all items from A1000A through A1000F must equal [-].</p> Items: A1000A Ethnicity: American Indian or Alaska Native A1000B Ethnicity: Asian A1000C Ethnicity: Black or African American A1000D Ethnicity: Hispanic or Latino A1000E Ethnicity: Native Hawaiian/Pacific Islander A1000F Ethnicity: White
-3762	Consistency	Warning	<p>***NOTE: THIS EDIT HAS BEEN SUSPENDED AND WILL NOT BE APPLIED TO SUBMITTED RECORDS UNTIL FURTHER NOTICE.</p> <p>If O0250B is active and contains a valid date (is not equal to [-,^]), then it should contain a date that is in the appropriate date range, as defined below. Determination of the appropriate date range depends upon the target date for the assessment. The target date is defined as follows:</p> <p>a) If A0310F is equal to [01], then the target date is equal to A1600 (entry date). b) If A0310F is equal to [10,11,12], then the target date is equal to A2000 (discharge date). c) If A0310F is equal to [99], then the target date is equal to A2300 (assessment reference date).</p> <p>Given the target date, the following rules apply:</p> <p>a) If the target date falls within an ongoing influenza season, then the value of O0250B should be greater than or equal to the starting date of the current influenza season and less than or equal to the target date.</p> <p>b) If the target date falls outside of an ongoing influenza season, then the edit described above in (a) will be suspended and no warning will be issued based upon the value of O0250B.</p> <p>Note that the dates that define the "current influenza season" will be defined each year by CMS and will be published in updates to the MDS user's manual. Note also that violation of the consistency rule described in this edit will result in a warning.</p> Items: A0310F Entry/discharge reporting A1600 Entry date (date of admission/reentry in facility) A2000 Discharge date A2300 Assessment reference date O0250B Date influenza vaccine received.

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																																								
-3764	Consistency	Fatal	<p>The following rules apply to each pair of items in Column 1 and Column 2, from G0110A1 through G0110J2:</p> <p>a) If either item in the pair is equal to [8], then both items in the pair must equal [8].</p> <p>b) If an item in Column 1 is equal to [2,3,4], then the corresponding item in Column 2 must equal [2,3].</p> <p>Items:</p> <table><tr><td>G0110A1</td><td>Bed mobility: self-performance</td></tr><tr><td>G0110A2</td><td>Bed mobility: support provided</td></tr><tr><td>G0110B1</td><td>Transfer: self-performance</td></tr><tr><td>G0110B2</td><td>Transfer: support provided</td></tr><tr><td>G0110C1</td><td>Walk in room: self-performance</td></tr><tr><td>G0110C2</td><td>Walk in room: support provided</td></tr><tr><td>G0110D1</td><td>Walk in corridor: self-performance</td></tr><tr><td>G0110D2</td><td>Walk in corridor: support provided</td></tr><tr><td>G0110E1</td><td>Locomotion on unit: self-performance</td></tr><tr><td>G0110E2</td><td>Locomotion on unit: support provided</td></tr><tr><td>G0110F1</td><td>Locomotion off unit: self-performance</td></tr><tr><td>G0110F2</td><td>Locomotion off unit: support provided</td></tr><tr><td>G0110G1</td><td>Dressing: self-performance</td></tr><tr><td>G0110G2</td><td>Dressing: support provided</td></tr><tr><td>G0110H1</td><td>Eating: self-performance</td></tr><tr><td>G0110H2</td><td>Eating: support provided</td></tr><tr><td>G0110I1</td><td>Toilet use: self-performance</td></tr><tr><td>G0110I2</td><td>Toilet use: support provided</td></tr><tr><td>G0110J1</td><td>Personal hygiene: self-performance</td></tr><tr><td>G0110J2</td><td>Personal hygiene: support provided</td></tr></table>	G0110A1	Bed mobility: self-performance	G0110A2	Bed mobility: support provided	G0110B1	Transfer: self-performance	G0110B2	Transfer: support provided	G0110C1	Walk in room: self-performance	G0110C2	Walk in room: support provided	G0110D1	Walk in corridor: self-performance	G0110D2	Walk in corridor: support provided	G0110E1	Locomotion on unit: self-performance	G0110E2	Locomotion on unit: support provided	G0110F1	Locomotion off unit: self-performance	G0110F2	Locomotion off unit: support provided	G0110G1	Dressing: self-performance	G0110G2	Dressing: support provided	G0110H1	Eating: self-performance	G0110H2	Eating: support provided	G0110I1	Toilet use: self-performance	G0110I2	Toilet use: support provided	G0110J1	Personal hygiene: self-performance	G0110J2	Personal hygiene: support provided
G0110A1	Bed mobility: self-performance																																										
G0110A2	Bed mobility: support provided																																										
G0110B1	Transfer: self-performance																																										
G0110B2	Transfer: support provided																																										
G0110C1	Walk in room: self-performance																																										
G0110C2	Walk in room: support provided																																										
G0110D1	Walk in corridor: self-performance																																										
G0110D2	Walk in corridor: support provided																																										
G0110E1	Locomotion on unit: self-performance																																										
G0110E2	Locomotion on unit: support provided																																										
G0110F1	Locomotion off unit: self-performance																																										
G0110F2	Locomotion off unit: support provided																																										
G0110G1	Dressing: self-performance																																										
G0110G2	Dressing: support provided																																										
G0110H1	Eating: self-performance																																										
G0110H2	Eating: support provided																																										
G0110I1	Toilet use: self-performance																																										
G0110I2	Toilet use: support provided																																										
G0110J1	Personal hygiene: self-performance																																										
G0110J2	Personal hygiene: support provided																																										
-3774	Consistency	Fatal	<p>a) If either G0120A or G0120B is equal to [8], then both items must equal [8].</p> <p>b) If G0120A=[2,3,4], then G0120B must equal [2,3].</p> <p>Items:</p> <table><tr><td>G0120A</td><td>Bathing: self-performance</td></tr><tr><td>G0120B</td><td>Bathing: support provided</td></tr></table>	G0120A	Bathing: self-performance	G0120B	Bathing: support provided																																				
G0120A	Bathing: self-performance																																										
G0120B	Bathing: support provided																																										
-3775	Consistency	Fatal	<p>a) If X0600F=[99], then X0700A must contain a valid date and X0700B and X0700C must be equal to [^].</p> <p>b) If X0600F=[10,11,12], then X0700B must contain a valid date and X0700A and X0700C must be equal to [^].</p> <p>c) If X0600F=[01], then X0700C must contain a valid date and X0700A and X0700B must be equal to [^].</p> <p>Items:</p> <table><tr><td>X0600F</td><td>Correction: entry/discharge reporting</td></tr><tr><td>X0700A</td><td>Correction: assessment reference date</td></tr><tr><td>X0700B</td><td>Correction: discharge date</td></tr><tr><td>X0700C</td><td>Correction: entry date</td></tr></table>	X0600F	Correction: entry/discharge reporting	X0700A	Correction: assessment reference date	X0700B	Correction: discharge date	X0700C	Correction: entry date																																
X0600F	Correction: entry/discharge reporting																																										
X0700A	Correction: assessment reference date																																										
X0700B	Correction: discharge date																																										
X0700C	Correction: entry date																																										

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																											
-3778	Consistency	Fatal	<p>Completion of A1550A through A1550Z.</p> <p>a) If A0310A is equal to [02,06,99], then A1550A through A1550Z must equal [^].</p> <p>b) If the resident's age is 22 years of age or older and A0310A is equal to [01], then A1550A through A1550Z must not equal [^].</p> <p>c) If the resident's age is 22 years of age or older and A0310A is not equal to [01], then A1550A through A1550Z must equal [^].</p> <p>d) If the resident's age is 21 years of age or younger and A0310A is equal to [01,03,04,05], then A1550A through A1550Z must not equal [^].</p> <p>For the rules above, age should be computed in the following way using A0900 (birth date) and A2300 (assessment reference date):</p> <p>a) If only the year is submitted in A0900, then replace the month and day with "0702" (July 2, the midpoint of the year) for the purpose of calculating age.</p> <p>b) If only the year and month are submitted in A0900, replace the day with "15", (the midpoint of the month) for the purpose of calculating age.</p> <p>c) Provisionally compute age (in years) by subtracting the year in A0900 (as modified above, if necessary) from the year in A2300.</p> <p>d) If the month in A2300 is less than the month in A0900, then subtract 1 from the provisional age computed in (c) above.</p> <p>e) If the month in A2300 is equal to the month in A0900 and if the day in A2300 is less than the day in A0900, then subtract 1 from the provisional age computed in (c) above.</p> <table><tr><td>Items:</td><td>A0310A</td><td>Type of assessment: OBRA</td></tr><tr><td></td><td>A0900</td><td>Birthdate</td></tr><tr><td></td><td>A1550A</td><td>ID/DD status: Down syndrome</td></tr><tr><td></td><td>A1550B</td><td>ID/DD status: Autism</td></tr><tr><td></td><td>A1550C</td><td>ID/DD status: Epilepsy</td></tr><tr><td></td><td>A1550D</td><td>ID/DD status: other organic ID/DD condition</td></tr><tr><td></td><td>A1550E</td><td>ID/DD status: ID/DD with no organic condition</td></tr><tr><td></td><td>A1550Z</td><td>ID/DD status: none of the above</td></tr><tr><td></td><td>A2300</td><td>Assessment reference date</td></tr></table>	Items:	A0310A	Type of assessment: OBRA		A0900	Birthdate		A1550A	ID/DD status: Down syndrome		A1550B	ID/DD status: Autism		A1550C	ID/DD status: Epilepsy		A1550D	ID/DD status: other organic ID/DD condition		A1550E	ID/DD status: ID/DD with no organic condition		A1550Z	ID/DD status: none of the above		A2300	Assessment reference date
Items:	A0310A	Type of assessment: OBRA																												
	A0900	Birthdate																												
	A1550A	ID/DD status: Down syndrome																												
	A1550B	ID/DD status: Autism																												
	A1550C	ID/DD status: Epilepsy																												
	A1550D	ID/DD status: other organic ID/DD condition																												
	A1550E	ID/DD status: ID/DD with no organic condition																												
	A1550Z	ID/DD status: none of the above																												
	A2300	Assessment reference date																												
-3779	Consistency	Fatal	<p>a) If A0050 (formerly X0100)=[2], then all active items from X0900A through X0900Z must not equal [^].</p> <p>b) If A0050 (formerly X0100)=[3], then all active items from X0900A through X0900Z must equal [^].</p> <table><tr><td>Items:</td><td>A0050</td><td>Type of transaction (formerly X0100)</td></tr><tr><td></td><td>X0900A</td><td>Correction: modif reasons - transcription error</td></tr><tr><td></td><td>X0900B</td><td>Correction: modif reasons - data entry error</td></tr><tr><td></td><td>X0900C</td><td>Correction: modif reasons - software error</td></tr><tr><td></td><td>X0900D</td><td>Correction: modif reasons - item coding error</td></tr><tr><td></td><td>X0900E</td><td>Correction: modif reasons - resume therapy date</td></tr><tr><td></td><td>X0900Z</td><td>Correction: modif reasons - other error</td></tr></table>	Items:	A0050	Type of transaction (formerly X0100)		X0900A	Correction: modif reasons - transcription error		X0900B	Correction: modif reasons - data entry error		X0900C	Correction: modif reasons - software error		X0900D	Correction: modif reasons - item coding error		X0900E	Correction: modif reasons - resume therapy date		X0900Z	Correction: modif reasons - other error						
Items:	A0050	Type of transaction (formerly X0100)																												
	X0900A	Correction: modif reasons - transcription error																												
	X0900B	Correction: modif reasons - data entry error																												
	X0900C	Correction: modif reasons - software error																												
	X0900D	Correction: modif reasons - item coding error																												
	X0900E	Correction: modif reasons - resume therapy date																												
	X0900Z	Correction: modif reasons - other error																												
-3780	Consistency	Fatal	<p>a) If A0050 (formerly X0100)=[2], then all active items from X1050A through X1050Z must equal [^].</p> <p>b) If A0050 (formerly X0100)=[3], then all active items from X1050A through X1050Z must not equal [^].</p>																											

Data Submission Specifications for the MDS 3.0 (V1.11.0) **Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			Items: A0050 Type of transaction (formerly X0100) X1050A Correction: inact reasons - event did not occur X1050Z Correction: inact reasons - other reason
-3781	Consistency	Fatal	<p>If A0050 (formerly X0100)=[2,3], then all active items from X1100A through X1100E must not equal [^].</p> Items: A0050 Type of transaction (formerly X0100) X1100A Correction: attestor first name X1100B Correction: attestor last name X1100E Correction: attestation date
-3782	Consistency	Fatal	<p>V0100A and V0100B cannot both be equal to [99].</p> Items: V0100A Prior OBRA reason for assessment V0100B Prior PPS reason for assessment
-3783	Consistency	Fatal	<p>The first record that is submitted to correct or inactivate an existing record must have a value of "01" in X0800 (correction number). If that correction/inactivation is accepted and if a subsequent correction/inactivation is required, it must have a value of "02", and so on. In other words, the correction number in X0800 on the first correction/inactivation must be "01", and the value on each subsequent correction/inactivation must be incremented by 1. If the value submitted in X0800 is incorrect, a fatal error will result and the submitted record will be rejected.</p> Items: X0800 Correction: correction number
-3784	Consistency	Fatal	<p>Skip patterns based on J0200:</p> <p>a) If J0200=[0], then the following rules apply: ---a1) All active items from J0300 through J0700 must equal [^]. ---a2) If J0800A through J0800Z are active, they must not equal [^].</p> <p>b) If J0200=[1], then if J0300 is active it must not equal [^].</p> <p>c) If J0200=[-], then all active items from J0300 through J0700 must equal [-].</p> Items: J0200 Should pain assessment interview be conducted J0300 Res pain interview: presence J0400 Res pain interview: frequency J0500A Res pain interview: made it hard to sleep J0500B Res pain interview: limited daily activities J0600A Res pain interview: intensity rating scale J0600B Res pain interview: verbal descriptor scale J0700 Should staff assessment for pain be conducted J0800A Staff pain asmt: non-verbal sounds J0800B Staff pain asmt: vocal complaints of pain J0800C Staff pain asmt: facial expressions J0800D Staff pain asmt: protective movements/postures J0800Z Staff pain asmt: none of these signs observed

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																																							
-3785	Consistency	Fatal	<p>Skip patterns based on J0300:</p> <p>a) If J0300=[0], then all active items from J0400 through J0850 must equal [^].</p> <p>b) If J0300=[1], then the following rules apply:</p> <p>---b1) All active items from J0400 through J0500B must not equal [^].</p> <p>---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^].</p> <p>---b3) If J0700 is an active item, it must not equal [^].</p> <p>c) If J0300=[9], then the following rules apply:</p> <p>---c1) All active items from J0400 through J0700 must equal [^].</p> <p>---c2) All active items from J0800A through J0800Z must not equal [^].</p> <p>d) If J0300=[-], then the following rules apply:</p> <p>---d1) All active items from J0400 through J0600B must equal [-].</p> <p>---d2) All active items from J0700 through J0800Z must not equal [^].</p> <table><tr><td>Items:</td><td>J0300</td><td>Res pain interview: presence</td></tr><tr><td></td><td>J0400</td><td>Res pain interview: frequency</td></tr><tr><td></td><td>J0500A</td><td>Res pain interview: made it hard to sleep</td></tr><tr><td></td><td>J0500B</td><td>Res pain interview: limited daily activities</td></tr><tr><td></td><td>J0600A</td><td>Res pain interview: intensity rating scale</td></tr><tr><td></td><td>J0600B</td><td>Res pain interview: verbal descriptor scale</td></tr><tr><td></td><td>J0700</td><td>Should staff assessment for pain be conducted</td></tr><tr><td></td><td>J0800A</td><td>Staff pain asmt: non-verbal sounds</td></tr><tr><td></td><td>J0800B</td><td>Staff pain asmt: vocal complaints of pain</td></tr><tr><td></td><td>J0800C</td><td>Staff pain asmt: facial expressions</td></tr><tr><td></td><td>J0800D</td><td>Staff pain asmt: protective movements/postures</td></tr><tr><td></td><td>J0800Z</td><td>Staff pain asmt: none of these signs observed</td></tr><tr><td></td><td>J0850</td><td>Staff pain asmt: frequency of pain</td></tr></table>	Items:	J0300	Res pain interview: presence		J0400	Res pain interview: frequency		J0500A	Res pain interview: made it hard to sleep		J0500B	Res pain interview: limited daily activities		J0600A	Res pain interview: intensity rating scale		J0600B	Res pain interview: verbal descriptor scale		J0700	Should staff assessment for pain be conducted		J0800A	Staff pain asmt: non-verbal sounds		J0800B	Staff pain asmt: vocal complaints of pain		J0800C	Staff pain asmt: facial expressions		J0800D	Staff pain asmt: protective movements/postures		J0800Z	Staff pain asmt: none of these signs observed		J0850	Staff pain asmt: frequency of pain
Items:	J0300	Res pain interview: presence																																								
	J0400	Res pain interview: frequency																																								
	J0500A	Res pain interview: made it hard to sleep																																								
	J0500B	Res pain interview: limited daily activities																																								
	J0600A	Res pain interview: intensity rating scale																																								
	J0600B	Res pain interview: verbal descriptor scale																																								
	J0700	Should staff assessment for pain be conducted																																								
	J0800A	Staff pain asmt: non-verbal sounds																																								
	J0800B	Staff pain asmt: vocal complaints of pain																																								
	J0800C	Staff pain asmt: facial expressions																																								
	J0800D	Staff pain asmt: protective movements/postures																																								
	J0800Z	Staff pain asmt: none of these signs observed																																								
	J0850	Staff pain asmt: frequency of pain																																								
-3786	Consistency	Fatal	<p>a) If J0700=[0], then all active items from J0800A through J0850 must equal [^].</p> <p>b) If J0700=[1], then all active items from J0800A through J0800Z must not equal [^].</p> <p>c) If J0700=[-], then all active items from J0800A through J0800Z must not equal [^].</p> <table><tr><td>Items:</td><td>J0700</td><td>Should staff assessment for pain be conducted</td></tr><tr><td></td><td>J0800A</td><td>Staff pain asmt: non-verbal sounds</td></tr><tr><td></td><td>J0800B</td><td>Staff pain asmt: vocal complaints of pain</td></tr><tr><td></td><td>J0800C</td><td>Staff pain asmt: facial expressions</td></tr><tr><td></td><td>J0800D</td><td>Staff pain asmt: protective movements/postures</td></tr><tr><td></td><td>J0800Z</td><td>Staff pain asmt: none of these signs observed</td></tr><tr><td></td><td>J0850</td><td>Staff pain asmt: frequency of pain</td></tr></table>	Items:	J0700	Should staff assessment for pain be conducted		J0800A	Staff pain asmt: non-verbal sounds		J0800B	Staff pain asmt: vocal complaints of pain		J0800C	Staff pain asmt: facial expressions		J0800D	Staff pain asmt: protective movements/postures		J0800Z	Staff pain asmt: none of these signs observed		J0850	Staff pain asmt: frequency of pain																		
Items:	J0700	Should staff assessment for pain be conducted																																								
	J0800A	Staff pain asmt: non-verbal sounds																																								
	J0800B	Staff pain asmt: vocal complaints of pain																																								
	J0800C	Staff pain asmt: facial expressions																																								
	J0800D	Staff pain asmt: protective movements/postures																																								
	J0800Z	Staff pain asmt: none of these signs observed																																								
	J0850	Staff pain asmt: frequency of pain																																								
-3787	Skip pattern	Fatal	<p>a) If J0800Z=[0], then if J0850 is active it must not equal [^].</p> <p>b) If J0800Z=[1,^], then if J0850 is active it must equal [^].</p> <p>c) If J0800Z=[-], then if J0850 is active it must equal [-].</p> <table><tr><td>Items:</td><td>J0800Z</td><td>Staff pain asmt: none of these signs observed</td></tr><tr><td></td><td>J0850</td><td>Staff pain asmt: frequency of pain</td></tr></table>	Items:	J0800Z	Staff pain asmt: none of these signs observed		J0850	Staff pain asmt: frequency of pain																																	
Items:	J0800Z	Staff pain asmt: none of these signs observed																																								
	J0850	Staff pain asmt: frequency of pain																																								
-3788	Consistency	Fatal	<p>Consistency rules for J0700:</p> <p>a) If J0400=[1,2,3,4], then if J0700 is active it must equal [0].</p> <p>b) If J0400=[9,-], then if J0700 is active it must equal [1,-].</p> <table><tr><td>Items:</td><td>J0400</td><td>Res pain interview: frequency</td></tr></table>	Items:	J0400	Res pain interview: frequency																																				
Items:	J0400	Res pain interview: frequency																																								

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3790	Consistency	Fatal	Items: J0700 Should staff assessment for pain be conducted a) If A0310F is equal to [10,11,12], then A2000 and A2100 must not equal [^]. b) If A0310F is not equal to [10,11,12], then A2000 and A2100 must equal [^].
			Items: A0310F Entry/discharge reporting A2000 Discharge date A2100 Discharge status
-3791	Consistency	Fatal	If A0050 (formerly X0100)=[2,3], then the following active items must not equal [^]: X0150, X0200C, X0300, X0400, X0600A, X0600B, X0600C, X0600F. Items: A0050 Type of transaction (formerly X0100) X0150 Correction: type of provider X0200C Correction: resident last name X0300 Correction: resident gender X0400 Correction: resident birth date X0600A Correction: OBRA reason for assessment X0600B Correction: PPS reason for assessment X0600C Correction: OMRA assessment X0600F Correction: entry/discharge reporting
-3792	Consistency	Fatal	If A0050 (formerly X0100)=[2,3], then if X0800 is active it must not equal [^]. Items: A0050 Type of transaction (formerly X0100) X0800 Correction: correction number
-3793	Format	Fatal	The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item. Items: SFTWR_VNDR_ID Software vendor federal employer tax ID SFTWR_VNDR_NA Software vendor company name ME SFTWR_VNDR_EM Software vendor email address AIL_ADR SFTWR_PROD_NA Software product name ME SFTWR_PROD_VRS Software product version code N_CD A0100A Facility National Provider Identifier (NPI) A0100B Facility CMS Certification Number (CCN) A0100C State provider number A0500A Resident first name A0500B Resident middle initial A0500C Resident last name A0500D Resident name suffix A0600A Social Security Number A0600B Resident Medicare/railroad insurance number A0700 Resident Medicaid number A1100B Preferred language A1300A Medical record number

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: A1300B Room number A1300C Name by which resident prefers to be addressed A1300D Lifetime occupation(s) X0200A Correction: resident first name X0200C Correction: resident last name X0500 Correction: resident social security number X1100A Correction: attestor first name X1100B Correction: attestor last name Z0100A Medicare Part A: HIPPS code Z0100B Medicare Part A: RUG version code Z0150A Medicare Part A: non-therapy HIPPS code Z0150B Medicare Part A: non-therapy RUG version code Z0200A State case mix: RUG group Z0200B State case mix: RUG version code Z0250A State case mix: Alternate RUG group Z0250B State case mix: Alternate RUG version code
-3794	Consistency	Fatal	<p>a) If SFTWR_PROD_NAME is equal to [^], then SFTWR_PROD_VRSN_CD must be equal to [^].</p> <p>b) If SFTWR_PROD_NAME is not equal to [^], then SFTWR_PROD_VRSN_CD must not be equal to [^].</p> <p>Items: SFTWR_PROD_NAME Software product name ME SFTWR_PROD_VRSN_CD Software product version code N_CD</p>
-3795	Consistency	Fatal	<p>If A0050 (formerly X0100) is equal to [2], then at least one item from X0900A through X0900Z must equal [1].</p> <p>Items: A0050 Type of transaction (formerly X0100) X0900A Correction: modif reasons - transcription error X0900B Correction: modif reasons - data entry error X0900C Correction: modif reasons - software error X0900D Correction: modif reasons - item coding error X0900E Correction: modif reasons - resume therapy date X0900Z Correction: modif reasons - other error</p>
-3796	Consistency	Fatal	<p>The submission system will recalculate the ISC and compare the recalculated value with the value that is submitted in ITM_SBST_CD. If A0050 (formerly X0100)=[3] (the record is an inactivation), then the recalculated ISC value will be [XX]. If A0050=[1,2] (the record is a new record or a modification record), then the recalculated ISC value will be based upon the submitted RFA values. In either case, if the recalculated value does not match the value submitted in ITM_SBST_CD, a fatal error will result.</p> <p>Items: ITM_SBST_CD Item subset code A0050 Type of transaction (formerly X0100) A0200 Type of provider A0310A Type of assessment: OBRA A0310B Type of assessment: PPS</p>

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: A0310C Type of assessment: OMRA A0310D Swing bed clinical change assessment A0310E First assessment since most recent entry A0310F Entry/discharge reporting
-3797	Consistency	Fatal	a) If A0310A is equal to [01] OR A0310E is equal to [1], then all active items J1700A through J1700C must not equal [^]. b) If A0310A is not equal to [01] AND A0310E is not equal to [1], then all active items J1700A through J1700C must equal [^]. Items: A0310A Type of assessment: OBRA A0310E First assessment since most recent entry J1700A Fall history: fall during month before admission J1700B Fall history: fall 2-6 months before admission J1700C Fall history: fracture from fall 6 month pre admit
-3798	Skip pattern	Fatal	a) If X0150=[1], then if X0600D is active it must equal [^]. b) If X0150=[2], then if X0600D is active it must not equal [^]. Items: X0150 Correction: type of provider X0600D Correction: Swing bed clinical change asmt
-3799	Consistency	Fatal	***THIS EDIT WAS DELETED IN V1.11.0 OF THE DATA SPECS. Items: A0050 Type of transaction (formerly X0100) X0150 Correction: type of provider
-3801	Skip pattern	Fatal	a) If A0200=[1], then if A0310D is active it must equal [^]. b) If A0200=[2], then if A0310D is active it must not equal [^]. Items: A0200 Type of provider A0310D Swing bed clinical change assessment
-3802	Format	Fatal	Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, Ampersands, and Other Special Characters: If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters: a) The numeric characters: [0] through [9]. b) The letters [A] through [Z] and [a] through [z]. c) The character [-]. d) The following special characters: [&] (ampersand) [@] (at sign) ['] (single quote) [/] (forward slash) [+] (plus sign) [,] (comma) [.] (period) [_] (underscore) e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed. Items: SFTWR_VNDR_NA Software vendor company name ME

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: SFTWR_PROD_NA Software product name ME Z0100A Medicare Part A: HIPPS code Z0100B Medicare Part A: RUG version code Z0150A Medicare Part A: non-therapy HIPPS code Z0150B Medicare Part A: non-therapy RUG version code Z0200A State case mix: RUG group Z0200B State case mix: RUG version code Z0250A State case mix: Alternate RUG group Z0250B State case mix: Alternate RUG version code
-3803	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V1.11.0 OF THE DATA SPECS.</p> Items: A0050 Type of transaction (formerly X0100) X0600F Correction: entry/discharge reporting
-3804	Consistency	Fatal	<p>If A0310C=[1,3] (the assessment is a start-of-therapy OMRA assessment), then the Medicare Part A Billing HIPPS code that is submitted in Z0100A will be recalculated. The first byte of the recalculated HIPPS code must equal [R]. If it does not equal [R], then a fatal error will result and the record will be rejected.</p> Items: A0310C Type of assessment: OMRA Z0100A Medicare Part A: HIPPS code
-3805	Consistency	Fatal	<p>If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].</p> Items: F0300 Conduct res interview for daily/activity prefs F0800A Staff assessment: choosing clothes to wear F0800B Staff assessment: caring for personal belongings F0800C Staff assessment: receiving tub bath F0800D Staff assessment: receiving shower F0800E Staff assessment: receiving bed bath F0800F Staff assessment: receiving sponge bath F0800G Staff assessment: snacks between meals F0800H Staff assessment: staying up past 8PM F0800I Staff assessment: discuss care with family/other F0800J Staff assessment: use phone in private F0800K Staff assessment: place to lock personal things F0800L Staff assessment: reading books, newspapers, mags F0800M Staff assessment: listening to music F0800N Staff assessment: being around animals/pets F0800O Staff assessment: keeping up with news F0800P Staff assessment: doing things with groups F0800Q Staff assessment: participate favorite activities F0800R Staff assessment: spend time away from nursng home F0800S Staff assessment: spend time outdoors F0800T Staff assessment: participate religious activities F0800Z Staff assessment: none of above activities

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3806	Consistency	Warning	<p>If A0200=[1] (the provider is a nursing home), the value submitted for A0100C (State Provider Number) will be compared with the value that is currently in the MDS Submission System database. If the values do not match, a warning will be issued. Note that this edit does not apply to swing-bed providers (where A0200=[2]).</p> <p>Items: A0100C State provider number A0200 Type of provider</p>
-3807	Format	Warning	<p>Version Code Values</p> <p>The version code submitted should match one of the values listed in the "Item Values" table of the Detailed Data Specifications Report. For example, do not submit [1.00.], [1.00.0], [1.00.1], or [1.00.2]. A value of [1.00] should be submitted instead.</p> <p>Items: ITM_SET_VRSN_C Item set version code SPEC_VRSN_CD Specifications version code</p>
-3808	Format	Warning	<p>When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.</p> <p>Items: S0101 Admitted from Community S0102 Admitted from NH or SB S0111 Lived Alone S0115 Spouse Location S0120 Prior Residence ZIP Code S0122 Prior Residence State S0123 Prior Residence County S0125 Prior Residence Town Code S0130 Highest Education Completed S0140 Physician License Number S0141 Physician Name S0150 State Resident ID S0160 Specialty unit S0170A Advanced directive: Guardian S0170B Advanced directive: DPOA-HC S0170C Advanced directive: Living will S0170D Advanced directive: Do not resuscitate S0170E Advanced directive: Do not hospitalize S0170F Advanced directive: Do not intubate S0170G Advanced directive: Feeding restrictions S0170H Advanced directive: Other treatment restrictions S0170Z Advanced directive: None of the above S0171A Resident healthcare proxy exists S0171B Resident healthcare proxy invoked S0172A Goal discussion: documentation received S0172B Goal discussion: hospital S0172C Goal discussion: previous NH S0172D Goal discussion: Home without home health services</p>

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	S0172E Goal discussion: Home with home health services
			S0172F Goal discussion: PCP office
			S0172G Goal discussion: Other
			S0172H Goal discussion: Not occur reason
			S0173 Documentation of goals of care discussion
			S0180 Discharged to Community
			S0183 Discharged prior to admission assessment
			S0500 Level of Care
			S0501 CCNH RHNS Level of Care
			S0510 PASRR Screening Complete
			S0511 PASRR Date
			S0512 PASRR Level 1
			S0520 Reason for Admission
			S1000 Local Health Department Reporting
			S1001 State Health Department Reporting
			S1100A Disease: Clostridium Difficile
			S1100B Disease: MRSA
			S1100C Disease: VRE
			S1100D Disease: VISA
			S1100E Disease: VRSA
			S1100F Disease: Other MDRO
			S1100F1 Disease: MDRO Name1
			S1100F2 Disease: MDRO Name2
			S1100G Disease: Tuberculosis
			S1100H Disease: Herpes Zoster
			S1100I Disease: Scabies
			S1100Z Disease: None of the Above
			S1200A Mental Health: Schizophrenia
			S1200B Mental Health: Delusional Disorder
			S1200C Mental Health: Schizoaffective Disorder
			S1200D Mental Health: Other Psychotic Disorder
			S1200E Mental Health: Bipolar I Mixed, Manic, & Depressed
			S1200F Mental Health: Bipolar Disorder II
			S1200G Mental Health: Cyclothymic Disorder
			S1200H Mental Health: Other Bipolar Disorder
			S1200I Mental Health: Major Depression, Recurrent
			S1200Z Mental Health: None of the above
			S2000 Capable of self-administration of medications
			S2001 Wishes to self-medicate
			S2010 Refused meds 3 days
			S2011 Staff support for meds 3 days
			S2015 Refused meds occasionally 30 days
			S2016 Refused meds frequently 30 days

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	S2040 Behavior Management Program
			S2050 Resists grooming/hygiene
			S3100A Contractures: Hand
			S3100B Contractures: Wrist
			S3100C Contractures: Elbow
			S3100D Contractures: Shoulder
			S3100E Contractures: Neck
			S3100F Contractures: Ankle
			S3100G Contractures: Knee
			S3100H Contractures: Hip
			S3100Z Contractures: Other
			S3200A Dominant Side
			S3200B Use of dominant hand/arm
			S4000A Harm: Self Injury/Self-injurious attempt
			S4000B Harm: Attempt was to kill self
			S4000C Harm: Considered injuring self
			S4000D Harm: Self-injury caregiver concern
			S4010A Hourly Interval Observation
			S4010B 15- Min. Interval Observation
			S4010C 5- Min. Interval Observation
			S4010D Constant Observation for < 1 hr
			S4010E Constant Observation for > 1 hr
			S4500 Substance Abuse: Alcoholic Drinks
			S4510A Substance Abuse: Inhalants
			S4510B Substance Abuse: Hallucinogens
			S4510C Substance Abuse: Cocaine and Crack
			S4510D Substance Abuse: Stimulants
			S4510E Substance Abuse: Opiates
			S4510F Substance Abuse: Cannabis
			S5000 Number of New Pressure Ulcers
			S5005 New Pressure Ulcer setting
			S5010A1 Pressure ulcer 1 location
			S5010A2 Pressure ulcer 1 status
			S5010B1 Pressure ulcer 2 location
			S5010B2 Pressure ulcer 2 status
			S5010C1 Pressure ulcer 3 location
			S5010C2 Pressure ulcer 3 status
			S5010D1 Pressure ulcer 4 location
			S5010D2 Pressure ulcer 4 status
			S5010E1 Pressure ulcer 5 location
			S5010E2 Pressure ulcer 5 status
			S5010F1 Pressure ulcer 6 location
			S5010F2 Pressure ulcer 6 status

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	S5010G1 Pressure ulcer 7 location
			S5010G2 Pressure ulcer 7 status
			S5010H1 Pressure ulcer 8 location
			S5010H2 Pressure ulcer 8 status
			S5010I1 Pressure ulcer 9 location
			S5010I2 Pressure ulcer 9 status
			S6000 Parenteral/IV feeding in NH
			S6005 IV meds in NH
			S6010 Oxygen Therapy in NH
			S6050 Isolation precautions needed
			S6051A Isolation Precaution: Airborne
			S6051B Isolation Precaution: Contact
			S6051C Isolation Precaution: Droplet
			S6051D Isolation Precaution: Protective
			S6100A Vaccination: Varicella
			S6100B Vaccination: Tetanus, diphtheria (Td)
			S6100C Vaccination: Tetanus, diphtheria, pertussis (Tdap)
			S6100D Vaccination: Measles, Mumps, Rubella (MMR)
			S6100E Vaccination: Other
			S6100F1 Vaccination: Other Name 1
			S6100F2 Vaccination: Other Name 2
			S6100F3 Vaccination: Other Name 3
			S6100Z Vaccination: None of the above
			S6200 Number of Hospital Stays
			S6210 Number of ER visits
			S6220 Alzheimer's/Dementia Special Care Unit
			S8000A1 Medicare - Primary Payor
			S8000A2 Medicare - Secondary Payor
			S8000A3 Medicare Payor
			S8000B1 Medicare Part A - Primary Payor
			S8000B2 Medicare Part A - Secondary Payor
			S8000B3 Medicare Part A Payor
			S8000C1 Medicare Part B - Primary Payor
			S8000C2 Medicare Part B - Secondary Payor
			S8000C3 Medicare Part B Payor
			S8000D1 Medicare Part C - Primary Payor
			S8000D2 Medicare Part C - Secondary Payor
			S8000D3 Medicare Part C Payor
			S8000E1 Medicare per diem - Primary Payor
			S8000E2 Medicare per diem - Secondary Payor
			S8000E3 Medicare per diem Payor
			S8000Z Medicare not a payment source
			S8010A1 In-state Medicaid - Primary Payor

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	S8010A2 In-state Medicaid - Secondary Payor
			S8010A3 In-state Medicaid payor
			S8010B1 Out-of-state Medicaid - Primary Payor
			S8010B2 Out-of-state Medicaid - Secondary Payor
			S8010B3 Out-of-state Medicaid Payor
			S8010C1 Medicaid per diem - Primary Payor
			S8010C2 Medicaid per diem - Secondary Payor
			S8010C3 Medicaid per diem Payor
			S8010D1 Medicaid managed care per diem - Primary Payor
			S8010D2 Medicaid managed care per diem - Secondary Payor
			S8010D3 Medicaid managed care per diem Payor
			S8010E1 Medicaid per diem (not MC) - Primary Payor
			S8010E2 Medicaid per diem (not MC) - Secondary Payor
			S8010E3 Medicaid per diem (not MC) Payor
			S8010F Medicaid per diem type
			S8010F1 Medicaid Resident Liability - Primary Payor
			S8010F2 Medicaid Resident Liability - Secondary Payor
			S8010F3 Medicaid Resident Liability Payor
			S8010G Medicaid state source
			S8010G1 Medicare Co-Pay - Primary Payor
			S8010G2 Medicare Co-pay - Secondary Payor
			S8010G3 Medicare Co-pay Payor
			S8010H1 Picture Date reporting
			S8010H2 Medicaid Other - Secondary Payor
			S8010H3 Medicaid Other Payor
			S8010I1 Medicaid Pending - Primary Payor
			S8010I2 Medicaid Pending - Secondary Payor
			S8010I3 Medicaid Pending Payor
			S8010Z Medicaid not a payment source
			S8020A1 Private - Primary Payor
			S8020A2 Private - Secondary Payor
			S8020A3 Private Payor
			S8020B1 Private per diem - Primary Payor
			S8020B2 Private per diem - Secondary Payor
			S8020B3 Private per diem Payor
			S8020C1 Private LTC insurance policy - Primary Payor
			S8020C2 Private LTC insurance policy - Secondary Payor
			S8020C3 Private LTC insurance policy
			S8020Z Private insurance not a payment source
			S8030A1 Self-pay - Primary Payor
			S8030A2 Self-pay - Secondary Payor
			S8030A3 Self-pay Payor
			S8030B1 Family pay - Primary Payor

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	S8030B2 Family pay - Secondary Payor
			S8030B3 Family pay Payor
			S8030C Self or Family pay for full per diem
			S8030Z Self or Family not a payment source
			S8040A1 State Run Medical Assistance - Primary Payor
			S8040A2 State Run Medical Assistance - Secondary Payor
			S8040A3 State Run Medical Assistance Payor
			S8040B1 Tricare per diem - Primary Payor
			S8040B2 Tricare per diem - Secondary Payor
			S8040B3 Tricare per diem Payor
			S8040C1 VA per diem - Primary Payor
			S8040C2 VA per diem - Secondary Payor
			S8040C3 VA per diem Payor
			S8040D1 Other Public - Primary Payor
			S8040D2 Other Public - Secondary Payor
			S8040D3 Other Public Payor
			S8040Z Other government not a payment source
			S8050A1 Other - Primary Payor
			S8050A2 Other - Secondary Payor
			S8050A3 Other Payor
			S8050B Other Payor Name 1
			S8050C Other Payor Name 2
			S8050D Other Payor Name 3
			S8055 Primary payor
			S8099 Payor: None of the Above
			S8500 Medicaid begin date
			S8510A Medicaid Therapeutic bed-hold days since last asmt
			S8510B Medicaid Therapeutic bed-hold days - YTD
			S8512A Medicaid hospital bed-hold days since last asmt
			S8512B Medicaid hospital bed-hold days - YTD
			S8520A Medicaid Leave Days Type 1
			S8520B Leave Days for Medicaid begin date 1
			S8520C Leave Days for Medicaid end date 1
			S8521A Medicaid Leave Days Type 2
			S8521B Leave Days for Medicaid begin date 2
			S8521C Leave Days for Medicaid end date 2
			S9000 IL Skills Training
			S9001 IL IDPH Subpart S criteria
			S9002A IL IDPH Subpart S: Schizophrenia
			S9002B IL IDPH Subpart S: Delusional disorder
			S9002C IL IDPH Subpart S: Schizoaffective disorder
			S9002D IL IDPH Subpart S: Psychotic disorder not specified
			S9002E IL IDPH Subpart S: Bipolar I mixed, manic, & depr

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: S9002F IL IDPH Subpart S: Bipolar disorder II S9002G IL IDPH Subpart S: Cyclothymic disorder S9002H IL IDPH Subpart S: Bipolar disorder not specified S9002I IL IDPH Subpart S: Major depression, recurrent S9003 IL IDPH Subpart S: Ancillary S9020 FL FRAES number S9040A CA POLST S9040B CA POLST Section A S9040C CA POLST Section B S9040D CA POLST Section C S9040E CA POLST D physician signature S9040F CA POLST D resident signature S9040G CA POLST D discussed with patient or decisionmaker S9040H CA POLST advanced directive S9060 NY Medicaid add-on eligibility S9080A PA MA CASE-MIX S9080B PA MA CASE-MIX Date S9080C PA MA CASE-MIX Access Card Number S9080D PA MA CASE-MIX MA NF Effective Date S9080E PA MA CASE-MIX Day One MA S9100A VA Room & Board Payment Assessment Reference Date S9100B VA Room & Board Payment Entry Date S9100C VA Medicaid Room & Board initial date S9120 CT Approved LTC
-3809	Skip pattern	Fatal	If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^]. Items: D0100 PHQ: should resident mood interview be conducted D0500A1 PHQ staff: little interest or pleasure - presence D0500A2 PHQ staff: little interest or pleasure - frequency D0500B1 PHQ staff: feeling down, depressed - presence D0500B2 PHQ staff: feeling down, depressed - frequency D0500C1 PHQ staff: trouble with sleep - presence D0500C2 PHQ staff: trouble with sleep - frequency D0500D1 PHQ staff: feeling tired/little energy - presence D0500D2 PHQ staff: feeling tired/little energy - frequency D0500E1 PHQ staff: poor appetite or overeating - presence D0500E2 PHQ staff: poor appetite or overeating - frequency D0500F1 PHQ staff: feeling bad about self - presence D0500F2 PHQ staff: feeling bad about self - frequency D0500G1 PHQ staff: trouble concentrating - presence D0500G2 PHQ staff: trouble concentrating - frequency D0500H1 PHQ staff: slow, fidgety, restless - presence D0500H2 PHQ staff: slow, fidgety, restless - frequency

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: D0500I1 PHQ staff: thoughts better off dead - presence D0500I2 PHQ staff: thoughts better off dead - frequency D0500J1 PHQ staff: short-tempered - presence D0500J2 PHQ staff: short-tempered - frequency D0600 PHQ staff: total mood score
-3810	Consistency	Warning	RECORD SUBMISSION TIMING RULES The following rules specify the maximum number of days which should elapse between each date listed and the submission date. There are different rules for new records (where A0050 (formerly X0100)=[1]) and for modifications and inactivations (where A0050 (formerly X0100)=[2,3]). RULES FOR NEW RECORDS (WHERE A0050=[1]): The following rules apply to new records, where A0050=[1]. a) If A0310F is equal to [01] (entry record), then submission date - A1600 (entry date) should be less than or equal to 14 days. b) If A0310F is equal to [12] (death in facility record), then submission date - A2000 (discharge date) should be less than or equal to 14 days. c) If A0310F is equal to [10,11,99] and A0310A is equal to [01,03,04,05] (comprehensive assessment), then submission date - V0200C2 (care plan completion date) should be less than or equal to 14 days. d) If A0310F is equal to [10,11,99] and A0310A is equal to [02,06,99] (all other types of assessment), then submission date - Z0500B (assessment completion date) should be less than or equal to 14 days. RULES FOR MODIFICATIONS/INACTIVATIONS (WHERE A0050=[2,3]): e) If A0050 is equal to [2,3] (modification or inactivation record), then submission date - X1100E (attestation date) should be less than or equal to 14 days. Items: A0050 Type of transaction (formerly X0100) A0310A Type of assessment: OBRA A0310F Entry/discharge reporting A1600 Entry date (date of admission/reentry in facility) A2000 Discharge date V0200C2 CAA-Care planning signature date X1100E Correction: attestation date Z0500B Date RN signed assessment as complete
-3811	Consistency	Fatal	If A0050 (formerly X0100)=[2] (modification record), the following rules apply: a) X0600A must equal A0310A. b) X0600B must equal A0310B. c) X0600C must equal A0310C. d) X0600D must equal A0310D. e) X0600F must equal A0310F. f) If X0600F=[99], then X0700A must equal A2300. g) If X0600F=[10,11,12], then X0700B must equal A2000. h) If X0600F=[01], then X0700C must equal A1600. Items: A0050 Type of transaction (formerly X0100) A0310A Type of assessment: OBRA

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: A0310B Type of assessment: PPS A0310C Type of assessment: OMRA A0310D Swing bed clinical change assessment A0310F Entry/discharge reporting A1600 Entry date (date of admission/reentry in facility) A2000 Discharge date A2300 Assessment reference date X0600A Correction: OBRA reason for assessment X0600B Correction: PPS reason for assessment X0600C Correction: OMRA assessment X0600D Correction: Swing bed clinical change asmt X0600F Correction: entry/discharge reporting X0700A Correction: assessment reference date X0700B Correction: discharge date X0700C Correction: entry date
-3812	Consistency	Fatal	<p>a) If A0310C=[2,3] and A0310F=[99], then if O0450A is active it must equal [0,1,-].</p> <p>b) If A0310C=[0,1,4] or A0310F=[01,10,11,12], then all active items from O0450A through O0450B must equal [^].</p> Items: A0310C Type of assessment: OMRA A0310F Entry/discharge reporting O0450A Has therapy resumed O0450B Therapy resumption date
-3813	Skip pattern	Fatal	<p>a) If O0450A=[0,-], then if O0450B is active it must equal [^].</p> <p>b) If O0450A=[1], then if O0450B is active it must not equal [^].</p> Items: O0450A Has therapy resumed O0450B Therapy resumption date
-3814	Consistency	Fatal	<p>If O0450A=[1] and O0450B does not equal [-], then the following rules apply:</p> <p>a) At least one of the following items must contain a valid date (YYYYMMDD) and must not equal [^,-,-----]: O0400A6, O0400B6, O0400C6.</p> <p>b) The date in O0450B must be greater than the latest date that is contained in O0400A6, O0400B6, and O0400C6.</p> <p>c) The difference between the date in O0450B and the latest date that is contained in O0400A6, O0400B6, and O0400C6 must be less than or equal to 5 days.</p> <p>d) The date contained in O0450B must be less than or equal to the current date.</p> Items: O0400A6 Speech-language/audiology: end date O0400B6 Occupational therapy: end date O0400C6 Physical therapy: end date O0450A Has therapy resumed O0450B Therapy resumption date
-3815	Consistency	Fatal	<p>If X0900E=[1], then O0450A must equal [1].</p>

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: O0450A Has therapy resumed X0900E Correction: modif reasons - resume therapy date
-3816	Consistency	Fatal	<p>If K0510A2 through K0510D2 and K0510Z2 in Column 2 are all active and K0510Z2 is not equal to [^], then the following rules apply:</p> <p>a) If K0510Z2=[0], then at least one item from K0510A2 through K0510D2 in Column 2 must equal [1].</p> <p>b) If K0510Z2=[1], then all items from K0510A2 through K0510D2 in Column 2 must equal [0].</p> <p>c) If K0510Z2=[-], then at least one item from K0510A2 through K0510D2 in Column 2 must equal [-] and all remaining items in Column 2 must equal [0,-].</p>
			Items: K0510A2 Nutrition approach: Res: parenteral /IV feeding K0510B2 Nutrition approach: Res: feeding tube K0510C2 Nutrition approach: Res: mechanically altered diet K0510D2 Nutrition approach: Res: therapeutic diet K0510Z2 Nutrition approach: Res: none of the above
-3818	Skip pattern	Fatal	<p>a) If A1500=[1], then all active items from A1510A through A1510C must not equal [^].</p> <p>b) If A1500=[0,9,^], then all active items from A1510A through A1510C must equal [^].</p> <p>c) If A1500=[-], then all active items from A1510A through A1510C must equal [-].</p>
			Items: A1500 Resident evaluated by PASRR A1510A Level II PASRR conditions: Serious Mental Illness A1510B Level II PASRR conditions: Mental Retardation A1510C Level II PASRR conditions: Other related condition
-3819	Consistency	Fatal	<p>a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 7 days, then the following items in Column 1 must be equal to [^]: K0510A1, K0510B1, K0510C1, K0510D1, K0510Z1.</p> <p>b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 6 days, then the following rules apply:</p> <p>---b1) If the following items in Column 1 are active, they must not equal [^]: K0510A1 and K0510B1.</p> <p>---b2) If A0310G=[2] and A0310A=[99] and A0310B=[99], then if the following items in Column 1 are active, they must equal [^]: K0510C1, K0510D1 and K0510Z1.</p> <p>---b3) If A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if the following items in Column 1 are active, they must not equal [^]: K0510C1, K0510D1 and K0510Z1.</p> <p>---b4) If A0310G=[1,^], then if the following items in Column 1 are active, they must not equal [^]: K0510C1, K0510D1 and K0510Z1.</p>
			Items: A0310A Type of assessment: OBRA A0310B Type of assessment: PPS A0310G Planned/unplanned discharge A1600 Entry date (date of admission/reentry in facility) A2300 Assessment reference date K0510A1 Nutrition approach: Not Res: parenteral/IV feeding K0510B1 Nutrition approach: Not Res: feeding tube K0510C1 Nutrition approach: Not Res: mechanically altered K0510D1 Nutrition approach: Not Res: therapeutic diet K0510Z1 Nutrition approach: Not Res: none of the above

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																								
-3820	Skip pattern	Fatal	<p>a) If Q0490=[1], then all active items from Q0500B through Q0550B must equal [^].</p> <p>b) If Q0490=[0,8,-], then all active items from Q0500B through Q0550B must not equal [^].</p> <p>Items:</p> <table><tr><td>Q0490</td><td>Resident's preference to avoid being asked</td></tr><tr><td>Q0500B</td><td>Do you want to talk about returning to community</td></tr><tr><td>Q0550A</td><td>Reasking resident preference</td></tr><tr><td>Q0550B</td><td>Reasking resident preference source</td></tr></table>	Q0490	Resident's preference to avoid being asked	Q0500B	Do you want to talk about returning to community	Q0550A	Reasking resident preference	Q0550B	Reasking resident preference source																
Q0490	Resident's preference to avoid being asked																										
Q0500B	Do you want to talk about returning to community																										
Q0550A	Reasking resident preference																										
Q0550B	Reasking resident preference source																										
-3824	Consistency	Fatal	<p>a) If A0310G=[2] and A0310A=[99] and A0310B=[99], then if the following items in Column 2 are active, they must equal [^]: K0510C2, K0510D2 and K0510Z2.</p> <p>b) If A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if the following items in Column 2 are active, they must not equal [^]: K0510C2, K0510D2 and K0510Z2.</p> <p>c) If A0310G=[1,^], then if the following items in Column 2 are active, they must not equal [^]: K0510C2, K0510D2 and K0510Z2.</p> <p>Items:</p> <table><tr><td>A0310A</td><td>Type of assessment: OBRA</td></tr><tr><td>A0310B</td><td>Type of assessment: PPS</td></tr><tr><td>A0310G</td><td>Planned/unplanned discharge</td></tr><tr><td>K0510C2</td><td>Nutrition approach: Res: mechanically altered diet</td></tr><tr><td>K0510D2</td><td>Nutrition approach: Res: therapeutic diet</td></tr><tr><td>K0510Z2</td><td>Nutrition approach: Res: none of the above</td></tr></table>	A0310A	Type of assessment: OBRA	A0310B	Type of assessment: PPS	A0310G	Planned/unplanned discharge	K0510C2	Nutrition approach: Res: mechanically altered diet	K0510D2	Nutrition approach: Res: therapeutic diet	K0510Z2	Nutrition approach: Res: none of the above												
A0310A	Type of assessment: OBRA																										
A0310B	Type of assessment: PPS																										
A0310G	Planned/unplanned discharge																										
K0510C2	Nutrition approach: Res: mechanically altered diet																										
K0510D2	Nutrition approach: Res: therapeutic diet																										
K0510Z2	Nutrition approach: Res: none of the above																										
-3825	Consistency	Fatal	<p>a) If B0100=[0] and A0310G=[1,^], then if C0100 is active it must not equal [^].</p> <p>b) If B0100=[-] and A0310G=[1,^], then if C0100 is active it must equal [-].</p> <p>c) If B0100=[0] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if C0100 is active it must not equal [^].</p> <p>d) If B0100=[-] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if C0100 is active it must equal [-].</p> <p>Items:</p> <table><tr><td>A0310A</td><td>Type of assessment: OBRA</td></tr><tr><td>A0310B</td><td>Type of assessment: PPS</td></tr><tr><td>A0310G</td><td>Planned/unplanned discharge</td></tr><tr><td>B0100</td><td>Comatose</td></tr><tr><td>C0100</td><td>BIMS: should resident interview be conducted</td></tr></table>	A0310A	Type of assessment: OBRA	A0310B	Type of assessment: PPS	A0310G	Planned/unplanned discharge	B0100	Comatose	C0100	BIMS: should resident interview be conducted														
A0310A	Type of assessment: OBRA																										
A0310B	Type of assessment: PPS																										
A0310G	Planned/unplanned discharge																										
B0100	Comatose																										
C0100	BIMS: should resident interview be conducted																										
-3826	Consistency	Fatal	<p>If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from C0100 through C0600 must equal [^] and all active items from C0700 through C1000 must not equal [^].</p> <p>Items:</p> <table><tr><td>A0310A</td><td>Type of assessment: OBRA</td></tr><tr><td>A0310B</td><td>Type of assessment: PPS</td></tr><tr><td>A0310G</td><td>Planned/unplanned discharge</td></tr><tr><td>B0100</td><td>Comatose</td></tr><tr><td>C0100</td><td>BIMS: should resident interview be conducted</td></tr><tr><td>C0200</td><td>BIMS res interview: repetition of three words</td></tr><tr><td>C0300A</td><td>BIMS res interview: able to report correct year</td></tr><tr><td>C0300B</td><td>BIMS res interview: able to report correct month</td></tr><tr><td>C0300C</td><td>BIMS res interview: can report correct day of week</td></tr><tr><td>C0400A</td><td>BIMS res interview: able to recall "sock"</td></tr><tr><td>C0400B</td><td>BIMS res interview: able to recall "blue"</td></tr><tr><td>C0400C</td><td>BIMS res interview: able to recall "bed"</td></tr></table>	A0310A	Type of assessment: OBRA	A0310B	Type of assessment: PPS	A0310G	Planned/unplanned discharge	B0100	Comatose	C0100	BIMS: should resident interview be conducted	C0200	BIMS res interview: repetition of three words	C0300A	BIMS res interview: able to report correct year	C0300B	BIMS res interview: able to report correct month	C0300C	BIMS res interview: can report correct day of week	C0400A	BIMS res interview: able to recall "sock"	C0400B	BIMS res interview: able to recall "blue"	C0400C	BIMS res interview: able to recall "bed"
A0310A	Type of assessment: OBRA																										
A0310B	Type of assessment: PPS																										
A0310G	Planned/unplanned discharge																										
B0100	Comatose																										
C0100	BIMS: should resident interview be conducted																										
C0200	BIMS res interview: repetition of three words																										
C0300A	BIMS res interview: able to report correct year																										
C0300B	BIMS res interview: able to report correct month																										
C0300C	BIMS res interview: can report correct day of week																										
C0400A	BIMS res interview: able to recall "sock"																										
C0400B	BIMS res interview: able to recall "blue"																										
C0400C	BIMS res interview: able to recall "bed"																										

Data Submission Specifications for the MDS 3.0 (V1.11.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: C0500 BIMS res interview: summary score C0600 Staff asmt mental status: conduct asmt C0700 Staff asmt mental status: short-term memory OK C0800 Staff asmt mental status: long-term memory OK C0900A Staff asmt mental status: recall current season C0900B Staff asmt mental status: recall location of room C0900C Staff asmt mental status: recall staff names/faces C0900D Staff asmt mental status: recall in nursing home C0900Z Staff asmt mental status: none of above recalled C1000 Cognitive skills for daily decision making
-3827	Consistency	Fatal	<p>If K0510A1 through K0510D1 and K0510Z1 in Column 1 are all active and K0510Z1 is not equal to [^], then the following rules apply:</p> <p>a) If K0510Z1=[0], then at least one item from K0510A1 through K0510D1 in Column 1 must equal [1].</p> <p>b) If K0510Z1=[1], then all items from K0510A1 through K0510D1 in Column 1 must equal [0].</p> <p>c) If K0510Z1=[-], then at least one item from K0510A1 through K0510D1 in Column 1 must equal [-] and all remaining items in Column 1 must equal [0,-].</p> Items: K0510A1 Nutrition approach: Not Res: parenteral/IV feeding K0510B1 Nutrition approach: Not Res: feeding tube K0510C1 Nutrition approach: Not Res: mechanically altered K0510D1 Nutrition approach: Not Res: therapeutic diet K0510Z1 Nutrition approach: Not Res: none of the above
-3828	None of above	Fatal	<p>If M1040A through M1040H and M1040Z are all active, then the following rules apply:</p> <p>a) If M1040Z=[0], then at least one item from M1040A through M1040H must equal [1].</p> <p>b) If M1040Z=[1], then all items from M1040A through M1040H must equal [0].</p> <p>c) If M1040Z=[-], then at least one item from M1040A through M1040H must equal [-] and all remaining items must equal [0,-].</p> Items: M1040A Other skin probs: infection of the foot M1040B Other skin probs: diabetic foot ulcer(s) M1040C Other skin probs: other open lesion(s) on the foot M1040D Other skin probs: lesions not ulcers, rashes, cuts M1040E Other skin probs: surgical wound(s) M1040F Other skin probs: burns (second or third degree) M1040G Skin Tear(s) M1040H Moisture Associated Skin Damage (MASD) M1040Z Other skin probs: none of the above
-3829	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^].</p> <p>b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].</p> Items: B0100 Comatose B0200 Hearing B0300 Hearing aid B0600 Speech clarity B0700 Makes self understood B0800 Ability to understand others

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: B1000 Vision B1200 Corrective lenses
-3830	Skip pattern	Fatal	a) If B0100=[0], then all active items from C1300A through C1600 must not equal [^]. b) If B0100=[-], then all active items from C1300A through C1600 must equal [-]. Items: B0100 Comatose C1300A Signs of delirium: inattention C1300B Signs of delirium: disorganized thinking C1300C Signs of delirium: altered level of consciousness C1300D Signs of delirium: psychomotor retardation C1600 Acute onset mental status change
-3831	Consistency	Fatal	a) If B0100=[0] and A0310G=[1,^], then if J0200 is active it must not equal [^]. b) If B0100=[-] and A0310G=[1,^], then if J0200 is active it must equal [-]. c) If B0100=[0] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if J0200 is active it must not equal [^]. d) If B0100=[-] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if J0200 is active it must equal [-]. Items: A0310A Type of assessment: OBRA A0310B Type of assessment: PPS A0310G Planned/unplanned discharge B0100 Comatose J0200 Should pain assessment interview be conducted
-3832	Consistency	Fatal	The following sub-edits are based upon the values of items K0510A1, K0510A2, K0510B1, and K0510B2. These will be referred to as the "feeding items" below. a) If one or more of the four feeding items is equal to [1], then K0700A and K0700B must not equal [^]. b) If all four of the feeding items are equal to [0,^], then K0700A and K0700B must be equal to [^]. c) If at least one of the four feeding items is equal to [-] and the remaining feeding items are equal to [0,-,^], then K0700A and K0700B must be equal to [-]. Items: K0510A1 Nutrition approach: Not Res: parenteral/IV feeding K0510A2 Nutrition approach: Res: parenteral /IV feeding K0510B1 Nutrition approach: Not Res: feeding tube K0510B2 Nutrition approach: Res: feeding tube K0700A Proportion total calories via parenteral/tube feed K0700B Average fluid intake per day by IV or tube
-3833	Consistency	Fatal	a) If Q0400A=[0,-] and A0310A=[01,03,04,05], then if Q0490 is active it must equal [^]. b) If Q0400A=[0,-] and A0310A=[02,06,99], then if Q0490 is active it must not equal [^]. c) If Q0400A=[1], then all active items from Q0490 through Q0550B must equal [^]. Items: A0310A Type of assessment: OBRA Q0400A Active discharge planning for return to community Q0490 Resident's preference to avoid being asked Q0500B Do you want to talk about returning to community Q0550A Reasking resident preference Q0550B Reasking resident preference source

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3834	Skip pattern	Fatal	<p>a) If A0310A=[01,03,04,05], then if A1500 is active it must not equal [^].</p> <p>b) If A0310A=[02,06,99], then if A1500 is active it must equal [^].</p> <p>Items: A0310A Type of assessment: OBRA A1500 Resident evaluated by PASRR</p>
-3835	Consistency	Fatal	<p>a) If B0100=[0] and A0310G=[1,^], then if D0100 is active it must not equal [^].</p> <p>b) If B0100=[-] and A0310G=[1,^], then if D0100 is active it must equal [-].</p> <p>c) If B0100=[0] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if D0100 is active it must not equal [^].</p> <p>d) If B0100=[-] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if D0100 is active it must equal [-].</p> <p>Items: A0310A Type of assessment: OBRA A0310B Type of assessment: PPS A0310G Planned/unplanned discharge B0100 Comatose D0100 PHQ: should resident mood interview be conducted</p>
-3836	Consistency	Fatal	<p>If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0650 must equal [^].</p> <p>Items: A0310A Type of assessment: OBRA A0310B Type of assessment: PPS A0310G Planned/unplanned discharge B0100 Comatose D0100 PHQ: should resident mood interview be conducted D0200A1 PHQ res: little interest or pleasure - presence D0200A2 PHQ res: little interest or pleasure - frequency D0200B1 PHQ res: feeling down, depressed - presence D0200B2 PHQ res: feeling down, depressed - frequency D0200C1 PHQ res: trouble with sleep - presence D0200C2 PHQ res: trouble with sleep - frequency D0200D1 PHQ res: feeling tired/little energy - presence D0200D2 PHQ res: feeling tired/little energy - frequency D0200E1 PHQ res: poor appetite or overeating - presence D0200E2 PHQ res: poor appetite or overeating - frequency D0200F1 PHQ res: feeling bad about self - presence D0200F2 PHQ res: feeling bad about self - frequency D0200G1 PHQ res: trouble concentrating - presence D0200G2 PHQ res: trouble concentrating - frequency D0200H1 PHQ res: slow, fidgety, restless - presence D0200H2 PHQ res: slow, fidgety, restless - frequency D0200I1 PHQ res: thoughts better off dead - presence D0200I2 PHQ res: thoughts better off dead - frequency D0300 PHQ res: total mood severity score D0350 PHQ res: safety notification D0500A1 PHQ staff: little interest or pleasure - presence</p>

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: D0500A2 PHQ staff: little interest or pleasure - frequency D0500B1 PHQ staff: feeling down, depressed - presence D0500B2 PHQ staff: feeling down, depressed - frequency D0500C1 PHQ staff: trouble with sleep - presence D0500C2 PHQ staff: trouble with sleep - frequency D0500D1 PHQ staff: feeling tired/little energy - presence D0500D2 PHQ staff: feeling tired/little energy - frequency D0500E1 PHQ staff: poor appetite or overeating - presence D0500E2 PHQ staff: poor appetite or overeating - frequency D0500F1 PHQ staff: feeling bad about self - presence D0500F2 PHQ staff: feeling bad about self - frequency D0500G1 PHQ staff: trouble concentrating - presence D0500G2 PHQ staff: trouble concentrating - frequency D0500H1 PHQ staff: slow, fidgety, restless - presence D0500H2 PHQ staff: slow, fidgety, restless - frequency D0500I1 PHQ staff: thoughts better off dead - presence D0500I2 PHQ staff: thoughts better off dead - frequency D0500J1 PHQ staff: short-tempered - presence D0500J2 PHQ staff: short-tempered - frequency D0600 PHQ staff: total mood score D0650 PHQ staff: safety notification
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^]. Items: A0310A Type of assessment: OBRA A0310B Type of assessment: PPS A0310G Planned/unplanned discharge B0100 Comatose J0200 Should pain assessment interview be conducted J0300 Res pain interview: presence J0400 Res pain interview: frequency J0500A Res pain interview: made it hard to sleep J0500B Res pain interview: limited daily activities J0600A Res pain interview: intensity rating scale J0600B Res pain interview: verbal descriptor scale J0700 Should staff assessment for pain be conducted J0800A Staff pain asmt: non-verbal sounds J0800B Staff pain asmt: vocal complaints of pain J0800C Staff pain asmt: facial expressions J0800D Staff pain asmt: protective movements/postures J0800Z Staff pain asmt: none of these signs observed J0850 Staff pain asmt: frequency of pain

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3838	Skip pattern	Fatal	<p>a) If A0310F=[01,12,99], then if A0310G is active it must equal [^]. b) If A0310F=[10,11], then if A0310G is active it must not equal [^].</p> <p>Items: A0310F Entry/discharge reporting A0310G Planned/unplanned discharge</p>
-9001	Information	None	<p>Vendor's version number for the software that was used to create the MDS data submission file.</p> <p>Items: SFTWR_PROD_VRS Software product version code N_CD</p>
-9002	Information	None	<p>Optional item. Can be used by facility for unique identification of record and for tracking records submitted to the MDS Submission System.</p> <p>Items: FAC_DOC_ID Facility document ID</p>
-9003	Information	None	<p>Valid federal tax ID (EIN) for the company that developed the software used to create the MDS data submission file.</p> <p>Items: SFTWR_VNDR_ID Software vendor federal employer tax ID</p>
-9004	Information	None	<p>Name of the software that was used to create the MDS data submission file.</p> <p>Items: SFTWR_PROD_NA Software product name ME</p>
-9005	Information	None	<p>Email address of the vendor who created the software that was used to produce the MDS submission file.</p> <p>Items: SFTWR_VNDR_EM Software vendor email address AIL_ADR</p>
-9006	Information	None	<p>Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.</p> <p>Items: FAC_ID Assigned facility/provider submission ID SFTWR_VNDR_ID Software vendor federal employer tax ID SFTWR_VNDR_NA Software vendor company name ME SFTWR_PROD_NA Software product name ME SFTWR_PROD_VRS Software product version code N_CD FAC_DOC_ID Facility document ID A0100B Facility CMS Certification Number (CCN) A0100C State provider number A0500A Resident first name A0500B Resident middle initial A0500C Resident last name A0500D Resident name suffix A0600B Resident Medicare/railroad insurance number A0700 Resident Medicaid number A1100B Preferred language A1300A Medical record number</p>

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: A1300B Room number A1300C Name by which resident prefers to be addressed A1300D Lifetime occupation(s) I8000A Additional active ICD diagnosis 1 I8000B Additional active ICD diagnosis 2 I8000C Additional active ICD diagnosis 3 I8000D Additional active ICD diagnosis 4 I8000E Additional active ICD diagnosis 5 I8000F Additional active ICD diagnosis 6 I8000G Additional active ICD diagnosis 7 I8000H Additional active ICD diagnosis 8 I8000I Additional active ICD diagnosis 9 I8000J Additional active ICD diagnosis 10 X0200A Correction: resident first name X0200C Correction: resident last name X1100A Correction: attestor first name X1100B Correction: attestor last name Z0100A Medicare Part A: HIPPS code Z0100B Medicare Part A: RUG version code Z0150A Medicare Part A: non-therapy HIPPS code Z0150B Medicare Part A: non-therapy RUG version code Z0200A State case mix: RUG group Z0200B State case mix: RUG version code Z0250A State case mix: Alternate RUG group Z0250B State case mix: Alternate RUG version code
-9008	Information	None	Submit [+] (the plus sign) to indicate that Medicaid number is pending. Items: A0700 Resident Medicaid number
-9009	Information	None	Submit [N] to indicate that the resident is non-Medicaid. Items: A0700 Resident Medicaid number
-9010	Information	None	Put [/] (slash) between two occupations. Items: A1300D Lifetime occupation(s)
-9012	Information	None	The maximum length of Z0100A and Z0150A is 7 characters even though the HIPPS code is currently 5 characters in length. The extra 2 characters are included to allow for future expansion. Items: Z0100A Medicare Part A: HIPPS code Z0150A Medicare Part A: non-therapy HIPPS code
-9013	Information	None	Rounding of Integer Items: This item should be rounded to the nearest integer. If the value in the tenths decimal place is equal to 0 through 4, round the value down to the nearest integer (i.e., discard the fractional portion of the number). If the value in the tenths decimal place is equal to 5 through 9, round the value up to the next largest integer. Items: D0300 PHQ res: total mood severity score

Data Submission Specifications for the MDS 3.0 (V1.11.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: D0600 PHQ staff: total mood score K0200A Height (in inches) K0200B Weight (in pounds)
-9014	Information	None	Rounding of Numeric Items with Tenths Decimal Values: This item should be rounded to the nearest tenth decimal place. If the value in the hundredth decimal place is equal to 0 through 4, round the value down to the nearest tenth (i.e., discard the fractional portion of the number after the tenth decimal place). If the value in the hundredth decimal place is equal to 5 through 9, round the value up to the next largest tenth decimal value. Items: M0610A Stage 3 or 4 pressure ulcer longest length M0610B Stage 3 or 4 pressure ulcer width (same ulcer) M0610C Stage 3 or 4 pressure ulcer depth (same ulcer)
-9015	Information	None	Items V0100A through V0100C are used to identify a prior OBRA or PPS assessment if one has been performed since the resident's most recent entry. If such an assessment exists, the values in V0100D, V0100E, and V0100F are used in the triggering logic for CAAs that depend upon values from a prior assessment. Items: V0100A Prior OBRA reason for assessment V0100B Prior PPS reason for assessment V0100C Prior assessment reference date V0100D Prior assessment BIMS summary score V0100E Prior asmt PHQ res: total mood severity score V0100F Prior asmt PHQ staff: total mood score
-9016	Information	None	V0100A through V0100F should be completed only if there is a prior assessment (if A0310E=[0]) and if the following is true for the most recent prior assessment: A0310A is equal to [01,02,03,04,05,06] OR A0310B is equal to [01,02,03,04,05,06]. The purpose of V0100D through V0100F is to supply previous score values that are used for calculating some of the CATs. The purpose of V0100A through V0100C is to document the prior assessment that contained those values. Items: V0100A Prior OBRA reason for assessment V0100B Prior PPS reason for assessment V0100C Prior assessment reference date V0100D Prior assessment BIMS summary score V0100E Prior asmt PHQ res: total mood severity score V0100F Prior asmt PHQ staff: total mood score
-9017	Information	None	The target date is defined as follows: a) If A0310F is equal to [01], then the target date is equal to A1600 (entry date). b) If A0310F is equal to [10,11,12], then the target date is equal to A2000 (discharge date). c) If A0310F is equal to [99], then the target date is equal to A2300 (assessment reference date).. Items: TARGET_DATE Target date
-9018	Information	None	***BEGINNING WITH V1.02.0, THIS INFORMATIONAL EDIT HAS BEEN DISCONTINUED. PREVIOUSLY, IT APPLIED TO EFFECTIVE_DATE WHICH HAS BEEN CONVERTED TO FILLER (ITEM_FILLER_003). Items: ITEM_FILLER_003 Item filler: replaces old EFFECTIVE_DATE