

**Data Submission Specifications for the MDS 3.0 (V1.12.0)**  
**Detailed Data Specifications Report**  
**Section: Q**

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Q0100A	Resident participated in assessment	Asmt		Code	1	1132-1132

**Item Subsets**

Active: NC,NQ,NP,NS,NSD,NO,NOD,SP,SS,SSD,SO,SOD  
 Inactive: ND,NT,SD,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

**Data Submission Specifications for the MDS 3.0 (V1.12.0)**  
**Detailed Data Specifications Report**  
**Section: Q**

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Q0100B	Family/signif other participated in assessment	Asmt		Code	1	1133-1133

**Item Subsets**

Active: NC,NQ,NP,NS,NSD,NO,NOD,SP,SS,SSD,SO,SOD  
 Inactive: ND,NT,SD,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No
1		Yes
9		No family or significant other available
-		Not assessed/no information

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

**Data Submission Specifications for the MDS 3.0 (V1.12.0)**  
**Detailed Data Specifications Report**  
**Section: Q**

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Q0100C	Guardian/legal rep participated in assessment	Asmt		Code	1	1134-1134

**Item Subsets**

Active: NC,NQ,NP,NS,NSD,NO,NOD,SP,SS,SSD,SO,SOD  
 Inactive: ND,NT,SD,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No
1		Yes
9		No guardian or legally authorized representative available
-		Not assessed/no information

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

**Data Submission Specifications for the MDS 3.0 (V1.12.0)**  
**Detailed Data Specifications Report**  
**Section: Q**

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Q0300A	Resident's overall goal	Asmt		Code	1	1135-1135

**Item Subsets**

Active: NC,NQ,NP,SP  
Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX  
State optional:

**Item Values**

Value	LOINC Code	Value Text
1		Expects to be discharged to the community
2		Expects to remain in this facility
3		Expects to be discharged to another facility/institution
9		Unknown or uncertain
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3563	Skip pattern	Fatal	a) If A0310E=[0], then all active items from Q0300A through Q0300B must equal [^]. b) If A0310E=[1], then all active items from Q0300A through Q0300B must not equal [^].

**Data Submission Specifications for the MDS 3.0 (V1.12.0)**  
**Detailed Data Specifications Report**  
**Section: Q**

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Q0300B	Information source for resident's goal	Asmt		Code	1	1136-1136

**Item Subsets**

Active: NC,NQ,NP,SP  
Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX  
State optional:

**Item Values**

Value	LOINC Code	Value Text
1		Resident
2		If not resident, then family or significant other
3		If not resident, family or significant other, then guardian or legally authorized representative
9		Unknown or uncertain
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3563	Skip pattern	Fatal	a) If A0310E=[0], then all active items from Q0300A through Q0300B must equal [^]. b) If A0310E=[1], then all active items from Q0300A through Q0300B must not equal [^].

**Data Submission Specifications for the MDS 3.0 (V1.12.0)**  
**Detailed Data Specifications Report**  
**Section: Q**

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Q0400A	Active discharge planning for return to community	Asmt		Code	1	1137-1137

**Item Subsets**

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD  
Inactive: NS,NO,NT,SS,SO,ST,XX  
State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3833	Consistency	Fatal	a) If Q0400A=[0,-] and A0310A=[01,03,04,05], then if Q0490 is active it must equal [^]. b) If Q0400A=[0,-] and A0310A=[02,06,99], then if Q0490 is active it must not equal [^]. c) If Q0400A=[1], then all active items from Q0490 through Q0550B must equal [^].

# Data Submission Specifications for the MDS 3.0 (V1.12.0)

## Detailed Data Specifications Report

### Section: Q

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Q0490	Resident's preference to avoid being asked	Asmt		Code	1	1463-1463

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
8		Information not available
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3833	Consistency	Fatal	a) If Q0400A=[0,-] and A0310A=[01,03,04,05], then if Q0490 is active it must equal [^]. b) If Q0400A=[0,-] and A0310A=[02,06,99], then if Q0490 is active it must not equal [^]. c) If Q0400A=[1], then all active items from Q0490 through Q0550B must equal [^].
-3820	Skip pattern	Fatal	a) If Q0490=[1], then all active items from Q0500B through Q0550B must equal [^]. b) If Q0490=[0,8,-], then all active items from Q0500B through Q0550B must not equal [^].

**Data Submission Specifications for the MDS 3.0 (V1.12.0)**  
**Detailed Data Specifications Report**  
**Section: Q**

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Q0500B	Do you want to talk about returning to community	Asmt		Code	1	1140-1140

**Item Subsets**

Active: NC,NQ,NP,SP  
Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX  
State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No
1		Yes
9		Unknown or uncertain
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3833	Consistency	Fatal	a) If Q0400A=[0,-] and A0310A=[01,03,04,05], then if Q0490 is active it must equal [^]. b) If Q0400A=[0,-] and A0310A=[02,06,99], then if Q0490 is active it must not equal [^]. c) If Q0400A=[1], then all active items from Q0490 through Q0550B must equal [^].
-3820	Skip pattern	Fatal	a) If Q0490=[1], then all active items from Q0500B through Q0550B must equal [^]. b) If Q0490=[0,8,-], then all active items from Q0500B through Q0550B must not equal [^].



**Data Submission Specifications for the MDS 3.0 (V1.12.0)**  
**Detailed Data Specifications Report**  
**Section: Q**

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Q0550A	Reasking resident preference	Asmt		Code	1	1464-1464

**Item Subsets**

Active: NC,NQ,NP,SP  
Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX  
State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No
1		Yes
8		Information not available
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3833	Consistency	Fatal	a) If Q0400A=[0,-] and A0310A=[01,03,04,05], then if Q0490 is active it must equal [^]. b) If Q0400A=[0,-] and A0310A=[02,06,99], then if Q0490 is active it must not equal [^]. c) If Q0400A=[1], then all active items from Q0490 through Q0550B must equal [^].
-3820	Skip pattern	Fatal	a) If Q0490=[1], then all active items from Q0500B through Q0550B must equal [^]. b) If Q0490=[0,8,-], then all active items from Q0500B through Q0550B must not equal [^].

# Data Submission Specifications for the MDS 3.0 (V1.12.0)

## Detailed Data Specifications Report

### Section: Q

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Q0550B	Reasking resident preference source	Asmt		Code	1	1465-1465

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
1		Resident
2		If not resident, then family or significant other
3		If not resident, family or significant other, then guardian or legally authorized representative
8		No information source available
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3833	Consistency	Fatal	a) If Q0400A=[0,-] and A0310A=[01,03,04,05], then if Q0490 is active it must equal [^]. b) If Q0400A=[0,-] and A0310A=[02,06,99], then if Q0490 is active it must not equal [^]. c) If Q0400A=[1], then all active items from Q0490 through Q0550B must equal [^].
-3820	Skip pattern	Fatal	a) If Q0490=[1], then all active items from Q0500B through Q0550B must equal [^]. b) If Q0490=[0,8,-], then all active items from Q0500B through Q0550B must not equal [^].

**Data Submission Specifications for the MDS 3.0 (V1.12.0)**  
**Detailed Data Specifications Report**  
**Section: Q**

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Q0600	Referral been made to Local Contact Agency	Asmt		Code	1	1141-1141

**Item Subsets**

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD  
 Inactive: NS,NO,NT,SS,SO,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No - referral not needed
1		No - referral is or may be needed (For more information see Appendix C, Care Area Assessment Resources #20)
2		Yes - referral made
-		Not assessed/no information

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.