

**Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: Clinical Record Items**

|   |    |
|---|----|
| Item ID: M0080_ASSESSOR_DISCIPLINE .....      | 2  |
| Item ID: M0090_INFO_COMPLETED_DT .....        | 5  |
| Item ID: M0100_ASSMT_REASON .....             | 9  |
| Item ID: M0102_PHYSN_ORDRD_SOCROC_DT .....    | 15 |
| Item ID: M0102_PHYSN_ORDRD_SOCROC_DT_NA ..... | 17 |
| Item ID: M0104_PHYSN_RFRL_DT .....            | 20 |
| Item ID: M0110_EPISODE_TIMING .....           | 21 |

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Clinical Record Items

Item ID: M0080\_ASSESSOR\_DISCIPLINE

| Item Label                                 | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Discipline of person completing assessment | Asmt       |            | Code      | 2          | 433-434                      |

#### Item Subsets

Active: 01,03,04,05,06,07,08,09  
Inactive: XX

#### Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------|
| 01    |            | RN         |
| 02    |            | PT         |
| 03    |            | SLP/ST     |
| 04    |            | OT         |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text  |
|---------|-----------|----------|--|
| -3060   | Format    | Fatal    | VALUES OF CODE AND CHECKLIST ITEMS<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

#### Changes for Version

| Type   | ID    | Description  |
|--------|-------|--|
| Format | -3060 | [V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA.<br>Removed mappings to the following deleted items:<br>M1011_14_DAY_INP_NA<br>M1017_CHGREG_ICD_NA<br>M1018_PRIOR_CATH<br>M1018_PRIOR_DISRUPTIVE<br>M1018_PRIOR_IMPR_DECSN<br>M1018_PRIOR_INTRACT_PAIN<br>M1018_PRIOR_MEM_LOSS<br>M1018_PRIOR_NOCHG_14D<br>M1018_PRIOR_NONE<br>M1018_PRIOR_UNKNOWN<br>M1018_PRIOR_UR_INCON<br>M1034_PTNT_OVRAL_STUS<br>M1036_RSK_ALCOHOLISM<br>M1036_RSK_DRUGS |

**Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: Clinical Record Items**

M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT

# **Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT**

## **Detailed Data Specifications Report**

### **Section: Clinical Record Items**

M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECIF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN.

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Clinical Record Items

Item ID: M0090\_INFO\_COMPLETED\_DT

| Item Label                | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------|------------|------------|-----------|------------|------------------------------|
| Date assessment completed | Asmt       |            | Date      | 8          | 435-442                      |

#### Item Subsets

Active: 01,03,04,05,06,07,08,09,XX

Inactive:

#### Item Values

| Value    | LOINC Code | Value Text                |
|----------|------------|---------------------------|
| YYYYMMDD |            | Date assessment completed |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3070   | Format      | Fatal    | <p>VALUES OF DATE ITEMS</p> <p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2014 must be submitted as "20140101".</p>  |
| -3190   | Consistency | Fatal    | <p>In order to modify or inactivate a record that has previously been accepted by the ASAP system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items:</p> <p>M0030_START_CARE_DT</p> <p>M0032_ROC_DT</p> <p>M0032_ROC_DT_NA</p> <p>M0040_PAT_FNAME</p> <p>M0040_PAT_LNAME</p> <p>M0064_SSN</p> <p>M0064_SSN_UK</p> <p>M0066_PAT_BIRTH_DT</p> <p>M0069_PAT_GENDER</p> <p>M0090_INFO_COMPLETED_DT</p> <p>M0100_ASSMT_REASON</p> <p>M0906_DC_TRAN_DTH_DT</p> <p>If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.</p> |
| -3260   | Consistency | Fatal    | <p>***THIS EDIT WAS DELETED IN V2.30.0***</p>   |

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Clinical Record Items

|       |             |         |   |
|-------|-------------|---------|---|
| -3261 | Consistency | Fatal   | <p>DATE ITEM CONSISTENCY: PATTERN 1</p> <p>Each active item in the list below that contains a valid date (not blank) must be in the specified order. If M0032_ROC_DT is equal to [^], then the following rules apply:</p> <p>M0066_PAT_BIRTH_DT &lt;<br/> M1005_INP_DISCHARGE_DT &lt;=<br/> M0102_PHYSN_ORDRD_SOCROC_DT &lt;=<br/> M0030_START_CARE_DT &lt;=<br/> M1307_OLDST_STG2_ONST_DT &lt;=<br/> M0906_DC_TRAN_DTH_DT &lt;=<br/> M0090_INFO_COMPLETED_DT &lt;=<br/> Current date</p>                             |
| -3270 | Consistency | Fatal   | ***THIS EDIT WAS DELETED IN V2.30.0***  |
| -3271 | Consistency | Fatal   | <p>DATE ITEM CONSISTENCY: PATTERN 2</p> <p>Each active item in the list below that contains a valid date (not blank) must be in the specified order. If M0032_ROC_DT is NOT equal to [^], then the following rules apply:</p> <p>M0066_PAT_BIRTH_DT &lt;<br/> M0030_START_CARE_DT &lt;=<br/> M1005_INP_DISCHARGE_DT &lt;=<br/> M0102_PHYSN_ORDRD_SOCROC_DT &lt;=<br/> M0032_ROC_DT &lt;=<br/> M1307_OLDST_STG2_ONST_DT &lt;=<br/> M0906_DC_TRAN_DTH_DT &lt;=<br/> M0090_INFO_COMPLETED_DT &lt;=<br/> Current date</p> |
| -3300 | Consistency | Warning | If M0100_ASSMT_REASON=[01] and if M0090_INFO_COMPLETED_DT and M0030_START_CARE_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0030_START_CARE_DT should be greater than or equal to zero and less than or equal to 5.  |
| -3310 | Consistency | Warning | If M0100_ASSMT_REASON=[03] and if M0090_INFO_COMPLETED_DT and M0032_ROC_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0032_ROC_DT should be greater than or equal to zero and less than or equal to 2.  |
| -3320 | Consistency | Warning | If M0100_ASSMT_REASON=[09] and if M0090_INFO_COMPLETED_DT and M0906_DC_TRAN_DTH_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0906_DC_TRAN_DTH_DT should be greater than or equal to zero and less than or equal to 2.  |
| -3330 | Consistency | Warning | If TRANS_TYPE_CD=[1] (new record), then submission date minus M0090_INFO_COMPLETED_DT should be less than or equal to 30 days.  |

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Clinical Record Items

|       |             |       |   |
|-------|-------------|-------|---|
| -3390 | Consistency | Fatal | <p>PATIENT AGE</p> <p>a) Patient age at the time the assessment was completed cannot be more than 140 years.</p> <p>b) Patient age at the time the assessment was completed cannot be less than 18 years.</p> <p>c) If M0066_PAT_BIRTH_DT is equal to [-----], then age cannot be computed and this edit does not apply.</p> <p>Patient age is computed as follows:</p> <p>1) If both the month and day in M0066_PAT_BIRTH_DT are unknown, replace the month with "07" and the day with "02" for the purpose of calculating age.</p> <p>2) If only the day in M0066_PAT_BIRTH_DT is unknown, replace the day with the "15" for the purpose of calculating age.</p> <p>3) Provisionally compute age (in years) by subtracting the year in M0066_PAT_BIRTH_DT from the year in M0090_INFO_COMPLETED_DT.</p> <p>4) If the month in M0090_INFO_COMPLETED_DT is less than the month in M0066_PAT_BIRTH_DT, then subtract 1 from the provisional age computed in (3) above.</p> <p>5) If the month in M0090_INFO_COMPLETED_DT is equal to the month in M0066_PAT_BIRTH_DT and if the day in M0090_INFO_COMPLETED_DT is less than the day in M0066_PAT_BIRTH_DT, then subtract 1 from the provisional age computed in (3) above.</p> |
| -5460 | Consistency | Fatal | <p>The value for M0090_INFO_COMPLETED_DT must be within the allowable date range specified by the value for SPEC_VRSN_CD. The list of SPEC_VRSN_CD values and their corresponding date ranges are provided in the Overview document for the OASIS Data Specifications.</p>  |

### Supplemental Information

| Info ID | Type        | Text   |
|---------|-------------|--|
| -9060   | Information | <p>CALCULATION OF EFFECTIVE DATE</p> <p>a) If M0100_ASSMT_REASON=[01], then ASMT_EFF_DATE is equal to M0030_START_CARE_DT.</p> <p>b) If M0100_ASSMT_REASON=[03], then ASMT_EFF_DATE is equal to M0032_ROC_DT.</p> <p>c) If M0100_ASSMT_REASON=[04,05], then ASMT_EFF_DATE is equal to M0090_INFO_COMPLETED_DT.</p> <p>d) If M0100_ASSMT_REASON=[06,07,08,09], then ASMT_EFF_DATE is equal to M0906_DC_TRAN_DTH_DT.</p>   |
| -9080   | Information | <p>COMPLETION OF FOLLOW-UP ASSESSMENTS</p> <p>The allowable completion dates for the first and any subsequent follow-up assessments will be calculated relative to the start of care date. Follow-up assessments must be completed every 60 days that a patient is under care. Each time a follow-up assessment is due, it should be completed on or after the 56th day and on or before the 60th day of the period.</p> <p>More formally, the rules can be stated as follows:</p> <p>-Let j be the follow-up period number (i.e., 1=first follow-up period, 2=second follow-up period, etc.).</p> <p>-Let SOC be the start of care date (M0030_START_CARE_DT).</p> <p>-Let FCD be the completion date (M0090_INFO_COMPLETED_DT) of a follow-up assessment.</p> <p>Given these symbols, the rule for completion of follow-up assessments is as follows:</p> $SOC + (60*j) - 5 \leq FCD \leq SOC + (60*j) - 1$ <p>Where j=1, 2, 3, etc.</p> |

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Clinical Record Items

If a patient is under care by a home health agency during one of the follow-up windows defined above, a follow-up assessment must be submitted.

An exception to this rule can occur if a patient resumes care following an inpatient stay and if the resumption of care date (M0032\_ROC\_DT) falls within one of the follow-up windows. In this case, the home health agency should submit an RFA 03 resumption of care (after inpatient stay) (M0100\_ASSMT\_REASON=[03]) instead of the normal follow-up assessment.

Submission of such a resumption of care assessment fulfills the requirement for the follow-up assessment because it includes all of the data items contained in the normal follow-up assessment.

#### Changes for Version

| Type        | ID    | Description  |
|-------------|-------|--|
| Format      | -3070 | [V2.30.0]-Removed mapping to M0903_LAST_HOME_VISIT, which was deleted. |
| Consistency | -3261 | [V2.30.0]-New edit. Replaces edit -3260.                               |
| Consistency | -3271 | [V2.30.0]-New edit. Replaces edit -3270.                               |



# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Clinical Record Items

Item ID: M0100\_ASSMT\_REASON

| Item Label            | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------|------------|------------|-----------|------------|------------------------------|
| Reason for assessment | Asmt       |            | Code      | 2          | 443-444                      |

#### Item Subsets

Active: 01,03,04,05,06,07,08,09,XX  
Inactive:

#### Item Values

| Value | LOINC Code | Value Text  |
|-------|------------|---|
| 01    |            | Start of care - further visits planned                                    |
| 03    |            | Resumption of care (after inpatient stay)                                 |
| 04    |            | Recertification (follow-up) reassessment                                  |
| 05    |            | Other follow-up   |
| 06    |            | Transferred to an inpatient facility - patient not discharged from agency |
| 07    |            | Transferred to an inpatient facility - patient discharged from agency     |
| 08    |            | Death at home   |
| 09    |            | Discharge from agency   |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3060   | Format      | Fatal    | VALUES OF CODE AND CHECKLIST ITEMS<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3190   | Consistency | Fatal    | In order to modify or inactivate a record that has previously been accepted by the ASAP system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items:<br>M0030_START_CARE_DT<br>M0032_ROC_DT<br>M0032_ROC_DT_NA<br>M0040_PAT_FNAME<br>M0040_PAT_LNAME<br>M0064_SSN<br>M0064_SSN_UK<br>M0066_PAT_BIRTH_DT<br>M0069_PAT_GENDER<br>M0090_INFO_COMPLETED_DT<br>M0100_ASSMT_REASON<br>M0906_DC_TRAN_DTH_DT |

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Clinical Record Items

|       |             |         |   |
|-------|-------------|---------|---|
|       |             |         | If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.  |
| -3280 | Consistency | Warning | If M0100_ASSMT_REASON=[01] and if M0030_START_CARE_DT and M1005_INP_DISCHARGE_DT are both active and contain valid dates (not [^]), then M0030_START_CARE_DT minus M1005_INP_DISCHARGE_DT should be greater than or equal to zero and less than or equal to 14 days.          |
| -3290 | Consistency | Warning | If M0100_ASSMT_REASON=[03] and if M0032_ROC_DT and M1005_INP_DISCHARGE_DT are both active and contain valid dates (not [^]), then M0032_ROC_DT minus M1005_INP_DISCHARGE_DT should be greater than or equal to zero and less than or equal to 14.                             |
| -3300 | Consistency | Warning | If M0100_ASSMT_REASON=[01] and if M0090_INFO_COMPLETED_DT and M0030_START_CARE_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0030_START_CARE_DT should be greater than or equal to zero and less than or equal to 5.              |
| -3310 | Consistency | Warning | If M0100_ASSMT_REASON=[03] and if M0090_INFO_COMPLETED_DT and M0032_ROC_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0032_ROC_DT should be greater than or equal to zero and less than or equal to 2.                            |
| -3320 | Consistency | Warning | If M0100_ASSMT_REASON=[09] and if M0090_INFO_COMPLETED_DT and M0906_DC_TRAN_DTH_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0906_DC_TRAN_DTH_DT should be greater than or equal to zero and less than or equal to 2.            |
| -4320 | Consistency | Fatal   | If M0100_ASSMT_REASON=[09], then if M1600_UTI is active it cannot equal [UK].   |
| -4350 | Consistency | Fatal   | If M0100_ASSMT_REASON=[04,05,09], then if M1620_BWL_INCONT is active it cannot equal [UK].  |
| -4480 | Consistency | Fatal   | If M0100_ASSMT_REASON=[09] then M2020_CRNT_MGMT_ORAL_MDCTN cannot equal [^].  |
| -4490 | Consistency | Fatal   | If M0100_ASSMT_REASON=[04,05,09], then M2030_CRNT_MGMT_INJCTN_MDCTN cannot equal [^].   |
| -4570 | Consistency | Fatal   | If M0100_ASSMT_REASON=[09], then if M2410_INPAT_FACILITY is active it must equal [NA].  |
| -4580 | Consistency | Fatal   | If M0100_ASSMT_REASON=[06,07], then if M2410_INPAT_FACILITY is active it must not equal [NA].   |
| -4730 | Consistency | Fatal   | If M0100_ASSMT_REASON=[01], then M0032_ROC_DT_NA must be [1].   |
| -4740 | Consistency | Fatal   | If M0100_ASSMT_REASON=[03], then M0032_ROC_DT_NA must be [0].   |
| -4820 | Consistency | Warning | If M0100_ASSMT_REASON is equal to [01,03,04,05], then ASAP will recalculate the SUBM_HIPPS_CODE and SUBM_HIPPS_VERSION and compare the recalculated values with the submitted values. If the submitted values do not match the recalculated values, a warning will be issued. |
| -5290 | Consistency | Fatal   | If M0100_ASSMT_REASON=[06,07,08,09], then M0906_DC_TRAN_DTH_DT must not equal [^].  |
| -5300 | Consistency | Fatal   | If TRANS_TYPE_CD=[3] (inactivate existing record) and M0100_ASSMT_REASON=[01,03,04,05], then M0906_DC_TRAN_DTH_DT must equal [^].   |
| -5340 | Consistency | Fatal   | If M0104_PHYSN_RFRL_DT is not equal to [^] and if M0100_ASSMT_REASON=[01], then M0104_PHYSN_RFRL_DT must be less than or equal to M0030_START_CARE_DT and must be greater than M0066_PAT_BIRTH_DT.  |
| -5350 | Consistency | Fatal   | If M0104_PHYSN_RFRL_DT is not equal to [^] and if M0100_ASSMT_REASON=[03], then M0104_PHYSN_RFRL_DT must be less than or equal to M0032_ROC_DT and must be greater than M0066_PAT_BIRTH_DT.   |

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Clinical Record Items

|       |             |       |  |
|-------|-------------|-------|--|
| -5660 | Consistency | Fatal | <p>If M0100_ASSMT_REASON=[01,03,04,05], then none of the following items can be equal to [-]:</p> <p>M1311_NBR_PRSULC_STG2_A1</p> <p>M1311_NBR_PRSULC_STG3_B1</p> <p>M1311_NBR_PRSULC_STG4_C1</p> <p>M1311_NSTG_DRSG_D1</p> <p>M1311_NSTG_CVRG_E1</p> <p>M1311_NSTG_DEEP_TSUE_F1</p> |
|-------|-------------|-------|--|

### Supplemental Information

| Info ID | Type        | Text  |
|---------|-------------|---|
| -9060   | Information | <p>CALCULATION OF EFFECTIVE DATE</p> <p>a) If M0100_ASSMT_REASON=[01], then ASMT_EFF_DATE is equal to M0030_START_CARE_DT.</p> <p>b) If M0100_ASSMT_REASON=[03], then ASMT_EFF_DATE is equal to M0032_ROC_DT.</p> <p>c) If M0100_ASSMT_REASON=[04,05], then ASMT_EFF_DATE is equal to M0090_INFO_COMPLETED_DT.</p> <p>d) If M0100_ASSMT_REASON=[06,07,08,09], then ASMT_EFF_DATE is equal to M0906_DC_TRAN_DTH_DT.</p>  |
| -9080   | Information | <p>COMPLETION OF FOLLOW-UP ASSESSMENTS</p> <p>The allowable completion dates for the first and any subsequent follow-up assessments will be calculated relative to the start of care date. Follow-up assessments must be completed every 60 days that a patient is under care. Each time a follow-up assessment is due, it should be completed on or after the 56th day and on or before the 60th day of the period. More formally, the rules can be stated as follows:</p> <p>-Let j be the follow-up period number (i.e., 1=first follow-up period, 2=second follow-up period, etc.).</p> <p>-Let SOC be the start of care date (M0030_START_CARE_DT).</p> <p>-Let FCD be the completion date (M0090_INFO_COMPLETED_DT) of a follow-up assessment.</p> <p>Given these symbols, the rule for completion of follow-up assessments is as follows:</p> $SOC + (60*j) - 5 \leq FCD \leq SOC + (60*j) - 1$ <p>Where j=1, 2, 3, etc.</p> <p>If a patient is under care by a home health agency during one of the follow-up windows defined above, a follow-up assessment must be submitted. An exception to this rule can occur if a patient resumes care following an inpatient stay and if the resumption of care date (M0032_ROC_DT) falls within one of the follow-up windows. In this case, the home health agency should submit an RFA 03 resumption of care (after inpatient stay) (M0100_ASSMT_REASON=[03]) instead of the normal follow-up assessment. Submission of such a resumption of care assessment fulfills the requirement for the follow-up assessment because it includes all of the data items contained in the normal follow-up assessment.</p> |

## Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

### Detailed Data Specifications Report

#### Section: Clinical Record Items

|       |             |  |
|-------|-------------|--|
| -9160 | Information | <p>The Item Subset Code (ISC) is a two-character code that indicates the type of record that is being submitted. The set of active items is controlled by the ISC. The ISC is defined as follows:</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [01]<br/>then ITM_SBST_CD = [01]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [03]<br/>then ITM_SBST_CD = [03]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [04]<br/>then ITM_SBST_CD = [04]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [05]<br/>then ITM_SBST_CD = [05]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [06]<br/>then ITM_SBST_CD = [06]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [07]<br/>then ITM_SBST_CD = [07]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [08]<br/>then ITM_SBST_CD = [08]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [09]<br/>then ITM_SBST_CD = [09]</p> <p>If TRANS_TYPE_CD = [3] and M0100_ASSMT_REASON = [01-09]<br/>then ITM_SBST_CD = [XX]</p> <p>For a more complete explanation of the meaning and use of the ISC codes, please refer to the documentation that accompanies these data specifications.</p> |
|-------|-------------|--|

#### Changes for Version

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3060 | <p>[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA.</p> <p>Removed mappings to the following deleted items:</p> <p>M1011_14_DAY_INP_NA</p> <p>M1017_CHGREG_ICD_NA</p> <p>M1018_PRIOR_CATH</p> <p>M1018_PRIOR_DISRUPTIVE</p> <p>M1018_PRIOR_IMPR_DECSN</p> <p>M1018_PRIOR_INTRACT_PAIN</p> <p>M1018_PRIOR_MEM_LOSS</p> <p>M1018_PRIOR_NOCHG_14D</p> <p>M1018_PRIOR_NONE</p> <p>M1018_PRIOR_UNKNOWN</p> <p>M1018_PRIOR_UR_INCON</p> <p>M1034_PTNT_OVRAL_STUS</p> <p>M1036_RSK_ALCOHOLISM</p> <p>M1036_RSK_DRUGS</p> <p>M1036_RSK_NONE</p> |

**Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: Clinical Record Items**

M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Clinical Record Items

M2250\_PLAN\_SMRY\_PTNT\_SPECIF  
M2310\_ECR\_CRDC\_DSRTM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN  
[V2.30.0]-New edit.

Consistency -5660

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Clinical Record Items

Item ID: M0102\_PHYSN\_ORDRD\_SOCROC\_DT

| Item Label                     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------------|------------|------------|-----------|------------|------------------------------|
| Physician ordered SOC/ROC date | Asmt       |            | Date      | 8          | 445-452                      |

#### Item Subsets

|           |                      |
|-----------|----------------------|
| Active:   | 01,03                |
| Inactive: | 04,05,06,07,08,09,XX |

#### Item Values

| Value    | LOINC Code | Value Text                       |
|----------|------------|----------------------------------|
| YYYYMMDD |            | Physician ordered SOC/ROC date   |
| ^        |            | Blank (not available or unknown) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3070   | Format      | Fatal    | <p>VALUES OF DATE ITEMS</p> <p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2014 must be submitted as "20140101".</p> |
| -3260   | Consistency | Fatal    | ***THIS EDIT WAS DELETED IN V2.30.0***   |
| -3261   | Consistency | Fatal    | <p>DATE ITEM CONSISTENCY: PATTERN 1</p> <p>Each active item in the list below that contains a valid date (not blank) must be in the specified order. If M0032_ROC_DT is equal to [^], then the following rules apply:</p> <p>M0066_PAT_BIRTH_DT &lt;<br/> M1005_INP_DISCHARGE_DT &lt;=<br/> M0102_PHYSN_ORDRD_SOCROC_DT &lt;=<br/> M0030_START_CARE_DT &lt;=<br/> M1307_OLDST_STG2_ONST_DT &lt;=<br/> M0906_DC_TRAN_DTH_DT &lt;=<br/> M0090_INFO_COMPLETED_DT &lt;=<br/> Current date</p>  |
| -3270   | Consistency | Fatal    | ***THIS EDIT WAS DELETED IN V2.30.0***   |

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Clinical Record Items

|       |             |       |   |
|-------|-------------|-------|---|
| -3271 | Consistency | Fatal | <p>DATE ITEM CONSISTENCY: PATTERN 2</p> <p>Each active item in the list below that contains a valid date (not blank) must be in the specified order. If M0032_ROC_DT is NOT equal to [^], then the following rules apply:</p> <p>M0066_PAT_BIRTH_DT &lt;<br/> M0030_START_CARE_DT &lt;=<br/> M1005_INP_DISCHARGE_DT &lt;=<br/> M0102_PHYSN_ORDRD_SOCROC_DT &lt;=<br/> M0032_ROC_DT &lt;=<br/> M1307_OLDST_STG2_ONST_DT &lt;=<br/> M0906_DC_TRAN_DTH_DT &lt;=<br/> M0090_INFO_COMPLETED_DT &lt;=<br/> Current date</p> |
| -3570 | Consistency | Fatal | <p>If M0102_PHYSN_ORDRD_SOCROC_DT is not equal to [^] (contains a valid date), then if M0102_PHYSN_ORDRD_SOCROC_DT_NA is active it must equal [0,^].</p>  |
| -3580 | Consistency | Fatal | <p>If M0102_PHYSN_ORDRD_SOCROC_DT=[^], then if M0102_PHYSN_ORDRD_SOCROC_DT_NA is active it must equal [1].</p>  |
| -3590 | Consistency | Fatal | <p>If M0102_PHYSN_ORDRD_SOCROC_DT is not equal to [^] (contains a valid date), then if M0104_PHYSN_RFRL_DT is active it must equal [^].</p>   |
| -3600 | Consistency | Fatal | <p>If M0102_PHYSN_ORDRD_SOCROC_DT=[^] then if M0104_PHYSN_RFRL_DT is active it must not equal [^].</p>  |

### Changes for Version

| Type        | ID    | Description  |
|-------------|-------|--|
| Format      | -3070 | [V2.30.0]-Removed mapping to M0903_LAST_HOME_VISIT, which was deleted. |
| Consistency | -3261 | [V2.30.0]-New edit. Replaces edit -3260.                               |
| Consistency | -3271 | [V2.30.0]-New edit. Replaces edit -3270.                               |



# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Clinical Record Items

Item ID: M0102\_PHYSN\_ORDRD\_SOCROC\_DT\_NA

| Item Label                          | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------------|------------|------------|-----------|------------|------------------------------|
| Physician ordered SOC/ROC date - NA | Asmt       |            | Code      | 1          | 453-453                      |

#### Item Subsets

|           |                      |
|-----------|----------------------|
| Active:   | 01,03                |
| Inactive: | 04,05,06,07,08,09,XX |

#### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not checked (no)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3060   | Format      | Fatal    | VALUES OF CODE AND CHECKLIST ITEMS<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3570   | Consistency | Fatal    | If M0102_PHYSN_ORDRD_SOCROC_DT is not equal to [^] (contains a valid date), then if M0102_PHYSN_ORDRD_SOCROC_DT_NA is active it must equal [0,^].                        |
| -3580   | Consistency | Fatal    | If M0102_PHYSN_ORDRD_SOCROC_DT=[^], then if M0102_PHYSN_ORDRD_SOCROC_DT_NA is active it must equal [1].  |

#### Changes for Version

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3060 | [V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA.<br>Removed mappings to the following deleted items:<br>M1011_14_DAY_INP_NA<br>M1017_CHGREG_ICD_NA<br>M1018_PRIOR_CATH<br>M1018_PRIOR_DISRUPTIVE<br>M1018_PRIOR_IMPR_DECSN<br>M1018_PRIOR_INTRACT_PAIN<br>M1018_PRIOR_MEM_LOSS<br>M1018_PRIOR_NOCHG_14D<br>M1018_PRIOR_NONE<br>M1018_PRIOR_UNKNOWN<br>M1018_PRIOR_UR_INCON<br>M1034_PTNT_OVRAL_STUS |

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Clinical Record Items

M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT

# **Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT**

## **Detailed Data Specifications Report**

### **Section: Clinical Record Items**

M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Clinical Record Items

Item ID: M0104\_PHYSN\_RFRL\_DT

| Item Label                 | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------------------|------------|------------|-----------|------------|------------------------------|
| Physician date of referral | Asmt       |            | Date      | 8          | 454-461                      |

#### Item Subsets

|           |                      |
|-----------|----------------------|
| Active:   | 01,03                |
| Inactive: | 04,05,06,07,08,09,XX |

#### Item Values

| Value    | LOINC Code | Value Text                       |
|----------|------------|----------------------------------|
| YYYYMMDD |            | Physician date of referral       |
| ^        |            | Blank (not available or unknown) |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3070   | Format      | Fatal    | VALUES OF DATE ITEMS<br>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.<br>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2014 must be submitted as "20140101". |
| -3590   | Consistency | Fatal    | If M0102_PHYSN_ORDRD_SOCROC_DT is not equal to [^] (contains a valid date), then if M0104_PHYSN_RFRL_DT is active it must equal [^].  |
| -3600   | Consistency | Fatal    | If M0102_PHYSN_ORDRD_SOCROC_DT=[^] then if M0104_PHYSN_RFRL_DT is active it must not equal [^].   |
| -5340   | Consistency | Fatal    | If M0104_PHYSN_RFRL_DT is not equal to [^] and if M0100_ASSMT_REASON=[01], then M0104_PHYSN_RFRL_DT must be less than or equal to M0030_START_CARE_DT and must be greater than M0066_PAT_BIRTH_DT.  |
| -5350   | Consistency | Fatal    | If M0104_PHYSN_RFRL_DT is not equal to [^] and if M0100_ASSMT_REASON=[03], then M0104_PHYSN_RFRL_DT must be less than or equal to M0032_ROC_DT and must be greater than M0066_PAT_BIRTH_DT.   |

#### Changes for Version

| Type   | ID    | Description  |
|--------|-------|--|
| Format | -3070 | [V2.30.0]-Removed mapping to M0903_LAST_HOME_VISIT, which was deleted. |

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Clinical Record Items

Item ID: M0110\_EPISODE\_TIMING

| Item Label     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------|------------|------------|-----------|------------|------------------------------|
| Episode timing | Asmt       |            | Code      | 2          | 462-463                      |

#### Item Subsets

|           |                |
|-----------|----------------|
| Active:   | 01,03,04,05    |
| Inactive: | 06,07,08,09,XX |

#### Item Values

| Value | LOINC Code | Value Text   |
|-------|------------|--|
| 01    |            | Early  |
| 02    |            | Later  |
| UK    |            | Unknown  |
| NA    |            | Not Applicable: No Medicare case mix group to be defined by this assessment. |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3060   | Format      | Fatal    | VALUES OF CODE AND CHECKLIST ITEMS<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3610   | Consistency | Fatal    | If SUBM_HIPPS_CODE is not equal to [^], then M0110_EPISODE_TIMING must equal [01,02,UK].   |

#### Changes for Version

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3060 | [V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA.<br>Removed mappings to the following deleted items:<br>M1011_14_DAY_INP_NA<br>M1017_CHGREG_ICD_NA<br>M1018_PRIOR_CATH<br>M1018_PRIOR_DISRUPTIVE<br>M1018_PRIOR_IMPR_DECSN<br>M1018_PRIOR_INTRACT_PAIN<br>M1018_PRIOR_MEM_LOSS<br>M1018_PRIOR_NOCHG_14D<br>M1018_PRIOR_NONE<br>M1018_PRIOR_UNKNOWN<br>M1018_PRIOR_UR_INCON<br>M1034_PTNT_OVRAL_STUS<br>M1036_RSK_ALCOHOLISM |

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Clinical Record Items

M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Clinical Record Items

M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECIF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN